



Incident Number: nJMW1317031601 and
nJMW1327753065

Release Assessment and Closure

Sawbuck Water Transfer Station

Section 23, Township 20 South, Range 24 East

County: Eddy

Vertex File Number: 22E-00123-03

Prepared for:

EOG Resources Inc.

Prepared by:

Vertex Resource Services Inc.

Date:

July 2023

EOG Resources Inc.
Sawbuck Water Transfer Station

Release Assessment and Closure
July 2023

Release Assessment and Closure
Sawbuck Water Transfer Station
Section 23, Township 20 South, Range 24 East
County: Eddy

Prepared for:

EOG Resources Inc.

104 S. 4th Street

Artesia, New Mexico 88210

New Mexico Oil Conservation Division – District 2

811 S. 1st Street

Artesia, New Mexico 88210

Prepared by:

Vertex Resource Services Inc.

3101 Boyd Drive

Carlsbad, New Mexico 88220



Jacob Reta, B.Sc.
INTERMEDIATE BIOLOGIST, REPORTING

9/14/2023

Date



Chance Dixon, B.Sc.
PROJECT MANAGER, REPORT REVIEW

9/14/2023

Date

Table of Contents

1.0 Introduction 1

2.0 Incident Description 1

3.0 Site Characteristics 1

4.0 Closure Criteria Determination 2

5.0 Site Assessment..... 2

6.0 Closure Request..... 3

7.0 References 5

8.0 Limitations 6

EOG Resources Inc.
Sawbuck Water Transfer Station

Release Assessment and Closure
July 2023

In-text Tables

Table 1. Closure Criteria for Soils Impacted by a Release

Vertex Schematic

Vertex Table

List of Appendices

- Appendix A. NMOCD C 141 Reports, Yates Remediation Plan, and Yates Closure Report
- Appendix B. Closure Criteria Research Documentation
- Appendix C. Daily Field and Sampling Report
- Appendix D. Notification
- Appendix E. Laboratory Data Reports and Chain of Custody Forms

1.0 Introduction

EOG Resources Inc. (EOG) retained Vertex Resource Services Inc. (Vertex) to conduct an assessment for two historical produced water releases that occurred on June 8, 2013, and September 23, 2013, at Sawbuck Water Transfer Station (hereafter referred to as “site”). Yates Petroleum Corporation (Yates) submitted an initial C-141 Release Notification (Appendix A) to New Mexico Oil Conservation Division (NMOCD) District 2 on June 10, 2013, and September 23, 2013. Incident ID numbers nJMW1317031601 (2RP-1685) and nJMW1327753065 (2RP-1973) were assigned to these incidents. Yates submitted a remediation work plan that was verbally approved by NMOCD and later submitted a closure report after the remedial activities were completed (Appendix A).

This report provides a description of the assessment activities associated with the site visit by Vertex. The information presented demonstrates that closure criteria established in Table I of 19.15.29.12 of the New Mexico Administrative Code (NMAC; New Mexico Oil Conservation Division, 2018) related to NMOCD has been met and all applicable regulations are being followed. This document is intended to serve as a final report to obtain approval from NMOCD for the closure of these releases, with the the release site also meets requirements instituted in 2018 per NMAC 19.15.29.13.

2.0 Incident Description

The first release (2RP-1685) occurred on June 8, 2023, due to a 12-inch water line main that failed due to the age of the infrastructure. Vacuum trucks were dispatched to recover fluids and the line was shut in and isolated for repairs. The incident was reported on June 10, 2013, and involved the release of 1,850 barrels (bbl) of produced water, and 1,650 bbls of fluid was recovered during the initial clean-up. Additional details relevant to the release are presented in the C-141 Report.

The second release (2RP-1973) occurred on September 23, 2013. The cause of the release was due to an 8 inch leaking water line that failed due to the age of the infrastructure. Vacuum trucks were dispatched to recover the fluids and the line was shut in and isolated for repairs. The incident was reported on September 23, 2013 and involved the release of 8 bbl of produced water, and 5 bbl of fluid was recovered during the initial clean-up. Additional details relevant to the release are presented in the C-141 Report. The Daily Field Report (DFR) and site photographs associated with the site visit are included in Appendix C.

3.0 Site Characteristics

The site is located approximately 8.16 miles southwest of Seven Rivers, New Mexico (Google Inc., 2023). The legal location for the site is Section 23, Township 20 South and Range 24 East in Eddy County, New Mexico. The release area is located on the Bureau of Land Management (BLM) property. An aerial photograph and site schematic are presented in Figure 2.

The Geological Map of New Mexico (New Mexico Bureau of Geology and Mineral Resources, 2023) indicates the site’s surface geology primarily comprises Qp – Piedmont alluvial deposits (Holocene to lower Pleistocene). Predominant soil texture on the site is Pima silt and Reagan loam.

The location was typical of oil and gas water disposal sites in the Permian Basin and was used for produced water storage and disposal. The following sections specifically describe the release area at 32.562300, -104.556110 on or in proximity to the constructed pad (Figure 1).

The surrounding landscape is associated with rolling hills and fans with elevations ranging between 1,100 and 5,400 feet. The climate is semiarid with average annual precipitation ranging between 6 and 15 inches. The soil is well-drained with a high runoff. Using information from the United States Department of Agriculture, the dominant vegetation was determined to be Blue grama. Creosote bush, mesquite, and catclaw mimosa are common shrubs (United States Department of Agriculture, Natural Resources Conservation Service, 2023).

4.0 Closure Criteria Determination

Using the characterization information, a closure criteria determination worksheet (Appendix B) was completed to determine if the releases were subject to any special case scenarios outlined in Paragraph (4) of subsection C of 19.15.29.12 NMAC. The nearest groundwater data is more than 25 years old and located more than 0.5 miles away from the release site; therefore, the depth to groundwater cannot be determined accurately. The closure criteria for the site is determined to be associated with the following constituent concentration limits (Table 1).

Table 1. Closure Criteria for Soils Impacted by a Release		
Minimum depth below any point within the horizontal boundary of the release to groundwater less than 10,000 mg/l TDS	Constituent	Limit
<p style="text-align: center;">< 50 feet</p>	Chloride	600 mg/kg
	TPH (GRO+DRO+MRO)	100 mg/kg
	BTEX	50 mg/kg
	Benzene	10 mg/kg

TDS – total dissolved solids

TPH – total petroleum hydrocarbons, GRO – gas range organics, DRO – diesel range organics, MRO – motor oil range organics

BTEX – benzene, toluene, ethylbenzene and xylenes

5.0 Site Assessment

A remediation work plan for nJMW1317031601 was submitted to NMOCD Artesia by Yates and received on July 18, 2013. Correspondence between Yates, BLM, and NMOCD demonstrates that the work plan was approved on August 7, 2013. As remedial activities were taking place on September 23, 2013, a second release (nJMW1327753065) occurred. The second release was scraped up during remedial activities for the first release. Samples were collected, submitted for analysis, and determined to be below the applicable closure criteria selected for the first release. A closure report for both releases was submitted to NMOCD on February 19, 2014. This documentation is included in Appendix A.

EOG retained Vertex to conduct a field investigation at the site to ensure no remnant impacts remained which would impede reclamation. Investigation efforts began on June 2, 2023, and were finalized on June 5, 2023. Field screening was completed within the remediation area at a point impacted by both releases.

Notification that confirmatory samples were being collected was provided to the NMOCD on May 30, 2023, and is included in Appendix D. Confirmatory samples were collected at one sample point (borehole) impacted by both releases at the site. A total of 5 samples were collected for laboratory analysis following NMOCD soil sampling procedures.

Field screening was completed using Dextsil Petro flag using EPA SW-846 Method 9074 (extractable hydrocarbons) and Hanna DiST 4 EC Meter (chlorides) and HACH Chloride Test Kit. Samples were submitted to Hall Environmental Analysis Laboratory under chain-of-custody protocols and analyzed for BTEX (8021), total petroleum hydrocarbons (GRO, DRO, MRO – EPA Method 8015D), and total chlorides (EPA Method 300.0). Laboratory results are presented in Table 3, and the laboratory data reports are included in Appendix E. All confirmatory samples collected and analyzed were below the closure criteria for the site.

6.0 Closure Denial

After the investigative sampling activities were completed by Vertex, EOG submitted the report requesting closure for the two releases and it was received by NMOCD on August 8, 2023. After review, closure was denied by NMOCD due to a lack of documentation within their internal system confirming the previous approval of the Remediation Plan submitted in 2013. A NMOCD request was made to complete further delineation within the area to ensure that remediation work was completed and that the site met the current guidelines of the 2018 Spill Rule (19.15.29.12 & 13 NMAC). On August 9, 2023, further details were provided during a phone conversation conducted with the NMOCD Environmental Specialist who reviewed the previous Closure Report. This conversation identified two other sample points within the historically impacted area to provide the necessary assurance of proper remediation being completed during the previous activities. As an additional assurance, a third sample point was voluntarily added by EOG after the initial phone conversation.

On August 30, 2023, Vertex returned to the site to collect samples from three additional points (boreholes) to account for the middle and western portions of the release footprint. Upon arrival, it was discovered that one of the proposed sample points (BH23-06) was under a large splash of water due to rainfall; therefore, the proposed point could not be sampled at that time. The sampling for the remaining two points commenced after approximately one foot of the top layer of former pad material from the release area had been previously removed during reclamation activities and hauled to an approved disposal facility. BH23-07 and BH23-08 were then collected at one foot and two feet bgs respectively. The samples collected from these two points inside of the release area showed no signs of remaining impacts through on-site field screening. Therefore, no further samples were required to ensure that remnant impacts no longer existed which would impede the final reclamation of the site. Laboratory results confirmed the on-site observations from field screens as all samples returned results of Non-Detectable (ND) for the constituents of concern. Notification that confirmatory composite samples were being collected was provided to NMOCD on August 25, 2023, and is included in Appendix D.

7.0 Closure Request

Vertex recommends no additional action at the site. Laboratory analyses of confirmation samples collected within the historical impact areas of the releases show final confirmatory values below NMOCD closure criteria for areas where

EOG Resources Inc.
Sawbuck Water Transfer Station

Release Assessment and Closure
July 2023

depth to groundwater is less than 50 feet bgs as presented in Table 1. There are no anticipated risks to human, ecological, or hydrological receptors at this site.

Vertex requests that these incidents (nJMW1317031601 and nJMW1327753065) be closed as all closure requirements set forth in Subsection E of 19.15.29.12 NMAC have been met. EOG certifies that all information in this report and the appendices are correct and that they have complied with all applicable closure requirements and conditions specified in Division rules and directives to meet NMOCD requirements to obtain closure on the site.

Should you have any questions or concerns, please do not hesitate to contact Chance Dixon at 575.988.1472 or cdixon@vertex.ca

7.0 References

- Google Inc. (2023). *Google Earth Pro (Version 7.3.3)* [Software]. Retrieved from <https://earth.google.com>
- New Mexico Bureau of Geology and Mineral Resources. (2023). *Interactive Geologic Map*. Retrieved from <https://maps.nmt.edu/>
- New Mexico Department of Surface Water Quality Bureau. (2023). *Assessed and Impaired Waters of New Mexico*. Retrieved from <https://gis.web.env.nm.gov/oem/?map=swqb>
- New Mexico Energy, Minerals and Natural Resources Department. (2023). *OCD Permitting - Spill Search*. Retrieved from <https://wwwapps.emnrd.nm.gov/oed/oedpermitting/Data/Spills/Spills.aspx>
- New Mexico Mining and Minerals Division. (2023). *Coal Mine Resources in New Mexico*. Retrieved from <https://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=5f80f3b0faa545e58fe747cc7b037a93>
- New Mexico Office of the State Engineer. (2023a). *Point of Diversion Location Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/wellSurfaceDiversion.html>
- New Mexico Office of the State Engineer. (2023b). *Water Column/Average Depth to Water Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/waterColumn.html>
- New Mexico Office of the State Engineer. (2023c). *Well Log/Meter Information Report - New Mexico Water Rights Reporting System*. Retrieved from <http://nmwrrs.ose.state.nm.us/nmwrrs/meterReport.html>
- New Mexico Oil Conservation Division. (2018). *New Mexico Administrative Code – Natural Resources and Wildlife Oil and Gas Releases*. Santa Fe, New Mexico.
- United States Department of Agriculture, Natural Resources Conservation Service. (2023). *Web Soil Survey*. Retrieved from <https://websoilsurvey.nrcs.usda.gov/app/WebSoilSurvey.aspx>
- United States Department of Homeland Security, Federal Emergency Management Agency. (2023). *FEMA Flood Map Service: Search by Address*. Retrieved from <https://msc.fema.gov/portal/search?AddressQuery=malaga%20new%20mexico#searchresultsanchor>
- United States Department of the Interior, Bureau of Land Management. (2018). *New Mexico Cave/Karst*. Retrieved from https://www.nm.blm.gov/shapeFiles/cfo/carlsbad_spatial_data.html
- United States Geological Survey. (2023). *National Water Information System: Web Interface*. Retrieved from <https://waterdata.usgs.gov/nwis>
- United States Fish and Wildlife Service. (2023). *National Wetland Inventory - Surface Waters and Wetlands*. Retrieved from <https://fwsprimary.wim.usgs.gov/wetlands/apps/wetlands-mapper>

EOG Resources Inc.
Sawbuck Water Transfer Station

Release Assessment and Closure
July 2023

9.0 Limitations

This report has been prepared for the sole benefit of EOG Resources Inc. This document may not be used by any other person or entity, with the exception of the New Mexico Oil Conservation Division and the Bureau of Land Management, without the express written consent of Vertex Resource Services Inc. (Vertex) and EOG Resources Inc. Any use of this report by a third party, or any reliance on decisions made based on it, or damages suffered as a result of the use of this report are the sole responsibility of the user.

The information and conclusions contained in this report are based upon work undertaken by trained professional and technical staff in accordance with generally accepted scientific practices current at the time the work was performed. The conclusions and recommendations presented represent the best judgement of Vertex based on the data collected during the assessment. Due to the nature of the assessment and the data available, Vertex cannot warrant against undiscovered environmental liabilities. Conclusions and recommendations presented in this report should not be considered legal advice.

FIGURES



Borehole
 Excavation Area (~12,749 sq.ft.)
 Borehole (Not Collected)



0 25 50 ft
 Map Center:
 Lat/Long: 32.562449, -104.556076

NAD 1983 UTM Zone 13N
 Date: Sep 11/23



Investigation Confirmatory Schematic Sawbuck Water Transfer Station

FIGURE:

2



Geospatial data presented in this figure may be derived from external sources and Vertex does not assume any liability for inaccuracies. This figure is intended for reference use only and is not certified for legal, survey, or engineering purposes.

Note: Georeferenced image from Esri, 2022. Site features from GPS by Vertex Professional Services Ltd., 2023.

VERSATILITY. EXPERTISE.

TABLES

Table 2. Investigation Confirmatory Laboratory Results - Depth to Groundwater <50 feet bgs
 EOG Resources Inc.
 Sawbuck Water Transfer
 NMOCD Tracking #: nJMW1317031601 and nJMW1327753065
 Project #: 22E-00123
 Lab Reports: 2306177, 2306399, 2309003

Sample Description			Petroleum Hydrocarbons										Inorganic	
Sample ID	Depth (ft)	Date	Benzene	Toluene	Ethylbenzene	Total Xylenes	BTEX (Total)	Gasoline Range Organics (GRO)	Diesel Range Organics (DRO)	Motor Oil Range Organics (MRO)	(GRO + DRO)	Total Petroleum Hydrocarbons (TPH)	Chloride Concentration	
			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Criteria	NMOCD - NMAC <50 ft 19.15.29 (2018)		10	-	-	-	50	-	-	-	-	100	600	
	NMOCD - NMAC 51-100 ft 19.15.29 (2018)		10	-	-	-	50	-	-	-	1000	2500	10000	
	NMOCD - NMAC >100 ft 19.15.29 (2018)		10	-	-	-	50	-	-	-	1000	2500	20000	
Boreholes														
BH23-02	0	02-Jun-23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	140	
	1	02-Jun-23	ND	ND	ND	ND	ND	ND	16	ND	16	16	ND	
	2	02-Jun-23	ND	ND	ND	ND	ND	ND	10	ND	10	10	ND	
	3	02-Jun-23	ND	ND	ND	ND	ND	ND	9.6	ND	9.6	9.6	ND	
	4	02-Jun-23	ND	ND	ND	ND	ND	ND	13	ND	13	13	ND	
BH23-07	1	30-Aug-23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	2	30-Aug-23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
BH23-08	1	30-Aug-23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
	2	30-Aug-23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	

NMAC - New Mexico Administrative Code (Title 19, Chapter 15, Part 29; 2018)

ND - Not Detected at the Reporting Limit

- Denotes no standard/not analyzed

**APPENDIX A - NMOCD C-141 Report Closure Requests,
NMOCD/BLM Correspondence, Yates Work Plan, and Yates
Closure Report**

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

JUN 11 2013

NMOCD ARTESIA

Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

nJMW 1317031601

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company Yates Petroleum Corporation	OGRID Number 25575	Contact Lupe Carrasco
Address 104 S. 4 TH Street		Telephone No. 575-748-1471
Facility Name Sawbuck Water Transfer	API Number	Facility Type SWD

Surface Owner Federal	Mineral Owner Federal	Lease No. NM-86241
--------------------------	--------------------------	-----------------------

LOCATION OF RELEASE

Unit Letter G	Section 23	Township 20S	Range 24E	Feet from the 1650'	North/South Line North	Feet from the 1790'	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	------------------------	---------------------------	------------------------	------------------------	----------------

Latitude 32.562300 Longitude 104.558110

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 1850 B/PW	Volume Recovered 1650 B/PW
Source of Release Water Line	Date and Hour of Occurrence 6/8/2013 11:00 PM	Date and Hour of Discovery 6/8/2013 12:00 PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Mike Bratcher, NMOCD II	
By Whom? Bob Asher, Yates Petroleum Corporation	Date and Hour 6/10/2013 (email)	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		



Describe Cause of Problem and Remedial Action Taken.*

Released was caused from a 12" water line main that failed due to age of infrastructure. Vacuum trucks dispatched to recover fluid. Line shut in and isolated for repairs.

Describe Area Affected and Cleanup Action Taken.*

An approximate area of 250' X 300' was impacted. Impacted soils to be scraped up and taken to an NMOCD approved facility. Vertical and horizontal delineation samples will be taken and analysis ran for TPH & BTEX, Chlorides will be run for documentation. If initial analytical results for TPH & BTEX are under RRAL's a Final Report, C-141 will be submitted to the OCD requesting closure. If the analytical results are above the RRAL's a work plan will be submitted. **Depth to Ground Water: >100' (approximately 225', Section 23-T20S-R24E, per Trend Map), Wellhead Protection Area: No, Distance to Surface Water Body: >1000', SITE RANKING IS 0.**

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature: 	OIL CONSERVATION DIVISION	
Printed Name: Lupe Carrasco	Approved by District Supervisor: 	Signed By
Title: Environmental Regulatory Agent	Approval Date: JUN 19 2013	Expiration Date:
E-mail Address: <u>lcarrasco@yatespetroleum.com</u>	Conditions of Approval: Remediation per OCD Rule & Guidelines. SUBMIT REMEDIATION PROPOSAL NO LATER THAN:	Attached <input type="checkbox"/>
Date: Tuesday, June 11, 2013 Phone: 575-748-1471	July 19, 2013	

* Attach Additional Sheets If Necessary

FMLB 0608953556

Yates Sawbuck Water Transfer Station

Released to Imaging: 9/19/2023 8:24:58 AM

2RP-1685

Incident ID	nJMW1317031601
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Chase Settle Title: Rep Safety & Environmental Sr
Signature: Chase Settle Date: 09/14/2023
email: Chase_Settle@eogresources.com Telephone: 575-703-6537

OCD Only


Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: Brittany Hall Date: 9/19/2023
Printed Name: Brittany Hall Title: Environmental Specialist

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505



Form C-141
Revised October 10, 2003

Submit 2 Copies to appropriate
District Office in accordance
with Rule 116 on back
side of form

Release Notification and Corrective Action

nJMW 1327753065

OPERATOR

☒ Initial Report ☐ Final Report

Name of Company Yates Petroleum Corporation	OGRID Number 25575	Contact Lupe Carrasco
Address 104 S. 4 TH Street		Telephone No. 575-748-1471
Facility Name Sawbuck Water Transfer	API Number	Facility Type SWD

Surface Owner Federal	Mineral Owner Federal	Lease No. NM-86241
--------------------------	--------------------------	-----------------------

LOCATION OF RELEASE

Unit Letter G	Section 23	Township 20S	Range 24E	Feet from the 1650'	North/South Line North	Feet from the 1790'	East/West Line East	County Eddy
------------------	---------------	-----------------	--------------	------------------------	---------------------------	------------------------	------------------------	----------------

Latitude _____ Longitude _____

NATURE OF RELEASE

Type of Release Produced Water	Volume of Release 8 B/PW	Volume Recovered 5 B/PW
Source of Release Water Line	Date and Hour of Occurrence 9/23/2013 8:00 AM	Date and Hour of Discovery 9/23/2013 11:30 AM
Was Immediate Notice Given? <input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Not Required	If YES, To Whom?	
By Whom?	Date and Hour	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse. N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		

Describe Cause of Problem and Remedial Action Taken.*

Released was caused from a leak on an 8" water line that failed due to age of infrastructure. Vacuum trucks dispatched to recover fluid. Line shut in and isolated for repairs.

Describe Area Affected and Cleanup Action Taken.*

An approximate area of 50' X 50' was impacted. Impacted soils to be scraped up and taken to an NMOCD approved facility. Vertical and horizontal delineation samples will be taken and analysis ran for TPH & BTEX, Chlorides will be run for documentation. If initial analytical results for TPH & BTEX are under RRAL's a Final Report, C-141 will be submitted to the OCD requesting closure. If the analytical results are above the RRAL's a work plan will be submitted. **Depth to Ground Water: >100' (approximately 225', Section 23-T20S-R24E, per Trend Map), Wellhead Protection Area: No, Distance to Surface Water Body: >1000', SITE RANKING IS 0.**

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Signature:	OIL CONSERVATION DIVISION	
Printed Name: Lupe Carrasco	Approved by District Supervisor: Signed By	
Title: Environmental Regulatory Agent	Approval Date: OCT 04 2013	Expiration Date:
E-mail Address: lcarrasco@yatespetroleum.com	Conditions of Approval: per OCD Rule & Guidelines, & REMITIGATION	Attached <input type="checkbox"/>
Date: Friday, October 04, 2013	Phone: 575-748-1471	

* Attach Additional Sheets If Necessary

FNLB 0608953556

Released to Imaging: 9/19/2023 8:34:58 AM

Remediation per OCD Rule & Guidelines, &
like approval by BLM. **SUBMIT REMEDIATION**
PROPOSAL NO LATER THAN:
Nov. 4 2013

2RP- 1973

Incident ID	nJMW1327753065
District RP	
Facility ID	
Application ID	

Closure

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (electronic submittals in .pdf format are preferred) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

Closure Report Attachment Checklist: *Each of the following items must be included in the closure report.*

- ☒ A scaled site and sampling diagram as described in 19.15.29.11 NMAC
- ☒ Photographs of the remediated site prior to backfill or photos of the liner integrity if applicable (Note: appropriate OCD District office must be notified 2 days prior to liner inspection)
- ☒ Laboratory analyses of final sampling (Note: appropriate ODC District office must be notified 2 days prior to final sampling)
- ☒ Description of remediation activities

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Printed Name: Chase Settle Title: Rep Safety & Environmental Sr

Signature: Chase Settle Date: 09/14/2023

email: Chase_Settle@eogresources.com Telephone: 575-703-6537

OCD Only

Received by: _____ Date: _____

Closure approval by the OCD does not relieve the responsible party of liability should their operations have failed to adequately investigate and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment nor does not relieve the responsible party of compliance with any other federal, state, or local laws and/or regulations.

Closure Approved by: _____ Date: _____

Printed Name: _____ Title: _____

MARTIN YATES, III
1912-1985

FRANK W. YATES
1936-1986

S.P. YATES
1914-2008



105 SOUTH FOURTH STREET
ARTESIA, NEW MEXICO 88210-2118

TELEPHONE (575) 748-1471

www.yatespetroleum.com

JOHN A. YATES
CHAIRMAN EMERITUS


JOHN A. YATES JR.
CHAIRMAN OF THE BOARD
PRESIDENT

JOHN D. PERINI
EXECUTIVE VICE PRESIDENT
CHIEF FINANCIAL OFFICER

JAMES S. BROWN
CHIEF OPERATING OFFICER

July 18, 2013

Mr. Mike Bratcher
Oil Conservation Division II
811 S. First St.
Artesia, NM 88210



RE: Sawbuck Water Transfer
Lease # NM-86241
2RP-1685
Section 22, T20S-R24E
Eddy County, New Mexico

Mr. Bratcher,

Yates Petroleum Corporation would like to submit the enclosed documents as documentation for the work performed at the above captioned release. These documents are in response to the C-141 Initial report submitted July 7, 2013.

The release was caused by a 12" water main that failed due to the age of the infrastructure in the area. The total volume of produced water released was 1850 bbls with 1650 bbls recovered. The release was contained within the bermed facility with the exception of a small area that leached through the saturated berm. The impacted area has been scraped and any further staining will be removed. The saturated berm on the south side of the facility will be removed and replaced with clean caliche. All impacted soils have and will be disposed at an NMOC D approved facility.

The impacted area was divided up into four areas for sampling (S1, S2, S3, S4). The areas chosen were based on the safety aspect in regards to the amount of buried lines through the impacted area. S1 and S2 were found to be in the old pit area associated with the Hill View AHE #2 which has been plugged and abandoned. Sampling ceased at a depth of 1' due to the finding of the existing pit liner. Sampling of the S4 area ceased at a depth of 3' due to a buried electrical line in the area that was not marked with markers or during the NM One Call.

Due to the associated hazards in the area and the discover of an existing pit, Yates Petroleum Corp. is requesting that no further actions be taken beyond what has been describe in this letter. If there are no objections or further stipulations, a C-141 Final will be submitted for approval. Please feel free to contact me with any questions at (575) 748-4350.

Thank you,


Lupe Carrasco
Environmental Regulatory Agent

Enclosure(s): Site Drawing
Analytical Summary Table
Analytical Report (H301490)

YATES PETROLEUM CORPORATION

Wednesday, July 10, 2013

Hillview Injection/Sawbuck Pilot Watershed



Sawbuck Water Transfer

Analytical Report-H301490	Sample Date	Depth	BTEX	GRO	DRO	TOTAL TPH	CHLORIDES
S1-1'	6/25/2013	1'	737	6890	593	7483	2440
S2-1'	6/25/2013	1'	15.75	83.8	23.3	107.1	960
S3-1'	6/25/2013	1'	0.1	ND	ND	ND	2480
S3-3'	6/25/2013	3'	ND	ND	ND	ND	1310
S3-4'	6/25/2013	4'	ND	ND	ND	ND	1170
S4-1'	6/25/2013	1'	1.73	10.6	ND	ND	2960
S4-3'	6/25/2013	3'	0.217	20.4	31.5	51.9	2560

Site Ranking is (0). Depth to Ground Water >100' (225', Section 23, T20S-R24E, per Trend Map).

All results are ppm.Chlorides for documentation.

Released: 1850 B/PW; Recovered: 1650 B/PW. Release Date: 6/7/2013



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240


July 03, 2013

LUPE CARRASCO

YATES PETROLEUM CORPORATION

105 S 4th Street

Artesia, NM 88210



RE: SAWBUCK WATER TRANSFER

Enclosed are the results of analyses for samples received by the laboratory on 06/26/13 8:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S1-1' (H301490-01)

BTEX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	63.1	5.00	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	292	5.00	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	67.2	5.00	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	315	15.0	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 100 % 61.3-142

Surrogate: Toluene-d8 104 % 71.3-129

Surrogate: 4-Bromofluorobenzene 111 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	6890	50.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	593	50.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 133 % 65.2-140

Surrogate: 1-Chlorooctadecane 93.5 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S2-1' (H301490-02)

BTEX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.603	0.500	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	4.67	0.500	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	1.72	0.500	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	8.76	1.50	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 98.3 % 61.3-142

Surrogate: Toluene-d8 101 % 71.3-129

Surrogate: 4-Bromofluorobenzene 107 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	960	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	83.8	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	23.3	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 87.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 80.2 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S3-1' (H301490-03)

BTEX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	0.118	0.050	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 98.1 % 61.3-142

Surrogate: Toluene-d8 98.8 % 71.3-129

Surrogate: 4-Bromofluorobenzene 104 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2480	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 90.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.4 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S3-3' (H301490-04)

BTEX 8260B			mg/kg							Analyzed By: MS
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30		
Toluene*	<0.050	0.050	07/02/2013	ND	2.05	102	2.00	4.35		
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86		
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14		

Surrogate: Dibromofluoromethane 97.8 % 61.3-142

Surrogate: Toluene-d8 100 % 71.3-129

Surrogate: 4-Bromofluorobenzene 107 % 65.7-141

Chloride, SM4500Cl-B			mg/kg							Analyzed By: DW
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1310	16.0	06/28/2013	ND	432	108	400	3.77		

TPH 8015M			mg/kg							Analyzed By: MS
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/27/2013	ND	212	106	200	0.466		
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45		

Surrogate: 1-Chlorooctane 106 % 65.2-140

Surrogate: 1-Chlorooctadecane 101 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S3-4' (H301490-05)

BTEX 8260B			mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30		
Toluene*	<0.050	0.050	07/02/2013	ND	2.05	102	2.00	4.35		
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86		
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14		

Surrogate: Dibromofluoromethane 100 % 61.3-142

Surrogate: Toluene-d8 99.3 % 71.3-129

Surrogate: 4-Bromofluorobenzene 107 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1170	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 86.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 86.9 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S4-1' (H301490-06)

BTEX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	0.190	0.050	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	0.220	0.050	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	1.32	0.150	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 96.9 % 61.3-142

Surrogate: Toluene-d8 99.6 % 71.3-129

Surrogate: 4-Bromofluorobenzene 112 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2960	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	10.6	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 85.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 81.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S4-3' (H301490-07)

BTEX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.093	0.050	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	0.124	0.050	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 96.5 % 61.3-142

Surrogate: Toluene-d8 98.7 % 71.3-129

Surrogate: 4-Bromofluorobenzene 106 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2560	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	20.4	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	31.5	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 85.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.2 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celest D. Keene, Lab Director/Quality Manager



ARDINAL LABORATORIES

101 East Maryland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Lupe Carrasco

Company Address: 105 South 4th Street

City/State/Zip: Artesia, NM 88210

Telephone No: 575-748-4350

Fax No: 575-748-4350

Sampler Signature: *Lupe Carrasco*

e-mail: lcarrasco@yatespetroleum.com

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

Project Name:

Sawbuck Water Transfer

Project #:

Project Loc:

PO #: 103-163

Page 10 of 10

LAB # (lab use only)		FIELD CODE		Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)	DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solid NP=Non-Potable Specify Other	TPH: 418.1 8015M 8015	TPH: TX 1005 TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides	SAR	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
1	S1-1'					6/25/2013													X														
2	S2-1'					6/25/2013													X														
3	S3-1'					6/25/2013													X														
4	S3-3'					6/25/2013													X														
5	S3-4'					6/25/2013													X														
6	S4-1'					6/25/2013													X														
7	S4-3'					6/25/2013													X														

Special Instructions:

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by:

Date

Time

Relinquished by:

Date

Time

Received by: ELOTT

Date

Time

Laboratory Comments:

Sample Containers: Inadequate?

VOCs Free of Headspace?

Labels on container(s) intact?

Custody seals on container(s) intact?

Custody seals on cooler(s) intact?

Sample Hand Delivered by Sampler/Client Rep.?

by Courier? UPS DHL FedEx Lone Star

Temperature Upon Receipt

#54

MARTIN YATES, III
1912-1985

FRANK W. YATES
1936-1986

S.P. YATES
1914-2008



105 SOUTH FOURTH STREET
ARTESIA, NEW MEXICO 88210-2118

TELEPHONE (575) 748-1471

www.yatespetroleum.com

JOHN A. YATES
CHAIRMAN EMERITUS

JOHN A. YATES JR.
CHAIRMAN OF THE BOARD
PRESIDENT

JOHN D. PERINI
EXECUTIVE VICE PRESIDENT
CHIEF FINANCIAL OFFICER

JAMES S. BROWN
CHIEF OPERATING OFFICER

February 19, 2014

Mr. Mike Bratcher
Oil Conservation Division II
811 S. First St.
Artesia, NM 88210

Duncan Whitlock
BLM
620 E. Greene St.
Carlsbad, NM 88220

RE: Sawbuck Water Transfer
Lease # NM-86241
2RP-1685
Section 22, T20S-R24E
Eddy County, New Mexico

Mr. Bratcher/Mr. Whitlock,

Yates Petroleum Corporation would like to submit the enclosed documents as documentation for the work performed at the above captioned release. These documents are in response to the C-141 Initial reports submitted July 7, 2013 and October 4, 2014.

The initial work plan submitted on July 18, 2013, had an extra stipulation from both OCD and BLM. It was agreed that Yates would excavate the S1 area down past 2' to address the BTEX levels in this area. Prior to excavation, the second release occurred during the repair of the berms around the location. The backhoe operator noticed a release of approximately 8 barrels of produced water. The release flowed into the S1 area where a vacuum truck recovered about 5 barrels. Once recovered, the back hoe operator excavated approximately 2.5 - 3' from the impacted area including the berm on the south side of the location. All impacted soil was disposed at an NMOCD approved facility. The area was sampled for delineation purposes.

The S1/Spill 2 excavation area has not been backfilled with the exception of the berms on the south side and west side which had to be replaced due to severe flooding of the area in 2013.

Based on the impacted soils excavated/hailed and the enclosed data, Yates Petroleum Corporation requests closure of the site and permission to backfill the S1/Spill 2 area. Please feel free to contact me with any questions at (575) 748-1471.

Thank you,

Lupe Carrasco
Senior Environmental & Regulatory
Affairs Coordinator

Enclosure(s): Site Drawing
Analytical Summary Table
Analytical Report (H301490, H302128, H302444)

Lupe Carrasco

From: Lupe Carrasco
Sent: Thursday, July 18, 2013 4:21 PM
To: Burton, Michael (mburton@blm.gov); jamos@blm.gov
Cc: Katie Parker; Bob Asher; Mike Bratcher@OCD (mike.bratcher@state.nm.us)
Subject: Sawbuck Water Transfer
Attachments: Work Plan.pdf

Mr. Burton,

Attached is a copy of the work plan and supporting documents submitted to Mike Bratcher at the NMOCD II. Please let me know if you have any questions.

Thanks!

Lupe Carrasco
Environmental Regulatory Agent
Yates Petroleum Corporation
Office: (575) 748-4350
Fax: (575) 748-4131
Cell: (575) 513-9074

Chase Settle

From: Lupe Carrasco
Sent: Tuesday, July 30, 2013 9:35 AM
To: Burton, Michael (mburton@blm.gov)
Cc: jamos@blm.gov; Bob Asher; Katie Parker
Subject: Sawbuck Water Transfer

Michael,

I just wanted to follow up on the work plan I sent you for the Sawbuck Water Transfer. I have not performed any of the work due to the storm events. I am hoping it dries out this week so that I can get a contractor on this project early next week. Let me know if you have any questions.

Thanks!

Lupe Carrasco
Environmental Regulatory Agent
Yates Petroleum Corporation
Office: (575) 748-4350
Fax: (575) 748-4131
Cell: (575) 513-9074

[Share](#) [Copy link](#) [Download](#) ...[i](#) | [◀](#) 21 / 27 [▶](#) | [×](#)**From:** Lupe Carrasco**Sent on:** Tuesday, July 30, 2013 5:03:19 PM**To:** jamos@blm.gov; Burton, Michael (mburton@blm.gov) <Burton, Michael (mburton@blm.gov)>**CC:** Mike Bratcher@OCD (mike.bratcher@state.nm.us) <Mike Bratcher@OCD (mike.bratcher@state.nm.us)>**Subject:** Sawbuck Water Transfer

Jim,

Michael Burton and I talked on the phone this morning in regards to the Sawbuck Water Transfer. He said you and him had talked about what you would like done at the Sawbuck Water Transfer. In talking to Michael Burton he mentioned that you would like the S1 excavated down about a 1'. He advised that I speak with you in regards to this and any other concerns you might have with the impacted area. It sounds like your thoughts are going to align with Mike Bratcher's thoughts about excavation.

Mike Bratcher and I met on July 18, 2013, in his office to discuss the impacted area. I agreed with Mike Bratcher that I would excavate the S1 area down to 1' to address the BTEX levels. The S1 area and the S2 areas are associated with the old pit area of the Hill View AHE #2 well which has been plugged and abandoned. I will also be removing the berm that borders the S1 area and plan to replace it with new caliche when I back fill the S1 area.

Let me know if you have any other areas of concern and if the S1 work aligns with what you would like to see done for this site.

Thanks!

Lupe Carrasco
Environmental Regulatory Agent
Yates Petroleum Corporation
Office: (575) 748-4350
Fax: (575) 748-4131
Cell: (575) 513-9074

Chase Settle

From: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Sent: Thursday, August 1, 2013 10:30 AM
To: Lupe Carrasco; jamos@blm.gov; Burton, Michael (mburton@blm.gov)
Subject: RE: Sawbuck Water Transfer

Lupe,

We probably need to talk about this one a little more. Give me a call or come by when you get a chance.

Mike Bratcher
NMOCD District 2
811 S. First Street
Artesia, NM 88210
O: 575-748-1283 X108
C: 575-626-0857
F: 575-748-9720

From: Lupe Carrasco [mailto:LCarrasco@yatespetroleum.com]
Sent: Tuesday, July 30, 2013 11:03 AM
To: jamos@blm.gov; Burton, Michael (mburton@blm.gov)
Cc: Bratcher, Mike, EMNRD
Subject: Sawbuck Water Transfer

Jim,

Michael Burton and I talked on the phone this morning in regards to the Sawbuck Water Transfer. He said you and him had talked about what you would like done at the Sawbuck Water Transfer. In talking to Michael Burton he mentioned that you would like the S1 excavated down about a 1'. He advised that I speak with you in regards to this and any other concerns you might have with the impacted area. It sounds like your thoughts are going to align with Mike Bratcher's thoughts about excavation.

Mike Bratcher and I met on July 18, 2013, in his office to discuss the impacted area. I agreed with Mike Bratcher that I would excavate the S1 area down to 1' to address the BTEX levels. The S1 area and the S2 areas are associated with the old pit area of the Hill View AHE #2 well which has been plugged and abandoned. I will also be removing the berm that borders the S1 area and plan to replace it with new caliche when I back fill the S1 area.

Let me know if you have any other areas of concern and if the S1 work aligns with what you would like to see done for this site.

Thanks!

Lupe Carrasco
Environmental Regulatory Agent
Yates Petroleum Corporation
Office: (575) 748-4350
Fax: (575) 748-4131
Cell: (575) 513-9074

This message may contain confidential information and is intended for the named recipient only. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. E-mail transmission cannot be guaranteed to be secure or error-free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. If verification is required please request a hard-copy version.

Chase Settle

From: Lupe Carrasco
Sent: Wednesday, August 7, 2013 3:33 PM
To: Mike Bratcher@OCD (mike.bratcher@state.nm.us)
Cc: Burton, Michael (mburton@blm.gov); jamos@blm.gov
Subject: Sawbuck Water Transfer.

Mr. Bratcher,

As per our conversation this morning in your office, I will continue with the plan of removing 1' of the impacted material at the Sawbuck Water Transfer. I will remove approximately 1' of impacted material from the area labeled as S1 on the work plan submitted. Once the area has been excavated, I will delineate further to ensure that the hydrocarbons are within permissible levels. I will notify you once I receive my results to discuss any further work performed. All impacted material will be disposed at an NMOCD approved site. If you have any question please feel free to contact me.


Thanks!

Lupe Carrasco
Environmental Regulatory Agent
Yates Petroleum Corporation
Office: (575) 748-4350
Fax: (575) 748-4131
Cell: (575) 513-9074

YATES PETROLEUM CORPORATION

Wednesday, July 10, 2013

Hillview Injection/Sawbuck Pilot Watershed



Sawbuck Water Transfer

Analytical Report-H301490	Sample Date	Depth	BTEX	GRO	DRO	TOTAL TPH	CHLORIDES
S1-1'	6/25/2013	1'	737	6890	593	7483	2440
S1-2'	8/28/2013	2'	166	835	201	1036	2240
S1-3'	8/28/2013	3'	40.6	383	39.9	422.9	4640
S1-4'	8/28/2013	4'	4.6	31.3	12.6	43.9	2560
S1-5'	8/28/2013	5'	0.315	ND	ND	ND	304
S2-1'	6/25/2013	1'	15.75	83.8	23.3	107.1	960
S3-1'	6/25/2013	1'	0.1	ND	ND	ND	2480
S3-3'	6/25/2013	3'	ND	ND	ND	ND	1310
S3-4'	6/25/2013	4'	ND	ND	ND	ND	1170
S4-1'	6/25/2013	1'	1.73	10.6	ND	ND	2960
S4-3'	6/25/2013	3'	0.217	20.4	31.5	51.9	2560
Spill 2	10/8/2013	3'	7.10	40	16.3	56.3	544
Spill 2	10/8/2013	4'	ND	ND	ND	ND	2520
Spill 2	10/8/2013	5'	ND	ND	ND	ND	1150
Spill 2	10/8/2013	6'	ND	ND	ND	ND	800
Spill 2	10/8/2013	7'	ND	ND	ND	ND	592
Spill 2	10/8/2013	8'	ND	ND	ND	ND	160
Spill 2	10/8/2013	9'	ND	ND	ND	ND	176

Site Ranking is Zero (0). Depth to Ground Water >100' (225', Section 23, T20S-R24E, per Trend Map).

All results are ppm.Chlorides for documentation.

Released: 1850 B/PW; Recovered: 1650 B/PW. Release Date: 6/7/2013



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

July 03, 2013

LUPE CARRASCO

YATES PETROLEUM CORPORATION

105 S 4th Street

Artesia, NM 88210

RE: SAWBUCK WATER TRANSFER

Enclosed are the results of analyses for samples received by the laboratory on 06/26/13 8:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is fluid and cursive, with the first name "Celey" and last name "Keene" clearly distinguishable.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S1-1' (H301490-01)**BTEX 8260B**

mg/kg

Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	63.1	5.00	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	292	5.00	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	67.2	5.00	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	315	15.0	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 100 % 61.3-142

Surrogate: Toluene-d8 104 % 71.3-129

Surrogate: 4-Bromofluorobenzene 111 % 65.7-141

Chloride, SM4500Cl-B

mg/kg

Analyzed By: DW

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M

mg/kg

Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	6890	50.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	593	50.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 133 % 65.2-140

Surrogate: 1-Chlorooctadecane 93.5 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S2-1' (H301490-02)

BTX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.603	0.500	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	4.67	0.500	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	1.72	0.500	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	8.76	1.50	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 98.3 % 61.3-142

Surrogate: Toluene-d8 101 % 71.3-129

Surrogate: 4-Bromofluorobenzene 107 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	960	16.0	06/28/2013	ND	432	108	400	3.77	
TPH 8015M		mg/kg		Analyzed By: MS					

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	83.8	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	23.3	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 87.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 80.2 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S3-1' (H301490-03)

BTX 8260B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30		
Toluene*	0.118	0.050	07/02/2013	ND	2.05	102	2.00	4.35		
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86		
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14		

Surrogate: Dibromofluoromethane 98.1 % 61.3-142

Surrogate: Toluene-d8 98.8 % 71.3-129

Surrogate: 4-Bromofluorobenzene 104 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2480	16.0	06/28/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/27/2013	ND	212	106	200	0.466		
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45		

Surrogate: 1-Chlorooctane 90.4 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.4 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received: 06/26/2013
 Reported: 07/03/2013
 Project Name: SAWBUCK WATER TRANSFER
 Project Number: NONE GIVEN
 Project Location: NOT GIVEN

Sampling Date: 06/25/2013
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: S3-3' (H301490-04)

BTEX 8260B			mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30		
Toluene*	<0.050	0.050	07/02/2013	ND	2.05	102	2.00	4.35		
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86		
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14		

Surrogate: Dibromofluoromethane 97.8 % 61.3-142

Surrogate: Toluene-d8 100 % 71.3-129

Surrogate: 4-Bromofluorobenzene 107 % 65.7-141

Chloride, SM4500Cl-B			mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1310	16.0	06/28/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 106 % 65.2-140

Surrogate: 1-Chlorooctadecane 101 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S3-4' (H301490-05)

BTX 8260B			mg/kg							
			Analyzed By: MS							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30		
Toluene*	<0.050	0.050	07/02/2013	ND	2.05	102	2.00	4.35		
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86		
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14		

Surrogate: Dibromofluoromethane 100 % 61.3-142

Surrogate: Toluene-d8 99.3 % 71.3-129

Surrogate: 4-Bromofluorobenzene 107 % 65.7-141

Chloride, SM4500Cl-B			mg/kg							
			Analyzed By: DW							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1170	16.0	06/28/2013	ND	432	108	400	3.77		

TPH 8015M			mg/kg							
			Analyzed By: MS							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	06/27/2013	ND	212	106	200	0.466		
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45		

Surrogate: 1-Chlorooctane 86.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 86.9 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S4-1' (H301490-06)

BTX 8260B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	07/02/2013	ND	2.29	114	2.00	4.30	
Toluene*	0.190	0.050	07/02/2013	ND	2.05	102	2.00	4.35	
Ethylbenzene*	0.220	0.050	07/02/2013	ND	2.03	101	2.00	5.86	
Total Xylenes*	1.32	0.150	07/02/2013	ND	6.16	103	6.00	5.14	

Surrogate: Dibromofluoromethane 96.9 % 61.3-142

Surrogate: Toluene-d8 99.6 % 71.3-129

Surrogate: 4-Bromofluorobenzene 112 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2960	16.0	06/28/2013	ND	432	108	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	10.6	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	<10.0	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 85.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 81.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	06/26/2013	Sampling Date:	06/25/2013
Reported:	07/03/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S4-3' (H301490-07)

BTX 8260B		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	0.093	0.050	07/02/2013	ND	2.29	114	2.00	4.30		
Toluene*	0.124	0.050	07/02/2013	ND	2.05	102	2.00	4.35		
Ethylbenzene*	<0.050	0.050	07/02/2013	ND	2.03	101	2.00	5.86		
Total Xylenes*	<0.150	0.150	07/02/2013	ND	6.16	103	6.00	5.14		

Surrogate: Dibromofluoromethane 96.5 % 61.3-142

Surrogate: Toluene-d8 98.7 % 71.3-129

Surrogate: 4-Bromofluorobenzene 106 % 65.7-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2560	16.0	06/28/2013	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	20.4	10.0	06/27/2013	ND	212	106	200	0.466	
DRO >C10-C28	31.5	10.0	06/27/2013	ND	212	106	200	1.45	

Surrogate: 1-Chlorooctane 85.8 % 65.2-140

Surrogate: 1-Chlorooctadecane 91.2 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager

ARDINAL LABORATORIES
101 East Marland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Lupe Carrasco

Company Address: 105 South 4th Street

City/State/Zip: Artesia, NM 88210

Telephone No: 575-748-4350

Sample Signature: [Signature]

ORDER #: H301490

(lab use only)

Fax No:

e-mail: lcarrasco@yatespetroleum.com

Report Format:

☒ Standard

☐ TRRP

☐ NPDES

PO #: 103-163

Project Name:

Sawbuck Water Transfer

Project #:

Project Loc:

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₈	None	Other (Specify)	DW=Drinking Water SL=Sludge GW = Groundwater S=Soil/Solid NP=Non-Potable Specify Other	TPH: 418.1 8015M 8015	TPH: TX 1005 TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides	SAR	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT	
1	S1-1'			6/25/2013														X														
2	S2-1'			6/25/2013														X														
3	S3-1'			6/25/2013														X														
4	S3-3'			6/25/2013														X														
5	S3-4'			6/25/2013														X														
6	S4-1'			6/25/2013														X														
7	S4-3'			6/25/2013														X														

Laboratory Comments:

Sample Containers: 100

VOCs Free of Headspace?

Y

Seals on Containers (S)

Y

Custody seals on container(s)

Y

Sample Hand Delivered by Sample/Client Rep?

Y

by Courier? UPS DHL FedEx Lone Star

Y

Temperature Upon Receipt: 4 °C



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

September 10, 2013

LUPE CARRASCO

YATES PETROLEUM CORPORATION

105 S 4th Street

Artesia, NM 88210

RE: SAWBUCK WATER TRANSFER

Enclosed are the results of analyses for samples received by the laboratory on 09/04/13 11:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	09/04/2013	Sampling Date:	08/28/2013
Reported:	09/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S1-2' (H302128-01)

BTEX 8021B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	10.1	1.00	09/06/2013	ND	2.13	107	2.00	3.73	
Toluene*	43.6	1.00	09/06/2013	ND	2.25	112	2.00	4.15	
Ethylbenzene*	20.3	1.00	09/06/2013	ND	2.33	116	2.00	5.54	
Total Xylenes*	92.2	3.00	09/06/2013	ND	7.02	117	6.00	6.22	
Total BTEX	166	6.00	09/06/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 114 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2240	16.0	09/05/2013	ND	416	104	400	0.00	
TPH 8015M		mg/kg		Analyzed By: DW/					

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	835	10.0	09/06/2013	ND	203	101	200	0.850	
DRO >C10-C28	201	10.0	09/06/2013	ND	200	100	200	2.29	

Surrogate: 1-Chlorooctane 101 % 65.2-140

Surrogate: 1-Chlorooctadecane 99.4 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	09/04/2013	Sampling Date:	08/28/2013
Reported:	09/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S1-3' (H302128-02)

BTEx 8021B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	2.86	0.400	09/06/2013	ND	2.13	107	2.00	3.73		
Toluene*	3.56	0.400	09/06/2013	ND	2.25	112	2.00	4.15		
Ethylbenzene*	5.60	0.400	09/06/2013	ND	2.33	116	2.00	5.54		
Total Xylenes*	28.6	1.20	09/06/2013	ND	7.02	117	6.00	6.22		
Total BTEX	40.6	2.40	09/06/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 110 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	4640	16.0	09/06/2013	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: DW/					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	383	10.0	09/06/2013	ND	203	101	200	0.850	
DRO >C10-C28	39.9	10.0	09/06/2013	ND	200	100	200	2.29	

Surrogate: 1-Chlorooctane 89.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 98.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	09/04/2013	Sampling Date:	08/28/2013
Reported:	09/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S1-4' (H302128-03)

BTX 8021B		mg/kg		Analyzed By: DW					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	2.87	0.050	09/06/2013	ND	2.13	107	2.00	3.73	
Toluene*	1.19	0.050	09/06/2013	ND	2.25	112	2.00	4.15	
Ethylbenzene*	0.293	0.050	09/06/2013	ND	2.33	116	2.00	5.54	
Total Xylenes*	0.249	0.150	09/06/2013	ND	7.02	117	6.00	6.22	
Total BTX	4.60	0.300	09/06/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 104 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2560	16.0	09/06/2013	ND	416	104	400	0.00	
TPH 8015M		mg/kg		Analyzed By: DW/					

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	31.3	10.0	09/06/2013	ND	203	101	200	0.850	
DRO >C10-C28	12.6	10.0	09/06/2013	ND	200	100	200	2.29	

Surrogate: 1-Chlorooctane 86.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 98.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	09/04/2013	Sampling Date:	08/28/2013
Reported:	09/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: S1-5' (H302128-04)

BTEX 8021B		mg/kg		Analyzed By: DW						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	0.066	0.050	09/06/2013	ND	2.13	107	2.00	3.73		
Toluene*	0.249	0.050	09/06/2013	ND	2.25	112	2.00	4.15		
Ethylbenzene*	<0.050	0.050	09/06/2013	ND	2.33	116	2.00	5.54		
Total Xylenes*	<0.150	0.150	09/06/2013	ND	7.02	117	6.00	6.22		
Total BTEX	0.315	0.300	09/06/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 106 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	09/06/2013	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: DW/						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	09/06/2013	ND	203	101	200	0.850		
DRO >C10-C28	<10.0	10.0	09/06/2013	ND	200	100	200	2.29		

Surrogate: 1-Chlorooctane 87.9 % 65.2-140

Surrogate: 1-Chlorooctadecane 98.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

QM-4X	The spike recovery was outside of QC acceptance limits for the MS and/or MSD due to analyte concentration at 4 times or greater the spike concentration. The QC batch was accepted based on LCS and/or LCSD recoveries within the acceptance limits.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene".

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

October 10, 2013

LUPE CARRASCO

YATES PETROLEUM CORPORATION

105 S 4th Street

Artesia, NM 88210

RE: SAWBUCK WATER TRANSFER

Enclosed are the results of analyses for samples received by the laboratory on 10/09/13 14:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-11-3. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene". The signature is written in a cursive style with a large, stylized 'C' and 'K'.

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received: 10/09/2013
 Reported: 10/10/2013
 Project Name: SAWBUCK WATER TRANSFER
 Project Number: 103-163
 Project Location: NOT GIVEN

Sampling Date: 10/08/2013
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SPILL 2 -3' (H302444-01)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.466	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07	
Toluene*	1.48	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73	
Ethylbenzene*	0.799	0.050	10/09/2013	ND	2.01	100	2.00	4.36	
Total Xylenes*	4.35	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75	
Total BTEX	7.10	0.300	10/09/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 109 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	544	16.0	10/10/2013	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	40.0	10.0	10/09/2013	ND	200	100	200	0.683	
DRO >C10-C28	16.3	10.0	10/09/2013	ND	194	97.0	200	2.22	

Surrogate: 1-Chlorooctane 93.6 % 65.2-140

Surrogate: 1-Chlorooctadecane 100 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celest D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	10/09/2013	Sampling Date:	10/08/2013
Reported:	10/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	103-163	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SPILL 2 -4' (H302444-02)

BTEX 8021B			mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	0.090	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07		
Toluene*	<0.050	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73		
Ethylbenzene*	<0.050	0.050	10/09/2013	ND	2.01	100	2.00	4.36		
Total Xylenes*	<0.150	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75		
Total BTEX	<0.300	0.300	10/09/2013	ND						

Surrogate: 4-Bromofluorobenzene (PIL) 97.6 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	2520	16.0	10/10/2013	ND	400	100	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<10.0	10.0	10/09/2013	ND	200	100	200	0.683		
DRO >C10-C28	<10.0	10.0	10/09/2013	ND	194	97.0	200	2.22		

Surrogate: 1-Chlorooctane 88.2 % 65.2-140

Surrogate: 1-Chlorooctadecane 94.9 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received: 10/09/2013
 Reported: 10/10/2013
 Project Name: SAWBUCK WATER TRANSFER
 Project Number: 103-163
 Project Location: NOT GIVEN

Sampling Date: 10/08/2013
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Jodi Henson

Sample ID: SPILL 2 -5' (H302444-03)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.092	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07	
Toluene*	0.094	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73	
Ethylbenzene*	<0.050	0.050	10/09/2013	ND	2.01	100	2.00	4.36	
Total Xylenes*	<0.150	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75	
Total BTEX	<0.300	0.300	10/09/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1150	16.0	10/10/2013	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/09/2013	ND	200	100	200	0.683	
DRO >C10-C28	<10.0	10.0	10/09/2013	ND	194	97.0	200	2.22	

Surrogate: 1-Chlorooctane 92.7 % 65.2-140

Surrogate: 1-Chlorooctadecane 97.0 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	10/09/2013	Sampling Date:	10/08/2013
Reported:	10/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	103-163	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SPILL 2 -6' (H302444-04)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.083	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07	
Toluene*	0.094	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73	
Ethylbenzene*	<0.050	0.050	10/09/2013	ND	2.01	100	2.00	4.36	
Total Xylenes*	<0.150	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75	
Total BTX	<0.300	0.300	10/09/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 102 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	800	16.0	10/10/2013	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/09/2013	ND	200	100	200	0.683	
DRO >C10-C28	<10.0	10.0	10/09/2013	ND	194	97.0	200	2.22	

Surrogate: 1-Chlorooctane 94.0 % 65.2-140

Surrogate: 1-Chlorooctadecane 102 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	10/09/2013	Sampling Date:	10/08/2013
Reported:	10/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	103-163	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SPILL 2 -7' (H302444-05)

BTEx 8021B			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07	
Toluene*	0.066	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73	
Ethylbenzene*	<0.050	0.050	10/09/2013	ND	2.01	100	2.00	4.36	
Total Xylenes*	<0.150	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75	
Total BTEx	<0.300	0.300	10/09/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIC) 99.3 % 89.4-126

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AP				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	592	16.0	10/10/2013	ND	400	100	400	3.92	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/09/2013	ND	200	100	200	0.683	
DRO >C10-C28	<10.0	10.0	10/09/2013	ND	194	97.0	200	2.22	

Surrogate: 1-Chlorooctane 101 % 65.2-140

Surrogate: 1-Chlorooctadecane 106 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	10/09/2013	Sampling Date:	10/08/2013
Reported:	10/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	103-163	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SPILL 2 -8' (H302444-06)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07	
Toluene*	0.053	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73	
Ethylbenzene*	<0.050	0.050	10/09/2013	ND	2.01	100	2.00	4.36	
Total Xylenes*	<0.150	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75	
Total BTEX	<0.300	0.300	10/09/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIL) 98.7 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	10/10/2013	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/09/2013	ND	200	100	200	0.683	
DRO >C10-C28	<10.0	10.0	10/09/2013	ND	194	97.0	200	2.22	

Surrogate: 1-Chlorooctane 85.3 % 65.2-140

Surrogate: 1-Chlorooctadecane 92.6 % 63.6-154

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Analytical Results For:

YATES PETROLEUM CORPORATION
 LUPE CARRASCO
 105 S 4th Street
 Artesia NM, 88210
 Fax To: (505) 748-4635

Received:	10/09/2013	Sampling Date:	10/08/2013
Reported:	10/10/2013	Sampling Type:	Soil
Project Name:	SAWBUCK WATER TRANSFER	Sampling Condition:	Cool & Intact
Project Number:	103-163	Sample Received By:	Jodi Henson
Project Location:	NOT GIVEN		

Sample ID: SPILL 2 -9' (H302444-07)

BTEX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/09/2013	ND	1.97	98.6	2.00	4.07	
Toluene*	0.106	0.050	10/09/2013	ND	1.99	99.3	2.00	4.73	
Ethylbenzene*	<0.050	0.050	10/09/2013	ND	2.01	100	2.00	4.36	
Total Xylenes*	<0.150	0.150	10/09/2013	ND	5.88	98.1	6.00	4.75	
Total BTEX	<0.300	0.300	10/09/2013	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 96.5 % 89.4-126

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	10/10/2013	ND	400	100	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/09/2013	ND	200	100	200	0.683	
DRO >C10-C28	<10.0	10.0	10/09/2013	ND	194	97.0	200	2.22	

Surrogate: 1-Chlorooctane 102 % 65.2-140

Surrogate: 1-Chlorooctadecane 105 % 63.6-154

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celest D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 • 101 E. MARLAND • HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

A handwritten signature in black ink, appearing to read "Celey D. Keene", is written over a horizontal line.

Celey D. Keene, Lab Director/Quality Manager



ARDINAL LABORATORIES
101 East Marland, Hobbs, NM 88240

(505) 393-2326 FAX (505) 393-2476

CHAIN OF CUSTODY RECORD AND ANALYSIS REQUEST

Project Manager: Lupe Carrasco

Company (505) 393-2326 Yates Petroleum Corporation

Company Address: 105 South 4th Street

City/State/Zip: Artesia, NM 88210

Telephone No: 575-748-4350

Sampler Signature: _____

Fax No: _____

e-mail: _____

lcarrasco@yatespetroleum.com

Project Name: _____

Sandwich Water Transfer

Project #:

Project Loc: _____

PO #: 103-163

Report Format: ☒ Standard ☐ TRRP ☐ NPDES

(lab use only)

ORDER #:

LAB # (lab use only)	FIELD CODE	Beginning Depth	Ending Depth	Date Sampled	Time Sampled	Field Filtered	Total #. of Containers	Preservation & # of Containers								Matrix	TPH: 418.1 8015M 8015	TPH: TX 1005 TX 1006	Cations (Ca, Mg, Na, K)	Anions (Cl, SO ₄ , Alkalinity)	SAR / ESP / CEC	Metals: As Ag Ba Cd Cr Pb Hg Se	Volatiles	Semivolatiles	BTEX 8021B/5030 or BTEX 8260	RCI	N.O.R.M.	Chlorides	SAR	RUSH TAT (Pre-Schedule) 24, 48, 72 hrs	Standard TAT
								Ice	HNO ₃	HCl	H ₂ SO ₄	NaOH	Na ₂ S ₂ O ₃	None	Other (Specify)																
1	Spill 2-3'			108/8/13																											
2	Spill 2-4'			108/8/13																											
3	Spill 2-5'			108/8/13																											
4	Spill 2-6'			108/8/13																											
5	Spill 2-7'			108/8/13																											
6	Spill 2-8'			108/8/13																											
7	Spill 2-9'			108/8/13																											

Special Instructions:

Will you please rush? Thanks!

Relinquished by:

Date

Time

Received by:

Lupe Carrasco

Date

Time

Relinquished by:

Date

Time

Received by:

Lupe Carrasco

Date

Time

Relinquished by:

Date

Time

Received by:

Lupe Carrasco

Date

Time


Laboratory Comments:
Sample Containers Intact? ☒
VOCs Free of Headspace? ☒
Labels on container(s) ☒
Custody seals on container(s) ☒
Custody seals on cooler(s) ☒
Sample Hand Delivered ☒
by Sampler/Client Rep. ? ☒
by Courier? ☒ UPS ☒ DHL ☒ FedEx ☒ Lone Star
Temperature Upon Receipt: 1.6 °C

APPENDIX B – Closure Criteria Research Documentation

Sawbuck water transfer Station

0.5 mile Radius
Well within radius is older than 25 years

Legend

 Feature 1





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced,
O=orphaned,
C=the file is closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

POD Number	POD Sub-Code	basin	County	Q 64	Q 16	Q 4	Sec	Tws	Rng	X	Y	Distance	Depth Well	Depth Water	Water Column
RA 04742	RA	ED		3	3	13	20S	24E		542408	3603517*	993	300		
RA 07771	RA	ED		4	1	4	22	20S	24E	540073	3602194*	1727			
RA 05146	RA	ED		1	2	14	20S	24E		541600	3604734*	1883	300	80	220
RA 05424	RA	ED		4	2	3	22	20S	24E	539669	3602194*	2106	1000	400	600
RA 04502	RA	ED		2	2	25	20S	24E		543656	3601480*	2413	300	268	32
RA 10140	RA	ED		2	1	1	35	20S	24E	540938	3599981*	2962	295		
RA 10139	RA	ED		3	3	2	21	20S	24E	538285	3602597*	3394	308		
RA 02775	RA	CH		1	4	3	21	20S	24E	537899	3601986*	3869	140	31	109
RA 04956	RA	ED		1	1	21	20S	24E		537605	3603101*	4072	1013		
RA 10618	RA	ED		1	1	4	20	20S	25E	546389	3602414	4739	342	212	130
RA 05038	RA	ED		1	1	4	20	20S	25E	546390	3602416*	4740	314	228	86
RA 05057	RA	ED		3	3	31	20S	25E		544071	3598678*	4815	380	312	68
RA 09978	RA	ED		3	1	2	29	20S	25E	546393	3601410*	4938	350		

Average Depth to Water: **218 feet**

Minimum Depth: **31 feet**

Maximum Depth: **400 feet**

Record Count: 13

UTMNAD83 Radius Search (in meters):

Easting (X): 541670

Northing (Y): 3602852

Radius: 5000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/11/21 12:02 PM

Page 1 of 1

WATER COLUMN/ AVERAGE
DEPTH TO WATER



[USGS Home](#)
[Contact USGS](#)
[Search USGS](#)

National Water Information System: Web Interface

USGS Water Resources

Data Category:


Groundwater

Geographic Area:

United States

GO

Click to hide News Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.
- [Full News](#) 

Groundwater levels for the Nation

 Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

site_no list =

- 323341104330401

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 323341104330401 20S.24E.23.21444

Available data for this site

Groundwater: Field measurements

GO

Eddy County, New Mexico

Hydrologic Unit Code 13060011

Latitude 32°33'41", Longitude 104°33'04" NAD27

Land-surface elevation 3,617 feet above NAVD88


The depth of the well is 272 feet below land surface.

This well is completed in the Roswell Basin aquifer system (S400RSWLBS) national aquifer.

This well is completed in the Rustler Formation (312RSLR) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period



Breaks in the plot represent a gap of at least one year between field measurements.

[Download a presentation-quality graph](#)

[Questions about sites/data?](#)

[Feedback on this web site](#)

[Automated retrievals](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[News](#)

[Accessibility](#)

[FOIA](#)

[Privacy](#)

[Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels


URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>




Page Contact Information: [USGS Water Data Support Team](#)

Page Last Modified: 2021-09-13 14:13:21 EDT

0.61 0.51 nadww01



Sawbuck Watercourse 46,667ft.



September 11, 2021


Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond

- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.



Sawbuck Lake 46,667ft.



September 11, 2021

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond


- Lake
- Other
- Riverine


This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Sawbuck Water Transfer Station

Nearest Residence
20,065ft.

Legend

 32.605600 -104.544800

 32.562300 -104.556110

Google Earth



3 km



New Mexico Office of the State Engineer

Active & Inactive Points of Diversion

(with Ownership Information)

(acre ft per annum)										(R=POD has been replaced and no longer serves this file, (quarters are 1=NW 2=NE 3=SW 4=SE) C=the file is closed) (quarters are smallest to largest) (NAD83 UTM in meters)									
WR File Nbr	Sub basin	Use	Diversion	Owner	County	POD Number	Well Tag	Code	Grant	Source	q	q	q	Sec	Tws	Rng	X	Y	Distance
RA 04820	RA	STK		3 LOYD FOSTER	ED	RA 04820					3	2	23	20S	24E		541596	3602701*	168
RA 04742	RA	STK		3 LOYD FOSTER	ED	RA 04742				Shallow	3	3	13	20S	24E		542408	3603517*	993

Record Count: 2

UTMNAD83 Radius Search (in meters):

Easting (X): 541670

Northing (Y): 3602852

Radius: 1610

Sorted by: Distance



New Mexico Office of the State Engineer

Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)
 (quarters are smallest to largest) (NAD83 UTM in meters)

Well Tag	POD Number	Q64	Q16	Q4	Sec	Tws	Rng	X	Y
RA 05146		1	2	14	20S	24E	541600	3604734*	

Driller License: 353

Driller Company: OSBOURN DRILLING & PUMP CO.

Driller Name:

Drill Start Date: 04/23/1968

Drill Finish Date: 05/06/1968

Plug Date:

Log File Date: 05/17/1968

PCW Rcv Date:

Source: Shallow

Pump Type:

Pipe Discharge Size:

Estimated Yield:

Casing Size:

Depth Well: 300 feet

Depth Water: 80 feet

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

9/11/21 12:06 PM

Page 1 of 1


POD SUMMARY - RA 05146

Sawbuck water transfer Station


Nearest Town: Seven Rivers, NM
Distance: 8.15 miles (43,046 feet)

Legend
Feature 1





Sawbuck Wetland 756ft



September 11, 2021

Wetlands


- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond


- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Active Mines in New Mexico



9/11/2021, 2:27:55 PM



U.S. Bureau of Land Management - New Mexico State Office, Sources: Esri,


EMNRD MMD GIS Coordinator

NM Energy, Minerals and Natural Resources Department (<http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=1b5e577974664d689b47790897ca2795>)

National Flood Hazard Layer FIRMMette



104°33'41"W 32°33'59"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee Zone D
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Cross Sections with 1% Annual Chance Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
MAP PANELS		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/13/2021 at 2:34 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Soil Map—Eddy Area, New Mexico



Natural Resources
Conservation Service

Web Soil Survey
National Cooperative Soil Survey

9/13/2021
Page 1 of 3

Soil Map—Eddy Area, New Mexico

MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)

Soils

 Soil Map Unit Polygons

 Soil Map Unit Lines

 Soil Map Unit Points

Special Point Features



Blowout



Borrow Pit



Clay Spot



Closed Depression



Gravel Pit



Gravelly Spot



Landfill



Lava Flow



Marsh or swamp



Mine or Quarry



Miscellaneous Water



Perennial Water



Rock Outcrop



Saline Spot



Sandy Spot



Severely Eroded Spot



Sinkhole



Slide or Slip



Sodic Spot



Spoil Area



Stony Spot



Very Stony Spot



Wet Spot



Other



Special Line Features

Water Features



Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads



Local Roads

Background



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service

Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Eddy Area, New Mexico

Survey Area Data: Version 16, Jun 8, 2020

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 27, 2020—Feb 28, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
PM	Pima silt loam, 0 to 1 percent slopes	1.1	27.1%
RA	Reagan loam, 0 to 3 percent slopes	3.0	72.9%
Totals for Area of Interest		4.2	100.0%

Map Unit Description: Pima silt loam, 0 to 1 percent slopes---Eddy Area, New Mexico

Eddy Area, New Mexico

PM—Pima silt loam, 0 to 1 percent slopes

Map Unit Setting

National map unit symbol: 1w56

Elevation: 600 to 4,200 feet

Mean annual precipitation: 8 to 25 inches

Mean annual air temperature: 60 to 70 degrees F

Frost-free period: 195 to 290 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Pima and similar soils: 98 percent

Minor components: 2 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pima

Setting

Landform: Alluvial fans, alluvial flats, flood plains

Landform position (three-dimensional): Rise, tal

Down-slope shape: Linear, convex

Across-slope shape: Linear, convex

Parent material: Alluvium

Typical profile

H1 - 0 to 3 inches: silt loam

H2 - 3 to 60 inches: silty clay loam

Properties and qualities

Slope: 0 to 1 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high (0.20 to 0.60 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: RareNone

Frequency of ponding: None

Calcium carbonate, maximum content: 15 percent

Maximum salinity: Nonsaline to slightly saline (0.0 to 4.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: High (about 11.9 inches)

Interpretive groups

Land capability classification (irrigated): 1

Land capability classification (nonirrigated): 7c

Hydrologic Soil Group: C

Ecological site: R042XC017NM - Bottomland

Map Unit Description: Pima silt loam, 0 to 1 percent slopes---Eddy Area, New Mexico

Hydric soil rating: No

Minor Components

Dev

Percent of map unit: 1 percent

Ecological site: R042XC017NM - Bottomland

Hydric soil rating: No

Reagan

Percent of map unit: 1 percent

Ecological site: R042XC007NM - Loamy

Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico

Survey Area Data: Version 16, Jun 8, 2020



Map Unit Description: Reagan loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Eddy Area, New Mexico

RA—Reagan loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 1w5c

Elevation: 1,100 to 4,400 feet

Mean annual precipitation: 7 to 14 inches

Mean annual air temperature: 60 to 70 degrees F

Frost-free period: 200 to 240 days

Farmland classification: Farmland of statewide importance

Map Unit Composition

Reagan and similar soils: 98 percent

Minor components: 2 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Reagan

Setting

Landform: Alluvial fans, fan remnants

Landform position (three-dimensional): Rise

Down-slope shape: Linear, convex

Across-slope shape: Linear

Parent material: Alluvium and/or eolian deposits

Typical profile

H1 - 0 to 8 inches: loam

H2 - 8 to 60 inches: loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water

(Ksat): Moderately high to high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Calcium carbonate, maximum content: 40 percent

Maximum salinity: Very slightly saline to moderately saline (2.0 to 8.0 mmhos/cm)

Sodium adsorption ratio, maximum: 1.0

Available water supply, 0 to 60 inches: Moderate (about 8.2 inches)

Interpretive groups

Land capability classification (irrigated): 2e

Land capability classification (nonirrigated): 6e

Hydrologic Soil Group: B

Map Unit Description: Reagan loam, 0 to 3 percent slopes---Eddy Area, New Mexico

Ecological site: R042XC007NM - Loamy
Hydric soil rating: No

Minor Components

Upton

Percent of map unit: 1 percent
Ecological site: R042XC025NM - Shallow
Hydric soil rating: No

Atoka


Percent of map unit: 1 percent
Ecological site: R042XC007NM - Loamy
Hydric soil rating: No

Data Source Information

Soil Survey Area: Eddy Area, New Mexico
Survey Area Data: Version 16, Jun 8, 2020




Sawbuck Water Transfer Station



9/13/2021, 12:28:36 PM

1:144,448

Lithologic Contacts	Faults	Dikes
Contact, Exposed	Fault, Exposed	<all other values>
Contact, Gradational	Fault, Intermittent	Dike
Nomenclature change	Fault, Concealed	Dike intruding fault
Map Boundary	Shore Zone	Volcanic Vents



USGS The National Map: National Boundaries Dataset, 3DEP Elevation Program, Geographic Names Information System, National Hydrography Dataset, National Land Cover Database, National Structures Dataset, and National Transportation Dataset; USGS Global Ecosystems; U.S. Census Bureau TIGER/Line data; USFS Road Data; Natural Earth Data; U.S.

ArcGIS Web AppBuilder

APPENDIX C – Daily Field Reports and Photographs



Daily Site Visit Report

Client:	EOG Resources Inc.	Inspection Date:	6/2/2023
Site Location Name:	Sawbuck Water Transfer	Report Run Date:	6/2/2023 7:26 PM
Client Contact Name:	Chase Settle	API #:	
Client Contact Phone #:	575-703-6537		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site 6/2/2023 8:45 AM

Departed Site 6/2/2023 1:30 PM

Field Notes

13:04 Arrived on site and filled out safety paperwork.

13:05 Collected and field screened sample point BH23-02 at 0', 1', 2', 3', & 4' as well as BH23-03, 04, and 05 at 0'.

Next Steps & Recommendations

1

Daily Site Visit Report



Site Photos

Viewing Direction: South



Descriptive Photo - 1
Viewing Direction: South
Desc: Sample area where tanks used to be.
Created: 8/2/2023 1:07:52 PM
Lat:32.582556, Long:-104.556374

Sample area where tanks used to be.

Viewing Direction: Southeast



Descriptive Photo - 5
Viewing Direction: Southwest
Desc: Pad corner
Created: 8/2/2023 1:11:25 PM
Lat:32.582514, Long:-104.556322

Viewing Direction: Northeast



Descriptive Photo - 3
Viewing Direction: Northeast
Desc: Old tank area
Created: 8/2/2023 1:08:40 PM
Lat:32.582458, Long:-104.556183

Old tank area.

Viewing Direction: North



Descriptive Photo - 4
Viewing Direction: North
Desc: Pad area
Created: 8/2/2023 1:09:18 PM
Lat:32.582595, Long:-104.556374

Pad area.

Daily Site Visit Report



Daily Site Visit Signature

Inspector: Hunter Klein

Signature:

A handwritten signature in black ink, appearing to read 'Hunter Klein', written over a thin horizontal line. Below the line, the word 'Signature' is printed in a small font.



Daily Site Visit Report

Client:	EOG Resources Inc.	Inspection Date:	8/30/2023
Site Location Name:		Report Run Date:	9/13/2023 4:34 PM
Client Contact Name:	Chase Settle	API #:	
Client Contact Phone #:	575-703-6537		
Unique Project ID		Project Owner:	
Project Reference #		Project Manager:	

Summary of Times

Arrived at Site	8/30/2023 8:00 AM
Departed Site	8/30/2023 11:00 AM

Field Notes

- 14:07** 8:00 Arrived on site to collect additional confirmation samples inside the release footprint for the two 2013 releases.
- 14:08** 10:15 collected BH23-07 and BH23-08. All under strictest criteria on titration and PetroFlag
- 14:08** 10:15 Unable to collect BH23-06 as it is under water due to rainfall
- 14:11** 10:20 The top ~1' of the pad in the release area had been removed prior to sampling. Samples for BH23-07 and BH23-08 were labeled at 1' and 2' bgs on the nomenclature respectively.

Next Steps & Recommendations

1

Daily Site Visit Report



Site Photos

Viewing Direction: East

Date & Time: Wed Aug 30 08:33:43 MDT 2023
 Position: +032.54213° / -104.55661°
 Altitude: 1107m
 Datum: WGS-84
 Azimuth/Bearing: 069° N69E 1227mils (true)
 Zoom: 1X



Descriptive Photo - 2
 Viewing Direction: East
 Desc: Area for proposed sample point BH23-06
 Created: 8/30/2023 8:33:43 AM
 Lat:32.542133, Long:-104.556609

Area for proposed sample point BH23-06

Viewing Direction: Northwest

Date & Time: Wed Aug 30 10:22:25 MDT 2023
 Position: +032.54314° / -104.55654°
 Altitude: 1109m
 Datum: WGS-84
 Azimuth/Bearing: 322° N38W 5726mils (true)
 Zoom: 1X



Descriptive Photo - 2
 Viewing Direction: Northwest
 Desc: Sample area for BH23-08
 Created: 8/30/2023 2:06:59 PM
 Lat:32.543137, Long:-104.556502

Sample area for BH23-08

Viewing Direction: Southwest

Date & Time: Wed Aug 30 10:23:19 MDT 2023
 Position: +032.54239° / -104.55622°
 Altitude: 1109m
 Datum: WGS-84
 Azimuth/Bearing: 254° S76W 4516mils (true)
 Zoom: 1X



Descriptive Photo - 3
 Viewing Direction: Southwest
 Desc: Sample area for BH23-07
 Created: 8/30/2023 2:10:27 PM
 Lat:32.542397, Long:-104.556007

Sample area for BH23-07

Daily Site Visit Report



Daily Site Visit Signature

Inspector: Chance Dixon

Signature:

A handwritten signature in black ink, appearing to be 'CD' or similar initials, written over a horizontal line.

Signature

APPENDIX D – Notifications

From: [Tina Huerta](#)
To: ocd.enviro@emnrd.nm.gov; blm_nm_cfo_spill@blm.gov
Cc: [Artesia S&E Spill Remediation](#); [Artesia Regulatory](#)
Subject: Sawbuck Water Transfer (nJMW1317031601 (2RP-1685), nJMW1327753065 (2RP-1973), nKMW0800954755, nKMW0800954324, nMLB0608954436, nKMW0800954709) Sampling Notification
Date: May 30, 2023 4:44:29 PM
Attachments: [image001.png](#)

Good afternoon,

EOG Resources, Inc. respectfully submits notification (2) business days prior to conducting sampling on the following location.

Sawbuck Water Transfer
G-23-20S-24E
Eddy County, NM
nJMW1317031601 (2RP-1685), nJMW1327753065 (2RP-1973), nKMW0800954755,
nKMW0800954324, nMLB0608954436, nKMW0800954709

Sampling will begin at 9:00 a.m. on Thursday, June 1, 2023, and continue through Wednesday, June 7, 2023.

Thank you,

Tina Huerta
Regulatory Specialist
Direct: 575.748.4168
Cell: 575.703.3121
Email: tina_huerta@eogresources.com



Artesia Division

From: [Chase Settle](#)
To: [Chance Dixon](#)
Subject: FW: Sawbuck Water Transfer (nJMW1317031601 (2RP-1685), nJMW1327753065 (2RP-1973)) Sampling Notification
Date: August 28, 2023 7:44:39 AM

From: Miriam Morales <Miriam_Morales@eogresources.com>
Sent: Friday, August 25, 2023 8:22 AM
To: ocd.enviro@emnrd.nm.gov; CFO_Spill, BLM_NM <blm_nm_cfo_spill@blm.gov>
Cc: Artesia Regulatory <Artesia_Regulatory@eogresources.com>; Artesia S&E Spill Remediation <Artesia_S&E_Spill_Remediation@eogresources.com>
Subject: Sawbuck Water Transfer (nJMW1317031601 (2RP-1685), nJMW1327753065 (2RP-1973)) Sampling Notification

Good morning,

EOG Resources, Inc. respectfully submits notification (2) business days prior to conducting sampling on the following location.

Sawbuck Water Transfer
G-23-20S-24E
Eddy County, NM
nJMW1317031601 (2RP-1685), nJMW1327753065 (2RP-1973)

Sampling will begin at 9:00 a.m. on Wednesday, August 30, 2023.

Thank you,

Miriam Morales

APPENDIX E – Laboratory Data Reports and Chain of Custody Forms



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

June 13, 2023

Chance Dixon
Vertex Resources Services, Inc.
3101 Boyd Drive
Carlsbad, NM 88220
TEL: (505) 506-0040
FAX:

RE: Sawbuck Water Transfer

OrderNo.: 2306177

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 8 sample(s) on 6/6/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2306177

Date Reported: 6/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH23-02 0'

Project: Sawbuck Water Transfer

Collection Date: 6/2/2023 9:25:00 AM

Lab ID: 2306177-001

Matrix: SOIL

Received Date: 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	ND	9.9		mg/Kg	1	6/7/2023 7:04:49 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/7/2023 7:04:49 PM
Surr: DNOP	92.8	69-147		%Rec	1	6/7/2023 7:04:49 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	6/10/2023 8:24:21 AM
Surr: BFB	97.7	15-244		%Rec	1	6/10/2023 8:24:21 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.024		mg/Kg	1	6/10/2023 8:24:21 AM
Toluene	ND	0.048		mg/Kg	1	6/10/2023 8:24:21 AM
Ethylbenzene	ND	0.048		mg/Kg	1	6/10/2023 8:24:21 AM
Xylenes, Total	ND	0.095		mg/Kg	1	6/10/2023 8:24:21 AM
Surr: 4-Bromofluorobenzene	90.8	39.1-146		%Rec	1	6/10/2023 8:24:21 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	140	60		mg/Kg	20	6/8/2023 3:42:19 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Analytical Report

Lab Order 2306177

Date Reported: 6/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH23-02 1'

Project: Sawbuck Water Transfer

Collection Date: 6/2/2023 9:30:00 AM

Lab ID: 2306177-002

Matrix: SOIL

Received Date: 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	16	9.8		mg/Kg	1	6/7/2023 7:15:49 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/7/2023 7:15:49 PM
Surr: DNOP	92.5	69-147		%Rec	1	6/7/2023 7:15:49 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	6/10/2023 9:34:42 AM
Surr: BFB	99.7	15-244		%Rec	1	6/10/2023 9:34:42 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.024		mg/Kg	1	6/10/2023 9:34:42 AM
Toluene	ND	0.048		mg/Kg	1	6/10/2023 9:34:42 AM
Ethylbenzene	ND	0.048		mg/Kg	1	6/10/2023 9:34:42 AM
Xylenes, Total	ND	0.097		mg/Kg	1	6/10/2023 9:34:42 AM
Surr: 4-Bromofluorobenzene	92.4	39.1-146		%Rec	1	6/10/2023 9:34:42 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 3:54:43 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 2 of 12

Analytical Report

Lab Order 2306177

Date Reported: 6/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH23-02 2'

Project: Sawbuck Water Transfer

Collection Date: 6/2/2023 9:35:00 AM

Lab ID: 2306177-003

Matrix: SOIL

Received Date: 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	10	9.4		mg/Kg	1	6/7/2023 7:37:41 PM
Motor Oil Range Organics (MRO)	ND	47		mg/Kg	1	6/7/2023 7:37:41 PM
Surr: DNOP	98.3	69-147		%Rec	1	6/7/2023 7:37:41 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	6/10/2023 10:45:13 AM
Surr: BFB	98.1	15-244		%Rec	1	6/10/2023 10:45:13 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.023		mg/Kg	1	6/10/2023 10:45:13 AM
Toluene	ND	0.047		mg/Kg	1	6/10/2023 10:45:13 AM
Ethylbenzene	ND	0.047		mg/Kg	1	6/10/2023 10:45:13 AM
Xylenes, Total	ND	0.093		mg/Kg	1	6/10/2023 10:45:13 AM
Surr: 4-Bromofluorobenzene	92.4	39.1-146		%Rec	1	6/10/2023 10:45:13 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 4:07:08 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 3 of 12

Analytical Report

Lab Order 2306177

Date Reported: 6/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH23-02 3'

Project: Sawbuck Water Transfer

Collection Date: 6/2/2023 9:40:00 AM

Lab ID: 2306177-004

Matrix: SOIL

Received Date: 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	9.6	8.9		mg/Kg	1	6/7/2023 7:59:26 PM
Motor Oil Range Organics (MRO)	ND	45		mg/Kg	1	6/7/2023 7:59:26 PM
Surr: DNOP	101	69-147		%Rec	1	6/7/2023 7:59:26 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.9		mg/Kg	1	6/10/2023 11:08:46 AM
Surr: BFB	98.0	15-244		%Rec	1	6/10/2023 11:08:46 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.024		mg/Kg	1	6/10/2023 11:08:46 AM
Toluene	ND	0.049		mg/Kg	1	6/10/2023 11:08:46 AM
Ethylbenzene	ND	0.049		mg/Kg	1	6/10/2023 11:08:46 AM
Xylenes, Total	ND	0.097		mg/Kg	1	6/10/2023 11:08:46 AM
Surr: 4-Bromofluorobenzene	91.2	39.1-146		%Rec	1	6/10/2023 11:08:46 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 4:19:32 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Analytical Report

Lab Order 2306177

Date Reported: 6/13/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH23-02 4'

Project: Sawbuck Water Transfer

Collection Date: 6/2/2023 9:45:00 AM

Lab ID: 2306177-005

Matrix: SOIL

Received Date: 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	13	9.7		mg/Kg	1	6/7/2023 8:21:10 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/7/2023 8:21:10 PM
Surr: DNOP	88.6	69-147		%Rec	1	6/7/2023 8:21:10 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	5.0		mg/Kg	1	6/10/2023 11:32:14 AM
Surr: BFB	97.4	15-244		%Rec	1	6/10/2023 11:32:14 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.025		mg/Kg	1	6/10/2023 11:32:14 AM
Toluene	ND	0.050		mg/Kg	1	6/10/2023 11:32:14 AM
Ethylbenzene	ND	0.050		mg/Kg	1	6/10/2023 11:32:14 AM
Xylenes, Total	ND	0.099		mg/Kg	1	6/10/2023 11:32:14 AM
Surr: 4-Bromofluorobenzene	91.3	39.1-146		%Rec	1	6/10/2023 11:32:14 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 4:31:57 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Separate Incident - Later Closure Report

Hall Environmental Analysis Laboratory, Inc.

Analytical Report

Lab Order 2306177

Date Reported: 6/13/2023

CLIENT: Vertex Resources Services, Inc.

Client Sample ID: BH23-03 0'

Project: Sawbuck Water Transfer

Collection Date: 6/2/2023 9:50:00 AM

Lab ID: 2306177-006

Matrix: SOIL

Received Date: 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	6/7/2023 8:42:52 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/7/2023 8:42:52 PM
Surr: DNOP	89.8	69-147		%Rec	1	6/7/2023 8:42:52 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.8		mg/Kg	1	6/10/2023 11:55:41 AM
Surr: BFB	98.3	15-244		%Rec	1	6/10/2023 11:55:41 AM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.024		mg/Kg	1	6/10/2023 11:55:41 AM
Toluene	ND	0.048		mg/Kg	1	6/10/2023 11:55:41 AM
Ethylbenzene	ND	0.048		mg/Kg	1	6/10/2023 11:55:41 AM
Xylenes, Total	ND	0.097		mg/Kg	1	6/10/2023 11:55:41 AM
Surr: 4-Bromofluorobenzene	92.7	39.1-146		%Rec	1	6/10/2023 11:55:41 AM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 5:09:11 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Separate Incident - Later Closure Report
Hall Environmental Analysis Laboratory, Inc.

Analytical ReportLab Order **2306177**Date Reported: **6/13/2023****CLIENT:** Vertex Resources Services, Inc.**Client Sample ID:** BH23-04 0'**Project:** Sawbuck Water Transfer**Collection Date:** 6/2/2023 9:55:00 AM**Lab ID:** 2306177-007**Matrix:** SOIL**Received Date:** 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	ND	9.2		mg/Kg	1	6/7/2023 8:53:44 PM
Motor Oil Range Organics (MRO)	ND	46		mg/Kg	1	6/7/2023 8:53:44 PM
Surr: DNOP	90.4	69-147		%Rec	1	6/7/2023 8:53:44 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	ND	4.7		mg/Kg	1	6/10/2023 12:19:11 PM
Surr: BFB	98.9	15-244		%Rec	1	6/10/2023 12:19:11 PM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	ND	0.024		mg/Kg	1	6/10/2023 12:19:11 PM
Toluene	ND	0.047		mg/Kg	1	6/10/2023 12:19:11 PM
Ethylbenzene	ND	0.047		mg/Kg	1	6/10/2023 12:19:11 PM
Xylenes, Total	ND	0.095		mg/Kg	1	6/10/2023 12:19:11 PM
Surr: 4-Bromofluorobenzene	93.4	39.1-146		%Rec	1	6/10/2023 12:19:11 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 5:21:36 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 7 of 12

Separate Incident - Later Closure Report

Hall Environmental Analysis Laboratory, Inc.

Analytical ReportLab Order **2306177**Date Reported: **6/13/2023****CLIENT:** Vertex Resources Services, Inc.**Client Sample ID:** BH23-05 0'**Project:** Sawbuck Water Transfer**Collection Date:** 6/2/2023 10:00:00 AM**Lab ID:** 2306177-008**Matrix:** SOIL**Received Date:** 6/6/2023 8:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS						Analyst: PRD
Diesel Range Organics (DRO)	ND	9.8		mg/Kg	1	6/7/2023 9:04:39 PM
Motor Oil Range Organics (MRO)	ND	49		mg/Kg	1	6/7/2023 9:04:39 PM
Surr: DNOP	91.6	69-147		%Rec	1	6/7/2023 9:04:39 PM
EPA METHOD 8015D: GASOLINE RANGE						Analyst: JJP
Gasoline Range Organics (GRO)	6.8	4.8		mg/Kg	1	6/10/2023 12:42:43 PM
Surr: BFB	109	15-244		%Rec	1	6/10/2023 12:42:43 PM
EPA METHOD 8021B: VOLATILES						Analyst: JJP
Benzene	0.028	0.024		mg/Kg	1	6/10/2023 12:42:43 PM
Toluene	0.17	0.048		mg/Kg	1	6/10/2023 12:42:43 PM
Ethylbenzene	0.061	0.048		mg/Kg	1	6/10/2023 12:42:43 PM
Xylenes, Total	0.46	0.096		mg/Kg	1	6/10/2023 12:42:43 PM
Surr: 4-Bromofluorobenzene	95.3	39.1-146		%Rec	1	6/10/2023 12:42:43 PM
EPA METHOD 300.0: ANIONS						Analyst: JMT
Chloride	ND	60		mg/Kg	20	6/8/2023 5:34:01 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 8 of 12

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2306177

13-Jun-23

Client: Vertex Resources Services, Inc.
Project: Sawbuck Water Transfer

Sample ID: MB-75461		SampType: mblk		TestCode: EPA Method 300.0: Anions						
Client ID: PBS		Batch ID: 75461		RunNo: 97318						
Prep Date: 6/8/2023		Analysis Date: 6/8/2023		SeqNo: 3535350		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-75461		SampType: lcs		TestCode: EPA Method 300.0: Anions						
Client ID: LCSS		Batch ID: 75461		RunNo: 97318						
Prep Date: 6/8/2023		Analysis Date: 6/8/2023		SeqNo: 3535352		Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	14	1.5	15.00	0	93.0	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 9 of 12

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2306177

13-Jun-23

Client: Vertex Resources Services, Inc.**Project:** Sawbuck Water Transfer

Sample ID: LCS-75370	SampType: LCS				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 75370				RunNo: 97270					
Prep Date: 6/6/2023	Analysis Date: 6/7/2023				SeqNo: 3533132	Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	5.4		5.000		108	69	147			

Sample ID: LCS-75399	SampType: LCS				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 75399				RunNo: 97270					
Prep Date: 6/6/2023	Analysis Date: 6/7/2023				SeqNo: 3533133	Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	4.3		5.000		86.4	69	147			

Sample ID: LCS-75406	SampType: LCS				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: LCSS	Batch ID: 75406				RunNo: 97270					
Prep Date: 6/7/2023	Analysis Date: 6/7/2023				SeqNo: 3533134	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	48	10	50.00	0	95.2	61.9	130			
Surr: DNOP	4.7		5.000		93.1	69	147			

Sample ID: MB-75370	SampType: MBLK				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 75370				RunNo: 97270					
Prep Date: 6/6/2023	Analysis Date: 6/7/2023				SeqNo: 3533136	Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	11		10.00		109	69	147			

Sample ID: MB-75399	SampType: MBLK				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 75399				RunNo: 97270					
Prep Date: 6/6/2023	Analysis Date: 6/7/2023				SeqNo: 3533137	Units: %Rec				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: DNOP	9.6		10.00		96.3	69	147			

Sample ID: MB-75406	SampType: MBLK				TestCode: EPA Method 8015M/D: Diesel Range Organics					
Client ID: PBS	Batch ID: 75406				RunNo: 97270					
Prep Date: 6/7/2023	Analysis Date: 6/7/2023				SeqNo: 3533138	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	9.5		10.00		95.3	69	147			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2306177

13-Jun-23

Client: Vertex Resources Services, Inc.**Project:** Sawbuck Water Transfer

Sample ID: ics-75393	SampType: LCS				TestCode: EPA Method 8015D: Gasoline Range					
Client ID: LCSS	Batch ID: 75393				RunNo: 97323					
Prep Date: 6/6/2023	Analysis Date: 6/10/2023				SeqNo: 3537032	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	5.0	25.00	0	88.4	70	130			
Surr: BFB	1900		1000		192	15	244			

Sample ID: mb-75393	SampType: MBLK				TestCode: EPA Method 8015D: Gasoline Range					
Client ID: PBS	Batch ID: 75393				RunNo: 97323					
Prep Date: 6/6/2023	Analysis Date: 6/10/2023				SeqNo: 3537034	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	ND	5.0								
Surr: BFB	960		1000		95.8	15	244			

Sample ID: 2306177-001ams	SampType: MS				TestCode: EPA Method 8015D: Gasoline Range					
Client ID: BH23-02 0'	Batch ID: 75393				RunNo: 97323					
Prep Date: 6/6/2023	Analysis Date: 6/10/2023				SeqNo: 3537047	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	22	4.8	23.95	0	93.2	70	130			
Surr: BFB	1900		957.9		201	15	244			

Sample ID: 2306177-001amsd	SampType: MSD				TestCode: EPA Method 8015D: Gasoline Range					
Client ID: BH23-02 0'	Batch ID: 75393				RunNo: 97323					
Prep Date: 6/6/2023	Analysis Date: 6/10/2023				SeqNo: 3537048	Units: mg/Kg				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Gasoline Range Organics (GRO)	23	4.8	24.04	0	95.0	70	130	2.30	20	
Surr: BFB	2000		961.5		203	15	244	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2306177

13-Jun-23

Client: Vertex Resources Services, Inc.**Project:** Sawbuck Water Transfer

Sample ID: LCS-75393	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: 75393		RunNo: 97323							
Prep Date: 6/6/2023	Analysis Date: 6/10/2023		SeqNo: 3537094		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.91	0.025	1.000	0	91.1	70	130			
Toluene	0.90	0.050	1.000	0	90.5	70	130			
Ethylbenzene	0.89	0.050	1.000	0	88.8	70	130			
Xylenes, Total	2.7	0.10	3.000	0	90.0	70	130			
Surr: 4-Bromofluorobenzene	0.94		1.000		94.1	39.1	146			

Sample ID: mb-75393	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: 75393		RunNo: 97323							
Prep Date: 6/6/2023	Analysis Date: 6/10/2023		SeqNo: 3537096		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.90		1.000		89.7	39.1	146			

Sample ID: 2306177-002ams	SampType: MS		TestCode: EPA Method 8021B: Volatiles							
Client ID: BH23-02 1'	Batch ID: 75393		RunNo: 97323							
Prep Date: 6/6/2023	Analysis Date: 6/10/2023		SeqNo: 3537107		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.024	0.9709	0	90.7	70	130			
Toluene	0.88	0.049	0.9709	0	90.9	70	130			
Ethylbenzene	0.89	0.049	0.9709	0	91.4	70	130			
Xylenes, Total	2.7	0.097	2.913	0	91.6	70	130			
Surr: 4-Bromofluorobenzene	0.92		0.9709		94.8	39.1	146			

Sample ID: 2306177-002amsd	SampType: MSD		TestCode: EPA Method 8021B: Volatiles							
Client ID: BH23-02 1'	Batch ID: 75393		RunNo: 97323							
Prep Date: 6/6/2023	Analysis Date: 6/10/2023		SeqNo: 3537108		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.88	0.024	0.9737	0	90.5	70	130	0.137	20	
Toluene	0.89	0.049	0.9737	0	91.8	70	130	1.28	20	
Ethylbenzene	0.89	0.049	0.9737	0	91.1	70	130	0.103	20	
Xylenes, Total	2.7	0.097	2.921	0	92.2	70	130	0.941	20	
Surr: 4-Bromofluorobenzene	0.93		0.9737		95.2	39.1	146	0	0	

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 12 of 12



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

Sample Log-In Check List

Client Name: Vertex Resources
Services, Inc.

Work Order Number: 2306177

RcptNo: 1

Received By: Joseph Alderette 6/6/2023 8:35:00 AM

Completed By: Tracy Casarrubias 6/6/2023 8:48:47 AM

Reviewed By: *[Signature]* 6-6-23

Chain of Custody

1. Is Chain of Custody complete? Yes ☐ No ☒ Not Present ☐
2. How was the sample delivered? Courier

Log In

3. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
4. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
5. Sample(s) in proper container(s)? Yes ☒ No ☐
6. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
7. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
8. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
9. Received at least 1 vial with headspace <1/4" for AQ VOA? Yes ☐ No ☐ NA ☒
10. Were any sample containers received broken? Yes ☐ No ☒
11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) Yes ☒ No ☐
12. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
13. Is it clear what analyses were requested? Yes ☒ No ☐
14. Were all holding times able to be met?
(If no, notify customer for authorization.) Yes ☒ No ☐

of preserved
bottles checked
for pH:

(<2 or >12 unless noted)

Adjusted?

Checked by: *ju* 6/6/23

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: _____

Date: _____

By Whom: _____

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding: _____

Client Instructions: Mailing address, phone number and Email are missing on COC- TMC 6/6/23

16. Additional remarks:

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	5.8	Good	Yes	Morty		



Hall Environmental Analysis Laboratory
4901 Hawkins NE
Albuquerque, NM 87109
TEL: 505-345-3975 FAX: 505-345-4107
Website: www.hallenvironmental.com

September 11, 2023

Chance Dixon
EOG
105 South Fourth Street
Artesia, NM 88210
TEL:
FAX:

RE: Sawbuck Water Transfer

OrderNo.: 2309003

Dear Chance Dixon:

Hall Environmental Analysis Laboratory received 4 sample(s) on 9/1/2023 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to www.hallenvironmental.com or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please don't hesitate to contact HEAL for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman", is written over a light blue horizontal line.

Andy Freeman
Laboratory Manager
4901 Hawkins NE
Albuquerque, NM 87109

Analytical Report

Lab Order 2309003

Date Reported: 9/11/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: BH23-07 0'

Project: Sawbuck Water Transfer

Collection Date: 8/30/2023 9:30:00 AM

Lab ID: 2309003-001

Matrix: MEOH (SOIL)

Received Date: 9/1/2023 7:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: SNS
Chloride	ND	60		mg/Kg	20	9/1/2023 11:19:41 AM	77256
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: PRD
Diesel Range Organics (DRO)	ND	8.9		mg/Kg	1	9/1/2023 11:07:42 AM	77248
Motor Oil Range Organics (MRO)	ND	45		mg/Kg	1	9/1/2023 11:07:42 AM	77248
Surr: DNOP	86.1	69-147		%Rec	1	9/1/2023 11:07:42 AM	77248
EPA METHOD 8015D: GASOLINE RANGE							Analyst: KMN
Gasoline Range Organics (GRO)	ND	3.1		mg/Kg	1	9/1/2023 11:14:00 AM	G99415
Surr: BFB	95.5	15-244		%Rec	1	9/1/2023 11:14:00 AM	G99415
EPA METHOD 8021B: VOLATILES							Analyst: KMN
Benzene	ND	0.016		mg/Kg	1	9/1/2023 11:14:00 AM	R99415
Toluene	ND	0.031		mg/Kg	1	9/1/2023 11:14:00 AM	R99415
Ethylbenzene	ND	0.031		mg/Kg	1	9/1/2023 11:14:00 AM	R99415
Xylenes, Total	ND	0.062		mg/Kg	1	9/1/2023 11:14:00 AM	R99415
Surr: 4-Bromofluorobenzene	91.2	39.1-146		%Rec	1	9/1/2023 11:14:00 AM	R99415

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 1 of 9

Analytical Report

Lab Order 2309003

Date Reported: 9/11/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: BH23-07 1'

Project: Sawbuck Water Transfer

Collection Date: 8/30/2023 9:40:00 AM

Lab ID: 2309003-002

Matrix: MEOH (SOIL)

Received Date: 9/1/2023 7:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: SNS
Chloride	ND	60		mg/Kg	20	9/1/2023 11:32:05 AM	77256
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: PRD
Diesel Range Organics (DRO)	ND	6.3		mg/Kg	1	9/1/2023 11:18:10 AM	77248
Motor Oil Range Organics (MRO)	ND	31		mg/Kg	1	9/1/2023 11:18:10 AM	77248
Surr: DNOP	86.5	69-147		%Rec	1	9/1/2023 11:18:10 AM	77248
EPA METHOD 8015D: GASOLINE RANGE							Analyst: KMN
Gasoline Range Organics (GRO)	ND	2.3		mg/Kg	1	9/1/2023 11:36:00 AM	G99415
Surr: BFB	97.1	15-244		%Rec	1	9/1/2023 11:36:00 AM	G99415
EPA METHOD 8021B: VOLATILES							Analyst: KMN
Benzene	ND	0.011		mg/Kg	1	9/1/2023 11:36:00 AM	R99415
Toluene	ND	0.023		mg/Kg	1	9/1/2023 11:36:00 AM	R99415
Ethylbenzene	ND	0.023		mg/Kg	1	9/1/2023 11:36:00 AM	R99415
Xylenes, Total	ND	0.046		mg/Kg	1	9/1/2023 11:36:00 AM	R99415
Surr: 4-Bromofluorobenzene	92.5	39.1-146		%Rec	1	9/1/2023 11:36:00 AM	R99415

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 2 of 9

Analytical Report

Lab Order 2309003

Date Reported: 9/11/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: BH23-08 0'

Project: Sawbuck Water Transfer

Collection Date: 8/30/2023 9:50:00 AM

Lab ID: 2309003-003

Matrix: MEOH (SOIL)

Received Date: 9/1/2023 7:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: SNS
Chloride	ND	60		mg/Kg	20	9/1/2023 11:44:30 AM	77256
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: PRD
Diesel Range Organics (DRO)	ND	8.9		mg/Kg	1	9/1/2023 11:28:39 AM	77248
Motor Oil Range Organics (MRO)	ND	45		mg/Kg	1	9/1/2023 11:28:39 AM	77248
Surr: DNOP	89.5	69-147		%Rec	1	9/1/2023 11:28:39 AM	77248
EPA METHOD 8015D: GASOLINE RANGE							Analyst: KMN
Gasoline Range Organics (GRO)	ND	3.8		mg/Kg	1	9/1/2023 11:58:00 AM	G99415
Surr: BFB	94.8	15-244		%Rec	1	9/1/2023 11:58:00 AM	G99415
EPA METHOD 8021B: VOLATILES							Analyst: KMN
Benzene	ND	0.019		mg/Kg	1	9/1/2023 11:58:00 AM	R99415
Toluene	ND	0.038		mg/Kg	1	9/1/2023 11:58:00 AM	R99415
Ethylbenzene	ND	0.038		mg/Kg	1	9/1/2023 11:58:00 AM	R99415
Xylenes, Total	ND	0.076		mg/Kg	1	9/1/2023 11:58:00 AM	R99415
Surr: 4-Bromofluorobenzene	89.8	39.1-146		%Rec	1	9/1/2023 11:58:00 AM	R99415

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 3 of 9

Analytical Report

Lab Order 2309003

Date Reported: 9/11/2023

Hall Environmental Analysis Laboratory, Inc.

CLIENT: EOG

Client Sample ID: BH23-08 1'

Project: Sawbuck Water Transfer

Collection Date: 8/30/2023 10:00:00 AM

Lab ID: 2309003-004

Matrix: MEOH (SOIL)

Received Date: 9/1/2023 7:35:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed	Batch
EPA METHOD 300.0: ANIONS							Analyst: SNS
Chloride	ND	60		mg/Kg	20	9/1/2023 11:56:54 AM	77256
EPA METHOD 8015M/D: DIESEL RANGE ORGANICS							Analyst: PRD
Diesel Range Organics (DRO)	ND	9.7		mg/Kg	1	9/1/2023 11:39:09 AM	77248
Motor Oil Range Organics (MRO)	ND	48		mg/Kg	1	9/1/2023 11:39:09 AM	77248
Surr: DNOP	88.1	69-147		%Rec	1	9/1/2023 11:39:09 AM	77248
EPA METHOD 8015D: GASOLINE RANGE							Analyst: KMN
Gasoline Range Organics (GRO)	ND	3.6		mg/Kg	1	9/1/2023 12:20:00 PM	G99415
Surr: BFB	96.2	15-244		%Rec	1	9/1/2023 12:20:00 PM	G99415
EPA METHOD 8021B: VOLATILES							Analyst: KMN
Benzene	ND	0.018		mg/Kg	1	9/1/2023 12:20:00 PM	R99415
Toluene	ND	0.036		mg/Kg	1	9/1/2023 12:20:00 PM	R99415
Ethylbenzene	ND	0.036		mg/Kg	1	9/1/2023 12:20:00 PM	R99415
Xylenes, Total	ND	0.071		mg/Kg	1	9/1/2023 12:20:00 PM	R99415
Surr: 4-Bromofluorobenzene	92.1	39.1-146		%Rec	1	9/1/2023 12:20:00 PM	R99415

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

Qualifiers:	*	Value exceeds Maximum Contaminant Level.	B	Analyte detected in the associated Method Blank
	D	Sample Diluted Due to Matrix	E	Above Quantitation Range/Estimated Value
	H	Holding times for preparation or analysis exceeded	J	Analyte detected below quantitation limits
	ND	Not Detected at the Reporting Limit	P	Sample pH Not In Range
	PQL	Practical Quantitative Limit	RL	Reporting Limit
	S	% Recovery outside of standard limits. If undiluted results may be estimated.		

Page 4 of 9

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2309003

11-Sep-23

Client: EOG

Project: Sawbuck Water Transfer

Sample ID: MB-77256		SampType: MBLK		TestCode: EPA Method 300.0: Anions						
Client ID: PBS		Batch ID: 77256		RunNo: 99424						
Prep Date: 9/1/2023		Analysis Date: 9/1/2023		SeqNo: 3629903			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	ND	1.5								

Sample ID: LCS-77256		SampType: LCS		TestCode: EPA Method 300.0: Anions						
Client ID: LCSS		Batch ID: 77256		RunNo: 99424						
Prep Date: 9/1/2023		Analysis Date: 9/1/2023		SeqNo: 3629904			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Chloride	16	1.5	15.00	0	105	90	110			

Qualifiers:

* Value exceeds Maximum Contaminant Level.

D Sample Diluted Due to Matrix

H Holding times for preparation or analysis exceeded

ND Not Detected at the Reporting Limit

PQL Practical Quantitative Limit

S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank

E Above Quantitation Range/Estimated Value

J Analyte detected below quantitation limits

P Sample pH Not In Range

RL Reporting Limit

Page 5 of 9

QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2309003

11-Sep-23

Client: EOG

Project: Sawbuck Water Transfer

Sample ID: LCS-77248	SampType: LCS		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: LCSS	Batch ID: 77248		RunNo: 99417							
Prep Date: 9/1/2023	Analysis Date: 9/1/2023		SeqNo: 3628404		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	43	10	50.00	0	85.3	61.9	130			
Surr: DNOP	4.4		5.000		87.6	69	147			

Sample ID: MB-77248	SampType: MBLK		TestCode: EPA Method 8015M/D: Diesel Range Organics							
Client ID: PBS	Batch ID: 77248		RunNo: 99417							
Prep Date: 9/1/2023	Analysis Date: 9/1/2023		SeqNo: 3628405		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Diesel Range Organics (DRO)	ND	10								
Motor Oil Range Organics (MRO)	ND	50								
Surr: DNOP	8.6		10.00		86.3	69	147			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 6 of 9

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2309003

11-Sep-23

Client: EOG**Project:** Sawbuck Water Transfer

Sample ID: 2.5ug gro lcs	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: R99415		RunNo: 99415							
Prep Date:	Analysis Date: 9/1/2023		SeqNo: 3628340		Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	2200		1000		216	15	244			

Sample ID: mb	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: R99415		RunNo: 99415							
Prep Date:	Analysis Date: 9/1/2023		SeqNo: 3628341		Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1000		1000		100	15	244			

Sample ID: lcs-77209	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: 77209		RunNo: 99415							
Prep Date: 8/30/2023	Analysis Date: 9/1/2023		SeqNo: 3629500		Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	2200		1000		216	15	244			

Sample ID: mb-77209	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: 77209		RunNo: 99415							
Prep Date: 8/30/2023	Analysis Date: 9/1/2023		SeqNo: 3629501		Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	980		1000		98.1	15	244			

Sample ID: 2.5ug gro lcs	SampType: LCS		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: LCSS	Batch ID: R99415		RunNo: 99415							
Prep Date:	Analysis Date: 9/2/2023		SeqNo: 3629541		Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	2100		1000		211	15	244			

Sample ID: mb	SampType: MBLK		TestCode: EPA Method 8015D: Gasoline Range							
Client ID: PBS	Batch ID: R99415		RunNo: 99415							
Prep Date:	Analysis Date: 9/2/2023		SeqNo: 3629542		Units: %Rec					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: BFB	1000		1000		102	15	244			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Page 7 of 9

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2309003

11-Sep-23

Client: EOG**Project:** Sawbuck Water Transfer

Sample ID: 100ng btex lcs	SampType: LCS			TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch ID: R99415			RunNo: 99415						
Prep Date:	Analysis Date: 9/1/2023			SeqNo: 3628346			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.90	0.025	1.000	0	89.9	70	130			
Toluene	0.90	0.050	1.000	0	90.0	70	130			
Ethylbenzene	0.93	0.050	1.000	0	92.6	70	130			
Xylenes, Total	2.8	0.10	3.000	0	92.9	70	130			
Surr: 4-Bromofluorobenzene	0.94		1.000		93.8	39.1	146			

Sample ID: mb	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch ID: R99415			RunNo: 99415						
Prep Date:	Analysis Date: 9/1/2023			SeqNo: 3628347			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.93		1.000		92.9	39.1	146			

Sample ID: lcs-77209	SampType: LCS			TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch ID: 77209			RunNo: 99415						
Prep Date: 8/30/2023	Analysis Date: 9/1/2023			SeqNo: 3629583			Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.91		1.000		90.9	39.1	146			

Sample ID: mb-77209	SampType: MBLK			TestCode: EPA Method 8021B: Volatiles						
Client ID: PBS	Batch ID: 77209			RunNo: 99415						
Prep Date: 8/30/2023	Analysis Date: 9/1/2023			SeqNo: 3629584			Units: %Rec			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.91		1.000		90.6	39.1	146			

Sample ID: 100ng btex lcs	SampType: LCS			TestCode: EPA Method 8021B: Volatiles						
Client ID: LCSS	Batch ID: R99415			RunNo: 99415						
Prep Date:	Analysis Date: 9/2/2023			SeqNo: 3629607			Units: mg/Kg			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	0.92	0.025	1.000	0	91.7	70	130			
Toluene	0.92	0.050	1.000	0	91.7	70	130			
Ethylbenzene	0.93	0.050	1.000	0	93.1	70	130			
Xylenes, Total	2.8	0.10	3.000	0	93.2	70	130			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

QC SUMMARY REPORT**Hall Environmental Analysis Laboratory, Inc.**

WO#: 2309003

11-Sep-23

Client: EOG**Project:** Sawbuck Water Transfer

Sample ID: 100ng btex lcs	SampType: LCS		TestCode: EPA Method 8021B: Volatiles							
Client ID: LCSS	Batch ID: R99415		RunNo: 99415							
Prep Date:	Analysis Date: 9/2/2023		SeqNo: 3629607		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Surr: 4-Bromofluorobenzene	0.92		1.000		92.3	39.1	146			

Sample ID: mb	SampType: MBLK		TestCode: EPA Method 8021B: Volatiles							
Client ID: PBS	Batch ID: R99415		RunNo: 99415							
Prep Date:	Analysis Date: 9/2/2023		SeqNo: 3629608		Units: mg/Kg					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	0.025								
Toluene	ND	0.050								
Ethylbenzene	ND	0.050								
Xylenes, Total	ND	0.10								
Surr: 4-Bromofluorobenzene	0.93		1.000		93.4	39.1	146			

Qualifiers:

* Value exceeds Maximum Contaminant Level.
D Sample Diluted Due to Matrix
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
PQL Practical Quantitative Limit
S % Recovery outside of standard limits. If undiluted results may be estimated.

B Analyte detected in the associated Method Blank
E Above Quantitation Range/Estimated Value
J Analyte detected below quantitation limits
P Sample pH Not In Range
RL Reporting Limit

Sample Log-In Check List

Client Name: EOG

Work Order Number: 2309003

RcptNo: 1

Received By: **Steve McQuiston** 9/1/2023 7:35:00 AM

Completed By: Desiree Dominguez 9/1/2023 8:04:24 AM

Reviewed By:  9/1/23

Chain of Custody

1. Is Chain of Custody complete? Yes ☐ No ☒ Not Present ☐
2. How was the sample delivered? Courier

Log In

- | | | | |
|--|---|--|--|
| 3. Was an attempt made to cool the samples? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| 4. Were all samples received at a temperature of $>0^{\circ}\text{C}$ to 6.0°C | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | NA <input type="checkbox"/> |
| 5. Sample(s) in proper container(s)? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 6. Sufficient sample volume for indicated test(s)? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 7. Are samples (except VOA and ONG) properly preserved? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 8. Was preservative added to bottles? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | NA <input type="checkbox"/> |
| 9. Received at least 1 vial with headspace $<1/4$ " for AQ VOA? | Yes <input type="checkbox"/> | No <input type="checkbox"/> | NA <input checked="" type="checkbox"/> |
| 10. Were any sample containers received broken? | Yes <input type="checkbox"/> | No <input checked="" type="checkbox"/> | |
| 11. Does paperwork match bottle labels?
(Note discrepancies on chain of custody) | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 12. Are matrices correctly identified on Chain of Custody? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 13. Is it clear what analyses were requested? | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
| 14. Were all holding times able to be met?
(If no, notify customer for authorization.) | Yes <input checked="" type="checkbox"/> | No <input type="checkbox"/> | |
- # of preserved bottles checked for pH: (<2)

Adjusted? Checked by:

Special Handling (if applicable)

15. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified:

Date:

By Whom:

Via:

Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person

Regarding:

Client Instructions:

16. Additional remarks:

client phone, e-mail , and fax not provided on COC. -DAD 9/1/23

17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	4.4	Good	Not Present	Yogi		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 265343

CONDITIONS

Operator: EOG RESOURCES INC P.O. Box 2267 Midland, TX 79702	OGRID: 7377
	Action Number: 265343
	Action Type: [C-141] Release Corrective Action (C-141)

CONDITIONS

Created By	Condition	Condition Date
bhall	Closure approved. Site must meet all requirements of 19.15.29.13 NMAC.	9/19/2023