

Volumetrics Inc.

3710 East Rio Grande St, Victoria, TX-77901

Phone: 361-827-4024

Work Order Company: OXY USA INC 4000501489 Field/Location: **NMSW** Sampled by: OXY/JE SPOT-CYLINDER

Station Name: CORRAL COMPRESSOR STA 2 SOUTH FUEL SKID OUTLE Sample Type:

Sample Temperature (F): Station Number: NA Sample Pressure (PSIG): Sample Date: 2/23/22 1:30 PM 125 **Analysis Date:** 3/7/22 11:00 AM Flow rate (MCF/Day): NA Instrument: INFICON Ambient Temperature (F): 23

Sampling method: Calibration/Verification Date: 3/7/2022 FILL & EMPTY

Cylinder Number: Heat Trace used: YES 27784

NATURAL GAS ANALYSIS: GPA 2261

	Un-Normalized	Normalized	GPM	GPM	GPM
Components	Mol%	Mol%	14.650	14.730	15.025
Hydrogen Sulfide	0.0000	0.0000			
Nitrogen	1.3240	1.3598			
Methane	75.6525	77.7008			
Carbon Dioxide	0.1877	0.1928			
Ethane	11.5036	11.8151	3.153	3.170	3.234
Propane	5.8586	6.0172	1.654	1.663	1.696
Isobutane	0.7572	0.7777	0.254	0.255	0.260
N-butane	1.6243	1.6683	0.525	0.528	0.538
Isopentane	0.2101	0.2158	0.079	0.079	0.081
N-Pentane	0.1809	0.1858	0.067	0.068	0.069
Hexanes Plus	0.0650	0.0667	0.029	0.029	0.030
Total	97 3638	100 0000			

Total 97.3638 100.0000

Hexanes plus split (60%-30%-10%)

Physical Properties (Calculated)	14.650 psia	14.730 psia	15.025 psia
Total GPM Ethane+	5.761	5.792	5.908
Total GPM Iso-Pentane+	0.175	0.176	0.179
Compressibility (Z)	0.9965	0.9965	0.9964
Specific Gravity (Air=1) @ 60 °F	0.7242	0.7242	0.7243
Molecular Weight	20.911	20.911	20.911
Gross Heating Value	14.650 psia	14.730 psia	15.025 psia
	•	•	•
Dry, Real (BTU/Ft ³)	1244.9	1251.8	1276.9
Wet, Real (BTU/Ft ³)	1223.3	1230.0	1254.7
Dry, Ideal (BTU/Ft ³)	1240.6	1247.4	1272.3
Wet, Ideal (BTU/Ft ³)	1219.0	1225.7	1250.2

Temperature base 60 °F

Comment: FIELD H2S =0 PPM

Verified by

Mostaq Ahammad Petroleum Chemist Approved by

Deann Friend Laboratory Manager

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Corral 2S Flare Date: 11/20/2023

Duration of Event: 10 Hours 39 Minutes **MCF Flared:** 1293

Start Time: 04:40 AM End Time: 03:19 PM

Cause: Emergency Flare > Third Party Downstream Activity > Enterprise > Slam Valve Issues

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline compressor station operator, which impacted Oxy's ability to send gas to them. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, Enterprise, third party operated downstream pipeline operator, had continuing ESD valve issues from the previous day, which kept closing multiple times again, within a 24-hr period, which in turn suddenly and unexpectedly shut off their gas intake ability from Oxy, which then prompted high line pressure to occur, which triggered intermittent flaring events to happen. Oxy makes every attempt to communicate with Enterprise personnel and on this day, there was little to no communication regarding their slam valve issues, which heavily affected Oxy's ability to prevent flaring. Oxy is unable to predict or anticipate when Enterprise will have slam issues as this is beyond Oxy's control. Every necessary precaution was taken to ensure that minimization of flaring was done during each occurrence. This event could not have been foreseen, avoided or prevented from happening as it occurred with no advance notice or warning.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, Enterprise, third party operated downstream pipeline operator, had continuing ESD valve issues, which kept closing multiple times within a 24-hr period, which in turn suddenly and unexpectedly shut off their gas intake ability from Oxy, which then prompted high line pressure to occur, which then triggered intermittent flaring events to occur. Oxy makes every attempt to communicate with Enterprise personnel and on this day, there was little to no communication regarding their ESD slam valve issues, which heavily affected Oxy's ability to prevent flaring. Oxy is unable to predict or anticipate when Enterprise will have ESD valve issues as this is beyond Oxy's control. Every necessary precaution was taken to ensure that minimization of flaring was done during each occurrence. As soon as flaring was triggered, several wells were manually shut in and field area's mitigation optimizers cut injection rates to wells to reduce injection and sales gas across the area so that field pressure would stay below

the flare trigger setpoints of the facility to cease flaring, during each instance of Enterprise's continuing slam valve issues. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is unable to take any corrective actions to eliminate the cause and potential reoccurrence of a downstream third-party owned and operated ESD valve issue, as this is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Enterprise will have issues which may reoccur from time to time and may trigger a spike in the gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them, which then prompts Oxy to route all its stranded gas not pushed into Enterprise 's gas pipeline, to flare. The only actions that Oxy can take and handle that is within its control, is to continually communicate with Enterprise personnel, who operate the sales gas pipeline, when possible, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 291565

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	291565
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III
1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 291565

Phone:(505) 476-3470 Fax:(505) 476-3462		
C	QUESTIONS	
Operator:		OGRID:
OXY USA INC P.O. Box 4294		16696
Houston, TX 772104294		Action Number: 291565
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing w	vith the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2126640958] CORRA	AL #2 SOUTH COMP STATION
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	and may provide addional quidanc	e
Was this vent or flare caused by an emergency or malfunction	Yes	v.
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event	Yes, major venting and/o	r flaring of natural gas
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during		
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	y be a major of minor forease under 15.16.25.1 Himso.
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved		
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	Emergency Flare > Third F	Party Downstream Activity > Enterprise > Slam Valve Issues
Democratative Communitional Analysis of Vented on Flored Natural Co.		
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	78	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	0	
Carbon Dioxide (C02) percentage, if greater than one percent		
Oxygen (02) percentage, if greater than one percent		
Oxygen (02) percentage, ii greater trian one percent	U	
If you are venting and/or flaring because of Pipeline Specification, please provide the required spe	cifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	
Oxygen (02) percentage quality requirement	Not answered.	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 291565

QUESTIONS (continued)

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	291565
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	11/20/2023
Time vent or flare was discovered or commenced	04:40 AM
Time vent or flare was terminated	03:19 PM
Cumulative hours during this event	11

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 1,293 Mcf Recovered: 0 Mcf Lost: 1,293 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[713731] Enterprise Crude Pipeline LLC
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	The emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or complete shut-in of a gas pipeline by a third-party pipeline compressor station operator, which impacted Oxy's ability to send gas to them. This interruption, restriction or complete shut-in of the gas pipeline by a third-party pipeline compression station operator is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent from happening and did not stem from any of Oxy's upstream facility activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. In this case, Enterprise, third party operated downstream pipeline operator, had continuing ESD valve issues from the previous day, which kept closing multiple times again, within a 24-hr period, which in turn suddenly and unexpectedly shut off their gas intake ability from Oxy, which then prompted high line pressure to occur, which triggered intermittent flaring events to happen. Oxy makes every attempt to communicate with Enterprise personnel and on this day, there was little to no communication regarding their slam valve issues, which heavily affected Oxy's ability to prevent flaring. Oxy is unable to predict or anticipate when Enterprise will have slam issues as this is beyond Oxy's control. Every necessary precaution was taken to ensure that minimization of flaring was done during each occurrence. This event could not have been foreseen, avoided or prevented from happening as it occurred with no advance notice or warning.
	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable

· · · · · · · · · · · · · · · · · · ·	
Steps taken to limit the duration and magnitude of vent or flare	emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, Enterprise, third party operated downstream pipeline operator, had continuing ESD valve issues, which kept closing multiple times within a 24-hr period, which in turn suddenly and unexpectedly shut off their gas intake ability from Oxy, which then prompted high line pressure to occur, which then triggered intermittent flaring events to occur. Oxy makes every attempt to communicate with Enterprise personnel and on this day, there was little to no communication regarding their ESD slam valve issues, which heavily affected Oxy's ability to prevent flaring. Oxy is unable to predict or anticipate when Enterprise will have ESD valve issues as this is beyond Oxy's control. Every necessary precaution was taken to ensure that minimization of flaring was done during each occurrence. As soon as flaring was triggered, several wells were manually shut in and field area's mitigation optimizers cut injection rates to wells to reduce injection and sales gas across the area so that field pressure would stay below the flare trigger setpoints of the facility to cease flaring, during each instance of Enterprise's continuing slam valve issues. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is unable to take any corrective actions to eliminate the cause and potential reoccurrence of a downstream third-party owned and operated ESD valve issue, as this is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Enterprise will have issues which may reoccur from time to time and may trigger a spike in the gas line pressure, which in turn, directly impacts Oxy's ability to send gas to them, which then prompts Oxy to route all its stranded gas not pushed into Enterprise 's gas pipeline, to flare. The only actions that Oxy can take and handle that is within its control, is to continually communicate with Enterprise personnel, who operate the sales gas pipeline, when possible, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 291565

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	291565
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

$\overline{\lor}$	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 291565

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	291565
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	12/5/2023