AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	LOST TANK 18 FACILITY PROD 2
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	12-15-2023
Meter Number	16412P
Air temperature	59
Flow Rate (MCF/Day)	19315
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	LOST TANK 18 FACILITY PROD 2
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM, OXY USA INC
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	LOST TANK
FLOC	OP-DELNE-BT010
Sample Sub Type	СТВ
Sample Name Type	METER
Vendor	AKM MEASUREMENT
Cylinder #	38967
Sampled by	SCOTT
Sample date	12-11-2023
Analyzed date	12-19-2023
Method Name	C9
Injection Date	2023-12-19 17:22:49
Report Date	2023-12-19 17:24:34
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	c9df624d-557a-4940-b08e-304ec2186c4a
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)	
Nitrogen	33914.5	1.9299	0.00005691	1.9234	0.0	0.01860	0.212	
Methane	970996.0	70.7503	0.00007286	70.5121	713.8	0.39057	12.003	
CO2	27471.0	1.3080	0.00004761	1.3036	0.0	0.01981	0.223	
Ethane	291718.9	13.4465	0.00004609	13.4012	237.7	0.13913	3.599	
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000	
Propane	234132.9	7.6719	0.00003277	7.6461	192.8	0.11641	2.115	
iso-butane	91468.0	1.0116	0.00001106	1.0082	32.9	0.02023	0.331	
n-Butane	233710.5	2.5698	0.00001100	2.5611	83.7	0.05140	0.811	
iso-pentane	50142.9	0.4900	0.00000977	0.4883	19.6	0.01216	0.179	
n-Pentane	56869.7	0.5337	0.00000938	0.5319	21.4	0.01325	0.194	
hexanes	36640.0	0.3612	0.00000986	0.3600	17.2	0.01071	0.149	
heptanes	31543.0	0.1905	0.00000604	0.1899	10.5	0.00657	0.088	
octanes	12956.0	0.0696	0.00000537	0.0694	4.3	0.00274	0.036	
nonanes+	1475.0	0.0048	0.00000326	0.0048	0.3	0.00021	0.003	
Total:		100.3379		100.0000	1334.2	0.80179	19.943	

Results Summary

	Result	Dry	Sat.
Total Un	n-Normalized Mole%	100.3379	
Pressure	e Base (psia)	14.730	
Tempera	ature Base (Deg. F)	60.00	
Releaseding	Tempgiatyre 1Deb/2024 7:35:12 P	M 83.3	

Received by OCD: 1/31/2024 7:25:44 PM	Dry	Sat.	Page
Flowing Pressure (psia)	100.2		
Gross Heating Value (BTU / Ideal cu.ft.)	1334.2	1311.0	
Gross Heating Value (BTU / Real cu.ft.)	1340.0	1317.3	
Relative Density (G), Real	0.8049	0.8022	

Monitored Parameter Report

Parame	ter	Value	Lower Limit	Upper Limit	Status	
Total un-normalize	d amount	100.3379	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility: Lost Tank 18 CPF Flare Date: 01/16/2024

Duration of Event: 11 Hours 5 Minutes MCF Flared: 481

Start Time: 02:45 AM End Time: 01:50 PM

Cause: Emergency Flare > Third Party > USA Compression > Lost Tank 13 BOO > Compression Issues

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or partial shut-down of a third-party compressor station operator's facility equipment issue. This interruption, restriction, or partial shut-in of USA Compression equipment and the gas pipeline, that is owned by a third-party pipeline compression station operator, is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent this type of event from happening. This event did not stem from any of Oxy's upstream facility activity which could not have been foreseen or avoided and could not have been negated by good design, operation or preventative maintenance practices. In this case, USA Compression had continuing equipment issues at their Lost Tank 13 BOO compressor station. Four (4) of their compression units (3,5,7,&8) went offline simultaneously due to frozen fuel regulators, which then instigated a sudden and unexpected restriction of gas flow intake by the Lost Tank 13 Boo compressor station, which in turn, prompted Oxy's Lost Tank 18 CPF to instantaneously over pressure, trigging a flaring event to occur. This event could not have been foreseen, avoided, or prevented from happening as this event occurred with no advance notice or warning to Oxy and its field personnel from USA Compression personnel. Lost Tank 13 Boo compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this case, USA Compression had continuing equipment issues at their Lost Tank 13 BOO compressor station. Four (4) of their compression units (3,5,7,&8) went offline simultaneously due to frozen fuel regulators, which then instigated a sudden and unexpected restriction of gas flow intake by the Lost Tank 13 Boo compressor station, which in turn, prompted Oxy's Lost Tank 18 CPF to instantaneously over pressure, trigging a flaring event to occur. The Oxy production tech, who was on-site, continually kept in touch with additional Oxy field personnel to make adjustments to injection rate changes, to minimize emissions during USA Compressions' attempts to resolve their equipment issues, which took longer than usual to resolve due to their own mechanics were busy at other locations. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Lost Tank Boo 13 Compressor Station, when possible, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

DEFINITIONS

Action 310208

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	310208
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- · venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 310208

Q	UESTIONS		
Operator:		OGRID:	
OXY USA INC P.O. Box 4294		16696	
Houston, TX 772104294		Action Number: 310208	
		Action Type: [C-129] Venting and/or Flaring (C-129)	
QUESTIONS		•	
Prerequisites			
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wi	th the rest of the questions.	
Incident Well	Unavailable.		
Incident Facility	[fAPP2226965761] Lost Ta	ank 18 CPF	
Determination of Reporting Requirements			
Answer all questions that apply. The Reason(s) statements are calculated based on your answers a	and may provide addional guidance).	
Was this vent or flare caused by an emergency or malfunction	Yes		
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes		
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.	
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	venting and/or flaring that is or ma	y be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes		
Did this vent or flare result in the release of ANY liquids (not fully and/or completely			
flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the	No		
environment or fresh water			
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No		
	•		
Equipment Involved			
Primary Equipment Involved	Other (Specify)		
Additional details for Equipment Involved. Please specify	Emergency Flare > Third F Issues	Party > USA Compression > Lost Tank 13 BOO > Compression	
Representative Compositional Analysis of Vented or Flared Natural Gas			
Please provide the mole percent for the percentage questions in this group.	74		
Methane (CH4) percentage Nitrogen (N2) percentage, if greater than one percent	71		
	2		
Hydrogen Sulfide (H2S) PPM, rounded up Carbon Diovide (C02) percentage, if greater than one percent	0		
Carbon Dioxide (C02) percentage, if greater than one percent Oxygen (02) percentage, if greater than one percent	1		
exygen (v2) percentage, it greater than one percent	0		
If you are venting and/or flaring because of Pipeline Specification, please provide the required spec	cifications for each gas.		
Methane (CH4) percentage quality requirement	Not answered.		

Not answered.

Not answered.

Not answered.

Not answered.

Nitrogen (N2) percentage quality requirement

Oxygen (02) percentage quality requirement

Hydrogen Sufide (H2S) PPM quality requirement

Carbon Dioxide (C02) percentage quality requirement

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fo. NM 87505

QUESTIONS, Page 2

Action 310208

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	la 1 e, 14141 07 303		
QUES	STIONS (continued)		
Operator: OXY USA INC P.O. Box 4294	OGRID: 16696 Action Number:		
Houston, TX 772104294	310208 Action Type:		
	[C-129] Venting and/or Flaring (C-129)		
QUESTIONS			
Date(s) and Time(s)			
Date vent or flare was discovered or commenced	01/16/2024		
Time vent or flare was discovered or commenced	02:45 AM		
Time vent or flare was terminated	01:50 PM		
Cumulative hours during this event	11		
Measured or Estimated Volume of Vented or Flared Natural Gas			
Natural Gas Vented (Mcf) Details	Not answered.		
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 481 Mcf Recovered: 0 Mcf Lost: 481 Mcf.		
Other Released Details	Not answered.		
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter		
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.		
Venting or Flaring Resulting from Downstream Activity			
Was this vent or flare a result of downstream activity	No		
Was notification of downstream activity received by this operator	Not answered.		
Downstream OGRID that should have notified this operator	Not answered.		
Date notified of downstream activity requiring this vent or flare	Not answered.		
Time notified of downstream activity requiring this vent or flare	Not answered.		
Steps and Actions to Prevent Waste			
For this event, this operator could not have reasonably anticipated the current ever and it was beyond this operator's control.	True		
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable interruption, restriction or partial shut-down of a third-party compressor station operator's facility equipment issue. This interruption, restriction, or partial shut-in of USA Compression equipment and the gas pipeline, that is owned by a third-party pipeline compression station operator, is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid or prevent this type of event from happening. This event did not stem from any of Oxy's upstream facility activity which could not have been foreseen or avoided and could not have been negated by good design, operation or preventative maintenance practices. In this case, USA Compression had continuing equipment issues at their Lost Tank 13 BOO compressor station. Four (4) of their compression units (3,5,7,&8) went offline simultaneously due to frozen fuel regulators, which then instigated a sudden and unexpected restriction of gas flow intake by the Lost Tank 13 Boo compressor station, which in turn, prompted Oxy's Lost Tank 18 CPF to instantaneously over pressure, trigging a flaring event to occur. This event could not have been foreseen, avoided, or prevented from happening as this event occurred with no		

advance notice or warning to Oxy and its field personnel from $\bar{\textbf{U}} \textbf{S} \textbf{A}$ Compression personnel. Lost Tank 13 Boo compressor station is the first stopping point, where OXY sends its sales gas from its facility, before it is pushed further down the pipeline for further processing at Mark West, a downstream gathering system facility, which is downstream of Oxy's control. It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond Oxy's control to avoid, prevent or foresee, to

Steps taken to limit the duration and magnitude of vent or flare	minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. In this case, USA Compression had continuing equipment issues at their Lost Tank 13 BOO compressor station. Four (4) of their compression units (3,5,7,&8) went offline simultaneously due to frozen fuel regulators, which then instigated a sudden and unexpected restriction of gas flow intake by the Lost Tank 13 Boo compressor station, which in turn, prompted Oxy's Lost Tank 18 CPF to instantaneously over pressure, trigging a flaring event to occur. The Oxy production tech, who was on-site, continually kept in touch with additional Oxy field personnel to make adjustments to injection rate changes, to minimize emissions during USA Compressions' attempts to resolve their equipment issues, which took longer than usual to resolve due to their own mechanics were busy at other locations. This event is out of OXY's control, yet OXY made every effort to control and minimize emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or	Oxy cannot take any corrective actions to eliminate the cause and potential reoccurrence of a third-party owned and operated compressor station's sudden and unexpected gas flow intake restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to foresee, avoid, prevent from happening or reoccur. Third-party downstream compression station owner operators may have equipment issues, which will reoccur from time to time, which in turn, directly impacts Oxy's ability to send its sales gas to them, and potentially triggering a flaring event. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with USA Compression personnel, who operate the Lost Tank Boo 13 Compressor Station, when possible, during these types of circumstances.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 310208

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	310208
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

$\overline{\lor}$	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 310208

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	310208
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	1/31/2024