

FESCO, Ltd.
1100 Fesco Ave. - Alice, Texas 78332

For: Ameredev Operating, LLC
2901 Via Fortuna
Austin, Texas 78746

Sample: Red Bud CTB

Sales Meter Run
Spot Gas Sample @ 58 psig & 105°F

Date Sampled: 06/03/2023

Job Number: 232371.021

CHROMATOGRAPH EXTENDED ANALYSIS - GPA 2286

Un-Normalized			
COMPONENT	Mol%	MOL%	GPM
Hydrogen Sulfide*	-----	0.750	
Oxygen	0.002	0.002	
Nitrogen	1.073	1.082	
Carbon Dioxide	1.284	1.294	
Methane	71.998	72.593	
Ethane	10.867	10.956	3.002
Propane	6.678	6.732	1.900
Isobutane	1.184	1.194	0.400
n-Butane	2.613	2.634	0.851
2-2 Dimethylpropane	0.013	0.013	0.005
Isopentane	0.820	0.827	0.310
n-Pentane	0.700	0.706	0.262
Hexanes	0.540	0.575	0.243
Heptanes Plus	<u>0.669</u>	<u>0.642</u>	<u>0.261</u>
Totals	98.441	100.000	7.234

Computed Real Characteristics Of Heptanes Plus:

Specific Gravity ----- 3.314 (Air=1)
Molecular Weight ----- 95.55
Gross Heating Value ----- 5126 BTU/CF

Computed Real Characteristics Of Total Sample:

Specific Gravity ----- 0.815 (Air=1)
Compressibility (Z) ----- 0.9954
Molecular Weight ----- 23.49
Gross Heating Value
Dry Basis ----- 1384 BTU/CF
Saturated Basis ----- 1361 BTU/CF

*Hydrogen Sulfide tested on location by: Stain Tube Method (GPA 2377)
Results: 471.7 Gr/100 CF, 7500 PPMV or 0.750 Mol %

Base Conditions: 15.025 PSI & 60 Deg F

Sampled By: (16) D. Field
Analyst: JS
Processor: HB
Cylinder ID: T-6113

Certified: FESCO, Ltd. - Alice, Texas

Conan Pierce 361-661-7015

CHROMATOGRAPH EXTENDED ANALYSIS - GPA 2286
TOTAL REPORT

COMPONENT	MOL %	GPM	WT %
Hydrogen Sulfide*	0.750		1.088
Oxygen	0.002		0.003
Nitrogen	1.082		1.291
Carbon Dioxide	1.294		2.425
Methane	72.593		49.584
Ethane	10.956	3.002	14.027
Propane	6.732	1.900	12.639
Isobutane	1.194	0.400	2.955
n-Butane	2.634	0.851	6.518
2,2 Dimethylpropane	0.013	0.005	0.040
Isopentane	0.827	0.310	2.540
n-Pentane	0.706	0.262	2.169
2,2 Dimethylbutane	0.011	0.005	0.040
Cyclopentane	0.000	0.000	0.000
2,3 Dimethylbutane	0.060	0.025	0.220
2 Methylpentane	0.179	0.076	0.657
3 Methylpentane	0.116	0.048	0.426
n-Hexane	0.209	0.088	0.767
Methylcyclopentane	0.083	0.030	0.297
Benzene	0.058	0.017	0.193
Cyclohexane	0.098	0.034	0.351
2-Methylhexane	0.027	0.013	0.115
3-Methylhexane	0.030	0.014	0.128
2,2,4 Trimethylpentane	0.013	0.007	0.063
Other C7's	0.049	0.022	0.207
n-Heptane	0.049	0.023	0.209
Methylcyclohexane	0.074	0.030	0.309
Toluene	0.052	0.018	0.204
Other C8's	0.050	0.024	0.235
n-Octane	0.014	0.007	0.068
Ethylbenzene	0.004	0.002	0.018
M & P Xylenes	0.011	0.004	0.050
O-Xylene	0.003	0.001	0.014
Other C9's	0.017	0.009	0.091
n-Nonane	0.003	0.002	0.016
Other C10's	0.005	0.003	0.030
n-Decane	0.001	0.001	0.006
Undecanes (11)	<u>0.001</u>	<u>0.001</u>	<u>0.007</u>
Totals	100.000	7.234	100.000

Computed Real Characteristics of Total Sample

Specific Gravity ----- 0.815 (Air=1)
 Compressibility (Z) ----- 0.9954
 Molecular Weight ----- 23.49

Gross Heating Value

Dry Basis ----- 1384 BTU/CF
 Saturated Basis ----- 1361 BTU/CF

Sample Date: 06/03/2023

Ambient Air Temp: 85 °F

Sample Time: 15:15

Heating Method Utilized: Yes

Analysis Date: 06/08/2023

Sampling Method: Fill & Empty

Analysis Time: 16:58

Device: (GC) S14

Sample Pressure: 58 psig


Make & Model: Shimadzu GC 2014

Sample Temp: 105 °F

Last Verification Date: 06/08/2023

Sampling Flow Rate: 3204 MCF/D

4/18/2024	Amen Corner	HP Flare - VRU Discharge	89.40	87.65	Flared	10:58 AM	6:00 PM	6.07	Oxygen	Tank pressure did not go below 2 oz but they got O2. Operator had work
Received by OGD: 5/7/2024 8:46:24 AM		HP Flare	73.55	72.11	Flared	1:17 AM	6:06 PM	0.08	Insufficient Availability	Midstream Company is not able to keep up with our gas so line pressure
4/18/2024	Nandina	LP Flare Estimation Sheet - Tank Pressure, Valve Status	61.58	60.37	Flared	3:20 AM	1:22 PM	5.40	Insufficient Availability	The north LP flare vent line valve setpoints were interfering with the bl
4/18/2024	Pinestraw	LP Flare Estimation Sheet - Tank Pressure, Valve Status	129.10	126.57	Flared	12:13 AM	11:58 PM	10.66	Flared more than 8 HRs	Blowers are switched off due to blanketing solenoid not functioning. W
4/18/2024	Red Bud	HP Flare - VRU Discharge	62.30	61.08	Flared	9:55 AM	11:10 PM	1.58	Oxygen	Facility was sent to flare because Gila got hit with O2.
4/19/2024	Pinestraw	LP Flare Estimation Sheet - Tank Pressure, Valve Status	77.45	75.93	Flared	12:55 AM	7:01 PM	7.34	Insufficient Availability	Blowers are switched off due to blanketing solenoid not functioning. W
4/19/2024	Red Bud	HP Flare - VRU Discharge	81.24	79.65	Flared	12:51 AM	7:29 PM	3.42	Oxygen	Tanks have O2 so tanks are being purged from the sales blowers to the l
4/19/2024	Red Bud	LP Flare Estimation Sheet - Tank Pressure, Valve Status	90.93	89.15	Flared	8:41 AM	4:40 PM	7.07	Insufficient Availability	Tanks pressured up when VRUs were switched off after flooding out and
4/20/2024	Pinestraw	HP Flare - VRU Discharge	97.43	95.52	Flared	2:35 PM	9:34 PM	7.04	Oxygen	Sales blowers were turned on but blanketing still was not fixed, so tank
4/20/2024	Red Bud	HP Flare - VRU Discharge	266.19	260.97	Flared	10:56 AM	8:29 PM	8.99	Flared more than 8 HRs	Tanks have O2 so tanks are being purged from the sales blowers to the l
4/21/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	64.90	63.63	Flared	12:34 AM	10:35 PM	3.74	Oxygen	Switched South LP flare pilot downtime to zero and venting amount to f
4/21/2024	Nan 1.5N	HP Flare	144.23	141.41	Flared	1:20 AM	7:05 PM	0.10	Insufficient Availability	Midstream Company is not able to keep up with our gas so line pressure
4/21/2024	Pinestraw	LP Flare Estimation Sheet - Tank Pressure, Valve Status	63.31	62.07	Flared	12:07 AM	11:17 PM	5.44	Insufficient Availability	Blowers are switched off due to blanketing solenoid not functioning. W
4/21/2024	Red Bud	HP Flare - VRU Discharge	105.13	103.06	Flared	10:46 AM	5:44 PM	2.98	Oxygen	Tanks have O2 so tanks are being purged from the sales blowers to the l
4/22/2024	Nandina	LP Flare Estimation Sheet - Tank Pressure, Valve Status	60.11	58.94	Flared	8:11 AM	7:08 PM	4.17	Malfunction	Sales blowers and flare blower were faulted for a couple of hours. The s
4/22/2024	Pinestraw	LP Flare Estimation Sheet - Tank Pressure, Valve Status	53.52	52.47	Flared	12:13 AM	11:59 PM	5.24	Insufficient Availability	Blowers are switched off due to blanketing solenoid not functioning. W
4/22/2024	Red Bud	HP Flare - VRU Discharge	97.44	95.53	Flared	3:31 PM	7:10 PM	2.17	Oxygen	Tanks have O2 so tanks are being purged from the sales blowers to the l
4/23/2024	Amen Corner	HP Flare - VRU Discharge	68.12	66.79	Flared	2:07 AM	11:21 PM	6.09	Oxygen	Sales blowers were brought online and started getting O2 spikes later a
4/24/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	63.90	62.64	Flared	12:10 AM	11:54 PM	5.02	Oxygen	Sales blowers are off due to tanks having O2 and currently being purged
4/24/2024	Nandina	HP Flare	95.44	93.57	Flared	11:27 AM	11:54 PM	1.55	Insufficient Availability	Line pressure got to 106+ PSI, causing facility to pressure up and go to HP
4/24/2024	Red Bud	HP Flare - VRU Discharge	51.31	50.31	Flared	10:50 AM	12:44 PM	1.75	Oxygen	Tanks have O2 so tanks are being purged from the sales blowers to the l
4/25/2024	Amen Corner	HP Flare - VRU Discharge	115.06	112.81	Flared	3:20 PM	10:14 PM	7.11	Oxygen	Sales blowers were brought online and started getting O2 spikes later a
4/25/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	121.53	119.15	Flared	12:42 AM	11:59 PM	9.74	Flared more than 8 HRs	South LP flare pilot down due to maintenance on flare. North LP flaring
4/25/2024	Nandina	HP Flare	120.44	118.08	Flared	12:54 AM	5:43 PM	0.87	Insufficient Availability	Line pressure got to 122 PSI, causing facility to pressure up and go to HP
4/25/2024	Pinestraw	HP Flare - VRU Discharge	94.48	92.63	Flared	4:24 PM	10:09 PM	5.39	Oxygen	Facility got an O2 spike since sales blowers were brought online briefly
4/26/2024	Amen Corner	HP Flare - VRU Discharge	180.86	177.31	Flared	12:05 AM	11:57 PM	11.54	Flared more than 8 HRs	Sales blowers were running and tanks had high O2, causing O2 spikes th
4/26/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	270.52	265.22	Flared	12:00 AM	11:40 PM	21.68	Flared more than 8 HRs	Sales blowers were switched off to purge the O2 from the tanks. They a
4/26/2024	Pinestraw	HP Flare - VRU Discharge	198.11	194.23	Flared	8:45 AM	11:58 PM	12.37	Flared more than 8 HRs	Blowers were getting O2 spikes during the day, causing facility gas to di
4/27/2024	Amen Corner	HP Flare - VRU Discharge	375.60	368.23	Flared	12:00 AM	11:30 PM	20.63	Flared more than 8 HRs	Sales blowers were running and tanks had high O2, causing O2 spikes th
4/27/2024	Amen Corner	LP Flare Estimation Sheet - Tank Pressure, Valve Status	52.44	51.42	Flared			4.20	Malfunction	Sales blowers were faulting on high discharge temperature, causing the
4/27/2024	Nandina	HP Flare	53.50	52.45	Flared	7:46 AM	11:50 AM	0.52	Insufficient Availability	Line pressure got to 106+ PSI, causing facility to pressure up and go to HP
4/27/2024	Pinestraw	HP Flare - VRU Discharge	103.28	101.25	Flared	12:00 AM	9:43 AM	6.60	Oxygen	Blowers were getting O2 spikes during the day, causing facility gas to di
4/28/2024	Amen Corner	HP Flare - VRU Discharge	196.42	192.57	Flared	12:00 AM	3:32 PM	15.14	Flared more than 8 HRs	Was still getting O2 spikes from the tank gas throughout the day but wa
Released to Imaging: 5/7/2024 8:54:45 AM		HP Flare	57.01	55.89	Flared			0.06	Insufficient Availability	Switched flare pilot downtime to zero because loss of power resulted in
4/28/2024	Red Bud	LP Flare Estimation Sheet - Tank Pressure, Valve Status	81.51	79.91	Flared			6.34	Emergency	Switched vented volume to zero because the flare pilot was lit, but com



District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 341515

DEFINITIONS

Operator: AMEREDEV OPERATING, LLC 2901 Via Fortuna Austin, TX 78746	OGRID: 372224
	Action Number: 341515
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 341515

QUESTIONS

Operator: AMEREDEV OPERATING, LLC 2901 Via Fortuna Austin, TX 78746	OGRID: 372224
	Action Number: 341515
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Unavailable.
Incident Facility	[fAPP2203928043] RED BUD

Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	No
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	73
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	1
Carbon Dioxide (C02) percentage, if greater than one percent	1
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (C02) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 341515

QUESTIONS (continued)

Operator: AMEREDEV OPERATING, LLC 2901 Via Fortuna Austin, TX 78746	OGRID: 372224
	Action Number: 341515
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	04/20/2024
Time vent or flare was discovered or commenced	10:56 AM
Time vent or flare was terminated	08:29 PM
Cumulative hours during this event	9

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Commissioning to Purge Flow Line - Production Natural Gas Flared Released: 261 Mcf Recovered: 0 Mcf Lost: 261 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	Tanks have O2 so tanks are being purged from the sales blowers to the HP Flare since West LP Flare is out of service.
Steps taken to limit the duration and magnitude of vent or flare	We choked back the wells to limit production.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Repairing the flare.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 341515

ACKNOWLEDGMENTS

Operator: AMEREDEV OPERATING, LLC 2901 Via Fortuna Austin, TX 78746	OGRID: 372224
	Action Number: 341515
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 341515

CONDITIONS

Operator: AMEREDEV OPERATING, LLC 2901 Via Fortuna Austin, TX 78746	OGRID: 372224
	Action Number: 341515
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
cscayu	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	5/7/2024