



April 24, 2024

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Site Summary Report and Closure Request

RF McKenzie B 1E
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident No: nAPP2403435112

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Site Summary Report and Closure Request* associated with a produced water release at the RF McKenzie B 1E natural gas production well (Site). The Site is located on surface managed by the Bureau of Land Management (BLM) in Unit E, Section 9, Township 30 North, Range 12 West, San Juan County, New Mexico (Figure 1).

SITE BACKGROUND

On February 2, 2024, a Hilcorp operator discovered a produced water release during a routine site visit. It was determined that a pinhole leak had formed from corrosion in the bottom of the 300-barrel (bbl) aboveground storage tank. Produced water soaked into the underlying soil because the secondary containment area was unlined. However, no spilled fluids migrated horizontally off the pad or outside the containment. Based on tank gauging data, it is estimated 6.67 barrels (bbls) of produced water containing less than 10,000 milligrams per liter (mg/L) of chloride was released from the tank. No fluids were recovered following the release.

Hilcorp notified the BLM and the New Mexico Oil Conservation Division (NMOCD) within 24 hours of discovery on February 3, 2024 and submitted an initial *Form C-141 Release Notification* on February 12, 2023. NMOCD assigned the release incident number nAPP2403435112.

SITE CHARACTERIZATION AND CLOSURE CRITERIA

As part of the Site investigation, local geology/hydrogeology and nearby sensitive receptors were assessed in accordance with Title 19, Chapter 15, Part 29, Sections 11 and 12 (19.15.29.11 and 12) of the New Mexico Administrative Code (NMAC).

The Site is located within the Nacimiento Geologic Formation. In the report titled "*Hydrogeology and Water Resources of San Juan Basin, New Mexico*" (Stone, et. al., 1983), the Nacimiento Formation is characterized by interbedded black carbonaceous mudstones and white, coarse-grained sandstones, which ranges in thickness from 418 feet to 2,232 feet. The hydrogeologic properties of the Nacimiento Formation display variable hydrogeologic properties dependent on location. Where sufficient yield is present, the primary use of water from this formation is for domestic and/or livestock supply. The Nacimiento Formation is underlain by the Ojo Alamo sandstone (Stone et. al., 1983).

The closest significant watercourse is an unnamed dry wash located 220 feet southwest of the Site and is defined by a bed and bank and is identified by a dashed blue line on a United States Geologic Survey (USGS) 7.5-minute quadrangle map. The Site is greater than 200 feet from any lakebed, sinkhole, or playa lake, and greater than 300 feet from any wetland (Figure 1). The nearest fresh-water well is New Mexico Office of the State Engineer (NMOSE) permitted well SJ-03058 (Appendix A), located approximately 2,902 feet northeast of the Site. The recorded depth to water on the NMOSE database is 48 feet below ground surface (bgs). The well is approximately 54 feet lower in elevation than the Site, therefore depth to groundwater at the Site is estimated to be less than 50 feet bgs. No wellhead protection areas, springs, or domestic/stock wells are located within a ½-mile radius from the Site. The Site is not within a 100-year floodplain, overlying a subsurface mine, or located within an area underlain by unstable geology (area designated as low potential karst by the BLM). Schools, hospitals, institutions, churches, and/or other occupied permanent residence or structures are not located within 300 feet of the Site.

SITE CLOSURE CRITERIA

Based on the information presented above and in accordance with the *Table I, Closure Criteria for Soils Impacted by a Release* (19.15.29.12 NMAC), the following Closure Criteria for constituents of concern (COCs) should be applied to the Site:

- Chloride: 600 milligrams per kilogram (mg/kg)
- Total Petroleum Hydrocarbons (TPH) as a combination of gasoline range organics (GRO), diesel range organics (DRO), and motor oil range organics (MRO): 100 mg/kg
- A combination of benzene, toluene, ethylbenzene, and xylenes (BTEX): 50 mg/kg
- Benzene: 10 mg/kg

2024 SITE ASSESSMENT ACTIVITIES

To assess potential soil impacts from the release, Hilcorp and Ensolum advanced five potholes (PH01 through PH05) using a backhoe on March 26, 2024. The NMOC and BLM were notified prior to commencing on-site activities, with sampling notifications provided in Appendix B. Pothole PH01 was advanced first and directly adjacent to the aboveground storage tank to assess petroleum hydrocarbon and chloride concentrations at the release source. Potholes PH02 through PH05 were advanced laterally away from the source area to assess the lateral extent of potential impacts. All potholes were advanced until they met refusal on sandstone bedrock during the delineation activities (Figure 2). During assessment activities, an Ensolum geologist observed and field screened the soil for petroleum hydrocarbon staining, odors, and chloride crusting. Soil samples were field screened for the presence of organic vapors using a calibrated photoionization detector (PID) and chloride using Hach® QuanTab® test strips, with results noted on the field notes.

Two soil samples were collected from each pothole at depth intervals indicating the greatest potential for impacts based on field screening measurements, as well as field observations. Soil samples were collected directly into laboratory-provided jars, immediately placed on ice, and submitted to Eurofins Environment Testing (Eurofins) for analysis of BTEX following United States Environmental Protection Agency (EPA) Method 8021B, TPH-GRO, TPH-DRO, TPH-MRO following EPA Method 8015M/D, and chloride following EPA Method 300.0.

Field indications of petroleum hydrocarbons, including staining, odors, and/or elevated PID readings, were not observed in any of the potholes during the work. Photographs taken during field activities are attached as Appendix C.

Concentrations of total BTEX and TPH were not detected above laboratory report limits in any of the soil samples collected during the March 2024 assessment. Chloride was detected all soil samples analyzed during the delineation effort; however, all detected concentrations were below the NMOCD Table I Closure Criteria and the reclamation requirement. Soil sample analytical results are summarized in Table 1, with complete laboratory analytical reports attached as Appendix D.

CONCLUSIONS AND CLOSURE REQUEST

Based on the delineation activities and soil analytical results described above, petroleum hydrocarbon and/or chloride contaminants were not detected in any of the samples collected at the Site above the NMOCD Table I Closure Criteria or reclamation requirement. The Site appears to be absent of soil impacts and waste-containing soil. As such, Site conditions appear to be protective of human health, the environment, and groundwater and Hilcorp respectfully requests closure for Incident Number nAPP2403435112.

REFERENCES

Stone, W., Lyford, F., Frenzel, P., Mizell, N., & Padgett, E. (1983). Hydrogeology and Water Resources of San Juan Basin, New Mexico. New Mexico Bureau of Mines & Mineral Resources.

We appreciate the opportunity to provide this document to the NMOCD. If you should have any questions or comments regarding this document, please contact the undersigned.

Sincerely,
Ensolum, LLC



Wes Weichert
Project Geologist
(816) 266-8732
wweichert@ensolum.com



Stuart Hyde
Senior Managing Geologist
(970) 903-1607
shyde@ensolum.com

Attachments:


Figure 1: Site Receptor Map
Figure 2: Delineation Soil Sample Locations

Table 1: Soil Sample Analytical Results

Appendix A: NMOSE Point of Diversion Summary
Appendix B: Agency Sampling Notification
Appendix C: Photographic Log
Appendix D: Laboratory Analytical Reports



FIGURES



Legend

- Delineation Soil Samples
- Compliant with Closure Criteria



0 3.75 7.5 15 22.5 30
Feet

Sources: Environmental Systems Research Institute (ESRI)



Delineation Soil Sample Locations

Hilcorp Energy Company
RF McKenzie B 1E
Incident Number: nAPP2403435112
Unit E, Sec 9, T 30N, R 12W
San Juan County, New Mexico, United States

FIGURE
2



TABLES



TABLE 1 SOIL SAMPLE ANALYTICAL RESULTS RF McKenzie B 1E Hilcorp Energy Company San Juan County, New Mexico												
Sample Identification	Date	Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCDClosure Criteria for Soils Impacted by a Release			10	NE	NE	NE	50	NE	NE	NE	100	600
PH01@2'	3/26/2024	2	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	67
PH01@6'	3/26/2024	6	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	23
PH02@2'	3/26/2024	2	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	34
PH02@6'	3/26/2024	6	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	46
PH03@2'	3/26/2024	2	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	63
PH03@6'	3/26/2024	6	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	46
PH04@2'	3/26/2024	2	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	44
PH04@6'	3/26/2024	6	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	52
PH05@2'	3/26/2024	2	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	37
PH05@6'	3/26/2024	6	<0.002	<0.002	<0.002	<0.004	<0.004	<50	<50	<50	<50	55

Notes:

bgs: below ground surface

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

mg/kg: milligrams per kilogram

NA: Not Analyzed

NE: Not Established

NMOCDC: New Mexico Oil Conservation Division

': feet

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

MRO: Motor Oil/Lube Oil Range Organics

TPH: Total Petroleum Hydrocarbon

<: indicates result less than the stated laboratory reporting limit (RL)

Concentrations in **bold** and shaded exceed the New Mexico Oil Conservation Division Table 1 Closure Criteria for Soils Impacted by a Release



APPENDIX A

NMOSE Point of Diversion Summary

STATE ENGINEER OFFICE
WELL RECORD

Section 1. GENERAL INFORMATION

(A) Owner of well Rosa Flores Owner's Well No. SJ-3058
Street or Post Office Address 609 Poplar
City and State Farmington, N.M. 87401

Well was drilled under Permit No. SJ-3058 and is located in the:
a. SW $\frac{1}{4}$ SW $\frac{1}{4}$ SE $\frac{1}{4}$ of Section 4 Township 30N Range 12W N.M.P.M.
b. Tract No. _____ of Map No. _____ of the _____
c. Lot No. _____ of Block No. _____ of the _____
Subdivision, recorded in _____ County.
d. X= _____ feet, Y= _____ feet, N.M. Coordinate System _____ Zone in
the _____ Grant.

(B) Drilling Contractor Hargis Consulting/ Water well drilling License No. WD-1508
Address 819 Maddox Aztec, N.M. 87410
Drilling Began 4-24-2001 Completed 4-26-2001 Type tools Rotary Size of hole 7 in.
Elevation of land surface or _____ at well is _____ ft. Total depth of well 120 ft.
Completed well is ☒ shallow ☐ artesian. Depth to water upon completion of well 48 ft.

Section 2. PRINCIPAL WATER-BEARING STRATA

Depth in Feet		Thickness in Feet	Description of Water-Bearing Formation	Estimated Yield (gallons per minute)
From	To			
52	60	8	Gravel & water sand	3/4 GPM

Section 3. RECORD OF CASING

Diameter (inches)	Pounds per foot	Threads per in.	Depth in Feet		Length (feet)	Type of Shoe	Perforations	
			Top	Bottom			From	To
4 1/2			0	120	120	cap	60	120

Section 4. RECORD OF MUDDING AND CEMENTING

Depth in Feet		Hole Diameter	Sacks of Mud	Cubic Feet of Cement	Method of Placement
From	To				
0	120	7	0		Air Mix Drilling

Section 5. PLUGGING RECORD

Plugging Contractor _____
Address _____
Plugging Method _____
Date Well Plugged _____
Plugging approved by: _____
State Engineer Representative

No.	Depth in Feet		Cubic Feet of Cement
	Top	Bottom	
1			
2			
3			
4			

Date Received 5-4-2001 FOR USE OF STATE ENGINEER ONLY
Quad _____ FWL _____ FSL _____
File No. SJ-3058 Use Domestic Location No. 30N.12W.4.433

[illegible]

William Hargis
Driller

Released to Imaging: 5/16/2024 3:14:07 PM



APPENDIX B

Agency Sampling Notification

From: OCDOnline@state.nm.us
To: [Stuart Hyde](#)
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 325355
Date: Wednesday, March 20, 2024 5:40:28 PM

[**EXTERNAL EMAIL**]

To whom it may concern (c/o Stuart Hyde for HILCORP ENERGY COMPANY),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2403435112.

The sampling event is expected to take place:

When: 03/25/2024 @ 09:00

Where: E-09-30N-12W 1860 FNL 840 FWL (36.8298378,-108.1088562)

Additional Information: Contact PM Stuart Hyde, 970-903-1607

Additional Instructions: RF McKenzie B 1E well site, coordinates 36.829819, -108.108210

Sampling being conducted for initial assessment and delineation purposes.

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: [Velez, Nelson, EMNRD](#)
To: [Stuart Hyde](#)
Cc: [Mitch Killough](#)
Subject: Re: [EXTERNAL] FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 326283
Date: Monday, March 25, 2024 9:17:02 AM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)
[image004.png](#)
[Outlook-akghmnlc.png](#)

[**EXTERNAL EMAIL**]

Good morning Stuart,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

Regards,

Nelson Velez • Environmental Specialist - Adv
Environmental Bureau | EMNRD - Oil Conservation Division
1000 Rio Brazos Road | Aztec, NM 87410
(505) 469-6146 | nelson.velez@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>



From: Stuart Hyde <shyde@ensolum.com>
Sent: Monday, March 25, 2024 9:15 AM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Cc: Mitch Killough <mkillough@hilcorp.com>
Subject: [EXTERNAL] FW: The Oil Conservation Division (OCD) has accepted the application,

Application ID: 326283

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

Due to weather conditions, work originally scheduled for 3/25/2024 at the RF McKenzie B 1E site has been changed to begin on 3/26/2024. As such, we are requesting a variance of the 2-business day sampling notification requirement set forth in 19.15.29.12.D.(1).(a) in order to collect confirmation samples on Tuesday March 26, 2024 at 9:00 AM.

Please let us know if you have any questions. Thanks.



Stuart Hyde, PG

(Licensed in WA/TX)

Senior Geologist

970-903-1607

Ensolum, LLC

in f 

"If you want to go fast, go alone. If you want to go far, go together." – African Proverb

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Monday, March 25, 2024 9:12 AM

To: Stuart Hyde <shyde@ensolum.com>

Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 326283

[**EXTERNAL EMAIL]**

To whom it may concern (c/o Stuart Hyde for HILCORP ENERGY COMPANY),
The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*,
for incident ID (n#) nAPP2403435112.

The sampling event is expected to take place:

When: 03/26/2024 @ 09:00

Where: E-09-30N-12W 1860 FNL 840 FWL (36.8298378,-108.1088562)

Additional Information: PM Stuart Hyde, 970-903-1607

Additional Instructions: RF McKenzie B 1E well site, coordinates 36.829819, -108.108210

Due to weather conditions, work originally scheduled for 3/25/2024 has been changed to begin on 3/26/2024. As such, we are requesting a variance of the 2-business day sampling notification requirement set forth in 19.15.29.12.D.(1).(a) in order to collect confirmation samples on Tuesday March 26, 2024 at 9:00 AM.

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us
To: [Stuart Hyde](#)
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 326283
Date: Monday, March 25, 2024 9:12:02 AM

[**EXTERNAL EMAIL**]

To whom it may concern (c/o Stuart Hyde for HILCORP ENERGY COMPANY),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2403435112.

The sampling event is expected to take place:

When: 03/26/2024 @ 09:00

Where: E-09-30N-12W 1860 FNL 840 FWL (36.8298378,-108.1088562)

Additional Information: PM Stuart Hyde, 970-903-1607

Additional Instructions: RF McKenzie B 1E well site, coordinates 36.829819, -108.108210

Due to weather conditions, work originally scheduled for 3/25/2024 has been changed to begin on 3/26/2024. As such, we are requesting a variance of the 2-business day sampling notification requirement set forth in 19.15.29.12.D.(1).(a) in order to collect confirmation samples on Tuesday March 26, 2024 at 9:00 AM.

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505



APPENDIX C

Photographic Log



Photographic Log
Hilcorp Energy Company
RF McKenzie B 1E
nAPP2403435112



Photograph: 1 Date: 3/26/2024
Description: Site Location and Containment
View: Northwest



Photograph: 2 Date: 3/26/2024
Description: Pothole 1
View: West



Photograph: 3 Date: 3/26/2024
Description: Below grade tank
View: Northeast



Photograph: 4 Date: 3/26/2024
Description: Pothole 3
View: East



APPENDIX D

Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700
Farmington, New Mexico 87499

Generated 4/3/2024 2:22:43 PM

JOB DESCRIPTION

RF McKenzie B1E

JOB NUMBER

885-1843-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Authorized for release by
Andy Freeman, Business Unit Manager
andy.freeman@et.eurofinsus.com
(505)345-3975

Generated
4/3/2024 2:22:43 PM

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Laboratory Job ID: 885-1843-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	16
QC Association Summary	19
Lab Chronicle	22
Certification Summary	25
Chain of Custody	26
Receipt Checklists	29



Definitions/Glossary

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Hilcorp Energy
Project: RF McKenzie B1E

Job ID: 885-1843-1

Job ID: 885-1843-1

Eurofins Albuquerque

Job Narrative 885-1843-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 3/27/2024 7:00 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.1°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC Semi VOA

Method 8015MOD_NM: The surrogate recovery for the blank associated with preparation batch 880-76837 and analytical batch 880-76762 was outside the upper control limits.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: PH01@6' (885-1843-2), PH03@6' (885-1843-6), PH04@2' (885-1843-7), PH04@6' (885-1843-8), PH05@2' (885-1843-10) and PH05@6' (885-1843-11). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D - Soluble: The Chloride matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-76941 and 880-76941 and analytical batch 880-76961 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

PH01@2' (885-1843-1), PH01@6' (885-1843-2), PH02@2' (885-1843-3), PH02@6' (885-1843-4), PH03@2' (885-1843-5), PH03@6' (885-1843-6), PH04@2' (885-1843-7), PH04@6' (885-1843-8), PH05@2' (885-1843-10), PH05@6' (885-1843-11), (885-1843-A-1-E MS) and (885-1843-A-1-F MSD)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH01@2'

Lab Sample ID: 885-1843-1

Date Collected: 03/26/24 09:30

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:04	1
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:04	1
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:04	1
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 01:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	03/28/24 11:49	03/29/24 01:04	1
1,4-Difluorobenzene (Surr)	106		70 - 130	03/28/24 11:49	03/29/24 01:04	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 00:42	1
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 00:42	1
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 00:42	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130	03/28/24 12:48	03/29/24 00:42	1
o-Terphenyl	103		70 - 130	03/28/24 12:48	03/29/24 00:42	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	67	F1	5.0	mg/Kg			04/01/24 13:06	1

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH01@6'

Lab Sample ID: 885-1843-2

Date Collected: 03/26/24 09:36

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:25	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:25	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:25	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 01:25	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	96		70 - 130			03/28/24 11:49	03/29/24 01:25	1	
1,4-Difluorobenzene (Surr)	104		70 - 130			03/28/24 11:49	03/29/24 01:25	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:03	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:03	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:03	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	132	S1+	70 - 130			03/28/24 12:48	03/29/24 01:03	1	
o-Terphenyl	115		70 - 130			03/28/24 12:48	03/29/24 01:03	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	23		5.0	mg/Kg			04/01/24 13:25	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH02@2'

Lab Sample ID: 885-1843-3

Date Collected: 03/26/24 09:38

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:45	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:45	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 01:45	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 01:45	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	100		70 - 130			03/28/24 11:49	03/29/24 01:45	1	
1,4-Difluorobenzene (Surr)	105		70 - 130			03/28/24 11:49	03/29/24 01:45	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:27	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:27	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:27	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	125		70 - 130			03/28/24 12:48	03/29/24 01:27	1	
o-Terphenyl	108		70 - 130			03/28/24 12:48	03/29/24 01:27	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	34		5.0	mg/Kg			04/01/24 13:31	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH02@6'

Lab Sample ID: 885-1843-4

Date Collected: 03/26/24 09:42

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 02:06	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 02:06	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 02:06	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 02:06	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	97		70 - 130			03/28/24 11:49	03/29/24 02:06	1	
1,4-Difluorobenzene (Surr)	101		70 - 130			03/28/24 11:49	03/29/24 02:06	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:48	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:48	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 01:48	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	127		70 - 130			03/28/24 12:48	03/29/24 01:48	1	
o-Terphenyl	111		70 - 130			03/28/24 12:48	03/29/24 01:48	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	46		5.0	mg/Kg			04/01/24 13:37	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH03@2'

Lab Sample ID: 885-1843-5

Date Collected: 03/26/24 09:50

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 03:29	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 03:29	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 03:29	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 03:29	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	101		70 - 130			03/28/24 11:49	03/29/24 03:29	1	
1,4-Difluorobenzene (Surr)	94		70 - 130			03/28/24 11:49	03/29/24 03:29	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 02:31	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 02:31	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 02:31	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	119		70 - 130			03/28/24 12:48	03/29/24 02:31	1	
o-Terphenyl	104		70 - 130			03/28/24 12:48	03/29/24 02:31	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	63		5.0	mg/Kg			04/01/24 13:43	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH03@6'

Lab Sample ID: 885-1843-6

Date Collected: 03/26/24 09:54

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 03:49	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 03:49	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 03:49	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 03:49	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	97		70 - 130			03/28/24 11:49	03/29/24 03:49	1	
1,4-Difluorobenzene (Surr)	103		70 - 130			03/28/24 11:49	03/29/24 03:49	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 02:52	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 02:52	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 02:52	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	135	S1+	70 - 130			03/28/24 12:48	03/29/24 02:52	1	
o-Terphenyl	116		70 - 130			03/28/24 12:48	03/29/24 02:52	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	46		5.0	mg/Kg			04/01/24 14:02	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH04@2'
Date Collected: 03/26/24 09:58
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-7
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:10	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:10	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:10	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 04:10	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		70 - 130			03/28/24 11:49	03/29/24 04:10	1	
1,4-Difluorobenzene (Surr)	102		70 - 130			03/28/24 11:49	03/29/24 04:10	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:13	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:13	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:13	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	132	S1+	70 - 130			03/28/24 12:48	03/29/24 03:13	1	
o-Terphenyl	114		70 - 130			03/28/24 12:48	03/29/24 03:13	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	44		5.0	mg/Kg			04/01/24 14:08	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH04@6'

Lab Sample ID: 885-1843-8

Date Collected: 03/26/24 10:02

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:31	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:31	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:31	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 04:31	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	99		70 - 130			03/28/24 11:49	03/29/24 04:31	1	
1,4-Difluorobenzene (Surr)	100		70 - 130			03/28/24 11:49	03/29/24 04:31	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:35	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:35	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:35	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	131	S1+	70 - 130			03/28/24 12:48	03/29/24 03:35	1	
o-Terphenyl	112		70 - 130			03/28/24 12:48	03/29/24 03:35	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	52		5.0	mg/Kg			04/01/24 14:14	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH05@2'
Date Collected: 03/26/24 10:10
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-10
Matrix: Solid

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:51	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:51	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 04:51	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 04:51	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	102		70 - 130			03/28/24 11:49	03/29/24 04:51	1	
1,4-Difluorobenzene (Surr)	100		70 - 130			03/28/24 11:49	03/29/24 04:51	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:56	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:56	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 03:56	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	153	S1+	70 - 130			03/28/24 12:48	03/29/24 03:56	1	
o-Terphenyl	133	S1+	70 - 130			03/28/24 12:48	03/29/24 03:56	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	37		5.0	mg/Kg			04/01/24 14:20	1	

Client Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH05@6'

Lab Sample ID: 885-1843-11

Date Collected: 03/26/24 10:14

Matrix: Solid

Date Received: 03/27/24 07:00

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 05:12	1	
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 05:12	1	
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/29/24 05:12	1	
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/29/24 05:12	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	97		70 - 130			03/28/24 11:49	03/29/24 05:12	1	
1,4-Difluorobenzene (Surr)	99		70 - 130			03/28/24 11:49	03/29/24 05:12	1	
Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 12:48	03/29/24 04:17	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 04:17	1	
Oil Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 12:48	03/29/24 04:17	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	157	S1+	70 - 130			03/28/24 12:48	03/29/24 04:17	1	
o-Terphenyl	134	S1+	70 - 130			03/28/24 12:48	03/29/24 04:17	1	
Method: EPA 300.0 - Anions, Ion Chromatography - Soluble									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	55		5.0	mg/Kg			04/01/24 14:26	1	

QC Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-76821/5-A

Matrix: Solid

Analysis Batch: 76687

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 76821

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.0020	mg/Kg		03/28/24 10:31	03/28/24 12:00	1
Toluene	ND		0.0020	mg/Kg		03/28/24 10:31	03/28/24 12:00	1
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 10:31	03/28/24 12:00	1
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 10:31	03/28/24 12:00	1
Surrogate	MB %Recovery	MB Qualifier	Limits					
4-Bromofluorobenzene (Surr)	73		70 - 130			03/28/24 10:31	03/28/24 12:00	1
1,4-Difluorobenzene (Surr)	97		70 - 130			03/28/24 10:31	03/28/24 12:00	1

Lab Sample ID: MB 880-76839/5-A

Matrix: Solid

Analysis Batch: 76687

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 76839

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/28/24 22:39	1
Toluene	ND		0.0020	mg/Kg		03/28/24 11:49	03/28/24 22:39	1
Ethylbenzene	ND		0.0020	mg/Kg		03/28/24 11:49	03/28/24 22:39	1
Xylenes, Total	ND		0.0040	mg/Kg		03/28/24 11:49	03/28/24 22:39	1
Surrogate	MB %Recovery	MB Qualifier	Limits					
4-Bromofluorobenzene (Surr)	72		70 - 130			03/28/24 11:49	03/28/24 22:39	1
1,4-Difluorobenzene (Surr)	96		70 - 130			03/28/24 11:49	03/28/24 22:39	1

Lab Sample ID: LCS 880-76839/1-A

Matrix: Solid

Analysis Batch: 76687

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 76839

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.0946		mg/Kg		95	70 - 130
Toluene	0.100	0.0899		mg/Kg		90	70 - 130
Ethylbenzene	0.100	0.0957		mg/Kg		96	70 - 130
m-Xylene & p-Xylene	0.200	0.194		mg/Kg		97	70 - 130
o-Xylene	0.100	0.0971		mg/Kg		97	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	101		70 - 130				
1,4-Difluorobenzene (Surr)	98		70 - 130				

Lab Sample ID: LCSD 880-76839/2-A

Matrix: Solid

Analysis Batch: 76687

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 76839

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.0986		mg/Kg		99	70 - 130	4	35
Toluene	0.100	0.0981		mg/Kg		98	70 - 130	9	35
Ethylbenzene	0.100	0.103		mg/Kg		103	70 - 130	8	35
m-Xylene & p-Xylene	0.200	0.213		mg/Kg		106	70 - 130	9	35
o-Xylene	0.100	0.107		mg/Kg		107	70 - 130	10	35

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	101		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-76837/1-A						Client Sample ID: Method Blank			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 76762						Prep Batch: 76837			
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics (GRO)-C6-C10	ND		50	mg/Kg		03/28/24 10:56	03/28/24 20:48	1	
Diesel Range Organics (Over C10-C28)	ND		50	mg/Kg		03/28/24 10:56	03/28/24 20:48	1	
OII Range Organics (Over C28-C36)	ND		50	mg/Kg		03/28/24 10:56	03/28/24 20:48	1	
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac	
1-Chlorooctane	180	S1+	70 - 130			03/28/24 10:56	03/28/24 20:48	1	
o-Terphenyl	168	S1+	70 - 130			03/28/24 10:56	03/28/24 20:48	1	

Lab Sample ID: LCS 880-76837/2-A						Client Sample ID: Lab Control Sample			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 76762						Prep Batch: 76837			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Gasoline Range Organics (GRO)-C6-C10	1000	1070		mg/Kg		107	70 - 130		
Diesel Range Organics (Over C10-C28)	1000	953		mg/Kg		95	70 - 130		
Surrogate	LCS %Recovery	LCS Qualifier	Limits						
1-Chlorooctane	111		70 - 130						
o-Terphenyl	111		70 - 130						

Lab Sample ID: LCSD 880-76837/3-A						Client Sample ID: Lab Control Sample Dup			
Matrix: Solid						Prep Type: Total/NA			
Analysis Batch: 76762						Prep Batch: 76837			
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1120		mg/Kg		112	70 - 130	5	20
Diesel Range Organics (Over C10-C28)	1000	959		mg/Kg		96	70 - 130	1	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	109		70 - 130						
o-Terphenyl	110		70 - 130						

QC Sample Results

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-76941/1-A					Client Sample ID: Method Blank				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 76961									
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		5.0	mg/Kg			04/01/24 12:48	1	

Lab Sample ID: LCS 880-76941/2-A					Client Sample ID: Lab Control Sample				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 76961									
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	250	252		mg/Kg		101	90 - 110		

Lab Sample ID: LCSD 880-76941/3-A					Client Sample ID: Lab Control Sample Dup				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 76961									
Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	252		mg/Kg		101	90 - 110	0	20

Lab Sample ID: 885-1843-1 MS					Client Sample ID: PH01@2'				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 76961									
Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	67	F1	249	344	F1	mg/Kg		111	90 - 110

Lab Sample ID: 885-1843-1 MSD					Client Sample ID: PH01@2'				
Matrix: Solid					Prep Type: Soluble				
Analysis Batch: 76961									
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	67	F1	249	350	F1	mg/Kg		114	90 - 110

QC Association Summary

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

GC VOA

Analysis Batch: 76687

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-1843-1	PH01@2'	Total/NA	Solid	8021B	76839
885-1843-2	PH01@6'	Total/NA	Solid	8021B	76839
885-1843-3	PH02@2'	Total/NA	Solid	8021B	76839
885-1843-4	PH02@6'	Total/NA	Solid	8021B	76839
885-1843-5	PH03@2'	Total/NA	Solid	8021B	76839
885-1843-6	PH03@6'	Total/NA	Solid	8021B	76839
885-1843-7	PH04@2'	Total/NA	Solid	8021B	76839
885-1843-8	PH04@6'	Total/NA	Solid	8021B	76839
885-1843-10	PH05@2'	Total/NA	Solid	8021B	76839
885-1843-11	PH05@6'	Total/NA	Solid	8021B	76839
MB 880-76821/5-A	Method Blank	Total/NA	Solid	8021B	76821
MB 880-76839/5-A	Method Blank	Total/NA	Solid	8021B	76839
LCS 880-76839/1-A	Lab Control Sample	Total/NA	Solid	8021B	76839
LCSD 880-76839/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	76839

Prep Batch: 76821

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-76821/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 76839

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-1843-1	PH01@2'	Total/NA	Solid	5035	
885-1843-2	PH01@6'	Total/NA	Solid	5035	
885-1843-3	PH02@2'	Total/NA	Solid	5035	
885-1843-4	PH02@6'	Total/NA	Solid	5035	
885-1843-5	PH03@2'	Total/NA	Solid	5035	
885-1843-6	PH03@6'	Total/NA	Solid	5035	
885-1843-7	PH04@2'	Total/NA	Solid	5035	
885-1843-8	PH04@6'	Total/NA	Solid	5035	
885-1843-10	PH05@2'	Total/NA	Solid	5035	
885-1843-11	PH05@6'	Total/NA	Solid	5035	
MB 880-76839/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-76839/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-76839/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

GC Semi VOA

Analysis Batch: 76762

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-1843-1	PH01@2'	Total/NA	Solid	8015B NM	76837
885-1843-2	PH01@6'	Total/NA	Solid	8015B NM	76837
885-1843-3	PH02@2'	Total/NA	Solid	8015B NM	76837
885-1843-4	PH02@6'	Total/NA	Solid	8015B NM	76837
885-1843-5	PH03@2'	Total/NA	Solid	8015B NM	76837
885-1843-6	PH03@6'	Total/NA	Solid	8015B NM	76837
885-1843-7	PH04@2'	Total/NA	Solid	8015B NM	76837
885-1843-8	PH04@6'	Total/NA	Solid	8015B NM	76837
885-1843-10	PH05@2'	Total/NA	Solid	8015B NM	76837
885-1843-11	PH05@6'	Total/NA	Solid	8015B NM	76837
MB 880-76837/1-A	Method Blank	Total/NA	Solid	8015B NM	76837
LCS 880-76837/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	76837

Eurofins Albuquerque

QC Association Summary

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

GC Semi VOA (Continued)

Analysis Batch: 76762 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-76837/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	76837

Prep Batch: 76837

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-1843-1	PH01@2'	Total/NA	Solid	8015NM Prep	
885-1843-2	PH01@6'	Total/NA	Solid	8015NM Prep	
885-1843-3	PH02@2'	Total/NA	Solid	8015NM Prep	
885-1843-4	PH02@6'	Total/NA	Solid	8015NM Prep	
885-1843-5	PH03@2'	Total/NA	Solid	8015NM Prep	
885-1843-6	PH03@6'	Total/NA	Solid	8015NM Prep	
885-1843-7	PH04@2'	Total/NA	Solid	8015NM Prep	
885-1843-8	PH04@6'	Total/NA	Solid	8015NM Prep	
885-1843-10	PH05@2'	Total/NA	Solid	8015NM Prep	
885-1843-11	PH05@6'	Total/NA	Solid	8015NM Prep	
MB 880-76837/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-76837/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-76837/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

HPLC/IC

Leach Batch: 76941

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-1843-1	PH01@2'	Soluble	Solid	DI Leach	
885-1843-2	PH01@6'	Soluble	Solid	DI Leach	
885-1843-3	PH02@2'	Soluble	Solid	DI Leach	
885-1843-4	PH02@6'	Soluble	Solid	DI Leach	
885-1843-5	PH03@2'	Soluble	Solid	DI Leach	
885-1843-6	PH03@6'	Soluble	Solid	DI Leach	
885-1843-7	PH04@2'	Soluble	Solid	DI Leach	
885-1843-8	PH04@6'	Soluble	Solid	DI Leach	
885-1843-10	PH05@2'	Soluble	Solid	DI Leach	
885-1843-11	PH05@6'	Soluble	Solid	DI Leach	
MB 880-76941/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-76941/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-76941/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
885-1843-1 MS	PH01@2'	Soluble	Solid	DI Leach	
885-1843-1 MSD	PH01@2'	Soluble	Solid	DI Leach	

Analysis Batch: 76961

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-1843-1	PH01@2'	Soluble	Solid	300.0	76941
885-1843-2	PH01@6'	Soluble	Solid	300.0	76941
885-1843-3	PH02@2'	Soluble	Solid	300.0	76941
885-1843-4	PH02@6'	Soluble	Solid	300.0	76941
885-1843-5	PH03@2'	Soluble	Solid	300.0	76941
885-1843-6	PH03@6'	Soluble	Solid	300.0	76941
885-1843-7	PH04@2'	Soluble	Solid	300.0	76941
885-1843-8	PH04@6'	Soluble	Solid	300.0	76941
885-1843-10	PH05@2'	Soluble	Solid	300.0	76941
885-1843-11	PH05@6'	Soluble	Solid	300.0	76941
MB 880-76941/1-A	Method Blank	Soluble	Solid	300.0	76941

Eurofins Albuquerque

QC Association Summary

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

HPLC/IC (Continued)

Analysis Batch: 76961 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 880-76941/2-A	Lab Control Sample	Soluble	Solid	300.0	76941
LCSD 880-76941/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	76941
885-1843-1 MS	PH01@2'	Soluble	Solid	300.0	76941
885-1843-1 MSD	PH01@2'	Soluble	Solid	300.0	76941

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Lab Chronicle

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH01@2'
Date Collected: 03/26/24 09:30
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 01:04
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 00:42
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 13:06

Client Sample ID: PH01@6'
Date Collected: 03/26/24 09:36
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 01:25
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 01:03
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 13:25

Client Sample ID: PH02@2'
Date Collected: 03/26/24 09:38
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 01:45
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 01:27
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 13:31

Client Sample ID: PH02@6'
Date Collected: 03/26/24 09:42
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 02:06
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 01:48
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 13:37

Lab Chronicle

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH03@2'
Date Collected: 03/26/24 09:50
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 03:29
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 02:31
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 13:43

Client Sample ID: PH03@6'
Date Collected: 03/26/24 09:54
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 03:49
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 02:52
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 14:02

Client Sample ID: PH04@2'
Date Collected: 03/26/24 09:58
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-7
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 04:10
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 03:13
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 14:08

Client Sample ID: PH04@6'
Date Collected: 03/26/24 10:02
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-8
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 04:31
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 03:35
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 14:14

Lab Chronicle

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Client Sample ID: PH05@2'
Date Collected: 03/26/24 10:10
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-10
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 04:51
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 03:56
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 14:20

Client Sample ID: PH05@6'
Date Collected: 03/26/24 10:14
Date Received: 03/27/24 07:00

Lab Sample ID: 885-1843-11
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			76839	MNR	EET MID	03/28/24 11:49
Total/NA	Analysis	8021B		1	76687	MNR	EET MID	03/29/24 05:12
Total/NA	Prep	8015NM Prep			76837	EL	EET MID	03/28/24 12:48
Total/NA	Analysis	8015B NM		1	76762	SM	EET MID	03/29/24 04:17
Soluble	Leach	DI Leach			76941	SA	EET MID	03/29/24 13:03
Soluble	Analysis	300.0		1	76961	SMC	EET MID	04/01/24 14:26

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: RF McKenzie B1E

Job ID: 885-1843-1

Laboratory: Eurofins Midland

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-23-26	06-30-24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Eurofins Albuquerque

4901 Hawkins NE

Albuquerque, NM 87109

Phone 505-345-3975 Fax 505-345-4107

Chain of Custody Record



Environment Testing

4/3/2024

Client Information (Sub Contract Lab)		Sampler	Lab PM	Carrier Tracking No(s)	COC No:
Client Contact: Shipping/Receiving		Phone:	Freeman Andy		885-233 1
Company Eurofins Environment Testing South Centr		E-Mail andy.freeman@et.eurofinsus.com	State of Origin New Mexico	Page Page 1 of 2	
Address 1211 W Florida Ave,		Accreditations Required (See note) NELAP - Oregon State - New Mexico			Job #: 885-1843-1
City Midland		Analysis Requested			
State Zip: TX, 79701					
Phone: 432-704-5440(Tel)					
Email					
Project Name: RF McKenzie B1E		Due Date Requested 4/3/2024		TAT Requested (days):	
Site		PO #:		WO #:	
Project #: 88500531		SSOW#		Preservation Codes	
Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)		Field Filtered Sample (Yes or No)		Perform MS/MSD (Yes or No)	
Sample Type (C=Comp, G=grab)		8021B/5035PM, Calc BTEX		8015MOD_NMI/8015NM_S_Prep (MOD) DRO and GRO	
Sample Date		300_ORGFWM_280/DI_LEACH Chloride		Total Number of containers	
Sample Time				Special Instructions/Note.	
Preservation Code:					
PH01@2' (885-1843-1)		3/26/24 09 30 Mountain		Solid	
PH01@6' (885-1843-2)		3/26/24 09 36 Mountain		Solid	
PH02@2' (885-1843-3)		3/26/24 09 38 Mountain		Solid	
PH02@6' (885-1843-4)		3/26/24 09 42 Mountain		Solid	
PH03@2' (885-1843-5)		3/26/24 09 50 Mountain		Solid	
PH03@6' (885-1843-6)		3/26/24 09 54 Mountain		Solid	
PH04@2' (885-1843-7)		3/26/24 09 58 Mountain		Solid	
PH04@6' (885-1843-8)		3/26/24 10 02 Mountain		Solid	
PH05@2' (885-1843-10)		3/26/24 10 10 Mountain		Solid	
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.					
Possible Hazard Identification			Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)		
Unconfirmed			<input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		
Deliverable Requested I, II, III, IV, Other (specify)			Primary Deliverable Rank 2		
Empty Kit Relinquished by:			Special Instructions/QC Requirements		
Relinquished by: _____			Date: _____ Time: _____ Method of Shipment: _____		
Relinquished by: _____			Date/Time: _____ Company: _____ Received by: _____ Date/Time: _____ Company: _____		
Relinquished by: _____			Date/Time: _____ Company: _____ Received by: _____ Date/Time: _____ Company: _____		
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No			Custody Seal No		
			Cooler Temperature(s) °C and Other Remarks.		

Ver 06/08/2021

Page 27 of 30

Released to Imaging: 5/16/2024 3:14:07 PM

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-1843-1

Login Number: 1843

List Number: 1

Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-1843-1

Login Number: 1843
List Number: 2
Creator: Kramer, Jessica

List Source: Eurofins Midland
List Creation: 03/28/24 11:22 AM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 337386

QUESTIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	337386
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2403435112
Incident Name	NAPP2403435112 RF MCKENZIE B 1E @ 30-045-33181
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Well	[30-045-33181] RF MCKENZIE B #001E

Location of Release Source	
Please answer all the questions in this group.	
Site Name	RF McKenzie B 1E
Date Release Discovered	02/02/2024
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Production Tank Produced Water Released: 7 BBL Recovered: 0 BBL Lost: 7 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 337386

QUESTIONS (continued)

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	337386
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	On 2/2/2024, Hilcorp operations discovered a 6.67-bbl produced water release at the RF McKenzie B 1E in San Juan County, NM. Upon discovery, the site was shut-in to assess the spill area. It was determined that a pinhole leak had formed on a 300-bbl production storage tank, most likely due to internal corrosion. The spilled fluids did not migrate horizontally outside of secondary containment. However, none of the fluids could be recovered since the secondary containment area is unlined and soaked into the underlying soils. During the week of February 5, operations will work with Integrity to assess the tank and re-coat before placing back into service.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Stuart Hyde Title: Senior Geologist Email: shyde@ensolum.com Date: 04/24/2024
--	--

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 337386

QUESTIONS (continued)

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	337386
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 200 and 300 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between ½ and 1 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between ½ and 1 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 200 and 300 (ft.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	None
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	67
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	03/26/2024
On what date will (or did) the final sampling or liner inspection occur	03/26/2024
On what date will (or was) the remediation complete(d)	03/26/2024
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	0
What is the estimated volume (in cubic yards) that will be remediated	0

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 337386

QUESTIONS (continued)

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	337386
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS**Remediation Plan (continued)**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	Yes
Other Non-listed Remedial Process. Please specify	Based on the delineation activities and soil analytical results described above, petroleum hydrocarbon and/or chloride contaminants were not detected in any of the samples collected at the Site above the NMOCD Table I Closure Criteria or reclamation requirement. The Site appears to be absent of soil impacts and waste-containing soil.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Stuart Hyde Title: Senior Geologist Email: shyde@ensolum.com Date: 04/24/2024
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 337386

QUESTIONS (continued)

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	337386
	Action Type:	
	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I

1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 337386

QUESTIONS (continued)

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID:	372171
	Action Number:	337386
	Action Type:	[C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	326283
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	03/26/2024
What was the (estimated) number of samples that were to be gathered	12
What was the sampling surface area in square feet	10000

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	0
What was the total volume (cubic yards) remediated	0
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	0
What was the total volume (in cubic yards) reclaimed	0
Summarize any additional remediation activities not included by answers (above)	Based on the delineation activities and soil analytical results described above, petroleum hydrocarbon and/or chloride contaminants were not detected in any of the samples collected at the Site above the NMOCD Table I Closure Criteria or reclamation requirement. The Site appears to be absent of soil impacts and waste-containing soil.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Stuart Hyde Title: Senior Geologist Email: shyde@ensolum.com Date: 04/24/2024
--	--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 337386

QUESTIONS (continued)

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 337386
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 337386

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 337386
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
nvelez	None	5/16/2024