

**REVIEWED**

By Mike Buchanan at 10:13 am, Jun 03, 2024



# ENSOLUM

April 22, 2024

**New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

**Re: First Quarter 2024 – Remediation System Quarterly Report  
Federal 18 #1T  
San Juan County, New Mexico  
Hilcorp Energy Company  
NMOCD Incident Number: NCS2103335776**

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *First Quarter 2024 – Remediation System Quarterly Report* summarizing first quarter 2024 activities at the former Federal 18 #1T coalbed methane gas well (Site), located in Unit M, Section 18, Township 30 North, Range 12 West in the City of Farmington, New Mexico. The casing of the original gas well has been modified to vent gas and purge water from the Ojo Alamo and Nacimiento Formations. Since initiation of the remediation system in 2010, quarterly reports have been submitted to the New Mexico Oil Conservation Division (NMOCD) to record activities performed at the Site, as well as document well-casing pressures from nearby domestic water well SJ-01737, the volume of gas vented from the Site’s well, and groundwater analytical results collected from the Site’s well.

Review of the First Quarter 2024 Remediation System Quarterly Report for Federal 18 #1T: Content Satisfactory  
1. Continue O&M visits as prescribed to ensure system is optimally running as designed.  
2. Please note any maintenance activities or repairs to the system.  
3. Continue to remove water and monitor until benzene and TDS are at levels below the WQCC human health standards for eight consecutive quarters.  
4. Submit the 2nd quarterly report by the end of July 31, 2024.

## SITE BACKGROUND

As part of an ongoing effort between the NMOCD and Hilcorp (Site originally owned and operated by XTO Energy, Inc. [XTO]), the agreed upon remedial option for the Site was to install a vacuum system at the Site to vent gas from the Nacimiento formation, which overlies the Ojo Alamo Formation. Gas found in the Nacimiento formation could have originated from several contributing sources in the area including existing and/or abandoned gas wells near the Site. In agreement with the NMOCD, XTO modified the Site’s production well to vent gas and recover contaminated groundwater by setting a plug at a depth of approximately 513 feet below ground surface (bgs). Perforations were made in the casing at 437 feet to 452 feet bgs and 457 feet to 473 feet bgs in order to monitor groundwater and vent gas from the Nacimiento Formation. Based on initial groundwater sampling results, XTO recommended pumping the aquifer until groundwater results were below the New Mexico Water Quality Control Commission (NMWQCC) standards for applicable chemicals of concern (COCs).

A submersible water pump was installed in the Site’s well in November 2010 at a depth of approximately 485 feet bgs in order to recover impacted groundwater. Based on aquifer tests performed by XTO, the water pump was set to maintain a static water level of approximately 473 feet bgs. The water pump is plumbed into the existing water lines and stored in the on-Site 210-barrel (bbl) water tank, which is regularly emptied for off-Site disposal. A vacuum pump was subsequently installed at the Site’s well to also remove gas entrained in the formation. A portable

generator was originally placed at the Site to power both the vacuum and water pumps. Generator maintenance issues led to the system being electrified on February 3, 2011.

Operation and maintenance (O&M) inspections are conducted by Hilcorp personnel regularly to check the system and verify proper water and vacuum pump operation, record water meter volumes, and verify that no other Site conditions dictate system maintenance and/or adjustment. Possible pressure variations in the subsurface due to the vacuum pump are monitored using nearby water well SJ-01737. Casing pressure measurements from the SJ-01737 well are included in Table 1.

## FIRST QUARTER 2024 SITE ACTIVITIES AND RESULTS

Approximately 15,771 gallons (375 bbls) of water were removed from the Site's well between the fourth quarter 2023 and first quarter 2024 sampling events. To date, approximately 1,304,447 gallons (31,058 bbls) of impacted water have been removed from the Site. A water sample from the well was collected on January 18, 2024, and submitted to Eurofins Environment Testing for laboratory analysis. Specifically, the water sample was analyzed for the following COCs: volatile organic compounds (VOCs), including benzene, toluene, ethylbenzene, and xylenes (BTEX), following Environmental Protection Agency (EPA) Method 8260B, specific conductance (or electrical conductivity) following Standard Method (SM) 2510B, pH following Method SM4500-H+B, and total dissolved solids (TDS) following Method SM2540C.

Based on results from the January 2024 sampling event, benzene and TDS remain at concentrations exceeding the applicable NMWQCC standards and appear to be similar to historical results. Analytical results are summarized in Table 2, with complete laboratory reports attached as Appendix A.

The Site vacuum pump has been operating based on a setting of 690 minutes on and 30 minutes off (totaling 23 hours runtime per day). During the first quarter of 2024, the pump operated at an average flow rate of 3.5 actual cubic feet per minute (ACFM). Approximately 34,628 thousand cubic feet (MCF) of gas/air have been emitted from the Site's well since the system began operating in 2010. Gas/air volumes vented by the system are summarized in Table 3.

## RECOMMENDATIONS


O&M visits will continue to be performed by Hilcorp personnel to verify the system is operating as designed. Deviations from regular operations will be noted on field logs and included in the following quarterly report. Hilcorp will continue to remove and monitor water from the Site until benzene and TDS concentrations are compliant with NMWQCC standards for eight consecutive quarters.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this proposal, please contact the undersigned.

## Ensolum, LLC



Stuart Hyde, PG  
Senior Managing Geologist  
(970) 903-1607  
shyde@ensolum.com



Daniel R. Moir, PG  
Senior Managing Geologist  
(303) 887-2946  
dmoir@ensolum.com

### Attachments:

Table 1	Well SJ-01737 Casing Pressure Readings
Table 2	Water Analytical Results
Table 3	Gas and Air Vented
Appendix A	Laboratory Analytical Reports



TABLES



<b>TABLE 1</b> <b>WELL SJ-01737 CASING PRESSURE READINGS</b> Federal 18 #1T Hilcorp Energy Company San Juan County, New Mexico		
Sample Date	Casing Pressure (ounces)	Average
10/7/2022	0	0.000
10/11/2023	0	0.000
10/20/2022	0	0.000
10/31/2022	0	0.000
11/17/2022	0	0.000
12/1/2022	0	0.000
12/9/2022	0	0.000
12/16/2022	0	0.000
12/24/2022	0	0.000
12/31/2022	0	0.000
1/6/2023	0	0.000
1/12/2023	0	0.000
1/23/2023	0	0.000
2/2/2023	0	0.000
2/9/2023	0	0.000
2/23/2023	0	0.000
3/7/2023	0	0.000
3/17/2023	0	0.000
3/27/2023	0	0.000
4/6/2023	0	0.000
4/18/2023	0	0.000
4/28/2023	0	0.000
5/4/2023	0	0.000
5/10/2023	0	0.000
5/19/2023	0	0.000
6/6/2023	0	0.000
6/23/2023	0	0.000
7/7/2023	0	0.000
7/13/2023	0	0.000
7/24/2023	0	0.000
8/4/2023	0	0.000
8/10/2023	0	0.000
8/21/2023	0	0.000
9/7/2023	0	0.000
9/27/2023	0	0.000
10/14/2023	0	0.000
10/27/2023	0	0.000
11/9/2023	0	0.000
12/11/2023	0	0.000
12/27/2023	0	0.000
1/9/2024	0	0.000
1/18/2024	0	0.000
1/25/2024	0	0.000
1/31/2024	0	0.000
2/22/2024	0	0.000
3/7/2024	0	0.000
3/26/2024	0	0.000



**TABLE 2  
WATER ANALYTICAL RESULTS**  
Federal 18 #1T  
Hilcorp Energy Company  
San Juan County, New Mexico

Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Xylene (µg/L)	TDS (mg/L)	Electrical Conductivity (umhos/cm)	pH	Purge Water Volume (gallons)
<b>NMWQCC Standards</b>	<b>5.0</b>	<b>1,000</b>	<b>700</b>	<b>620</b>	<b>1,000</b>	--	<b>6 thru 9</b>	--
11/5/2010	ND	5.2	ND	ND	<b>1,400</b>	2,600	7.2	NM
9/24/2010	<b>150</b>	ND	76	<b>670</b>	--	--	--	NM
9/24/2010	<b>190</b>	170	24	210	<b>13,000</b>	18,000	6.1	NM
9/24/2010	<b>143</b>	221	63.6	<b>950</b>	--	--	--	NM
9/24/2010	<b>320</b>	377	31.8	568	<b>11,100</b>	16,000	<b>5.84</b>	NM
12/10/2011	--	--	--	--	<b>7,610</b>	8,900	6.36	3,033
1/5/2011	<b>67</b>	93	7.9	25	--	--	--	7,798
1/5/2011	<b>73</b>	99	10	39	<b>4,800</b>	6,000	6.6	7,798
1/29/2011	<b>60</b>	93	10	33	--	4,900	6.4	10,791
2/28/2011	<b>42</b>	60	6.1	20	<b>3,400</b>	4,000	6.7	14,795
4/1/2011	<b>23</b>	27	1.8	6.8	<b>2,700</b>	3,100	6.8	31,238
4/29/2011	<b>29</b>	28	2.4	7.3	<b>2,600</b>	2,900	6.9	50,217
5/31/2011	<b>14</b>	19	1.4	4.9	<b>2,500</b>	2,800	6.7	76,513
6/14/2011	<b>55</b>	81	2.8	15	<b>2,500</b>	2,700	6.7	88,120
6/30/2011	<b>52</b>	67	2.6	12	<b>2,500</b>	2,700	6.9	101,209
8/15/2011	<b>21</b>	25	1.2	5.8	<b>2,500</b>	2,600	6.8	140,267
9/2/2011	<b>10</b>	12	0.64	3.2	<b>2,500</b>	2,600	7.2	155,801
9/16/2011	<b>9.6</b>	11	0.64	3	<b>2,400</b>	2,500	7.2	168,040
9/30/2011	<b>7.2</b>	8.7	0.64	2.5	<b>2,500</b>	2,600	7	180,393
10/28/2011	<b>5.1</b>	ND	1.8	2.7	<b>2,300</b>	2,600	6.9	205,220
11/30/2011	4	ND	3.9	2	<b>2,500</b>	2,600	7.1	233,488
12/30/2011	3.4	ND	ND	2.9	<b>2,500</b>	2,500	7.5	261,391
4/3/2012	<b>6</b>	ND	ND	1.6	--	--	--	351,300
4/9/2012	--	--	--	--	<b>2,400</b>	2,400	7.4	NM
7/3/2012	<b>5.3</b>	ND	ND	ND	<b>2,300</b>	2,400	7.4	NM
7/6/2012	--	--	--	--	--	--	--	441,053
9/19/2012	--	--	--	--	--	--	--	521,271
9/27/2012	<b>6.2</b>	ND	ND	ND	<b>2,300</b>	2,500	7.1	NM
12/14/2012	--	--	--	--	--	--	--	598,540
12/31/2012	<b>13.9</b>	1.1	ND	3.3	<b>2,690</b>	2,440	7.05	604,689
1/23/2013	<b>160</b>	190	ND	26	<b>2,400</b>	2,500	8	NM
2/22/2013	<b>7.1</b>	77	ND	1.8	<b>2,100</b>	2,500	7.1	605,860
5/2/2013	<b>9</b>	6.9	ND	ND	<b>2,400</b>	2,600	7.5	612,601
8/19/2013	<b>20</b>	11	ND	2.3	<b>2,200</b>	2,600	7.2	NM
9/23/2013	<b>13</b>	11	ND	2.2	<b>2,300</b>	2,500	7.1	621,744
11/25/2013	<b>4.6</b>	5.2	ND	ND	<b>2,200</b>	2,700	7.7	631,430
2/4/2014	<b>15</b>	17	0.72	3.1	<b>2,200</b>	2,500	7.3	636,120
10/1/2015	<b>54.2</b>	57	1.37	9.77	<b>2,260</b>	2,640	6.98	639,410
10/20/2015	<b>42.3</b>	39.9	0.964	7.06	<b>2,330</b>	1,460	7.09	642,650
3/28/2016	<b>38</b>	34.1	0.835	4.82	<b>2,230</b>	2,570	6.86	650,850
6/14/2016	<b>78.3</b>	58.4	1.16	7.22	<b>2,890</b>	2,600	6.89	704,371
8/29/2016	<b>19</b>	ND	ND	2.18	<b>2,410</b>	2,590	7.02	763,261
11/18/2016	<b>13.2</b>	5.61	ND	2.33	<b>2,470</b>	2,580	7.03	842,610
3/31/2017	<b>9.61</b>	7.87	ND	ND	<b>2,300</b>	2,570	7.28	858,190
6/16/2017	<b>64.6</b>	29.2	0.781	5.4	<b>2,360</b>	2,570	7.05	927,854
9/7/2017	<b>4.61</b>	1.73	ND	ND	<b>2,030</b>	2,450	7.14	997,330
12/5/2017	<b>138</b>	51.5	1.65	9.378	<b>2,230</b>	2,590	7.2	1,080,550
3/6/2018	<b>19.9</b>	14.8	0.543	2.71	<b>2,290</b>	2,620	7.13	1,080,840
8/7/2018	<b>7.9</b>	8.06	<0.5	<1.5	<b>2,200</b>	2,300	7.19	1,082,751
1/3/2019	<b>7.07</b>	3.29	0.177	1.08	<b>2,080</b>	6,750	6.35	1,120,220
2/22/2019	<b>19.8</b>	11.1	<0.5	3.97	<b>2,270</b>	2,710	7.46	1,120,366
5/24/2019	<b>11.9</b>	10.8	ND	ND	<b>2,380</b>	2,760	7.15	1,123,853
9/10/2019	<b>23.2</b>	18.8	ND	ND	<b>2,260</b>	2,600	7.37	1,125,478
10/29/2019	<b>5.41</b>	5.68	ND	ND	<b>2,300</b>	2,530	7.09	1,127,076
2/27/2020	<b>20.7</b>	19.3	ND	ND	<b>2,280</b>	2,580	7.06	1,128,506
5/15/2020	<b>10.3</b>	8.91	ND	ND	<b>2,460</b>	2,570	7.27	1,131,033
8/25/2020	<b>3.9</b>	3.5	ND	ND	<b>2,190</b>	2,640	7.62	1,131,100
10/27/2020	<b>31.1</b>	24.4	ND	ND	<b>2,240</b>	2,530	7.43	1,131,119
2/17/2021	<b>73</b>	<1	<1	<1.5	<b>2,200</b>	2,400	7.42	1,131,123
6/29/2021 (2)	--	--	--	--	--	--	--	1,134,031
9/30/2021	<b>130</b>	87	<5.0	8.1	<b>2,300</b>	2,500	7.20	1,134,167
12/6/2021	<b>33</b>	20	<1.0	6.0	<b>2,430</b>	2,500	7.15	1,143,239
2/17/2022	<b>25</b>	3.1	<1.0	2.7	<b>2,380</b>	2,600	7.17	1,156,355
4/12/2022	<b>27</b>	4.3	<1.0	2.0	<b>2,360</b>	2,500	7.13	1,169,456
7/15/2022	<b>33</b>	4.3	<1.0	1.3	<b>2,480</b>	2,600	7.13	1,191,754
10/11/2022	<b>47</b>	4.6	<1.0	2.0	<b>2,320</b>	2,600	7.24	1,210,479
1/12/2023	<b>40</b>	1.7	<1.0	<1.5	<b>2,330</b>	2,600	7.17	1,229,525
5/10/2023	<b>32</b>	1.7	<1.0	<1.5	<b>2,320</b>	2,600	6.73	1,253,497
7/24/2023	<b>34</b>	1.3	<1.0	<1.5	<b>2,360</b>	2,600	7.18	1,269,880
10/27/2023	<b>31</b>	<1.0	<1.0	<1.5	<b>2,360</b>	2,600	7.17	1,288,677
1/18/2024	<b>47</b>	<1.0	<1.0	<1.5	<b>2,330</b>	2,600	7.19	1,304,447

Notes:  
 (1): initial water sample  
 (2): water pump not functioning  
 µg/L: micrograms per liter  
 mg/L: milligrams per liter  
 ND: not detected, practical quantitation limit unknown  
 NMWQCC: New Mexico Water Quality Control Commission  
 -: not analyzed  
 <: indicates result less than the stated laboratory reporting limit (RL)  
 Concentrations in **bold** and shaded exceed the New Mexico Water Quality Control Commission Standards, 20.6.2 of the New Mexico Administrative Code



**TABLE 3**  
**GAS AND AIR VENTED**  
 Federal 18 #1T  
 Hilcorp Energy Company  
 San Juan County, New Mexico

Date	SCFM	ACFM	Total Vented Gas and Air (MCF)
9/17/2019	3	6	26,677
10/7/2019	3	6	26,849
10/21/2019	3	6	26,969
10/28/2019	3	6	27,030
12/5/2019	3	6	27,356
12/19/2019	3	6	27,477
1/7/2020	3	6	27,954
1/17/2020	3	6	28,040
1/30/2020	3	6	28,153
2/12/2020	3	6	28,265
2/25/2020	3	6	28,377
4/3/2020	3	6	28,705
4/9/2020	3	6	28,756
4/15/2020	3	6	28,808
4/23/2020	3	6	28,877
4/30/2020	3	6	28,937
5/15/2020	3	6	29,067
5/21/2020	3	6	29,118
5/29/2020	3	6	29,179
6/5/2020	3	6	29,239
6/29/2020	0	0	Hot, not running
7/8/2020	0	0	Unit Down
8/11/2020	0	0	Unit Down
8/25/2020	0	0	Unit Down
9/16/2020	0	0	Unit Down
9/22/2020	0	0	Unit Down
10/26/2020	0	0	Unit Down
11/9/2020	0	0	Unit Down
12/8/2020	0	0	Unit Down
1/5/2021	0	0	Unit Down
1/20/2021	0	0	Unit Down
2/11/2021	0	0	Unit Down
2/17/2021	0	0	Unit Down
3/22/2021	0	0	Unit Down
*3/31/2021	5.6	7	29,241
6/29/2021	5.6	7	29,262
9/30/2021	5.6	7	29,281
12/31/2021	5.6	7	29,320
1/19/2022	5.6	7	29,328
1/24/2022	5.6	7	29,353
3/31/2022	5.6	7	29,991
6/14/2022	5.6	7	30,715
9/30/2022	5.6	7	31,759
12/31/2022	5.6	7	32,647
3/31/2023	3.1	3.9	33,132
6/30/2023	2.5	3.1	33,527
9/27/2023	2.25	2.8	33,874
12/27/2023	2.05	2.6	34,198
3/26/2024	2.75	3.5	34,628

**Notes:**  
 ACFM - flow rate in actual cubic feet per minute  
 MCF - thousand cubic feet  
 SCFM - flow rate in standard cubic feet per minute  
 \* - Pump operated from 3/23 - 3/31/2021.  
 SCFM per day based on manufacture specifications.  
 ACFM is estimated based on site elevation and/or observed vacuum



## APPENDIX A

### Laboratory Analytical Reports



Eurofins Environment Testing South  
Central, LLC  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: [www.hallenvironmental.com](http://www.hallenvironmental.com)

February 08, 2024

Mitch Killough  
HILCORP ENERGY  
PO Box 4700  
Farmington, NM 87499  
TEL: (505) 564-0733  
FAX:

RE: Federal 18 1T

OrderNo.: 2401847

Dear Mitch Killough:

Eurofins Environment Testing South Central, LLC received 1 sample(s) on 1/20/2024 for the analyses presented in the following report.

These were analyzed according to EPA procedures or equivalent. To access our accredited tests please go to [www.hallenvironmental.com](http://www.hallenvironmental.com) or the state specific web sites. In order to properly interpret your results, it is imperative that you review this report in its entirety. See the sample checklist and/or the Chain of Custody for information regarding the sample receipt temperature and preservation. Data qualifiers or a narrative will be provided if the sample analysis or analytical quality control parameters require a flag. When necessary, data qualifiers are provided on both the sample analysis report and the QC summary report, both sections should be reviewed. All samples are reported, as received, unless otherwise indicated. Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH and residual chlorine are qualified as being analyzed outside of the recommended holding time.

Please do not hesitate to contact Eurofins Albuquerque for any additional information or clarifications.

ADHS Cert #AZ0682 -- NMED-DWB Cert #NM9425 -- NMED-Micro Cert #NM0901

Sincerely,

A handwritten signature in black ink, appearing to read "Andy Freeman".

Andy Freeman  
Laboratory Manager  
4901 Hawkins NE  
Albuquerque, NM 87109

**Analytical Report**

Lab Order **2401847**

Date Reported: **2/8/2024**

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** HILCORP ENERGY

**Client Sample ID:** MW-1

**Project:** Federal 18 1T

**Collection Date:** 1/18/2024 1:30:00 PM

**Lab ID:** 2401847-001

**Matrix:** AQUEOUS

**Received Date:** 1/20/2024 8:05:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8260B: VOLATILES</b>						Analyst: <b>CCM</b>
Benzene	47	1.0		µg/L	1	2/1/2024 1:39:00 PM
Toluene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Ethylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Methyl tert-butyl ether (MTBE)	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2,4-Trimethylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,3,5-Trimethylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2-Dichloroethane (EDC)	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2-Dibromoethane (EDB)	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Naphthalene	ND	2.0		µg/L	1	2/1/2024 1:39:00 PM
1-Methylnaphthalene	ND	4.0		µg/L	1	2/1/2024 1:39:00 PM
2-Methylnaphthalene	ND	4.0		µg/L	1	2/1/2024 1:39:00 PM
Acetone	ND	10		µg/L	1	2/1/2024 1:39:00 PM
Bromobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Bromodichloromethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Bromoform	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Bromomethane	ND	3.0		µg/L	1	2/1/2024 1:39:00 PM
2-Butanone	ND	10		µg/L	1	2/1/2024 1:39:00 PM
Carbon disulfide	ND	10		µg/L	1	2/1/2024 1:39:00 PM
Carbon Tetrachloride	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Chlorobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Chloroethane	ND	2.0		µg/L	1	2/1/2024 1:39:00 PM
Chloroform	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Chloromethane	ND	3.0		µg/L	1	2/1/2024 1:39:00 PM
2-Chlorotoluene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
4-Chlorotoluene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
cis-1,2-DCE	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
cis-1,3-Dichloropropene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2-Dibromo-3-chloropropane	ND	2.0		µg/L	1	2/1/2024 1:39:00 PM
Dibromochloromethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Dibromomethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2-Dichlorobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,3-Dichlorobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,4-Dichlorobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Dichlorodifluoromethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,1-Dichloroethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,1-Dichloroethene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2-Dichloropropane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,3-Dichloropropane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
2,2-Dichloropropane	ND	2.0		µg/L	1	2/1/2024 1:39:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
	D Sample Diluted Due to Matrix	E Above Quantitation Range/Estimated Value
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	ND Not Detected at the Reporting Limit	P Sample pH Not In Range
	PQL Practical Quantitative Limit	RL Reporting Limit
	S % Recovery outside of standard limits. If undiluted results may be estimated.	

**Analytical Report**

Lab Order **2401847**

Date Reported: **2/8/2024**

**Hall Environmental Analysis Laboratory, Inc.**

**CLIENT:** HILCORP ENERGY

**Client Sample ID:** MW-1

**Project:** Federal 18 1T

**Collection Date:** 1/18/2024 1:30:00 PM

**Lab ID:** 2401847-001

**Matrix:** AQUEOUS

**Received Date:** 1/20/2024 8:05:00 AM

Analyses	Result	RL	Qual	Units	DF	Date Analyzed
<b>EPA METHOD 8260B: VOLATILES</b>						Analyst: <b>CCM</b>
1,1-Dichloropropene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Hexachlorobutadiene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
2-Hexanone	ND	10		µg/L	1	2/1/2024 1:39:00 PM
Isopropylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
4-Isopropyltoluene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	2/1/2024 1:39:00 PM
Methylene Chloride	ND	3.0		µg/L	1	2/1/2024 1:39:00 PM
n-Butylbenzene	ND	3.0		µg/L	1	2/1/2024 1:39:00 PM
n-Propylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
sec-Butylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Styrene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
tert-Butylbenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,1,1,2-Tetrachloroethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,1,2,2-Tetrachloroethane	ND	2.0		µg/L	1	2/1/2024 1:39:00 PM
Tetrachloroethene (PCE)	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
trans-1,2-DCE	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
trans-1,3-Dichloropropene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2,3-Trichlorobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2,4-Trichlorobenzene	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,1,1-Trichloroethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,1,2-Trichloroethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Trichloroethene (TCE)	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Trichlorofluoromethane	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
1,2,3-Trichloropropane	ND	2.0		µg/L	1	2/1/2024 1:39:00 PM
Vinyl chloride	ND	1.0		µg/L	1	2/1/2024 1:39:00 PM
Xylenes, Total	ND	1.5		µg/L	1	2/1/2024 1:39:00 PM
Surr: 1,2-Dichloroethane-d4	113	70-130		%Rec	1	2/1/2024 1:39:00 PM
Surr: 4-Bromofluorobenzene	126	70-130		%Rec	1	2/1/2024 1:39:00 PM
Surr: Dibromofluoromethane	111	70-130		%Rec	1	2/1/2024 1:39:00 PM
Surr: Toluene-d8	101	70-130		%Rec	1	2/1/2024 1:39:00 PM
<b>SM2510B: SPECIFIC CONDUCTANCE</b>						Analyst: <b>MCA</b>
Conductivity	2600	10		µmhos/c	1	1/30/2024 11:18:22 AM
<b>SM4500-H+B / 9040C: PH</b>						Analyst: <b>MCA</b>
pH	7.19		H	pH units	1	1/30/2024 11:18:22 AM
<b>SM2540C MOD: TOTAL DISSOLVED SOLIDS</b>						Analyst: <b>KS</b>
Total Dissolved Solids	2330	100	*D	mg/L	1	1/31/2024 3:50:00 PM

Refer to the QC Summary report and sample login checklist for flagged QC data and preservation information.

<b>Qualifiers:</b>	* Value exceeds Maximum Contaminant Level.	B Analyte detected in the associated Method Blank
	D Sample Diluted Due to Matrix	E Above Quantitation Range/Estimated Value
	H Holding times for preparation or analysis exceeded	J Analyte detected below quantitation limits
	ND Not Detected at the Reporting Limit	P Sample pH Not In Range
	PQL Practical Quantitative Limit	RL Reporting Limit
	S % Recovery outside of standard limits. If undiluted results may be estimated.	

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 2401847

08-Feb-24

**Client:** HILCORP ENERGY

**Project:** Federal 18 IT

Sample ID: <b>100ng lcs4</b>	SampType: <b>LCS</b>	TestCode: <b>EPA Method 8260B: VOLATILES</b>								
Client ID: <b>LCSW</b>	Batch ID: <b>R102809</b>	RunNo: <b>102809</b>								
Prep Date:	Analysis Date: <b>2/1/2024</b>	SeqNo: <b>3799635</b>	Units: <b>µg/L</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	21	1.0	20.00	0	103	70	130			
Toluene	19	1.0	20.00	0	96.5	70	130			
Chlorobenzene	19	1.0	20.00	0	94.9	70	130			
1,1-Dichloroethene	20	1.0	20.00	0	99.9	70	130			
Trichloroethene (TCE)	20	1.0	20.00	0	99.7	70	130			
Surr: 1,2-Dichloroethane-d4	9.7		10.00		97.3	70	130			
Surr: 4-Bromofluorobenzene	11		10.00		106	70	130			
Surr: Dibromofluoromethane	10		10.00		99.7	70	130			
Surr: Toluene-d8	9.9		10.00		99.4	70	130			

Sample ID: <b>MB</b>	SampType: <b>MBLK</b>	TestCode: <b>EPA Method 8260B: VOLATILES</b>								
Client ID: <b>PBW</b>	Batch ID: <b>R102809</b>	RunNo: <b>102809</b>								
Prep Date:	Analysis Date: <b>2/1/2024</b>	SeqNo: <b>3799638</b>	Units: <b>µg/L</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Benzene	ND	1.0								
Toluene	ND	1.0								
Ethylbenzene	ND	1.0								
Methyl tert-butyl ether (MTBE)	ND	1.0								
1,2,4-Trimethylbenzene	ND	1.0								
1,3,5-Trimethylbenzene	ND	1.0								
1,2-Dichloroethane (EDC)	ND	1.0								
1,2-Dibromoethane (EDB)	ND	1.0								
Naphthalene	ND	2.0								
1-Methylnaphthalene	ND	4.0								
2-Methylnaphthalene	ND	4.0								
Acetone	ND	10								
Bromobenzene	ND	1.0								
Bromodichloromethane	ND	1.0								
Bromoform	ND	1.0								
Bromomethane	ND	3.0								
2-Butanone	ND	10								
Carbon disulfide	ND	10								
Carbon Tetrachloride	ND	1.0								
Chlorobenzene	ND	1.0								
Chloroethane	ND	2.0								
Chloroform	ND	1.0								
Chloromethane	ND	3.0								
2-Chlorotoluene	ND	1.0								

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 2401847

08-Feb-24

**Client:** HILCORP ENERGY

**Project:** Federal 18 1T

Sample ID: <b>MB</b>	SampType: <b>MBLK</b>	TestCode: <b>EPA Method 8260B: VOLATILES</b>
Client ID: <b>PBW</b>	Batch ID: <b>R102809</b>	RunNo: <b>102809</b>
Prep Date:	Analysis Date: <b>2/1/2024</b>	SeqNo: <b>3799638</b> Units: <b>µg/L</b>

Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
4-Chlorotoluene	ND	1.0								
cis-1,2-DCE	ND	1.0								
cis-1,3-Dichloropropene	ND	1.0								
1,2-Dibromo-3-chloropropane	ND	2.0								
Dibromochloromethane	ND	1.0								
Dibromomethane	ND	1.0								
1,2-Dichlorobenzene	ND	1.0								
1,3-Dichlorobenzene	ND	1.0								
1,4-Dichlorobenzene	ND	1.0								
Dichlorodifluoromethane	ND	1.0								
1,1-Dichloroethane	ND	1.0								
1,1-Dichloroethene	ND	1.0								
1,2-Dichloropropane	ND	1.0								
1,3-Dichloropropane	ND	1.0								
2,2-Dichloropropane	ND	2.0								
1,1-Dichloropropene	ND	1.0								
Hexachlorobutadiene	ND	1.0								
2-Hexanone	ND	10								
Isopropylbenzene	ND	1.0								
4-Isopropyltoluene	ND	1.0								
4-Methyl-2-pentanone	ND	10								
Methylene Chloride	ND	3.0								
n-Butylbenzene	ND	3.0								
n-Propylbenzene	ND	1.0								
sec-Butylbenzene	ND	1.0								
Styrene	ND	1.0								
tert-Butylbenzene	ND	1.0								
1,1,1,2-Tetrachloroethane	ND	1.0								
1,1,2,2-Tetrachloroethane	ND	2.0								
Tetrachloroethene (PCE)	ND	1.0								
trans-1,2-DCE	ND	1.0								
trans-1,3-Dichloropropene	ND	1.0								
1,2,3-Trichlorobenzene	ND	1.0								
1,2,4-Trichlorobenzene	ND	1.0								
1,1,1-Trichloroethane	ND	1.0								
1,1,2-Trichloroethane	ND	1.0								
Trichloroethene (TCE)	ND	1.0								
Trichlorofluoromethane	ND	1.0								
1,2,3-Trichloropropane	ND	2.0								

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

# QC SUMMARY REPORT

## Hall Environmental Analysis Laboratory, Inc.

WO#: 2401847

08-Feb-24

**Client:** HILCORP ENERGY

**Project:** Federal 18 1T

Sample ID: <b>MB</b>	SampType: <b>MBLK</b>	TestCode: <b>EPA Method 8260B: VOLATILES</b>								
Client ID: <b>PBW</b>	Batch ID: <b>R102809</b>	RunNo: <b>102809</b>								
Prep Date:	Analysis Date: <b>2/1/2024</b>	SeqNo: <b>3799638</b>			Units: <b>µg/L</b>					
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Vinyl chloride	ND	1.0								
Xylenes, Total	ND	1.5								
Surr: 1,2-Dichloroethane-d4	12		10.00		118	70	130			
Surr: 4-Bromofluorobenzene	12		10.00		117	70	130			
Surr: Dibromofluoromethane	12		10.00		116	70	130			
Surr: Toluene-d8	10		10.00		99.8	70	130			

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit

# QC SUMMARY REPORT

Hall Environmental Analysis Laboratory, Inc.

WO#: 2401847

08-Feb-24

**Client:** HILCORP ENERGY

**Project:** Federal 18 1T

Sample ID: <b>MB-80095</b>	SampType: <b>MBLK</b>	TestCode: <b>SM2540C MOD: Total Dissolved Solids</b>								
Client ID: <b>PBW</b>	Batch ID: <b>80095</b>	RunNo: <b>102793</b>								
Prep Date: <b>1/25/2024</b>	Analysis Date: <b>1/31/2024</b>	SeqNo: <b>3798017</b>	Units: <b>mg/L</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	ND	50.0								

Sample ID: <b>LCS-80095</b>	SampType: <b>LCS</b>	TestCode: <b>SM2540C MOD: Total Dissolved Solids</b>								
Client ID: <b>LCSW</b>	Batch ID: <b>80095</b>	RunNo: <b>102793</b>								
Prep Date: <b>1/25/2024</b>	Analysis Date: <b>1/31/2024</b>	SeqNo: <b>3798018</b>	Units: <b>mg/L</b>							
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	%RPD	RPDLimit	Qual
Total Dissolved Solids	1020	50.0	1000	0	102	80	120			

**Qualifiers:**

- \* Value exceeds Maximum Contaminant Level.
- D Sample Diluted Due to Matrix
- H Holding times for preparation or analysis exceeded
- ND Not Detected at the Reporting Limit
- PQL Practical Quantitative Limit
- S % Recovery outside of standard limits. If undiluted results may be estimated.
- B Analyte detected in the associated Method Blank
- E Above Quantitation Range/Estimated Value
- J Analyte detected below quantitation limits
- P Sample pH Not In Range
- RL Reporting Limit



Environment Testin

Eurofins Environment Testing South Central, LLC  
4901 Hawkins NE  
Albuquerque, NM 87109  
TEL: 505-345-3975 FAX: 505-345-4107  
Website: www.hallenvironmental.com

# Sample Log-In Check List

Client Name: **HILCORP ENERGY**      Work Order Number: **2401847**      RcptNo: **1**

Received By: **Cheyenne Cason**      1/20/2024 8:05:00 AM      *CC*

Completed By: **Cheyenne Cason**      1/20/2024 8:48:08 AM      *CC*

Reviewed By: *[Signature]*      1/22/24

### Chain of Custody

1. Is Chain of Custody complete?      Yes       No       Not Present
2. How was the sample delivered?      Courier

### Log In

3. Was an attempt made to cool the samples?      Yes       No       NA
4. Were all samples received at a temperature of >0° C to 6.0°C      Yes       No       NA
5. Sample(s) in proper container(s)?      Yes       No
6. Sufficient sample volume for indicated test(s)?      Yes       No
7. Are samples (except VOA and ONG) properly preserved?      Yes       No
8. Was preservative added to bottles?      Yes       No       NA
9. Received at least 1 vial with headspace <1/4" for AQ VOA?      Yes       No       NA
10. Were any sample containers received broken?      Yes       No
11. Does paperwork match bottle labels?      Yes       No   
(Note discrepancies on chain of custody)
12. Are matrices correctly identified on Chain of Custody?      Yes       No
13. Is it clear what analyses were requested?      Yes       No
14. Were all holding times able to be met?      Yes       No   
(If no, notify customer for authorization.)

# of preserved bottles checked for pH: \_\_\_\_\_  
(≤2 or >12 unless noted)  
Adjusted? \_\_\_\_\_  
Checked by: *CC 1/22/24*

### Special Handling (if applicable)

15. Was client notified of all discrepancies with this order?      Yes       No       NA

Person Notified:	_____	Date:	_____
By Whom:	_____	Via:	<input type="checkbox"/> eMail <input type="checkbox"/> Phone <input type="checkbox"/> Fax <input type="checkbox"/> In Person
Regarding:	_____		
Client Instructions:	_____		

16. Additional remarks:

### 17. Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	-0.4	Good	Yes	Yogi		



**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 335992

**CONDITIONS**

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 335992
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

**CONDITIONS**

Created By	Condition	Condition Date
michael.buchanan	Review of the First Quarter 2024 Remediation System Quarterly Report for Federal 18 #1T: Content Satisfactory 1. Continue O&M visits as prescribed to ensure system is optimally running as designed. 2. Please note any maintenance activities or repairs to the system. 3. Continue to remove water and monitor until benzene and TDS are at levels below the WQCC human health standards for eight consecutive quarters. 4. Submit the 2nd quarterly report by the end of July 31, 2024.	6/3/2024