


AKM MEASUREMENT SERVICES,LLC. Natural Gas Analysis Report
 GPA 2172-09/API 14.5 Report with GPA 2145-16 Physical Properties

	Sample Information
Sample Name	CORRAL 1 COMP STATION ENERGY TRANSFER CHECK
Technician	ANTHONY DOMINGUEZ
Analyzer Make & Model	INFICON MICRO GC
Last Calibration/Validation Date	12-22-2023
Meter Number	18000C
Air temperature	75
Flow Rate (MCF/Day)	10994.4
Heat Tracing	HEATED HOSE & GASIFIER
Sample description/mtr name	CORRAL 1 COMP STATION ENERGY TRANSFER CHECK
Sampling Method	FILL & EMPTY
Operator	OCCIDENTAL PETROLEUM, OXY USA INC
State	NEW MEXICO
Region Name	PERMIAN_RESOURCES
Asset	NEW MEXICO
System	WEST
FLOC	OP-L2100-CS002
Sample Sub Type	CDP
Sample Name Type	METER
Vendor	AKM MEASUREMENT
Cylinder #	38558
Sampled by	LUIS JIMENEZ
Sample date	12-19-2023
Analyzed date	12-27-2023
Method Name	C9
Injection Date	2023-12-27 13:25:54
Report Date	2023-12-27 13:40:34
EZReporter Configuration File	1-16-2023 OXY GPA C9+ H2S #2.cfgx
Source Data File	4ffff345-bc68-4db2-8147-c637303310dc
NGA Phys. Property Data Source	GPA Standard 2145-16 (FPS)
Data Source	INFICON Fusion Connector

Component Results

Component Name	Peak Area	Raw Amount	Response Factor	Norm Mole%	Gross HV (Dry) (BTU / Ideal cu.ft.)	Relative Gas Density (Dry)	GPM (Dry) (Gal. / 1000 cu.ft.)
Nitrogen	18464.5	1.0507	0.00005691	1.0477	0.0	0.01013	0.116
Methane	1004683.5	73.2049	0.00007286	72.9925	738.9	0.40431	12.423
CO2	2884.6	0.1373	0.00004761	0.1369	0.0	0.00208	0.023
Ethane	294823.4	13.5896	0.00004609	13.5501	240.4	0.14068	3.638
H2S	0.0	0.0000	0.00000000	0.0000	0.0	0.00000	0.000
Propane	232845.8	7.6298	0.00003277	7.6076	191.9	0.11583	2.104
iso-butane	90764.2	1.0038	0.00001106	1.0009	32.6	0.02009	0.329
n-Butane	216339.3	2.3788	0.00001100	2.3719	77.6	0.04760	0.751
iso-pentane	44794.4	0.4377	0.00000977	0.4364	17.5	0.01087	0.160
n-Pentane	48472.9	0.4549	0.00000938	0.4536	18.2	0.01130	0.165
hexanes	24895.0	0.2454	0.00000986	0.2447	11.7	0.00728	0.101
heptanes	18668.0	0.1128	0.00000604	0.1124	6.2	0.00389	0.052
octanes	7975.0	0.0428	0.00000537	0.0427	2.7	0.00168	0.022
nonanes+	797.0	0.0026	0.00000326	0.0026	0.2	0.00012	0.001
Total:		100.2912		100.0000	1337.8	0.77585	19.886

Results Summary

Result	Dry	Sat.
Total Un-Normalized Mole%	100.2912	
Pressure Base (psia)	14.730	
Temperature Base (Deg. F)	60.00	
Flowing Temperature (Deg. F)	110.8	

Result	Dry	Sat.	
Flowing Pressure (psia)	1288.3		
Gross Heating Value (BTU / Ideal cu.ft.)	1337.8	1314.5	
Gross Heating Value (BTU / Real cu.ft.)	1343.4	1320.6	
Relative Density (G), Real	0.7788	0.7764	

Monitored Parameter Report

Parameter	Value	Lower Limit	Upper Limit	Status	
Total un-normalized amount	100.2912	97.0000	103.0000	Pass	

UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM**Facility:** Corral 1 CS**Flare Date:** 06/10/2024**Duration of Event:** 35 Minutes**MCF Flared:** 295**Start Time:** 09:20 AM**End Time:** 09:55 AM**Cause:** Emergency Flare > Downstream Activity > ETC > O2 > Corral Area**Method of Flared Gas Measurement:** Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This event was caused by the sudden, unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and maintenance practices. In this case ETC, third party downstream pipeline operator, shut in their sales gas pipeline to Oxy when potentially contaminated gas was detected and their ESD valve slammed shut. Oxy production techs received malfunction alarms and responded quickly and safely as possible. After all safe and effective purging measures were taken, did Oxy personnel determine the potentially contaminated gas in the sales gas line was the result of unexpected oxygen issues flowing from the gas wells. This event is out of OXY's control. OXY made every effort to control and minimize emissions as much as possible.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case ETC, third party downstream pipeline operator, shut in their sales gas pipeline to Oxy when potentially contaminated gas was detected and their ESD valve slammed shut. Oxy production techs received malfunction alarms and responded quickly and safely as possible. As soon as ETC sales gas line valve closed, Oxy's gas was routed to flare, for a brief duration, as an effective purging measure to remove potential contaminated gas from the sales gas line. While the gas was being purged, Oxy field and control room personnel began adjusting well optimizer injection gas rates and choking back several high GOR wells, until gas pressure stayed below the flare trigger setpoints of the facility to cease flaring. Once Oxy's gas sales lines system was purged of the potentially contaminated gas, did Oxy personnel contact ETC personnel to reopen their sales gas pipeline valve so they could begin taking gas again. This event is out of OXY's control. OXY made every effort to control and minimize emissions as much as possible.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in the corrective actions to eliminate the cause and potential reoccurrence of an ETC gas flow pipeline restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid, prevent from happening or reoccurring. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with ETC personnel during these types of situations and conduct all available safe and effective measures to rectify sudden and unexpected potential gas contamination, that is beyond Oxy's control to predict, foresee or avoid.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 356433

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 356433
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: - this application's operator, hereinafter "this operator"; - venting and/or flaring, hereinafter "vent or flare"; - any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; - the statements in (and/or attached to) this, hereinafter "the statements in this"; - and the past tense will be used in lieu of mixed past/present tense questions and statements.
--

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 356433

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:	16696
	Action Number:	356433
	Action Type:	[C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.	
Incident Well	Unavailable.
Incident Facility	[fAPP2126641362] CORRAL #1 COMP STATION

Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Gas Flare Meter - Emergency Flare > Downstream Activity > ETC > O2 > Corral Area

Representative Compositional Analysis of Vented or Flared Natural Gas Please provide the mole percent for the percentage questions in this group.	
Methane (CH4) percentage	73
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (C02) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (C02) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 356433

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID:
	16696
	Action Number:
	356433
Action Type:	
[C-129] Venting and/or Flaring (C-129)	

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	06/10/2024
Time vent or flare was discovered or commenced	09:20 AM
Time vent or flare was terminated	09:55 AM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 295 Mcf Recovered: 0 Mcf Lost: 295 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Yes
Was notification of downstream activity received by this operator	No
Downstream OGRID that should have notified this operator	[267255] ENERGY TRANSFER PARTNERS, LP
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	This event was caused by the sudden, unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and maintenance practices. In this case ETC, third party downstream pipeline operator, shut in their sales gas pipeline to Oxy when potentially contaminated gas was detected and their ESD valve slammed shut. Oxy production techs received malfunction alarms and responded quickly and safely as possible. After all safe and effective purging measures were taken, did Oxy personnel determine the potentially contaminated gas in the sales gas line was the result of unexpected oxygen issues flowing from the gas wells. This event is out of OXY's control. OXY made every effort to control and minimize emissions as much as possible.
	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, as the part of the overall process or steps to take to limit duration and magnitude of flaring. Internal OXY procedures ensure that upon notice of flaring, malfunction gas compressor unit and/or multiple unit shutdown alarms, increased sensor line pressure alarms, etc., field production technician personnel are promptly notified, and are instructed to assess the issue as soon as possible to take prompt corrective action and minimize emissions. Oxy production technicians must assess whether the issue or circumstance is due to damage and repair is needed, or whether there are other reasons for its cause. In this case ETC, third party downstream pipeline operator, shut in their sales gas

Steps taken to limit the duration and magnitude of vent or flare	pipeline to Oxy when potentially contaminated gas was detected and their ESD valve slammed shut. Oxy production techs received malfunction alarms and responded quickly and safely as possible. As soon as ETC sales gas line valve closed, Oxy's gas was routed to flare, for a brief duration, as an effective purging measure to remove potential contaminated gas from the sales gas line. While the gas was being purged, Oxy field and control room personnel began adjusting well optimizer injection gas rates and choking back several high GOR wells, until gas pressure stayed below the flare trigger setpoints of the facility to cease flaring. Once Oxy's gas sales lines system was purged of the potentially contaminated gas, did Oxy personnel contact ETC personnel to reopen their sales gas pipeline valve so they could begin taking gas again. This event is out of OXY's control. OXY made every effort to control and minimize emissions as much as possible.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in the corrective actions to eliminate the cause and potential reoccurrence of an ETC gas flow pipeline restriction or shut-in, as this control issue is downstream of Oxy's custody transfer point and out of Oxy's control to avoid, prevent from happening or reoccurring. OXY makes every effort to control and minimize emissions as much as possible. The only actions that Oxy can take and handle that is within its control, is to continually communicate with ETC personnel during these types of situations and conduct all available safe and effective measures to rectify sudden and unexpected potential gas contamination, that is beyond Oxy's control to predict, foresee or avoid.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 356433

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 356433
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 356433

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 356433
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	6/20/2024