

REVIEWED

By Mike Buchanan at 8:30 am, Jul 17, 2024

**2023 ANNUAL GROUNDWATER
MONITORING REPORT****D S HUGH SITE****LEA COUNTY, NEW MEXICO****UL-K, SECTION 26, T21S, R37E****PLAINS SRS#: 2000-10807****NMOCD NO.: 1R-0463****INCIDENT ID: NAPP2108838834**

Review of the 2023 Annual Groundwater Monitoring Report for D S Hugh Site: content satisfactory

1. Going forward, gauge and inspect for LNAPL on a quarterly basis in all wells that exhibit negligible product or sheens at present.

2. Continue to conduct groundwater monitoring on a quarterly basis with the exception of monitoring wells that have been approved for annual sampling events

3. Once wells are demonstrating COCs at or below the WQCC human health

standards in Title 20 of the NMAC, transition to a quarterly schedule until all eight (8) consecutive quarters below standards are achieved, and to meet closure requirements.

4 Submit the 2024 annual report to OCD electronically by May 1, 2025.

PREPARED FOR

**PLAINS**
PIPELINE, L.P.**333 CLAY STREET, SUITE 1900
HOUSTON, TEXAS 77002**

PREPARED BY

**ENTECH CONSULTING CORPORATION
21 WATERWAY AVE., SUITE 300
THE WOODLANDS, TEXAS 77380
281.362.2714
PROJECT NO. PAA12003****MAY 30, 2024**

**BILL GOLDSBY, P.G.
SENIOR PROJECT MANAGER**

**PETER V. SCHRAM, P.G
SENIOR PROJECT MANAGER**

Contents

1.0 INTRODUCTION AND OBJECTIVES	1
1.1 Objectives and Site Background	1
1.2 Previous Remedial Responses and Environmental Investigations	1
1.3 Regulatory Framework	2
1.4 Limitations	3
1.0 GROUNDWATER ASSESSMENT AND RESULTS	4
2.1 Groundwater Sampling Methodology	4
2.2 Groundwater Gauging	4
2.3 Groundwater Gradient and Flow Direction	5
2.4 Groundwater Analytical Results	5
2.5 Groundwater Waste Disposal	7
3.0 PSH RECOVERY	8
3.1 PSH Recovery Methodology	8
3.2 PSH Recovery via Pumping and Manual Bailing	8
3.3 PSH Waste Disposal	8
3.4 PSH Rebound after Recovery Efforts	8
4.0 MONITORED NATURAL ATTENUATION	9
4.1 Regulatory Framework for Monitored Natural Attenuation	9
4.2 Monitored Natural Attenuation Information	9
4.3 Mann-Kendall Analysis	10
5.0 FINDINGS	12

FIGURES

Figure 1	Site Location Map
Figure 2	Site Layout Map and Soil Boring Location Map
Figure 3A	1st Quarter 2023 – Groundwater Gradient Map, February 28, 2023
Figure 3B	2nd Quarter 2023 – Groundwater Gradient Map, May 24, 2023
Figure 3C	3rd Quarter 2023 – Groundwater Gradient Map, August 23, 2023
Figure 3D	4th Quarter 2023 – Groundwater Gradient Map, October 11, 2023
Figure 4A	2nd Quarter 2023 – Groundwater Analytical Map, May 25, 2023

Figure 4B	3rd Quarter 2023 – Groundwater Analytical Map, August 24, 2023
Figure 4C	4th Quarter 2023 – Groundwater Analytical Map, October 12, 2023
Figure 5	2015 – Benzene Isopleth Map
Figure 6	2016 – Benzene Isopleth Map
Figure 7	2017 – Benzene Isopleth Map
Figure 8	2018 – Benzene Isopleth Map
Figure 9	2019 – Benzene Isopleth Map
Figure 10	2020 – Benzene Isopleth Map
Figure 11	2021 – Benzene Isopleth Map
Figure 12	2022 – Benzene Isopleth Map
Figure 13	2023 – Benzene Isopleth Map

TABLES

Table 1	2021 - 2023 Well Survey Data and Groundwater Elevations
Table 2	Historical Groundwater Elevation and PSH Recovery Data
Table 3	2021 - 2023 Groundwater Analytical Results
Table 4	Historical Groundwater Analytical Results
Table 5	Groundwater Analytical Results for Detected Polynuclear Aromatic Hydrocarbons (PAHs) from Wells with Concentrations Exceeding NMOCD Standards
Table 6	2023 Dissolved Phase Groundwater Recovery

Appendix A 2023 Laboratory Analytical Data and Chain of Custody Documentation

Appendix B Mann-Kendall Trend Test Output Data

1.0 INTRODUCTION AND OBJECTIVES

1.1 Objectives and Site Background

On November 10, 2000, a 4-inch steel pipeline at the D S Hugh 4-inch gathering line facility (Site) released approximately twenty (20) barrels (bbls) of crude oil into the subsurface. This pipeline was formerly owned by EOTT Energy, LLC (EOTT) and is currently owned by Plains Pipeline, L.P. (Plains). The Site is located in Unit Letter K, T21S, R37E, Section 26 of Lea County, New Mexico, approximately two (2) miles east of Eunice, New Mexico (**Figure 1**) or more specifically at latitude 32° 26' 48" N and longitude 103° 08' 07" W. The affected area was reported to be approximately 200-feet by 15-feet within the pipeline right-of-way (ROW). The release that occurred at the Site on November 10, 2000, was apparently caused by corrosion of a pipeline. The release was reported by EOTT to the New Mexico Oil Conservation Division (NMOCD) on November 10, 2000, at 2:25 P.M. Approximately five (5) bbls of product were reported as recovered out of the approximately 20-bbls reported released into the subsurface.

The pipeline was repaired, and the affected soil was excavated and temporarily placed on a plastic liner. The initial response notification form (Form No. C-141), prepared by Plains, provides documentation of reporting the release to the NMOCD. Initial soil remediation activities were completed by Environmental Plus Inc. In April 2005, EarthCon Consultants, Inc. (EarthCon; formerly Premier Environmental Services Inc.) personnel completed an initial Site investigation for Plains. Details regarding the investigation were reported in EarthCon's 2005 Annual Report and are summarized below in **Section 1.2**.

This report summarizes the groundwater gauging activities, quarterly groundwater monitoring activities, and phase-separated hydrocarbon (PSH) recovery efforts which were conducted during 2023.

1.2 Previous Remedial Responses and Environmental Investigations

The previous environmental consultants for the Site were Environmental Plus Inc. and EarthCon. As of July 1, 2012, EnTech Consulting Corporation (EnTech) was retained by Plains to provide consulting services for the Site. Even though the environmental consultant for the Site has changed, the same personnel were hired by EnTech for historical knowledge, consistency, and to continue working at the Site.

Site delineation activities in 2005 included the installation of five (5) soil borings and the collection of soil samples within and adjacent to the flow path of the release. Based on the findings of the September 2005 investigation, and the surface expression of the release, three (3) groundwater monitor wells (MW-1 through MW-3) were installed in December 2005. Laboratory analysis of soil samples collected from monitor well MW-1 (December 2005), indicated total petroleum hydrocarbon (TPH) concentrations above 100 milligrams per kilogram (mg/kg) from the surface to the first water bearing zone at a depth of approximately 45-feet below ground surface (bgs). In May 2006, further soil investigation was conducted by EarthCon to delineate the extent of

hydrocarbon contamination in soil. During this investigation, monitor wells MW-4 through MW-7 were installed (**Figure 2**).

A *Soil Remediation Plan* was submitted to and approved by the NMOCD in May 2006. The objective of the *Soil Remediation Plan* was to excavate the most contaminated soils, isolate and control residual chemicals of concern (COCs) in the soil and to prevent further impact to groundwater by the placement of an impermeable liner at the base of the excavation. The remediation plan was implemented in October 2006 and a *Soil Closure Report* was prepared by EarthCon and submitted in March 2007. Details of the activities can be found in the following reports submitted to the NMOCD:

- April 13, 2006, *Groundwater Delineation Investigation – March 2006* (letter report to Plains)
- May 2006 *Soil Remediation Plan*
- June 6, 2006, *Soil Investigation Results* (letter report to Plains)
- March 2007 *Soil Closure Report*

Quarterly groundwater monitoring was implemented for the Site in 2006 and continues to date. Groundwater PSH recovery was conducted on a weekly basis on monitor well MW-1. Monitor well MW-4 was initially gauged weekly in 2011 due to measurable amounts of PSH. Gauging of the well was reduced to a monthly basis when PSH was no longer observed. Approximately 1,335-gallons of water containing dissolved phase hydrocarbons and 70-gallons of entrained PSH were recovered from monitor well MW-1 in 2013. Approximately 70-gallons of PSH and 1,125-gallons total of affected groundwater were recovered from the wells containing PSH or sheen during 2014.

To increase the PSH recovery efforts at the Site, two (2) additional recovery wells were installed in August 2014 in the vicinity of monitor well MW-1 (RW-1 and RW-2).

Between 2014 and 2023, Site activities included monitor well gauging and sampling, and PSH recovery.

Groundwater and PSH recovery for 2023 is presented below in **Section 2**. This report summarizes the activities conducted in 2023 for groundwater sampling and analysis and PSH recovery activities.

1.3 Regulatory Framework

Based on standards outlined in New Mexico Administrative Code (NMAC), Title 20, Chapter 6, Part 2, the remediation criteria for groundwater at the Site are as follows:

Chemical of Concern	Limit (mg/L)
Benzene	0.01
Toluene	0.75
Ethylbenzene	0.75
Total Xylenes	0.62
Polynuclear Aromatic Hydrocarbons (PAH) ^(1,2)	0.03
Benzo-a-pyrene ⁽²⁾	0.0007

1 – PAHs: Total naphthalenes plus monomethylnaphthalenes

2 – PAH remediation standards will be used as target concentrations only upon PSH removal.

In addition to using the above values as the target cleanup goals for COC concentrations in groundwater at the Site, PSH removal has been an integral part of ongoing remediation activities.

1.4 Limitations

EnTech has examined and relied upon the historical information provided by Plains and their contractors, and conversations with Plains personnel and their contractors familiar with the Site. EnTech has not conducted an independent examination of the information contained in external project files or that provided by Plains or their contract personnel. EnTech has prepared this report using the level of care and professionalism in the industry for similar projects under similar conditions. EnTech believes the conclusions stated herein are factual, but no guarantee is made or implied.

2. ASSESSMENT AND RESULTS

2.1 Groundwater Sampling Methodology

Activities conducted at the Site in 2023 primarily consisted of gauging wells for groundwater levels, determining the presence or absence of PSH, and recovery of product using absorbent socks, hand bailing, and submersible pumps. Groundwater sampling of PSH-free monitor and recovery wells was also completed on a periodic basis in 2023 to evaluate the extent of the dissolved-phase hydrocarbon plume.

Measurements of the depth to groundwater and product thickness in wells with hydrocarbon sheen or PSH were completed during the PSH recovery events and groundwater sampling events. Seven (7) monitor wells (MW-1 through MW-7) and two (2) recovery wells (RW-1 and RW-2) were gauged using an electronic oil/water interface probe. The well locations are shown on **Figure 2**.

Groundwater level elevations and the presence of PSH, if any, were noted for each well during the gauging events conducted in 2023. In cases where no measurable PSH was detected by the interface probe, the downhole sensor of the probe was examined for the presence of PSH upon removal from the well. A sheen was present during both the third and fourth quarter 2023 sampling events in MW-1 and RW-1; neither well was sampled during those two (2) quarters. Recovery well (RW-2), reported a sheen of PSH during the first, third, and fourth quarterly gauging events in 2023, but not during the 2nd quarter groundwater sampling event. Based on the PAH analytical results in the first quarter 2023 no further PAH analysis will be conducted.

Except as noted above, groundwater monitor wells not exhibiting PSH, or a hydrocarbon sheen were gauged and sampled quarterly with the exception of MW-2, MW-3, MW-6, and MW-7. In a May 10, 2023 correspondence from NMOCD to Plains, MW-2, MW-3, MW-6, and MW-7 are to be sampled annually. After collecting and recording groundwater levels and PSH thicknesses, each well was purged with a clean electric submersible pump or hand bailed using a clean disposable bailer, and groundwater samples were collected using a new dedicated disposable bailer. Groundwater samples were analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX).

Groundwater samples were transferred directly from the disposable bailers into the appropriate laboratory-supplied sample containers. The sample containers were then packaged to prevent breakage, placed on ice in a cooler, and shipped to Pace Analytical National (Pace) in Mount Juliet, Tennessee for analysis. The groundwater samples were analyzed for BTEX by Environmental Protection Agency (EPA) Method SW 846-8260B and PAHs by EPA Method SW 8270C.

2.2 Groundwater Gauging

Table 1 summarizes groundwater gauging (elevation and PSH thickness) measurements recorded before each quarterly event in 2023. Groundwater elevations and PSH thickness

measurements were recorded for monitor well MW-1 and recovery wells RW-1 and RW-2 in January, February, May, July, August, and October 2023. Groundwater elevation measurements were recorded quarterly for all monitor and recovery wells (MW-1 through MW-7, RW-1, and RW-2) in 2023. Complete historical groundwater elevation and PSH thickness measurements since September 21, 2005, are presented in **Table 2**. The groundwater elevation calculations are based on the top of polyvinyl chloride (PVC) well casing elevations, which were last surveyed on March 15, 2005, by EarthCon, the previous consultant.

2.3 Groundwater Gradient and Flow Direction

Using the groundwater gauging data summarized in **Table 1**, groundwater gradient maps were prepared and are included as **Figures 3A** through **3D**. The calculated groundwater gradient and estimated groundwater flow direction are based on the gauging data obtained on February 28, May 24-June 1, August 23-24 and 31, and October 11 and November 15, 2023. The hydraulic gradient in 2023 ranged from 0.0027 to 0.0059 feet/foot (ft/ft), based on groundwater elevations measured between monitor wells MW-2 and MW-6. The groundwater gradient and flow direction to the east-southeast across the Site during 2023 are similar to the gradient and direction observed during the previous five (5) years.

2.4 Groundwater Analytical Results

Groundwater samples were collected from all monitor and recovery wells during the 2nd quarter 2023 sampling event only (see **Table 3**). The monitor wells were purged by removing a minimum of three (3) to five (5) well volumes of groundwater, or depending on groundwater conditions, bailed dry three (3) times using a disposable bailer and allowed to recover to at least 80% of the initial volume before collecting samples.

First Quarter 2023

During the first quarterly 2023 sampling event, laboratory analysis of groundwater samples collected from MW-1, MW-4, MW-5, and RW-1 were mistakenly sampled for PAHs instead of BTEX and TPH

Second Quarter 2023

During the second quarterly sampling event, laboratory analysis of groundwater samples collected from monitor well MW-1 indicated a benzene concentration of 0.0125 (milligrams per liter (mg/L) which exceeds the NMOCD criteria of 0.01 mg/L. Benzene concentrations were analyzed at nondetectable levels or levels below the NMOCD criteria in all other monitor and recovery wells. Concentrations of toluene, ethylbenzene, and total xylenes in groundwater samples collected from all monitor wells in the second quarterly sampling event occurred at nondetectable levels or levels below the NMOCD remediation criteria.

Third Quarter 2023

During the third quarterly sampling event, laboratory analysis of groundwater samples collected from monitor wells MW-2 through MW-7 indicated nondetectable BTEX concentrations or levels below the NMOCD remediation criteria.

Fourth Quarter 2023

During the fourth quarterly sampling event, laboratory analysis of the groundwater samples collected from monitor wells MW-2 through MW-7 reported nondetectable BTEX concentrations or levels below the NMOCD remediation criteria.

The 2023 analytical results are presented in **Table 3** with historical analytical results presented in **Table 4**. **Table 2.4.1** below summarizes the benzene concentrations reported in 2023. Benzene concentrations reported in exceedance of NMOCD standards are marked in **bold**.

Table 2.4.1				
2023 COC Concentrations (mg/L)				
2023	First Quarter	Second Quarter	Third Quarter	Fourth Quarter
	Benzene	Benzene	Benzene	Benzene
NMOCD Remediation Criteria (mg/L)	0.01	0.01	0.01	0.01
MW-1	NS	0.0125	NS	NS
MW-6	NS	<0.0000941	0.000188 J	<0.000493
RW-1	NS	0.000424 J	NS	NS
RW-2	NS	<0.0000941	NS	NS

Note: Concentrations in **bold** indicate exceedances of NMOCD Remediation criteria.

NS = not sampled.

The 2023 laboratory analytical reports are provided in **Appendix A**. The groundwater analytical data and PSH thickness data for each quarterly sampling event for 2023 are illustrated on **Figures 4A through 4C**.

From 2008 through 2021, NMOCD required Plains to analyze for BTEX and PAH constituents in the dissolved phase groundwater in wells with hydrocarbon sheen or wells which exceeded NMOCD remediation standards. To meet this requirement groundwater samples were collected from monitor wells MW-1 and recovery wells RW-1 and RW-2 during the second quarter and analyzed for BTEX constituents (see **Tables 3 and 4** for analytical data) as well as PAHs (see **Table 5**).

The NMOCD requires annual PAH analysis be conducted on each monitor well until laboratory analysis indicates the PAH concentrations are below the NMOCD remediation criteria for the constituent sampled.

Copies of the laboratory analytical data packages are included in **Appendix A**.

2.5 Groundwater Waste Disposal

Purge water from well sampling at wells MW-1 through MW-7 and RW-1 and RW-2 was placed in the 1,100-gallon above ground storage tank (AST). These liquids are vacuumed from the tank and transported off-Site for disposal by K&S of Eunice, New Mexico on an as needed basis. No fluids were removed from the Site in 2023.

3.0 PSH RECOVERY

3.1 PSH Recovery Methodology

In addition to collecting groundwater samples in 2023, EnTech performed regular visits to the Site to gauge and recover PSH from three (3) wells previously exhibiting PSH/sheen (MW-1, RW-1, and RW-2). Measurements of PSH and water levels were recorded during each Site visit (see **Table 2**). PSH recovery activities were completed using submersible pumps, hand bailer and/or absorbent socks. Routine PSH recovery activities typically consisted of the removal of less than 1-gallon of PSH and 10- to 20-gallons of groundwater with possible dissolved-phase hydrocarbons from each well. A sheen of PSH was observed in monitor well MW-1 during the August and October 2023 gauging events. PSH was also observed in recovery well RW-2 during 2023 ranging from a sheen to 0.02-foot.

3.2 PSH Recovery via Pumping and Manual Bailing

During 2023, PSH was observed in monitor well MW-1 (sheen), and recovery wells RW-1 (0.02-foot), and RW-2 (sheen). In general, stable, or slightly fluctuating trends in the PSH thickness has been observed for these wells. Monthly recovery data for PSH and dissolved phase groundwater are presented in **Table 6**.

A stable trend in the PSH thickness in monitor well MW-1 was observed during 2023 with only a sheen being recorded in August and October 2023.

A stable trend in the PSH thickness in recovery wells RW-1 and RW-2 was observed in 2023. The maximum PSH thicknesses in both recovery wells was recorded at 0.02-foot.

3.3 PSH Waste Disposal

PSH was observed during recovery events in 2023 ranging from a sheen to 0.02-foot. As summarized in Table 6, approximately 211-gallons of affected groundwater was recovered from monitor well MW-1 and recovery wells RW-1 and RW-2. Recovered liquids are stored in an 1,100-gallon aboveground storage tank (AST) on-Site until collected and transported for off-Site disposal by K&S of Eunice, New Mexico, on an as needed basis. Fluids were not removed from the Site in 2023.

3.4 PSH Rebound after Recovery Efforts

During 2023, PSH recovery efforts did not exhibit significant PSH rebound. The PSH rebound analysis conducted in 2021 indicated exceptionally low rates of PSH moving from the formation into the wells, suggesting routine PSH recovery is not practicable.

In addition, the PSH plume is not expanding, and the dissolved phase plume is stable and decreasing as evidenced by laboratory results and Monitored Natural Attenuation (MNA) data which is discussed in the following section.

4.0 MONITORED NATURAL ATTENUATION

4.1 Regulatory Framework for Monitored Natural Attenuation

Monitored Natural Attenuation (MNA) is defined by the New Mexico Environmental Department (NMED) in 20.5.13 NMAC as “a methodology for remediation that relies upon a variety of naturally occurring chemical, physical and biological processes to achieve target concentrations in a manner that is equally as protective of public health, safety and welfare, and the environment as other methods and that is accompanied by a program of monitoring to document the process and results of the above mentioned processes.”

As part of the MNA process, several lines of evidence need to be evaluated. The general lines of evidence are listed below:

- **Primary Lines of Evidence (PLOE).** Relies on use of historical groundwater data that demonstrates a clear trend of stable or decreasing chemical of concern (COC) concentrations over time and with distance away from the source at appropriate monitoring or sampling points.
- **Secondary Lines of Evidence (SLOE).** Uses geochemical indicators to document certain geochemical signatures or “footprints” in the groundwater that demonstrate (indirectly) the type of natural attenuation process(es) occurring at the affected property and the destruction of COCs; or uses distance-based/time-based/biodegradation rate calculations to demonstrate attenuation.
- **Other Lines of Evidence (OLOE).** Most often consists of predictive modeling studies and other lab/field studies that demonstrate an understanding of the natural attenuation process(es) occurring at the affected property and their effectiveness in controlling PCLE zone migration and decreasing COC concentrations.

4.2 Monitored Natural Attenuation Information

Analysis for geochemical parameters, such as dissolved oxygen (DO), nitrate (NO₃), sulfate (SO₄²⁻), and ferrous iron (Fe²⁺), was not completed in 2023.

In addition to the MNA evaluations performed previously for the Site, other PLOEs exist, including:

- Laboratory analysis of the groundwater samples collected from the monitor wells down-gradient of the plume (MW-6 and MW-7) from 2007 through 2023 reported nondetectable benzene concentrations or concentrations below the NMOCD Remediation Criteria; and,
- Analysis of groundwater samples collected from cross-gradient monitor wells (MW-2 and MW-5) from 2010 through 2023 reported nondetectable benzene concentrations or concentrations below the NMOCD Remediation Criteria.

Understanding plume stability is an important step in the remedial planning process for a Site. For instance, an increasing plume could potentially migrate to human or environmental receptors, whereas a stable or decreasing plume may not pose an imminent threat to human health and the

environment. An introduction to plume stability analysis and the basis for the plume evaluation at the Site was presented in the 2009 Annual report. This analysis is conducted periodically to understand the overall stability of the benzene plume during 2006 through 2023. . This report includes the development of benzene concentration isopleths maps for each year and performance of Mann-Kendall Trend Test (MKTT).

The benzene concentrations utilized for the 2023 concentration isopleth map (**Figure 1**) were developed from the average of the benzene concentrations reported in the quarterly groundwater sampling events and was used for all the PSH-free monitor wells (monitor wells MW-1 through MW-7, and recovery wells RW-1 and RW-2).

The benzene isopleth maps for 2015 through 2023 are presented in **Figures 5 through 13**, respectively.

4.3 Mann-Kendall Analysis

The MKTT is a statistical method used to analyze data collected over time for consistently increasing or decreasing trends. It is a non-parametric test, which means it works for all distributions (i.e., the data does not have to meet the assumption of normality), but the data should have no serial correlation.

The test can be used to find trends for as few as four (4) samples. However, with only a few data points, the test has a high probability of not finding a trend when one would be present if more points were provided. The more data points available, the more likely the test is going to find a true trend. The minimum number of recommended measurements is therefore at least eight (8) to ten (10) (Reference: Prashanth Khambhammettu: "Mann-Kendall Analysis for the Fort Ord Site", HydroGeoLogic, Inc.-OU-1 2004 Annual Groundwater Monitoring Report-Former Fort Ord, California, 2005).

Concentrations of benzene analyzed in groundwater samples collected from the Site between June 6, 2014, and October 12, 2023, were evaluated using the MKTT. Only monitor wells with detectable concentrations of benzene were evaluated.

Wells evaluated by MKTT for benzene included monitor well MW-1 and recovery wells RW-1 and RW-2. The confidence factor [CF] of each analyte and monitor/recovery well is listed in the table below.

Benzene Evaluation		
Well ID	Confidence Factor	Trend
MW-1	90.7%	Prob. Decreasing
RW-1	98.5%	Decreasing
RW-2	98.7%	Decreasing

A copy of the MKTT analysis is included in **Appendix B**.

As a PLOE, dissolved phase plume reported at the Site was evaluated by analyzing groundwater samples collected quarterly from six (6) PSH-free monitor wells. A review of the data indicates:

- Nondetectable benzene concentrations or concentrations below the NMOCD criteria from March 1, 2007, through October 12, 2023, for monitor wells MW-2, MW-3, and MW-5 through MW-7; and,
- Nondetectable benzene concentrations or concentrations below the NMOCD criteria were reported from September 11, 2012, through March 8, 2018, for monitor well MW-4. However, benzene concentrations above the NMOCD Remediation Criteria were reported during the November 30, 2018 and August 28, 2019 sampling events. Benzene concentrations have been reported at nondetectable levels in monitor well MW-4 from November 20, 2019, through October 12, 2023.

5.0 FINDINGS AND RECOMMENDATIONS

Findings and recommendations resulting from 2023 groundwater monitoring at the DS Hugh Site are summarized below.



- Groundwater flow in the uppermost groundwater-bearing unit is to the east-southeast ranging from 0.0027 to 0.0059 ft/ft as measured between wells MW-2 and MW-6.
- Analytical results for groundwater samples collected from six (6) monitor wells (MW-2 through MW-7) reported nondetectable benzene or concentrations below the NMOCD Remediation Criteria. Laboratory analysis of the groundwater samples collected from recovery wells RW-1 and RW-2 during the May 2023 sampling event reported nondetectable benzene concentrations or concentrations below the NMOCD Remediation Criteria. Monitor well MW-1 exhibited benzene concentrations above the NMOCD Remediation Criteria during the second quarterly 2023 sampling event.
- PSH recovery from monitor well MW-1 and recovery wells RW-1 and RW-2 continued during 2023, and the volume recovered is negligible. PSH recovery of visible sheens or measurable thicknesses was completed during 2023 and an immeasurable amount of PSH and 211-gallons of impacted groundwater was collected.
- The PSH plume has remained in the historical source area, located in the vicinity of monitor well MW-1 and does not appear to be migrating downgradient.

Based on PSH recovery data and groundwater sampling completed during 2023 (and previously) at the Site, EnTech recommends the following:

- PSH recovery from monitor well MW-1 and recovery wells RW-1 and RW-2 should be discontinued as the levels of PSH have significantly diminished. Future PSH recovery should be conducted on a quarterly basis if present.
- Groundwater monitoring should continue on a quarterly basis, with the exception of monitor wells MW-2, MW-3, MW-6, and MW-7, which will be sampled on an annual basis as approved by the NMOCD.

FIGURES

Figure 1	Site Location Map
Figure 2	Site Layout Map and Soil Boring Location Map
Figure 3A	1st Quarter 2023– Groundwater Gradient Map, February 28, 2023
Figure 3B	2nd Quarter 2023 – Groundwater Gradient Map, May 24, 2023
Figure 3C	3rd Quarter 2023 – Groundwater Gradient Map, August 23, 2023
Figure 3D	4th Quarter 2023 – Groundwater Gradient Map, October 11, 2023
Figure 4A	2nd Quarter 2023– Groundwater Analytical Map, May 25 and 30, 2023
Figure 4B	3rd Quarter 2023– Groundwater Analytical Map, August 24, 2023
Figure 4C	4th Quarter 2023 – Groundwater Analytical Map, October 12, 2023
Figure 5	2015 Benzene Isopleth Map
Figure 6	2016 Benzene Isopleth Map
Figure 7	2017 Benzene Isopleth Map
Figure 8	2018 Benzene Isopleth Map
Figure 9	2019 Benzene Isopleth Map
Figure 10	2020 Benzene Isopleth Map
Figure 11	2021 Benzene Isopleth Map
Figure 12	2022 Benzene Isopleth Map
Figure 13	2023 Benzene Isopleth Map





EnTech
Houston, TX • (281) 362-2714


Figure 1
Site Location Map
D.S. Hugh Gathering 4" Line
SRS. No.: 2000-10807
Plains Pipeline, L.P.
Lea County, New Mexico

PROJ. NO: PAA12003

DATE: 12/22












Figure 3C
 3rd Quarter 2023 - Groundwater Gradient Map
 August 23, 2023
 D.S. Hugh Gathering 4" Line
 SRS. No.: 2000-10807
 Plains Pipeline, L.P.
 Lea County, New Mexico

PROJ. NO: PAA12003

DATE: 8/23






LEGEND:
● MW- - MONITOR WELL LOCATIONS
--- - FORMER EXCAVATION EXTENT

Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
NMOCD Remediation Criteria			
0.01	0.75	0.75	0.62

Concentrations in **BOLD** exceed the NMOCD Remediation Criteria for the Site.
NS - Not Sampled







Houston, TX • (281) 362-2714

Figure 4A
2nd Quarter 2023 - Groundwater Analytical Map
May 25 & 30, 2023
D.S. Hugh Gathering 4" Line
SRS. No.: 2000-10807
Plains Pipeline, L.P.
Lea County, New Mexico

PROJ. NO: PAA12003 DATE: 8/23



Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-3	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132



Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-5	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-4	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132


Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-6	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-7	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

LEGEND:
● MW- - MONITOR WELL LOCATIONS
--- - FORMER EXCAVATION EXTENT

Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
NMOCD Remediation Criteria			
0.01	0.75	0.75	0.62

Concentrations in **BOLD** exceed the NMOCD Remediation Criteria for the Site.
NS - Not Sampled






Houston, TX • (281) 362-2714

Figure 4C
4th Quarter 2023 - Groundwater Analytical Map
October 12, 2023
D.S. Hugh Gathering 4" Line
SRS. No.: 2000-10807
Plains Pipeline, L.P.
Lea County, New Mexico


PROJ. NO: PAA12003 DATE: 8/23



LEGEND:
● MW- - MONITOR WELL LOCATIONS
--- - FORMER EXCAVATION EXTENT

Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
NMOCD Remediation Criteria			
0.01	0.75	0.75	0.62

Concentrations in **BOLD** exceed the NMOCD Remediation Criteria for the Site.
NS - Not Sampled







Houston, TX • (281) 362-2714

Figure 4B
3rd Quarter 2023 - Groundwater Analytical Map
August 24, 2023
D.S. Hugh Gathering 4" Line
SRS. No.: 2000-10807
Plains Pipeline, L.P.
Lea County, New Mexico

PROJ. NO: PAA12003 DATE: 8/23



Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-3	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132



Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-5	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-4	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132


Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-6	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-7	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

LEGEND:
● MW- - MONITOR WELL LOCATIONS
--- - FORMER EXCAVATION EXTENT

Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
NMOCD Remediation Criteria			
0.01	0.75	0.75	0.62

Concentrations in **BOLD** exceed the NMOCD Remediation Criteria for the Site.
NS - Not Sampled







Houston, TX • (281) 362-2714

Figure 4C
4th Quarter 2023 - Groundwater Analytical Map
October 12, 2023
D.S. Hugh Gathering 4" Line
SRS. No.: 2000-10807
Plains Pipeline, L.P.
Lea County, New Mexico

PROJ. NO: PAA12003 DATE: 8/23



Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-3	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132



Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-5	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-4	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132


Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-6	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

Well Number	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
MW-7	10/12/23	<0.000493	<0.000462	<0.000998	<0.00132

LEGEND:
● MW- - MONITOR WELL LOCATIONS
--- - FORMER EXCAVATION EXTENT

Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
NMOCD Remediation Criteria			
0.01	0.75	0.75	0.62

Concentrations in **BOLD** exceed the NMOCD Remediation Criteria for the Site.
NS - Not Sampled








Houston, TX • (281) 362-2714


Figure 4D
4th Quarter 2023 - Groundwater Analytical Map
October 12, 2023
D.S. Hugh Gathering 4" Line
SRS. No.: 2000-10807
Plains Pipeline, L.P.
Lea County, New Mexico


PROJ. NO: PAA12003 DATE: 8/23























TABLES

Table 1	2021 – 2023 Well Survey Data and Groundwater Elevations
Table 2	Historical Groundwater Elevation and PSH Recovery Data
Table 3	2021 - 2023 Groundwater Analytical Results
Table 4	Historical Groundwater Analytical Results
Table 5	Groundwater Analytical Results for Detected Polynuclear Aromatic Hydrocarbons (PAHs) from Wells with Concentrations Exceeding NMOCD Standards
Table 6	2023 Dissolved Phase Groundwater Recovery
Table 7	MNA Parameters

TABLE 1
2021 -2022 Well Survey Data and Groundwater Elevations
Plains Marketing, L.P.
DS Hugh Site
SRS #2000-10807
Lea County, New Mexico

Well Number	Date Measured	Top of Casing Elevation (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
						PSH	H ₂ O		
MW-1	03/24/21	3389.00	sheen	44.98	sheen	sheen	10.00	3344.02	
MW-1	06/29/21	3389.00	44.90	44.92	0.02	sheen	10.00	3344.10	Sampled
MW-1	08/27/21	3389.00	sheen	45.08	sheen	sheen	10.00	3343.92	
MW-1	12/02/21	3389.00	46.18	46.22	0.04	sheen	10.00	3342.81	
MW-1	03/16/22	3389.00	ND	45.20	ND	ND	10.00	3343.80	Sampled
MW-1	06/01/22	3389.00	ND	45.30	ND	ND	10.00	3343.70	Sampled
MW-1	08/31/22	3389.00	ND	45.62	ND	ND	10.00	3343.38	Sampled
MW-1	11/15/22	3389.00	ND	45.82	ND	ND	10.00	3343.18	Sampled
MW-1	01/11/23	3389.00	ND	45.80	ND	ND	10.00	3343.20	
MW-1	02/28/23	3389.00	ND	45.75	ND	ND	9.00	3343.25	
MW-1	05/24/23	3389.00	ND	45.60	ND	NA	NA	3343.40	
MW-1	07/19/23	3389.00	ND	45.48	ND	ND	10.00	3343.52	
MW-1	08/23/23	3389.00	sheen	45.96	sheen	NA	NA	3343.04	
MW-1	10/12/23	3389.00	sheen	46.10	sheen	NA	NA	3342.90	
MW-2	03/24/21	3388.38	ND	45.01	ND	NA	NA	3343.37	Sampled
MW-2	06/29/21	3388.38	ND	44.96	ND	NA	NA	3343.42	Sampled
MW-2	08/27/21	3388.38	ND	45.15	ND	NA	NA	3343.23	Sampled
MW-2	12/02/21	3388.38	ND	45.25	ND	NA	NA	3343.13	Sampled
MW-2	03/16/22	3388.38	ND	45.25	ND	NA	NA	3343.13	Sampled
MW-2	06/01/22	3388.38	ND	45.31	ND	NA	NA	3343.07	Sampled
MW-2	08/31/22	3388.38	ND	45.68	ND	NA	NA	3342.70	Sampled
MW-2	11/15/22	3388.38	ND	45.28	ND	NA	NA	3343.10	Sampled
MW-2	02/28/23	3388.38	ND	45.02	ND	NA	NA	3343.36	
MW-2	05/24/23	3388.38	ND	45.66	ND	NA	7.00	3342.72	
MW-2	08/23/23	3388.38	ND	46.05	ND	NA	7.00	3342.33	Sampled
MW-2	10/12/23	3388.38	ND	46.15	ND	NA	6.00	3342.23	Sampled
MW-3	03/24/21	3388.52	ND	45.34	ND	NA	NA	3343.18	Sampled
MW-3	06/29/21	3388.52	ND	45.31	ND	NA	NA	3343.21	Sampled
MW-3	08/27/21	3388.52	ND	45.51	ND	NA	NA	3343.01	Sampled
MW-3	12/02/21	3388.52	ND	45.62	ND	NA	NA	3342.90	Sampled
MW-3	03/16/22	3388.52	ND	45.62	ND	NA	NA	3342.90	Sampled
MW-3	06/01/22	3388.52	ND	45.66	ND	NA	NA	3342.86	Sampled
MW-3	08/31/22	3388.52	ND	46.04	ND	NA	NA	3342.48	Sampled
MW-3	11/15/22	3388.52	ND	46.21	ND	NA	NA	3342.31	Sampled
MW-3	02/28/23	3388.52	ND	46.16	ND	NA	NA	3342.36	
MW-3	05/24/23	3388.52	ND	46.01	ND	NA	NA	3342.51	
MW-3	08/23/23	3388.52	ND	46.42	ND	NA	7.00	3342.10	Sampled
MW-3	10/12/23	3388.52	ND	46.51	ND	NA	6.00	3342.01	Sampled
MW-4	03/24/21	3388.92	ND	46.11	ND	NA	NA	3342.81	Sampled
MW-4	06/29/21	3388.92	ND	46.08	ND	NA	NA	3342.84	Sampled
MW-4	08/27/21	3388.92	ND	46.25	ND	NA	NA	3342.67	Sampled
MW-4	12/02/21	3388.92	ND	46.36	ND	NA	NA	3342.56	Sampled
MW-4	03/16/22	3388.92	ND	46.35	ND	NA	NA	3342.57	Sampled
MW-4	06/01/22	3388.92	ND	46.42	ND	NA	NA	3342.50	Sampled
MW-4	08/31/22	3388.92	ND	46.76	ND	NA	NA	3342.16	Sampled
MW-4	11/15/22	3388.92	ND	47.15	ND	NA	NA	3341.77	Sampled
MW-4	02/28/23	3388.92	ND	46.90	ND	NA	6.00	3342.02	Sampled
MW-4	05/24/23	3388.92	ND	46.74	ND	NA	6.00	3342.18	Sampled
MW-4	08/23/23	3388.92	ND	47.10	ND	NA	6.00	3341.82	Sampled
MW-4	10/11/23	3388.92	ND	47.21	ND	NA	6.00	3341.71	Sampled
MW-5	03/24/21	3389.40	ND	46.51	ND	NA	NA	3342.89	Sampled
MW-5	06/29/21	3389.40	ND	46.48	ND	NA	NA	3342.92	Sampled
MW-5	08/27/21	3389.40	ND	46.63	ND	NA	NA	3342.77	Sampled
MW-5	12/02/21	3389.40	ND	46.75	ND	NA	NA	3342.65	Sampled
MW-5	03/16/22	3389.40	ND	46.76	ND	NA	NA	3342.64	Sampled
MW-5	06/01/22	3389.40	ND	46.80	ND	NA	NA	3342.60	Sampled
MW-5	08/31/22	3389.40	ND	46.80	47.16	NA	NA	3342.60	Sampled
MW-5	11/15/22	3389.40	ND	47.35	47.16	NA	NA	3342.05	Sampled
MW-5	01/11/23	3389.40	ND	47.28	ND	NA	NA	3342.12	Sampled
MW-5	02/28/23	3389.40	ND	47.28	ND	NA	6.00	3342.12	Sampled
MW-5	05/24/23	3389.40	ND	47.13	ND	NA	6.00	3342.27	Sampled
MW-5	08/23/23	3389.40	ND	47.50	ND	NA	5.00	3341.90	Sampled
MW-5	10/11/23	3389.40	ND	47.61	ND	NA	5.00	3341.79	Sampled
MW-6	03/24/21	3389.72	ND	47.16	ND	NA	NA	3342.56	Sampled
MW-6	06/29/21	3389.72	ND	46.12	ND	NA	NA	3343.60	Sampled
MW-6	08/27/21	3389.72	ND	47.28	ND	NA	NA	3342.44	Sampled

TABLE 1
 2021 -2022 Well Survey Data and Groundwater Elevations
 Plains Marketing, L.P.
 DS Hugh Site
 SRS #2000-10807
 Lea County, New Mexico

Well Number	Date Measured	Top of Casing Elevation (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
						PSH	H ₂ O		
MW-6	12/02/21	3389.72	ND	47.39	ND	NA	NA	3342.33	Sampled
MW-6	03/16/22	3389.72	ND	47.40	ND	NA	NA	3342.32	Sampled
MW-6	06/01/22	3389.72	ND	47.45	ND	NA	NA	3342.27	Sampled
MW-6	08/31/22	3389.72	ND	47.79	ND	NA	NA	3341.93	Sampled
MW-6	11/15/22	3389.72	ND	47.31	ND	NA	NA	3342.41	Sampled
MW-6	02/28/23	3389.72	ND	47.91	ND	NA	NA	3341.81	
MW-6	05/24/23	3389.72	ND	47.80	ND	NA	NA	3341.92	Sampled
MW-6	08/23/23	3389.72	ND	48.11	ND	NA	5.00	3341.61	Sampled
MW-6	10/11/23	3389.72	ND	48.22	ND	NA	5.00	3341.50	Sampled
MW-7	03/24/21	3389.28	ND	46.73	ND	NA	NA	3342.55	Sampled
MW-7	06/29/21	3389.28	ND	46.70	ND	NA	NA	3342.58	Sampled
MW-7	08/27/21	3389.28	ND	46.85	ND	NA	NA	3342.43	Sampled
MW-7	12/02/21	3389.28	ND	46.97	ND	NA	NA	3342.31	Sampled
MW-7	03/16/22	3389.28	ND	46.96	ND	NA	NA	3342.32	Sampled
MW-7	06/01/22	3389.28	ND	47.00	ND	NA	NA	3342.28	Sampled
MW-7	08/31/22	3389.28	ND	47.35	ND	NA	NA	3341.93	Sampled
MW-7	11/15/22	3389.28	ND	46.90	ND	NA	NA	3342.38	Sampled
MW-7	02/28/23	3389.28	ND	47.50	ND	NA	NA	3341.78	
MW-7	05/24/23	3389.28	ND	47.34	ND	NA	NA	3341.94	Sampled
MW-7	08/23/23	3389.28	ND	47.71	ND	NA	4.00	3341.57	Sampled
MW-7	10/11/23	3389.28	ND	47.81	ND	NA	4.00	3341.47	Sampled
RW-1	03/24/21	3389.34	ND	46.32	ND	NA	10.00	3343.02	Sampled
RW-1	06/29/21	3389.34	ND	46.28	ND	NA	10.00	3343.06	Sampled
RW-1	08/27/21	3389.34	ND	46.44	ND	NA	10.00	3342.90	Sampled
RW-1	12/02/21	3389.34	ND	46.55	ND	NA	NA	3342.79	Sampled
RW-1	03/16/22	3389.34	ND	46.55	ND	NA	NA	3342.79	Sampled
RW-1	06/01/22	3389.34	ND	46.65	ND	NA	NA	3342.69	Sampled
RW-1	08/31/22	3389.34	ND	46.96	ND	NA	NA	3342.38	Sampled
RW-1	11/15/22	3389.34	ND	47.15	ND	NA	NA	3342.19	Sampled

TABLE 1
 2021 -2022 Well Survey Data and Groundwater Elevations
 Plains Marketing, L.P.
 DS Hugh Site
 SRS #2000-10807
 Lea County, New Mexico

Well Number	Date Measured	Top of Casing Elevation (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
						PSH	H ₂ O		
RW-1	01/11/23	3389.34	ND	47.12	ND	NA	10.00	3342.22	
RW-1	02/28/23	3389.34	ND	47.10	ND	NA	34.00	3342.24	Sampled
RW-1	05/24/23	3389.34	ND	46.96	ND	NA	35.00	3342.38	Sampled
RW-1	07/19/23	3389.34	ND	47.02	ND	NA	10.00	3342.32	
RW-1	08/23/23	3389.34	ND	47.32	ND	NA	10.00	3342.02	
RW-1	10/11/23	3389.34	47.40	47.42	0.02	NA	10.00	3341.94	
RW-2	03/24/21	3389.06	ND	46.08	ND	NA	10.00	3342.98	Sampled
RW-2	06/29/21	3389.06	ND	46.02	ND	NA	10.00	3343.04	Sampled
RW-2	08/27/21	3389.06	ND	46.20	ND	NA	10.00	3342.86	Sampled
RW-2	12/02/21	3389.06	ND	46.31	ND	NA	NA	3342.75	Sampled
RW-2	03/16/22	3389.06	ND	46.31	ND	NA	NA	3342.75	Sampled
RW-2	06/01/22	3389.06	sheen	46.42	sheen	NA	NA	3342.64	Sampled
RW-2	08/31/22	3389.06	ND	46.72	ND	NA	NA	3342.34	Sampled
RW-2	11/15/22	3389.06	ND	46.90	ND	NA	NA	3342.16	Sampled
RW-2	01/11/23	3389.06	sheen	46.89	sheen	NA	10.00	3342.17	
RW-2	02/28/23	3389.06	sheen	46.89	sheen	NA	NA	3342.17	
RW-2	05/24/23	3389.06	ND	46.70	ND	NA	43.00	3342.36	Sampled
RW-2	07/19/23	3389.06	ND	46.79	ND	NA	10.00	3342.27	
RW-2	08/23/23	3389.06	46.83	46.85	0.02	NA	10.00	3342.23	
RW-2	10/11/23	3389.06	sheen	47.20	sheen	NA	10.00	3341.86	

NA: Not Applicable

ND: Not Detected

NG: Not Gauged

^a Possible error in field data entry

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-1	01/04/18	3389.00	58.23	sheen	45.68	sheen	NA	10.00	3343.32	
MW-1	01/04/18	3389.00	58.23	sheen	45.60	sheen	NA	NA	3343.40	
MW-1	01/17/18	3389.00	58.23	sheen	45.62	sheen	NA	NA	3343.38	
MW-1	01/26/18	3389.00	58.23	sheen	45.53	sheen	NA	NA	3343.47	
MW-1	02/01/18	3389.00	58.23	sheen	45.67	sheen	NA	NA	3343.33	
MW-1	02/08/18	3389.00	58.23	ND	45.51	ND	NA	NA	3343.49	
MW-1	02/14/18	3389.00	58.23	sheen	45.50	sheen	NA	NA	3343.50	
MW-1	02/21/18	3389.00	58.23	sheen	45.56	sheen	NA	NA	3343.44	
MW-1	02/28/18	3389.00	58.23	ND	45.47	ND	NA	NA	3343.53	
MW-1	03/08/18	3389.00	58.23	sheen	45.56	sheen	NA	NA	3343.44	Sampled
MW-1	03/15/18	3389.00	58.23	ND	45.54	ND	NA	10.00	3343.46	
MW-1	03/22/18	3389.00	58.23	sheen	45.58	sheen	sheen	10.00	3343.42	
MW-1	03/28/18	3389.00	58.23	ND	45.51	ND	NA	10.00	3343.49	
MW-1	04/03/18	3389.00	58.23	sheen	45.53	sheen	sheen	10.00	3343.47	
MW-1	04/10/18	3389.00	58.23	sheen	45.57	sheen	sheen	10.00	3343.43	
MW-1	04/19/18	3389.00	58.23	ND	45.60	ND	NA	10.00	3343.40	
MW-1	04/25/18	3389.00	58.23	ND	45.58	ND	NA	10.00	3343.42	
MW-1	05/02/18	3389.00	58.23	ND	45.45	ND	NA	10.00	3343.55	
MW-1	05/10/18	3389.00	58.23	ND	45.50	ND	NA	10.00	3343.50	
MW-1	05/15/18	3389.00	58.23	sheen	45.48	sheen	NA	NA	3343.52	
MW-1	05/23/18	3389.00	58.23	ND	45.50	ND	NA	10.00	3343.50	
MW-1	06/06/18	3389.00	50.32	ND	45.48	ND	NA	NA	3343.52	Sampled
MW-1	06/13/18	3389.00	50.32	sheen	45.51	sheen	NA	10.00	3343.49	
MW-1	06/20/18	3389.00	50.32	ND	46.66	ND	NA	10.00	3342.34	
MW-1	06/28/18	3389.00	50.32	ND	45.48	ND	NA	10.00	3343.52	
MW-1	07/05/18	3389.00	50.32	ND	45.54	ND	NA	10.00	3343.46	
MW-1	07/12/18	3389.00	50.32	ND	45.56	ND	NA	NA	3343.44	
MW-1	07/20/18	3389.00	50.32	sheen	45.55	sheen	sheen	10.00	3343.45	
MW-1	07/26/18	3389.00	50.32	sheen	45.60	sheen	sheen	10.00	3343.40	
MW-1	08/01/18	3389.00	50.32	ND	45.53	ND	NA	10.00	3343.47	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-1	08/08/18	3389.00	50.32	ND	45.47	ND	NA	10.00	3343.53	
MW-1	08/14/18	3389.00	50.32	ND	45.62	ND	NA	10.00	3343.38	
MW-1	08/21/18	3389.00	58.23	sheen	45.45	sheen	sheen	10.00	3343.55	
MW-1	08/30/18	3389.00	58.23	sheen	45.41	sheen	sheen	10.00	3343.59	
MW-1	09/12/18	3389.00	58.23	sheen	45.76	sheen	NA	10.00	3343.24	
MW-1	09/18/18	3389.00	58.23	ND	45.68	ND	NA	10.00	3343.32	
MW-1	09/26/18	3389.00	58.23	ND	45.70	ND	NA	10.00	3343.30	
MW-1	10/04/18	3389.00	58.23	sheen	45.75	sheen	NA	10.00	3343.25	
MW-1	10/11/18	3389.00	58.23	sheen	45.77	sheen	NA	10.00	3343.23	
MW-1	10/17/18	3389.00	58.23	sheen	45.55	sheen	NA	10.00	3343.45	
MW-1	10/24/18	3389.00	58.23	ND	45.66	ND	NA	10.00	3343.34	
MW-1	11/01/18	3389.00	58.23	ND	45.68	ND	NA	10.00	3343.32	
MW-1	11/07/18	3389.00	50.32	ND	45.72	ND	NA	10.00	3343.28	Sampled
MW-1	11/13/18	3389.00	50.32	sheen	45.76	sheen	NA	10.00	3343.24	
MW-1	11/21/18	3389.00	50.32	45.67	45.68	0.01	NA	10.00	3343.33	
MW-1	11/29/18	3389.00	50.32	45.59	45.60	0.01	sheen	10.00	3343.41	
MW-1	12/07/18	3389.00	50.32	45.61	45.62	0.01	NA	10.00	3343.39	
MW-1	12/13/18	3389.00	50.32	45.62	45.63	0.01	NA	10.00	3343.38	
MW-1	12/19/18	3389.00	50.32	sheen	45.65	sheen	sheen	10.00	3343.35	
MW-1	01/09/19	3389.00	50.32	45.70	45.72	0.02	sheen	10.00	3343.30	
MW-1	01/18/19	3389.00	50.32	45.45	45.46	0.01	sheen	10.00	3343.55	
MW-1	01/23/19	3389.00	50.32	ND	45.45	ND	sheen	10.00	3343.55	
MW-1	01/30/19	3389.00	50.32	sheen	45.63	sheen	sheen	10.00	3343.37	
MW-1	02/06/19	3389.00	50.32	sheen	45.68	sheen	sheen	10.00	3343.32	
MW-1	02/22/19	3389.00	50.32	ND	45.40	ND	NA	10.00	3343.60	
MW-1	02/14/19	3389.00	50.32	45.42	45.44	0.02	sheen	10.00	3343.58	
MW-1	02/28/19	3389.00	50.32	sheen	45.56	sheen	sheen	10.00	3343.44	
MW-1	03/06/19	3389.00	50.32	sheen	45.48	sheen	sheen	10.00	3343.52	
MW-1	03/12/19	3389.00	50.32	45.50	45.51	0.01	sheen	10.00	3343.50	
MW-1	03/22/19	3389.00	50.32	sheen	45.52	sheen	sheen	10.00	3343.48	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-1	03/28/19	3389.00	50.32	ND	45.44	ND	NA	10.00	3343.56	
MW-1	04/03/19	3389.00	50.32	ND	45.32	ND	NA	10.00	3343.68	
MW-1	04/11/19	3389.00	50.32	sheen	45.30	sheen	NA	10.00	3343.70	
MW-1	04/16/19	3389.00	50.32	sheen	45.32	sheen	NA	10.00	3343.68	
MW-1	04/25/19	3389.00	50.32	sheen	45.35	sheen	sheen	10.00	3343.65	
MW-1	05/01/19	3389.00	50.32	sheen	45.26	sheen	sheen	10.00	3343.74	
MW-1	05/10/19	3389.00	50.32	sheen	45.29	sheen	sheen	10.00	3343.71	
MW-1	05/17/19	3389.00	50.32	sheen	45.30	sheen	sheen	10.00	3343.70	
MW-1	05/24/19	3389.00	50.32	sheen	45.36	sheen	sheen	10.00	3343.64	
MW-1	06/05/19	3389.00	50.32	ND	45.38	ND	NA	10.00	3343.62	
MW-1	06/14/19	3389.00	50.32	sheen	45.20	sheen	sheen	10.00	3343.80	
MW-1	06/20/19	3389.00	50.32	sheen	45.40	sheen	sheen	10.00	3343.60	
MW-1	06/26/19	3389.00	50.32	ND	45.25	ND	NA	10.00	3343.75	
MW-1	07/03/19	3389.00	50.32	sheen	45.22	sheen	NA	10.00	3343.78	
MW-1	07/11/19	3389.00	50.32	sheen	45.26	sheen	sheen	10.00	3343.74	
MW-1	07/26/19	3389.00	50.32	sheen	46.30	sheen	NA	10.00	3342.70	
MW-1	08/10/19	3389.00	50.32	ND	45.17	ND	NA	10.00	3343.83	
MW-1	08/15/19	3389.00	50.32	ND	45.18	ND	NA	10.00	3343.82	
MW-1	08/27/19	3389.00	50.32	sheen	45.22	sheen	sheen	10.00	3343.78	
MW-1	09/13/19	3389.00	50.32	ND	45.25	ND	NA	10.00	3343.75	
MW-1	09/20/19	3389.00	50.32	ND	45.15	ND	NA	NA	3343.85	
MW-1	10/09/19	3389.00	50.32	sheen	45.12	sheen	NA	10.00	3343.88	
MW-1	10/17/19	3389.00	50.32	ND	45.08	sheen	NA	NA	3343.92	
MW-1	11/01/19	3389.00	50.32	ND	45.09	ND	NA	10.00	3343.91	
MW-1	11/08/19	3389.00	50.32	ND	45.09	sheen	NA	NA	3343.91	
MW-1	11/15/19	3389.00	50.32	45.07	45.10	0.03	sheen	10.00	3343.93	
MW-1	11/19/19	3389.00	50.32	sheen	45.09	sheen	NA	NA	3343.91	
MW-1	11/26/19	3389.00	50.32	45.01	45.04	0.03	sheen	10.00	3343.99	
MW-1	12/03/19	3389.00	50.32	45.05	45.07	0.02	sheen	10.00	3343.95	
MW-1	12/13/19	3389.00	50.32	45.00	45.04	0.04	sheen	10.00	3343.99	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-1	12/20/19	3389.00	50.32	45.00	45.07	0.07	sheen	10.00	3343.99	
MW-1	12/27/19	3389.00	50.32	ND	45.02	ND	sheen	10.00	3343.98	
MW-1	01/03/20	3389.00	50.32	45.05	45.08	0.03	sheen	10.00	3343.95	
MW-1	01/09/20	3389.00	50.32	45.01	45.03	0.02	sheen	10.00	3343.99	
MW-1	01/15/20	3389.00	50.32	45.00	45.02	0.02	sheen	10.00	3344.00	
MW-1	01/30/20	3389.00	50.32	sheen	45.05	sheen	NA	NA	3343.95	
MW-1	02/12/20	3389.00	50.32	44.97	44.98	0.01	NA	10.00	3344.03	
MW-1	02/20/20	3389.00	50.32	45.04	45.06	0.02	sheen	10.00	3343.96	
MW-1	02/27/20	3389.00	50.32	45.00	45.03	0.03	sheen	10.00	3344.00	
MW-1	03/04/20	3389.00	50.32	45.02	45.04	0.02	sheen	10.00	3343.98	
MW-1	03/12/20	3389.00	50.32	44.95	44.97	0.02	sheen	10.00	3344.05	
MW-1	03/17/20	3389.00	50.32	sheen	44.99	sheen	NA	NA	3344.01	
MW-1	03/23/20	3389.00	50.32	sheen	44.97	sheen	NA	10.00	3344.03	
MW-1	05/07/20	3389.00	50.32	sheen	44.79	sheen	NA	NA	3344.21	
MW-1	05/29/20	3389.00	50.32	44.78	44.82	0.04	0.25	9.75	3344.21	
MW-1	06/12/20	3389.00	50.32	44.70	44.79	0.09	0.25	9.75	3344.29	
MW-1	06/26/20	3389.00	50.32	sheen	44.89	sheen	sheen	10.00	3344.11	
MW-1	07/21/20	3389.00	50.32	44.88	44.90	0.02	sheen	10.00	3344.12	
MW-1	08/06/20	3389.00	50.32	sheen	45.02	sheen	sheen	10.00	3343.98	
MW-1	09/18/20	3389.00	50.32	45.02	45.22	0.20	0.25	9.75	3343.95	
MW-1	09/30/20	3389.00	50.32	45.05	45.08	0.03	sheen	10.00	3343.95	
MW-1	10/09/20	3389.00	50.32	sheen	45.15	sheen	sheen	10.00	3343.85	
MW-1	11/13/20	3389.00	50.32	sheen	45.12	sheen	sheen	10.00	3343.88	
MW-1	12/21/20	3389.00	50.32	44.89	44.91	0.02	sheen	10.00	3344.11	
MW-1	01/08/21	3389.00	50.32	44.90	44.93	0.03	sheen	20.00	3344.10	
MW-1	02/04/21	3389.00	50.32	44.96	44.98	0.02	sheen	10.00	3344.04	
MW-1	03/22/21	3389.00	50.32	sheen	44.95	sheen	sheen	10.00	3344.05	
MW-1	03/24/21	3389.00	50.32	sheen	44.98	sheen	sheen	10.00	3344.02	Sampled
MW-1	04/08/21	3389.00	50.32	sheen	44.95	sheen	sheen	15.00	3344.05	
MW-1	05/28/21	3389.00	50.32	ND	45.15	ND	sheen	10.00	3343.85	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-1	06/29/21	3389.00	50.32	44.90	44.92	0.02	sheen	10.00	3344.10	
MW-1	07/15/21	3389.00	50.32	sheen	44.91	sheen	0.25	9.75	3344.09	
MW-1	08/03/21	3389.00	50.32	44.93	45.00	0.07	0.25	9.75	3344.06	
MW-1	08/27/21	3389.00	50.32	sheen	45.08	sheen	sheen	10.00	3343.92	
MW-1	09/01/21	3389.00	50.32	ND	45.10	ND	sheen	10.00	3343.90	
MW-1	09/24/21	3389.00	50.32	sheen	45.24	sheen	sheen	10.00	3343.76	
MW-1	10/01/21	3389.00	50.32	sheen	45.18	sheen	sheen	10.00	3343.82	
MW-1	11/10/21	3389.00	50.32	sheen	45.28	sheen	sheen	10.00	3343.72	
MW-1	12/22/21	3389.00	50.32	sheen	45.29	sheen	sheen	10.00	3343.71	
MW-1	01/06/22	3389.00	50.32	ND	45.27	ND	sheen	10.00	3343.73	
MW-1	01/13/22	3389.00	50.32	ND	45.20	ND	sheen	10.00	3343.80	
MW-1	02/17/22	3389.00	50.32	ND	45.22	ND	sheen	10.00	3343.78	
MW-1	03/03/22	3389.00	50.32	ND	45.18	ND	sheen	10.00	3343.82	
MW-1	03/16/22	3389.00	50.32	ND	45.20	ND	sheen	10.00	3343.80	
MW-1	04/01/22	3389.00	50.32	ND	45.18	ND	sheen	10.00	3343.82	
MW-1	04/08/22	3389.00	50.32	ND	45.23	ND	sheen	10.00	3343.77	
MW-1	04/20/22	3389.00	50.32	sheen	45.29	sheen	sheen	10.00	3343.71	
MW-1	05/04/22	3389.00	50.32	ND	45.22	ND	sheen	10.00	3343.78	
MW-1	06/01/22	3389.00	50.32	ND	45.30	ND	sheen	10.00	3343.70	
MW-1	07/28/22	3389.00	50.32	ND	45.49	ND	sheen	10.00	3343.51	
MW-1	08/31/22	3389.00	50.32	ND	45.62	ND	sheen	10.00	3343.38	Sampled
MW-1	10/05/22	3389.00	50.32	ND	45.72	ND	sheen	10.00	3343.28	
MW-1	11/15/22	3389.00	50.32	ND	45.82	ND	sheen	10.00	3343.18	
MW-1	01/11/23	3389.00	50.32	ND	45.80	ND	ND	10.00	3343.20	
MW-1	02/28/23	3389.00	50.32	ND	45.75	ND	ND	9.00	3343.25	
MW-1	05/24/23	3389.00	50.32	ND	45.60	ND	NA	NA	3343.40	
MW-1	08/23/23	3389.00	50.32	sheen	45.96	sheen	NA	NA	3343.04	
MW-2	03/08/18	3388.38	59.31	ND	45.55	ND	NA	NA	3342.83	Sampled
MW-2	06/07/18	3388.38	59.31	ND	45.52	ND	NA	NA	3342.86	Sampled

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-2	09/12/18	3388.38	59.31	ND	45.76	ND	NA	NA	3342.62	Sampled
MW-2	11/29/18	3388.38	59.31	ND	45.62	ND	NA	NA	3342.76	Sampled
MW-2	02/14/19	3388.38	59.31	ND	45.44	ND	NA	NA	3342.94	Sampled
MW-2	05/10/19	3388.38	59.31	ND	45.32	ND	NA	NA	3343.06	Sampled
MW-2	08/27/19	3388.38	59.31	ND	45.24	ND	NA	NA	3343.14	Sampled
MW-2	11/19/19	3388.38	59.31	ND	45.08	ND	NA	NA	3343.30	Sampled
MW-2	03/17/20	3388.38	59.31	ND	45.00	ND	NA	NA	3343.38	Sampled
MW-2	06/26/20	3388.38	59.31	ND	44.91	ND	NA	NA	3343.47	Sampled
MW-2	09/18/20	3388.38	59.31	ND	45.10	ND	NA	NA	3343.28	Sampled
MW-2	12/21/20	3388.38	59.31	ND	44.98	ND	NA	NA	3343.40	Sampled
MW-2	03/24/21	3388.38	59.31	ND	45.01	ND	NA	NA	3343.37	Sampled
MW-2	06/29/21	3388.38	59.31	ND	44.96	ND	NA	NA	3343.42	Sampled
MW-2	08/27/21	3388.38	59.31	ND	45.15	ND	NA	NA	3343.23	Sampled
MW-2	12/02/21	3388.38	59.31	ND	45.25	ND	NA	NA	3343.13	Sampled
MW-2	03/16/22	3388.38	59.31	ND	45.25	ND	NA	NA	3343.13	Sampled
MW-2	06/01/22	3388.38	59.31	ND	45.31	ND	NA	NA	3343.07	Sampled
MW-2	08/31/22	3388.38	59.31	ND	45.68	ND	NA	NA	3342.70	Sampled
MW-2	11/15/22	3388.38	59.31	ND	45.28	ND	NA	NA	3343.10	Sampled
MW-2	02/28/23	3388.38	59.31	ND	45.02	ND	NA	NA	3343.36	
MW-2	05/24/23	3388.38	59.31	ND	45.66	ND	NA	7.00	3342.72	
MW-2	08/23/23	3388.38	59.31	ND	46.05	ND	NA	7.00	3342.33	
MW-3	03/08/18	3388.52	59.68	ND	45.93	ND	NA	NA	3342.59	Sampled
MW-3	06/06/18	3388.52	59.68	ND	45.87	ND	NA	NA	3342.65	Sampled
MW-3	09/12/18	3388.52	59.68	ND	46.11	ND	NA	NA	3342.41	Sampled
MW-3	06/06/18	3388.52	59.68	ND	45.96	ND	NA	NA	3342.56	Sampled
MW-3	02/14/19	3388.52	59.68	ND	45.79	ND	NA	NA	3342.73	Sampled
MW-3	05/10/19	3388.52	59.68	ND	45.67	ND	NA	NA	3342.85	Sampled
MW-3	08/27/19	3388.52	59.68	ND	45.58	ND	NA	NA	3342.94	Sampled
MW-3	11/19/19	3388.52	59.68	ND	45.44	ND	NA	NA	3343.08	Sampled

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-3	03/17/20	3388.52	59.68	ND	45.37	ND	NA	NA	3343.15	Sampled
MW-3	06/26/20	3388.52	59.68	ND	45.27	ND	NA	NA	3343.25	Sampled
MW-3	09/18/20	3388.52	59.68	ND	45.46	ND	NA	NA	3343.06	Sampled
MW-3	12/21/20	3388.52	59.68	ND	45.32	ND	NA	NA	3343.20	Sampled
MW-3	03/24/21	3388.52	59.68	ND	45.34	ND	NA	NA	3343.18	Sampled
MW-3	06/29/21	3388.52	59.68	ND	45.31	ND	NA	NA	3343.21	Sampled
MW-3	08/27/21	3388.52	59.68	ND	45.51	ND	NA	NA	3343.01	Sampled
MW-3	12/02/21	3388.52	59.68	ND	45.62	ND	NA	NA	3342.90	Sampled
MW-3	03/16/22	3388.52	59.68	ND	45.62	ND	NA	NA	3342.90	Sampled
MW-3	06/01/22	3388.52	59.68	ND	45.66	ND	NA	NA	3342.86	Sampled
MW-3	08/31/22	3388.52	59.68	ND	46.04	ND	NA	NA	3342.48	Sampled
MW-3	11/15/22	3388.52	59.68	ND	46.21	ND	NA	NA	3342.31	Sampled
MW-3	02/28/23	3388.52	59.68	ND	46.16	ND	NA	NA	3342.36	
MW-3	05/24/23	3388.52	59.68	ND	46.01	ND	NA	NA	3342.51	
MW-3	08/23/23	3388.52	59.68	ND	46.42	ND	NA	NA	3342.10	
MW-4	03/08/18	3388.92	58.97	ND	46.39	ND	NA	NA	3342.53	Sampled
MW-4	06/07/18	3388.92	58.97	ND	46.65	ND	NA	NA	3342.27	Sampled
MW-4	09/12/18	3388.92	58.97	ND	46.85	ND	NA	NA	3342.07	Sampled
MW-4	11/29/18	3388.92	58.97	ND	46.72	ND	NA	NA	3342.20	Sampled
MW-4	02/14/19	3388.92	58.97	ND	46.58	ND	NA	NA	3342.34	Sampled
MW-4	05/10/19	3388.92	58.97	ND	46.44	ND	NA	NA	3342.48	Sampled
MW-4	08/27/19	3388.92	58.97	ND	46.36	ND	NA	NA	3342.56	Sampled
MW-4	11/19/19	3388.92	58.97	ND	46.23	ND	NA	NA	3342.69	Sampled
MW-4	03/17/20	3388.92	58.97	ND	46.13	ND	NA	NA	3342.79	Sampled
MW-4	06/26/20	3388.92	58.97	ND	46.05	ND	NA	NA	3342.87	Sampled
MW-4	09/18/20	3388.92	58.97	ND	46.22	ND	NA	NA	3342.70	Sampled
MW-4	12/21/20	3388.92	58.97	ND	46.10	ND	NA	NA	3342.82	Sampled
MW-4	03/24/21	3388.92	58.97	ND	46.11	ND	NA	NA	3342.81	Sampled
MW-4	06/29/21	3388.92	58.97	ND	46.08	ND	NA	NA	3342.84	Sampled

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-4	08/27/21	3388.92	58.97	ND	46.25	ND	NA	NA	3342.67	Sampled
MW-4	12/02/21	3388.92	58.97	ND	46.36	ND	NA	NA	3342.56	Sampled
MW-4	03/16/22	3388.92	58.97	ND	46.35	ND	NA	NA	3342.57	Sampled
MW-4	06/01/22	3388.92	58.97	ND	46.42	ND	NA	NA	3342.50	Sampled
MW-4	08/31/22	3388.92	58.97	ND	46.76	ND	NA	NA	3342.16	Sampled
MW-4	11/15/22	3388.92	58.97	ND	47.15	ND	NA	NA	3341.77	Sampled
MW-4	08/23/23	3388.92	58.97	ND	47.10	ND	NA	NA	3341.82	
MW-5	03/08/18	3389.40	59.18	ND	47.11	ND	NA	NA	3342.29	Sampled
MW-5	06/07/18	3389.40	59.18	ND	47.06	ND	NA	NA	3342.34	Sampled
MW-5	09/12/18	3389.40	59.18	ND	47.27	ND	NA	NA	3342.13	Sampled
MW-5	11/29/18	3389.40	59.18	ND	47.13	ND	NA	NA	3342.27	Sampled
MW-5	02/14/19	3389.40	59.18	ND	46.99	ND	NA	NA	3342.41	Sampled
MW-5	05/10/19	3389.40	59.18	ND	46.84	ND	NA	NA	3342.56	Sampled
MW-5	08/27/19	3389.40	59.18	ND	46.78	ND	NA	NA	3342.62	Sampled
MW-5	11/19/19	3389.40	59.18	ND	46.63	ND	NA	NA	3342.77	Sampled
MW-5	03/17/20	3389.40	59.18	ND	46.53	ND	NA	NA	3342.87	Sampled
MW-5	06/26/20	3389.40	59.18	ND	46.46	ND	NA	NA	3342.94	Sampled
MW-5	09/18/20	3389.40	59.18	ND	46.63	ND	NA	NA	3342.77	Sampled
MW-5	12/21/20	3389.40	59.18	ND	46.48	ND	NA	NA	3342.92	Sampled
MW-5	03/24/21	3389.40	59.18	ND	46.51	ND	NA	NA	3342.89	Sampled
MW-5	06/29/21	3389.40	59.18	ND	46.48	ND	NA	NA	3342.92	Sampled
MW-5	08/27/21	3389.40	59.18	ND	46.63	ND	NA	NA	3342.77	Sampled
MW-5	12/02/21	3389.40	59.18	ND	46.75	ND	NA	NA	3342.65	Sampled
MW-5	03/16/22	3389.40	59.18	ND	46.76	ND	NA	NA	3342.64	Sampled
MW-5	06/01/22	3389.40	59.18	ND	46.80	ND	NA	NA	3342.60	Sampled
MW-5	08/31/22	3389.40	59.18	ND	47.16	ND	NA	NA	3342.24	Sampled
MW-5	11/15/22	3389.40	59.18	ND	47.35	ND	NA	NA	3342.05	Sampled
MW-5	08/23/23	3389.40	59.18	ND	47.50	ND	NA	NA	3341.90	
MW-6	03/08/18	3389.72	57.76	ND	47.78	ND	NA	NA	3341.94	Sampled

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-6	06/06/18	3389.72	57.76	ND	47.73	ND	NA	NA	3341.99	Sampled
MW-6	09/12/18	3389.72	57.76	ND	47.92	ND	NA	NA	3341.80	Sampled
MW-6	11/29/18	3389.72	57.76	ND	47.79	ND	NA	NA	3341.93	Sampled
MW-6	02/14/19	3389.72	57.76	ND	47.64	ND	NA	NA	3342.08	Sampled
MW-6	05/10/19	3389.72	57.76	ND	47.73	ND	NA	NA	3341.99	Sampled
MW-6	08/27/19	3389.72	57.76	ND	47.51	ND	NA	NA	3342.21	Sampled
MW-6	11/19/19	3389.72	57.76	ND	47.29	ND	NA	NA	3342.43	Sampled
MW-6	03/17/20	3389.72	57.76	ND	47.19	ND	NA	NA	3342.53	Sampled
MW-6	06/26/20	3389.72	57.76	ND	47.11	ND	NA	NA	3342.61	Sampled
MW-6	09/18/20	3389.72	57.76	ND	47.27	ND	NA	NA	3342.45	Sampled
MW-6	12/21/20	3389.72	57.76	ND	47.12	ND	NA	NA	3342.60	Sampled
MW-6	03/24/21	3389.72	57.76	ND	47.16	ND	NA	NA	3342.56	Sampled
MW-6	06/29/21	3389.72	57.76	ND	47.12	ND	NA	NA	3342.60	Sampled
MW-6	08/27/21	3389.72	57.76	ND	47.28	ND	NA	NA	3342.44	Sampled
MW-6	12/02/21	3389.72	57.76	ND	47.39	ND	NA	NA	3342.33	Sampled
MW-6	03/16/22	3389.72	57.76	ND	47.40	ND	NA	NA	3342.32	Sampled
MW-6	06/01/22	3389.72	57.76	ND	47.45	ND	NA	NA	3342.27	Sampled
MW-6	08/31/22	3389.72	57.76	ND	47.79	ND	NA	NA	3341.93	Sampled
MW-6	11/15/22	3389.72	57.76	ND	47.31	ND	NA	NA	3342.41	Sampled
MW-6	08/23/23	3389.72	57.76	ND	48.11	ND	NA	NA	3341.61	
MW-7	03/08/18	3389.28	55.34	ND	47.34	ND	NA	NA	3341.94	Sampled
MW-7	06/06/18	3389.28	55.34	ND	47.28	ND	NA	NA	3342.00	Sampled
MW-7	09/12/18	3389.28	55.34	ND	47.50	ND	NA	NA	3341.78	Sampled
MW-7	11/29/18	3389.28	55.34	ND	47.33	ND	NA	NA	3341.95	Sampled
MW-7	02/14/19	3389.28	55.34	ND	47.19	ND	NA	NA	3342.09	Sampled
MW-7	05/10/19	3389.28	55.34	ND	47.28	ND	NA	NA	3342.00	Sampled
MW-7	08/27/19	3389.28	55.34	ND	47.07	ND	NA	NA	3342.21	Sampled
MW-7	11/19/19	3389.28	55.34	ND	46.85	ND	NA	NA	3342.43	Sampled
MW-7	03/17/20	3389.28	55.34	ND	46.75	ND	NA	NA	3342.53	Sampled

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
MW-7	06/26/20	3389.28	55.34	ND	46.67	ND	NA	NA	3342.61	Sampled
MW-7	09/18/20	3389.28	55.34	ND	46.85	ND	NA	NA	3342.43	Sampled
MW-7	12/21/20	3389.28	55.34	ND	46.71	ND	NA	NA	3342.57	Sampled
MW-7	03/24/201	3389.28	55.34	ND	46.73	ND	NA	NA	3342.55	Sampled
MW-7	06/29/21	3389.28	55.34	ND	46.70	ND	NA	NA	3342.58	Sampled
MW-7	08/27/21	3389.28	55.34	ND	46.85	ND	NA	NA	3342.43	Sampled
MW-7	12/02/21	3389.28	55.34	ND	46.97	ND	NA	NA	3342.31	Sampled
MW-7	03/16/22	3389.28	55.34	ND	46.96	ND	NA	NA	3342.32	Sampled
MW-7	06/01/22	3389.28	55.34	ND	47.00	ND	NA	NA	3342.28	Sampled
MW-7	08/31/22	3389.28	55.34	ND	47.35	ND	NA	NA	3341.93	Sampled
MW-7	11/15/22	3389.28	55.34	ND	46.90	ND	NA	NA	3342.38	Sampled
MW-7	08/23/23	3389.28	55.34	ND	47.71	ND	NA	NA	3341.57	
RW-1	01/04/18	3389.34	64.60	ND	47.03	ND	NA	10.00	3342.31	
RW-1	01/10/18	3389.34	64.60	ND	46.95	ND	NA	NA	3342.39	
RW-1	01/17/18	3389.34	64.60	ND	46.97	ND	NA	NA	3342.37	
RW-1	01/26/18	3389.34	64.60	ND	46.86	ND	NA	NA	3342.48	
RW-1	02/01/18	3389.34	64.60	ND	46.90	ND	NA	NA	3342.44	
RW-1	02/08/18	3389.34	64.60	ND	46.87	ND	NA	10.00	3342.47	
RW-1	02/14/18	3389.34	64.60	ND	46.83	ND	NA	NA	3342.51	
RW-1	02/21/18	3389.34	64.60	ND	46.82	ND	NA	10.00	3342.52	
RW-1	02/28/18	3389.34	64.60	ND	46.80	ND	NA	NA	3342.54	
RW-1	03/08/18	3389.34	64.60	sheen	46.90	sheen	NA	NA	3342.44	Sampled
RW-1	03/15/18	3389.34	64.60	ND	46.88	ND	NA	10.00	3342.46	
RW-1	03/22/18	3389.34	64.60	ND	46.82	ND	NA	10.00	3342.52	
RW-1	03/28/18	3389.34	64.60	ND	46.85	ND	NA	10.00	3342.49	
RW-1	04/03/18	3389.34	64.60	sheen	46.86	sheen	NA	10.00	3342.48	
RW-1	04/10/18	3389.34	64.60	ND	46.90	ND	NA	10.00	3342.44	
RW-1	04/19/18	3389.34	64.60	ND	46.92	ND	NA	10.00	3342.42	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-1	04/25/18	3389.34	64.60	ND	46.92	ND	NA	10.00	3342.42	
RW-1	05/02/18	3389.34	64.60	ND	46.80	ND	sheen	10.00	3342.54	
RW-1	05/10/18	3389.34	64.60	sheen	46.86	sheen	NA	10.00	3342.48	
RW-1	05/15/18	3389.34	64.60	sheen	46.82	sheen	NA	NA	3342.52	
RW-1	05/23/18	3389.34	64.60	sheen	46.80	sheen	NA	10.00	3342.54	
RW-1	06/07/18	3389.34	64.50	ND	46.81	ND	NA	NA	3342.53	Sampled
RW-1	06/13/18	3389.34	64.50	ND	46.88	ND	NA	10.00	3342.46	
RW-1	06/20/18	3389.34	64.50	ND	46.94	ND	NA	10.00	3342.40	
RW-1	06/28/18	3389.34	64.50	ND	46.84	ND	NA	10.00	3342.50	
RW-1	07/05/18	3389.34	64.50	ND	46.88	ND	NA	10.00	3342.46	
RW-1	07/12/18	3389.34	64.50	ND	46.88	ND	NA	NA	3342.46	
RW-1	07/20/18	3389.34	64.50	ND	46.70	ND	NA	10.00	3342.64	
RW-1	07/26/18	3389.34	64.50	ND	46.96	ND	NA	10.00	3342.38	
RW-1	08/01/18	3389.34	64.50	ND	46.88	ND	NA	10.00	3342.46	
RW-1	08/08/18	3389.34	64.50	ND	46.82	ND	NA	10.00	3342.52	
RW-1	08/14/18	3389.34	64.50	ND	46.97	ND	NA	10.00	3342.37	
RW-1	08/21/18	3389.34	64.60	ND	46.76	ND	NA	10.00	3342.58	
RW-1	08/30/18	3389.34	64.60	ND	46.79	ND	NA	10.00	3342.55	
RW-1	09/12/18	3389.34	64.60	ND	47.06	ND	NA	10.00	3342.28	
RW-1	09/18/18	3389.34	64.60	ND	47.03	ND	NA	10.00	3342.31	
RW-1	09/26/18	3389.34	64.60	ND	47.00	ND	NA	10.00	3342.34	
RW-1	10/04/18	3389.34	64.60	ND	47.06	ND	NA	10.00	3342.28	
RW-1	10/11/18	3389.34	64.60	ND	47.10	ND	NA	NA	3342.24	
RW-1	10/17/18	3389.34	64.60	ND	46.91	ND	NA	10.00	3342.43	
RW-1	10/24/18	3389.34	64.50	ND	47.01	ND	NA	NA	3342.33	Sampled
RW-1	11/01/18	3389.34	64.50	ND	46.50	ND	NA	10.00	3342.84	
RW-1	11/07/18	3389.34	64.50	ND	46.54	ND	NA	10.00	3342.80	
RW-1	11/13/18	3389.34	64.50	ND	46.58	ND	NA	10.00	3342.76	
RW-1	11/21/18	3389.34	64.50	ND	46.76	ND	NA	NA	3342.58	
RW-1	11/29/18	3389.34	64.50	sheen	46.92	sheen	NA	10.00	3342.42	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-1	12/07/18	3389.34	64.50	ND	46.95	ND	NA	10.00	3342.39	
RW-1	12/13/18	3389.34	64.50	ND	46.92	ND	NA	10.00	3342.42	
RW-1	12/19/18	3389.34	64.50	ND	46.90	ND	NA	10.00	3342.44	
RW-1	01/09/19	3389.34	64.50	ND	46.91	ND	NA	10.00	3342.43	
RW-1	01/18/19	3389.34	64.50	ND	46.80	ND	NA	10.00	3342.54	
RW-1	01/23/19	3389.34	64.50	ND	46.82	ND	NA	10.00	3342.52	
RW-1	01/30/19	3389.34	64.50	ND	46.84	ND	NA	10.00	3342.50	
RW-1	02/06/19	3389.34	64.50	ND	46.86	ND	NA	10.00	3342.48	
RW-1	02/14/19	3389.34	64.50	ND	46.74	ND	NA	10.00	3342.60	
RW-1	02/28/19	3389.34	64.50	46.80	46.81	0.01	NA	10.00	3342.54	
RW-1	03/06/19	3389.34	64.50	ND	46.71	ND	NA	10.00	3342.63	
RW-1	03/12/19	3389.34	64.50	sheen	46.71	sheen	NA	10.00	3342.63	
RW-1	03/22/19	3389.34	64.50	sheen	46.70	sheen	sheen	10.00	3342.64	
RW-1	03/28/19	3389.34	64.50	sheen	46.70	sheen	NA	10.00	3342.64	
RW-1	04/03/19	3389.34	64.50	ND	46.67	ND	NA	10.00	3342.67	
RW-1	04/11/19	3389.34	64.50	ND	46.65	ND	NA	10.00	3342.69	
RW-1	04/16/19	3389.34	64.50	ND	46.69	ND	NA	10.00	3342.65	
RW-1	04/25/19	3389.34	64.50	ND	46.71	ND	NA	10.00	3342.63	
RW-1	05/01/19	3389.34	64.50	ND	46.59	ND	NA	10.00	3342.75	
RW-1	05/10/19	3389.34	64.50	ND	46.62	ND	NA	10.00	3342.72	
RW-1	05/17/19	3389.34	64.50	ND	46.62	ND	NA	10.00	3342.72	
RW-1	05/24/19	3389.34	64.50	ND	46.64	ND	NA	10.00	3342.70	
RW-1	06/05/19	3389.34	64.50	ND	46.65	ND	NA	10.00	3342.69	
RW-1	06/14/19	3389.34	64.50	ND	46.75	ND	NA	10.00	3342.59	
RW-1	06/20/19	3389.34	64.50	ND	46.65	ND	NA	10.00	3342.69	
RW-1	06/26/19	3389.34	64.50	ND	46.62	ND	NA	10.00	3342.72	
RW-1	07/03/19	3389.34	64.50	ND	46.54	ND	NA	10.00	3342.80	
RW-1	07/11/19	3389.34	64.50	ND	46.60	ND	NA	10.00	3342.74	
RW-1	07/26/19	3389.34	64.50	ND	46.53	ND	NA	10.00	3342.81	
RW-1	08/10/19	3389.34	64.50	sheen	46.55	sheen	sheen	10.00	3342.79	

TABLE 2
 HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
 2018-2022
 PLAINS MARKETING, L.P.
 D.S. HUGH SITE
 LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-1	08/15/19	3389.34	64.50	sheen	46.56	sheen	sheen	10.00	3342.78	
RW-1	08/27/19	3389.34	64.50	sheen	46.56	sheen	NA	10.00	3342.78	
RW-1	09/13/19	3389.34	64.50	ND	46.24	ND	NA	10.00	3343.10	
RW-1	09/20/19	3389.34	64.50	ND	46.52	ND	NA	NA	3342.82	
RW-1	10/09/19	3389.34	64.50	ND	46.48	ND	NA	10.00	3342.86	
RW-1	10/17/19	3389.34	64.50	ND	46.46	ND	NA	NA	3342.88	
RW-1	11/01/19	3389.34	64.50	ND	46.46	ND	NA	NA	3342.88	
RW-1	11/08/19	3389.34	64.50	ND	46.46	ND	NA	NA	3342.88	
RW-1	11/15/19	3389.34	64.50	46.45	46.48	0.03	sheen	10.00	3342.89	
RW-1	11/19/19	3389.34	64.50	ND	46.44	ND	NA	NA	3342.90	
RW-1	11/26/19	3389.34	64.50	ND	46.29	ND	NA	NA	3343.05	
RW-1	12/03/19	3389.34	64.50	46.40	46.41	0.01	sheen	10.00	3342.94	
RW-1	12/13/19	3389.34	64.50	46.38	46.40	0.02	sheen	10.00	3342.96	
RW-1	12/20/19	3389.34	64.50	ND	46.42	ND	NA	NA	3342.92	
RW-1	12/27/19	3389.34	64.50	ND	46.40	ND	NA	NA	3342.94	
RW-1	01/03/20	3389.34	64.50	ND	46.40	ND	NA	NA	3342.94	
RW-1	01/09/20	3389.34	64.50	ND	46.05	ND	NA	NA	3343.29	
RW-1	01/15/20	3389.34	64.50	ND	46.38	ND	NA	10.00	3342.96	
RW-1	01/30/20	3389.34	64.50	ND	46.39	ND	NA	NA	3342.95	
RW-1	02/12/20	3389.34	64.50	ND	46.34	ND	NA	10.00	3343.00	
RW-1	02/20/20	3389.34	64.50	ND	46.40	ND	NA	10.00	3342.94	
RW-1	02/27/20	3389.34	64.50	ND	46.39	ND	NA	10.00	3342.95	
RW-1	03/04/20	3389.34	64.50	sheen	46.36	sheen	NA	10.00	3342.98	
RW-1	03/12/20	3389.34	64.50	sheen	46.29	sheen	NA	10.00	3343.05	
RW-1	03/17/20	3389.34	64.50	sheen	46.34	sheen	NA	NA	3343.00	
RW-1	03/23/20	3389.34	64.50	sheen	46.35	sheen	NA	10.00	3342.99	
RW-1	05/07/20	3389.34	64.50	ND	46.16	ND	NA	NA	3343.18	
RW-1	05/29/20	3389.34	64.50	ND	46.20	ND	sheen	10.00	3343.14	
RW-1	06/12/20	3389.34	64.50	ND	46.28	ND	sheen	10.00	3343.06	
RW-1	06/26/20	3389.34	64.50	sheen	46.24	sheen	NA	NA	3343.10	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-1	07/21/20	3389.34	64.50	ND	46.25	ND	sheen	10.00	3343.09	
RW-1	08/06/20	3389.34	64.50	ND	46.38	ND	NA	NA	3342.96	
RW-1	09/18/20	3389.34	64.50	ND	46.40	ND	NA	NA	3342.94	
RW-1	09/30/20	3389.34	64.50	ND	46.31	ND	NA	10.00	3343.03	
RW-1	10/09/20	3389.34	64.50	ND	46.49	ND	NA	NA	3342.85	
RW-1	11/13/20	3389.34	64.50	sheen	46.46	sheen	NA	NA	3342.88	
RW-1	12/21/20	3389.34	64.50	sheen	46.27	sheen	NA	NA	3343.07	Sampled
RW-1	01/08/21	3389.34	64.50	ND	46.38	ND	NA	NA	3342.96	
RW-1	02/04/21	3389.34	64.50	ND	46.34	ND	NA	10.00	3343.00	
RW-1	03/22/21	3389.34	64.50	sheen	46.30	sheen	NA	NA	3343.04	
RW-1	03/24/21	3389.34	64.50	ND	46.32	ND	NA	NA	3343.02	Sampled
RW-1	04/08/21	3389.34	64.50	ND	46.29	ND	NA	NA	3343.05	
RW-1	05/28/21	3389.34	64.50	ND	46.24	ND	NA	10.00	3343.10	
RW-1	06/29/21	3389.34	64.50	ND	46.28	ND	NA	NA	3343.06	
RW-1	07/15/21	3389.34	64.50	sheen	46.28	sheen	NA	10.00	3343.06	
RW-1	08/03/21	3389.34	64.50	ND	46.35	ND	NA	10.00	3342.99	
RW-1	08/27/21	3389.34	64.50	ND	46.44	ND	NA	NA	3342.90	
RW-1	09/01/21	3389.34	64.50	ND	46.46	ND	NA	NA	3342.88	
RW-1	09/24/21	3389.34	64.50	ND	46.57	ND	NA	10.00	3342.77	
RW-1	10/01/21	3389.34	64.50	sheen	46.52	sheen	NA	10.00	3342.82	
RW-1	11/10/21	3389.34	64.50	ND	46.62	ND	NA	10.00	3342.72	
RW-1	12/22/21	3389.34	64.50	ND	46.60	ND	NA	10.00	3342.74	
RW-1	01/06/22	3389.34	64.50	ND	46.61	ND	NA	10.00	3342.73	
RW-1	01/13/22	3389.34	64.50	ND	46.55	ND	NA	NA	3342.79	
RW-1	02/17/22	3389.34	64.50	ND	46.57	ND	NA	NA	3342.77	
RW-1	03/03/22	3389.34	64.50	ND	46.54	ND	NA	10.00	3342.80	
RW-1	03/16/22	3389.34	64.50	ND	46.55	ND	NA	10.00	3342.79	
RW-1	04/01/22	3389.34	64.50	ND	46.53	ND	NA	10.00	3342.81	
RW-1	04/08/22	3389.34	64.50	ND	46.57	ND	NA	10.00	3342.77	
RW-1	04/20/22	3389.34	64.50	ND	46.70	ND	NA	10.00	3342.64	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-1	05/04/22	3389.34	64.50	ND	46.59	ND	NA	10.00	3342.75	
RW-1	06/01/22	3389.34	64.50	ND	46.65	ND	NA	10.00	3342.69	
RW-1	07/28/22	3389.34	64.50	ND	46.83	ND	NA	10.00	3342.51	
RW-1	08/26/22	3389.34	64.50	ND	46.70	ND	NA	10.00	3342.64	
RW-1	08/31/22	3389.34	64.50	ND	46.96	ND	NA	10.00	3342.38	Sampled
RW-1	10/05/22	3389.34	64.50	ND	47.05	ND	NA	10.00	3342.29	
RW-1	10/05/22	3389.34	64.50	ND	47.05	ND	NA	10.00	3342.29	
RW-1	11/15/22	3389.34	64.50	ND	47.15	ND	NA	10.00	3342.19	
RW-1	12/15/22	3389.34	64.50	ND	46.74	ND	NA	10.00	3342.60	
RW-1	01/11/23	3389.34	64.50	ND	47.12	ND	NA	10.00	3342.22	
RW-1	08/23/23	3389.34	64.50	ND	47.32	ND	NA	NA	3342.02	
RW-2	01/04/18	3389.06	68.38	sheen	46.77	sheen	NA	10.00	3342.29	
RW-2	01/10/18	3389.06	68.38	sheen	46.69	sheen	NA	NA	3342.37	
RW-2	01/17/18	3389.06	68.38	sheen	46.67	sheen	NA	NA	3342.39	
RW-2	01/26/18	3389.06	68.38	sheen	46.64	sheen	NA	NA	3342.42	
RW-2	02/01/18	3389.06	68.38	ND	47.01	ND	NA	NA	3342.05	
RW-2	02/08/18	3389.06	68.38	ND	46.87	ND	NA	10.00	3342.19	
RW-2	02/14/18	3389.06	68.38	ND	46.61	ND	NA	NA	3342.45	
RW-2	02/21/18	3389.06	68.38	ND	46.64	ND	NA	10.00	3342.42	
RW-2	02/28/18	3389.06	68.38	ND	46.55	ND	NA	NA	3342.51	
RW-2	03/08/18	3389.06	68.40	ND	46.65	ND	NA	NA	3342.41	Sampled
RW-2	03/15/18	3389.06	68.40	ND	46.63	ND	NA	10.00	3342.43	
RW-2	03/22/18	3389.06	68.40	ND	46.68	ND	NA	10.00	3342.38	
RW-2	03/28/18	3389.06	68.40	ND	46.61	ND	NA	10.00	3342.45	
RW-2	04/03/18	3389.06	68.40	ND	46.61	ND	NA	10.00	3342.45	
RW-2	04/10/18	3389.06	68.40	sheen	46.65	sheen	Sheen	10.00	3342.41	
RW-2	04/19/18	3389.06	68.40	sheen	46.70	sheen	Sheen	10.00	3342.36	
RW-2	04/25/18	3389.06	68.40	sheen	46.72	sheen	NA	10.00	3342.34	
RW-2	05/02/18	3389.06	68.40	sheen	46.55	sheen	NA	10.00	3342.51	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-2	05/10/18	3389.06	68.40	ND	46.55	ND	NA	10.00	3342.51	
RW-2	05/15/18	3389.06	68.40	ND	46.56	ND	NA	NA	3342.50	
RW-2	05/23/18	3389.06	68.40	ND	46.50	ND	NA	NA	3342.56	
RW-2	06/07/18	3389.06	68.40	sheen	46.58	sheen	NA	NA	3342.48	Sampled
RW-2	06/13/18	3389.06	68.40	sheen	46.61	sheen	NA	10.00	3342.45	
RW-2	06/20/18	3389.06	68.40	ND	46.66	ND	NA	10.00	3342.40	
RW-2	06/28/18	3389.06	68.40	ND	46.59	ND	NA	10.00	3342.47	
RW-2	07/05/18	3389.06	68.40	ND	46.65	ND	NA	10.00	3342.41	
RW-2	07/12/18	3389.06	68.40	ND	46.68	ND	NA	NA	3342.38	
RW-2	07/20/18	3389.06	68.40	ND	46.65	ND	NA	20.00	3342.41	
RW-2	07/26/18	3389.06	68.40	ND	46.70	ND	NA	20.00	3342.36	
RW-2	08/01/18	3389.06	68.40	ND	46.62	ND	NA	10.00	3342.44	
RW-2	08/08/18	3389.06	68.40	ND	46.60	ND	NA	10.00	3342.46	
RW-2	08/14/18	3389.06	68.40	ND	46.75	ND	NA	NA	3342.31	
RW-2	08/21/18	3389.06	68.40	ND	46.57	ND	NA	NA	3342.49	
RW-2	08/30/18	3389.06	68.40	ND	46.59	ND	NA	NA	3342.47	Sampled
RW-2	09/12/18	3389.06	68.40	sheen	46.86	sheen	NA	10.00	3342.20	
RW-2	09/18/18	3389.06	68.40	ND	46.81	ND	NA	10.00	3342.25	
RW-2	09/26/18	3389.06	68.40	ND	46.75	ND	NA	10.00	3342.31	
RW-2	10/04/18	3389.06	68.40	ND	46.81	ND	NA	10.00	3342.25	
RW-2	10/11/18	3389.06	68.40	ND	46.85	ND	NA	NA	3342.21	
RW-2	10/17/18	3389.06	68.40	sheen	46.59	sheen	NA	20.00	3342.47	
RW-2	10/24/18	3389.06	68.40	ND	46.78	ND	NA	20.00	3342.28	
RW-2	11/01/18	3389.06	68.40	ND	46.82	ND	NA	20.00	3342.24	
RW-2	11/07/18	3389.06	68.40	ND	46.85	ND	NA	20.00	3342.21	
RW-2	11/13/18	3389.06	68.40	sheen	46.89	sheen	NA	20.00	3342.17	
RW-2	11/21/18	3389.06	68.40	sheen	46.77	sheen	NA	20.00	3342.29	
RW-2	11/29/18	3389.06	68.40	sheen	46.68	sheen	NA	20.00	3342.38	
RW-2	12/07/18	3389.06	68.40	ND	46.72	ND	NA	20.00	3342.34	
RW-2	12/13/18	3389.06	68.40	ND	46.70	ND	NA	10.00	3342.36	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-2	12/19/18	3389.06	68.40	sheen	46.72	sheen	NA	10.00	3342.34	
RW-2	01/09/19	3389.06	68.40	sheen	46.77	sheen	NA	10.00	3342.29	
RW-2	01/18/19	3389.06	68.40	ND	46.54	ND	NA	10.00	3342.52	
RW-2	01/23/19	3389.06	68.40	ND	46.59	ND	NA	10.00	3342.47	
RW-2	01/30/19	3389.06	68.40	sheen	46.69	sheen	NA	10.00	3342.37	
RW-2	02/06/19	3389.06	68.40	sheen	46.70	sheen	NA	10.00	3342.36	
RW-2	02/14/19	3389.06	68.40	46.50	46.51	0.01	NA	10.00	3342.56	
RW-2	02/28/19	3389.06	68.40	sheen	46.60	sheen	NA	10.00	3342.46	
RW-2	03/06/19	3389.06	68.40	sheen	46.74	sheen	NA	10.00	3342.32	
RW-2	03/12/19	3389.06	68.40	sheen	46.72	sheen	NA	10.00	3342.34	
RW-2	03/22/19	3389.06	68.40	ND	46.74	ND	NA	10.00	3342.32	
RW-2	03/28/19	3389.06	68.40	ND	46.41	ND	NA	10.00	3342.65	
RW-2	04/03/19	3389.06	68.40	ND	46.43	ND	NA	10.00	3342.63	
RW-2	04/11/19	3389.06	68.40	ND	46.39	ND	NA	10.00	3342.67	
RW-2	04/16/19	3389.06	68.40	ND	46.40	ND	NA	10.00	3342.66	
RW-2	04/25/19	3389.06	68.40	sheen	46.41	sheen	NA	10.00	3342.65	
RW-2	05/01/19	3389.06	68.40	sheen	46.30	sheen	NA	10.00	3342.76	
RW-2	05/10/19	3389.06	68.40	sheen	46.38	sheen	NA	10.00	3342.68	
RW-2	05/17/19	3389.06	68.40	sheen	46.33	sheen	NA	10.00	3342.73	
RW-2	05/24/19	3389.06	68.40	sheen	46.43	sheen	NA	10.00	3342.63	
RW-2	06/05/19	3389.06	68.40	ND	46.44	ND	NA	10.00	3342.62	
RW-2	06/14/19	3389.06	68.40	ND	46.30	ND	NA	10.00	3342.76	
RW-2	06/20/19	3389.06	68.40	sheen	46.48	sheen	NA	10.00	3342.58	
RW-2	06/26/19	3389.06	68.40	ND	46.35	ND	NA	10.00	3342.71	
RW-2	07/03/19	3389.06	68.40	ND	46.31	ND	NA	10.00	3342.75	
RW-2	07/11/19	3389.06	68.40	ND	46.34	ND	NA	10.00	3342.72	
RW-2	07/26/19	3389.06	68.40	sheen	46.30	sheen	NA	10.00	3342.76	
RW-2	08/10/19	3389.06	68.40	sheen	46.31	sheen	Sheen	10.00	3342.75	
RW-2	08/15/19	3389.06	68.40	ND	46.32	ND	NA	10.00	3342.74	
RW-2	08/27/19	3389.06	68.40	sheen	46.31	sheen	NA	10.00	3342.75	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-2	09/13/19	3389.06	68.40	ND	46.30	ND	NA	NA	3342.76	
RW-2	09/20/19	3389.06	68.40	ND	46.43	ND	NA	NA	3342.63	
RW-2	10/19/19	3389.06	68.40	ND	46.22	ND	NA	10.00	3342.84	
RW-2	10/17/19	3389.06	68.40	ND	46.21	ND	NA	NA	3342.85	
RW-2	11/01/19	3389.06	68.40	ND	46.21	ND	NA	NA	3342.85	
RW-2	11/08/19	3389.06	68.40	ND	46.20	ND	NA	NA	3342.86	
RW-2	11/15/19	3389.06	68.40	ND	46.20	ND	NA	NA	3342.86	
RW-2	11/19/19	3389.06	68.40	sheen	46.18	sheen	NA	NA	3342.88	
RW-2	11/26/19	3389.06	68.40	ND	46.13	ND	NA	NA	3342.93	
RW-2	12/03/19	3389.06	68.40	ND	46.15	ND	NA	NA	3342.91	
RW-2	12/13/19	3389.06	68.40	ND	46.13	ND	NA	NA	3342.93	
RW-2	12/20/19	3389.06	68.40	sheen	46.16	sheen	NA	NA	3342.90	
RW-2	12/27/19	3389.06	68.40	sheen	46.13	sheen	NA	NA	3342.93	
RW-2	01/03/20	3389.06	68.40	ND	46.08	ND	NA	10.00	3342.98	
RW-2	01/09/20	3389.06	68.40	ND	46.11	ND	NA	10.00	3342.95	
RW-2	01/15/20	3389.06	68.40	ND	46.13	ND	NA	NA	3342.93	
RW-2	01/30/20	3389.06	68.40	sheen	46.04	sheen	NA	NA	3343.02	
RW-2	02/12/20	3389.06	68.40	ND	46.10	ND	NA	10.00	3342.96	
RW-2	02/20/20	3389.06	68.40	sheen	46.13	sheen	Sheen	10.00	3342.93	
RW-2	02/27/20	3389.06	68.40	ND	46.13	ND	NA	NA	3342.93	
RW-2	03/04/20	3389.06	68.40	sheen	46.11	sheen	NA	NA	3342.95	
RW-2	03/12/20	3389.06	68.40	ND	46.07	ND	NA	NA	3342.99	
RW-2	03/17/20	3389.06	68.40	ND	46.02	ND	NA	NA	3343.04	
RW-2	03/23/20	3389.06	68.40	ND	46.00	ND	NA	10.00	3343.06	
RW-2	05/07/20	3389.06	68.40	ND	45.90	ND	NA	NA	3343.16	
RW-2	05/29/20	3389.06	68.40	ND	45.93	ND	NA	10.00	3343.13	
RW-2	06/12/20	3389.06	68.40	ND	45.99	ND	NA	NA	3343.07	
RW-2	06/26/20	3389.06	68.40	ND	46.00	ND	NA	NA	3343.06	
RW-2	07/21/20	3389.06	68.40	ND	46.00	ND	NA	NA	3343.06	
RW-2	08/06/20	3389.06	68.40	ND	46.12	ND	NA	NA	3342.94	

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-2	09/18/20	3389.06	68.40	ND	46.15	ND	NA	NA	3342.91	
RW-2	09/30/20	3389.06	68.40	sheen	46.17	sheen	sheen	10.00	3342.89	
RW-2	10/09/20	3389.06	68.40	sheen	46.22	sheen	sheen	10.00	3342.84	
RW-2	11/13/20	3389.06	68.40	ND	46.46	ND	NA	10.00	3342.60	
RW-2	12/21/20	3389.06	68.40	sheen	46.02	sheen	sheen	10.00	3343.04	Sampled
RW-2	01/08/21	3389.06	68.40	ND	46.14	ND	NA	20.00	3342.92	
RW-2	02/04/21	3389.06	68.40	sheen	46.08	sheen	sheen	10.00	3342.98	
RW-2	03/22/21	3389.06	68.40	ND	46.06	ND	NA	10.00	3343.00	
RW-2	03/24/21	3389.06	68.40	ND	46.08	ND	NA	10.00	3342.98	Sampled
RW-2	04/08/21	3389.06	68.40	ND	46.04	ND	NA	10.00	3343.02	
RW-2	05/28/21	3389.06	68.40	ND	46.12	ND	NA	10.00	3342.94	
RW-2	06/29/21	3389.06	68.40	ND	46.02	ND	ND	10.00	3343.04	
RW-2	07/15/21	3389.06	68.40	ND	46.05	ND	ND	10.00	3343.01	
RW-2	08/03/21	3389.06	68.40	ND	46.11	ND	ND	10.00	3342.95	
RW-2	08/27/21	3389.06	68.40	sheen	46.20	sheen	sheen	10.00	3342.86	
RW-2	09/01/21	3389.06	68.40	ND	46.21	ND	ND	10.00	3342.85	
RW-2	09/24/21	3389.06	68.40	ND	46.32	ND	ND	10.00	3342.74	
RW-2	10/01/21	3389.06	68.40	ND	46.28	ND	ND	10.00	3342.78	
RW-2	11/10/21	3389.06	68.40	sheen	46.38	sheen	sheen	10.00	3342.68	
RW-2	12/22/21	3389.06	68.40	sheen	46.40	sheen	sheen	10.00	3342.66	
RW-2	01/06/22	3389.06	68.40	ND	46.35	ND	ND	10.00	3342.71	
RW-2	01/13/22	3389.06	68.40	sheen	46.30	sheen	sheen	10.00	3342.76	
RW-2	02/17/22	3389.06	68.40	ND	46.32	ND	ND	10.00	3342.74	
RW-2	03/03/22	3389.06	68.40	ND	46.30	ND	ND	10.00	3342.76	
RW-2	03/16/22	3389.06	68.40	ND	46.31	ND	ND	10.00	3342.75	
RW-2	04/01/22	3389.06	68.40	ND	46.30	ND	ND	10.00	3342.76	
RW-2	04/08/22	3389.06	68.40	ND	46.34	ND	ND	10.00	3342.72	
RW-2	04/20/22	3389.06	68.40	ND	46.44	ND	ND	10.00	3342.62	
RW-2	05/04/22	3389.06	68.40	ND	46.33	ND	ND	10.00	3342.73	
RW-2	06/01/22	3389.06	68.40	sheen	46.42	sheen	sheen	10.00	3342.64	Sampled

TABLE 2
HISTORICAL GROUNDWATER ELEVATION AND PSH RECOVERY DATA
2018-2022
PLAINS MARKETING, L.P.
D.S. HUGH SITE
LEA COUNTY, NEW MEXICO

	Date Measured	Top of Casing Elevation (ft)	Total Depth (ft)	Depth to Product (ft)	Depth to Water (ft)	PSH Thickness (ft)	Recovery (gallons)		Corrected Groundwater Elevation (ft)	Comments
							PSH	H ₂ O		
RW-2	07/28/22	3389.06	68.40	ND	46.58	ND	ND	10.00	3342.48	
RW-2	08/26/22	3389.06	68.40	46.46	46.47	0.01	ND	10.00	3342.60	
RW-2	08/31/22	3389.06	68.40	ND	46.72	ND	ND	10.00	3342.34	Sampled
RW-2	10/05/22	3389.06	68.40	ND	46.82	ND	ND	10.00	3342.24	
RW-2	11/15/22	3389.06	68.40	ND	46.90	ND	ND	10.00	3342.16	
RW-2	12/15/22	3389.06	68.40	ND	46.50	ND	ND	10.00	3342.56	
RW-2	01/11/23	3389.06	68.40	sheen	46.89	sheen	sheen	10.00	3342.17	
RW-2	08/23/23	3389.06	68.40	47.08	47.10	0.02	NA	NA	3341.98	

NA: Not Applicable

ND: Not Detected

NG: Not Gauged

^a Possible error in field data entry

TABLE 3
2021 to 2023 GROUNDWATER ANALYTICAL RESULTS
Plains Marketing, L.P.
DS Hugh Site
SRS #2000-10807
Lea County, New Mexico

Well Number	Sample Date	Sample ID	MTBE (mg/L)	SW 846-8260B			
				Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
				NMOC Remediation Criteria			
				0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-1	03/24/21	L1331413-01	NA	0.00568	<0.001	0.0282	0.0389
MW-1	06/29/21	L1374009-01		0.0205	<0.001	0.0489	0.0332
MW-1	08/27/21	L1396395-01		0.00504	<0.001	0.0186	0.0163
MW-1	12/02/21	NS	NA	NS	NS	NS	NS
MW-1	03/17/22	L1473402-01	NA	0.00966	<0.001	0.0418	0.0366
MW-1	06/01/22	L1501274-01	NA	0.0166	<0.0050	0.0489	0.0361
MW-1	09/01/22	L1532430-01	NA	0.00808	<0.001	0.0418	0.0336
MW-1	11/15/22	L1558959-01	NA	0.00453	<0.001	0.00832	0.00827
MW-1	03/03/23	NS	NA	NS	NS	NS	NS
MW-1	05/30/23	L1621915-01	NA	0.0125	0.000374	0.0110	0.0148
MW-1	08/24/23	NS	NA	NS	NS	NS	NS
MW-1	10/12/23	NS	NA	NS	NS	NS	NS
MW-2	03/24/21	L1331413-02	NA	<0.001	<0.001	<0.001	<0.003
MW-2	06/30/21	L1374009-02		<0.001	<0.001	<0.001	<0.003
MW-2	08/27/21	L1396395-02		<0.001	<0.001	<0.001	<0.003
MW-2	12/02/21	L1438373-01		<0.001	<0.001	<0.001	<0.003
MW-2	03/17/22	L1473402-02		<0.001	<0.001	<0.001	<0.003
MW-2	06/01/22	L1501274-02		<0.002	<0.005	<0.002	<0.006
MW-2	09/01/22	L1532430-02		<0.001	<0.001	<0.001	<0.003
MW-2	11/15/22	NS	NA	NS	NS	NS	NS
MW-2	03/03/23	NS	NA	NS	NS	NS	NS
MW-2	05/25/23	L1621489-01	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-2	08/24/23	L1650375-01	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-2	10/12/23	L1666508-01	NA	<0.000493	<0.000462	<0.000998	<0.00132
MW-3	03/24/21	L1331413-03	NA	<0.001	<0.001	<0.001	<0.003
MW-3	06/29/21	L1374009-03		<0.001	<0.001	<0.001	<0.003
MW-3	08/27/21	L1396395-03		<0.001	<0.001	<0.001	<0.003
MW-3	12/02/21	L1438373-02		<0.001	<0.001	<0.001	<0.003
MW-3	03/17/22	L1473402-03		<0.001	<0.001	<0.001	<0.003
MW-3	06/01/22	L1501274-03		<0.002	<0.005	<0.002	<0.006
MW-3	09/01/22	L1532430-03		<0.001	<0.001	<0.001	<0.003
MW-3	11/15/22	NS	NA	NS	NS	NS	NS
MW-3	03/03/23	NS	NA	NS	NS	NS	NS
MW-3	05/30/23	L1621915-02	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-3	08/24/23	L1650375-02	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-3	10/12/23	L1666508-02	NA	<0.000493	<0.000462	<0.000998	<0.00132

TABLE 3
2021 to 2023 GROUNDWATER ANALYTICAL RESULTS
Plains Marketing, L.P.
DS Hugh Site
SRS #2000-10807
Lea County, New Mexico

Well Number	Sample Date	Sample ID	MTBE (mg/L)	SW 846-8260B			
				Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
				NMOCD Remediation Criteria			
				0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-4	03/24/21	L1331413-04	NA	<0.001	<0.001	<0.001	<0.003
MW-4	06/30/21	L1374009-04		<0.001	<0.001	<0.001	<0.003
MW-4	08/27/21	L1396395-04		<0.001	<0.001	<0.001	<0.003
MW-4	12/02/21	L1438373-03		<0.001	<0.001	<0.001	<0.003
MW-4	06/01/22	L1501274-04		<0.002	<0.005	<0.002	<0.006
MW-4	09/01/22	L1532430-04		<0.001	<0.001	0.00056 J	0.00227 J
MW-4	11/15/22	L1558959-02		<0.001	<0.001	<0.001	0.00184 J
MW-4	03/03/23	NS	NA	NS	NS	NS	NS
MW-4	05/25/23	L1621489-02	NA	<0.0000941	<0.000278	0.000333 J	0.00119 J
MW-4	08/24/23	L1650375-03	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-4	10/12/23	L1666508-03	NA	<0.000493	<0.000462	<0.000998	<0.00132
MW-5	03/24/21	L1331413-05	NA	<0.001	<0.001	<0.001	<0.003
MW-5	06/30/21	L1374009-05		<0.001	<0.001	<0.001	<0.003
MW-5	08/27/21	L1396395-05		<0.001	<0.001	<0.001	<0.003
MW-5	12/02/21	L1438373-04		<0.001	<0.001	<0.001	<0.003
MW-5	03/17/22	L1473402-05		<0.001	<0.001	<0.001	<0.003
MW-5	06/01/22	L1501274-05		<0.002	<0.005	<0.002	<0.006
MW-5	09/01/22	L1532430-05		<0.001	<0.001	<0.001	<0.003
MW-5	11/15/22	L1558959-03		<0.001	<0.001	<0.001	<0.003
MW-5	03/03/23	NS	NA	NS	NS	NS	NS
MW-5	05/25/23	L1621489-03	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-5	08/24/23	L1650375-04	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-5	10/12/23	L1666508-04	NA	<0.000493	<0.000462	<0.000998	<0.00132
MW-6	03/24/21	L1331413-06		<0.001	<0.001	<0.001	<0.003
MW-6	06/29/21	L1374009-06		<0.001	<0.001	<0.001	<0.003
MW-6	08/27/21	L1396395-06		<0.001	<0.001	<0.001	<0.003
MW-6	12/02/21	L1438373-05		<0.001	<0.001	<0.001	<0.003
MW-6	03/17/22	L1473402-06		<0.001	<0.001	<0.001	<0.003
MW-6	06/01/22	L1501274-06		<0.002	<0.005	<0.002	<0.006
MW-6	09/01/22	L1532430-06		<0.001	<0.001	<0.001	<0.003
MW-6	11/15/22	NS	NA	NS	NS	NS	NS
MW-6	03/03/23	NS	NA	NS	NS	NS	NS
MW-6	05/30/23	L1621915-03	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-6	08/24/23	L1650375-05	NA	0.000188 J	<0.000278	<0.000137	<0.000174
MW-6	10/12/23	L1666508-05	NA	<0.000493	<0.000462	<0.000998	<0.00132
MW-7	03/24/21	L1331413-07	NA	<0.001	<0.001	<0.001	<0.003
MW-7	06/29/21	L1374009-07		<0.001	<0.001	<0.001	<0.003
MW-7	08/27/21	L1396395-07		<0.001	<0.001	<0.001	<0.003
MW-7	12/02/21	L1438373-06		<0.001	<0.001	<0.001	<0.003
MW-7	03/17/22	L1473402-07		<0.001	<0.001	<0.001	<0.003
MW-7	06/01/22	L1501274-07		<0.002	<0.005	<0.002	<0.006
MW-7	09/01/22	L1532430-07		<0.001	<0.001	<0.001	<0.003
MW-7	11/15/22	NS	NA	NS	NS	NS	NS
MW-7	03/03/23	NS	NA	NS	NS	NS	NS
MW-7	05/30/23	L1621915-04	NA	<0.0000941	<0.000278	<0.000137	<0.000174
MW-7	08/24/23	L1650375-06	NA	<0.0000941	<0.000278	<0.000137	<0.000174

TABLE 3
2021 to 2023 GROUNDWATER ANALYTICAL RESULTS
Plains Marketing, L.P.
DS Hugh Site
SRS #2000-10807
Lea County, New Mexico

Well Number	Sample Date	Sample ID	MTBE (mg/L)	SW 846-8260B			
				Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
				NMOCD Remediation Criteria			
				0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-7	10/12/23	L1666508-06	NA	<0.000493	<0.000462	<0.000998	<0.00132
RW-1	03/24/21	L1331413-08		0.0147	0.00619	0.00152	0.018
RW-1	06/30/21	L1374009-08		0.00756	0.00483	0.00240	0.00921
RW-1	08/27/21	L1396395-08		<0.001	<0.001	<0.001	<0.003
RW-1	12/02/21	L1438373-07		0.00290	<0.001	<0.001	0.00561
RW-1	03/17/22	L1473402-08		<0.001	<0.001	<0.001	<0.003
RW-1	06/01/22	L1501274-08		0.00474	<0.005	<0.002	0.00682
RW-1	09/01/22	L1532430-08		0.00335	0.000943 J	0.00137	0.00978
RW-1	11/15/22	L1558959-04		<0.001	<0.001	<0.001	<0.003
RW-1	03/03/23	NS	NA	NS	NS	NS	NS
RW-1	05/25/23	L1621489-04	NA	0.000424 J	<0.000278	0.000226 J	0.00210 J
RW-1	08/24/23	NS	NA	NS	NS	NS	NS
RW-1	10/12/23	NS	NA	NS	NS	NS	NS
RW-2	03/24/21	L1331413-09		<0.001	<0.001	0.00117	0.0084
RW-2	06/30/21	L1374009-09		<0.001	<0.001	<0.001	<0.003
RW-2	08/27/21	L1396395-09		0.0234	0.00272	0.00171	0.0131
RW-2	12/02/21	L1438373-08		<0.001	<0.001	<0.001	<0.003
RW-2	03/17/22	L1473402-09		0.00145	<0.001	0.00133	0.00303
RW-2	06/01/22	L1501274-09		<0.002	<0.005	<0.002	<0.006
RW-2	09/01/22	L1532430-09		0.000598 J	<0.001	0.000462 J	0.00103 J
RW-2	11/15/22	L1558959-05		<0.001	<0.001	<0.001	<0.003
RW-2	03/03/23	NS	NA	NS	NS	NS	NS
RW-2	05/25/23	L1621489-05	NA	<0.0000941	<0.000278	0.000896 J	0.00210 J
RW-2	08/24/23	NS	NA	NS	NS	NS	NS
RW-2	10/12/23	NS	NA	NS	NS	NS	NS

NMOCD: New Mexico Oil Conservation District

Exceedences of NMOCD Remediation Criteria are shown in **bold**

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-1	05/22/08	T22302-1	0.512	0.439	0.141	0.323
MW-1	05/19/09	9052214	0.0105	0.0143	0.0061	0.0178
MW-1	05/12/10	1005476-01	0.45	0.68	0.30	0.84
MW-1	05/31/11	1106003-01	0.40	0.36	0.30	0.74
MW-1	05/22/12	12051129-01	0.55	1.5	0.6	1.5
MW-1	06/10/13	L641101-01	0.028	0.10	0.066	0.16
MW-1	06/06/14	L703440-01	0.036	0.19	0.15	0.36
MW-1	06/18/15	L772291-01	0.0039	0.0031 J	0.018	0.059
MW-1	05/20/16	L837134-01	<0.0001	<0.005	<0.001	<0.003
MW-1	05/16/17	L910269-01	0.0254	0.0111	0.0789	0.155
MW-1	03/08/18	L976570-01	0.0115	0.00443	0.027	0.0556
MW-1	06/06/18	L1000531-01	0.0414	0.0128	0.0861	0.177
MW-1	09/12/18	L1025965-01	0.0288	0.00444	0.0696	0.158
MW-1	05/10/19	L1098634-01	0.0372	0.00413	0.0597	0.107
MW-1	08/28/19	L1134078-01	0.0106	<0.001	0.0139	0.0706
MW-1	11/20/19	L1163668-01	0.0171	0.00104	0.0295	0.0898
MW-1	03/19/20	L1201827-01	0.0178	<0.001	0.0375	0.0730
MW-1	06/26/20	L1234397-01	0.0272	<0.001	0.0400	0.0777
MW-1	03/24/21	L1331413-01	0.00568	<0.001	0.0282	0.0389
MW-1	06/29/21	L1374009-01	0.0205	<0.001	0.0489	0.0332
MW-1	08/27/21	L1396395-01	0.00504	<0.001	0.0186	0.0163
MW-1	12/02/21	NS	NS	NS	NS	NS
MW-1	03/17/22	L1473402-01	0.00966	<0.001	0.0418	0.0366
MW-1	06/01/22	L1501274-01	0.0166	<0.0050	0.0489	0.0361
MW-1	09/01/22	L1532430-01	0.00808	<0.001	0.0418	0.0336
MW-1	11/15/22	L1558959-01	0.00453	<0.001	0.00832	0.00827
MW-1	03/03/23	NS	NS	NS	NS	NS
MW-1	05/30/23	L1621915-01	0.0125	0.000374 J	0.0110	0.0148
MW-1	08/24/23	NS	NS	NS	NS	NS
MW-1	10/12/23	NS	NS	NS	NS	NS
MW-2	12/21/05	T12186-1	<0.002	<0.002	<0.002	<0.006
MW-2	03/28/06	T13038-1	<0.00038	<0.00036	<0.00035	<0.00072
MW-2	06/15/06	T13864-1	<0.00038	<0.00036	<0.00035	<0.00072
MW-2	09/12/06	T14673-1	<0.00035	<0.00020	<0.00033	<0.00036
MW-2	12/06/06	T15625-1	<0.00035	<0.00020	<0.00033	<0.00036
MW-2	03/01/07	T16518-1	<0.00035	<0.00020	<0.00033	<0.00036
MW-2	06/01/07	T17666-1	<0.00021	<0.00023	<0.00035	<0.00055
MW-2	09/07/07	T18804-1	<0.00021	<0.00023	<0.00035	<0.00055
MW-2	11/13/07	T19746-1	<0.0005	<0.0005	<0.0005	<0.001
MW-2	02/27/08	T21042-1	0.00077 J	<0.00023	0.00085 J	0.00068 J
MW-2	05/22/08	T22302-2	0.00029 J	<0.00023	<0.00035	<0.0055
MW-2	08/20/08	T23537-1	<0.0005	<0.0005	<0.0005	<0.001
MW-2	11/19/08	180051	0.00230	<0.00100	0.00180	0.00130

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-2	02/17/09	187738	<0.001	<0.001	<0.001	<0.001
MW-2	05/19/09	9052214	<0.000133	<0.000281	<0.000535	<0.000960
MW-2	08/26/09	208335	<0.000133	<0.000281	<0.000535	<0.000960
MW-2	11/17/09	215429	<0.000160	<0.000332	<0.000230	<0.000143
MW-2	02/09/10	222048	<0.000208	<0.000208	<0.000303	<0.000326
MW-2	05/12/10	1005476-02	0.00077 J	<0.00020	0.00039 J	<0.00070
MW-2	08/26/10	1008908-01	<0.00020	<0.00020	<0.00020	<0.00070
MW-2	11/18/10	1011751-01	<0.00020	<0.00020	<0.00020	<0.00070
MW-2	02/24/11	1102759-01	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	05/31/11	1106003-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	08/29/11	1108973-01	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	11/28/11	1111900-01	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	02/22/12	1202868-01	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	05/22/12	12051129-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	09/11/12	1209470-01	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	11/26/12	1211905-01	<0.0010	<0.0010	<0.0010	<0.0030
MW-2	02/27/13	L622427-01	<0.001	<0.005	<0.001	<0.003
MW-2	06/10/13	L641101-02	<0.001	<0.005	<0.001	<0.003
MW-2	09/11/13	L657122-01	<0.001	<0.005	<0.001	<0.003
MW-2	12/11/13	L673997-01	<0.001	<0.005	<0.001	<0.003
MW-2	03/05/14	L686932-01	<0.001	<0.005	<0.001	<0.003
MW-2	06/06/14	L703440-02	<0.001	<0.005	<0.001	<0.003
MW-2	09/18/14	L722808-01	<0.001	<0.005	<0.001	<0.003
MW-2	11/12/14	L733859-01	<0.001	<0.005	<0.001	<0.003
MW-2	02/24/15	L750324-01	<0.001	<0.005	<0.001	<0.003
MW-2	06/18/15	L772291-02	<0.001	<0.005	<0.001	<0.003
MW-2	08/22/15	L785989-01	<0.001	<0.005	<0.001	<0.003
MW-2	11/19/15	L802533-01	<0.001	<0.005	<0.001	<0.003
MW-2	03/08/16	L822604-01	<0.001	<0.005	<0.001	<0.003
MW-2	05/20/16	L837134-02	<0.001	<0.005	<0.001	<0.003
MW-2	09/21/16	L861614-01	<0.001	<0.005	<0.001	<0.003
MW-2	12/16/16	L879658-01	<0.001	<0.005	<0.001	<0.003
MW-2	03/02/17	L893619-01	<0.001	<0.001	<0.001	<0.003
MW-2	05/16/17	L910269-02	<0.001	<0.001	<0.001	<0.003
MW-2	09/13/17	L936705-01	<0.001	<0.001	<0.001	<0.003
MW-2	11/29/17	L954388-01	<0.001	<0.001	<0.001	<0.003
MW-2	03/08/18	L976570-02	<0.001	<0.001	<0.001	<0.003
MW-2	06/07/18	L1000531-02	<0.001	<0.001	<0.001	<0.003
MW-2	09/12/18	L1025965-02	<0.001	<0.001	<0.001	<0.003
MW-2	11/30/18	L1050022-01	<0.001	<0.001	<0.001	<0.003
MW-2	02/14/19	L1071077-01	<0.001	<0.001	<0.001	<0.003
MW-2	05/10/19	L1098634-02	<0.001	<0.001	<0.001	<0.003
MW-2	08/28/19	L1134078-02	<0.001	<0.001	<0.001	<0.003
MW-2	11/20/19	L1163668-02	<0.001	<0.001	<0.001	<0.003

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-2	03/19/20	L1201827-02	<0.001	<0.001	<0.001	<0.003
MW-2	06/26/20	L1234397-02	<0.001	<0.001	<0.001	<0.003
MW-2	09/18/20	L1264237-01	<0.001	<0.001	<0.001	<0.003
MW-2	12/21/20	L1300778-01	<0.001	<0.001	<0.001	<0.003
MW-2	03/24/21	L1331413-02	<0.001	<0.001	<0.001	<0.003
MW-2	06/30/21	L1374009-02	<0.001	<0.001	<0.001	<0.003
MW-2	08/27/21	L1396395-02	<0.001	<0.001	<0.001	<0.003
MW-2	12/02/21	L1438373-01	<0.001	<0.001	<0.001	<0.003
MW-2	03/17/22	L1473402-02	<0.001	<0.001	<0.001	<0.003
MW-2	06/01/22	L1501274-02	<0.002	<0.005	<0.002	<0.006
MW-2	09/01/22	L1532430-02	<0.001	<0.001	<0.001	<0.003
MW-2	11/15/22	NS	NS	NS	NS	NS
MW-2	03/03/23	NS	NS	NS	NS	NS
MW-2	05/25/23	L1621489-01	<0.0000941	<0.000278	<0.000137	<0.000174
MW-2	08/24/23	L1650375-01	<0.0000941	<0.000278	<0.000137	<0.000174
MW-2	10/12/23	L1666508-01	<0.000493	<0.000462	<0.000998	<0.00132
MW-3	12/21/05	T12186-2	<0.002	<0.002	<0.002	<0.006
MW-3	03/28/06	T13038-2	<0.00038	<0.00036	<0.00035	<0.00072
MW-3	06/15/06	T13864-2	<0.00038	<0.00036	<0.00035	<0.00072
MW-3	09/12/06	T14673-2	<0.00035	<0.00020	<0.00033	<0.00036
MW-3	12/06/06	T15625-2	<0.00035	<0.00020	<0.00033	<0.00036
MW-3	03/01/07	T16518-2	<0.00035	<0.00020	<0.00033	<0.00036
MW-3	06/01/07	T17666-2	<0.00021	<0.00023	<0.00035	<0.00055
MW-3	09/07/07	T18804-2	<0.00021	<0.00023	<0.00035	<0.00055
MW-3	11/13/07	T19746-2	<0.0005	<0.0005	<0.0005	<0.001
MW-3	02/27/08	T21042-2	0.00021 J	<0.00023	<0.00035	<0.00055
MW-3	05/22/08	T22302-3	<0.00021	<0.00023	<0.00035	<0.00055
MW-3	08/20/08	T23537-2	<0.0005	<0.0005	<0.0005	<0.001
MW-3	11/19/08	180052	<0.00100	<0.00100	<0.00100	<0.00100
MW-3	02/17/09	187739	<0.001	<0.001	<0.001	<0.001
MW-3	05/19/09	9052214	<0.000149	<0.000188	<0.000178	<0.000163
MW-3	08/26/09	208336	<0.000133	<0.000281	<0.000535	<0.000960
MW-3	11/17/09	215430	<0.000160	<0.000332	<0.000230	<0.000143
MW-3	02/09/10	222049	<0.000208	<0.000208	<0.000303	<0.000326
MW-3	05/12/10	1005476-03	0.0012	<0.00020	0.00049 J	0.00088 J
MW-3	08/26/10	1008908-02	<0.00020	<0.00020	<0.00020	<0.00070
MW-3	11/18/10	1011751-02	<0.00020	<0.00020	<0.00020	<0.00070
MW-3	02/24/11	1102759-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	05/31/11	1106003-03	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	08/29/11	1108973-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	11/28/11	1111900-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	02/22/12	1202868-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	05/23/12	12051129-03	<0.0010	<0.0010	<0.0010	<0.0030

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-3	09/11/12	1209470-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	11/26/12	1211905-02	<0.0010	<0.0010	<0.0010	<0.0030
MW-3	02/27/13	L622427-02	<0.001	<0.005	<0.001	<0.003
MW-3	06/10/13	L641101-03	<0.001	<0.005	<0.001	<0.003
MW-3	09/11/13	L657122-02	<0.001	<0.005	<0.001	<0.003
MW-3	12/11/13	L673997-02	<0.001	<0.005	<0.001	<0.003
MW-3	03/05/14	L686932-02	<0.001	<0.005	<0.001	<0.003
MW-3	06/06/14	L703440-03	<0.001	<0.005	<0.001	<0.003
MW-3	09/18/14	L722808-02	<0.001	<0.005	<0.001	<0.003
MW-3	11/12/14	L733859-02	<0.001	<0.005	<0.001	<0.003
MW-3	02/24/15	L750324-02	<0.001	<0.005	<0.001	<0.003
MW-3	06/18/15	L772203-03	<0.001	<0.005	<0.001	<0.003
MW-3	08/22/15	L785989-02	<0.001	<0.005	<0.001	<0.003
MW-3	11/19/15	L802533-02	<0.001	<0.005	<0.001	<0.003
MW-3	03/08/16	L822604-02	<0.001	<0.005	<0.001	<0.003
MW-3	05/20/16	L837134-03	<0.001	<0.005	<0.001	<0.003
MW-3	09/21/16	L861614-02	<0.001	<0.005	<0.001	<0.003
MW-3	12/16/16	L879658-02	<0.001	<0.005	<0.001	<0.003
MW-3	03/02/17	L893619-02	<0.001	<0.001	<0.001	<0.003
MW-3	05/16/17	L910269-03	<0.001	<0.001	<0.001	<0.003
MW-3	09/13/17	L936705-02	<0.001	<0.001	<0.001	<0.003
MW-3	11/29/17	L954388-02	<0.001	<0.001	<0.001	<0.003
MW-3	03/08/18	L976570-03	<0.001	<0.001	<0.001	<0.003
MW-3	06/06/18	L1000531-03	<0.001	<0.001	<0.001	<0.003
MW-3	09/12/18	L1025965-03	<0.001	<0.001	<0.001	<0.003
MW-3	11/30/18	L1050022-02	<0.001	<0.001	<0.001	<0.003
MW-3	02/14/19	L1071077-02	<0.001	<0.001	<0.001	<0.003
MW-3	05/10/19	L1098634-03	<0.001	0.00303	<0.001	<0.003
MW-3	08/28/19	L1134078-03	<0.001	<0.001	<0.001	<0.003
MW-3	11/20/19	L1163668-03	<0.001	<0.001	<0.001	<0.003
MW-3	03/19/20	L1201827-03	<0.001	<0.001	<0.001	<0.003
MW-3	06/26/20	L1234397-03	<0.001	<0.001	<0.001	<0.003
MW-3	09/18/20	L1264237-02	<0.001	<0.001	<0.001	<0.003
MW-3	12/21/20	L1300778-02	<0.001	<0.001	<0.001	<0.003
MW-3	03/24/21	L1331413-03	<0.001	<0.001	<0.001	<0.003
MW-3	06/29/21	L1374009-03	<0.001	<0.001	<0.001	<0.003
MW-3	08/27/21	L1396395-03	<0.001	<0.001	<0.001	<0.003
MW-3	12/02/21	L1438373-02	<0.001	<0.001	<0.001	<0.003
MW-3	03/17/22	L1473402-03	<0.001	<0.001	<0.001	<0.003
MW-3	06/01/22	L1501274-03	<0.002	<0.005	<0.002	<0.006
MW-3	09/01/22	L1532430-03	<0.001	<0.001	<0.001	<0.003
MW-3	11/15/22	NS	NS	NS	NS	NS
MW-3	03/03/23	NS	NS	NS	NS	NS
MW-3	05/30/23	L1621915-02	<0.0000941	<0.000278	<0.000137	<0.000174
MW-3	08/24/23	L1650375-02	<0.0000941	<0.000278	<0.000137	<0.000174

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-3	10/12/23	L1666508-02	<0.000493	<0.000462	<0.000998	<0.00132
MW-4	03/28/06	T13038-3	0.2 ^a	0.0535	0.0384	0.115
MW-4	06/15/06	T13864-3	0.41 ^a	0.0926	0.144 ^a	0.403 ^a
MW-4	09/12/06	T14673-3	0.617 ^a	0.025	0.232 ^a	0.208
MW-4	12/06/06	T15625-3	1.25 ^a	0.196	0.581 ^a	0.818
MW-4	03/01/07	T16518-3	1.06	0.186	0.294	0.195
MW-4	06/01/07	T17666-3	1.25	0.0195 J	0.349	0.192
MW-4	09/07/07	T18804-3	1.51	0.0554	0.317	0.295
MW-4	11/13/07	T19746-3	1.38 ^a	0.0251	0.256	0.22
MW-4	02/27/08	T21042-3	1.77	0.0882	0.532	0.792
MW-4	05/22/08	T22302-4	1.09	0.0215	0.291	0.254
MW-4	08/20/08	T23537-3	0.662 ^a	0.0161	0.207 ^a	0.249
MW-4	11/19/08	180053	0.567	0.0398	0.205	0.326
MW-4	02/17/09	187740	0.654	0.0451	0.196	0.507
MW-4	05/19/09	9052214	0.338	0.0259	0.174	0.319
MW-4	08/26/09	208337	0.301	0.0405	0.180	0.407
MW-4	11/17/09	215431	0.112	0.0350	0.115	0.246
MW-4	02/09/10	222050	0.16	0.0663	0.159	0.398
MW-4	05/12/10	1005476-04	0.11	0.0450	0.14	0.4
MW-4	08/26/10	1008908-03	0.038	0.0340	0.094	0.26
MW-4	11/18/10	1011751-03	0.014	0.0023	0.12	0.26
MW-4	02/24/11	1102759-03	0.020	0.030	0.096	0.26
MW-4	05/31/11	1106003-04	0.024	0.022	0.079	0.28
MW-4	08/29/11	1108973-03	0.014	0.0035 P	0.11	0.28
MW-4	11/28/11	1111900-03	0.0091	<0.0010	0.10	0.18
MW-4	02/12/12	1202868-03	0.011	<0.0010	0.11	0.21
MW-4	05/23/12	12051129-03	0.011	0.001	0.15	0.38
MW-4	09/11/12	1209470-03	0.0075	<0.0010	0.14	0.23
MW-4	11/26/12	1211905-03	0.004	<0.0010	0.11	0.15
MW-4	02/27/13	L622427-03	0.0012	<0.005	0.052	0.069
MW-4	06/10/13	L641101-04	0.00042 J	<0.005	0.0052	0.0064
MW-4	09/11/13	L657122-03	0.00075 J	<0.005	0.021	0.026
MW-4	12/11/13	L673997-03	<0.001	<0.005	0.0079	0.0052
MW-4	03/05/14	L686932-03	0.00051 J	<0.005	0.047	0.014
MW-4	06/06/14	L703440-04	<0.001	<0.005	<0.001	<0.003
MW-4	09/18/14	L722808-03	<0.001	<0.005	<0.001	<0.003
MW-4	11/12/14	L733859-03	<0.001	<0.005	<0.001	<0.003
MW-4	02/24/15	L750324-03	<0.001	<0.005	0.0026	0.0016 J
MW-4	06/18/15	L772291-04	<0.001	<0.005	0.0028	0.0019 J
MW-4	08/22/15	L785989-03	0.000581 J	<0.005	0.00459	0.00457
MW-4	11/19/15	L802533-03	<0.001	<0.005	0.000586 J	0.00116 J
MW-4	03/08/16	L822604-03	<0.001	<0.005	0.0054 J	0.00295 J
MW-4	05/20/16	L837134-04	<0.001	<0.005	0.00246	<0.003

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-4	09/21/16	L861614-03	<0.001	<0.005	0.00391	0.00148 J
MW-4	12/16/16	L879658-03	<0.001	<0.005	0.000835 J	<0.003
MW-4	03/02/17	L893619-03	<0.001	<0.001	<0.001	<0.003
MW-4	05/16/17	L910269-04	<0.001	<0.001	0.00447	<0.003
MW-4	09/13/17	L936705-03	<0.001	<0.001	0.00113	<0.003
MW-4	11/29/17	L954388-03	0.00129	<0.001	<0.001	<0.003
MW-4	03/08/18	L976570-04	0.0015	<0.001	<0.001	<0.003
MW-4	06/07/18	L1000531-04	0.0106	<0.001	<0.001	<0.003
MW-4	09/12/18	L1025965-04	<0.001	<0.001	<0.001	<0.003
MW-4	11/30/18	L1050022-03	0.0148	<0.001	<0.001	<0.003
MW-4	02/14/19	L1071077-03	<0.001	<0.001	<0.001	<0.003
MW-4	05/10/19	L1098634-04	<0.001	<0.001	<0.001	<0.003
MW-4	08/28/19	L1134078-04	0.0139	<0.001	<0.001	<0.003
MW-4	11/20/19	L1163668-04	0.00958	<0.001	<0.001	<0.003
MW-4	03/19/20	L1201827-04	0.00639	<0.001	<0.001	<0.003
MW-4	06/26/20	L1234397-04	0.00231	0.00153	0.00501	0.00949
MW-4	09/18/20	L1264237-03	<0.001	<0.001	<0.001	<0.003
MW-4	12/21/20	L1300778-03	<0.001	<0.001	<0.001	<0.003
MW-4	03/24/21	L1331413-04	<0.001	<0.001	<0.001	<0.003
MW-4	06/30/21	L1374009-04	<0.001	<0.001	<0.001	<0.003
MW-4	08/27/21	L1396395-04	<0.001	<0.001	<0.001	<0.003
MW-4	12/02/21	L1438373-03	<0.001	<0.001	<0.001	<0.003
MW-4	03/17/22	L1473402-04	<0.001	<0.001	<0.001	<0.003
MW-4	06/01/22	L1501274-04	<0.002	<0.005	<0.002	<0.006
MW-4	09/01/22	L1532430-04	<0.001	<0.001	0.00056 J	0.00227 J
MW-4	11/15/22	L1558959-02	<0.001	<0.001	<0.001	0.00184 J
MW-4	03/03/23	NS	NS	NS	NS	NS
MW-4	05/25/23	L1621489-02	<0.0000941	<0.000278	0.000333 J	0.00119 J
MW-4	08/24/23	L1650375-03	<0.0000941	<0.000278	<0.000137	<0.000174
MW-4	10/12/23	L1666508-03	<0.000493	<0.000462	<0.000998	<0.00132
MW-5	03/28/06	T13038-4	<0.00038	<0.00036	<0.00035	<0.00072
MW-5	06/15/06	T13864-4	<0.00038	<0.00036	<0.00035	<0.00072
MW-5	09/12/06	T14673-4	<0.00035	<0.00020	<0.00033	<0.00036
MW-5	12/06/06	T15625-4	<0.00035	<0.00020	<0.00033	<0.00036
MW-5	03/01/07	T16518-4	<0.00035	<0.00020	<0.00033	<0.00036
MW-5	06/01/07	T17666-4	<0.00021	<0.00023	<0.00035	<0.00055
MW-5	09/07/07	T18804-4	<0.00021	<0.00023	<0.00035	<0.00055
MW-5	11/13/07	T19746-4	<0.0005	<0.0005	<0.0005	<0.001
MW-5	02/27/08	T21042-4	<0.00021	<0.00023	<0.00035	<0.00055
MW-5	05/22/08	T22302-5	<0.00021	<0.00023	<0.00035	<0.00055
MW-5	08/20/08	T23537-4	<0.0005	<0.0005	<0.0005	<0.001
MW-5	11/19/08	180054	<0.00100	<0.00100	<0.00100	<0.00100
MW-5	02/17/09	187741	<0.00100	<0.00100	<0.00100	<0.00100
MW-5	05/19/09	9052214	<0.000149	<0.000188	<0.000178	<0.000163

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-5	08/26/09	208338	<0.000133	<0.000281	<0.000535	<0.000960
MW-5	11/17/09	215432	<0.000133	<0.000281	<0.000535	<0.000960
MW-5	02/09/10	222051	<0.000208	<0.000208	<0.000303	<0.000326
MW-5	05/12/10	1005476-05	0.00058 J	<0.00020	0.00042 J	0.001 J
MW-5	08/26/10	1008908-04	<0.00020	<0.00020	<0.00020	<0.00070
MW-5	11/18/10	1011751-04	<0.00020	<0.00020	<0.00020	<0.00070
MW-5	02/24/11	1102759-04	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	05/31/11	1106003-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	08/29/11	1108973-04	<0.0010	<0.0010	<0.0010	<0.0030 P
MW-5	11/28/11	1111900-04	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	02/22/12	1202868-04	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	05/23/12	12051129-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	09/11/12	1209470-04	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	11/26/12	1211905-04	<0.0010	<0.0010	<0.0010	<0.0030
MW-5	02/27/13	L622427-04	<0.001	<0.005	0.0006	<0.003
MW-5	06/10/13	L641101-05	<0.001	<0.005	<0.001	<0.003
MW-5	09/11/13	L657122-04	<0.001	<0.005	<0.001	<0.003
MW-5	12/11/13	L673997-04	<0.001	<0.005	<0.001	<0.003
MW-5	03/05/14	L686932-04	<0.001	<0.005	<0.001	<0.003
MW-5	06/06/14	L703440-05	<0.001	<0.005	<0.001	<0.003
MW-5	09/18/14	L722808-04	<0.001	<0.005	<0.001	<0.003
MW-5	11/12/14	L733859-04	<0.001	<0.005	<0.001	<0.003
MW-5	02/24/15	L750324-04	<0.001	<0.005	<0.001	<0.003
MW-5	06/18/15	L772291-05	<0.001	<0.005	<0.001	<0.003
MW-5	08/22/15	L785989-04	<0.001	<0.005	<0.001	<0.003
MW-5	11/19/15	L802533-04	<0.001	<0.005	<0.001	<0.003
MW-5	03/08/16	L822604-04	<0.001	<0.005	<0.001	<0.003
MW-5	05/20/16	L837134-05	<0.001	<0.005	<0.001	<0.003
MW-5	09/21/16	L861614-04	<0.001	<0.005	<0.001	<0.003
MW-5	12/16/16	L879658-04	<0.001	<0.005	<0.001	<0.003
MW-5	03/02/17	L893619-04	<0.001	<0.001	<0.001	<0.003
MW-5	05/16/17	L910269-06	<0.001	<0.001	<0.001	<0.003
MW-5	09/13/17	L936705-05	<0.001	<0.001	<0.001	<0.003
MW-5	11/29/17	L954388-04	<0.001	<0.001	<0.001	<0.003
MW-5	03/08/18	L976570-05	<0.001	0.001	<0.001	<0.003
MW-5	06/07/18	L1000531-05	<0.001	<0.001	<0.001	<0.003
MW-5	09/12/18	L1025965-05	<0.001	<0.001	<0.001	<0.003
MW-5	11/30/18	L1050022-04	<0.001	<0.001	0.00349	<0.003
MW-5	02/14/19	L1071077-04	<0.001	<0.001	<0.001	<0.003
MW-5	05/10/19	L1098634-05	<0.001	<0.001	<0.001	<0.003
MW-5	08/28/19	L1134078-05	<0.001	<0.001	<0.001	<0.003
MW-5	11/20/19	L1163668-05	<0.001	<0.001	<0.001	<0.003
MW-5	03/19/20	L1201827-05	<0.001	<0.001	<0.001	<0.003
MW-5	06/26/20	L1234397-05	<0.001	<0.001	<0.001	<0.003

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-5	09/18/20	L1264237-04	<0.001	<0.001	<0.001	<0.003
MW-5	12/21/20	L1300778-04	<0.001	<0.001	<0.001	<0.003
MW-5	03/24/21	L1331413-05	<0.001	<0.001	<0.001	<0.003
MW-5	06/30/21	L1374009-05	<0.001	<0.001	<0.001	<0.003
MW-5	08/27/21	L1396395-05	<0.001	<0.001	<0.001	<0.003
MW-5	12/02/21	L1438373-04	<0.001	<0.001	<0.001	<0.003
MW-5	03/17/22	L1473402-05	<0.001	<0.001	<0.001	<0.003
MW-5	06/01/22	L1501274-05	<0.002	<0.005	<0.002	<0.006
MW-5	09/01/22	L1532430-05	<0.001	<0.001	<0.001	<0.003
MW-5	11/15/22	L1558959-03	<0.001	<0.001	<0.001	<0.003
MW-5	03/03/23	NS	NS	NS	NS	NS
MW-5	05/25/23	L1621489-03	<0.0000941	<0.000278	<0.000137	<0.000174
MW-5	08/24/23	L1650375-04	<0.0000941	<0.000278	<0.000137	<0.000174
MW-5	10/12/23	L1666508-04	<0.000493	<0.000462	<0.000998	<0.00132
MW-6	06/15/06	T13864-5	<0.00038	<0.00036	<0.00035	<0.00072
MW-6	09/12/06	T14673-5	<0.00035	<0.00020	<0.00033	<0.00036
MW-6	12/06/06	T15625-5	<0.00035	<0.00020	<0.00033	<0.00036
MW-6	03/01/07	T16518-5	<0.00035	<0.00020	<0.00033	<0.00036
MW-6	06/01/07	T17666-5	<0.00021	<0.00023	<0.00035	0.0014 J
MW-6	09/07/07	T18804-5	<0.00021	<0.00023	<0.00035	<0.00055
MW-6	11/13/07	T19746-5	<0.0005	<0.0005	<0.0005	<0.001
MW-6	02/27/08	T21042-5	<0.00021	<0.00023	<0.00035	<0.00055
MW-6	05/22/08	T22302-6	<0.00021	<0.00023	<0.00035	<0.00055
MW-6	08/20/08	T23537-5	0.0065	<0.0005	0.0037	<0.001
MW-6	11/19/08	180055	<0.00100	<0.00100	<0.00100	<0.00100
MW-6	02/17/09	187742	<0.00100	<0.00100	<0.00100	<0.00100
MW-6	05/19/09	9052214	<0.000149	<0.000188	<0.000178	<0.000163
MW-6	08/26/09	208339	<0.000133	<0.000281	<0.000535	<0.000960
MW-6	11/17/09	215433	<0.000133	<0.000281	<0.000535	<0.000960
MW-6	02/09/10	222052	<0.000208	<0.000208	0.0006 J	0.0007 J
MW-6	05/12/10	1005476-06	<0.00020	<0.00020	<0.00020	<0.00070
MW-6	08/26/10	1008908-05	<0.00020	<0.00020	<0.00020	<0.00070
MW-6	11/18/10	1011751-05	<0.00020	<0.00020	<0.00020	<0.00070
MW-6	02/24/11	1102759-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	05/31/11	1106003-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	08/29/11	1108973-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	11/28/11	1111900-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	02/22/12	1202868-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	05/22/12	12051129-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	09/11/12	1209470-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	11/26/12	1211905-05	<0.0010	<0.0010	<0.0010	<0.0030
MW-6	02/27/13	L622427-05	<0.001	<0.005	<0.001	<0.003
MW-6	06/10/13	L641101-06	<0.001	<0.005	<0.001	<0.003

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-6	09/11/13	L657122-05	<0.001	<0.005	<0.001	<0.003
MW-6	12/11/13	L673997-05	<0.001	<0.005	<0.001	<0.003
MW-6	03/05/14	L686932-05	<0.001	<0.005	<0.001	<0.003
MW-6	06/06/14	L703440-06	<0.001	<0.005	<0.001	<0.003
MW-6	09/18/14	L722808-05	<0.001	<0.005	<0.001	<0.003
MW-6	11/12/14	L733859-05	<0.001	<0.005	<0.001	<0.003
MW-6	02/24/15	L750324-05	<0.001	<0.005	<0.001	<0.003
MW-6	06/18/15	L772291-06	<0.001	<0.005	<0.001	<0.003
MW-6	08/22/15	L785989-05	<0.001	<0.005	<0.001	<0.003
MW-6	11/19/15	L802533-05	<0.001	<0.005	<0.001	<0.003
MW-6	03/08/16	L822604-05	<0.001	<0.005	<0.001	<0.003
MW-6	05/20/16	L837134-06	<0.001	<0.005	<0.001	<0.003
MW-6	09/21/16	L861614-05	<0.001	<0.005	<0.001	<0.003
MW-6	12/16/16	L879658-05	<0.001	<0.005	<0.001	<0.003
MW-6	03/02/17	L893619-05	<0.001	<0.001	<0.001	<0.003
MW-6	05/16/17	L910269-06	<0.001	<0.001	<0.001	<0.003
MW-6	09/13/17	L936705-05	<0.001	<0.001	<0.001	<0.003
MW-6	11/29/17	L954388-05	<0.001	<0.001	<0.001	<0.003
MW-6	03/08/18	L976570-06	<0.001	<0.001	<0.001	<0.003
MW-6	06/06/18	L1000531-06	<0.001	<0.001	<0.001	<0.003
MW-6	09/12/18	L1025965-06	<0.001	<0.001	<0.001	<0.003
MW-6	11/30/18	L1050022-05	<0.001	<0.001	<0.001	<0.003
MW-6	02/14/19	L1071077-05	<0.001	<0.001	<0.001	<0.003
MW-6	05/10/19	L1098634-06	<0.001	0.00425	<0.001	<0.003
MW-6	08/28/19	L1134078-06	<0.001	<0.001	<0.001	<0.003
MW-6	11/20/19	L1163668-06	<0.001	<0.001	<0.001	<0.003
MW-6	03/19/20	L1201827-06	<0.001	<0.001	<0.001	<0.003
MW-6	06/26/20	L1234397-06	<0.001	<0.001	<0.001	<0.003
MW-6	09/18/20	L1264237-05	<0.001	<0.001	<0.001	<0.003
MW-6	12/21/20	L1300778-05	<0.001	<0.001	<0.001	<0.003
MW-6	03/24/21	L1331413-06	<0.001	<0.001	<0.001	<0.003
MW-6	06/29/21	L1374009-06	<0.001	<0.001	<0.001	<0.003
MW-6	08/27/21	L1396395-06	<0.001	<0.001	<0.001	<0.003
MW-6	12/02/21	L1438373-05	<0.001	<0.001	<0.001	<0.003
MW-6	03/17/22	L1473402-06	<0.001	<0.001	<0.001	<0.003
MW-6	06/01/22	L1501274-06	<0.002	<0.005	<0.002	<0.006
MW-6	09/01/22	L1532430-06	<0.001	<0.001	<0.001	<0.003
MW-6	11/15/22	NS	NS	NS	NS	NS
MW-6	03/03/23	NS	NS	NS	NS	NS
MW-6	05/30/23	L1621915-03	<0.0000941	<0.000278	<0.000137	<0.000174
MW-6	08/24/23	L1650375-05	0.000188 J	<0.000278	<0.000137	<0.000174
MW-6	10/12/23	L1666508-05	<0.000493	<0.000462	<0.000998	<0.00132
MW-7	06/15/06	T13864-6	<0.00038	<0.00036	<0.00035	<0.00072

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-7	09/12/06	T14673-6	0.0163	<0.00020	<0.00033	0.0036
MW-7	12/06/06	T15625-6	0.011	<0.00020	<0.00033	0.004
MW-7	03/01/07	T16518-6	<0.00035	<0.00020	<0.00033	0.0053
MW-7	06/01/07	T17666-6	<0.00021	<0.00023	<0.00035	<0.00055
MW-7	09/07/07	T18804-6	<0.00021	<0.00023	<0.00035	<0.00055
MW-7	11/13/07	T19746-6	<0.0005	<0.0005	<0.0005	<0.001
MW-7	02/27/08	T21042-6	<0.00021	<0.00023	<0.00035	<0.00055
MW-7	05/22/08	T22302-7	<0.00021	<0.00023	<0.00035	<0.00055
MW-7*	08/20/08	T23537-6	0.00086 J	<0.0005	0.00054 J	<0.001
MW-7	11/19/08	180056	NS	NS	NS	NS
MW-7	02/17/09	187743	<0.00100	<0.00100	<0.00100	<0.00100
MW-7	05/19/09	9052214	<0.000149	<0.000188	<0.000178	<0.000163
MW-7	08/26/09	208340	<0.000133	<0.000281	<0.000535	<0.000960
MW-7	11/17/09	215434	<0.000133	<0.000281	<0.000535	<0.000960
MW-7	02/09/10	222053	<0.000208	<0.000208	0.0012	0.0014
MW-7	05/12/10	1005476-07	0.0017	<0.00020	0.00079 J	0.0019 J
MW-7	08/26/10	1008908-06	<0.00020	<0.00020	<0.00020	<0.00070
MW-7	11/18/10	1011751-06	<0.00020	<0.00020	<0.00020	<0.00070
MW-7	02/24/11	1102759-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	05/31/11	1106003-07	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	08/29/11	1108973-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	11/28/11	1111900-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	02/22/12	1202868-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	05/23/12	12051129-07	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	09/11/12	1209470-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	11/26/12	1211905-06	<0.0010	<0.0010	<0.0010	<0.0030
MW-7	02/27/13	L622427-06	<0.001	<0.005	<0.001	<0.003
MW-7	06/10/13	L641101-07	<0.001	<0.005	<0.001	<0.003
MW-7	09/11/13	L657122-06	<0.001	<0.005	<0.001	<0.003
MW-7	12/11/13	L673997-06	<0.001	<0.005	<0.001	<0.003
MW-7	03/05/14	L686932-06	<0.001	<0.005	<0.001	<0.003
MW-7	06/06/14	L703440-07	<0.001	<0.005	<0.001	<0.003
MW-7	09/18/14	L722808-06	<0.001	<0.005	<0.001	<0.003
MW-7	11/12/14	L733859-06	<0.001	<0.005	<0.001	<0.003
MW-7	02/24/15	L750324-06	<0.001	<0.005	<0.001	<0.003
MW-7	06/18/15	L772291-07	<0.001	<0.005	<0.001	<0.003
MW-7	08/22/15	L785989-06	<0.001	<0.005	<0.001	<0.003
MW-7	11/19/15	L802533-06	<0.001	<0.005	<0.001	<0.003
MW-7	03/08/16	L822604-06	<0.001	<0.005	<0.001	<0.003
MW-7	05/20/16	L837134-07	<0.001	<0.005	<0.001	<0.003
MW-7	09/21/16	L861614-06	<0.001	<0.005	<0.001	<0.003
MW-7	12/16/16	L879658-06	<0.001	<0.005	<0.001	<0.003
MW-7	03/02/17	L893619-06	<0.001	<0.001	<0.001	<0.003
MW-7	05/16/17	L910269-07	<0.001	<0.001	<0.001	<0.003

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
MW-7	09/13/17	L936705-06	<0.001	<0.001	<0.001	<0.003
MW-7	11/29/17	L954388-06	<0.001	<0.001	<0.001	<0.003
MW-7	03/08/18	L976570-07	<0.001	<0.001	<0.001	<0.003
MW-7	06/06/18	L1000531-07	<0.001	<0.001	<0.001	<0.003
MW-7	09/12/18	L1025965-07	<0.001	<0.001	<0.001	<0.003
MW-7	11/30/18	L1050022-06	<0.001	<0.001	<0.001	<0.003
MW-7	02/14/19	L1071077-06	<0.001	<0.001	<0.001	<0.003
MW-7	05/10/19	L1098634-07	<0.001	0.00389	<0.001	<0.003
MW-7	08/28/19	L1134078-07	<0.001	<0.001	<0.001	<0.003
MW-7	11/20/19	L1163668-07	<0.001	<0.001	<0.001	<0.003
MW-7	03/19/20	L1201827-07	<0.001	<0.001	<0.001	<0.003
MW-7	06/26/20	L1234397-07	<0.001	<0.001	<0.001	<0.003
MW-7	09/18/20	L1264237-06	<0.001	<0.001	<0.001	<0.003
MW-7	12/21/20	L1300778-06	<0.001	<0.001	<0.001	<0.003
MW-7	03/24/21	L1331413-07	<0.001	<0.001	<0.001	<0.003
MW-7	06/29/21	L1374009-07	<0.001	<0.001	<0.001	<0.003
MW-7	08/27/21	L1396395-07	<0.001	<0.001	<0.001	<0.003
MW-7	12/02/21	L1438373-06	<0.001	<0.001	<0.001	<0.003
MW-7	03/17/22	L1473402-07	<0.001	<0.001	<0.001	<0.003
MW-7	06/01/22	L1501274-07	<0.002	<0.005	<0.002	<0.006
MW-7	09/01/22	L1532430-07	<0.001	<0.001	<0.001	<0.003
MW-7	11/15/22	NS	NS	NS	NS	NS
MW-7	03/03/23	NS	NS	NS	NS	NS
MW-7	05/30/23	L1621915-04	<0.0000941	<0.000278	<0.000137	<0.000174
MW-7	08/24/23	L1650375-06	<0.0000941	<0.000278	<0.000137	<0.000174
MW-7	10/12/23	L1666508-06	<0.000493	<0.000462	<0.000998	<0.00132
RW-1	09/18/14	L722808-07	0.0042	0.034	0.016	0.056
RW-1	06/18/15	L772291-08	0.015	0.0069	0.02	0.041
RW-1	05/20/16	L837134-08	0.000863 J	<0.005	0.000837 J	<0.003
RW-1	05/16/17	L910269-08	0.0103	0.00285	0.00954	0.0107
RW-1	03/08/18	L976570-08	0.00696	0.00152	0.0133	0.0165
RW-1	06/07/18	L1000531-08	0.0435	0.00587	0.0721	0.117
RW-1	09/12/18	L1025965-08	<0.001	<0.001	<0.001	<0.003
RW-1	11/30/18	L1050022-07	0.067	<0.001	0.0396	0.0691
RW-1	02/14/19	L1071077-07	0.0728	0.00138	0.0287	0.0317
RW-1	05/10/19	L1098634-08	0.0354	0.00172	0.0200	0.0259
RW-1	08/28/19	L1134078-08	0.0734	<0.001	0.0249	0.0451
RW-1	11/20/19	L1163668-08	0.00465	<0.001	0.00205	<0.003
RW-1	03/19/20	L1201827-08	0.0351	<0.001	0.00728	0.0112
RW-1	06/26/20	L1234397-08	0.00120	<0.001	0.00191	0.00338
RW-1	09/18/20	L1264237-07	<0.001	<0.001	<0.001	<0.003
RW-1	12/21/20	L1300778-07	0.0232	<0.001	0.00146	0.00843
RW-1	03/24/21	L1331413-08	0.0147	0.00619	0.00152	0.018

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L
RW-1	06/30/21	L1374009-08	0.00756	0.00483	0.00240	0.00921
RW-1	08/27/21	L1396395-08	<0.001	<0.001	<0.001	<0.003
RW-1	12/02/21	L1438373-07	0.00290	<0.001	<0.001	0.00561
RW-1	03/17/22	L1473402-08	<0.001	<0.001	<0.001	<0.003
RW-1	06/01/22	L1501274-08	0.00474	<0.005	<0.002	0.00682
RW-1	09/01/22	L1532430-08	0.00335	0.000943 J	0.00137	0.00978
RW-1	11/15/22	L1558959-04	<0.001	<0.001	<0.001	<0.003
RW-1	03/03/23	NS	NS	NS	NS	NS
RW-1	05/25/23	L1621489-04	0.000424 J	<0.000278	0.000226 J	0.00210 J
RW-1	08/24/23	NS	NS	NS	NS	NS
RW-1	10/12/23	NS	NS	NS	NS	NS
RW-2	09/18/14	L722808-08	0.01	0.14	0.13	0.41
RW-2	06/18/15	L772291-09	0.0011 J4	0.0015 J	0.0054	0.021
RW-2	05/20/16	L837134-09	<0.001	<0.005	<0.001	<0.003
RW-2	05/16/17	L910269-09	0.0316	0.00128	0.0357	0.0776
RW-2	03/08/18	L976570-09	<0.001	<0.001	0.00391	0.00577
RW-2	06/07/18	L1000531-07	0.00213	<0.001	0.0296	0.0459
RW-2	09/12/18	L1025965-09	<0.001	<0.001	<0.001	<0.003
RW-2	11/30/18	L1050022-08	0.0108	<0.001	0.0145	0.136
RW-2	02/14/19	NS	NS	NS	NS	NS
RW-2	05/10/19	L1098634-09	0.00364	0.00165	0.00444	0.00942
RW-2	08/28/19	L1134078-09	0.00316	<0.001	<0.001	0.0666
RW-2	11/20/19	L1163668-09	0.00205	<0.001	<0.001	0.00602
RW-2	03/19/20	L1201827-09	0.00311	<0.001	0.00374	0.0171
RW-2	06/26/20	L1234397-09	<0.001	<0.001	<0.001	<0.003
RW-2	09/18/20	L1264237-08	<0.001	<0.001	<0.001	<0.003
RW-2	12/21/20	L1300778-08	<0.001	<0.001	<0.001	0.00471
RW-2	03/24/21	L1331413-09	<0.001	<0.001	0.00117	0.0084
RW-2	06/30/21	L1374009-09	<0.001	<0.001	<0.001	<0.003
RW-2	08/27/21	L1396395-09	0.0234	0.00272	0.00171	0.0131
RW-2	12/02/21	L1438373-08	<0.001	<0.001	<0.001	<0.003
RW-2	03/17/22	L1473402-09	0.00145	<0.001	0.00133	0.00303
RW-2	06/01/22	L1501274-09	<0.002	<0.005	<0.002	<0.006
RW-2	09/01/22	L1532430-09	0.000598 J	<0.001	0.000462 J	0.00103 J
RW-2	11/15/22	L1558959-05	<0.001	<0.001	<0.001	<0.003
RW-2	03/03/23	NS	NS	NS	NS	NS
RW-2	05/25/23	L1621489-05	<0.0000941	<0.000278	0.000896 J	0.00210 J
RW-2	08/24/23	NS	NS	NS	NS	NS
RW-2	10/12/23	NS	NS	NS	NS	NS

NMOCD: New Mexico Oil Conservation District

Exceedences of NMOCD Remediation Criteria are shown in **bold**

NA: Not analyzed

TABLE 4
HISTORICAL GROUNDWATER ANALYTICAL RESULTS
PLAINS MARKETING, L.P.
D.S. HUGH SITES
RS #2000-108007
LEA COUNTY, NEW MEXICO

Well Number	Sample Date	Sample ID	SW 846-8260B			
			Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)
			NMOCD Remediation Criteria			
			0.01 mg/L	0.75 mg/L	0.75 mg/L	0.62 mg/L

J: Analyte detected below method detection limit (MDL) but above sample detection limit (SDL)

^a Result is from Run #2

P: Dual Column results percent difference > 40%

* MW-7 was not sampled in 4th Quarter 2008, due to root growth in the well

TABLE 5
Groundwater Analytical Results for Detected
Polynuclear Aromatic Hydrocarbons (PAHs) From Wells with Concentrations Exceeding NMOCD Standards
Plains Marketing, L.P.
D.S. Hugh Site
Lea County, New Mexico

Well	Date	Acenaphthene	Acenaphthylene	Anthracene	Chrysene	Dibenzofuran	Fluoranthene	Fluorene	Naphthalene	Phenanthrene	Pyrene
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Other Regulatory Limits (Tap Water)*		0.365	NA	1.83	0.0291		1.46	1.46	***	1.1	0.183
MW-1	5/22/2008	<0.0015	<0.0016	<0.0018	<0.0014	NA	<0.0016	<0.0016	0.0107	<0.0016	<0.0011
MW-1	5/19/2009	<0.0013	<0.070	<0.0808	<0.0.02	NA	<0.0880	<0.0880	0.00667	0.00153	<0.0458
MW-1	5/12/2010	0.0037	<0.070	<0.070	<0.070	NA	<0.070	<0.070	0.047	0.0067	<0.070
MW-1	12/7/2011	0.0051	0.0007	0.00035	0.0012	NA	<0.002	<0.002	0.028	0.01	<0.002
MW-1	5/22/2012	0.0063	0.00995	0.0062	0.0101	NA	0.00254	0.0309	0.468	0.144	0.00198
MW-1	6/10/2013	0.00068	0.00026	0.00035	0.00011	0.0016	0.00014	0.0011	0.018	0.0022	0.00028
MW-1	6/6/2014	0.00057	0.00024	0.00027	0.00012	0.0014	<0.00005	0.0011	0.021	0.0022	0.00022
MW-1	6/18/2015	0.00026	0.000098	0.00015	0.000055	0.00049	0.000034	0.00043	0.0018	0.001	0.00011
MW-1	5/20/2016	0.0000140 J	<0.00005	0.0000163 J	<0.00005	0.0000228 J	<0.00005	0.0000288 J	0.0000938 BJ	0.0000234 J	0.0000145
MW-1	5/16/2017	0.0002	0.0000798	0.0000418 J	<0.00005	0.000841	<0.00005	0.000578	0.0132	0.000619	<0.00005
MW-1	6/6/2018	0.00012	<0.0001	<0.0001	<0.0001	0.00046	<0.0001	0.000279	0.0145	0.000292	<0.0001
MW-1	5/10/2019	0.0000894	<0.00005	<0.00005	<0.00005	0.00341	<0.00005	0.000186	0.0069	0.000197	<0.00005
MW-1	6/26/2020	0.000130	<0.00005	<0.00005	<0.00005	0.000503	<0.000100	0.000298	0.00931	0.000303	<0.0000500
MW-1	6/29/2021	0.000170	<0.0001	<0.0001	<0.0001	0.000529	<0.0002	0.000373	0.00895	0.000450	<0.0001
MW-1	3/1/2023	0.000363	0.000242	<0.0000190	0.000130	0.000889	0.000149	0.000469	0.00674	0.000755	<0.0000169
MW-2	5/20/2016	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	0.0000689 BJ	<0.00005	<0.00005
MW-2	5/16/2017	<0.00005	<0.00005	<0.00005	<0.00005	0.00000375 BJ	<0.00005	<0.00005	0.0000436 BJ	<0.00005	<0.00005
MW-3	5/20/2016	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	0.0000865 BJ	0.00000908 J	<0.00005
MW-3	5/16/2017	<0.00005	<0.00005	<0.00005	<0.00005	0.00000485 BJ	<0.00005	<0.00005	0.0000508 BJ	<0.00005	<0.00005
MW-4	12/7/2011	<0.002	<0.002	<0.002	<0.002	NA	<0.002	<0.002	0.0036	0.00022	<0.002
MW-4	5/23/2012	0.000169	<0.00009	<0.00009	<0.00009	NA	<0.00009	0.00058	0.0458	0.000716	<0.00009
MW-4	6/10/2013	0.000035	<0.0000068	<0.0000076	<0.000011	0.00018	<0.000016	0.00077	0.0011	0.000076	0.000028 J
MW-4	6/6/2014	0.000032	0.000013	<0.00005	<0.00005	0.00018	<0.00005	0.000084	0.00021	0.000038	<0.000050
MW-4	6/18/2015	0.000019 J	<0.00005	<0.00005	<0.00005	0.00025	<0.00005	0.0000087	0.0006	0.000032 J	<0.00005
MW-4	5/20/2016	0.0000145 J	<0.00005	<0.00005	<0.00005	0.000449	<0.00005	0.000128	0.000404 B	0.0000465 J	<0.00005
MW-4	5/16/2017	<0.00005	<0.00005	<0.00005	<0.00005	0.000456	<0.00005	0.000124	0.000160 BJ	0.0000664	<0.00005
MW-4	5/10/2019	<0.00005	<0.00005	<0.00005	<0.00005	0.000285	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
MW-4	8/27/2021	<0.00005	<0.00005	<0.00005	<0.00005	0.000334	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005
MW-4	6/1/2022	<0.00005	<0.00005	<0.00005	<0.00005	0.00021	<0.0001	<0.00005	<0.00250	<0.00005	<0.00005
MW-4	3/1/2023	<0.0000190	<0.0000171	<0.0000190	<0.0000179	<0.0000191	<0.0000270	<0.0000169	<0.0000917	<0.0000180	<0.0000169
MW-5	5/20/2016	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	0.0000825 BJ	<0.00005	<0.00005
MW-5	5/16/2017	<0.00005	<0.00005	<0.00005	<0.00005	0.00000416 BJ	<0.00005	<0.00005	0.0000558 BJ	<0.00005	<0.00005
MW-5	3/1/2023	<0.0000190	<0.0000171	<0.0000190	<0.0000179	<0.0000191	<0.0000270	<0.0000169	<0.0000917	<0.0000180	<0.0000169
MW-6	5/20/2016	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	0.000011 BJ	<0.00005	<0.00005
MW-6	5/16/2017	<0.00005	<0.00005	<0.00005	<0.00005	0.00000326 BJ	<0.00005	<0.00005	0.0000604 BJ	<0.00005	<0.00005
MW-7	5/20/2016	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	<0.00005	0.0000126 BJ	<0.00005	<0.00005
MW-7	5/16/2017	<0.00005	<0.00005	<0.00005	<0.00005	0.00000614 BJ	<0.00005	<0.00005	0.0000516 BJ	<0.00005	<0.00005

TABLE 5
Groundwater Analytical Results for Detected
Polynuclear Aromatic Hydrocarbons (PAHs) From Wells with Concentrations Exceeding NMOCD Standards
Plains Marketing, L.P.
D.S. Hugh Site
Lea County, New Mexico

Well	Date	Acenaphthene	Acenaphthylene	Anthracene	Chrysene	Dibenzofuran	Fluoranthene	Fluorene	Naphthalene	Phenanthrene	Pyrene
Units		mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Other Regulatory Limits (Tap Water)*		0.365	NA	1.83	0.0291		1.46	1.46	***	1.1	0.183
RW-1	9/18/2014	0.000062	<0.00005	0.000034	<0.00005	0.00027	<0.00005	0.0002	0.0038	0.00034	<0.000050

Table 6
2023
2023 PSH and Dissolved Phase Groundwater Recovery
Plains Marketing, L.P.
DS Hugh Site
Lea County, New Mexico

Month	PSH Recovered (gallons)	Total Fluids Recovered (gallons)
MW-1	0.00	29.00
RW-1	0.00	109.00
RW-2	0.00	73.00
Total Fluids Recovered in 2023	0	211

Note: The above estimated gallons of total fluids (PSH and groundwater) include those pumped and manually bailed; these are estimates only.

Table 7
MNA Parameters
DS Hugh Site
SRS No. 2000-108007
Plains Marketing, L.P.
Lea County, New Mexico

Sample Point	Date	HACH Field Measurements			YSI Multimeter Sonde Field Measurements					
		Ferrous Iron (mg/L)	Nitrate (mg/L)	Sulfate (mg/L)	ORP (mV)	pH	DO %	DO (mg/L)	Conductivity (ms/cm)	Specific Conductivity (ms/cm-c)
MW-1	6/6/2018	0.21	8.80	>80	159.50	6.79	NA	0.51	2.660	2.530
MW-1	5/10/2019	0.08	13.80	>80	-204.80	6.62	NA	0.37	2.010	2.380
MW-1	6/26/2020	0.18	3.90	>80	-74.70	6.45	1.20	0.10	2.183	2.282
MW-1	6/29/2021	0.45	8.70	>80	34.50	6.58	3.40	0.28	2.370	2.470
MW-1	6/1/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-1	5/30/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-3	6/6/2014	0.01	NA	>80	73.80	6.76	NA	6.11	0.983	1.120
MW-3	6/18/2015	0.04	4.10	>80	194.20	6.71	NA	6.71	2.273	2.432
MW-3	5/20/2016	0.00	8.60	>80	3.30	7.13	NA	5.15	2.332	2.573
MW-3	5/16/2017	0.00	1.90	>80	189.50	7.32	NA	1.41	2.738	2.797
MW-3	6/6/2018	0.01	2.10	>80	233.50	7.17	NA	3.13	2.790	2.710
MW-3	5/10/2019	0.00	0.00	>80	105.30	6.95	NA	5.70	2.030	2.540
MW-3	6/26/2020	0.10	4.20	>80	134.30	6.84	13.60	1.19	2.314	2.458
MW-3	6/29/2021	0.00	5.20	>80	359.30	6.95	51.80	4.62	2.520	2.740
MW-3	6/1/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-3	5/30/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	6/5/2014	0.00	0.00	>80	82.50	6.99	NA	6.76	1.165	1.326
MW-6	5/16/2017	0.00	1.10	>80	236.10	6.25	NA	1.03	2.502	2.571
MW-6	6/6/2018	0.02	2.90	>80	259.90	6.53	NA	3.61	2.580	2.500
MW-6	5/10/2019	0.00	9.80	>80	106.50	6.99	NA	6.10	1.900	2.280
MW-6	6/26/2020	0.06	2.90	>80	132.50	6.91	14.10	1.23	1.937	2.076
MW-6	6/29/2021	0.10	2.70	>80	366.00	6.99	55.20	4.92	2.130	2.310
MW-6	6/1/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-6	5/30/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-7	6/6/2014	0.00	49.80	>80	82.20	6.69	NA	3.10	1.187	1.318
MW-7	6/18/2015	0.02	2.40	>80	20.40	4.80	NA	5.19	2.275	2.326
MW-7	5/20/2016	0.02	18.30	>80	1.70	7.31	NA	2.95	2.175	2.416
MW-7	5/16/2017	0.00	2.30	>80	234.40	6.28	NA	0.61	2.644	2.629
MW-7	6/6/2018	0.02	1.50	>80	236.20	6.90	NA	0.91	2.620	2.560
MW-7	5/10/2019	0.00	4.00	>80	101.60	6.89	NA	2.60	2.000	2.390
MW-7	6/29/2021	0.17	5.80	>80	358.60	6.89	38.40	3.8	2.310	2.470
MW-7	6/1/2022	NA	NA	NA	NA	NA	NA	NA	NA	NA
MW-7	5/30/2023	NA	NA	NA	NA	NA	NA	NA	NA	NA

Appendix A

2023 Laboratory Analytical Data and Chain of Custody Documentation



ANALYTICAL REPORT

March 10, 2023

Plains All American Pipeline

Sample Delivery Group: L1591758
Samples Received: 03/04/2023
Project Number: PAA12003
Description: DS Hugh
Site: SRS - 2000-10807
Report To: Bill Goldsby
21 Waterway Ave., Suite 300
The Woodlands, TX 77380

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "Chad Upchurch".

Chad A Upchurch
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
MW1 L1591758-01	5	
MW4 L1591758-02	6	⁴ Cn
MW5 L1591758-03	7	⁵ Sr
RW1 L1591758-04	8	
DUP-01 L1591758-05	9	⁶ Qc
Qc: Quality Control Summary	10	⁷ Gl
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	10	
Gl: Glossary of Terms	12	⁸ Al
Al: Accreditations & Locations	13	
Sc: Sample Chain of Custody	14	⁹ Sc

MW1 L1591758-01 GW

				Collected by CS	Collected date/time 03/01/23 10:30	Received date/time 03/04/23 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2017494	1	03/08/23 08:58	03/08/23 18:43	AGW	Mt. Juliet, TN

¹Cp

²Tc

MW4 L1591758-02 GW

				Collected by CS	Collected date/time 03/01/23 10:45	Received date/time 03/04/23 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2017494	1	03/08/23 08:58	03/08/23 19:00	AGW	Mt. Juliet, TN

³Ss

⁴Cn

⁵Sr

MW5 L1591758-03 GW

				Collected by CS	Collected date/time 03/01/23 11:00	Received date/time 03/04/23 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2017494	1	03/08/23 08:58	03/08/23 19:18	AGW	Mt. Juliet, TN

⁶Qc

⁷Gl

⁸Al

RW1 L1591758-04 GW

				Collected by CS	Collected date/time 03/01/23 11:15	Received date/time 03/04/23 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2017494	1	03/08/23 08:58	03/08/23 19:35	AGW	Mt. Juliet, TN

⁹Sc

DUP-01 L1591758-05 GW

				Collected by CS	Collected date/time 03/01/23 00:00	Received date/time 03/04/23 08:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM	WG2017494	1	03/08/23 08:58	03/08/23 19:52	AGW	Mt. Juliet, TN

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chad A Upchurch
Project Manager

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 03/01/23 10:30

L1591758

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Anthracene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 18:43	WG2017494
Acenaphthene	0.000363		0.0000190	0.0000500	1	03/08/2023 18:43	WG2017494
Acenaphthylene	0.000242		0.0000171	0.0000500	1	03/08/2023 18:43	WG2017494
Benzo(a)anthracene	<0.0000203		0.0000203	0.0000500	1	03/08/2023 18:43	WG2017494
Benzo(a)pyrene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 18:43	WG2017494
Benzo(b)fluoranthene	<0.0000168		0.0000168	0.0000500	1	03/08/2023 18:43	WG2017494
Benzo(g,h,i)perylene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 18:43	WG2017494
Benzo(k)fluoranthene	<0.0000202		0.0000202	0.0000500	1	03/08/2023 18:43	WG2017494
Chrysene	0.000130		0.0000179	0.0000500	1	03/08/2023 18:43	WG2017494
Dibenz(a,h)anthracene	<0.0000160		0.0000160	0.0000500	1	03/08/2023 18:43	WG2017494
Dibenzofuran	0.000889		0.0000191	0.0000500	1	03/08/2023 18:43	WG2017494
Fluoranthene	0.000149		0.0000270	0.000100	1	03/08/2023 18:43	WG2017494
Fluorene	0.000469		0.0000169	0.0000500	1	03/08/2023 18:43	WG2017494
Indeno(1,2,3-cd)pyrene	<0.0000158		0.0000158	0.0000500	1	03/08/2023 18:43	WG2017494
Naphthalene	0.00674		0.0000917	0.000250	1	03/08/2023 18:43	WG2017494
Phenanthrene	0.000755		0.0000180	0.0000500	1	03/08/2023 18:43	WG2017494
Pyrene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 18:43	WG2017494
1-Methylnaphthalene	0.00549		0.0000687	0.000250	1	03/08/2023 18:43	WG2017494
2-Methylnaphthalene	0.00363		0.0000674	0.000250	1	03/08/2023 18:43	WG2017494
2-Chloronaphthalene	<0.0000682		0.0000682	0.000250	1	03/08/2023 18:43	WG2017494
(S) Nitrobenzene-d5	259	J1		31.0-160		03/08/2023 18:43	WG2017494
(S) 2-Fluorobiphenyl	69.5			48.0-148		03/08/2023 18:43	WG2017494
(S) p-Terphenyl-d14	71.6			37.0-146		03/08/2023 18:43	WG2017494

Sample Narrative:

L1591758-01 WG2017494: Surrogate failure due to matrix interference

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 03/01/23 10:45

L1591758

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Anthracene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 19:00	WG2017494
Acenaphthene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 19:00	WG2017494
Acenaphthylene	<0.0000171		0.0000171	0.0000500	1	03/08/2023 19:00	WG2017494
Benzo(a)anthracene	<0.0000203		0.0000203	0.0000500	1	03/08/2023 19:00	WG2017494
Benzo(a)pyrene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:00	WG2017494
Benzo(b)fluoranthene	<0.0000168		0.0000168	0.0000500	1	03/08/2023 19:00	WG2017494
Benzo(g,h,i)perylene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:00	WG2017494
Benzo(k)fluoranthene	<0.0000202		0.0000202	0.0000500	1	03/08/2023 19:00	WG2017494
Chrysene	<0.0000179		0.0000179	0.0000500	1	03/08/2023 19:00	WG2017494
Dibenz(a,h)anthracene	<0.0000160		0.0000160	0.0000500	1	03/08/2023 19:00	WG2017494
Dibenzofuran	<0.0000191		0.0000191	0.0000500	1	03/08/2023 19:00	WG2017494
Fluoranthene	<0.0000270		0.0000270	0.000100	1	03/08/2023 19:00	WG2017494
Fluorene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 19:00	WG2017494
Indeno(1,2,3-cd)pyrene	<0.0000158		0.0000158	0.0000500	1	03/08/2023 19:00	WG2017494
Naphthalene	<0.0000917		0.0000917	0.000250	1	03/08/2023 19:00	WG2017494
Phenanthrene	<0.0000180		0.0000180	0.0000500	1	03/08/2023 19:00	WG2017494
Pyrene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 19:00	WG2017494
1-Methylnaphthalene	<0.0000687		0.0000687	0.000250	1	03/08/2023 19:00	WG2017494
2-Methylnaphthalene	<0.0000674		0.0000674	0.000250	1	03/08/2023 19:00	WG2017494
2-Chloronaphthalene	<0.0000682		0.0000682	0.000250	1	03/08/2023 19:00	WG2017494
(S) Nitrobenzene-d5	79.5			31.0-160		03/08/2023 19:00	WG2017494
(S) 2-Fluorobiphenyl	85.8			48.0-148		03/08/2023 19:00	WG2017494
(S) p-Terphenyl-d14	75.3			37.0-146		03/08/2023 19:00	WG2017494

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 03/01/23 11:00

L1591758

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Anthracene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 19:18	WG2017494
Acenaphthene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 19:18	WG2017494
Acenaphthylene	<0.0000171		0.0000171	0.0000500	1	03/08/2023 19:18	WG2017494
Benzo(a)anthracene	<0.0000203		0.0000203	0.0000500	1	03/08/2023 19:18	WG2017494
Benzo(a)pyrene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:18	WG2017494
Benzo(b)fluoranthene	<0.0000168		0.0000168	0.0000500	1	03/08/2023 19:18	WG2017494
Benzo(g,h,i)perylene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:18	WG2017494
Benzo(k)fluoranthene	<0.0000202		0.0000202	0.0000500	1	03/08/2023 19:18	WG2017494
Chrysene	<0.0000179		0.0000179	0.0000500	1	03/08/2023 19:18	WG2017494
Dibenz(a,h)anthracene	<0.0000160		0.0000160	0.0000500	1	03/08/2023 19:18	WG2017494
Dibenzofuran	<0.0000191		0.0000191	0.0000500	1	03/08/2023 19:18	WG2017494
Fluoranthene	<0.0000270		0.0000270	0.000100	1	03/08/2023 19:18	WG2017494
Fluorene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 19:18	WG2017494
Indeno(1,2,3-cd)pyrene	<0.0000158		0.0000158	0.0000500	1	03/08/2023 19:18	WG2017494
Naphthalene	<0.0000917		0.0000917	0.000250	1	03/08/2023 19:18	WG2017494
Phenanthrene	<0.0000180		0.0000180	0.0000500	1	03/08/2023 19:18	WG2017494
Pyrene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 19:18	WG2017494
1-Methylnaphthalene	<0.0000687		0.0000687	0.000250	1	03/08/2023 19:18	WG2017494
2-Methylnaphthalene	<0.0000674		0.0000674	0.000250	1	03/08/2023 19:18	WG2017494
2-Chloronaphthalene	<0.0000682		0.0000682	0.000250	1	03/08/2023 19:18	WG2017494
(S) Nitrobenzene-d5	83.2			31.0-160		03/08/2023 19:18	WG2017494
(S) 2-Fluorobiphenyl	88.9			48.0-148		03/08/2023 19:18	WG2017494
(S) p-Terphenyl-d14	84.2			37.0-146		03/08/2023 19:18	WG2017494

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 03/01/23 11:15

L1591758

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Anthracene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 19:35	WG2017494
Acenaphthene	0.000123		0.0000190	0.0000500	1	03/08/2023 19:35	WG2017494
Acenaphthylene	0.0000769		0.0000171	0.0000500	1	03/08/2023 19:35	WG2017494
Benzo(a)anthracene	<0.0000203		0.0000203	0.0000500	1	03/08/2023 19:35	WG2017494
Benzo(a)pyrene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:35	WG2017494
Benzo(b)fluoranthene	<0.0000168		0.0000168	0.0000500	1	03/08/2023 19:35	WG2017494
Benzo(g,h,i)perylene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:35	WG2017494
Benzo(k)fluoranthene	<0.0000202		0.0000202	0.0000500	1	03/08/2023 19:35	WG2017494
Chrysene	<0.0000179		0.0000179	0.0000500	1	03/08/2023 19:35	WG2017494
Dibenz(a,h)anthracene	<0.0000160		0.0000160	0.0000500	1	03/08/2023 19:35	WG2017494
Dibenzofuran	0.000626		0.0000191	0.0000500	1	03/08/2023 19:35	WG2017494
Fluoranthene	<0.0000270		0.0000270	0.000100	1	03/08/2023 19:35	WG2017494
Fluorene	0.000422		0.0000169	0.0000500	1	03/08/2023 19:35	WG2017494
Indeno(1,2,3-cd)pyrene	<0.0000158		0.0000158	0.0000500	1	03/08/2023 19:35	WG2017494
Naphthalene	0.000702		0.0000917	0.000250	1	03/08/2023 19:35	WG2017494
Phenanthrene	0.000403		0.0000180	0.0000500	1	03/08/2023 19:35	WG2017494
Pyrene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 19:35	WG2017494
1-Methylnaphthalene	0.00158		0.0000687	0.000250	1	03/08/2023 19:35	WG2017494
2-Methylnaphthalene	0.000876		0.0000674	0.000250	1	03/08/2023 19:35	WG2017494
2-Chloronaphthalene	<0.0000682		0.0000682	0.000250	1	03/08/2023 19:35	WG2017494
(S) Nitrobenzene-d5	75.3			31.0-160		03/08/2023 19:35	WG2017494
(S) 2-Fluorobiphenyl	80.0			48.0-148		03/08/2023 19:35	WG2017494
(S) p-Terphenyl-d14	77.4			37.0-146		03/08/2023 19:35	WG2017494

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 03/01/23 00:00

L1591758

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Anthracene	<0.0000190		0.0000190	0.0000500	1	03/08/2023 19:52	WG2017494
Acenaphthene	0.0000974		0.0000190	0.0000500	1	03/08/2023 19:52	WG2017494
Acenaphthylene	0.0000714		0.0000171	0.0000500	1	03/08/2023 19:52	WG2017494
Benzo(a)anthracene	<0.0000203		0.0000203	0.0000500	1	03/08/2023 19:52	WG2017494
Benzo(a)pyrene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:52	WG2017494
Benzo(b)fluoranthene	<0.0000168		0.0000168	0.0000500	1	03/08/2023 19:52	WG2017494
Benzo(g,h,i)perylene	<0.0000184		0.0000184	0.0000500	1	03/08/2023 19:52	WG2017494
Benzo(k)fluoranthene	<0.0000202		0.0000202	0.0000500	1	03/08/2023 19:52	WG2017494
Chrysene	<0.0000179		0.0000179	0.0000500	1	03/08/2023 19:52	WG2017494
Dibenz(a,h)anthracene	<0.0000160		0.0000160	0.0000500	1	03/08/2023 19:52	WG2017494
Dibenzofuran	0.000545		0.0000191	0.0000500	1	03/08/2023 19:52	WG2017494
Fluoranthene	<0.0000270		0.0000270	0.000100	1	03/08/2023 19:52	WG2017494
Fluorene	0.000344		0.0000169	0.0000500	1	03/08/2023 19:52	WG2017494
Indeno(1,2,3-cd)pyrene	<0.0000158		0.0000158	0.0000500	1	03/08/2023 19:52	WG2017494
Naphthalene	0.000565		0.0000917	0.000250	1	03/08/2023 19:52	WG2017494
Phenanthrene	0.000377		0.0000180	0.0000500	1	03/08/2023 19:52	WG2017494
Pyrene	<0.0000169		0.0000169	0.0000500	1	03/08/2023 19:52	WG2017494
1-Methylnaphthalene	0.00144		0.0000687	0.000250	1	03/08/2023 19:52	WG2017494
2-Methylnaphthalene	0.00105		0.0000674	0.000250	1	03/08/2023 19:52	WG2017494
2-Chloronaphthalene	<0.0000682		0.0000682	0.000250	1	03/08/2023 19:52	WG2017494
(S) Nitrobenzene-d5	76.3			31.0-160		03/08/2023 19:52	WG2017494
(S) 2-Fluorobiphenyl	84.7			48.0-148		03/08/2023 19:52	WG2017494
(S) p-Terphenyl-d14	86.8			37.0-146		03/08/2023 19:52	WG2017494

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM [L1591758-01,02,03,04,05](#)

Method Blank (MB)

(MB) R3899089-3 03/08/23 14:23

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Anthracene	<0.0000190		0.0000190	0.0000500
Acenaphthene	<0.0000190		0.0000190	0.0000500
Acenaphthylene	<0.0000171		0.0000171	0.0000500
Benzo(a)anthracene	<0.0000203		0.0000203	0.0000500
Benzo(a)pyrene	<0.0000184		0.0000184	0.0000500
Benzo(b)fluoranthene	<0.0000168		0.0000168	0.0000500
Benzo(g,h,i)perylene	<0.0000184		0.0000184	0.0000500
Benzo(k)fluoranthene	<0.0000202		0.0000202	0.0000500
Chrysene	<0.0000179		0.0000179	0.0000500
Dibenz(a,h)anthracene	<0.0000160		0.0000160	0.0000500
Dibenzofuran	<0.0000191		0.0000191	0.0000500
Fluoranthene	<0.0000270		0.0000270	0.000100
Fluorene	<0.0000169		0.0000169	0.0000500
Indeno(1,2,3-cd)pyrene	<0.0000158		0.0000158	0.0000500
Naphthalene	<0.0000917		0.0000917	0.000250
Phenanthrene	<0.0000180		0.0000180	0.0000500
Pyrene	<0.0000169		0.0000169	0.0000500
1-Methylnaphthalene	<0.0000687		0.0000687	0.000250
2-Methylnaphthalene	<0.0000674		0.0000674	0.000250
2-Chloronaphthalene	<0.0000682		0.0000682	0.000250
(S) Nitrobenzene-d5	108			31.0-160
(S) 2-Fluorobiphenyl	117			48.0-148
(S) p-Terphenyl-d14	113			37.0-146

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3899089-1 03/08/23 13:48 • (LCSD) R3899089-2 03/08/23 14:06

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Anthracene	0.00200	0.00175	0.00173	87.5	86.5	67.0-150			1.15	20
Acenaphthene	0.00200	0.00185	0.00183	92.5	91.5	65.0-138			1.09	20
Acenaphthylene	0.00200	0.00186	0.00185	93.0	92.5	66.0-140			0.539	20
Benzo(a)anthracene	0.00200	0.00166	0.00174	83.0	87.0	61.0-140			4.71	20
Benzo(a)pyrene	0.00200	0.00159	0.00182	79.5	91.0	60.0-143			13.5	20
Benzo(b)fluoranthene	0.00200	0.00151	0.00173	75.5	86.5	58.0-141			13.6	20
Benzo(g,h,i)perylene	0.00200	0.00137	0.00162	68.5	81.0	52.0-153			16.7	20
Benzo(k)fluoranthene	0.00200	0.00144	0.00166	72.0	83.0	58.0-148			14.2	20
Chrysene	0.00200	0.00166	0.00174	83.0	87.0	64.0-144			4.71	20
Dibenz(a,h)anthracene	0.00200	0.00129	0.00154	64.5	77.0	52.0-155			17.7	20

Semi Volatile Organic Compounds (GC/MS) by Method 8270C-SIM

L1591758-01,02,03,04,05

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3899089-1 03/08/23 13:48 • (LCSD) R3899089-2 03/08/23 14:06

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Dibenzofuran	0.00200	0.00186	0.00184	93.0	92.0	67.0-134			1.08	20
Fluoranthene	0.00200	0.00186	0.00187	93.0	93.5	69.0-153			0.536	20
Fluorene	0.00200	0.00189	0.00191	94.5	95.5	64.0-136			1.05	20
Indeno(1,2,3-cd)pyrene	0.00200	0.00141	0.00169	70.5	84.5	54.0-153			18.1	20
Naphthalene	0.00200	0.00187	0.00184	93.5	92.0	61.0-137			1.62	20
Phenanthrene	0.00200	0.00176	0.00170	88.0	85.0	62.0-137			3.47	20
Pyrene	0.00200	0.00178	0.00176	89.0	88.0	60.0-142			1.13	20
1-Methylnaphthalene	0.00200	0.00191	0.00186	95.5	93.0	66.0-142			2.65	20
2-Methylnaphthalene	0.00200	0.00192	0.00188	96.0	94.0	62.0-136			2.11	20
2-Chloronaphthalene	0.00200	0.00188	0.00186	94.0	93.0	64.0-140			1.07	20
(S) Nitrobenzene-d5				86.5	84.0	31.0-160				
(S) 2-Fluorobiphenyl				94.5	93.5	48.0-148				
(S) p-Terphenyl-d14				80.5	85.5	37.0-146				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

QualifierDescription

J1	Surrogate recovery limits have been exceeded; values are outside upper control limits.
----	--

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LAO00356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Released to Imaging: 7/17/2024 8:57:08 AM



ANALYTICAL REPORT

June 08, 2023

Plains All American Pipeline

Sample Delivery Group: L1621489
Samples Received: 05/31/2023
Project Number: PAA12003
Description: DS Hugh
Site: DS HUGH N.M
Report To: Bill Goldsby
21 Waterway Ave., Suite 300
The Woodlands, TX 77380

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "Chad Upchurch".

Chad A Upchurch
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
MW 2 L1621489-01	5	
MW 4 L1621489-02	6	⁴ Cn
MW 5 L1621489-03	7	⁵ Sr
RW 1 L1621489-04	8	
RW 2 L1621489-05	9	⁶ Qc
Qc: Quality Control Summary	10	⁷ Gl
Volatile Organic Compounds (GC/MS) by Method 8260B	10	
Gl: Glossary of Terms	11	⁸ Al
Al: Accreditations & Locations	12	
Sc: Sample Chain of Custody	13	⁹ Sc

MW 2 L1621489-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2071265	1	06/04/23 02:08	06/04/23 02:08	JAH	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/25/23 08:30

Received date/time
05/31/23 09:30

¹Cp

²Tc

³Ss

MW 4 L1621489-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2071265	1	06/04/23 02:29	06/04/23 02:29	JAH	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/25/23 09:15

Received date/time
05/31/23 09:30

⁴Cn

⁵Sr

MW 5 L1621489-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2071265	1	06/04/23 02:51	06/04/23 02:51	JAH	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/25/23 09:05

Received date/time
05/31/23 09:30

⁶Qc

⁷Gl

⁸Al

RW 1 L1621489-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2071265	1	06/04/23 03:12	06/04/23 03:12	JAH	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/25/23 08:50

Received date/time
05/31/23 09:30

⁹Sc

RW 2 L1621489-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2071265	1	06/04/23 03:33	06/04/23 03:33	JAH	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/25/23 08:40

Received date/time
05/31/23 09:30

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chad A Upchurch
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Collected date/time: 05/25/23 08:30

L1621489

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/04/2023 02:08	WG2071265
Toluene	<0.000278		0.000278	0.00100	1	06/04/2023 02:08	WG2071265
Ethylbenzene	<0.000137		0.000137	0.00100	1	06/04/2023 02:08	WG2071265
Total Xylenes	<0.000174		0.000174	0.00300	1	06/04/2023 02:08	WG2071265
(S) Toluene-d8	91.9			80.0-120		06/04/2023 02:08	WG2071265
(S) 4-Bromofluorobenzene	98.2			77.0-126		06/04/2023 02:08	WG2071265
(S) 1,2-Dichloroethane-d4	124			70.0-130		06/04/2023 02:08	WG2071265

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 05/25/23 09:15

L1621489

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/04/2023 02:29	WG2071265
Toluene	<0.000278		0.000278	0.00100	1	06/04/2023 02:29	WG2071265
Ethylbenzene	0.000333	J	0.000137	0.00100	1	06/04/2023 02:29	WG2071265
Total Xylenes	0.00119	J	0.000174	0.00300	1	06/04/2023 02:29	WG2071265
(S) Toluene-d8	90.6			80.0-120		06/04/2023 02:29	WG2071265
(S) 4-Bromofluorobenzene	100			77.0-126		06/04/2023 02:29	WG2071265
(S) 1,2-Dichloroethane-d4	122			70.0-130		06/04/2023 02:29	WG2071265

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 05/25/23 09:05

L1621489

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/04/2023 02:51	WG2071265
Toluene	<0.000278		0.000278	0.00100	1	06/04/2023 02:51	WG2071265
Ethylbenzene	<0.000137		0.000137	0.00100	1	06/04/2023 02:51	WG2071265
Total Xylenes	<0.000174		0.000174	0.00300	1	06/04/2023 02:51	WG2071265
(S) Toluene-d8	91.3			80.0-120		06/04/2023 02:51	WG2071265
(S) 4-Bromofluorobenzene	102			77.0-126		06/04/2023 02:51	WG2071265
(S) 1,2-Dichloroethane-d4	126			70.0-130		06/04/2023 02:51	WG2071265

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 05/25/23 08:50

L1621489

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000424	J	0.0000941	0.00100	1	06/04/2023 03:12	WG2071265
Toluene	<0.000278		0.000278	0.00100	1	06/04/2023 03:12	WG2071265
Ethylbenzene	0.000226	J	0.000137	0.00100	1	06/04/2023 03:12	WG2071265
Total Xylenes	0.00210	J	0.000174	0.00300	1	06/04/2023 03:12	WG2071265
(S) Toluene-d8	89.4			80.0-120		06/04/2023 03:12	WG2071265
(S) 4-Bromofluorobenzene	101			77.0-126		06/04/2023 03:12	WG2071265
(S) 1,2-Dichloroethane-d4	123			70.0-130		06/04/2023 03:12	WG2071265

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 05/25/23 08:40

L1621489

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/04/2023 03:33	WG2071265
Toluene	<0.000278		0.000278	0.00100	1	06/04/2023 03:33	WG2071265
Ethylbenzene	0.000896	J	0.000137	0.00100	1	06/04/2023 03:33	WG2071265
Total Xylenes	0.00210	J	0.000174	0.00300	1	06/04/2023 03:33	WG2071265
(S) Toluene-d8	90.7			80.0-120		06/04/2023 03:33	WG2071265
(S) 4-Bromofluorobenzene	98.4			77.0-126		06/04/2023 03:33	WG2071265
(S) 1,2-Dichloroethane-d4	124			70.0-130		06/04/2023 03:33	WG2071265

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1621489-01,02,03,04,05](#)

Method Blank (MB)

(MB) R3933831-2 06/04/23 00:12

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	<0.0000941		0.0000941	0.00100
Toluene	<0.000278		0.000278	0.00100
Ethylbenzene	<0.000137		0.000137	0.00100
Total Xylenes	<0.000174		0.000174	0.00300
(S) Toluene-d8	92.1			80.0-120
(S) 4-Bromofluorobenzene	96.6			77.0-126
(S) 1,2-Dichloroethane-d4	121			70.0-130

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3933831-1 06/03/23 23:29 • (LCSD) R3933831-3 06/04/23 00:33

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	0.00536	0.00585	107	117	70.0-123			8.74	20
Toluene	0.00500	0.00490	0.00549	98.0	110	79.0-120			11.4	20
Ethylbenzene	0.00500	0.00517	0.00560	103	112	79.0-123			7.99	20
Total Xylenes	0.0150	0.0147	0.0171	98.0	114	79.0-123			15.1	20
(S) Toluene-d8					90.9	92.8				80.0-120
(S) 4-Bromofluorobenzene					102	105				77.0-126
(S) 1,2-Dichloroethane-d4					121	123				70.0-130

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

QualifierDescription

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

21 Waterway Ave., Suite 300
The Woodlands, TX 77380

Accounts Payable
333 Clay St., Ste 1600
Houston, TX 77002

Analysis / Container / Preservative											
Pres											
Chk											



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **L1621489**
C179

Acctnum: **PLAINSENT**
Template: **T219965**
Prelogin: **P1000691**
PM: **3564 - Chad A Upchurch**
PB:

Shipped Via:
Remarks Sample # (lab only)

Report to: **Bill Goldsby**
Email To: **CJBryant@paalp.com; khudgens@paalp.com; Ma**

Project Description: **DS Hugh**
City/State: **Collected:**
Please Circle: **PT MT CT ET**

Phone: **281-507-3578**
Client Project # **PAA12003**
Lab Project # **PLAINSENT-PAA12003**

Collected by (print): **Greg Flores**
Site/Facility ID # **DS Hugh N.M**
P.O. #

Collected by (signature): **Greg Flores**
Rush? (Lab MUST Be Notified)
____ Same Day ____ Five Day
____ Next Day ____ 5 Day (Rad Only)
____ Two Day ____ 10 Day (Rad Only)
____ Three Day

Quote #
Date Results Needed
No. of Cntrs

Immediately
Packed on Ice N ____ Y ____

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
MW 2		GW		5-25-23	8:30	2 X
MW 4		GW			9:15	2 X
MW 5		GW			9:05	2 X
RW 1		GW			8:50	2 X
RW 2		GW			8:40	2 X
		GW				
		GW				
		GW				
		GW				

V8260BTEX 40mlAmb-HCl

Matrix:
S - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
VW - WasteWater
IW - Drinking Water
OT - Other

Remarks:
pH ____ Temp ____
Flow ____ Other ____
Samples returned via:
____ UPS ____ FedEx ____ Courier
Tracking # **6010 5530 3043**

Sample Receipt Checklist		
COC Seal Present/Intact:	NP	N
COC Signed/Accurate:		N
Bottles arrive intact:		N
Correct bottles used:		N
Sufficient volume sent:		N
If Applicable		
VOA Zero Headspace:		N
Preservation Correct/Checked:		N
RAD Screen <0.5 mR/hr:		N

Relinquished by: (Signature) **Greg Flores**
Date: **05/30/23** Time: **1700**
Received by: (Signature) **[Signature]**
Trip Blank Received: Yes/No **HCL/MeOH TBR**
Temp: **29 °C** Bottles Received: **29 + 0.2.9**
Received for lab by: (Signature) **[Signature]**
Date: **5/31/23** Time: **9:30**

If preservation required by Login: Date/Time
Hold:
Condition: **NCF / OK**



ANALYTICAL REPORT

June 08, 2023

Plains All American Pipeline

Sample Delivery Group: L1621915
Samples Received: 06/01/2023
Project Number: PAA12003
Description: DS Hugh
Site: NEW MEXICO DS HUGH
Report To: Bill Goldsby
21 Waterway Ave., Suite 300
The Woodlands, TX 77380

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "Chad Upchurch".

Chad A Upchurch
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
MW 1 L1621915-01	5	
MW 3 L1621915-02	6	⁴ Cn
MW 6 L1621915-03	7	⁵ Sr
MW 7 L1621915-04	8	
Qc: Quality Control Summary	9	⁶ Qc
Volatile Organic Compounds (GC/MS) by Method 8260B	9	
Gl: Glossary of Terms	10	⁷ Gl
Al: Accreditations & Locations	11	⁸ Al
Sc: Sample Chain of Custody	12	⁹ Sc

MW 1 L1621915-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2072000	1	06/06/23 01:12	06/06/23 01:12	JTO	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/30/23 10:20

Received date/time
06/01/23 09:00

¹Cp

²Tc

³Ss

MW 3 L1621915-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2072000	1	06/06/23 01:33	06/06/23 01:33	JTO	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/30/23 13:10

Received date/time
06/01/23 09:00

⁴Cn

⁵Sr

MW 6 L1621915-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2072000	1	06/06/23 01:55	06/06/23 01:55	JTO	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/30/23 11:20

Received date/time
06/01/23 09:00

⁶Qc

⁷Gl

⁸Al

MW 7 L1621915-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2072000	1	06/06/23 02:16	06/06/23 02:16	JTO	Mt. Juliet, TN

Collected by
Greg Flores

Collected date/time
05/30/23 12:15

Received date/time
06/01/23 09:00

⁹Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chad A Upchurch
Project Manager

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 05/30/23 10:20

L1621915

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0125		0.0000941	0.00100	1	06/06/2023 01:12	WG2072000
Toluene	0.000374	J	0.000278	0.00100	1	06/06/2023 01:12	WG2072000
Ethylbenzene	0.0110		0.000137	0.00100	1	06/06/2023 01:12	WG2072000
Total Xylenes	0.0148		0.000174	0.00300	1	06/06/2023 01:12	WG2072000
(S) Toluene-d8	90.2			80.0-120		06/06/2023 01:12	WG2072000
(S) 4-Bromofluorobenzene	101			77.0-126		06/06/2023 01:12	WG2072000
(S) 1,2-Dichloroethane-d4	118			70.0-130		06/06/2023 01:12	WG2072000

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 05/30/23 13:10

L1621915

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/06/2023 01:33	WG2072000
Toluene	<0.000278		0.000278	0.00100	1	06/06/2023 01:33	WG2072000
Ethylbenzene	<0.000137		0.000137	0.00100	1	06/06/2023 01:33	WG2072000
Total Xylenes	<0.000174		0.000174	0.00300	1	06/06/2023 01:33	WG2072000
(S) Toluene-d8	96.1			80.0-120		06/06/2023 01:33	WG2072000
(S) 4-Bromofluorobenzene	100			77.0-126		06/06/2023 01:33	WG2072000
(S) 1,2-Dichloroethane-d4	113			70.0-130		06/06/2023 01:33	WG2072000

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 05/30/23 11:20

L1621915

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/06/2023 01:55	WG2072000
Toluene	<0.000278		0.000278	0.00100	1	06/06/2023 01:55	WG2072000
Ethylbenzene	<0.000137		0.000137	0.00100	1	06/06/2023 01:55	WG2072000
Total Xylenes	<0.000174		0.000174	0.00300	1	06/06/2023 01:55	WG2072000
(S) Toluene-d8	91.3			80.0-120		06/06/2023 01:55	WG2072000
(S) 4-Bromofluorobenzene	104			77.0-126		06/06/2023 01:55	WG2072000
(S) 1,2-Dichloroethane-d4	114			70.0-130		06/06/2023 01:55	WG2072000

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 05/30/23 12:15

L1621915

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	06/06/2023 02:16	WG2072000
Toluene	<0.000278		0.000278	0.00100	1	06/06/2023 02:16	WG2072000
Ethylbenzene	<0.000137		0.000137	0.00100	1	06/06/2023 02:16	WG2072000
Total Xylenes	<0.000174		0.000174	0.00300	1	06/06/2023 02:16	WG2072000
(S) Toluene-d8	93.8			80.0-120		06/06/2023 02:16	WG2072000
(S) 4-Bromofluorobenzene	101			77.0-126		06/06/2023 02:16	WG2072000
(S) 1,2-Dichloroethane-d4	115			70.0-130		06/06/2023 02:16	WG2072000

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1621915-01,02,03,04

Method Blank (MB)

(MB) R3934052-2 06/05/23 19:19

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	<0.0000941		0.0000941	0.00100
Toluene	<0.000278		0.000278	0.00100
Ethylbenzene	<0.000137		0.000137	0.00100
Total Xylenes	<0.000174		0.000174	0.00300
(S) Toluene-d8	90.9			80.0-120
(S) 4-Bromofluorobenzene	100			77.0-126
(S) 1,2-Dichloroethane-d4	123			70.0-130

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Laboratory Control Sample (LCS)

(LCS) R3934052-1 06/05/23 18:14

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.00500	0.00577	115	70.0-123	
Toluene	0.00500	0.00538	108	79.0-120	
Ethylbenzene	0.00500	0.00527	105	79.0-123	
Total Xylenes	0.0150	0.0153	102	79.0-123	
(S) Toluene-d8			92.9	80.0-120	
(S) 4-Bromofluorobenzene			105	77.0-126	
(S) 1,2-Dichloroethane-d4			117	70.0-130	

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

QualifierDescription

J	The identification of the analyte is acceptable; the reported value is an estimate.
---	---

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

21 Waterway Ave., Suite 300
The Woodlands, TX 77380

Accounts Payable
333 Clay St., Ste 1600
Houston, TX 77002

Report to:
Bill Goldsby

Email To:
CJBryant@paalp.com;khudgens@paalp.com;Ma

Project Description:
DS Hugh

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: **281-507-3578**

Client Project #
PAA12003

Lab Project #
PLAINSENT-PAA12003

Collected by (print):
Greg Flores

Site/Facility ID #
NEW Mexico DS Hugh

P.O. #

Collected by (signature):
Greg Flores

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #

Date Results Needed

Immerately

Packed on Ice N ___ Y ☒

No. of Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
MW1		GW		5-30-23	1020	2 X
MW3		GW			1310	1
MW6		GW			1120	1
MW7		GW			1215	1
		GW				
		GW				
		GW				
		GW				
		GW				
		GW				

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:
___ UPS ___ FedEx ___ Courier

Tracking # **5913 6272 4593**

Sample Receipt Checklist		
COC Seal Present/Intact:	NP	Y N
COC Signed/Accurate:		Y N
Bottles arrive intact:		Y N
Correct bottles used:		Y N
Sufficient volume sent:		Y N
If Applicable		
VOA Zero Headspace:		Y N
Preservation Correct/Checked:		Y N
RAD Screen <0.5 mR/hr:		Y N

Relinquished by: (Signature) *Greg Flores* Date: **5/30/23** Time: **17:00**

Relinquished by: (Signature) *[Signature]* Date: **5/31/23** Time: **1700**

Relinquished by: (Signature) Date: Time:

Received by: (Signature) *[Signature]* Trip Blank Received: Yes / ☒ No
HCL / MeOH
TBR

Received by: (Signature) *SWA* Temp: **3.3 ± 0.3 °C** Bottles Received: **8**

Received for lab by: (Signature) *Caleb Tarp* Date: **6/1/23** Time: **09:00**

Hold: Condition: **NCF / OK**



ANALYTICAL REPORT

September 06, 2023

Plains All American Pipeline

Sample Delivery Group: L1650375

Samples Received: 08/26/2023

Project Number: PAA12003

Description: DS Hugh

Report To: Bill Goldsby
21 Waterway Ave., Suite 300
The Woodlands, TX 77380

¹Cp²Tc³Ss⁴Cn⁵Sr⁶Qc⁷Gl⁸Al⁹Sc

Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "Chad Upchurch".

Chad A Upchurch
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
MW 2 L1650375-01	5	
MW 3 L1650375-02	6	⁴ Cn
MW 4 L1650375-03	7	⁵ Sr
MW 5 L1650375-04	8	
MW 6 L1650375-05	9	⁶ Qc
MW 7 L1650375-06	10	⁷ Gl
DUP-01 L1650375-07	11	
Qc: Quality Control Summary	12	⁸ Al
Volatile Organic Compounds (GC/MS) by Method 8260B	12	
Gl: Glossary of Terms	15	⁹ Sc
Al: Accreditations & Locations	16	
Sc: Sample Chain of Custody	17	

MW 2 L1650375-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2123393	1	08/30/23 22:00	08/30/23 22:00	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

¹Cp

²Tc

³Ss

MW 3 L1650375-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2123393	1	08/30/23 22:21	08/30/23 22:21	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

⁴Cn

⁵Sr

MW 4 L1650375-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2123393	1	08/30/23 22:43	08/30/23 22:43	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

⁶Qc

⁷Gl

⁸Al

MW 5 L1650375-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2123393	1	08/30/23 23:04	08/30/23 23:04	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

⁹Sc

MW 6 L1650375-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2124545	1	08/31/23 15:56	08/31/23 15:56	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

MW 7 L1650375-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2124545	1	08/31/23 16:17	08/31/23 16:17	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

DUP-01 L1650375-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2123440	1	08/30/23 03:21	08/30/23 03:21	KSD	Mt. Juliet, TN

Collected by
Collected date/time
Received date/time

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chad A Upchurch
Project Manager

¹	Cp
²	Tc
³	Ss
⁴	Cn
⁵	Sr
⁶	Qc
⁷	Gl
⁸	Al
⁹	Sc

Collected date/time: 08/24/23 09:45

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	08/30/2023 22:00	WG2123393
Toluene	<0.000278		0.000278	0.00100	1	08/30/2023 22:00	WG2123393
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/30/2023 22:00	WG2123393
Total Xylenes	<0.000174		0.000174	0.00300	1	08/30/2023 22:00	WG2123393
(S) Toluene-d8	117			80.0-120		08/30/2023 22:00	WG2123393
(S) 4-Bromofluorobenzene	119			77.0-126		08/30/2023 22:00	WG2123393
(S) 1,2-Dichloroethane-d4	112			70.0-130		08/30/2023 22:00	WG2123393

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 08/24/23 09:35

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	08/30/2023 22:21	WG2123393
Toluene	<0.000278		0.000278	0.00100	1	08/30/2023 22:21	WG2123393
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/30/2023 22:21	WG2123393
Total Xylenes	<0.000174		0.000174	0.00300	1	08/30/2023 22:21	WG2123393
(S) Toluene-d8	113			80.0-120		08/30/2023 22:21	WG2123393
(S) 4-Bromofluorobenzene	114			77.0-126		08/30/2023 22:21	WG2123393
(S) 1,2-Dichloroethane-d4	110			70.0-130		08/30/2023 22:21	WG2123393

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 08/24/23 09:25

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	08/30/2023 22:43	WG2123393
Toluene	<0.000278		0.000278	0.00100	1	08/30/2023 22:43	WG2123393
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/30/2023 22:43	WG2123393
Total Xylenes	<0.000174		0.000174	0.00300	1	08/30/2023 22:43	WG2123393
(S) Toluene-d8	112			80.0-120		08/30/2023 22:43	WG2123393
(S) 4-Bromofluorobenzene	110			77.0-126		08/30/2023 22:43	WG2123393
(S) 1,2-Dichloroethane-d4	109			70.0-130		08/30/2023 22:43	WG2123393

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 08/24/23 09:15

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	08/30/2023 23:04	WG2123393
Toluene	<0.000278		0.000278	0.00100	1	08/30/2023 23:04	WG2123393
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/30/2023 23:04	WG2123393
Total Xylenes	<0.000174		0.000174	0.00300	1	08/30/2023 23:04	WG2123393
(S) Toluene-d8	116			80.0-120		08/30/2023 23:04	WG2123393
(S) 4-Bromofluorobenzene	111			77.0-126		08/30/2023 23:04	WG2123393
(S) 1,2-Dichloroethane-d4	111			70.0-130		08/30/2023 23:04	WG2123393

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 08/24/23 09:00

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.000188	J	0.0000941	0.00100	1	08/31/2023 15:56	WG2124545
Toluene	<0.000278		0.000278	0.00100	1	08/31/2023 15:56	WG2124545
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/31/2023 15:56	WG2124545
Total Xylenes	<0.000174		0.000174	0.00300	1	08/31/2023 15:56	WG2124545
(S) Toluene-d8	105			80.0-120		08/31/2023 15:56	WG2124545
(S) 4-Bromofluorobenzene	91.1			77.0-126		08/31/2023 15:56	WG2124545
(S) 1,2-Dichloroethane-d4	110			70.0-130		08/31/2023 15:56	WG2124545

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 08/24/23 09:10

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	08/31/2023 16:17	WG2124545
Toluene	<0.000278		0.000278	0.00100	1	08/31/2023 16:17	WG2124545
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/31/2023 16:17	WG2124545
Total Xylenes	<0.000174		0.000174	0.00300	1	08/31/2023 16:17	WG2124545
(S) Toluene-d8	105			80.0-120		08/31/2023 16:17	WG2124545
(S) 4-Bromofluorobenzene	89.9			77.0-126		08/31/2023 16:17	WG2124545
(S) 1,2-Dichloroethane-d4	112			70.0-130		08/31/2023 16:17	WG2124545

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 08/24/23 00:00

L1650375

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.0000941		0.0000941	0.00100	1	08/30/2023 03:21	WG2123440
Toluene	<0.000278		0.000278	0.00100	1	08/30/2023 03:21	WG2123440
Ethylbenzene	<0.000137		0.000137	0.00100	1	08/30/2023 03:21	WG2123440
Total Xylenes	<0.000174		0.000174	0.00300	1	08/30/2023 03:21	WG2123440
(S) Toluene-d8	112			80.0-120		08/30/2023 03:21	WG2123440
(S) 4-Bromofluorobenzene	90.7			77.0-126		08/30/2023 03:21	WG2123440
(S) 1,2-Dichloroethane-d4	95.6			70.0-130		08/30/2023 03:21	WG2123440

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1650375-01,02,03,04

Method Blank (MB)

(MB) R3967683-3 08/30/23 13:25

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	<0.0000941		0.0000941	0.00100
Toluene	<0.000278		0.000278	0.00100
Ethylbenzene	<0.000137		0.000137	0.00100
Total Xylenes	<0.000174		0.000174	0.00300
(S) Toluene-d8	113			80.0-120
(S) 4-Bromofluorobenzene	111			77.0-126
(S) 1,2-Dichloroethane-d4	114			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3967683-1 08/30/23 12:12 • (LCSD) R3967683-2 08/30/23 12:33

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	0.00567	0.00565	113	113	70.0-123			0.353	20
Toluene	0.00500	0.00508	0.00515	102	103	79.0-120			1.37	20
Ethylbenzene	0.00500	0.00499	0.00481	99.8	96.2	79.0-123			3.67	20
Total Xylenes	0.0150	0.0149	0.0152	99.3	101	79.0-123			1.99	20
(S) Toluene-d8				110	110	80.0-120				
(S) 4-Bromofluorobenzene				111	113	77.0-126				
(S) 1,2-Dichloroethane-d4				114	114	70.0-130				

L1649270-05 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1649270-05 08/30/23 18:25 • (MS) R3967683-4 08/31/23 00:08 • (MSD) R3967683-5 08/31/23 00:30

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	<0.0000941	0.00734	0.00706	147	141	1	17.0-158			3.89	27
Toluene	0.00500	<0.000278	0.00663	0.00624	133	125	1	26.0-154			6.06	28
Ethylbenzene	0.00500	<0.000137	0.00640	0.00585	128	117	1	30.0-155			8.98	27
Total Xylenes	0.0150	<0.000174	0.0199	0.0184	133	123	1	29.0-154			7.83	28
(S) Toluene-d8					111	109		80.0-120				
(S) 4-Bromofluorobenzene					113	111		77.0-126				
(S) 1,2-Dichloroethane-d4					110	107		70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

L1650375-07

Method Blank (MB)

(MB) R3967460-3 08/29/23 22:26

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	<0.0000941		0.0000941	0.00100
Toluene	<0.000278		0.000278	0.00100
Ethylbenzene	<0.000137		0.000137	0.00100
Total Xylenes	<0.000174		0.000174	0.00300
(S) Toluene-d8	110			80.0-120
(S) 4-Bromofluorobenzene	88.7			77.0-126
(S) 1,2-Dichloroethane-d4	90.4			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3967460-1 08/29/23 21:08 • (LCSD) R3967460-2 08/29/23 21:27

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	0.00467	0.00472	93.4	94.4	70.0-123			1.06	20
Toluene	0.00500	0.00514	0.00526	103	105	79.0-120			2.31	20
Ethylbenzene	0.00500	0.00517	0.00551	103	110	79.0-123			6.37	20
Total Xylenes	0.0150	0.0153	0.0161	102	107	79.0-123			5.10	20
(S) Toluene-d8				110	112	80.0-120				
(S) 4-Bromofluorobenzene				92.8	94.4	77.0-126				
(S) 1,2-Dichloroethane-d4				88.4	93.4	70.0-130				

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1650375-05.06](#)

Method Blank (MB)

(MB) R3969520-2 08/31/23 09:43

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	<0.0000941		0.0000941	0.00100
Toluene	<0.000278		0.000278	0.00100
Ethylbenzene	<0.000137		0.000137	0.00100
Total Xylenes	<0.000174		0.000174	0.00300
(S) Toluene-d8	106			80.0-120
(S) 4-Bromofluorobenzene	89.4			77.0-126
(S) 1,2-Dichloroethane-d4	118			70.0-130

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3969520-1 08/31/23 09:01 • (LCSD) R3969520-3 08/31/23 10:04

Analyte	Spike Amount mg/l	LCS Result mg/l	LCSD Result mg/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	0.00500	0.00530	0.00566	106	113	70.0-123			6.57	20
Toluene	0.00500	0.00456	0.00496	91.2	99.2	79.0-120			8.40	20
Ethylbenzene	0.00500	0.00425	0.00481	85.0	96.2	79.0-123			12.4	20
Total Xylenes	0.0150	0.0125	0.0139	83.3	92.7	79.0-123			10.6	20
(S) Toluene-d8				97.9	99.6	80.0-120				
(S) 4-Bromofluorobenzene				90.9	90.0	77.0-126				
(S) 1,2-Dichloroethane-d4				118	115	70.0-130				

⁷ Gl

⁸ Al

⁹ Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Company Name/Address: Plains All American Pipeline 21 Waterway Ave., Suite 300 The Woodlands, TX 77380				Billing Information: Accounts Payable 333 Clay St., Ste 1600 Houston, TX 77002				Pres Chk		Analysis / Container / Preservative								Chain of Custody Page <u>137</u> of <u>156</u>			
Report to: Bill Goldsby				Email To: CJBryant@paalp.com; khudgens@paalp.com; Ma														 MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubs/pas-standard-terms.pdf			
Project Description: DS Hugh				City/State Collected: NEW Mexico		Please Circle: PT MT CT ET												SDG # 41650375 A070			
Phone: 281-507-3578		Client Project # PAA12003		Lab Project # PLAINSENT-PAA12003														Acctnum: PLAINSENT Template: T219965 Prelogin: P963052 PM: 3564 - Chad A Upchurch PB:			
Collected by (print): Greg Flores		Site/Facility ID # DS Hugh		P.O. #														Shipped Via:			
Collected by (signature): Greg Flores		Rush? (Lab MUST Be Notified) ☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day		Quote #														Remarks			
Immediately Packed on Ice N ☐ Y ☒				Date Results Needed														Sample # (lab only)			
Sample ID		Comp/Grab		Matrix *		Depth		Date		Time		No. of Cntrs									
MW 2				GW				8-24-23		9:45		2 X									
MW 3				GW				9:35		1		1									
MW 4				GW				9:25		1		1									
MW 5				GW				9:15		1		1									
MW 6				GW				9:00		1		1									
MW 7				GW				9:10		1		1									
Dup. 01				GW				9:10		1		1									
GW				GW																	
GW				GW																	

* Matrix:

SS - Soil AIR - Air F - Filter

GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:

☐ UPS ☐ FedEx ☐ Courier

Tracking #

Relinquished by: (Signature) Greg Flores		Date: 8/25		Time: 1300		Received by: (Signature) [Signature]		Trip Blank Received: Yes / ☒ No		HCL / MeOH TBR		Temp: 20.9 °C Bottles Received: 14		If preservation required by Login: Date/Time	
Relinquished by: (Signature)		Date:		Time:		Received by: (Signature)		Date:		Time:		Hold:		Condition: NCF ☒ OK	

Sample Receipt Checklist

COC Seal Present/Intact:	☒ Y ☐ N
COC Signed/Accurate:	☒ Y ☐ N
Bottles arrive intact:	☒ Y ☐ N
Correct bottles used:	☒ Y ☐ N
Sufficient volume sent:	☒ Y ☐ N
If Applicable	
VOA Zero Headspace:	☒ Y ☐ N
Preservation Correct/Checked:	☒ Y ☐ N
RAD Screen <0.5 mR/hr:	☒ Y ☐ N



ANALYTICAL REPORT

October 23, 2023

Plains All American Pipeline

Sample Delivery Group: L1666508

Samples Received: 10/14/2023

Project Number: PAA12003

Description: DS Hugh

Report To: Bill Goldsby
21 Waterway Ave., Suite 300
The Woodlands, TX 77380

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Entire Report Reviewed By:

A handwritten signature in blue ink, appearing to read "Chad Upchurch".

Chad A Upchurch
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical Services, LLC -Dallas

400 W. Bethany Drive Suite 190 Allen, TX 75013 972-727-1123 800-767-5859 www.pacenational.com

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
MW 2 L1666508-01	5	
MW 3 L1666508-02	6	⁴ Cn
MW 4 L1666508-03	7	⁵ Sr
MW 5 L1666508-04	8	
MW 6 L1666508-05	9	⁶ Qc
MW 7 L1666508-06	10	
DUP 01 L1666508-07	11	⁷ Gl
Qc: Quality Control Summary	12	⁸ Al
Volatile Organic Compounds (GC/MS) by Method 8260	12	
Gl: Glossary of Terms	13	⁹ Sc
Al: Accreditations & Locations	14	
Sc: Sample Chain of Custody	15	

MW 2 L1666508-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/21/23 20:16	10/21/23 20:16	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 10:00

Received date/time
10/14/23 08:00

¹Cp

²Tc

³Ss

MW 3 L1666508-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/21/23 22:39	10/21/23 22:39	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 10:15

Received date/time
10/14/23 08:00

⁴Cn

⁵Sr

MW 4 L1666508-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/21/23 23:03	10/21/23 23:03	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 10:30

Received date/time
10/14/23 08:00

⁶Qc

⁷Gl

⁸Al

MW 5 L1666508-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/21/23 23:27	10/21/23 23:27	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 10:45

Received date/time
10/14/23 08:00

⁹Sc

MW 6 L1666508-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/21/23 23:51	10/21/23 23:51	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 10:55

Received date/time
10/14/23 08:00

MW 7 L1666508-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/22/23 00:14	10/22/23 00:14	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 11:10

Received date/time
10/14/23 08:00

DUP 01 L1666508-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260	WG2156048	1	10/22/23 00:38	10/22/23 00:38	ZST	Allen, TX

Collected by
Albert Herrera

Collected date/time
10/12/23 00:00

Received date/time
10/14/23 08:00

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Chad A Upchurch
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Collected date/time: 10/12/23 10:00

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/21/2023 20:16	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/21/2023 20:16	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/21/2023 20:16	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/21/2023 20:16	WG2156048
(S) 1,2-Dichloroethane-d4	92.2			70.0-130		10/21/2023 20:16	WG2156048
(S) 4-Bromofluorobenzene	98.3			70.0-130		10/21/2023 20:16	WG2156048
(S) Toluene-d8	100			70.0-130		10/21/2023 20:16	WG2156048

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 10/12/23 10:15

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/21/2023 22:39	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/21/2023 22:39	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/21/2023 22:39	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/21/2023 22:39	WG2156048
(S) 1,2-Dichloroethane-d4	91.6			70.0-130		10/21/2023 22:39	WG2156048
(S) 4-Bromofluorobenzene	96.8			70.0-130		10/21/2023 22:39	WG2156048
(S) Toluene-d8	100			70.0-130		10/21/2023 22:39	WG2156048

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 10/12/23 10:30

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/21/2023 23:03	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/21/2023 23:03	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/21/2023 23:03	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/21/2023 23:03	WG2156048
(S) 1,2-Dichloroethane-d4	92.2			70.0-130		10/21/2023 23:03	WG2156048
(S) 4-Bromofluorobenzene	95.4			70.0-130		10/21/2023 23:03	WG2156048
(S) Toluene-d8	101			70.0-130		10/21/2023 23:03	WG2156048

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 10/12/23 10:45

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/21/2023 23:27	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/21/2023 23:27	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/21/2023 23:27	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/21/2023 23:27	WG2156048
(S) 1,2-Dichloroethane-d4	91.2			70.0-130		10/21/2023 23:27	WG2156048
(S) 4-Bromofluorobenzene	97.4			70.0-130		10/21/2023 23:27	WG2156048
(S) Toluene-d8	101			70.0-130		10/21/2023 23:27	WG2156048

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 10/12/23 10:55

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/21/2023 23:51	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/21/2023 23:51	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/21/2023 23:51	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/21/2023 23:51	WG2156048
(S) 1,2-Dichloroethane-d4	92.4			70.0-130		10/21/2023 23:51	WG2156048
(S) 4-Bromofluorobenzene	94.4			70.0-130		10/21/2023 23:51	WG2156048
(S) Toluene-d8	100			70.0-130		10/21/2023 23:51	WG2156048

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 10/12/23 11:10

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/22/2023 00:14	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/22/2023 00:14	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/22/2023 00:14	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/22/2023 00:14	WG2156048
(S) 1,2-Dichloroethane-d4	91.7			70.0-130		10/22/2023 00:14	WG2156048
(S) 4-Bromofluorobenzene	94.9			70.0-130		10/22/2023 00:14	WG2156048
(S) Toluene-d8	99.4			70.0-130		10/22/2023 00:14	WG2156048

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Collected date/time: 10/12/23 00:00

L1666508

Volatile Organic Compounds (GC/MS) by Method 8260

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	<0.000493		0.000493	0.00200	1	10/22/2023 00:38	WG2156048
Ethylbenzene	<0.000462		0.000462	0.00200	1	10/22/2023 00:38	WG2156048
Toluene	<0.000998		0.000998	0.00500	1	10/22/2023 00:38	WG2156048
Xylenes, Total	<0.00132		0.00132	0.00600	1	10/22/2023 00:38	WG2156048
(S) 1,2-Dichloroethane-d4	92.1			70.0-130		10/22/2023 00:38	WG2156048
(S) 4-Bromofluorobenzene	96.4			70.0-130		10/22/2023 00:38	WG2156048
(S) Toluene-d8	101			70.0-130		10/22/2023 00:38	WG2156048

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R3989569-2 10/21/23 19:00

Analyte	MB Result mg/l	MB Qualifier	MB MDL mg/l	MB RDL mg/l
Benzene	<0.000493		0.000493	0.00200
Ethylbenzene	<0.000462		0.000462	0.00200
Toluene	<0.000998		0.000998	0.00500
Xylenes, Total	<0.00132		0.00132	0.00600
(S) 1,2-Dichloroethane-d4	91.7			70.0-130
(S) 4-Bromofluorobenzene	96.2			70.0-130
(S) Toluene-d8	100			70.0-130

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Laboratory Control Sample (LCS)

(LCS) R3989569-1 10/21/23 18:32

Analyte	Spike Amount mg/l	LCS Result mg/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	0.0200	0.0202	101	73.0-131	
Ethylbenzene	0.0200	0.0199	99.5	76.0-129	
Toluene	0.0200	0.0197	98.5	73.0-130	
Xylenes, Total	0.0600	0.0574	95.7	78.0-124	
(S) 1,2-Dichloroethane-d4			91.6	70.0-130	
(S) 4-Bromofluorobenzene			91.1	70.0-130	
(S) Toluene-d8			98.0	70.0-130	

L1666508-01 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1666508-01 10/21/23 20:16 • (MS) R3989569-3 10/21/23 20:39 • (MSD) R3989569-4 10/21/23 21:03

Analyte	Spike Amount mg/l	Original Result mg/l	MS Result mg/l	MSD Result mg/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	0.0200	<0.000493	0.0208	0.0204	104	102	1	74.0-130			1.94	20
Ethylbenzene	0.0200	<0.000462	0.0201	0.0207	101	104	1	77.0-127			2.94	20
Toluene	0.0200	<0.000998	0.0202	0.0200	101	100	1	74.0-127			0.995	20
Xylenes, Total	0.0600	<0.00132	0.0572	0.0593	95.3	98.8	1	71.0-133			3.61	20
(S) 1,2-Dichloroethane-d4					90.8	91.9		70.0-130				
(S) 4-Bromofluorobenzene					92.5	91.6		70.0-130				
(S) Toluene-d8					98.5	98.1		70.0-130				

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

QualifierDescription

The remainder of this page intentionally left blank, there are no qualifiers applied to this SDG.

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Pace Analytical Services, LLC -Dallas 400 W. Bethany Drive Suite 190 Allen, TX 75013

Arkansas	88-0647	Kansas	E10388
Florida	E871118	Texas	T104704232-23-39
Iowa	408	Oklahoma	8727
Louisiana	30686		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable
* Not all certifications held by the laboratory are applicable to the results reported in the attached report.
* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹Cp

²Tc

³Ss

⁴Cn


⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Company Name/Address: Plains All American Pipeline 21 Waterway Ave., Suite 300 The Woodlands, TX 77380				Billing Information: Accounts Payable 333 Clay St., Ste 1600 Houston, TX 77002				Pres Chk		Analysis / Container / Preservative								Chain of Custody Page 1 of 1  MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubfs/pas-standard-terms.pdf					
Report to: Bill Goldsby				Email To: CJBryant@paalp.com;khudgens@paalp.com;Ma																			
Project Description: DS Hugh				City/State Collected: _____				Please Circle: PT MT CT ET															
Phone: 281-507-3578				Client Project # PAA12003				Lab Project # PLAINSENT-PAA12003		V8260BTEX 40mlAmb-HCl								SDG # Ulelele508					
Collected by (print): Albert Herera				Site/Facility ID #				P.O. #										Table #					
Collected by (signature): 				Rush? (Lab MUST Be Notified) ☐ Same Day ☐ Five Day ☐ Next Day ☐ 5 Day (Rad Only) ☐ Two Day ☐ 10 Day (Rad Only) ☐ Three Day				Quote #										Date Results Needed		No. of Cntrs		Acctnum: PLAINSENT Template: T219965 Prelogin: P963052 PM: 3564 - Chad A Upchurch PB:	
Immediately Packed on Ice N ☐ Y ☒																						Shipped Via:	
Sample ID				Comp/Grab		Matrix *		Depth		Date		Time		Cntrs		Remarks		Sample # (lab only)					
MW 2						GW				10-12-23		1000		2				-01					
MW 3						GW						10:15						-02					
MW 4						GW						10:30						-03					
MW 5						GW						10:45						-04					
MW 6						GW						10:55						-05					
MW 7						GW						11:10						-06					
Dup - 01						GW						—						-07					
						GW																	
						GW																	
						GW																	

* Matrix:

SS - Soil AIR - Air F - Filter

GW - Groundwater B - Bioassay

WW - WasteWater

DW - Drinking Water

OT - Other _____

Remarks:

pH _____ Temp _____


Flow _____ Other _____

Samples returned via:

☐ UPS ☐ FedEx ☐ Courier _____

Tracking #

Relinquished by: (Signature)




Date:

10/13/23

Time:

10:00

Received by: (Signature)



Trip Blank Received: Yes / No

HCL / MeOH

TBR

Relinquished by: (Signature)



Date:

10/13/23

Time:

1700

Received by: (Signature)

SWA

Temp: °C

Bottles Received:

Relinquished by: (Signature)

SWA


Date:

10/14/23

Time:

0800

Received for lab by: (Signature)



Date:

10/14/23

Temp: °C

Hold:

Condition:

NCF / OK

Sample Receipt Checklist

COC Seal Present/Intact: ☐ NP ☐ Y ☐ N

COC Signed/Accurate: ☐ Y ☐ N

Bottles arrive intact: ☐ Y ☐ N

Correct bottles used: ☐ Y ☐ N

Sufficient volume sent: ☐ Y ☐ N

If Applicable

VOA Zero Headspace: ☐ Y ☐ N

Preservation Correct/Checked: ☐ Y ☐ N

RAD Screen <0.5 mR/hr: ☐ Y ☐ N

	Document Name: Sample Condition Upon Receipt	Document Revised: 7/27/20 Page 1 of 1
	Document No.: F-DAL-C-001-rev.14	Issuing Authority: Pace Dallas Quality Office

Sample Condition Upon Receipt

☒ Dallas ☐ Ft Worth ☐ Corpus Christi ☐ Austin

Client Name: Plains All American Pipeline Project Work order (place label): 11606508

Courier: FedEX ☐ UPS ☐ USPS ☐ Client ☐ LSO ☐ PACE ☐ Other: SWA

Tracking #: _____

Custody Seal on Cooler/Box: Yes ☐ No ☒

Received on ice: Wet ☒ Blue ☐ No ice ☐

Receiving Lab 1 Thermometer Used: 1218 Cooler Temp °C: 0.4 (Recorded) 10.2 (Correction Factor) 0.6 (Actual)

Receiving Lab 2 Thermometer Used: _____ Cooler Temp °C: _____ (Recorded) _____ (Correction Factor) _____ (Actual)

Temperature should be above freezing to 6°C unless collected same day as receipt in which evidence of cooling is acceptable

Triage Person: AG Date: 10/14/23

Chain of Custody relinquished	Yes ☒ No ☐
Sampler name & signature on COC	Yes ☒ No ☐
Short HT analyses (<72 hrs)	Yes ☐ No ☒

Login Person: gc Date: 10/14


Sufficient Volume received	Yes ☒ No ☐
Correct Container used	Yes ☒ No ☐
Container Intact	Yes ☒ No ☐
Sample pH Acceptable pH Strips: _____	Yes ☐ No ☐ NA ☒
Residual Chlorine Present Cl Strips: _____	Yes ☐ No ☐ NA ☒
Sulfide Present Lead Acetate Strips: _____	Yes ☐ No ☐ NA ☒
Are soil samples (volatiles, TPH) received in 5035A Kits (not applicable to TCLP VOA or PST Program TPH)	Yes ☐ No ☐ NA ☒
Unpreserved 5035A soil frozen within 48 hrs	Yes ☐ No ☐ NA ☒
Headspace in VOA (>6mm)	Yes ☐ No ☒ NA ☐
Project sampled in USDA Regulated Area outside of Texas State Sampled: _____	Yes ☐ No ☐ NA ☒
Non-Conformance(s): _____	Yes ☐ No ☒

Labeling Person (if different than log-in): _____ Date: _____

Appendix B

Mann-Kendall Trend Test

Evaluation Date: 8-Jan-24		Job ID: PAA12003	
Facility Name: Plains - DS Hugh Site		Constituent: Benzene	
Conducted By: WRG		Concentration Units: mg/L	
Sampling Point ID: MW-1		RW-1	RW-2
Sampling Event	Sampling Date	BENZENE CONCENTRATION (mg/L)	
1	6-Jun-14	0.036	
2	18-Sep-14		0.0042
3	18-Jun-15	0.0039	0.015
4	20-May-16	0.0009	0.0011
5	16-May-17	0.0254	0.00863
6	8-Mar-18	0.0115	0.0103
7	6-Jun-18	0.0414	0.0316
8	12-Sep-18	0.0288	0.00696
9	30-Nov-18		0.0009
10	14-Feb-19		0.067
11	10-May-19		0.0108
12	28-Aug-19	0.0372	0.0728
13	20-Nov-19	0.0106	0.0354
14	19-Mar-20	0.0171	0.00364
15	26-Jun-20	0.0178	0.00316
16	18-Sep-20	0.0272	0.00465
17	21-Dec-20		0.00205
18	24-Mar-21	0.00568	0.00311
19	29-Jun-21	0.0205	0.0012
20	27-Aug-21	0.00504	0.0009
21	2-Dec-21		0.0009
22	17-Mar-22	0.00966	0.0009
23	1-Jun-22	0.0166	0.0232
24	1-Sep-22	0.00808	0.0147
25	15-Nov-22	0.00453	0.0009
26	25-May-23		0.0009
27	30-May-23	0.0125	0.000424
28			
29			
30			
Coefficient of Variation:		0.72	1.38
Mann-Kendall Statistic (S):		-42	1.78
Confidence Factor:		90.7%	-93
Concentration Trend:		98.5%	98.7%



1. At least four independent sampling events per well are required for calculating the trend. *Methodology is valid for 4 to 40 samples.*
2. Confidence in Trend = Confidence (in percent) that constituent concentration is increasing ($S > 0$) or decreasing ($S < 0$): $>95\%$ = Increasing or Decreasing; $\geq 90\%$ = Probably Increasing or Probably Decreasing; $< 90\%$ and $S > 0$ = No Trend; $< 90\%$, $S \leq 0$, and $COV \geq 1$ = No Trend; $< 90\%$ and $COV < 1$ = Stable.
3. Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.
4. Nondetectable concentrations listed as 0.0009 mg/L (i.e., < 0.001 mg/L) and indicated in italicized bold red values.
5. All concentrations in milligrams per liter (mg/L)

DISCLAIMER: *The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.*

GSI Environmental Inc., www.gsi-net.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 350737

CONDITIONS

Operator: PLAINS MARKETING L.P. 333 Clay Street Suite 1900 Houston, TX 77002	OGRID:
	34053
	Action Number:
	350737
Action Type:	
[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)	

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Review of the 2023 Annual Groundwater Monitoring Report for D S Hugh Site: content satisfactory 1. Going forward, gauge and inspect for LNAPL on a quarterly basis in all wells that exhibit negligible product or sheens at present. 2. Continue to conduct groundwater monitoring on a quarterly basis with the exception of monitoring wells that have been approved for annual sampling events 3. Once wells are demonstrating COCs at or below the WQCC human health standards in Title 20 of the NMAC, transition to a quarterly schedule until all eight (8) consecutive quarters below standards are achieved, and to meet closure requirements. 4 Submit the 2024 annual report to OCD electronically by May 1, 2025.	7/17/2024