

COG (ConocoPhillips)

# 2024 Soil Remediation Summary and Closure Request Report

Burch Keely Unit #142
Eddy County, New Mexico
Incident #NHMP1415747700

July 2024

# 2024 Soil Remediation Summary and Closure Request Report

Burch Keely Unit #142 Eddy County, New Mexico Incident # NHMP1415747700

July 2024

#### Prepared By:

Arcadis U.S., Inc. 10205 Westheimer Road, Suite 800 Houston Texas 77042

Phone: 713 953 4800 Fax: 713 977 4620

## Our Ref: 30197423

Justin Nixon

**c**ertified Project Manager

Scott Foord, PG

Certified Project Manager

Prepared For:

Ike Tavarez Project Manager ConocoPhillips RM&R 600 W. Illinois Ave. Midland, TX 79701

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

### **Contents**

1		Introduction									
2		Project Summary									
	2.1		Incident #NHMP1415747700	1							
3 Si		Site	ite Characterization								
	3.1		Initial Site Characterization	1							
	3.2	2	Soil Assessment Activities	2							
4		Clos	sure Criteria for Soils Impacted by a Release	2							
5		Rem	nediation Activities Summary	3							
	5.1	Soi	il Removal	3							
	5.2	2	Excavation Confirmation Sampling Activities	3							
	5.3	3	Chloride	4							
	5.4		TPH	4							
	5.5	5	BTEX	4							
6		Res	toration, Reclamation, and Re-Vegetation Activities	4							
7		Summary									
8		Soil Closure Request									

### **Tables**

Table 1. 2024 Soil Analytical Results

## **Figures**

Figure 1. Site Lo	cation Map
-------------------	------------

Figure 2. Topographic Map

Figure 3. Excavation Sidewall Soil Sample Locations

Figure 4. Excavation Base Soil Sample Locations

### **Photographic Logs**

Log 1. 2024 Soil Remediation Photographic Log

## **Appendices**

Appendix A. Initial C-141 Form Incident # NAB1627849311

Appendix B. Site Characterization Data

Appendix C. Work Plan

Appendix D. Laboratory Analytical Reports

### 1 Introduction

Arcadis U.S., Inc. (Arcadis) has prepared this Soil Remediation Summary and Closure Request Report (Report), on behalf of Concho Operating, LLC (COG – now ConocoPhillips), now operated by Spur Energy, for the release site known as the Burch Keeley Unit #142 (Site) at coordinates 32.81100, -104.01749. COG- now ConocoPhillips retained environmental liability as a compliance order project after the assets were sold. Details of the release are summarized in the New Mexico Oil Conservation Division (NMOCD) Initial C-141 Form included as **Appendix A**.

### 2 Project Summary

The Site is located on federal land approximately 2.5-miles southwest of the City of Loco Hills in Unit D, Section 30, Township 17 South, Range 30 East, Eddy County, New Mexico. The site is located within a low karst area. A Site Location Map is included as **Figure 1** and a Topographic Map as **Figure 2**.

### 2.1 Incident #NHMP1415747700

According to the Initial C-141 Form, on May 7, 2014 a steel flowline failed due to corrosion, which was replaced with a new steel joint, resulting in the release of approximately 20 barrels (bbls) of produced water to ground surface at the Site with 15 bbls recovered. The Initial C-141 Form was submitted to the NMOCD on June 3, 2014 and assigned Incident ID number NHMP1415747700. The Initial C-141 Form is included as **Appendix A**.

### 3 Site Characterization

### 3.1 Initial Site Characterization

Soil assessment activities were performed at the Site on October 10 and December 9, 2023 by Arcadis to determine the horizontal and vertical extent of the release area.

After a review of the New Mexico Office of State Engineers (NMOSE) and USGS databases, there are no known water sources within a 0.5-mile radius of the Site. A water well was located approximately 1.87 miles northeast of the site with a depth to water of 80 feet below ground surface (bgs). As such, assessment activities completed to date and proposed remediation/reclamation activities at the Site have been evaluated assuming a Site with a depth to groundwater as less than 50 feet bgs. The following site characteristics were determined in accordance with 19.15.29 New Mexico Administrative Code (NMAC):

What is the minimum distance, between the closest lateral extents of the release and the following surface areas:

- A continuously flowing watercourse or any other significant watercourse: >5 miles
- Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark): >5 miles
- An occupied permanent residence, school, hospital, institution, or church: Between 1 and 5 miles
- A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes: >5 miles
- Any other fresh water well or spring: >5 miles

- Incorporated municipal boundaries or a defined municipal fresh water well field: >5 miles
- A wetland: >5 miles
- A subsurface mine: >5 miles
- A (non-karst) unstable area: >5 miles
- Categorize the risk of this well/site being in Karst Geology: Low
- A 100-year floodplain: Between 1 and 5 miles
- Did the release impact areas not on an exploration, development, production, or storage site? No

The site characterization data is presented in **Appendix B.** 

### 3.2 Soil Assessment Activities

In October and December 2023, Arcadis performed site assessment activities to evaluate soil impacts stemming from the release. A total of nine (9) sample points were advanced to depths ranging from the surface to 4 feet bgs inside and surrounding the release area to evaluate the vertical and horizontal extents of the release.

Horizontal and vertical delineation was assessed in each cardinal direction to determine the potential area of concern. Arcadis will used this data and field screening to guide proposed remediation activities prior to collecting any confirmation laboratory analytical samples. The initial proposed remediation/reclamation activities and site characterization for the impacted areas are detailed in the 2023 Work Plan submitted previously by Arcadis to the NMOCD (see **Appendix C**).

### 4 Closure Criteria for Soils Impacted by a Release

The NMOCD classifies the Site to use the most stringent regulatory limits due to depth to groundwater being assumed less than 50 feet bgs and no documented water wells within ½ mile of the site. Per Table I of NMAC part 19.15.29.12, the following closure criteria apply to the Site for both reclamation and remediation activities:

Constituent	Limit (mg/kg)
Chloride	600 mg/kg
Total Petroleum Hydrocarbons (TPH) – Gasoline Range Organics (GRO), Diesel Range Organics (DRO), and Oil Range Organics (ORO)	100 mg/kg
Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX)	50 mg/kg
Benzene	10 mg/kg

### 5 Remediation Activities Summary

### 5.1 Soil Removal

Prior to any intrusive activities, a NM One Call notification and a private utility locate (ground penetrating radar) were conducted to clear the area and identify underground utilities.

Soil remediation activities were performed by Arcadis and McNabb Partners from June 4 through June 19, 2024. Photo-ionization detector (PID) readings, chloride field screening with Hach field test strip results, and laboratory analytical results from the pre-remediation assessment activities were evaluated prior to and during remediation activities to determine the lateral and vertical extent of soil impacted by the release. Lateral and vertical delineation of the impacted soil requiring removal was based on samples collected from the perimeter and bottom of the release area. Based on these results, it was determined that the release covered an approximately 2,100 square foot (sq ft) area east of the pad in the pasture. Soil analytical results are discussed in **Sections 5.3, 5.4,** and **5.5**.

Excavation activities were conducted to a maximum depth of approximately 8 feet bgs in the pasture and pad area. Approximately 762 cubic yards of impacted soil were excavated from the release area. The limits of the excavation are presented on **Figure 3**. Excavated soil was stockpiled on-site, adjacent to the release area on 20 millimeter (mil) thick plastic sheeting and covered with 20 mil plastic sheeting during remediation activities.

The stockpiled soil was disposed offsite at the R360 Halfway Landfill facility located at 6601 Hobbs Highway, in Carlsbad, New Mexico as Class 2 non-hazardous material. McNabb transported a total of 762 cubic yards of soil directly to the landfill on June 5 through June 19, 2024. Copies of disposal manifests can be provided upon request. Photographic documentation of the excavation activities is attached in the **Photographic Log**.

### 5.2 Excavation Confirmation Sampling Activities

Arcadis personnel conducted excavation confirmation soil sampling activities on June 5 through June 18, 2024 for laboratory analyses. Following excavation of the impacted area, confirmation soil samples were collected from the sidewalls and bottom of the excavation as needed to maintain an approximate 200 square foot sample spacing or less as approved by the NMOCD in accordance with NMAC 19.15.29.12(D)(1)(b) for both sidewalls and base of the excavated area. Once backfill was delivered from the R360 Red Bluff Landfill facility, a 5-point composite sample was collected from the backfill material to confirm all constituents were below the NMOCD reclamation limits for chloride, TPH, and BTEX. Sidewall confirmation sample locations are depicted in **Figure 3** and excavation base confirmation samples are depicted in **Figure 4**.

The soil confirmation soil samples were collected in 4-oz jars provided by Eurofins Xenco Analytical Laboratory (Eurofins) located in Midland, Texas, then placed on ice and shipped to Eurofins for analysis of chloride by United States Environmental Protection Agency (USEPA) Method 300; TPH by Method 8015 M for GRO, DRO, and ORO; and BTEX by USEPA Methods 8015/8021. Analytical results are shown in **Table 1**. Laboratory analytical reports are included in **Appendix D**.

### 5.3 Chloride

All soil samples collected within the excavation were below the NMOCD reclamation and remediation limit of 600 mg/kg.

### 5.4 TPH

TPH concentrations were reported below the NMOCD reclamation and remediation limit of 100 mg/kg at all sample locations for GRO, DRO, and ORO in all soil samples collected.

### **5.5 BTEX**

Benzene concentrations were reported below the NMAC standard of 10 mg/kg at all sample locations. BTEX concentrations were reported below the NMAC standard of 50 mg/kg at all sample locations.

# 6 Restoration, Reclamation, and Re-Vegetation Activities

The Reclamation Plan outlined in the NMOCD approved work plan was completed.

Upon receiving laboratory analytical results from the excavation confirmation soil samples confirming impacted soil over the applicable restoration limits had been removed from the former pad and surrounding pasture areas, the excavated areas were backfilled with locally sourced, non-impacted "like" material placed at or near the original relative positions. On June 19, 2024, the affected area was contoured and/or compacted to achieve erosion control, stability, and preservation of surface water flow to the extent practicable with a tractor and hopper attachment to broadcast the seed. 2,100 sq ft of the excavated areas were topped with a topsoil similar to the native surrounding pasture material and reseeded with a BLM #2 seed mixture. The reseeding was applied prior to a June 20, 2024 rainstorm.

### 7 Summary

Analytical results associated with recent remediation activities conducted in 2024 indicate that the horizontal and vertical extent of chloride, TPH, and BTEX impact in soil above NMAC screening standards for a site with depth the groundwater less than 50 feet bgs have been delineated both horizontally and vertically and excavated from the impacted area. All areas were backfilled with the clean material and graded to match the original surface conditions and drainage. Approximately 2,100 square feet of the area of concern located within the pasture area was reclaimed to original condition and re-seeded.

### 8 Soil Closure Request

Remediation activities were conducted in accordance with the NMOCD standards outlined in Table I of NMAC part 19.15.29.12 utilizing 200 square foot composite areas. Impacted soil affected above the NMOCD Closure Criteria and/or NMOCD Reclamation Standard was excavated and transported to an NMOCD-approved disposal

facility. Laboratory analytical results from confirmation soil samples indicate concentrations of BTEX, TPH and chloride are below the NMOCD Closure Criteria in each of the submitted soil samples for all remediated areas at the Site.

Based on laboratory analytical results and field activities conducted to date, no additional soil assessment, remediation, or reclamation activities are recommended at this time for TPH, BTEX, or chloride impacts in soil at the Site.

Arcadis requests closure be granted to the Burch Keeley Unit #142 site for Incident ID number NHMP1415747700.

# **Tables**

Table 1 2024 Soil Sample Analytical Results Burch Keely Unit #142 COG (ConocoPhillips)



					ВТ			Cl Method					
Sample ID	Date	Depth (ft)	Soil Status	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes, Total (mg/kg)	Total BTEX (mg/kg)	GRO C6- C10 (mg/kg)	DRO C10- C28 (mg/kg)	ORO C28- C36 (mg/kg)	Total TPH (mg/kg)	Chloride, Dissolved (mg/kg)
B-1-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	384.0
B-2-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	112.0
B-3-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	192.0
B-4-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	368.0
B-5-S-8'	6/7/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	208.0
B-6-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	96.0
B-7-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	96.0
B-8-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	240.0
B-9-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	112.0
B-10-S-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	160.0
B-11-S-0-8'	6/18/2024	8	In-Situ	<0.300	<0.300	<0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	128.0
SW-1-S-0-8'	6/6/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
SW-2-S-0-8'	6/6/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	176.0
SW-3-S-0-8'	6/6/2024	8	In-Situ	<0.300	<0.300	< 0.300	< 0.300	<0.300	<10.0	<10.0	<10.0	<10.0	128.0
SW-4-S-0-8'	6/7/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	224.0
SW-5-S-0-8'	6/7/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	80.0
SW-6-S-0-8'	6/6/2024	8	Removed	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	71.7	53.3	125.0	256.0
SW-6A-S-0-8'	6/13/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	160.0
SW-7-S-0-8'	6/13/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	240.0
SW-8-S-0-8'	6/7/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	224.0
SW-9-S-0-8'	6/13/2024	8	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	128.0
Backfill	6/11/2024	Stockpile	In-Situ	<0.300	<0.300	< 0.300	<0.300	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
NMOCD Rec				10				50				100	600
NMOCD	Closure Cri	teria		10				50				100	600

#### Legend:

Analytes exceeding NMAC standards are indicated in bold

'<' indicates the analyte was not detected at or above the Method Detection Limit (MDL)

mg/kg: Milligram per Kilogram

BTEX: Benzene, Toluene, Ethylbenzene, and Total Xylenes

NMAC : New Mexico Administration Code

TPH GRO: Total Petroleum Hydrocarbons Gasoline Range Organics TPH DRO: Total Petroleum Hydrocarbon Diesel Range Organics

TPH ORO: Total Petroluem Hydrocarbons Oil Range Organics

"'": Indicates one foot

B-Base sample

SW : Sidewall sample


#### Notes:


- 1. Chloride analyzed by EPA Method 300
- 2. TPH analyzed by EPA Method 8015 M
- 3. BTEX analyzed by EPA Method 8260B
- 4. Closure Criteria New Mexico Administrative Code 19.15.29.12.E(2)

NMOCD: New Mexico Oild Conservation Division


--: No individual standard

# **Figures**





Received by OCD: 7/30/2024 8:52:03 AM



Received by OCD: 7/30/2024 8:52:03 AM



# **Photographic Logs**



#### PHOTOGRAPHIC LOG

Property Name: Location: Case No.

Burch Keely Unit #142 Eddy County, NM NHMP1415747700


Photo No. Date: 06/19/2024

**Direction Photo Taken:** 

NW

**Description:** 

Remediation backfill



# **ARCADIS**

### **PHOTOGRAPHIC LOG**

Property Name: Location: Case No.

Burch Keely Unit #142 Eddy County, NM NHMP1415747700

Photo No. 2 06/19/2024

**Direction Photo Taken:** 

Ε

**Description:** 

Sample location S-4



# **ARCADIS**

#### PHOTOGRAPHIC LOG

Property Name: Location: Case No.

Burch Keely Unit #142 Eddy County, NM NHMP1415747700

Photo No. Date: 06/19/2024

**Direction Photo Taken:** 

ΝE

**Description:** 

Sample location S-2



# **ARCADIS**

### PHOTOGRAPHIC LOG

Property Name: Location: Case No.

Burch Keely Unit #142 Eddy County, NM NHMP1415747700

Photo No. Date: 06/19/2024


**Direction Photo Taken:** 


W

**Description:** 

Reclamation backfill







# **ARCADIS**

#### PHOTOGRAPHIC LOG

**Property Name:** 

Location:

Case No.

Burch Keely Unit #142

Eddy County, NM

NHMP1415747700

Photo No.


**Date:** 06/19/2024

**Direction Photo Taken:** 

Ν

**Description:** 

Reseeding with BLM Mixture



## **ARCADIS**

PHOTOGRAPHIC LOG

**Property Name:** 

. ,

Burch Keely Unit #142

Location:

Eddy County, NM

Case No.

NHMP1415747700

Photo No.

**Date:** 06/19/2024

**Direction Photo Taken:** 

Ν

**Description:** 

BLM seed mixture



# **Appendix A**

Initial C-141 Form Incident #NHMP1415747700

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
700 Rio Brazos Road, Aztec, NM 87410
Intel IV
20 S. St. Francis Dr., Santa Fe, NM 87505

### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

REC		VEL			:	
JUN	0 4	2014	Revis	I ed Oc	orm tober	C-14 10, 200

NMOCD ARIDING Copies to appropriate

With Rule 116 on back
side of form

Release Notification and Corrective Action											
nHMPIL	115-747		OPERAT	OR (	C	Initia	l Report	Final Repor			
Name of Company COG OPERATING LLC 229137							R	obert Mo	Neill		
Address	600 We	'01	Telephone N		32-230-		***************************************				
Facility Name Burch Keely Unit #142						Facility Typ	el	Injection	Well		
Surface Ow	ner Feder	al		Mineral	Owner				Lease N	lo. (API#) 30	0-015-04388
	·		• .	LOC	N OF REI	LEASE	· · · · · · · · · · · · · · · · · · ·				
Unit Letter D						n/South Line	Feet from the	East/W	est Line	County Ec	ldy
	Latitude 32.81100 Longitude 104.01749										
		, , , , , , , , , , , , , , , , , , ,		NA.	ľURE	OF REL					
Type of Rele Produced wa		* * * * * * * * * * * * * * * * * * * *	•			Volume of 20bbls	Release		Volume R	Recovered	
Source of Re Steel flowlin				ŧ	:	Date and I- 05-07-201	lour of Occurrenc			Hour of Disect 14 10:00am	overy
Was Immedi	ate Notice (		Yes ⊠	No ⊠ Not F	Required	If YES, To					
By Whom?						Date and I	lour				
Was a Water	course Read						olume Impacting t	the Water	course.		
		. 0	Yes 🛚	No	•					*. *	
A steel flowl	line failed d	em and Remedue to corrosion and Cleanup A	ı, we repla	seed the bad sect	ion of s	teel pipe with	ı new joint.				
have the spil	l site sample or to any sig	ed to delineate nificant remed	any possi diation wo	ble contamination	on from	the release and	_	a remedia	ition work	plan to the N	MOCD/BLM for
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.											
							OIL CON	SERV	ATION	DIVISIO	<u>N</u> _
Signature: Falent of							Approved by District Supervisor:				
Printed Nam	œ:	Rober	t Grubbs.	Jr.		- upproved by		<u>, [</u>	M	Y ~	
Title:	. !	Senior Enviro	nmental C	oordinator		Approval Da	te: [e/[e/	14 E	xpiration	Date: //	4
	03-2014		Concho.c	om 432-661-660	1	Conditions of Approval:  Remediation per OCD Rule & Guidelines, & like approval by BLM. SUBMIT REMEDIATION					
* Attach Addi	itional She	ets If Necess	ary				OPOSAL NO LAT			26	2P-2332

#### Bratcher, Mike, EMNRD

From: Robert Grubbs < RGrubbs@concho.com>

Sent: Wednesday, June 04, 2014 8:53 AM

Bratcher, Mike, EMNRD; Jeff Robertson (jlrobertson@blm.gov) (jlrobertson@blm.gov) To:

Robert McNeill; Amanda Trujillo; Guadalupe Carrasco; Production Mail Cc:

C-141 Initial Report - Burch Keely Unit #142 (IW) Subject: **Attachments:** 05-07-2014 Burch Keely Unit #142 (IW) Initial.pdf

#### Mr. Bratcher,

Please see attached the C-141 Initial Report for a release that occurred at our Burch Keely Unit #142 (IW) on 05-07-2014 in Eddy County New Mexico. We plan to assess the spill area timely.

#### Thank you,

Robert Grubbs Jr. Sr. Environmental Coordinator 432,683,7443 (main) 432.818.2369 (direct) 432.661.6601 (cell) rgrubbs@concho.com Mailing Address: One Concho Center 600 W. Illinois Avenue Midland, Texas 79701



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information herein, is prohibited. If you received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

# **Appendix B**

**Site Characterization Data** 

# New Mexico Office of the State Engineer

# Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag POD Number Q64 Q16 Q4 Sec Tws Rng

RA 11914 POD1

20 17S 30E

594801

3632002



Driller License: 1682 Driller Company:

HUNGRY HORSE, LLC.

Driller Name:

JOHN NORRIS

Drill Start Date:

03/19/2013

Drill Finish Date:

03/19/2013

Plug Date:

Log File Date:

04/09/2013

PCW Rcv Date:

Source:

Shallow

Pump Type:

Pipe Discharge Size:

Estimated Vield:

Casing Size:

Depth Well:

85 feet

Depth Water:

80 feet

Water Bearing Stratifications:

Top Bottom Description

11

Sandstone/Gravel/Conglomerate

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Received by OCD: 7/30/2024 8:52:03 A

Received by OCD: 7/30/2024 8:52:03 A

# **Appendix C**

**Work Plan** 



COG (ConocoPhillips)

## 2024 Work Plan

Burch Keely Unit #142
Eddy County, New Mexico
Incident # NHMP1415747700

April 2024

2024 Work Plan Burch Keely Unit #142

### 2024 Work Plan

Burch Keely Unit #142 Incident # NHMP1415747700

**Eddy County, New Mexico** 

April 2024

#### Prepared By:

Arcadis U.S., Inc. 10205 Westheimer Road, Suite 800 Houston

Texas 77042

Phone: 713 953 4800 Fax: 713 977 4620

#### Our Ref:

30197423

Justin Nixon Task Manager

Scott Foord, PG

Certified Project Manager

### **Prepared For:**

Ike Tavarez Project Manager ConocoPhillips RM&R 600 W. Illinois Ave. Midland, TX 79701

This document is intended only for the use of the individual or entity for which it was prepared and may contain information that is privileged, confidential and exempt from disclosure under applicable law. Any dissemination, distribution or copying of this document is strictly prohibited.

2024 Work Plan Burch Keely Unit #142

### **Contents**

1	Introduction	. 1
2	Project Summary	. 1
	2.1 Incident # NHMP1415747700	
3	Site Characterization	. 1
4	NMAC Regulatory Criteria	. 2
5	Site Assessment Activities	. 2
6	Proposed Work Plan	. 3
7	Work Plan Approval Request	. 3

### **Tables**

Table 1. 2023 Soil Analytical Results

### **Figures**

Figure 1. Site Location Map

Figure 2. Topographic Map

Figure 3. Proposed Excavation and Sample Location Map

### **Photographic Logs**

Log 1. 2023 Soil Assessment Photographic Log

### **Appendices**

Appendix A. Initial C-141 Form Incident # NHMP1415747700

Appendix B. Site Characterization Data

Appendix C. Laboratory Analytical Reports

Appendix D. NMOCD Correspondence

2024 Work Plan Burch Keely Unit #142

### 1 Introduction

Arcadis U.S., Inc. (Arcadis) has prepared this Work Plan, on behalf of Concho Operating, LLC (COG – now ConocoPhillips), for the release site known as the Burch Keely Unit #142 (Site) located at 32.81100, -104.01749. Details of the release are summarized in the New Mexico Oil Conservation Division (NMOCD) Initial C-141 Form included as **Appendix A**.

### 2 Project Summary

The Site is located on federal land approximately 2.5-miles southwest of the City of Maljimar in Unit D, Section 30, Township 17 South, Range 30 East, Eddy County, New Mexico. The site is located within a low karst area. A Site Location Map is included as **Figure 1** and a Topographic Map as **Figure 2**.

### 2.1 Incident # NHMP1415747700

According to the Initial C-141 Form, on May 7, 2014 a steel flowline failed due to corrosion, which was replaced with a new steel joint, resulting in the release of approximately 20 barrels (bbls) of produced water to ground surface at the Site with 15 bbls recovered. The Initial C-141 Form was submitted to the NMOCD on June 3, 2014 and assigned Incident ID number NHMP1415747700. The Initial C-141 Form is included as **Appendix A.** 

### 3 Site Characterization

After a review of the New Mexico Office of State Engineers (NMOSE) and USGS databases, there are no known water sources within a 0.5-mile radius of the Site. A water well was located approximately 1.87 miles northeast of the site with a depth to water of 80 feet bgs. As such, assessment activities completed to date and proposed remediation/reclamation activities at the Site have been evaluated assuming a Site with a depth to groundwater as less than 50 feet below ground surface (bgs). The following site characteristics were determined in accordance with 19.15.29 New Mexico Administrative Code (NMAC):

What is the minimum distance, between the closest lateral extents of the release and the following surface areas:

- A continuously flowing watercourse or any other significant watercourse: >5 miles
- Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark): >5 miles
- An occupied permanent residence, school, hospital, institution, or church: Between 1 and 5 miles
- A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes: >5 miles
- Any other fresh water well or spring: >5 miles
- Incorporated municipal boundaries or a defined municipal fresh water well field: >5 miles
- A wetland: >5 miles
- A subsurface mine: >5 miles
- A (non-karst) unstable area: >5 miles
- Categorize the risk of this well/site being in Karst Geology: Low

www.arcadis.com 1

2024 Work Plan Burch Keely Unit #142

- A 100-year floodplain: Between 1 and 5 miles
- Did the release impact areas not on an exploration, development, production, or storage site? No The site characterization data is presented in **Appendix B**.

# 4 NMAC Regulatory Criteria

The NMOCD classifies the Site to use the most stringent regulatory limits due to depth to groundwater being assumed less than 50 feet bgs and no documented water wells within ½ mile of the site. Per Table I of NMAC part 19.15.29.12, the following closure criteria apply to the Site for both reclamation and remediation activities:

Constituent	Limit (mg/kg)
Chloride	600 mg/kg
Total Petroleum Hydrocarbons (TPH) – Gasoline Range Organics (GRO), Diesel Range Organics (DRO), and Oil Range Organics (ORO)	100 mg/kg
Benzene, Toluene, Ethylbenzene, and Xylenes (BTEX)	50 mg/kg
Benzene	10 mg/kg

## 5 Site Assessment Activities

In October and December 2023, Arcadis performed site assessment activities to evaluate soil impacts stemming from the release. A total of nine (9) sample points (S-1 through S-9) were advanced to depths ranging from the surface to 4 feet bgs inside and surrounding the release area to evaluate the vertical and horizontal extents of the release. Soil sample locations are shown on **Figure 3**. Soil samples were collected for chemical analyses, placed directly into laboratory-provided sample containers, stored on ice, and transported under the proper chain-of-custody protocol to Eurofins Laboratories in Midland, Texas.

The samples were analyzed for TPH by United States Environmental Protection Agency (EPA) Method 8015, modified BTEX by EPA Method 8021B, and chloride by EPA method 300.0. Soil samples analyzed for TPH were reported with concentrations ranging from 15.4 mg/kg (S-3) to 84.4 mg/kg (S-9). Soil samples analyzed for BTEX were reported with concentrations ranging from 0.000100 mg/kg (S-8) to 0.000102 mg/kg (S-9). Soil samples analyzed for chloride were reported with concentrations ranging from 11.5 mg/kg (S-9) to 2,200 mg/kg (S-2).

Horizontal and vertical delineation was assessed in each cardinal direction to determine the potential area of concern. Arcadis will use this data and field screening to guide proposed remediation activities prior to collecting any confirmation laboratory analytical samples. Soil sample analytical results from assessment activities are summarized in **Table 1**. Laboratory reports for soil samples collected during the initial site assessment, including analytical methods, results, and chain-of-custody documents, are attached in **Appendix C.** NMOCD correspondence is shown in **Appendix D.** 

www.arcadis.com 2

2024 Work Plan Burch Keely Unit #142

## 6 Proposed Work Plan

Based on the analytical data and the detected TPH and chloride concentrations in soil samples collected during site assessment activities, COG proposes to remediate the areas of concern via excavation illustrated in orange as shown in **Figure 3** and bolded in **Table 1**.

The proposed excavation area encompasses a surface area of approximately 1,400 square feet. An estimated 220 cubic yards of soil will be removed and transported to the R360 Halfway CRI Facility, which is listed as an NMOCD approved disposal facility.

In accordance with NMAC 19.15.29.12(D)(1)(b) COG proposes the following confirmation sampling plan to adhere with NMOCD requirements. Five-point composite confirmation soil samples will be collected from the excavation floor and sidewalls at 200 square foot intervals for analysis of chloride by EPA Method 300.0, BTEX by EPA Method 8260, and TPH for GRO, DRO, and ORO by EPA Method 8015. Lateral and vertical limits of the excavation will halt once confirmation sample analytical results are in accordance with NMAC 19.15.29.12(D)(1)(c).

Backfill material will be verified to be non-waste containing prior to backfilling the remediated area by obtaining analytical data from the backfill material supplier (R360) if available, or by collecting a five-point composite sample and analyzing for chloride by EPA Method 300.0, BTEX by EPA Method 8260, and TPH for GRO, DRO, and ORO by EPA Method 8015. Following completion of excavation activities and confirmation that the backfill material is non-waste containing, the areas will be backfilled with the clean material and graded to match the original surface conditions and drainage. Approximately 700 square feet of the area of concern located within the pasture area will be reclaimed to original condition and re-seeded following remediation activities. The remaining 700 square feet of the area of concern will be reclaimed but not reseeded. This area will be restored as a lease road.

The proposed remediation activities will be implemented within 90 days following approval of this work plan by the NMOCD. The anticipated schedule includes 30 days to setup field work and confirm sub-contractors, 30 days to complete on-site remediation activities, and 30 days to prepare a soil remediation summary and closure request report.

# 7 Work Plan Approval Request

Upon completion of the above proposed soil remediation activities, a final closure request report describing the remediation activities and a separate reclamation report will be submitted to the NMOCD for review. If you have any questions regarding this work plan or need additional information, please do not hesitate to contact Scott Foord at 281-725-7447 or Justin Nixon at 432-296-9547.

www.arcadis.com 3

# **Tables**

Table 1 2024 Soil Sample Analytical Results Burch Keely Unit #142 COG (ConocoPhillips)



			BTEX Methods						TPH Met	hods		CI Method
Sample ID	Date	Depth (ft)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	m-Xylene & p-Xylene (mg/kg)	Total BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10-C28 (mg/kg)	ORO C28-C36 (mg/kg)	Total TPH (mg/kg)	Chloride, Dissolved (mg/kg)
S1-1-101123	10/11/2023	1	<0.000383	<0.000454	< 0.000563	<0.00101	<0.00101	18.7J	15.3J	<15.1	34.0J	76.1
S1-2-101123	10/11/2023	2	<0.000381	<0.000451	< 0.000559	<0.00100	<0.00100	16.7J	<14.9	<14.9	16.7J	105
S1-3-101123	10/11/2023	3	<0.000388	<0.000460	<0.000570	<0.00102	<0.00102	29.4J	18.5J	<15.0	47.9J	108
S2-1-101123	10/11/2023	1	< 0.000387	<0.000459	<0.000568	<0.00102	<0.00102	26.2J	18.5J	<15.2	44.7J	769
S2-2-101023	10/10/2023	2	<0.000386	<0.000457	<0.000566	<0.00101	<0.00101	18.5J	<14.9	<14.9	18.5J	2200
S3-1-101023	10/10/2023	1	<0.000384	<0.000455	< 0.000564	<0.00101	<0.00101	21.5J	29.7J	<15.0	51.2	109
S3-2-101123	10/11/2023	2	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	15.4J	<15.1	<15.1	15.4J	202
S4-1-101123	10/11/2023	1	<0.000381	< 0.000451	< 0.000559	<0.00100	<0.00100	<14.9	17.6J F1	<14.9	17.6J	104
S4-2-101123	10/11/2023	2	<0.000389	<0.000461	<0.000571	<0.00102	<0.00102	16.7J	26.2J	<15.0	42.9J	114
S5-1-101123	10/11/2023	1	<0.000383	<0.000454	< 0.000563	<0.00101	<0.00101	46.5J	22.4J	<14.9	68.9	385
S5-2-101123	10/11/2023	2	<0.000388	<0.000460	<0.000570	<0.00102	<0.00102	25.0J	22.8J	<15.0	47.8J	305
S6-1-101023	10/10/2023	1	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	21.0J	16.3J	<15.1	37.3J	203
S6-2-101023	10/10/2023	2	<0.000381	0.000479J	<0.000559	<0.00100	<0.00100	24.8J	20.0J	<15.2	44.8J	466F1
S7-1-101123	10/11/2023	1	<0.000389	<0.000461	<0.000571	<0.00102	<0.00102	25.4J	<15.0	<15.0	25.4J	88.1
S7-2-101123	10/11/2023	2	<0.000387	<0.000459	<0.000568	<0.00102	<0.00102	18.5J	17.8J	<15.0	36.3J	92.7
S8-1-101123	10/11/2023	1	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	23.3J	23.3J	<15.0	46.6J	110
S8-2-101123	10/11/2023	2	<0.000382	<0.000452	<0.000561	<0.00100	<0.00100	22.8J	16.9J	<14.9	39.7J	116
S8-3-101123	10/11/2023	3	<0.000383	<0.000453	<0.000562	<0.00100	<0.00100	18.7J	<15.0	<15.0	18.7J	87.7
S8-4-101123	10/11/2023	4	<0.000381	<0.000451	<0.000559	<0.00100	<0.00100	36.8J	19.8J	<15.1	56.6	102
S-9-1-120623	12/6/2023	1	<0.000388	<0.000460	<0.000570	<0.00102	<0.00102	22.8	61.6	<15.2	84.4	11.5
S-9-2-120623	12/6/2023	2	<0.000384	<0.000455	<0.000564	<0.00101	<0.00101	25.7 J	34.7 J	<15.0	60.4	135
NMOCD Re	clamation S	tandard	10				50				100	600
NMOCE	Closure Cri	iteria	10				50				100	600

Legend:
J: Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value

F1: MS and/or MSD recovery exceeds control limits

Analytes exceeding NMAC Standards are indicated in bold

'<' indicates the analyte was not detected at or above the Method Detection Limit (MDL)

mg/kg: Milligram per Kilogram

BTEX: Benzene, Toluene, Ethylbenzene, and Total Xylenes

NMAC : New Mexico Administration Code

TPH GRO: Total Petroleum Hydrocarbons Gasoline Range Organics

TPH DRO: Total Petroleum Hydrocarbon Diesel Range Organics


TPH ORO: Total Petroluem Hydrocarbons Oil Range Organics


S : Soil sample

Notes:


- 1. Chloride analyzed by EPA Method 300
- 2. TPH analyzed by EPA Method 8015 M
- 3. BTEX analyzed by EPA Method 8260B
- 4. Closure Criteria New Mexico Administrative Code 19.15.29.12.E(2)

# **Figures**





Received by OCD: 7/30/2024 8:52:03 AM



# **Photographic Logs**

# **ARCADIS**

#### PHOTOGRAPHIC LOG

**Property Name:** 

Burch Keely Unit #142

Location:

Case No.

Eddy County, NM

NHMP1415747700

Photo No. Date: 10/11/2023 **Direction Photo Taken:** 

W

**Description:** 

Former pad location

32.811093, -104.017062



# ARCADIS

## **PHOTOGRAPHIC LOG**

**Property Name:** 

Burch Keely Unit #142

Location:

Eddy County, NM

Case No.

NHMP1415747700

Photo No. Date: 10/11/2023

**Direction Photo Taken:** 

Ε

**Description:** 

Sample location S-4

32.811011, -104.017333



# **ARCADIS**

### PHOTOGRAPHIC LOG

Property Name: Location: Case No.

Burch Keely Unit #142 Eddy

Eddy County, NM NHMP1415747700

Photo No. Date: 10/11/2023


**Direction Photo Taken:** 

Ν

## Description:

Sample location S-2

32.811060, -104.016992



# **Appendix A**

Initial C-141 Form Incident # NHMP1415747700

District 1
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
790 Rio Brazos Road, Aztec, NM 87410
11ct IV
20 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

<b>HEU</b>	EIAE			
JUN	0 4 2014	Revised	Form I October	C-141 10, 2003
			4	

NMOCD Affabric Copies to appropriate
NMOCD Affabric Coffice in accordance
with Rule 116 on back
side of form

•			Kele	ease Mound	catio	n and Co	rrective A	ction			2	
nHMPIL	115-747	7700		•		OPERAT	OR	Ø	Initia	l Report	] Fina	l Report
Name of Co			ERATIN	GLLC 229	137	Contact	Re	bert McN	erelicus policios processors and the			
Address	600 We	st Illinois Av	venue, M	idland, TX 7970	01	Telephone N	lo. 4	32-230-00	077			
Facility Nan	ne	Burch K	eely Unit	t #142		Facility Typ	e I	njection V	Well			
Surface Ow	ner Feder	al		Mineral C	)wner	**************************************	iliana a seconditi est	T 3	Lease N	lo. (API#) 30-	015-043	88
them a second se			····			AL CHI TATE	. T. A C. E.		•••••			
<u> </u>				LOCA	VIIU	N OF REI	LEASE	· ·				
Unit Letter D	Section 30	Township 17S	Range 30E	Feet from the	Noni	h/South Line	Feet from the	East/Wes	st Line	County Edd	у	
				Latitude 32.8	1100	Longit	tude 104.01749			·		
						OF RELI						
Type of Rele	ase				<u> </u>	Volume of		l v	olume F	Recovered		
Produced war	ter		:			20bbls		1:	5hbls		<u> </u>	
Source of Re Steel flowline					:		our of Occurrenc			Hour of Discove	ery	
Was Immedia		iiven')				05-07-2014 If YES, To		1 0:	3-07-20	14 10:00am		
			Yes 🗵	No 🛛 Not R	equired							
By Whom?						Date and H	lour		***************************************			
Was a Water	course Read					If YES, Vo	lume Impacting t	he Waterco	ourse.			
		· L	Yes 🛭	☑ No						* *		
if a Watercou	irse was Im	pacted, Descr	ibe Fully.	*								
	•											1
Describe Cau	se of Probl	em and Reme	dial Actio	n Taken.*								
					_				٠	, , ,		
A steel flowi	ine failed di	ue to corrosio	n, we repla	aced the bad secti	on ot s	teel pipe with a	i new joint.					,
Describe Are	a Affected	and Cleanup A	Action Tal	ken.*	***************************************				***************************************			
Laterally, 20kg	. l C J			1 117		. (6) (1) (4)		.u.c. a.:			C	
				l. We were able to ible contaminatio								
		nificant reme			,							
I hereby certi	fy that the	information di	ven above	e is true and comp	lete to	the best of my	bnoudadae and u	nderstand	that nur	uant to NMOC	D pulac a	nd
regulations a	ll operators	are required t	o report a	nd/or file certain i	release	notifications a	nd perform correc	tive action	s for rel	eases which ma	y endang	ger ·
public health	or the envi	ronment. The	acceptan	ce of a C-141 rep	ort by t	he NMOCD m	arked as "Final R	eport" does	s not rel	ieve the operato	r of liabil	lity
or the environ	operations h nment. In a	lave failed to a	idequately )CD accer	y investigate and i ptance of a C-141	remedia	ate contaminati does not reliev	on that pose a three the onerator of	cat to grou responsibil	nd wate: lity for c	r, surface water, compliance with	human h	realth T
		ws and/or regi		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	тероп	does not renev	e the operator of			ompilation with		15
							OIL CON	SERVA	TION	DIVISION		
Signature:	-,,	4 1	1					. ,	1 .			
			-			Approved by	District Supervis	or: /	/ .			
Printed Name	<u>::</u>	Robe	rt Grubbs	Jr.		- pp. o.co.by			2-1	700		
Title:	, ,	Senior Enviro	nmental C	Coordinator		Approval Da	ie: le/le/	14 Exi	piration	Date: 1/	7	
F-mail Addre	:ss:	rgrubbs@	eoncho.c	com		Conditions of	f Approval:		0.8/%			
	, .	······································					on per OCD Rul	 e & Guide	elines. <b>8</b>	Attached [	7	
* Attach Addi	03-2014	oto If Nasses	Phone:	432-661-6601			ol by BLM. SUBI			N		
Anach Addi	uonai Sile	cus II Necess	ai y				DPOSAL NO LAT			2R	P-2	?332

#### Bratcher, Mike, EMNRD

From: Robert Grubbs <RGrubbs@concho.com>

Sent: Wednesday, June 04, 2014 8:53 AM

**To:** Bratcher, Mike, EMNRD; Jeff Robertson@blm.gov) (jlrobertson@blm.gov)

Cc: Robert McNeill; Amanda Trujillo; Guadalupe Carrasco; Production Mail

Subject: C-141 Initial Report - Burch Keely Unit #142 (IW)
Attachments: 05-07-2014 Burch Keely Unit #142 (IW) Initial.pdf

Mr. Bratcher,

Please see attached the C-141 Initial Report for a release that occurred at our Burch Keely Unit #142 (IW) on 05-07-2014 in Eddy County New Mexico. We plan to assess the spill area timely.

Thank you,

Robert Grubbs Jr.
Sr. Environmental Coordinator
432.683.7443 (main)
432.818.2369 (direct)
432.661.6601 (cell)
rgrubbs@concho.com
Mailing Address:
One Concho Center
600 W. Illinois Avenue
Midland, Texas 79701



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information herein, is prohibited. If you received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

# **Appendix B**

**Site Characterization Data** 

# New Mexico Office of the State Engineer

# Point of Diversion Summary

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

Well Tag POD Number Q64 Q16 Q4 Sec Tws Rng

RA 11914 POD1

20 17S 30E

594801

3632002

Driller License: 1682

Driller Company:

HUNGRY HORSE, LLC.

Driller Name:

JOHN NORRIS

Drill Start Date:

03/19/2013

Drill Finish Date:

03/19/2013

Plug Date:

Log File Date:

04/09/2013

PCW Rcv Date:

Source:

Shallow

Pump Type:

Pipe Discharge Size:

Estimated Vield:

Casing Size:

Depth Well:

85 feet

Depth Water:

80 feet

Water Bearing Stratifications:

Top Bottom Description

11

Sandstone/Gravel/Conglomerate

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

Received by OCD: 7/30/2024 8:52:03 A

Received by OCD: 7/30/2024 8:52:03 A

# **Appendix C**

**Laboratory Analytical Reports** 

**Environment Testing** 

# **ANALYTICAL REPORT**

## PREPARED FOR

Attn: Justin Nixon ARCADIS US Inc 1004 North Big Spring Suite 300 Midland, Texas 79701

Generated 10/18/2023 1:04:31 PM

## **JOB DESCRIPTION**

Burch Keeley #142 SDG NUMBER Lea County, NM

## **JOB NUMBER**

880-34338-1

Eurofins Midland 1211 W. Florida Ave Midland TX 79701

# **Eurofins Midland**

#### **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## **Authorization**

Generated 10/18/2023 1:04:31 PM

Authorized for release by John Builes, Project Manager John.Builes@et.eurofinsus.com (561)558-4549 5

3

4

1

10

12

13

Client: ARCADIS US Inc
Project/Site: Burch Keeley #142
Laboratory Job ID: 880-34338-1
SDG: Lea County, NM

**Table of Contents** 

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	6
Client Sample Results	8
Surrogate Summary	23
QC Sample Results	25
QC Association Summary	32
Lab Chronicle	37
Certification Summary	43
Method Summary	44
Sample Summary	45
Chain of Custody	46
Receint Checklists	48

r o T

Š	

#### **Definitions/Glossary**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Qualifiers** 

GC	VOA
Qual	ifier

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
C1+	Surregate recovery exceeds central limits, high bigged

Surrogate recovery exceeds control limits, high biased. U Indicates the analyte was analyzed for but not detected.

#### GC Semi VOA

GC Semi VC	JA
Qualifier	Qualifier Description
*_	LCS and/or LCSD is outside acceptance limits, low biased.
*1	LCS/LCSD RPD exceeds control limits.
В	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.
HPLC/IC	
Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits

# U

Glossary	
Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)

Indicates the analyte was analyzed for but not detected.

LOQ Limit of Quantitation (DoD/DOE) MCL EPA recommended "Maximum Contaminant Level" MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit MLMinimum Level (Dioxin) MPN Most Probable Number Method Quantitation Limit MQL

NC Not Calculated

Not Detected at the reporting limit (or MDL or EDL if shown) ND

NEG Negative / Absent Positive / Present POS PQL Practical Quantitation Limit

**PRES** Presumptive QC **Quality Control** 

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

**Eurofins Midland** 

### **Definitions/Glossary**

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

**Glossary (Continued)** 

Abbreviation These commonly used abbreviations may or may not be present in this report.

TNTC Too Numerous To Count

3

4

6

R

9

<u> 11</u>

13

#### **Case Narrative**

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

Job ID: 880-34338-1

**Laboratory: Eurofins Midland** 

Narrative

Job Narrative 880-34338-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 10/12/2023~8:58~AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was  $1.5^{\circ}C$ 

#### **Receipt Exceptions**

The following samples were received and analyzed from an unpreserved bulk soil jar: S1-1-101123 (880-34338-1), S1-2-101123 (880-34338-2), S1-3-101123 (880-34338-3), S2-1-101123 (880-34338-4), S2-2-101023 (880-34338-5), S3-1-101023 (880-34338-6), S3-2-101123 (880-34338-7), S4-1-101123 (880-34338-8), S4-2-101123 (880-34338-9), S5-1-101123 (880-34338-10), S5-2-101123 (880-34338-11), S6-1-101023 (880-34338-12), S6-2-101023 (880-34338-13), S7-1-101123 (880-34338-14), S7-2-101123 (880-34338-15), S8-1-101123 (880-34338-16), S8-2-101123 (880-34338-17), S8-3-101123 (880-34338-18) and S8-4-101123 (880-34338-19).

#### **GC VOA**

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-64563 and analytical batch 880-64524 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### GC Semi VOA

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-64532 and 880-64562 and analytical batch 880-64515 was outside the upper control limits.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (CCV 880-64515/5), (LCS 880-64532/2-A), (LCS 880-64562/2-A) and (LCSD 880-64562/3-A). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: S1-1-101123 (880-34338-1), S1-2-101123 (880-34338-2), S1-3-101123 (880-34338-3), S2-1-101123 (880-34338-4), S2-2-101023 (880-34338-5), S3-1-101023 (880-34338-6), S3-2-101123 (880-34338-7), (890-5445-A-8-C), (890-5445-A-8-D MS) and (890-5445-A-8-E MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: The continuing calibration verification (CCV) associated with batch 880-64515 recovered above the upper control limit for Gasoline Range Organics (GRO)-C6-C10 and Diesel Range Organics (Over C10-C28) due to being inadvertently double spiked. Percent recoveries are based on the amount spiked. The associated samples are impacted: (CCV 880-64515/20), (CCV 880-64515/31), (CCV 880-64515/47) and (CCV 880-64515/58).

Method 8015MOD\_NM: An incorrect volume of spiking solution was inadvertently added to the laboratory control sample duplicate (LCSD) associated with preparation batch 880-64562 and analytical batch 880-64515. Since only an acceptable LCS is required per the method, the data has been qualified and reported.

1

9

11

13

#### **Case Narrative**

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

#### Job ID: 880-34338-1 (Continued)

#### **Laboratory: Eurofins Midland (Continued)**

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-64629 and analytical batch 880-64616 was outside the upper control limits.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: S4-1-101123 (880-34338-8), S4-2-101123 (880-34338-10), S5-2-101123 (880-34338-11), S6-1-101023 (880-34338-12), S6-2-101023 (880-34338-13), S7-1-101123 (880-34338-14), S7-2-101123 (880-34338-15), S8-1-101123 (880-34338-16), S8-2-101123 (880-34338-17), (880-34338-A-8-D MS) and (880-34338-A-8-E MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: S8-3-101123 (880-34338-18) and S8-4-101123 (880-34338-19). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (CCV 880-64616/21), (CCV 880-64616/32) and (CCV 880-64616/8). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: The method blank for preparation batch 880-64629 and analytical batch 880-64616 contained Diesel Range Organics (Over C10-C28) above the method detection limit. This target analyte concentration was less than the reporting limit (RL) in the method blank; therefore, re-extraction and/or re-analysis of samples was not performed.

Method 8015MOD\_NM: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-64629 and analytical batch 880-64616 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8015MOD\_NM: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for preparation batch 880-64629 and analytical batch 880-64616 recovered outside control limits for the following analytes: Gasoline Range Organics (GRO)-C6-C10 and Diesel Range Organics (Over C10-C28).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

Method 300\_ORGFM\_28D: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for preparation batch 880-64571 and analytical batch 880-64698 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

\_\_\_\_\_\_

4

5

6

8

4.6

11

12

Job ID: 880-34338-1 SDG: Lea County, NM

Project/Site: Burch Keeley #142 SDG: Lea County, NM

Client Sample ID: S1-1-101123 Lab Sample ID: 880-34338-1

Matrix: Solid

Date Collected: 10/11/23 09:10 Date Received: 10/12/23 08:58

Client: ARCADIS US Inc

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		10/12/23 13:30	10/13/23 00:08	1
Toluene	< 0.000454	U	0.00199	0.000454	mg/Kg		10/12/23 13:30	10/13/23 00:08	1
Ethylbenzene	< 0.000563	U	0.00199	0.000563	mg/Kg		10/12/23 13:30	10/13/23 00:08	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		10/12/23 13:30	10/13/23 00:08	1
o-Xylene	< 0.000343	U	0.00199	0.000343	mg/Kg		10/12/23 13:30	10/13/23 00:08	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		10/12/23 13:30	10/13/23 00:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130				10/12/23 13:30	10/13/23 00:08	1
1,4-Difluorobenzene (Surr)	102		70 - 130				10/12/23 13:30	10/13/23 00:08	1
Method: TAL SOP Total BTEX -	Total BTEX Cald	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			10/13/23 00:08	1
Method: SW846 8015 NM - Diese	el Range Organ	ics (DRO) (	GC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	34.0	J	50.3	15.1	mg/Kg			10/12/23 19:01	1
- Method: SW846 8015B NM - Die	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	18.7	J	50.3	15.1	mg/Kg		10/12/23 10:42	10/12/23 19:01	1
Diesel Range Organics (Over C10-C28)	15.3	J	50.3	15.1	mg/Kg		10/12/23 10:42	10/12/23 19:01	1
Oll Range Organics (Over C28-C36)	<15.1	U	50.3	15.1	mg/Kg		10/12/23 10:42	10/12/23 19:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	143	S1+	70 - 130				10/12/23 10:42	10/12/23 19:01	1
o-Terphenyl	138	S1+	70 - 130				10/12/23 10:42	10/12/23 19:01	1
- Method: EPA 300.0 - Anions, Ion	Chromatograp	hy - Solubl	e						

Client Sample ID: S1-2-101123

Date Collected: 10/11/23 09:20

Lab Sample ID: 880-34338-2

Matrix: Solid

5.04

0.398 mg/Kg

76.1

Date Received: 10/12/23 08:58

Chloride

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		10/12/23 13:30	10/13/23 00:28	1
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg		10/12/23 13:30	10/13/23 00:28	1
Ethylbenzene	<0.000559	U	0.00198	0.000559	mg/Kg		10/12/23 13:30	10/13/23 00:28	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 00:28	1
o-Xylene	<0.000341	U	0.00198	0.000341	mg/Kg		10/12/23 13:30	10/13/23 00:28	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 00:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130				10/12/23 13:30	10/13/23 00:28	1
1,4-Difluorobenzene (Surr)	106		70 - 130				10/12/23 13:30	10/13/23 00:28	1

Eurofins Midland

10/17/23 15:30

2

3

6

8

10

12

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Job ID: 880-34338-1

SDG: Lea County, NM

**Client Sample ID: S1-2-101123** 

Date Received: 10/12/23 08:58

Lab Sample ID: 880-34338-2 Date Collected: 10/11/23 09:20

Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg			10/13/23 00:28	1
Method: SW846 8015 NM - Diesel	Range Organ	ics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	16.7	J	49.5	14.9	mg/Kg			10/13/23 00:09	1
Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	16.7	J *1	49.5	14.9	mg/Kg		10/12/23 13:28	10/13/23 00:09	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<14.9	U *- *1	49.5	14.9	mg/Kg		10/12/23 13:28	10/13/23 00:09	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<14.9	U	49.5	14.9	mg/Kg		10/12/23 13:28	10/13/23 00:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	157	S1+	70 - 130				10/12/23 13:28	10/13/23 00:09	1
o-Terphenyl	151	S1+	70 - 130				10/12/23 13:28	10/13/23 00:09	1
Method: EPA 300.0 - Anions, Ion	Chromatogran	hv - Solubl	е						
Analyte	• •	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	105	-	5.03	0.397	mg/Kg			10/17/23 15:36	

**Client Sample ID: S1-3-101123** Lab Sample ID: 880-34338-3 Date Collected: 10/11/23 09:30 **Matrix: Solid** 

Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000388	U	0.00202	0.000388	mg/Kg		10/12/23 13:30	10/13/23 00:49	1
Toluene	<0.000460	U	0.00202	0.000460	mg/Kg		10/12/23 13:30	10/13/23 00:49	
Ethylbenzene	< 0.000570	U	0.00202	0.000570	mg/Kg		10/12/23 13:30	10/13/23 00:49	1
m-Xylene & p-Xylene	<0.00102	U	0.00403	0.00102	mg/Kg		10/12/23 13:30	10/13/23 00:49	1
o-Xylene	< 0.000347	U	0.00202	0.000347	mg/Kg		10/12/23 13:30	10/13/23 00:49	1
Xylenes, Total	<0.00102	U	0.00403	0.00102	mg/Kg		10/12/23 13:30	10/13/23 00:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	105		70 - 130				10/12/23 13:30	10/13/23 00:49	
Method: TAL SOP Total BTEX -			70 - 130				10/12/23 13:30	10/13/23 00:49	
1,4-Difluorobenzene (Surr)  Method: TAL SOP Total BTEX - Analyte  Total BTEX	Total BTEX Cald	Qualifier	70 - 130  RL  0.00403	MDL 0.00102	Unit mg/Kg	<u>D</u>	10/12/23 13:30 Prepared	10/13/23 00:49  Analyzed  10/13/23 00:49	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX	Total BTEX Calc Result <0.00102	Qualifier U	RL 0.00403			<u>D</u>		Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies	Total BTEX Calc Result <a href="https://www.esel-no.00102">Result <a< td=""><td>Qualifier U</td><td>RL 0.00403</td><td>0.00102</td><td></td><td> <u>D</u></td><td></td><td>Analyzed</td><td>Dil Fac</td></a<></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>	Qualifier U	RL 0.00403	0.00102		<u>D</u>		Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte	Total BTEX Calc Result <0.00102 sel Range Organ Result	Qualifier U ics (DRO) ( Qualifier	RL 0.00403	0.00102	mg/Kg		Prepared	Analyzed 10/13/23 00:49	Dil Fac
Method: TAL SOP Total BTEX - Analyte	rotal BTEX Calc Result <0.00102  sel Range Organ Result 47.9	Qualifier U ics (DRO) ( Qualifier J	RL 0.00403  GC)  RL 50.1	0.00102 <b>MDL</b>	mg/Kg		Prepared	Analyzed 10/13/23 00:49 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte Total TPH  Method: SW846 8015B NM - Dies	rotal BTEX Calc Result <0.00102 sel Range Organ Result 47.9 esel Range Orga	Qualifier U ics (DRO) ( Qualifier J	RL 0.00403  GC)  RL 50.1	0.00102 MDL 15.0	mg/Kg		Prepared	Analyzed 10/13/23 00:49 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte Total TPH	rotal BTEX Calc Result <0.00102 sel Range Organ Result 47.9 esel Range Orga	Qualifier U ics (DRO) ( Qualifier J anics (DRO) Qualifier	RL 0.00403  GC)  RL 50.1	0.00102 MDL 15.0	mg/Kg  Unit mg/Kg	<u>D</u>	Prepared Prepared	Analyzed 10/13/23 00:49  Analyzed 10/13/23 00:31	Dil Fac

**Eurofins Midland** 

Released to Imaging: 7/31/2024 9:49:21 AM

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Job ID: 880-34338-1 SDG: Lea County, NM

Lab Sample ID: 880-34338-3

Matrix: Solid

**Client Sample ID: S1-3-101123** 

Date Collected: 10/11/23 09:30 Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oll Range Organics (Over C28-C36)	<15.0	U	50.1	15.0	mg/Kg		10/12/23 13:28	10/13/23 00:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	165	S1+	70 - 130				10/12/23 13:28	10/13/23 00:31	1
o-Terphenyl	153	S1+	70 - 130				10/12/23 13:28	10/13/23 00:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble										
Analyte	Result Qua	alifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac		
Chloride	108	4.98	0.393	mg/Kg			10/17/23 15:41	1		

**Client Sample ID: S2-1-101123** 

Date Collected: 10/11/23 10:00

Date Received: 10/12/23 08:58

Lab Sample ID: 880-34338-4

**Matrix: Solid** 

Method: SW846 8021B - Volat	ile Organic Comp	ounds (GC	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		10/12/23 13:30	10/13/23 01:09	1
Toluene	<0.000459	U	0.00201	0.000459	mg/Kg		10/12/23 13:30	10/13/23 01:09	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		10/12/23 13:30	10/13/23 01:09	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		10/12/23 13:30	10/13/23 01:09	1
o-Xylene	<0.000346	U	0.00201	0.000346	mg/Kg		10/12/23 13:30	10/13/23 01:09	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		10/12/23 13:30	10/13/23 01:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		70 - 130				10/12/23 13:30	10/13/23 01:09	1
1,4-Difluorobenzene (Surr)	114		70 - 130				10/12/23 13:30	10/13/23 01:09	1

Method: TAL SOP Total BTEX - Total BTEX Calculation										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Total BTEX	<0.00102	U	0.00402	0.00102	mg/Kg			10/13/23 01:09	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)										
	Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Total TPH	44.7	J	50.5	15.2	mg/Kg			10/13/23 00:53	1

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	26.2	J *1	50.5	15.2	mg/Kg		10/12/23 13:28	10/13/23 00:53	1
(GRO)-C6-C10									
Diesel Range Organics (Over	18.5	J *- *1	50.5	15.2	mg/Kg		10/12/23 13:28	10/13/23 00:53	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.2	U	50.5	15.2	mg/Kg		10/12/23 13:28	10/13/23 00:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	150	S1+	70 - 130				10/12/23 13:28	10/13/23 00:53	1
o-Ternhenyl	145	S1+	70 130				10/12/23 13:28	10/13/23 00:53	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble							
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	769	4.98	0.393	mg/Kg			10/17/23 15:58	1

**Eurofins Midland** 

## **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S2-2-101023** 

Lab Sample ID: 880-34338-5 Date Collected: 10/10/23 10:10 Matrix: Solid

Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000386	U	0.00200	0.000386	mg/Kg		10/12/23 13:30	10/13/23 01:30	1
Toluene	< 0.000457	U	0.00200	0.000457	mg/Kg		10/12/23 13:30	10/13/23 01:30	1
Ethylbenzene	< 0.000566	U	0.00200	0.000566	mg/Kg		10/12/23 13:30	10/13/23 01:30	1
m-Xylene & p-Xylene	<0.00101	U	0.00401	0.00101	mg/Kg		10/12/23 13:30	10/13/23 01:30	1
o-Xylene	0.000847	J	0.00200	0.000345	mg/Kg		10/12/23 13:30	10/13/23 01:30	1
Xylenes, Total	<0.00101	U	0.00401	0.00101	mg/Kg		10/12/23 13:30	10/13/23 01:30	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130				10/12/23 13:30	10/13/23 01:30	1
1,4-Difluorobenzene (Surr)	107		70 - 130				10/12/23 13:30	10/13/23 01:30	1
Method: TAL SOP Total BTEX -	Total BTEX Cald	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00401	0.00101	mg/Kg			10/13/23 01:30	1
Method: SW846 8015 NM - Diese	el Range Organ	ics (DRO) (	GC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	18.5	J	49.6	14.9	mg/Kg			10/13/23 01:37	1
- Method: SW846 8015B NM - Die	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	18.5	J *1	49.6	14.9	mg/Kg		10/12/23 13:28	10/13/23 01:37	1
Diesel Range Organics (Over C10-C28)	<14.9	U *- *1	49.6	14.9	mg/Kg		10/12/23 13:28	10/13/23 01:37	1
Oll Range Organics (Over C28-C36)	<14.9	U	49.6	14.9	mg/Kg		10/12/23 13:28	10/13/23 01:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	166	S1+	70 - 130				10/12/23 13:28	10/13/23 01:37	1
o-Terphenyl	156	S1+	70 - 130				10/12/23 13:28	10/13/23 01:37	1
Method: EPA 300.0 - Anions, Ior	Chromatogran	hv - Solubl	e						

**Client Sample ID: S3-1-101023** Lab Sample ID: 880-34338-6

2200

25.0

1.98 mg/Kg

Date Collected: 10/10/23 15:10 Date Received: 10/12/23 08:58

Chloride

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		10/12/23 13:30	10/13/23 01:50	1
Toluene	< 0.000455	U	0.00200	0.000455	mg/Kg		10/12/23 13:30	10/13/23 01:50	1
Ethylbenzene	<0.000564	U	0.00200	0.000564	mg/Kg		10/12/23 13:30	10/13/23 01:50	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		10/12/23 13:30	10/13/23 01:50	1
o-Xylene	<0.000343	U	0.00200	0.000343	mg/Kg		10/12/23 13:30	10/13/23 01:50	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		10/12/23 13:30	10/13/23 01:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	114		70 - 130				10/12/23 13:30	10/13/23 01:50	1
1,4-Difluorobenzene (Surr)	107		70 - 130				10/12/23 13:30	10/13/23 01:50	1

**Eurofins Midland** 

10/17/23 16:04

**Matrix: Solid** 

## **Client Sample Results**

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

Client Sample ID: S3-1-101023 Lab Sample ID: 880-34338-6

Date Collected: 10/10/23 15:10
Date Received: 10/12/23 08:58
Matrix: Solid

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			10/13/23 01:50	1
Method: SW846 8015 NM - Diese	l Range Organ	ics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	51.2		49.9	15.0	mg/Kg			10/13/23 01:59	1
Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.5	J *1	49.9	15.0	mg/Kg		10/12/23 13:28	10/13/23 01:59	1
Diesel Range Organics (Over C10-C28)	29.7	J *- *1	49.9	15.0	mg/Kg		10/12/23 13:28	10/13/23 01:59	1
OII Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		10/12/23 13:28	10/13/23 01:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	145	S1+	70 - 130				10/12/23 13:28	10/13/23 01:59	1
o-Terphenyl	138	S1+	70 - 130				10/12/23 13:28	10/13/23 01:59	1
Method: EPA 300.0 - Anions, Ion	Chromatograp	hy - Solubl	e						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	109		4.96	0.392	mg/Kg			10/17/23 16:21	1

Client Sample ID: S3-2-101123

Date Collected: 10/11/23 15:20

Lab Sample ID: 880-34338-7

Matrix: Solid

Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		10/12/23 13:30	10/13/23 02:10	1
Toluene	< 0.000453	U	0.00199	0.000453	mg/Kg		10/12/23 13:30	10/13/23 02:10	1
Ethylbenzene	< 0.000562	U	0.00199	0.000562	mg/Kg		10/12/23 13:30	10/13/23 02:10	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		10/12/23 13:30	10/13/23 02:10	1
o-Xylene	< 0.000342	U	0.00199	0.000342	mg/Kg		10/12/23 13:30	10/13/23 02:10	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		10/12/23 13:30	10/13/23 02:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				10/12/23 13:30	10/13/23 02:10	1
Method: TAL SOP Total BTEX			70 - 130	MD		_	10/12/23 13:30	10/13/23 02:10	
Method: TAL SOP Total BTEX Analyte	- Total BTEX Cald	Qualifier	RL		Unit	<u>D</u>	10/12/23 13:30 Prepared	Analyzed	
Analyte Total BTEX	- Total BTEX Cald Result <0.00100	<b>Qualifier</b> U	RL 0.00398	MDL 0.00100		<u>D</u>			Dil Fac
Method: TAL SOP Total BTEX Analyte Total BTEX  Method: SW846 8015 NM - Die	- Total BTEX Cald Result <0.00100 seel Range Organ	Qualifier U	RL 0.00398	0.00100	mg/Kg		Prepared	Analyzed 10/13/23 02:10	Dil Fac
Method: TAL SOP Total BTEX Analyte Total BTEX  Method: SW846 8015 NM - Die Analyte	- Total BTEX Calc Result <0.00100 seel Range Organ Result	Qualifier U ics (DRO) (Qualifier	RL 0.00398 GC)	0.00100 <b>MDL</b>	mg/Kg	<u>D</u>		Analyzed 10/13/23 02:10 Analyzed	Dil Fac
Method: TAL SOP Total BTEX Analyte Total BTEX  Method: SW846 8015 NM - Die Analyte Total TPH	- Total BTEX Cald Result <0.00100 seel Range Organ Result 15.4	Qualifier U ics (DRO) ( Qualifier J	RL 0.00398  GC)  RL 50.3	0.00100	mg/Kg		Prepared	Analyzed 10/13/23 02:10	Dil Fac
Method: TAL SOP Total BTEX Analyte Total BTEX  Method: SW846 8015 NM - Die Analyte	- Total BTEX Calc Result <0.00100 seel Range Organ Result 15.4 iesel Range Orga	Qualifier U ics (DRO) ( Qualifier J	RL 0.00398  GC)  RL 50.3	0.00100 MDL 15.1	mg/Kg		Prepared	Analyzed 10/13/23 02:10 Analyzed	Dil Fac
Method: TAL SOP Total BTEX Analyte Total BTEX  Method: SW846 8015 NM - Die Analyte Total TPH  Method: SW846 8015B NM - D	- Total BTEX Calc Result <0.00100 seel Range Organ Result 15.4 iesel Range Orga	Qualifier U  ics (DRO) ( Qualifier J  nics (DRO) Qualifier	RL 0.00398  GC)  RL 50.3	0.00100 MDL 15.1	mg/Kg  Unit mg/Kg	<u>D</u>	Prepared Prepared	Analyzed 10/13/23 02:10  Analyzed 10/13/23 02:21	Dil Fac

**Eurofins Midland** 

Job ID: 880-34338-1 SDG: Lea County, NM

Project/Site: Burch Keeley #142 SDG: Lea County, NM

Client Sample ID: 83-2-101123 Lab Sample ID: 880-34338-7

Matrix: Solid

Date Collected: 10/11/23 15:20 Date Received: 10/12/23 08:58

Client: ARCADIS US Inc

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oll Range Organics (Over C28-C36)	<15.1	U	50.3	15.1	mg/Kg		10/12/23 13:28	10/13/23 02:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	160	S1+	70 - 130				10/12/23 13:28	10/13/23 02:21	1
o-Terphenyl	156	S1+	70 <sub>-</sub> 130				10/12/23 13:28	10/13/23 02:21	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble							
Analyte	Result Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	202	4.99	0.394	mg/Kg			10/17/23 16:27	1

Client Sample ID: S4-1-101123

Date Collected: 10/11/23 10:50

Lab Sample ID: 880-34338-8

Matrix: Solid

Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		10/12/23 13:30	10/13/23 02:31	
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg		10/12/23 13:30	10/13/23 02:31	
Ethylbenzene	< 0.000559	U	0.00198	0.000559	mg/Kg		10/12/23 13:30	10/13/23 02:31	
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 02:31	
o-Xylene	< 0.000341	U	0.00198	0.000341	mg/Kg		10/12/23 13:30	10/13/23 02:31	
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 02:31	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)			70 - 130				10/12/23 13:30	10/13/23 02:31	
1,4-Difluorobenzene (Surr)	113		70 - 130				10/12/23 13:30	10/13/23 02:31	
Method: TAL SOP Total BTEX - 1	Total BTEX Cald	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg			10/13/23 02:31	
	Range Organ	ics (DRO) (	GC)						
Method: SW846 8015 NM - Diese Analyte	Result	Qualifier	RL		Unit ma/Ka	<u>D</u>	Prepared	Analyzed	
Analyte Total TPH	Result 17.6	Qualifier J	RL 49.8	MDL 14.9	Unit mg/Kg	<u>D</u>	Prepared	Analyzed 10/13/23 17:57	
Analyte	Result 17.6	Qualifier J	RL 49.8			<u>D</u>	Prepared		
Analyte Total TPH Method: SW846 8015B NM - Dies Analyte	Result 17.6 sel Range Orga	Qualifier  J  nics (DRO)  Qualifier	(GC) RL	14.9 <b>MDL</b>	mg/Kg	<u>D</u>	Prepared	10/13/23 17:57  Analyzed	
Analyte Total TPH  Method: SW846 8015B NM - Dies	Result 17.6 sel Range Orga	Qualifier  J  nics (DRO)  Qualifier	RL 49.8	14.9	mg/Kg			10/13/23 17:57	Dil Fa
Analyte Total TPH Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	Result 17.6 sel Range Orga Result < 14.9	Qualifier  J  nics (DRO)  Qualifier	(GC) RL	14.9 MDL 14.9	mg/Kg		Prepared	10/13/23 17:57  Analyzed	Dil Fa
Analyte Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	Result 17.6 sel Range Orga Result < 14.9	Qualifier J nics (DRO) Qualifier U*1 J F1 B *1	(GC) RL 49.8	14.9 MDL 14.9 14.9	mg/Kg  Unit mg/Kg		Prepared 10/13/23 08:50	10/13/23 17:57  Analyzed 10/13/23 17:57	Dil Fa
Analyte Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	Result 17.6 sel Range Orga Result <14.9 17.6	Qualifier J nics (DRO) Qualifier U*1 J F1 B*1	RL 49.8  (GC)  RL 49.8  49.8	14.9 MDL 14.9 14.9	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50	10/13/23 17:57  Analyzed 10/13/23 17:57 10/13/23 17:57	Dil Fac
Analyte Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	Result   17.6	Qualifier J nics (DRO) Qualifier U*1 J F1 B*1	RL 49.8  (GC)  RL 49.8  49.8  49.8	14.9 MDL 14.9 14.9	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50	Analyzed 10/13/23 17:57  Analyzed 10/13/23 17:57 10/13/23 17:57	Dil Fa
Analyte Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	Result   17.6     17.6	Qualifier J  nics (DRO) Qualifier U*1  J F1 B*1  U  Qualifier	RL 49.8  (GC)  RL 49.8  49.8  49.8  Limits	14.9 MDL 14.9 14.9	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared	10/13/23 17:57  Analyzed 10/13/23 17:57 10/13/23 17:57 10/13/23 17:57  Analyzed	Dil Fa
Analyte Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	Result   17.6     17.6	Qualifier  J  nics (DRO)  Qualifier  U*1  J F1 B*1  U  Qualifier  S1+  S1+	RL 49.8  (GC)  RL 49.8  49.8  49.8  Limits  70 - 130  70 - 130	14.9 MDL 14.9 14.9	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared 10/13/23 08:50	10/13/23 17:57  Analyzed 10/13/23 17:57 10/13/23 17:57 10/13/23 17:57  Analyzed 10/13/23 17:57	Dil Fa
Analyte Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	Result   17.6	Qualifier  J  nics (DRO)  Qualifier  U*1  J F1 B*1  U  Qualifier  S1+  S1+	RL 49.8  (GC)  RL 49.8  49.8  49.8  Limits  70 - 130  70 - 130	14.9 MDL 14.9 14.9	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared 10/13/23 08:50	10/13/23 17:57  Analyzed 10/13/23 17:57 10/13/23 17:57 10/13/23 17:57  Analyzed 10/13/23 17:57	Dil Face  Dil Face  Dil Face  Dil Face  Dil Face

Eurofins Midland

2

1

ວ

9

10

13

14

Released to Imaging: 7/31/2024 9:49:21 AM Page 13 of 48

#### **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S4-2-101123** 

Date Collected: 10/11/23 11:00 Date Received: 10/12/23 08:58 Lab Sample ID: 880-34338-9

**Matrix: Solid** 

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000389	U	0.00202	0.000389	mg/Kg		10/12/23 13:30	10/13/23 02:51	1
Toluene	< 0.000461	U	0.00202	0.000461	mg/Kg		10/12/23 13:30	10/13/23 02:51	1
Ethylbenzene	< 0.000571	U	0.00202	0.000571	mg/Kg		10/12/23 13:30	10/13/23 02:51	1
m-Xylene & p-Xylene	<0.00102	U	0.00404	0.00102	mg/Kg		10/12/23 13:30	10/13/23 02:51	1
o-Xylene	< 0.000347	U	0.00202	0.000347	mg/Kg		10/12/23 13:30	10/13/23 02:51	1
Xylenes, Total	<0.00102	U	0.00404	0.00102	mg/Kg		10/12/23 13:30	10/13/23 02:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				10/12/23 13:30	10/13/23 02:51	1
1,4-Difluorobenzene (Surr)	106		70 - 130				10/12/23 13:30	10/13/23 02:51	1

**Method: TAL SOP Total BTEX - Total BTEX Calculation** MDL Unit Analyte Result Qualifier RL D Prepared Analyzed Total BTEX <0.00102 U 0.00404 0.00102 mg/Kg 10/13/23 02:51

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC) Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac 49.9 10/13/23 19:00 **Total TPH** 42.9 J 15.0 mg/Kg

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) Result Qualifier RL MDL Unit Prepared Analyzed Dil Fac **Gasoline Range Organics** 49.9 15.0 10/13/23 08:50 10/13/23 19:00 16.7 J\*1 mg/Kg (GRO)-C6-C10 **Diesel Range Organics (Over** 49.9 15.0 mg/Kg 10/13/23 08:50 10/13/23 19:00 26.2 JB\*1 C10-C28) OII Range Organics (Over C28-C36) <15.0 U 49.9 15.0 mg/Kg 10/13/23 08:50 10/13/23 19:00 Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 1-Chlorooctane 146 S1+ 70 - 130 10/13/23 08:50 10/13/23 19:00 130 70 - 130 10/13/23 08:50 10/13/23 19:00

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac Chloride 114 5.02 0.397 mg/Kg 10/17/23 16:38

**Client Sample ID: S5-1-101123** Lab Sample ID: 880-34338-10

Date Collected: 10/11/23 11:50 Date Received: 10/12/23 08:58

o-Terphenyl

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		10/12/23 13:30	10/13/23 03:12	1
Toluene	<0.000454	U	0.00199	0.000454	mg/Kg		10/12/23 13:30	10/13/23 03:12	1
Ethylbenzene	<0.000563	U	0.00199	0.000563	mg/Kg		10/12/23 13:30	10/13/23 03:12	1
m-Xylene & p-Xylene	<0.00101	U	0.00398	0.00101	mg/Kg		10/12/23 13:30	10/13/23 03:12	1
o-Xylene	<0.000343	U	0.00199	0.000343	mg/Kg		10/12/23 13:30	10/13/23 03:12	1
Xylenes, Total	<0.00101	U	0.00398	0.00101	mg/Kg		10/12/23 13:30	10/13/23 03:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130				10/12/23 13:30	10/13/23 03:12	1
1.4-Difluorobenzene (Surr)	105		70 - 130				10/12/23 13:30	10/13/23 03:12	1

**Eurofins Midland** 

**Matrix: Solid** 

Dil Fac

Released to Imaging: 7/31/2024 9:49:21 AM

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S5-1-101123** 

Lab Sample ID: 880-34338-10

Date Collected: 10/11/23 11:50 Matrix: Solid Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00398	0.00101	mg/Kg			10/13/23 03:12	1
Method: SW846 8015 NM - Diese	Range Organ	ics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	68.9		49.6	14.9	mg/Kg			10/13/23 19:21	1
Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	46.5	J *1	49.6	14.9	mg/Kg		10/13/23 08:50	10/13/23 19:21	1
(GRO)-C6-C10									
Diesel Range Organics (Over	22.4	J B *1	49.6	14.9	mg/Kg		10/13/23 08:50	10/13/23 19:21	1
C10-C28)									
OII Range Organics (Over C28-C36)	<14.9	U	49.6	14.9	mg/Kg		10/13/23 08:50	10/13/23 19:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	167	S1+	70 - 130				10/13/23 08:50	10/13/23 19:21	1
o-Terphenyl	156	S1+	70 - 130				10/13/23 08:50	10/13/23 19:21	1
Method: EPA 300.0 - Anions, Ion	Chromatograp	hy - Solubl	e						
Analyte	• •	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	385		5.00	0.395	mg/Kg			10/13/23 19:02	1

Lab Sample ID: 880-34338-11 **Client Sample ID: S5-2-101123** 

Date Collected: 10/11/23 12:00 Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000388	U	0.00202	0.000388	mg/Kg		10/12/23 13:30	10/13/23 05:02	1
Toluene	<0.000460	U	0.00202	0.000460	mg/Kg		10/12/23 13:30	10/13/23 05:02	1
Ethylbenzene	<0.000570	U	0.00202	0.000570	mg/Kg		10/12/23 13:30	10/13/23 05:02	1
m-Xylene & p-Xylene	<0.00102	U	0.00403	0.00102	mg/Kg		10/12/23 13:30	10/13/23 05:02	1
o-Xylene	< 0.000347	U	0.00202	0.000347	mg/Kg		10/12/23 13:30	10/13/23 05:02	1
Xylenes, Total	<0.00102	U	0.00403	0.00102	mg/Kg		10/12/23 13:30	10/13/23 05:02	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	91		70 - 130				10/12/23 13:30	10/13/23 05:02	1
1,4-Difluorobenzene (Surr)	98		70 - 130				10/12/23 13:30	10/13/23 05:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00403	0.00102	mg/Kg			10/13/23 05:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	47.8	J	50.2	15.0	mg/Kg			10/13/23 19:43	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	25.0	J *1	50.2	15.0	mg/Kg		10/13/23 08:50	10/13/23 19:43	1
Diesel Range Organics (Over C10-C28)	22.8	J B *1	50.2	15.0	mg/Kg		10/13/23 08:50	10/13/23 19:43	1

**Eurofins Midland** 

**Matrix: Solid** 

Job ID: 880-34338-1

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

SDG: Lea County, NM

Lab Sample ID: 880-34338-11

Matrix: Solid

**Client Sample ID: S5-2-101123** Date Collected: 10/11/23 12:00

Date Received: 10/12/23 08:58

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)							
Analyte	Result	Qualifier	RL	MDL	Unit	D	
Oll Range Organics (Over C28-C36)	<15.0	U	50.2	15.0	mg/Kg		

305

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	146	S1+	70 - 130
o-Terphenyl	132	S1+	70 - 130

Method: EPA 300.0 - Anions, Ion Chromato	ography - Soluble
Analyte F	Result Qualifier

Client Sample ID: S6-1-101023
D-4- O-II4-I- 40/40/00 4F-F0

Date Collected: 10/10/23 15:50

Chloride

ic) (Contini	nea)					
RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
50.2	15.0	mg/Kg		10/13/23 08:50	10/13/23 19:43	1

30.2	10.0 mg/ng	10/10/20 00:00	10/13/23 19.43	Į.
nits		Prepared	Analyzed	Dil Fac
- 130		10/13/23 08:50	10/13/23 19:43	1
_ 130		10/13/23 08:50	10/13/23 19:43	1

D	Prepared	Analyzed	Dil Fac	
_		10/13/23 19:07	1	

Lab Sample ID: 880-34338-12

Matrix: Solid

Date Received: 10/12/23 08:58									
Method: SW846 8021B - Volat	ile Organic Comp	ounds (GC	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		10/12/23 13:30	10/13/23 05:22	
Toluene	<0.000453	U	0.00199	0.000453	mg/Kg		10/12/23 13:30	10/13/23 05:22	
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		10/12/23 13:30	10/13/23 05:22	
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		10/12/23 13:30	10/13/23 05:22	
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		10/12/23 13:30	10/13/23 05:22	
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		10/12/23 13:30	10/13/23 05:22	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	99		70 - 130				10/12/23 13:30	10/13/23 05:22	
1,4-Difluorobenzene (Surr)	98		70 - 130				10/12/23 13:30	10/13/23 05:22	
Method: TAL SOP Total BTEX	- Total BTEX Cale	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			10/13/23 05:22	
Method: SW846 8015 NM - Die	esel Range Organ	ics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Total TPH	37.3	J	50.5	15.1	mg/Kg			10/13/23 20:03	

RL

4.95

MDL Unit

0.391 mg/Kg

Allulyto	Result	Qualifici	112	MIDE	Oilit		ricparca	Allalyzou	Diriac
Total TPH	37.3	J	50.5	15.1	mg/Kg			10/13/23 20:03	1
Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	21.0	J *1	50.5	15.1	mg/Kg		10/13/23 08:50	10/13/23 20:03	1
Diesel Range Organics (Over C10-C28)	16.3	J B *1	50.5	15.1	mg/Kg		10/13/23 08:50	10/13/23 20:03	1
Oll Range Organics (Over C28-C36)	<15.1	U	50.5	15.1	mg/Kg		10/13/23 08:50	10/13/23 20:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	156	S1+	70 - 130				10/13/23 08:50	10/13/23 20:03	1
o-Terphenyl	139	S1+	70 - 130				10/13/23 08:50	10/13/23 20:03	1

**Eurofins Midland** 

Dil Fac

Analyzed

10/13/23 19:12

RL

5.00

MDL Unit

0.395 mg/Kg

Prepared

Result Qualifier

203

Analyte

Chloride

ас

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S6-2-101023** Lab Sample ID: 880-34338-13

Date Collected: 10/10/23 16:00 Matrix: Solid Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		10/12/23 13:30	10/13/23 05:43	1
Toluene	0.000479	J	0.00198	0.000451	mg/Kg		10/12/23 13:30	10/13/23 05:43	1
Ethylbenzene	< 0.000559	U	0.00198	0.000559	mg/Kg		10/12/23 13:30	10/13/23 05:43	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 05:43	1
o-Xylene	< 0.000341	U	0.00198	0.000341	mg/Kg		10/12/23 13:30	10/13/23 05:43	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 05:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				10/12/23 13:30	10/13/23 05:43	1
1,4-Difluorobenzene (Surr)	104		70 - 130				10/12/23 13:30	10/13/23 05:43	1
- Method: TAL SOP Total BTEX - 1	Total BTEX Cald	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00396	0.00100	mg/Kg			10/13/23 05:43	1
Method: SW846 8015 NM - Diese	al Range Organ	ics (DRO) (	GC)						
	i italigo Organ	100 (5110) (	<b>5</b> 5,						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Analyte Total TPH	Result44.8		<b>RL</b> 50.5		mg/Kg	D	Prepared	Analyzed 10/13/23 20:24	Dil Fac
	44.8	J	50.5			<u>D</u>	Prepared		
Total TPH	44.8 sel Range Orga	J	50.5	15.2		<u>D</u> 	Prepared Prepared		1
Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics	44.8 sel Range Orga	J nics (DRO) Qualifier	50.5 (GC)	15.2	mg/Kg		<u> </u>	10/13/23 20:24	1 Dil Fac
Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	44.8 sel Range Orga Result 24.8	J nics (DRO) Qualifier	50.5 (GC)	15.2 MDL 15.2	mg/Kg		Prepared	10/13/23 20:24  Analyzed	1 Dil Fac
Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10	44.8 sel Range Orga Result 24.8	nics (DRO) Qualifier J *1 J B *1	50.5 (GC) RL 50.5	15.2 MDL 15.2 15.2	mg/Kg  Unit mg/Kg		Prepared 10/13/23 08:50	10/13/23 20:24  Analyzed  10/13/23 20:24	Dil Fac
Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	44.8 sel Range Orga Result 24.8 20.0	nics (DRO) Qualifier J*1 JB*1	50.5 (GC) RL 50.5	15.2 MDL 15.2 15.2	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50	10/13/23 20:24  Analyzed 10/13/23 20:24  10/13/23 20:24	1 Dil Fac
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	44.8 sel Range Orga Result 24.8 20.0 <15.2	nics (DRO) Qualifier J*1 JB*1	50.5 (GC)  RL  50.5  50.5  50.5	15.2 MDL 15.2 15.2	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50	Analyzed 10/13/23 20:24  10/13/23 20:24  10/13/23 20:24  10/13/23 20:24	Dil Fac
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate	44.8 sel Range Orga Result 24.8 20.0 <15.2 %Recovery 157	nics (DRO) Qualifier J*1 J B*1 U Qualifier	50.5  (GC)  RL  50.5  50.5  50.5  Limits	15.2 MDL 15.2 15.2	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared	Analyzed 10/13/23 20:24  Analyzed 10/13/23 20:24  10/13/23 20:24  Analyzed	Dil Fac
Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	44.8 sel Range Orga Result 24.8 20.0 <15.2 %Recovery 157 146	DRO) Qualifier J*1  J B*1  U  Qualifier S1+ S1+	50.5  RL  50.5  50.5  50.5  Limits  70 - 130  70 - 130	15.2 MDL 15.2 15.2	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared 10/13/23 08:50	Analyzed 10/13/23 20:24  Analyzed 10/13/23 20:24  10/13/23 20:24  Analyzed 10/13/23 20:24	Dil Fac
Total TPH  Method: SW846 8015B NM - Dies Analyte Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	44.8  sel Range Orga Result 24.8  20.0  <15.2  %Recovery 157 146  Chromatograp	DRO) Qualifier J*1  J B*1  U  Qualifier S1+ S1+	50.5  RL  50.5  50.5  50.5  Limits  70 - 130  70 - 130	15.2 MDL 15.2 15.2 15.2	mg/Kg  Unit mg/Kg  mg/Kg		Prepared 10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared 10/13/23 08:50	Analyzed 10/13/23 20:24  Analyzed 10/13/23 20:24  10/13/23 20:24  Analyzed 10/13/23 20:24	Dil Fac

**Client Sample ID: S7-1-101123** Lab Sample ID: 880-34338-14 Date Collected: 10/11/23 12:40 **Matrix: Solid** 

Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000389	U	0.00202	0.000389	mg/Kg		10/12/23 13:30	10/13/23 06:03	1
Toluene	<0.000461	U	0.00202	0.000461	mg/Kg		10/12/23 13:30	10/13/23 06:03	1
Ethylbenzene	<0.000571	U	0.00202	0.000571	mg/Kg		10/12/23 13:30	10/13/23 06:03	1
m-Xylene & p-Xylene	<0.00102	U	0.00404	0.00102	mg/Kg		10/12/23 13:30	10/13/23 06:03	1
o-Xylene	0.000394	J	0.00202	0.000347	mg/Kg		10/12/23 13:30	10/13/23 06:03	1
Xylenes, Total	<0.00102	U	0.00404	0.00102	mg/Kg		10/12/23 13:30	10/13/23 06:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				10/12/23 13:30	10/13/23 06:03	1
1.4-Difluorobenzene (Surr)	103		70 - 130				10/12/23 13:30	10/13/23 06:03	1

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

Lab Sample ID: 880-34338-14 **Client Sample ID: S7-1-101123** Date Collected: 10/11/23 12:40

Matrix: Solid

Date Received: 10/12/23 08:58

– Method: TAL SOP Total BTEX - To	otal BTEX Cald	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00404	0.00102	mg/Kg			10/13/23 06:03	1
- Method: SW846 8015 NM - Diesel	Range Organ	ics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	25.4	J	49.9	15.0	mg/Kg			10/13/23 20:45	1
- Method: SW846 8015B NM - Diese	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	25.4	J *1	49.9	15.0	mg/Kg		10/13/23 08:50	10/13/23 20:45	1
(GRO)-C6-C10									
Diesel Range Organics (Over	<15.0	U *1	49.9	15.0	mg/Kg		10/13/23 08:50	10/13/23 20:45	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.0	U	49.9	15.0	mg/Kg		10/13/23 08:50	10/13/23 20:45	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	159	S1+	70 - 130				10/13/23 08:50	10/13/23 20:45	1
o-Terphenyl	150	S1+	70 - 130				10/13/23 08:50	10/13/23 20:45	1
_ Method: EPA 300.0 - Anions, Ion (	Chromatograp	hy - Solub	le						
Analyte	•	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	88.1		4.99	0.394	mg/Kg			10/13/23 19:33	1

**Client Sample ID: S7-2-101123** Lab Sample ID: 880-34338-15

Date Collected: 10/11/23 12:50 **Matrix: Solid** Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000387	U	0.00201	0.000387	mg/Kg		10/12/23 13:30	10/13/23 06:24	1
Toluene	< 0.000459	U	0.00201	0.000459	mg/Kg		10/12/23 13:30	10/13/23 06:24	1
Ethylbenzene	<0.000568	U	0.00201	0.000568	mg/Kg		10/12/23 13:30	10/13/23 06:24	1
m-Xylene & p-Xylene	<0.00102	U	0.00402	0.00102	mg/Kg		10/12/23 13:30	10/13/23 06:24	1
o-Xylene	< 0.000346	U	0.00201	0.000346	mg/Kg		10/12/23 13:30	10/13/23 06:24	1
Xylenes, Total	<0.00102	U	0.00402	0.00102	mg/Kg		10/12/23 13:30	10/13/23 06:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				10/12/23 13:30	10/13/23 06:24	1
			70 - 130			_	10/12/23 13:30	10/13/23 06:24	
Method: TAL SOP Total BTEX - Analyte	Total BTEX Cald	Qualifier	RL		Unit ma/Ka	<u>D</u>	10/12/23 13:30 Prepared	Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX	Total BTEX Calc Result <0.00102	<b>Qualifier</b> U	RL 0.00402	MDL 0.00102		<u>D</u>			Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies	Total BTEX Calc Result <0.00102 sel Range Organ	Qualifier U	RL 0.00402	0.00102	mg/Kg	=	Prepared	Analyzed 10/13/23 06:24	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte	Total BTEX Calc Result <0.00102 sel Range Organ Result	Qualifier U ics (DRO) (Qualifier	RL 0.00402 GC)	0.00102 <b>MDL</b>	mg/Kg	<u>D</u>		Analyzed 10/13/23 06:24 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies	Total BTEX Calc Result <0.00102 sel Range Organ	Qualifier U ics (DRO) (Qualifier	RL 0.00402	0.00102	mg/Kg	=	Prepared	Analyzed 10/13/23 06:24	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte	rotal BTEX Calc Result <0.00102 sel Range Organ Result 36.3	Qualifier U ics (DRO) ( Qualifier J	RL 0.00402  GC)  RL 50.1	0.00102 <b>MDL</b>	mg/Kg	=	Prepared	Analyzed 10/13/23 06:24 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte Total TPH  Method: SW846 8015B NM - Die	Total BTEX Calc Result <0.00102 sel Range Organ Result 36.3 esel Range Orga	Qualifier U ics (DRO) ( Qualifier J	RL 0.00402  GC)  RL 50.1	0.00102 MDL 15.0	mg/Kg	=	Prepared	Analyzed 10/13/23 06:24 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte Total TPH	Total BTEX Calc Result <0.00102 sel Range Organ Result 36.3 esel Range Orga	Qualifier U  ics (DRO) ( Qualifier J  nics (DRO) Qualifier	RL 0.00402  GC)  RL 50.1	0.00102 MDL 15.0	mg/Kg  Unit mg/Kg		Prepared Prepared	Analyzed 10/13/23 06:24  Analyzed 10/13/23 21:07	Dil Fac

Job ID: 880-34338-1 SDG: Lea County, NM

Project/Site: Burch Keeley #142 **Client Sample ID: S7-2-101123** Lab Sample ID: 880-34338-15

Matrix: Solid

Date Collected: 10/11/23 12:50 Date Received: 10/12/23 08:58

Client: ARCADIS US Inc

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oll Range Organics (Over C28-C36)	<15.0	U	50.1	15.0	mg/Kg		10/13/23 08:50	10/13/23 21:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	154	S1+	70 - 130				10/13/23 08:50	10/13/23 21:07	1
o-Terphenyl	144	S1+	70 - 130				10/13/23 08:50	10/13/23 21:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble Analyte Result Qualifier RL MDL Unit Analyzed Dil Fac Prepared 5.01 10/13/23 19:38 Chloride 92.7 0.396 mg/Kg

**Client Sample ID: S8-1-101123** Lab Sample ID: 880-34338-16 Date Collected: 10/11/23 14:00 Matrix: Solid

Date Received: 10/12/23 08:58									
Method: SW846 8021B - Volat	ile Organic Comp	ounds (GC)	)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		10/12/23 13:30	10/13/23 06:44	
Toluene	< 0.000455	U	0.00200	0.000455	mg/Kg		10/12/23 13:30	10/13/23 06:44	
Ethylbenzene	< 0.000564	U	0.00200	0.000564	mg/Kg		10/12/23 13:30	10/13/23 06:44	
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		10/12/23 13:30	10/13/23 06:44	
o-Xylene	< 0.000343	U	0.00200	0.000343	mg/Kg		10/12/23 13:30	10/13/23 06:44	
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		10/12/23 13:30	10/13/23 06:44	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	106		70 - 130				10/12/23 13:30	10/13/23 06:44	
1,4-Difluorobenzene (Surr)	101		70 - 130				10/12/23 13:30	10/13/23 06:44	
<ul> <li>Method: TAL SOP Total BTEX</li> </ul>	- Total BTEX Cald	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			10/13/23 06:44	
- Method: SW846 8015 NM - Die	esel Range Organ	ics (DRO) (	GC)						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Total TPH	46.6	J	50.0	15.0	mg/Kg		-	10/13/23 21:28	

Total TPH	46.6	J	50.0	15.0	mg/Kg			10/13/23 21:28	,
- Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	23.3	J *1	50.0	15.0	mg/Kg		10/13/23 08:50	10/13/23 21:28	
Diesel Range Organics (Over C10-C28)	23.3	J B *1	50.0	15.0	mg/Kg		10/13/23 08:50	10/13/23 21:28	•
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		10/13/23 08:50	10/13/23 21:28	
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
1-Chlorooctane	148	S1+	70 - 130				10/13/23 08:50	10/13/23 21:28	
o-Terphenyl	137	S1+	70 - 130				10/13/23 08:50	10/13/23 21:28	

RL

4.95

MDL Unit

0.391 mg/Kg

Prepared

Result Qualifier

110

**Eurofins Midland** 

Analyzed

10/13/23 19:53

10/18/2023

Dil Fac

Analyte

Chloride

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S8-2-101123** Lab Sample ID: 880-34338-17

Date Collected: 10/11/23 14:10 Matrix: Solid Date Received: 10/12/23 08:58

Analyte	Organic Comp	Qualifier	RL	MDI	Unit	D	Prepared	Analyzed	Dil Fa
Benzene	<0.000382		0.00198	0.000382	mg/Kg	=	10/12/23 13:30	10/13/23 07:05	DII Fat
Toluene	<0.000382		0.00198	0.000362	mg/Kg		10/12/23 13:30	10/13/23 07:05	
Ethylbenzene	<0.000432		0.00198	0.000452	mg/Kg		10/12/23 13:30	10/13/23 07:05	
m-Xylene & p-Xylene	<0.00100		0.00397	0.00100	mg/Kg		10/12/23 13:30	10/13/23 07:05	
o-Xylene	0.000402		0.00198	0.000341	mg/Kg		10/12/23 13:30	10/13/23 07:05	•
Xylenes, Total	<0.00100	U	0.00397	0.00100	mg/Kg		10/12/23 13:30	10/13/23 07:05	•
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fa
4-Bromofluorobenzene (Surr)	106		70 - 130				10/12/23 13:30	10/13/23 07:05	
1,4-Difluorobenzene (Surr)	104		70 - 130				10/12/23 13:30	10/13/23 07:05	
- Method: TAL SOP Total BTEX - T	Total BTEX Cal	culation							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
Total BTEX	<0.00100	U	0.00397	0.00100	mg/Kg			10/13/23 07:05	
Method: SW846 8015 NM - Diese Analyte		Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fa
Analyte Total TPH	Result 39.7					D	Prepared	Analyzed 10/13/23 21:49	Dil Fa
-	33								
Method: SW846 8015B NM - Dies	sel Range Orga	nics (DRO)	(GC)						
Analyte	Result	Qualifier	RL	MDI	Unit	D	Prepared	Analyzed	
			112	WIDL			i iopaioa	Allalyzeu	Dil Fa
Gasoline Range Organics	22.8	J *1	49.6		mg/Kg	_ =	10/13/23 08:50	10/13/23 21:49	Dil Fa
(GRO)-C6-C10		J *1 J B *1		14.9			<u>.</u>		
(GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	16.9	J B *1	49.6	14.9	mg/Kg		10/13/23 08:50 10/13/23 08:50	10/13/23 21:49	
(GRO)-C6-C10 Diesel Range Organics (Over C10-C28)		J B *1	49.6	14.9	mg/Kg	=	10/13/23 08:50	10/13/23 21:49	
Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36) Surrogate	16.9	<b>JB*1</b> U	49.6	14.9	mg/Kg		10/13/23 08:50 10/13/23 08:50	10/13/23 21:49	
(GRO)-C6-C10  Diesel Range Organics (Over C10-C28)  Oll Range Organics (Over C28-C36)	<b>16.9</b> <14.9	J B *1 U Qualifier	49.6 49.6 49.6	14.9	mg/Kg		10/13/23 08:50 10/13/23 08:50 10/13/23 08:50	10/13/23 21:49 10/13/23 21:49 10/13/23 21:49	
(GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	16.9 <14.9 	J B *1 U Qualifier	49.6 49.6 49.6 <i>Limits</i>	14.9	mg/Kg	=	10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared	10/13/23 21:49 10/13/23 21:49 10/13/23 21:49 Analyzed	Dil Fa
(GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane o-Terphenyl	16.9 <14.9 	J B *1 U Qualifier S1+ S1+	49.6 49.6 49.6 <b>Limits</b> 70 - 130 70 - 130	14.9	mg/Kg		10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared 10/13/23 08:50	10/13/23 21:49 10/13/23 21:49 10/13/23 21:49 <b>Analyzed</b> 10/13/23 21:49	Dil Fa
(GRO)-C6-C10 Diesel Range Organics (Over C10-C28) OII Range Organics (Over C28-C36)  Surrogate 1-Chlorooctane	16.9 <14.9  %Recovery 166 155  Chromatograp	J B *1 U Qualifier S1+ S1+	49.6 49.6 49.6 <b>Limits</b> 70 - 130 70 - 130	14.9 14.9 14.9	mg/Kg	<u></u>	10/13/23 08:50 10/13/23 08:50 10/13/23 08:50 Prepared 10/13/23 08:50	10/13/23 21:49 10/13/23 21:49 10/13/23 21:49 <b>Analyzed</b> 10/13/23 21:49	Dil Fa

**Client Sample ID: S8-3-101123** Lab Sample ID: 880-34338-18 Date Collected: 10/11/23 14:20 **Matrix: Solid** 

Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000383	U	0.00199	0.000383	mg/Kg		10/12/23 13:30	10/13/23 07:25	1
Toluene	< 0.000453	U	0.00199	0.000453	mg/Kg		10/12/23 13:30	10/13/23 07:25	1
Ethylbenzene	<0.000562	U	0.00199	0.000562	mg/Kg		10/12/23 13:30	10/13/23 07:25	1
m-Xylene & p-Xylene	<0.00100	U	0.00398	0.00100	mg/Kg		10/12/23 13:30	10/13/23 07:25	1
o-Xylene	<0.000342	U	0.00199	0.000342	mg/Kg		10/12/23 13:30	10/13/23 07:25	1
Xylenes, Total	<0.00100	U	0.00398	0.00100	mg/Kg		10/12/23 13:30	10/13/23 07:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				10/12/23 13:30	10/13/23 07:25	1
1,4-Difluorobenzene (Surr)	105		70 - 130				10/12/23 13:30	10/13/23 07:25	1

Analyte

Chloride

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S8-3-101123** Lab Sample ID: 880-34338-18

Date Collected: 10/11/23 14:20 Matrix: Solid Date Received: 10/12/23 08:58

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00100	U	0.00398	0.00100	mg/Kg			10/13/23 07:25	1
Method: SW846 8015 NM - Diese	I Range Organ	ics (DRO) (	GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	18.7	J	50.1	15.0	mg/Kg			10/13/23 22:31	1
(GRO)-C6-C10 Diesel Range Organics (Over	<15.0	U *1	50.1	15.0	mg/Kg		10/13/23 08:50	10/13/23 22:31	1
Gasoline Range Organics	18.7	J *1	50.1	15.0	mg/Kg		10/13/23 08:50	10/13/23 22:31	1
Diesel Range Organics (Over	<15.0	U *1	50.1	15.0	mg/Kg		10/13/23 08:50	10/13/23 22:31	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.0	U	50.1	15.0	mg/Kg		10/13/23 08:50	10/13/23 22:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	162	S1+	70 - 130				10/13/23 08:50	10/13/23 22:31	1
	151	S1+	70 - 130				10/13/23 08:50	10/13/23 22:31	

4.96 **Client Sample ID: S8-4-101123** Lab Sample ID: 880-34338-19

RL

MDL Unit

0.392 mg/Kg

D

Prepared

Analyzed

10/17/23 16:49

Dil Fac

Date Collected: 10/11/23 14:30 **Matrix: Solid** Date Received: 10/12/23 08:58

Result Qualifier

87.7

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000381	U	0.00198	0.000381	mg/Kg		10/12/23 13:30	10/13/23 07:46	1
Toluene	<0.000451	U	0.00198	0.000451	mg/Kg		10/12/23 13:30	10/13/23 07:46	1
Ethylbenzene	< 0.000559	U	0.00198	0.000559	mg/Kg		10/12/23 13:30	10/13/23 07:46	1
m-Xylene & p-Xylene	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 07:46	1
o-Xylene	< 0.000341	U	0.00198	0.000341	mg/Kg		10/12/23 13:30	10/13/23 07:46	1
Xylenes, Total	<0.00100	U	0.00396	0.00100	mg/Kg		10/12/23 13:30	10/13/23 07:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)			70 - 130				10/12/23 13:30	10/13/23 07:46	1
1,4-Difluorobenzene (Surr)  Method: TAL SOP Total BTEX -			70 - 130				10/12/23 13:30	10/13/23 07:46	
Method: TAL SOP Total BTEX - Analyte	- Total BTEX Cald	Qualifier	70 - 130  RL 0.00396	MDL 0.00100		<u>D</u>	10/12/23 13:30 Prepared	10/13/23 07:46  Analyzed  10/13/23 07:46	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies	- Total BTEX Calc Result <	Qualifier U	RL 0.00396	0.00100	mg/Kg	<u> </u>	Prepared	Analyzed 10/13/23 07:46	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte	- Total BTEX Calc Result <0.00100 sel Range Organ Result	<b>Qualifier</b> U	RL 0.00396 GC)	0.00100 <b>MDL</b>	mg/Kg	<u>D</u>		Analyzed 10/13/23 07:46 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies	- Total BTEX Calc Result <	Qualifier U	RL 0.00396	0.00100	mg/Kg	<u> </u>	Prepared	Analyzed 10/13/23 07:46	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte	- Total BTEX Calc Result <0.00100 sel Range Organ Result 56.6	Qualifier U ics (DRO) ( Qualifier	RL 0.00396  GC)  RL 50.5	0.00100 <b>MDL</b>	mg/Kg	<u> </u>	Prepared	Analyzed 10/13/23 07:46 Analyzed	Dil Fac
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte Total TPH	- Total BTEX Calc Result <0.00100 sel Range Organ Result 55.6 esel Range Orga	Qualifier U ics (DRO) ( Qualifier	RL 0.00396  GC)  RL 50.5	0.00100 MDL 15.1	mg/Kg	<u> </u>	Prepared	Analyzed 10/13/23 07:46 Analyzed	
Method: TAL SOP Total BTEX - Analyte Total BTEX  Method: SW846 8015 NM - Dies Analyte Total TPH  Method: SW846 8015B NM - Dies	- Total BTEX Calc Result <0.00100 sel Range Organ Result 55.6 esel Range Orga	Qualifier U ics (DRO) ( Qualifier nics (DRO) Qualifier	RL 0.00396  GC)  RL 50.5	0.00100 MDL 15.1	mg/Kg  Unit mg/Kg	<u>D</u>	Prepared Prepared	Analyzed 10/13/23 07:46  Analyzed 10/13/23 22:51	Dil Fac

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

Lab Sample ID: 880-34338-19 **Client Sample ID: S8-4-101123** 

Date Collected: 10/11/23 14:30 Matrix: Solid Date Received: 10/12/23 08:58

Method: SW846 8015B NM - Dies	el Range Orga	nics (DRO)	(GC) (Continue	ed)					
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oll Range Organics (Over C28-C36)	<15.1	U	50.5	15.1	mg/Kg		10/13/23 08:50	10/13/23 22:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	155	S1+	70 - 130				10/13/23 08:50	10/13/23 22:51	1
o-Terphenyl	144	S1+	70 - 130				10/13/23 08:50	10/13/23 22:51	1

Method: EPA 300.0 - Anions, Ion C	hromatography - Soluble						
Analyte	Result Qualifier	RL	MDL Unit	D	Prepared	Analyzed	Dil Fac
Chloride	102	4.99	0.394 mg/Kg			10/17/23 16:55	1

# **Surrogate Summary**

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

		BFB1	DFBZ1	Percent Surrogate Recovery (Acceptance Limits)
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-34338-1	S1-1-101123	90	102	
880-34338-1 MS	S1-1-101123	98	96	
880-34338-1 MSD	S1-1-101123	105	101	
880-34338-2	S1-2-101123	115	106	
880-34338-3	S1-3-101123	105	105	
880-34338-4	S2-1-101123	103	114	
880-34338-5	S2-2-101023	109	107	
880-34338-6	S3-1-101023	114	107	
880-34338-7	S3-2-101123	100	105	
880-34338-8	S4-1-101123	111	113	
880-34338-9	S4-2-101123	117	106	
880-34338-10	S5-1-101123	108	105	
880-34338-11	S5-2-101123	91	98	
880-34338-12	S6-1-101023	99	98	
880-34338-13	S6-2-101023	116	104	
880-34338-14	S7-1-101123	112	103	
880-34338-15	S7-2-101123	112	112	
880-34338-16	S8-1-101123	106	101	
880-34338-17	S8-2-101123	106	104	
880-34338-18	S8-3-101123	100	105	
880-34338-19	S8-4-101123	110	106	
LCS 880-64563/1-A	Lab Control Sample	100	109	
LCSD 880-64563/2-A	Lab Control Sample Dup	111	104	
MB 880-64507/5-A	Method Blank	111	123	
MB 880-64563/5-A	Method Blank	118	138 S1+	

**Surrogate Legend** 

BFB = 4-Bromofluorobenzene (Surr) DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

				Percent Surrogate Recovery (Acceptance Limits)
		1CO1	OTPH1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-34338-1	S1-1-101123	143 S1+	138 S1+	
880-34338-2	S1-2-101123	157 S1+	151 S1+	
880-34338-3	S1-3-101123	165 S1+	153 S1+	
880-34338-4	S2-1-101123	150 S1+	145 S1+	
880-34338-5	S2-2-101023	166 S1+	156 S1+	
880-34338-6	S3-1-101023	145 S1+	138 S1+	
880-34338-7	S3-2-101123	160 S1+	156 S1+	
880-34338-8	S4-1-101123	143 S1+	134 S1+	
880-34338-8 MS	S4-1-101123	156 S1+	130	
880-34338-8 MSD	S4-1-101123	150 S1+	124	
880-34338-9	S4-2-101123	146 S1+	130	
880-34338-10	S5-1-101123	167 S1+	156 S1+	
880-34338-11	S5-2-101123	146 S1+	132 S1+	
880-34338-12	S6-1-101023	156 S1+	139 S1+	

**Eurofins Midland** 

Released to Imaging: 7/31/2024 9:49:21 AM

2

5

5

9

11

13

14

# **Surrogate Summary**

Client: ARCADIS US Inc
Project/Site: Burch Keeley #142
Job ID: 880-34338-1
SDG: Lea County, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid Prep Type: Total/NA

		1CO1	OTPH1	
ab Sample ID	Client Sample ID	(70-130)	(70-130)	
380-34338-13	S6-2-101023	157 S1+	146 S1+	
880-34338-14	S7-1-101123	159 S1+	150 S1+	
880-34338-15	S7-2-101123	154 S1+	144 S1+	
880-34338-16	S8-1-101123	148 S1+	137 S1+	
880-34338-17	S8-2-101123	166 S1+	155 S1+	
880-34338-18	S8-3-101123	162 S1+	151 S1+	
880-34338-19	S8-4-101123	155 S1+	144 S1+	
CS 880-64532/2-A	Lab Control Sample	117	136 S1+	
.CS 880-64562/2-A	Lab Control Sample	142 S1+	163 S1+	
CS 880-64629/2-A	Lab Control Sample	103	115	
CSD 880-64532/3-A	Lab Control Sample Dup	82	88	
CSD 880-64562/3-A	Lab Control Sample Dup	161 S1+	173 S1+	
CSD 880-64629/3-A	Lab Control Sample Dup	105	107	
MB 880-64532/1-A	Method Blank	196 S1+	182 S1+	
MB 880-64562/1-A	Method Blank	210 S1+	209 S1+	
ИВ 880-64629/1-A	Method Blank	147 S1+	134 S1+	

TCO = 1-Chlorooctane

OTPH = o-Terphenyl

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-64507/5-A

**Matrix: Solid** Analysis Batch: 64524 Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 64507

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		10/11/23 16:59	10/12/23 12:01	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		10/11/23 16:59	10/12/23 12:01	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		10/11/23 16:59	10/12/23 12:01	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		10/11/23 16:59	10/12/23 12:01	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		10/11/23 16:59	10/12/23 12:01	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		10/11/23 16:59	10/12/23 12:01	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	10/11/23 16:59	10/12/23 12:01	1
1,4-Difluorobenzene (Surr)	123		70 - 130	10/11/23 16:59	10/12/23 12:01	1

Lab Sample ID: MB 880-64563/5-A

Matrix: Solid

Analysis Batch: 64524

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 64563

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		10/12/23 13:30	10/12/23 23:39	1
Toluene	<0.000456	U	0.00200	0.000456	mg/Kg		10/12/23 13:30	10/12/23 23:39	1
Ethylbenzene	<0.000565	U	0.00200	0.000565	mg/Kg		10/12/23 13:30	10/12/23 23:39	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		10/12/23 13:30	10/12/23 23:39	1
o-Xylene	<0.000344	U	0.00200	0.000344	mg/Kg		10/12/23 13:30	10/12/23 23:39	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		10/12/23 13:30	10/12/23 23:39	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	10/12/23 13:30	10/12/23 23:39	1
1,4-Difluorobenzene (Surr)	138	S1+	70 - 130	10/12/23 13:30	10/12/23 23:39	1

Lab Sample ID: LCS 880-64563/1-A

**Matrix: Solid** 

Analysis Batch: 64524

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA Prep Batch: 64563

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.1066		mg/Kg		107	70 - 130	
Toluene	0.100	0.09335		mg/Kg		93	70 - 130	
Ethylbenzene	0.100	0.08896		mg/Kg		89	70 - 130	
m-Xylene & p-Xylene	0.200	0.1947		mg/Kg		97	70 - 130	
o-Xylene	0.100	0.09431		mg/Kg		94	70 - 130	

LCS LCS

Surrogate	%Recovery Qu	ualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1.4-Difluorobenzene (Surr)	109		70 - 130

Lab Sample ID: LCSD 880-64563/2-A

**Matrix: Solid** 

Analysis Batch: 64524

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 64563

	<b>Бріке</b>	LCSD LCSD				%Rec		RPD	
Analyte	Added	Result Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	0.100	0.1091	mg/Kg		109	70 - 130	2	35	

### QC Sample Results

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

## Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-64563/2-A Client Sample ID: Lab Control Sample Dup **Matrix: Solid** Prep Type: Total/NA Analysis Batch: 64524 Prep Batch: 64563

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Toluene	0.100	0.09063		mg/Kg		91	70 - 130	3	35
Ethylbenzene	0.100	0.09204		mg/Kg		92	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.2139		mg/Kg		107	70 - 130	9	35
o-Xylene	0.100	0.1049		mg/Kg		105	70 - 130	11	35

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	111		70 - 130
1,4-Difluorobenzene (Surr)	104		70 - 130

Lab Sample ID: 880-34338-1 MS Client Sample ID: S1-1-101123

**Matrix: Solid Prep Type: Total/NA** Analysis Batch: 64524 Prep Batch: 64563

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	<0.000383	U	0.0996	0.09090		mg/Kg		91	70 - 130	
Toluene	<0.000454	U	0.0996	0.08339		mg/Kg		84	70 - 130	
Ethylbenzene	< 0.000563	U	0.0996	0.07473		mg/Kg		75	70 - 130	
m-Xylene & p-Xylene	<0.00101	U	0.199	0.1756		mg/Kg		88	70 - 130	
o-Xylene	<0.000343	U	0.0996	0.08800		mg/Kg		88	70 - 130	

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: 880-34338-1 MSD **Client Sample ID: S1-1-101123** 

**Matrix: Solid** Prep Type: Total/NA **Analysis Batch: 64524** Prep Batch: 64563

	Sample	Sample	Spike	MSD	MSD				%Rec		RPD	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Benzene	<0.000383	U	0.100	0.1059		mg/Kg		106	70 - 130	15	35	
Toluene	<0.000454	U	0.100	0.08479		mg/Kg		85	70 - 130	2	35	
Ethylbenzene	< 0.000563	U	0.100	0.08333		mg/Kg		83	70 - 130	11	35	
m-Xylene & p-Xylene	<0.00101	U	0.200	0.1922		mg/Kg		96	70 - 130	9	35	
o-Xylene	<0.000343	U	0.100	0.09429		mg/Kg		94	70 - 130	7	35	

	พร	INISD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

MSD MSD

### Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-64532/1-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 64515 Prep Batch: 64532 мв мв

Result Qualifier MDL Unit Prepared <15.0 U 50.0 15.0 mg/Kg 10/12/23 08:00 10/12/23 08:09 Gasoline Range Organics (GRO)-C6-C10

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Job ID: 880-34338-1 SDG: Lea County, NM

# Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-64532/1-A **Matrix: Solid** 

Lab Sample ID: LCS 880-64532/2-A

Analysis Batch: 64515

Client Sample ID: Method Blank

Prep Type: Total/NA Prep Batch: 64532

	IVID	IVID							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics (Over	<15.0	U	50.0	15.0	mg/Kg		10/12/23 08:00	10/12/23 08:09	1
C10-C28)									
OII Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		10/12/23 08:00	10/12/23 08:09	1
	***	***							

MB MB

MR MR

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	196	S1+	70 - 130	10/12/23 08:00	10/12/23 08:09	1
o-Terphenyl	182	S1+	70 - 130	10/12/23 08:00	10/12/23 08:09	1

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 64532

LCS LCS Spike Analyte Added Result Qualifier Unit %Rec Limits Gasoline Range Organics 1000 843.0 mg/Kg 84 70 - 130 (GRO)-C6-C10 Diesel Range Organics (Over 1000 878.5 mg/Kg 88 70 - 130 C10-C28)

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	117		70 - 130
o-Terphenyl	136	S1+	70 - 130

Lab Sample ID: LCSD 880-64532/3-A

**Matrix: Solid** 

**Matrix: Solid** 

Analysis Batch: 64515

Analysis Batch: 64515

Client Sample ID: Lab Control Sample I	Dup
--	-----

Prep Type: Total/NA

Prep Batch: 64532

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Gasoline Range Organics	1000	798.2		mg/Kg		80	70 - 130	5	20	
(GRO)-C6-C10										
Diesel Range Organics (Over	1000	772.7		mg/Kg		77	70 - 130	13	20	
C10-C28)										

**Matrix: Solid** 

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	82		70 - 130
o-Terphenyl	88		70 - 130

Client Sample ID: Method Blank

Prep Type: Total/NA Prep Batch: 64562

Analysis Batch: 64515

Lab Sample ID: MB 880-64562/1-A

	IVID	IVID							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		10/12/23 13:28	10/12/23 19:45	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		10/12/23 13:28	10/12/23 19:45	1
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		10/12/23 13:28	10/12/23 19:45	1

	МВ	МВ				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	210	S1+	70 - 130	10/12/23 13:28	10/12/23 19:45	1

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Job ID: 880-34338-1

SDG: Lea County, NM

# Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-64562/1-A **Matrix: Solid** 

Lab Sample ID: LCS 880-64562/2-A

Analysis Batch: 64515

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 64562

MB MB

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac o-Terphenyl 209 S1+ 70 - 130 10/12/23 13:28 10/12/23 19:45

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 64562

Analysis Batch: 64515 Spike LCS LCS %Rec Analyte Added Result Qualifier Unit %Rec Limits

Gasoline Range Organics 1000 1015 mg/Kg 102 70 - 130 (GRO)-C6-C10 1000 Diesel Range Organics (Over 1103 mg/Kg 110 70 - 130

1000

C10-C28)

**Matrix: Solid** 

LCS LCS

Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	142	S1+	70 - 130
o-Terphenyl	163	S1+	70 - 130

Client Sample ID: Lab Control Sample Dup

**Matrix: Solid** 

Lab Sample ID: LCSD 880-64562/3-A

**Analysis Batch: 64515** 

Gasoline Range Organics

Diesel Range Organics (Over

Prep Type: Total/NA

70 - 130

Prep Batch: 64562

64

Prep Batch: 64629

20

LCSD LCSD Spike %Rec RPD Added Result Qualifier Limit Unit %Rec Limits 1000 750.3 75 70 - 130 30 20 mg/Kg

mg/Kg

C10-C28)

(GRO)-C6-C10

Analyte

LCSD LCSD

Surrogate	%Recovery	Qualifier	Limits		
1-Chlorooctane	161	S1+	70 - 130		
o-Terphenyl	173	S1+	70 - 130		

Lab Sample ID: MB 880-64629/1-A Client Sample ID: Method Blank **Matrix: Solid** Prep Type: Total/NA

567.5 \*- \*1

Analysis Batch: 64616

MB MB

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics	<15.0	U	50.0	15.0	mg/Kg		10/13/23 07:30	10/13/23 09:29	1
(GRO)-C6-C10									
Diesel Range Organics (Over	24.42	J	50.0	15.0	mg/Kg		10/13/23 07:30	10/13/23 09:29	1
C10-C28)									
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		10/13/23 07:30	10/13/23 09:29	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	147	S1+	70 - 130	10/13/23 07:30	10/13/23 09:29	1
o-Terphenyl	134	S1+	70 - 130	10/13/23 07:30	10/13/23 09:29	1

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

## Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

LCS LCS

Lab Sample ID: LCS 880-64629/2-A **Client Sample ID: Lab Control Sample Matrix: Solid** Prep Type: Total/NA Analysis Batch: 64616 Prep Batch: 64629

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	789.5		mg/Kg		79	70 - 130	
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	743.9		mg/Kg		74	70 - 130	
C10-C28)								

	200 20	•
Surrogate	%Recovery Qu	alifier Limits
1-Chlorooctane	103	70 - 130
o-Terphenyl	115	70 - 130

Lab Sample ID: LCSD 880-64629/3-A Client Sample ID: Lab Control Sample Dup

Matrix: Solid

**Analysis Batch: 64616** 

_	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics	1000	1145	*1	mg/Kg		114	70 - 130	37	20
(GRO)-C6-C10									
Diesel Range Organics (Over	1000	1132	*1	mg/Kg		113	70 - 130	41	20
C10-C28)									

LCSD LCSD %Recovery Qualifier Surrogate Limits 1-Chlorooctane 105 70 - 130 o-Terphenyl 107 70 - 130

Lab Sample ID: 880-34338-8 MS **Client Sample ID: S4-1-101123 Matrix: Solid** Prep Type: Total/NA

Analysis Batch: 64616									Prep	Batch: 64629
	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics (GRO)-C6-C10	<14.9	U *1	1010	1084		mg/Kg		108	70 - 130	
Diesel Range Organics (Over C10-C28)	17.6	J F1 B *1	1010	1568	F1	mg/Kg		154	70 - 130	

MS MS Surrogate %Recovery Qualifier Limits 1-Chlorooctane 156 S1+ 70 - 130 o-Terphenyl 70 - 130 130

Lab Sample ID: 880-34338-8 MSD **Client Sample ID: S4-1-101123** 

**Analysis Batch: 64616** 

**Matrix: Solid** 

,	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics (GRO)-C6-C10	<14.9	U *1	1010	1069		mg/Kg		106	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	17.6	J F1 B *1	1010	1493	F1	mg/Kg		147	70 - 130	5	20

MSD MSD

Surrogate %Recovery Qualifier Limits 1-Chlorooctane 150 S1+ 70 - 130

**Eurofins Midland** 

Prep Type: Total/NA

Prep Batch: 64629

Prep Type: Total/NA

Prep Batch: 64629

Client: ARCADIS US Inc

Job ID: 880-34338-1 SDG: Lea County, NM

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-34338-8 MSD

Project/Site: Burch Keeley #142

**Matrix: Solid** 

Analysis Batch: 64616

**Client Sample ID: S4-1-101123** 

Client Sample ID: Method Blank

10/13/23 17:23

Prep Type: Total/NA

Prep Batch: 64629

MSD MSD

Surrogate %Recovery Qualifier o-Terphenyl 124

Limits 70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-64571/1-A

Matrix: Solid

Analyte

Chloride

**Analysis Batch: 64698** 

**Prep Type: Soluble** 

MB MB Result Qualifier RL MDL Unit D Dil Fac Prepared Analyzed

mg/Kg

0.395

Lab Sample ID: LCS 880-64571/2-A Client Sample ID: Lab Control Sample **Prep Type: Soluble** 

5.00

**Matrix: Solid** 

U

<0.395

**Analysis Batch: 64698** 

LCS LCS Spike %Rec Added Result Qualifier Analyte Unit D %Rec Limits Chloride 250 233.3 mg/Kg 93 90 - 110

Lab Sample ID: LCSD 880-64571/3-A Client Sample ID: Lab Control Sample Dup **Prep Type: Soluble** 

**Matrix: Solid** 

**Analysis Batch: 64698** 

Spike LCSD LCSD %Rec RPD Analyte Added Result Qualifier Unit D %Rec Limits RPD Limit Chloride 250 233.6 90 - 110 mg/Kg

Lab Sample ID: 880-34338-13 MS Client Sample ID: S6-2-101023 **Prep Type: Soluble** 

**Matrix: Solid** 

Analysis Batch: 64698

Sample Sample Spike MS MS %Rec Analyte Result Qualifier Added Result Qualifier Unit %Rec Limits Chloride 466 F1 250 685.6 F1 88 90 - 110 mg/Kg

Lab Sample ID: 880-34338-13 MSD **Client Sample ID: S6-2-101023** 

**Matrix: Solid** 

**Analysis Batch: 64698** 

Sample Sample Spike MSD MSD %Rec RPD Qualifier Added Qualifier RPD Limit Analyte Result Result Unit %Rec Limits Chloride F1 250 682.7 F1 87 466 90 - 110 mg/Kg

Lab Sample ID: MB 880-64572/1-A

Released to Imaging: 7/31/2024 9:49:21 AM

Matrix: Solid

**Analysis Batch: 64702** 

MB MB

Result Qualifier RL MDL Dil Fac Analyte Unit D Prepared Analyzed Chloride 5.00 <0.395 U 10/17/23 14:05 0.395 mg/Kg

**Eurofins Midland** 

**Prep Type: Soluble** 

**Prep Type: Soluble** 

Client Sample ID: Method Blank

## QC Sample Results

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

Client Sample ID: S1-3-101123

**Prep Type: Soluble** 

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-64572/2-A Client Sample ID: Lab Control Sample **Matrix: Solid Prep Type: Soluble** 

Analysis Batch: 64702

	Spike	LCS	LCS				%Rec		
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits		
Chloride	250	247.1		mg/Kg		99	90 - 110		

Lab Sample ID: LCSD 880-64572/3-A Client Sample ID: Lab Control Sample Dup **Prep Type: Soluble Matrix: Solid** 

**Analysis Batch: 64702** 

	Spike	LCSD	LCSD				%Rec		RPD	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit	
Chloride	250	247.7		mg/Kg		99	90 - 110	0	20	

Lab Sample ID: 880-34338-3 MS **Client Sample ID: S1-3-101123 Matrix: Solid Prep Type: Soluble** 

Analysis Batch: 64702

	Sample	Sample	Spike	MS	MS				%Rec	
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Chloride	108		249	351.7		mg/Kg		98	90 - 110	

Lab Sample ID: 880-34338-3 MSD

**Matrix: Solid** 

Analysis Batch: 64702

-	Sample	Sample	Spike	MSD	MSD				%Rec		RPD
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Chloride	108		249	351.8		mg/Kg		98	90 - 110	0	20

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

### **GC VOA**

### Prep Batch: 64507

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-64507/5-A	Method Blank	Total/NA	Solid	5035	

### Analysis Batch: 64524

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-1	S1-1-101123	Total/NA	Solid	8021B	64563
880-34338-2	S1-2-101123	Total/NA	Solid	8021B	64563
880-34338-3	S1-3-101123	Total/NA	Solid	8021B	64563
880-34338-4	S2-1-101123	Total/NA	Solid	8021B	64563
880-34338-5	S2-2-101023	Total/NA	Solid	8021B	64563
880-34338-6	S3-1-101023	Total/NA	Solid	8021B	64563
880-34338-7	S3-2-101123	Total/NA	Solid	8021B	64563
880-34338-8	S4-1-101123	Total/NA	Solid	8021B	64563
880-34338-9	S4-2-101123	Total/NA	Solid	8021B	64563
880-34338-10	S5-1-101123	Total/NA	Solid	8021B	64563
880-34338-11	S5-2-101123	Total/NA	Solid	8021B	64563
880-34338-12	S6-1-101023	Total/NA	Solid	8021B	64563
880-34338-13	S6-2-101023	Total/NA	Solid	8021B	64563
880-34338-14	S7-1-101123	Total/NA	Solid	8021B	64563
880-34338-15	S7-2-101123	Total/NA	Solid	8021B	64563
880-34338-16	S8-1-101123	Total/NA	Solid	8021B	64563
880-34338-17	S8-2-101123	Total/NA	Solid	8021B	64563
880-34338-18	S8-3-101123	Total/NA	Solid	8021B	64563
880-34338-19	S8-4-101123	Total/NA	Solid	8021B	64563
MB 880-64507/5-A	Method Blank	Total/NA	Solid	8021B	64507
MB 880-64563/5-A	Method Blank	Total/NA	Solid	8021B	64563
LCS 880-64563/1-A	Lab Control Sample	Total/NA	Solid	8021B	64563
LCSD 880-64563/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	64563
880-34338-1 MS	S1-1-101123	Total/NA	Solid	8021B	64563
880-34338-1 MSD	S1-1-101123	Total/NA	Solid	8021B	64563

### Prep Batch: 64563

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-34338-1	S1-1-101123	Total/NA	Solid	5030B	
880-34338-2	S1-2-101123	Total/NA	Solid	5030B	
880-34338-3	S1-3-101123	Total/NA	Solid	5030B	
880-34338-4	S2-1-101123	Total/NA	Solid	5030B	
880-34338-5	S2-2-101023	Total/NA	Solid	5030B	
880-34338-6	S3-1-101023	Total/NA	Solid	5030B	
880-34338-7	S3-2-101123	Total/NA	Solid	5030B	
880-34338-8	S4-1-101123	Total/NA	Solid	5030B	
880-34338-9	S4-2-101123	Total/NA	Solid	5030B	
880-34338-10	S5-1-101123	Total/NA	Solid	5030B	
880-34338-11	S5-2-101123	Total/NA	Solid	5030B	
880-34338-12	S6-1-101023	Total/NA	Solid	5030B	
880-34338-13	S6-2-101023	Total/NA	Solid	5030B	
880-34338-14	S7-1-101123	Total/NA	Solid	5030B	
880-34338-15	S7-2-101123	Total/NA	Solid	5030B	
880-34338-16	S8-1-101123	Total/NA	Solid	5030B	
880-34338-17	S8-2-101123	Total/NA	Solid	5030B	
880-34338-18	S8-3-101123	Total/NA	Solid	5030B	
880-34338-19	S8-4-101123	Total/NA	Solid	5030B	

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

# **GC VOA (Continued)**

### Prep Batch: 64563 (Continued)

Lab Sample ID  MB 880-64563/5-A	Client Sample ID  Method Blank	Prep Type Total/NA	Matrix Solid	Method 5030B	Prep Batch
LCS 880-64563/1-A	Lab Control Sample	Total/NA	Solid	5030B 5030B	
LCSD 880-64563/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	
880-34338-1 MS	S1-1-101123	Total/NA	Solid	5030B	
880-34338-1 MSD	S1-1-101123	Total/NA	Solid	5030B	

### Analysis Batch: 64673

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batc
880-34338-1	S1-1-101123	Total/NA	Solid	Total BTEX	
880-34338-2	S1-2-101123	Total/NA	Solid	Total BTEX	
880-34338-3	S1-3-101123	Total/NA	Solid	Total BTEX	
880-34338-4	S2-1-101123	Total/NA	Solid	Total BTEX	
880-34338-5	S2-2-101023	Total/NA	Solid	Total BTEX	
880-34338-6	S3-1-101023	Total/NA	Solid	Total BTEX	
880-34338-7	S3-2-101123	Total/NA	Solid	Total BTEX	
880-34338-8	S4-1-101123	Total/NA	Solid	Total BTEX	
880-34338-9	S4-2-101123	Total/NA	Solid	Total BTEX	
880-34338-10	S5-1-101123	Total/NA	Solid	Total BTEX	
880-34338-11	S5-2-101123	Total/NA	Solid	Total BTEX	
880-34338-12	S6-1-101023	Total/NA	Solid	Total BTEX	
880-34338-13	S6-2-101023	Total/NA	Solid	Total BTEX	
880-34338-14	S7-1-101123	Total/NA	Solid	Total BTEX	
880-34338-15	S7-2-101123	Total/NA	Solid	Total BTEX	
880-34338-16	S8-1-101123	Total/NA	Solid	Total BTEX	
880-34338-17	S8-2-101123	Total/NA	Solid	Total BTEX	
880-34338-18	S8-3-101123	Total/NA	Solid	Total BTEX	
880-34338-19	S8-4-101123	Total/NA	Solid	Total BTEX	

### **GC Semi VOA**

### Analysis Batch: 64515

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-1	S1-1-101123	Total/NA	Solid	8015B NM	64532
880-34338-2	S1-2-101123	Total/NA	Solid	8015B NM	64562
880-34338-3	S1-3-101123	Total/NA	Solid	8015B NM	64562
880-34338-4	S2-1-101123	Total/NA	Solid	8015B NM	64562
880-34338-5	S2-2-101023	Total/NA	Solid	8015B NM	64562
880-34338-6	S3-1-101023	Total/NA	Solid	8015B NM	64562
880-34338-7	S3-2-101123	Total/NA	Solid	8015B NM	64562
MB 880-64532/1-A	Method Blank	Total/NA	Solid	8015B NM	64532
MB 880-64562/1-A	Method Blank	Total/NA	Solid	8015B NM	64562
LCS 880-64532/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	64532
LCS 880-64562/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	64562
LCSD 880-64532/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	64532
LCSD 880-64562/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	64562

### Prep Batch: 64532

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-1	S1-1-101123	Total/NA	Solid	8015NM Prep	
MB 880-64532/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-64532/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	

**Eurofins Midland** 

Page 33 of 48

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Job ID: 880-34338-1 SDG: Lea County, NM

# GC Semi VOA (Continued)

### Prep Batch: 64532 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-64532/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

### Prep Batch: 64562

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-2	S1-2-101123	Total/NA	Solid	8015NM Prep	
880-34338-3	S1-3-101123	Total/NA	Solid	8015NM Prep	
880-34338-4	S2-1-101123	Total/NA	Solid	8015NM Prep	
880-34338-5	S2-2-101023	Total/NA	Solid	8015NM Prep	
880-34338-6	S3-1-101023	Total/NA	Solid	8015NM Prep	
880-34338-7	S3-2-101123	Total/NA	Solid	8015NM Prep	
MB 880-64562/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-64562/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-64562/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

### **Analysis Batch: 64616**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-8	S4-1-101123	Total/NA	Solid	8015B NM	64629
880-34338-9	S4-2-101123	Total/NA	Solid	8015B NM	64629
880-34338-10	S5-1-101123	Total/NA	Solid	8015B NM	64629
880-34338-11	S5-2-101123	Total/NA	Solid	8015B NM	64629
880-34338-12	S6-1-101023	Total/NA	Solid	8015B NM	64629
880-34338-13	S6-2-101023	Total/NA	Solid	8015B NM	64629
880-34338-14	S7-1-101123	Total/NA	Solid	8015B NM	64629
880-34338-15	S7-2-101123	Total/NA	Solid	8015B NM	64629
880-34338-16	S8-1-101123	Total/NA	Solid	8015B NM	64629
880-34338-17	S8-2-101123	Total/NA	Solid	8015B NM	64629
880-34338-18	S8-3-101123	Total/NA	Solid	8015B NM	64629
880-34338-19	S8-4-101123	Total/NA	Solid	8015B NM	64629
MB 880-64629/1-A	Method Blank	Total/NA	Solid	8015B NM	64629
LCS 880-64629/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	64629
LCSD 880-64629/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	64629
880-34338-8 MS	S4-1-101123	Total/NA	Solid	8015B NM	64629
880-34338-8 MSD	S4-1-101123	Total/NA	Solid	8015B NM	64629

### Prep Batch: 64629

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-8	S4-1-101123	Total/NA	Solid	8015NM Prep	
380-34338-9	S4-2-101123	Total/NA	Solid	8015NM Prep	
880-34338-10	S5-1-101123	Total/NA	Solid	8015NM Prep	
880-34338-11	S5-2-101123	Total/NA	Solid	8015NM Prep	
880-34338-12	S6-1-101023	Total/NA	Solid	8015NM Prep	
880-34338-13	S6-2-101023	Total/NA	Solid	8015NM Prep	
380-34338-14	S7-1-101123	Total/NA	Solid	8015NM Prep	
380-34338-15	S7-2-101123	Total/NA	Solid	8015NM Prep	
380-34338-16	S8-1-101123	Total/NA	Solid	8015NM Prep	
880-34338-17	S8-2-101123	Total/NA	Solid	8015NM Prep	
380-34338-18	S8-3-101123	Total/NA	Solid	8015NM Prep	
880-34338-19	S8-4-101123	Total/NA	Solid	8015NM Prep	
MB 880-64629/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
_CS 880-64629/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-64629/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Client: ARCADIS US Inc Project/Site: Burch Keeley #142 Job ID: 880-34338-1 SDG: Lea County, NM

# GC Semi VOA (Continued)

### Prep Batch: 64629 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-8 MS	S4-1-101123	Total/NA	Solid	8015NM Prep	
880-34338-8 MSD	S4-1-101123	Total/NA	Solid	8015NM Prep	

### Analysis Batch: 64660

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-1	S1-1-101123	Total/NA	Solid	8015 NM	
880-34338-2	S1-2-101123	Total/NA	Solid	8015 NM	
880-34338-3	S1-3-101123	Total/NA	Solid	8015 NM	
880-34338-4	S2-1-101123	Total/NA	Solid	8015 NM	
880-34338-5	S2-2-101023	Total/NA	Solid	8015 NM	
880-34338-6	S3-1-101023	Total/NA	Solid	8015 NM	
880-34338-7	S3-2-101123	Total/NA	Solid	8015 NM	
880-34338-8	S4-1-101123	Total/NA	Solid	8015 NM	
880-34338-9	S4-2-101123	Total/NA	Solid	8015 NM	
880-34338-10	S5-1-101123	Total/NA	Solid	8015 NM	
880-34338-11	S5-2-101123	Total/NA	Solid	8015 NM	
880-34338-12	S6-1-101023	Total/NA	Solid	8015 NM	
880-34338-13	S6-2-101023	Total/NA	Solid	8015 NM	
880-34338-14	S7-1-101123	Total/NA	Solid	8015 NM	
880-34338-15	S7-2-101123	Total/NA	Solid	8015 NM	
880-34338-16	S8-1-101123	Total/NA	Solid	8015 NM	
880-34338-17	S8-2-101123	Total/NA	Solid	8015 NM	
880-34338-18	S8-3-101123	Total/NA	Solid	8015 NM	
880-34338-19	S8-4-101123	Total/NA	Solid	8015 NM	

### **HPLC/IC**

### Leach Batch: 64571

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batcl
880-34338-10	S5-1-101123	Soluble	Solid	DI Leach	
880-34338-11	S5-2-101123	Soluble	Solid	DI Leach	
880-34338-12	S6-1-101023	Soluble	Solid	DI Leach	
880-34338-13	S6-2-101023	Soluble	Solid	DI Leach	
880-34338-14	S7-1-101123	Soluble	Solid	DI Leach	
880-34338-15	S7-2-101123	Soluble	Solid	DI Leach	
880-34338-16	S8-1-101123	Soluble	Solid	DI Leach	
MB 880-64571/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-64571/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-64571/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-34338-13 MS	S6-2-101023	Soluble	Solid	DI Leach	
880-34338-13 MSD	S6-2-101023	Soluble	Solid	DI Leach	

### Leach Batch: 64572

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-1	S1-1-101123	Soluble	Solid	DI Leach	
880-34338-2	S1-2-101123	Soluble	Solid	DI Leach	
880-34338-3	S1-3-101123	Soluble	Solid	DI Leach	
880-34338-4	S2-1-101123	Soluble	Solid	DI Leach	
880-34338-5	S2-2-101023	Soluble	Solid	DI Leach	
880-34338-6	S3-1-101023	Soluble	Solid	DI Leach	
880-34338-7	S3-2-101123	Soluble	Solid	DI Leach	

**Eurofins Midland** 

2

3

4

6

8

10

12

13

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

# **HPLC/IC** (Continued)

### Leach Batch: 64572 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-8	S4-1-101123	Soluble	Solid	DI Leach	
880-34338-9	S4-2-101123	Soluble	Solid	DI Leach	
880-34338-17	S8-2-101123	Soluble	Solid	DI Leach	
880-34338-18	S8-3-101123	Soluble	Solid	DI Leach	
880-34338-19	S8-4-101123	Soluble	Solid	DI Leach	
MB 880-64572/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-64572/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-64572/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-34338-3 MS	S1-3-101123	Soluble	Solid	DI Leach	
880-34338-3 MSD	S1-3-101123	Soluble	Solid	DI Leach	

### Analysis Batch: 64698

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-10	S5-1-101123	Soluble	Solid	300.0	64571
880-34338-11	S5-2-101123	Soluble	Solid	300.0	64571
880-34338-12	S6-1-101023	Soluble	Solid	300.0	64571
880-34338-13	S6-2-101023	Soluble	Solid	300.0	64571
880-34338-14	S7-1-101123	Soluble	Solid	300.0	64571
880-34338-15	S7-2-101123	Soluble	Solid	300.0	64571
880-34338-16	S8-1-101123	Soluble	Solid	300.0	64571
MB 880-64571/1-A	Method Blank	Soluble	Solid	300.0	64571
LCS 880-64571/2-A	Lab Control Sample	Soluble	Solid	300.0	64571
LCSD 880-64571/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	64571
880-34338-13 MS	S6-2-101023	Soluble	Solid	300.0	64571
880-34338-13 MSD	S6-2-101023	Soluble	Solid	300.0	64571

### Analysis Batch: 64702

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-34338-1	S1-1-101123	Soluble	Solid	300.0	64572
880-34338-2	S1-2-101123	Soluble	Solid	300.0	64572
880-34338-3	S1-3-101123	Soluble	Solid	300.0	64572
880-34338-4	S2-1-101123	Soluble	Solid	300.0	64572
880-34338-5	S2-2-101023	Soluble	Solid	300.0	64572
880-34338-6	S3-1-101023	Soluble	Solid	300.0	64572
880-34338-7	S3-2-101123	Soluble	Solid	300.0	64572
880-34338-8	S4-1-101123	Soluble	Solid	300.0	64572
880-34338-9	S4-2-101123	Soluble	Solid	300.0	64572
880-34338-17	S8-2-101123	Soluble	Solid	300.0	64572
880-34338-18	S8-3-101123	Soluble	Solid	300.0	64572
880-34338-19	S8-4-101123	Soluble	Solid	300.0	64572
MB 880-64572/1-A	Method Blank	Soluble	Solid	300.0	64572
LCS 880-64572/2-A	Lab Control Sample	Soluble	Solid	300.0	64572
LCSD 880-64572/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	64572
880-34338-3 MS	S1-3-101123	Soluble	Solid	300.0	64572
880-34338-3 MSD	S1-3-101123	Soluble	Solid	300.0	64572

**Eurofins Midland** 

-

3

4

6

8

9

11

4.0

1 /

Job ID: 880-34338-1

Client: ARCADIS US Inc Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S1-1-101123** Lab Sample ID: 880-34338-1 Date Collected: 10/11/23 09:10

Matrix: Solid

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 00:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 00:08	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/12/23 19:01	SM	EET MID
Total/NA	Prep	8015NM Prep			9.94 g	10 mL	64532	10/12/23 10:42	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64515	10/12/23 19:01	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 15:30	CH	EET MID

**Client Sample ID: S1-2-101123** Lab Sample ID: 880-34338-2

Date Collected: 10/11/23 09:20 Matrix: Solid

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	64563	10/12/23 13:30	EL	EET MIC
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 00:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 00:28	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 00:09	SM	EET MID
Total/NA	Prep	8015NM Prep			10.10 g	10 mL	64562	10/12/23 13:28	TKC	EET MIC
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64515	10/13/23 00:09	SM	EET MIC
Soluble	Leach	DI Leach			4.97 g	50 mL	64572	10/12/23 14:20	AG	EET MIC
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 15:36	CH	EET MID

**Client Sample ID: S1-3-101123** Lab Sample ID: 880-34338-3

Date Collected: 10/11/23 09:30 Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.96 g	5 mL	64563	10/12/23 13:30	EL	EET MIC
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 00:49	MNR	EET MIC
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 00:49	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 00:31	SM	EET MIC
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	64562	10/12/23 13:28	TKC	EET MIC
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64515	10/13/23 00:31	SM	EET MIC
Soluble	Leach	DI Leach			5.02 g	50 mL	64572	10/12/23 14:20	AG	EET MIC
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 15:41	CH	EET MID

**Client Sample ID: S2-1-101123** Lab Sample ID: 880-34338-4

Date Collected: 10/11/23 10:00 **Matrix: Solid** Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 01:09	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 01:09	SM	EET MID

**Eurofins Midland** 

Released to Imaging: 7/31/2024 9:49:21 AM

**Matrix: Solid** 

Job ID: 880-34338-1 SDG: Lea County, NM

Client: ARCADIS US Inc Project/Site: Burch Keeley #142 **Client Sample ID: S2-1-101123** 

Lab Sample ID: 880-34338-4

Date Collected: 10/11/23 10:00 Date Received: 10/12/23 08:58

**Matrix: Solid** 

Batch Batch Dil Initial Final Batch Prepared Prep Type Туре Method Run Factor Amount Amount Number or Analyzed Analyst Lab Total/NA 8015 NM 64660 10/13/23 00:53 SM **EET MID** Analysis Total/NA Prep 8015NM Prep 9.90 g 10 mL 64562 10/12/23 13:28 TKC **EET MID** Total/NA 8015B NM 1 uL 1 uL 64515 10/13/23 00:53 SM **EET MID** Analysis 10/12/23 14:20 Soluble Leach DI Leach 5.02 g 50 mL 64572 AG **EET MID** Soluble Analysis 300.0 1 50 mL 50 mL 64702 10/17/23 15:58 СН **EET MID** 

Lab Sample ID: 880-34338-5

**Client Sample ID: S2-2-101023** Date Collected: 10/10/23 10:10 **Matrix: Solid** 

Date Received: 10/12/23 08:58

Batch Batch Dil Initial Final Batch Prepared Method Amount Amount Number **Prep Type** Type Run Factor or Analyzed Analyst Lab Prep 5030B Total/NA 4.99 g 5 mL 64563 10/12/23 13:30 EL **EET MID** Total/NA 8021B 5 mL 5 mL 64524 10/13/23 01:30 MNR **EET MID** Analysis 1 Total/NA Analysis Total BTEX 1 64673 10/13/23 01:30 SM **EET MID** Total/NA 8015 NM 64660 10/13/23 01:37 SM **EET MID** Analysis 1 Total/NA Prep 8015NM Prep 10.08 g 10 mL 64562 10/12/23 13:28 TKC **EET MID** Total/NA 8015B NM 1 uL 64515 10/13/23 01:37 SM **EET MID** Analysis 1 uL Soluble Leach DI Leach 5 g 50 mL 64572 10/12/23 14:20 AG **EET MID** Soluble Analysis 300.0 5 50 mL 50 mL 64702 10/17/23 16:04 СН **EET MID** 

Lab Sample ID: 880-34338-6 **Client Sample ID: S3-1-101023** Date Collected: 10/10/23 15:10 **Matrix: Solid** 

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 01:50	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 01:50	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 01:59	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	64562	10/12/23 13:28	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64515	10/13/23 01:59	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:21	CH	EET MID

**Client Sample ID: S3-2-101123** Lab Sample ID: 880-34338-7

Date Collected: 10/11/23 15:20 Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 02:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 02:10	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 02:21	SM	EET MID
Total/NA Total/NA	Prep Analysis	8015NM Prep 8015B NM		1	9.95 g 1 uL	10 mL 1 uL	64562 64515	10/12/23 13:28 10/13/23 02:21	TKC SM	EET MID EET MID

**Eurofins Midland** 

Page 38 of 48

Released to Imaging: 7/31/2024 9:49:21 AM

**Matrix: Solid** 

Job ID: 880-34338-1 SDG: Lea County, NM

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Lab Sample ID: 880-34338-7

Matrix: Solid

**Client Sample ID: S3-2-101123** 

Date Collected: 10/11/23 15:20 Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.01 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:27	CH	EET MID

**Client Sample ID: S4-1-101123** Lab Sample ID: 880-34338-8

Date Collected: 10/11/23 10:50 **Matrix: Solid** 

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 02:31	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 02:31	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 17:57	SM	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 17:57	SM	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:32	CH	EET MID

**Client Sample ID: S4-2-101123** Lab Sample ID: 880-34338-9

Date Collected: 10/11/23 11:00 **Matrix: Solid** Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.95 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 02:51	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 02:51	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 19:00	SM	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 19:00	SM	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:38	CH	EET MID

**Client Sample ID: S5-1-101123** Lab Sample ID: 880-34338-10

Date Collected: 10/11/23 11:50 **Matrix: Solid** Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.02 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 03:12	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 03:12	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 19:21	SM	EET MID
Total/NA	Prep	8015NM Prep			10.08 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 19:21	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:02	CH	EET MID

Client: ARCADIS US Inc

Job ID: 880-34338-1

Project/Site: Burch Keeley #142

SDG: Lea County, NM

Client Sample ID: S5-2-101123 Lab Sample ID: 880-34338-11

Date Collected: 10/11/23 12:00 Matrix: Solid
Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.96 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 05:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 05:02	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 19:43	SM	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 19:43	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:07	CH	EET MID

Client Sample ID: S6-1-101023 Lab Sample ID: 880-34338-12

Date Collected: 10/10/23 15:50 Matrix: Solid
Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 05:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 05:22	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 20:03	SM	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 20:03	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:12	CH	EET MID

Client Sample ID: S6-2-101023 Lab Sample ID: 880-34338-13

Date Collected: 10/10/23 16:00 Matrix: Solid
Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 05:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 05:43	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 20:24	SM	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 20:24	SM	EET MID
Soluble	Leach	DI Leach			5 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:17	CH	EET MID

Client Sample ID: S7-1-101123 Lab Sample ID: 880-34338-14

Date Collected: 10/11/23 12:40 Matrix: Solid
Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.95 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 06:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 06:03	SM	EET MID

**Eurofins Midland** 

2

3

4

6

<u>ر</u> 8

9

11

13

V4.0/0000

Client: ARCADIS US Inc Job ID: 880-34338-1 Project/Site: Burch Keeley #142 SDG: Lea County, NM

**Client Sample ID: S7-1-101123** Lab Sample ID: 880-34338-14 Date Collected: 10/11/23 12:40

Matrix: Solid

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			64660	10/13/23 20:45	SM	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 20:45	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:33	CH	EET MID

**Client Sample ID: S7-2-101123** Lab Sample ID: 880-34338-15

Date Collected: 10/11/23 12:50 Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.97 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 06:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 06:24	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 21:07	SM	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 21:07	SM	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:38	CH	EET MID

**Client Sample ID: S8-1-101123** Lab Sample ID: 880-34338-16 Date Collected: 10/11/23 14:00 **Matrix: Solid** 

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 06:44	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 06:44	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 21:28	SM	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 21:28	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	64571	10/12/23 14:18	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64698	10/13/23 19:53	CH	EET MID

Lab Sample ID: 880-34338-17 **Client Sample ID: S8-2-101123** 

Date Collected: 10/11/23 14:10

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.04 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 07:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 07:05	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 21:49	SM	EET MID
Total/NA Total/NA	Prep Analysis	8015NM Prep 8015B NM		1	10.09 g 1 uL	10 mL 1 uL	64629 64616	10/13/23 08:50 10/13/23 21:49	AJ SM	EET MID EET MID

**Eurofins Midland** 

**Matrix: Solid** 

**Matrix: Solid** 

Client: ARCADIS US Inc Project/Site: Burch Keeley #142

Job ID: 880-34338-1 SDG: Lea County, NM

**Client Sample ID: S8-2-101123** 

Lab Sample ID: 880-34338-17

Date Collected: 10/11/23 14:10 Date Received: 10/12/23 08:58 Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:43	CH	EET MID

Lab Sample ID: 880-34338-18

**Client Sample ID: S8-3-101123** Date Collected: 10/11/23 14:20

**Matrix: Solid** 

Date Received: 10/12/23 08:58

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.03 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 07:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 07:25	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 22:31	SM	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 22:31	SM	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:49	CH	EET MID

**Client Sample ID: S8-4-101123** Lab Sample ID: 880-34338-19

Date Collected: 10/11/23 14:30

Date Received: 10/12/23 08:58

**Matrix: Solid** 

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.05 g	5 mL	64563	10/12/23 13:30	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	64524	10/13/23 07:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			64673	10/13/23 07:46	SM	EET MID
Total/NA	Analysis	8015 NM		1			64660	10/13/23 22:51	SM	EET MID
Total/NA	Prep	8015NM Prep			9.91 g	10 mL	64629	10/13/23 08:50	AJ	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	64616	10/13/23 22:51	SM	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	64572	10/12/23 14:20	AG	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	64702	10/17/23 16:55	CH	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

# **Accreditation/Certification Summary**

Client: ARCADIS US Inc Job ID: 880-34338-1
Project/Site: Burch Keeley #142 SDG: Lea County, NM

### **Laboratory: Eurofins Midland**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Progra	ım	Identification Number	Expiration Date
Texas	NELAI	)	T104704400-23-26	06-30-24
The following analytes	are included in this report, bu	t the laboratory is not certif	ied by the governing authority. This lis	t mav include analyte
for which the agency d	oes not offer certification.	<b>,</b>	, g	,,
for which the agency d Analysis Method		Matrix	Analyte	,
,	oes not offer certification.	•	, , ,	

2

4

6

8

10

\_\_\_\_

13

14

# **Method Summary**

Client: ARCADIS US Inc Project/Site: Burch Keeley #142 Job ID: 880-34338-1

SDG: Lea County, NM

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

### **Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

### Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440


# **Sample Summary**

Client: ARCADIS US Inc Project/Site: Burch Keeley #142 Job ID: 880-34338-1

SDG: Lea County, NM

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-34338-1	S1-1-101123	Solid	10/11/23 09:10	10/12/23 08:58
880-34338-2	S1-2-101123	Solid	10/11/23 09:20	10/12/23 08:58
880-34338-3	S1-3-101123	Solid	10/11/23 09:30	10/12/23 08:58
880-34338-4	S2-1-101123	Solid	10/11/23 10:00	10/12/23 08:58
880-34338-5	S2-2-101023	Solid	10/10/23 10:10	10/12/23 08:58
880-34338-6	S3-1-101023	Solid	10/10/23 15:10	10/12/23 08:58
880-34338-7	S3-2-101123	Solid	10/11/23 15:20	10/12/23 08:58
880-34338-8	S4-1-101123	Solid	10/11/23 10:50	10/12/23 08:58
880-34338-9	S4-2-101123	Solid	10/11/23 11:00	10/12/23 08:58
880-34338-10	S5-1-101123	Solid	10/11/23 11:50	10/12/23 08:58
880-34338-11	S5-2-101123	Solid	10/11/23 12:00	10/12/23 08:58
880-34338-12	S6-1-101023	Solid	10/10/23 15:50	10/12/23 08:58
880-34338-13	S6-2-101023	Solid	10/10/23 16:00	10/12/23 08:58
880-34338-14	S7-1-101123	Solid	10/11/23 12:40	10/12/23 08:58
880-34338-15	S7-2-101123	Solid	10/11/23 12:50	10/12/23 08:58
880-34338-16	S8-1-101123	Solid	10/11/23 14:00	10/12/23 08:58
880-34338-17	S8-2-101123	Solid	10/11/23 14:10	10/12/23 08:58
880-34338-18	S8-3-101123	Solid	10/11/23 14:20	10/12/23 08:58
880-34338-19	S8-4-101123	Solid	10/11/23 14:30	10/12/23 08:58

13 14



1211 W Florida Ave

2

Eurofins Midland

4


7

9

12

13 14

# Chain of Custody Record



Loc: 880

34338

# **Login Sample Receipt Checklist**

Client: ARCADIS US Inc Job Number: 880-34338-1

SDG Number: Lea County, NM

List Source: Eurofins Midland Login Number: 34338 List Number: 1

Creator: Rodriguez, Leticia

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is	N/A	

<6mm (1/4").

**Environment Testing** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Justin Nixon ARCADIS US Inc 1004 North Big Spring Suite 300 Midland, Texas 79701

Generated 12/11/2023 9:50:38 PM

# **JOB DESCRIPTION**

Burch Keeley #142

# **JOB NUMBER**

880-36644-1

Eurofins Midland 1211 W. Florida Ave Midland TX 79701

# **Eurofins Midland**

# **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

# **Authorization**

Generated 12/11/2023 9:50:38 PM

Authorized for release by John Builes, Project Manager John.Builes@et.eurofinsus.com (561)558-4549 Δ

5

6

8

9

1 1

12

IR

14

Client: ARCADIS US Inc

Laboratory Job ID: 880-36644-1

Project/Site: Burch Keeley #142

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Method Summary	16
Sample Summary	17
Chain of Custody	18
Receipt Checklists	19

5

6

8

10

11

13

# **Definitions/Glossary**

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

# **Qualifiers**

~			Λ
GU	· V	U	А

Qualifier **Qualifier Description** J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

S1+ Surrogate recovery exceeds control limits, high biased. U Indicates the analyte was analyzed for but not detected.

#### **GC Semi VOA**

Qualifier **Qualifier Description** 

J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

S1+ Surrogate recovery exceeds control limits, high biased. Indicates the analyte was analyzed for but not detected.

# HPLC/IC

Qualifier **Qualifier Description** 

U Indicates the analyte was analyzed for but not detected.

# **Glossary**

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery **CFL** Contains Free Liquid Colony Forming Unit **CFU** Contains No Free Liquid CNF

**DER** Duplicate Error Ratio (normalized absolute difference)

Dil Fac **Dilution Factor** 

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

**EDL** Estimated Detection Limit (Dioxin) LOD Limit of Detection (DoD/DOE) LOQ Limit of Quantitation (DoD/DOE)

EPA recommended "Maximum Contaminant Level" MCL MDA Minimum Detectable Activity (Radiochemistry) MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit MI Minimum Level (Dioxin) MPN Most Probable Number Method Quantitation Limit MQL

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent POS Positive / Present

**Practical Quantitation Limit PQL** 

**PRES** Presumptive QC **Quality Control** 

**RER** Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

**RPD** Relative Percent Difference, a measure of the relative difference between two points

**TEF** Toxicity Equivalent Factor (Dioxin) **TEQ** Toxicity Equivalent Quotient (Dioxin)

**TNTC** Too Numerous To Count

**Eurofins Midland** 

# Case Narrative

Client: ARCADIS US Inc

Project/Site: Burch Keeley #142

Job ID: 880-36644-1

Job ID: 880-36644-1

**Laboratory: Eurofins Midland** 

Narrative

Job Narrative 880-36644-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method. Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The samples were received on 12/7/2023 11:30 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.8°C

#### **GC VOA**

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-68490 and 880-68743 and analytical batch 880-68654 was outside the upper control limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### GC Semi VOA

Method 8015MOD\_NM: The surrogate recovery for the blank associated with preparation batch 880-68631 and analytical batch 880-68635 was outside the upper control limits.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: (CCV 880-68635/20), (CCV 880-68635/31), (CCV 880-68635/5) and (LCSD 880-68631/3-A). Evidence of matrix interferences is not obvious.

Method 8015MOD\_NM: Surrogate recovery for the following samples were outside control limits: SP9-1'-120623 (880-36644-1) and SP9-2'-120623 (880-36644-2). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland 12/11/2023

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

Client Sample ID: SP9-1'-120623 Lab Sample ID: 880-36644-1

Date Collected: 12/06/23 10:00 **Matrix: Solid** Date Received: 12/07/23 11:30

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000388	U	0.00202	0.000388	mg/Kg		12/09/23 16:01	12/10/23 07:13	1
Toluene	< 0.000460	U	0.00202	0.000460	mg/Kg		12/09/23 16:01	12/10/23 07:13	1
Ethylbenzene	< 0.000570	U	0.00202	0.000570	mg/Kg		12/09/23 16:01	12/10/23 07:13	1
m-Xylene & p-Xylene	<0.00102	U	0.00403	0.00102	mg/Kg		12/09/23 16:01	12/10/23 07:13	1
o-Xylene	< 0.000347	U	0.00202	0.000347	mg/Kg		12/09/23 16:01	12/10/23 07:13	1
Xylenes, Total	<0.00102	U	0.00403	0.00102	mg/Kg		12/09/23 16:01	12/10/23 07:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130				12/09/23 16:01	12/10/23 07:13	1
1,4-Difluorobenzene (Surr)	122		70 - 130				12/09/23 16:01	12/10/23 07:13	1
- Method: TAL SOP Total BTEX	C - Total BTE	X Calculat	ion						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00102	U	0.00403	0.00102	ma/Ka			12/10/23 07:13	
-		· ·	0.00+00	0.00102	9/9			12/10/20 01:10	
				0.00102	99			12, 10,20 01.10	·
Method: SW846 8015 NM - Did Analyte	esel Range			MDL	0 0	D	Prepared	Analyzed	Dil Fac
	esel Range	Organics (	DRO) (GC)	MDL	0 0	<u>D</u>	Prepared		·
Analyte	esel Range ( Result 84.4	Organics ( Qualifier	DRO) (GC) RL 50.5	<b>MDL</b> 15.2	Unit	<u>D</u>	Prepared	Analyzed	Dil Fac
Analyte Total TPH	esel Range (Result 84.4	Organics ( Qualifier	DRO) (GC) RL 50.5	<b>MDL</b> 15.2	Unit mg/Kg	<u>D</u>	Prepared Prepared	Analyzed	Dil Fac
Analyte Total TPH  Method: SW846 8015B NM - D  Analyte Gasoline Range Organics	esel Range (Result 84.4	Organics ( Qualifier  Organics Qualifier	DRO) (GC) RL 50.5	MDL 15.2 ) MDL	Unit mg/Kg		<u> </u>	Analyzed 12/08/23 18:21	Dil Fac
Analyte Total TPH  Method: SW846 8015B NM - DANALYTE Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over	esel Range (Result 84.4  Diesel Range Result	Organics ( Qualifier  Organics Qualifier	DRO) (GC) RL 50.5	MDL 15.2 ) MDL 15.2	Unit mg/Kg		Prepared	Analyzed 12/08/23 18:21 Analyzed	Dil Fac
Analyte Total TPH  Method: SW846 8015B NM - DANALYTE Gasoline Range Organics (GRO)-C6-C10	esel Range (Result 84.4  Diesel Range (Result 22.8)	Organics ( Qualifier  Organics Qualifier  J	DRO) (GC) RL 50.5  (DRO) (GC) RL 50.5	MDL 15.2 ) MDL 15.2	Unit mg/Kg  Unit mg/Kg		Prepared 12/07/23 16:49	Analyzed 12/08/23 18:21  Analyzed 12/08/23 18:21 12/08/23 18:21	Dil Fac  Dil Fac  1
Analyte Total TPH  Method: SW846 8015B NM - DANALYTE Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28)	esel Range (Result 84.4  Diesel Range (Result 22.8)	Organics ( Qualifier  Organics Qualifier  J	DRO) (GC) RL 50.5  (DRO) (GC) RL 50.5  50.5	MDL 15.2 ) MDL 15.2	Unit mg/Kg  Unit mg/Kg  mg/Kg		Prepared 12/07/23 16:49 12/07/23 16:49	Analyzed 12/08/23 18:21  Analyzed 12/08/23 18:21 12/08/23 18:21	Dil Fac  Dil Fac  1  1  1
Analyte Total TPH  Method: SW846 8015B NM - DANALYTE Gasoline Range Organics (GRO)-C6-C10 Diesel Range Organics (Over C10-C28) Oll Range Organics (Over C28-C36)	Result  Result  Result  Result  22.8  61.6  <15.2	Organics ( Qualifier  Organics Qualifier  J	DRO) (GC) RL 50.5  (DRO) (GC) RL 50.5  50.5	MDL 15.2 ) MDL 15.2	Unit mg/Kg  Unit mg/Kg  mg/Kg		Prepared 12/07/23 16:49 12/07/23 16:49 12/07/23 16:49	Analyzed 12/08/23 18:21  Analyzed 12/08/23 18:21 12/08/23 18:21 12/08/23 18:21	Dil Fac  Dil Fac  1

Analyte	Result Q	Qualifier RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	11.5	4.95	0.391	mg/Kg			12/07/23 23:50	1

**Client Sample ID: SP9-2'-120623** Lab Sample ID: 880-36644-2 Date Collected: 12/06/23 10:10 **Matrix: Solid** 

Date Received: 12/07/23 11:30

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000384	U	0.00200	0.000384	mg/Kg		12/09/23 16:01	12/10/23 07:33	1
Toluene	<0.000455	U	0.00200	0.000455	mg/Kg		12/09/23 16:01	12/10/23 07:33	1
Ethylbenzene	< 0.000564	U	0.00200	0.000564	mg/Kg		12/09/23 16:01	12/10/23 07:33	1
m-Xylene & p-Xylene	<0.00101	U	0.00399	0.00101	mg/Kg		12/09/23 16:01	12/10/23 07:33	1
o-Xylene	0.000359	J	0.00200	0.000343	mg/Kg		12/09/23 16:01	12/10/23 07:33	1
Xylenes, Total	<0.00101	U	0.00399	0.00101	mg/Kg		12/09/23 16:01	12/10/23 07:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	110		70 - 130				12/09/23 16:01	12/10/23 07:33	1
1,4-Difluorobenzene (Surr)	127		70 - 130				12/09/23 16:01	12/10/23 07:33	1

**Eurofins Midland** 

# **Client Sample Results**

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

Client Sample ID: SP9-2'-120623 Lab Sample ID: 880-36644-2

Date Collected: 12/06/23 10:10 Matrix: Solid

Date Received: 12/07/23 11:30

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00101	U	0.00399	0.00101	mg/Kg			12/10/23 07:33	1
Method: SW846 8015 NM - Die	esel Range (	Organics (	DRO) (GC)						
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	60.4		50.0	15.0	mg/Kg			12/08/23 18:43	1
Method: SW846 8015B NM - D	iesel Range	Organics	(DRO) (GC)						
Analyte	_	Qualifier	RL		Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	25.7	J	50.0	15.0	mg/Kg		12/07/23 16:49	12/08/23 18:43	1
Diesel Range Organics (Over C10-C28)	34.7	J	50.0	15.0	mg/Kg		12/07/23 16:49	12/08/23 18:43	1
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		12/07/23 16:49	12/08/23 18:43	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130				12/07/23 16:49	12/08/23 18:43	1
o-Terphenyl	133	S1+	70 - 130				12/07/23 16:49	12/08/23 18:43	1
Method: EPA 300.0 - Anions, I	on Chroma	tography -	Soluble						
Analyte		Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	135		4.98	0.393	mg/Kg			12/08/23 00:10	

2

3

-

7

0

10

12

13

# **Surrogate Summary**

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid Prep Type: Total/NA

			Percen	t Surrogate Recovery (Acceptance Lim
		BFB1	DFBZ1	
Lab Sample ID	Client Sample ID	(70-130)	(70-130)	
880-36644-1	SP9-1'-120623	96	122	
880-36644-2	SP9-2'-120623	110	127	
LCS 880-68743/1-A	Lab Control Sample	104	112	
LCSD 880-68743/2-A	Lab Control Sample Dup	87	107	
MB 880-68490/5-A	Method Blank	111	141 S1+	
MB 880-68743/5-A	Method Blank	106	132 S1+	
Surrogate Legend				
BFB = 4-Bromofluorob	enzene (Surr)			
DFBZ = 1,4-Difluorobe	nzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)							
		1CO1	OTPH1						
Lab Sample ID	Client Sample ID	(70-130)	(70-130)						
880-36644-1	SP9-1'-120623	131 S1+	143 S1+						
880-36644-2	SP9-2'-120623	124	133 S1+						
LCS 880-68631/2-A	Lab Control Sample	114	129						
LCSD 880-68631/3-A	Lab Control Sample Dup	127	147 S1+						
MB 880-68631/1-A	Method Blank	178 S1+	213 S1+						

Surrogate Legend

1CO = 1-Chlorooctane
OTPH = o-Terphenyl

**Eurofins Midland** 

2

2

5

<u>۾</u>

9

11

13

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

# Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-68490/5-A

**Matrix: Solid** 

**Analysis Batch: 68654** 

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 68490

	МВ	МВ							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.000385	U	0.00200	0.000385	mg/Kg		12/06/23 12:07	12/09/23 12:02	1
Toluene	< 0.000456	U	0.00200	0.000456	mg/Kg		12/06/23 12:07	12/09/23 12:02	1
Ethylbenzene	< 0.000565	U	0.00200	0.000565	mg/Kg		12/06/23 12:07	12/09/23 12:02	1
m-Xylene & p-Xylene	<0.00101	U	0.00400	0.00101	mg/Kg		12/06/23 12:07	12/09/23 12:02	1
o-Xylene	< 0.000344	U	0.00200	0.000344	mg/Kg		12/06/23 12:07	12/09/23 12:02	1
Xylenes, Total	<0.00101	U	0.00400	0.00101	mg/Kg		12/06/23 12:07	12/09/23 12:02	1
	MD	MD							

MB MB

Surrogate %Recovery Qualifier Limits 70 - 130 4-Bromofluorobenzene (Surr) 111 1,4-Difluorobenzene (Surr) 141 S1+ 70 - 130

Prepared Dil Fac Analyzed 12/06/23 12:07 12/09/23 12:02 12/06/23 12:07 12/09/23 12:02

Lab Sample ID: MB 880-68743/5-A Client Sample ID: Method Blank Matrix: Solid Prep Type: Total/NA Prep Batch: 68743

**Analysis Batch: 68654** 

MB MB Dil Fac Analyte Result Qualifier RL **MDL** Unit Prepared Analyzed Benzene <0.000385 U 0.00200 0.000385 mg/Kg 12/09/23 16:01 12/10/23 00:05 Toluene <0.000456 U 0.00200 0.000456 mg/Kg 12/09/23 16:01 12/10/23 00:05 Ethylbenzene <0.000565 U 0.00200 0.000565 mg/Kg 12/09/23 16:01 12/10/23 00:05 m-Xylene & p-Xylene 0.00400 0.00101 mg/Kg 12/09/23 16:01 12/10/23 00:05 <0.00101 U <0.000344 U 0.000344 mg/Kg 12/09/23 16:01 12/10/23 00:05 o-Xylene 0.00200

0.00400

0.00101 mg/Kg

MR MR

<0.00101 U

Surrogate %Recovery Qualifier Limits Prepared Analyzed Dil Fac 106 70 - 130 12/09/23 16:01 12/10/23 00:05 4-Bromofluorobenzene (Surr) 70 - 130 1,4-Difluorobenzene (Surr) 12/09/23 16:01 12/10/23 00:05 132 S1+

Lab Sample ID: LCS 880-68743/1-A

**Matrix: Solid** 

Xylenes, Total

**Analysis Batch: 68654** 

**Client Sample ID: Lab Control Sample Prep Type: Total/NA** 

**Client Sample ID: Lab Control Sample Dup** 

12/09/23 16:01 12/10/23 00:05

Prep Batch: 68743

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Benzene	0.100	0.1096		mg/Kg		110	70 - 130	
Toluene	0.100	0.09294		mg/Kg		93	70 - 130	
Ethylbenzene	0.100	0.08787		mg/Kg		88	70 - 130	
m-Xylene & p-Xylene	0.200	0.2149		mg/Kg		107	70 - 130	
o-Xylene	0.100	0.1043		mg/Kg		104	70 - 130	
Benzene Toluene Ethylbenzene m-Xylene & p-Xylene	0.100 0.100 0.100 0.200	0.1096 0.09294 0.08787 0.2149	Qualifier	mg/Kg mg/Kg mg/Kg mg/Kg	- <u>D</u>	110 93 88 107	70 - 130 70 - 130 70 - 130 70 - 130	

LCS LCS

Surrogate	%Recovery Qualifier	Limits
4-Bromofluorobenzene (Surr)	104	70 - 130
1.4-Difluorobenzene (Surr)	112	70 - 130

Lab Sample ID: LCSD 880-68743/2-A

Matrix: Solid							Prep ly	pe: lot	.al/NA
Analysis Batch: 68654							Prep E	Batch: 6	68743
	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	 0.100	0.1026		mg/Kg		103	70 - 130	7	35

**Eurofins Midland** 

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

# Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-68743/2-A

**Matrix: Solid** 

**Analysis Batch: 68654** 

**Client Sample ID: Lab Control Sample Dup** 

Prep Type: Total/NA Prep Batch: 68743

LCSD LCSD Spike %Rec **RPD** Analyte Added Result Qualifier Unit D %Rec Limits RPD Limit Toluene 0.100 0.09148 mg/Kg 91 70 - 130 2 35 Ethylbenzene 0.100 0.07112 mg/Kg 71 70 - 130 21 35 m-Xylene & p-Xylene 0.200 0.1766 mg/Kg 70 - 130 20 35 88 0.100 0.08618 70 - 130 35 o-Xylene mg/Kg 86 19

LCSD LCSD

Surrogate	%Recovery Qualifie	r Limits
4-Bromofluorobenzene (Surr)	87	70 - 130
1,4-Difluorobenzene (Surr)	107	70 - 130

# Method: 8015B NM - Diesel Range Organics (DRO) (GC)

**Matrix: Solid** 

**Analysis Batch: 68635** 

**Client Sample ID: Method Blank** 

Prep Type: Total/NA

Prep Batch: 68631

Lab Sample ID: MB 880-68631/1-A

	MB	MB							
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<15.0	U	50.0	15.0	mg/Kg		12/07/23 16:49	12/08/23 08:19	1
Diesel Range Organics (Over C10-C28)	<15.0	U	50.0	15.0	mg/Kg		12/07/23 16:49	12/08/23 08:19	1
Oll Range Organics (Over C28-C36)	<15.0	U	50.0	15.0	mg/Kg		12/07/23 16:49	12/08/23 08:19	1

MB MB

Surrogate	%Recovery	Qualifier	Limits	Prepared Analyzed	Dil Fac
1-Chlorooctane	178	S1+	70 - 130	12/07/23 16:49 12/08/23 08:19	1
o-Terphenyl	213	S1+	70 - 130	12/07/23 16:49 12/08/23 08:19	1

Lab Sample ID: LCS 880-68631/2-A

**Matrix: Solid** 

**Analysis Batch: 68635** 

**Client Sample ID: Lab Control Sample** 

Prep Type: Total/NA

Prep Batch: 68631

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics	1000	1111		mg/Kg		111	70 - 130	 
(GRO)-C6-C10								
Diesel Range Organics (Over	1000	1070		mg/Kg		107	70 - 130	

C10-C28)

LCS LCS

Surrogate	%Recovery Qualifier	Limits
1-Chlorooctane	114	70 - 130
o-Terphenyl	129	70 - 130

Lab Sample ID: LCSD 880-68631/3-A

**Matrix: Solid** 

**Analysis Batch: 68635** 

**Client Sample ID: Lab Control Sample Dup** 

Prep Type: Total/NA

Prep Batch: 68631

	Spike	LCSD	LCSD				%Rec		RPD
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Gasoline Range Organics	1000	1134		mg/Kg		113	70 - 130	2	20
(GRO)-C6-C10									
Diesel Range Organics (Over	1000	1106		mg/Kg		111	70 - 130	3	20
C10-C28)									

**Eurofins Midland** 

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-68631/3-A **Matrix: Solid** 

**Analysis Batch: 68635** 

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 68631

LCSD LCSD

%Recovery Qualifier Surrogate Limits 1-Chlorooctane 127 70 - 130 o-Terphenyl 147 S1+ 70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-68614/1-A **Client Sample ID: Method Blank Prep Type: Soluble** 

**Matrix: Solid** 

**Analysis Batch: 68623** 

MB MB

Analyte Result Qualifier RL **MDL** Unit Prepared Analyzed Dil Fac <0.395 U 5.00 12/07/23 23:30 Chloride 0.395 mg/Kg

Lab Sample ID: LCS 880-68614/2-A **Client Sample ID: Lab Control Sample Matrix: Solid Prep Type: Soluble** 

LCS LCS

**Analysis Batch: 68623** 

Spike %Rec Analyte Added Result Qualifier Unit %Rec Limits Chloride 250 255.7 mg/Kg 102 90 - 110

Lab Sample ID: LCSD 880-68614/3-A Client Sample ID: Lab Control Sample Dup **Matrix: Solid Prep Type: Soluble** 

**Analysis Batch: 68623** 

Spike LCSD LCSD %Rec **RPD** Added Analyte Result Qualifier Unit %Rec Limits RPD Limit 250 102 90 - 110 Chloride 254.3 mg/Kg

Lab Sample ID: 880-36644-1 MS Client Sample ID: SP9-1'-120623 **Prep Type: Soluble** 

**Matrix: Solid** 

**Analysis Batch: 68623** 

Sample Sample Spike MS MS %Rec Result Qualifier Added Result Qualifier Limits Analyte Unit %Rec D 248 273.2 106 Chloride 11.5 90 - 110 mg/Kg

Lab Sample ID: 880-36644-1 MSD Client Sample ID: SP9-1'-120623

**Matrix: Solid** 

**Analysis Batch: 68623** 

Sample Sample Spike MSD MSD %Rec **RPD** Result Qualifier Added Limits RPD **Analyte** Result Qualifier Unit %Rec Limit Chloride 11.5 248 274.4 106 90 - 110 20 mg/Kg

**Eurofins Midland** 

**Prep Type: Soluble** 

# **QC Association Summary**

Client: ARCADIS US Inc Project/Site: Burch Keeley #142 Job ID: 880-36644-1

**GC VOA** 

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-68490/5-A	Method Blank	Total/NA	Solid	5035	

# **Analysis Batch: 68654**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-36644-1	SP9-1'-120623	Total/NA	Solid	8021B	68743
880-36644-2	SP9-2'-120623	Total/NA	Solid	8021B	68743
MB 880-68490/5-A	Method Blank	Total/NA	Solid	8021B	68490
MB 880-68743/5-A	Method Blank	Total/NA	Solid	8021B	68743
LCS 880-68743/1-A	Lab Control Sample	Total/NA	Solid	8021B	68743
LCSD 880-68743/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	68743

# Prep Batch: 68743

<b>Lab Sample ID</b> 880-36644-1	Client Sample ID SP9-1'-120623	Prep Type Total/NA	Matrix Solid	Method 5030B	Prep Batch
880-36644-2	SP9-2'-120623	Total/NA	Solid	5030B	
MB 880-68743/5-A	Method Blank	Total/NA	Solid	5030B	
LCS 880-68743/1-A	Lab Control Sample	Total/NA	Solid	5030B	
LCSD 880-68743/2-A	Lab Control Sample Dup	Total/NA	Solid	5030B	

# **Analysis Batch: 68848**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-36644-1	SP9-1'-120623	Total/NA	Solid	Total BTEX	
880-36644-2	SP9-2'-120623	Total/NA	Solid	Total BTEX	

# **GC Semi VOA**

# Prep Batch: 68631

<b>Lab Sample ID</b> 880-36644-1	Client Sample ID SP9-1'-120623	Prep Type Total/NA	Matrix Solid	Method Prep Bar 8015NM Prep	atch
880-36644-2	SP9-2'-120623	Total/NA	Solid	8015NM Prep	
MB 880-68631/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-68631/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-68631/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

# **Analysis Batch: 68635**

<b>Lab Sample ID</b> 880-36644-1	Client Sample ID SP9-1'-120623	Prep Type Total/NA	Matrix	Method 8015B NM	Prep Batch 68631
			Solid		
880-36644-2	SP9-2'-120623	Total/NA	Solid	8015B NM	68631
MB 880-68631/1-A	Method Blank	Total/NA	Solid	8015B NM	68631
LCS 880-68631/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	68631
LCSD 880-68631/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	68631

# **Analysis Batch: 68820**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-36644-1	SP9-1'-120623	Total/NA	Solid	8015 NM	
880-36644-2	SP9-2'-120623	Total/NA	Solid	8015 NM	

# HPLC/IC

# Leach Batch: 68614

Released to Imaging: 7/31/2024 9:49:21 AM

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-36644-1	SP9-1'-120623	Soluble	Solid	DI Leach	

**Eurofins Midland** 

-

2

5

7

9

11

12

# **QC Association Summary**

Client: ARCADIS US Inc Job ID: 880-36644-1 Project/Site: Burch Keeley #142

# **HPLC/IC (Continued)**

# Leach Batch: 68614 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-36644-2	SP9-2'-120623	Soluble	Solid	DI Leach	
MB 880-68614/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-68614/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-68614/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-36644-1 MS	SP9-1'-120623	Soluble	Solid	DI Leach	
880-36644-1 MSD	SP9-1'-120623	Soluble	Solid	DI Leach	

# **Analysis Batch: 68623**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-36644-1	SP9-1'-120623	Soluble	Solid	300.0	68614
880-36644-2	SP9-2'-120623	Soluble	Solid	300.0	68614
MB 880-68614/1-A	Method Blank	Soluble	Solid	300.0	68614
LCS 880-68614/2-A	Lab Control Sample	Soluble	Solid	300.0	68614
LCSD 880-68614/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	68614
880-36644-1 MS	SP9-1'-120623	Soluble	Solid	300.0	68614
880-36644-1 MSD	SP9-1'-120623	Soluble	Solid	300.0	68614

**Eurofins Midland** 

Job ID: 880-36644-1

Project/Site: Burch Keeley #142

Client: ARCADIS US Inc

Client Sample ID: SP9-1'-120623

Date Collected: 12/06/23 10:00 Date Received: 12/07/23 11:30 Lab Sample ID: 880-36644-1

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			4.96 g	5 mL	68743	12/09/23 16:01	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	68654	12/10/23 07:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			68848	12/10/23 07:13	SM	EET MID
Total/NA	Analysis	8015 NM		1			68820	12/08/23 18:21	SM	EET MID
Total/NA	Prep	8015NM Prep			9.90 g	10 mL	68631	12/07/23 16:49	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	68635	12/08/23 18:21	SM	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	68614	12/07/23 14:59	SMC	EET MID
Soluble	Analysis	300.0		1			68623	12/07/23 23:50	CH	EET MID

Client Sample ID: SP9-2'-120623

Date Collected: 12/06/23 10:10

Date Received: 12/07/23 11:30

Lab Sample ID: 880-36644-2

Matrix: Solid

	Batch	Batch		Dil	Initial	Final	Batch	Prepared		
Prep Type	Type	Method	Run	Factor	Amount	Amount	Number	or Analyzed	Analyst	Lab
Total/NA	Prep	5030B			5.01 g	5 mL	68743	12/09/23 16:01	EL	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	68654	12/10/23 07:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			68848	12/10/23 07:33	SM	EET MID
Total/NA	Analysis	8015 NM		1			68820	12/08/23 18:43	SM	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	68631	12/07/23 16:49	TKC	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	68635	12/08/23 18:43	SM	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	68614	12/07/23 14:59	SMC	EET MID
Soluble	Analysis	300.0		1			68623	12/08/23 00:10	CH	EET MID

**Laboratory References:** 

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Released to Imaging: 7/31/2024 9:49:21 AM

2

Λ

5

9

11

13

# **Accreditation/Certification Summary**

Client: ARCADIS US Inc Job ID: 880-36644-1

Project/Site: Burch Keeley #142

# **Laboratory: Eurofins Midland**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Progra	am	Identification Number	<b>Expiration Date</b>
exas	NELA	ס	T104704400-23-26	06-30-24
The following analyte	s are included in this rene	rt but the laboratory is a	not certified by the governing author	ty This list may inc
THE IDIOWING ANALYLE	s are included in this repo	it, but the laboratory is i	not certified by the governing author	ity. Tilis list illay ilit
,	does not offer certification	,	not certified by the governing author	ity. This list may inc
,	•	,	Analyte	ity. This list may inc
for which the agency	does not offer certification	•	, , ,	iy. Tilis list may ilic

4 9

Eurofins Midland

•

3

5

7

1 4

12

4 /

Released to Imaging: 7/31/2024 9:49:21 AM Page 15 of 19

# **Method Summary**

Client: ARCADIS US Inc

Project/Site: Burch Keeley #142

Job ID: 880-36644-1

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5030B	Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

# **Protocol References:**

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

#### **Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

**Eurofins Midland** 

•

3

4

9

10

11

13


# **Sample Summary**

Client: ARCADIS US Inc

Job ID: 880-36644-1

Project/Site: Burch Keeley #142

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-36644-1	SP9-1'-120623	Solid	12/06/23 10:00	12/07/23 11:30
880-36644-2	SP9-2'-120623	Solid	12/06/23 10:10	12/07/23 11:30



# **Login Sample Receipt Checklist**

Client: ARCADIS US Inc Job Number: 880-36644-1

Login Number: 36644 List Source: Eurofins Midland

List Number: 1

Creator: Teel, Brianna

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is	N/A	

5

6

<u>۾</u>

40

46

13

12

<6mm (1/4").

# **Appendix D**

**NMOCD Correspondence** 

From: Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>

Sent: Wednesday, April 10, 2024 8:55 AM

To: Nixon, Justin

**Cc:** Braidy Moulder; Katherine Purvis

Subject: RE: [EXTERNAL] Burch Keely Unit #142 Incident # NHMP1415747700 Extension request

Good morning Justin,

Per 19.15.29 NMAC, an extension of time can be requested upon a showing of good cause. If a remediation plan is ready to be submitted this week, is an extension necessary?

A complete remediation plan or closure report was due August 8, 2023, approximately 8 months ago. The extension request is not approved.

This incident is out of compliance as the report was due 252 days ago. Please submit the report by 4/12/2024. Failure to submit a complete remediation plan and/or remediation closure report by 4/12/2024 is subject to compliance and enforcement penalties pursuant to 19.15.5 NMAC.

Please include a copy of this email in the report so it is documented in the project file.

Thank you,

Brittany Hall ● Environmental Specialist Environmental Bureau Projects Group EMNRD - Oil Conservation Division 1000 Rio Brazos Road | Aztec, NM 87110 505.517.5333 | Brittany.Hall@emnrd.nm.gov http://www.emnrd.nm.gov/ocd/

Please be advised that the new Digital C-141 is live as of December 1, 2023. Please review the new Digital C-141 submission Dec 1, 2023 Guidance document posted on the EMRND Website prior to submitting any C-141s. The guidance documents can be found at <a href="https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/">https://www.emnrd.nm.gov/ocd/ocd-forms/</a>.

From: Nixon, Justin < Justin.Nixon@arcadis.com>

Sent: Tuesday, April 9, 2024 2:59 PM

To: Hall, Brittany, EMNRD <Brittany.Hall@emnrd.nm.gov>

Subject: [EXTERNAL] Burch Keely Unit #142 Incident # NHMP1415747700 Extension request

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Ms. Hall.

We would like to please request a 30 day extension on the 8/2/23 submittal deadline below. We have completed the assessment and have the draft work plan for remediation ready to be submitted this week. Please let me know if you need any additional information. Incident # NHMP1415747700

Closure request denied. Incomplete report. No workplan has been approved for this site. Site needs to be remediated per 19.15.29 NMAC or complete documentation needs to be provided that remediation was completed.

Thanks,

Justin Nixon | Certified Project Manager 1 | justin.nixon@arcadis.com Arcadis | Arcadis U.S., Inc. 1004 N Big Spring Street, Suite 121 Midland TX | 79701 | USA T. +1 432 214 2972 | M. +1 432 296 9547

This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.

Arcadis U.S., Inc. 10205 Westheimer Road, Suite 800 Houston Texas 77042 Phone: 713 953 4800

Fax: 713 977 4620 www.arcadis.com

# **Appendix D**

**Laboratory Analytical Reports** 



June 07, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/06/24 16:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Wite Sough

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: Sample Received By: Alyssa Parras

Applyand By 14

Project Location: COP - EDDY COUNTY

# Sample ID: SW - 1 0-8' (H243251-01)

DTEV 0021D

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.0	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/07/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	<10.0	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	<10.0	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	93.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	116	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

# Sample ID: SW - 3 0-8' (H243251-02)

BTEX 8021B

	9,	9	7	7: 5::					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.1	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	06/07/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	<10.0	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	<10.0	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	84.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	106	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

# Sample ID: SW - 2 0-8' (H243251-03)

BTEX 8021B

	<u> </u>								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	91.3	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	06/07/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	<10.0	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	<10.0	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	98.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	124	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



Alyssa Parras

Sample Received By:

# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil
Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact

Project Number: 30197423

Project Location: COP - EDDY COUNTY

#### Sample ID: SW - 6 0-8' (H243251-04)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.4	% 71.5-13	4						
Chloride, SM4500CI-B	mg	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	06/07/2024	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	71.7	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	53.3	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	85.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	109	% 49.1-14	8						

# Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client is subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



# **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C
 Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mule Sough

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

Page 6 of 7

Delivered By: (Circle One)  Observed Temp. °C  Sampler - UPS - Bus - Other:  Corrected Temp. °C	Relinquished By:	affiliates or successors arising out of or related to the performance of services hereunder by one of the control of the contr	The research of the complete contracts and the contract of the			9-4-9-M5 319 BBH-AS 1	2-8-7-MS	SU-3-0-8"	130	H343381	Lab I.D. Sample I.D.	FOR LAB USE ONLY	Sampler Name: Hearth Boyd	Project Location: Loco Hills, Nm	Project Name: Burch Keeley #	Project #: 30197423 Project Owner: Cono	Phone #: 452-296-9547 Fax #:	City: Midland State: Tx	Big Springs	Project Manager: Justin. Nikon@ Arc		101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476
Sample Condition CHECKED BY: Cool Intact (Initials) Li Yes Li Yes	Received By:	of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated Date:  Received By:	any claim arising whether based in contract or tort, shall be limited i deemed waived unless made in writing and received by Cardinal v ig without limitation, business interruptions, loss of use, or loss of pr			x	~	× .	×	# CON	R: BASE: OOL	MATRIX PRESERV	Fax	Phone #:	/47 State:	er: Lonoco City:	Address:	Zip: 7 970   Attn:	Suite 300 Company:	Arcadis Com P.O. #:	L'and B	8240 2476
Turnaround Tim	All Rosults are en	e above stated reasons or otherwise.  Verbal Result:	to the amount paid by the client for the within 30 days after completion of the applicab offis incurred by client, its subsidiaries			× 0201 41/1/9	A 0001 42/9/9	× 0121 12/5/9	X 0501 42/9/9	DATE TIME	0 8	SAMPLING	FW	1-21	Zip:	8	DC	'n	4.	50	BILL TO	
e: Standard	mailed. Please provide Email address:	□ Yes □ No Ad	ble			Υ Υ	x		X		15 MO	Δ.		Vr						14	A	
Bacteria (only) Sample Condition Cool Intact Observed Temp. °C	mail address:	Add'l Phone #:		2																	ANALYSIS REQUEST	



June 07, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/06/24 16:05.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Wite Sough

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Project Location: COP - EDDY COUNTY

# Sample ID: SW - 1 (H243251-01)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.0	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	06/07/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	<10.0	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	<10.0	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	93.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	116	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: COP - EDDY COUNTY

ma/ka

# Sample ID: SW - 3 (H243251-02)

RTFY 8021R

BIEX 8021B	mg	/ <b>kg</b>	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.1	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	06/07/2024	ND	432	108	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	<10.0	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	<10.0	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	84.0	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	106	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mile Sough



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

mg/kg

# Sample ID: SW - 2 (H243251-03)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	91.3	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	06/07/2024	ND	432	108	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	<10.0	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	<10.0	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	98.4	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	124	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



# Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/06/2024 Sampling Date: 06/05/2024

Reported: 06/07/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: 14

Project Location: COP - EDDY COUNTY

ma/ka

# Sample ID: SW - 6 (H243251-04)

RTFY 8021R

BIEX 8021B	mg	/ <b>kg</b>	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.4	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	256	16.0	06/07/2024	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/07/2024	ND	199	99.3	200	0.778	
DRO >C10-C28*	71.7	10.0	06/07/2024	ND	189	94.4	200	2.67	
EXT DRO >C28-C36	53.3	10.0	06/07/2024	ND					
Surrogate: 1-Chlorooctane	85.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	109	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Me Sough



# **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C
 Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mule Sough

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager

Page 6 of 7

# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

(3/3) 333-2320 FAA (3/3) 333-24	53-2410		0	
Company Name: Arcacl:		Kame BILL TO	o o	ANALYSIS REQUEST
Project Manager: Justin. Nixon@ Arcadis Com	Arcadis Com	P.O. #:	5	
Address: 1004 N Big Springs	Swite 300	Company:	4	
State:	x Zip: 79701	Attn:	u	
Phone #: 432-296-9547 Fax #:		Address:	DC	
Project #: 30197423 Project Owner:	Owner: Conoco	City:	-8	
Project Name: Burch Icecley	J47	State: Zip:		
	7	Phone #:	m_ ww	
2		Fax #:	FU	
	MATRIX	PRESERV. SAMPLING	26	
Lab I.D. Sample I.D.	RAB OR (C)OMPONTAINERS OUNDWATER STEWATER IL	UDGE HER: ID/BASE: E / COOL HER:	800 80 8015 MO	8021B
150-1	*	42/5/9	x x 0501	*
8-30	C ' *	6/5/24 12	x x 0121	*
2-325	C - x		10000 X X	
9-M5 91MBH-445 1	× .	11/1/9	7 × 0201	*
Liability and Damages. Cardinal's liability and cile ms including those for negligence and any other ent shall Cardinal be liable for incidental or conse	medy for any claim arising whether based in control shall be deemed waived unless made in writing r shall be deemed waived unless made in writing s, including without limitation, business interruptions, including without instantion.	ract or tort, shall be limited to the amount paid by and received by Cardinal within 30 days after core, ns, loss of use, or loss of profits incurred by client him is based upon any of the above stated reason.	y the client for the completion of the applicable int, its subsidiaries, one or otherwise.	
Relinquished By:  Date:	Date: Received By:		Verbal Result: ☐ Y	Verbal Result: ☐ Yes ☐ No Add'I Phone #: All Rosults are emailed. Please provide Email address:
Relinquished By:	Received By:	R	REMARKS:	
Delivered By: (Circle One) Observed Temp. °C	np. °C Sample Condition	CHECKED BY:	Turnaround Time:	Bacteria (only) Sa
her	.,	(Initials)	Thermometer ID #140	£ (C)



June 10, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/07/24 15:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/07/2024 Sampling Date: 06/07/2024

Reported: 06/10/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Shalyn Rodriguez

Analyzed By: JH

Project Location: COP - EDDY COUNTY

mg/kg

### Sample ID: SW - 4 - 0-8' (H243286-01)

BTEX 8021B

DILX 0021D	ilig	r kg	Allalyze	u by. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	89.0	% 71.5-13	4						
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	06/10/2024	ND	448	112	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2024	ND	150	74.9	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/08/2024	ND	153	76.6	200	7.72	
EXT DRO >C28-C36	<10.0	10.0	06/08/2024	ND					
Surrogate: 1-Chlorooctane	78.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	78.3	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Received: 06/07/2024 Sampling Date: 06/07/2024

Reported: 06/10/2024 Sampling Type: Soil

Fax To:

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Shalyn Rodriguez

Applyzod By: 14

Project Location: COP - EDDY COUNTY

### Sample ID: SW - 5 - 0-8' (H243286-02)

RTFY 8021R

B1EX 8021B	mg,	кg	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.86	93.1	2.00	5.25	
Toluene*	<0.050	0.050	06/07/2024	ND	1.86	92.9	2.00	3.65	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	1.92	96.1	2.00	1.50	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	5.59	93.1	6.00	1.49	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	90.0	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	06/10/2024	ND	432	108	400	3.64	
TPH 8015M	mg,	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2024	ND	150	74.9	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/08/2024	ND	153	76.6	200	7.72	
EXT DRO >C28-C36	<10.0	10.0	06/08/2024	ND					
Surrogate: 1-Chlorooctane	84.1	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	82.6	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keens



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To:

Received: 06/07/2024 Sampling Date: 06/07/2024

Reported: 06/10/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Shalyn Rodriguez

Applyzod By: 14

Project Location: COP - EDDY COUNTY

### Sample ID: SW - 8 - 0-8' (H243286-03)

RTFY 8021R

BIEX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.80	89.8	2.00	13.4	
Toluene*	<0.050	0.050	06/07/2024	ND	2.00	99.9	2.00	10.8	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	2.12	106	2.00	8.40	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	6.58	110	6.00	6.84	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	109	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	06/10/2024	ND	432	108	400	3.64	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2024	ND	150	74.9	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/08/2024	ND	153	76.6	200	7.72	
EXT DRO >C28-C36	<10.0	10.0	06/08/2024	ND					
Surrogate: 1-Chlorooctane	76.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	76.4	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To:

Received: 06/07/2024 Sampling Date: 06/07/2024

Reported: 06/10/2024 Sampling Type: Soil

Project Name: **BURCH KEELEY #142** Sampling Condition: Cool & Intact Project Number: 30197423 Sample Received By: Shalyn Rodriguez

COP - EDDY COUNTY Project Location:

### Sample ID: B - 5 - 0-8' (H243286-04)

BTEX 8021B	mg/	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/07/2024	ND	1.80	89.8	2.00	13.4	
Toluene*	<0.050	0.050	06/07/2024	ND	2.00	99.9	2.00	10.8	
Ethylbenzene*	<0.050	0.050	06/07/2024	ND	2.12	106	2.00	8.40	
Total Xylenes*	<0.150	0.150	06/07/2024	ND	6.58	110	6.00	6.84	
Total BTEX	<0.300	0.300	06/07/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	111 9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result Reporting Limit		Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	208	16.0	06/10/2024	ND	432	108	400	3.64	
TPH 8015M	mg/	'kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/08/2024	ND	150	74.9	200	13.1	
DRO >C10-C28*	<10.0	10.0	06/08/2024	ND	153	76.6	200	7.72	
EXT DRO >C28-C36	<10.0	10.0	06/08/2024	ND					
Surrogate: 1-Chlorooctane	79.2	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	79.2	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### **Notes and Definitions**

BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Compa
Project Manager: Track
ACTOR (S)
-2476
BILL TO
HO CO



June 12, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/11/24 16:30.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Celey D. Keine

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300

MIDLAND TX, 79701 Fax To: NA

Received: 06/11/2024 Sampling Date: 06/11/2024

Reported: 06/12/2024 Sampling Type: Soil
Project Name: BURCH KEELEY #142 Sampling Condition: \*\* (

Project Name: BURCH KEELEY #142 Sampling Condition: \*\* (See Notes)
Project Number: 30197423 Sample Received By: Shalyn Rodriguez

Project Location: COP - EDDY COUNTY

### Sample ID: BACKFILL (H243378-01)

BTEX 8021B	mg/	kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/12/2024	ND	1.91	95.6	2.00	3.36	
Toluene*	<0.050	0.050	06/12/2024	ND	1.93	96.6	2.00	3.37	
Ethylbenzene*	<0.050	0.050	06/12/2024	ND	1.83	91.4	2.00	3.53	
Total Xylenes*	<0.150	0.150	06/12/2024	ND	5.67	94.6	6.00	3.66	
Total BTEX	<0.300	0.300	06/12/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	97.9	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	06/12/2024	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/12/2024	ND	182	91.1	200	1.47	
DRO >C10-C28*	<10.0	10.0	06/12/2024	ND	188	94.1	200	2.26	
EXT DRO >C28-C36	<10.0	10.0	06/12/2024	ND					
Surrogate: 1-Chlorooctane	100 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	106 9	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene

† Cardinal cannot accept verbal changes. Please emilions gone celey. Reene@cardinallabsnm.com

### 101 East Marland, Hobbs, NM 88240

### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

ampler - UPS - Bus - Other:	Delivered By: (Circle One)	elinquished By:	W	A STATE OF THE STA	elinquished By:	liates or successors arising o	alyses. All claims including the	EASE NOTE: Liability and D										roject Manager: Justin M. didress: 1004 D. Big : ity: M: 11 and hone #: 432-296-9547 roject Name: Run an ka roject Location: 1000 H: 11 iampler Name: Heath B FORLABUSE ONLY Lab I.D. Sample  Sample	ompany Name:
ıs - Other:	le One)		7		,	out of or related to the perform	hose for negligence and any	amages Cardinal's liability a					•				Backtill	Justin.  1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	Arcad: 5
Corrected Temp. °C	Observed Temp. °C	Date:	In Ju	Time: 11, 20	Date:6/,1/24	iliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.	APPE MY LE. Louining and Voluniegos. Consume o mounting mar virinit o successor in volunde, on son and in virinit or minor to the amount pour by the tents not an alysis of a louining and received by Cardinal bin 30 days and the completion of the applicable aless on a want shall cardinal be for negligence or occessor and any other completion of the applicable and a support of the	nd client's exclusive remedy for a										Springs State: 7) Fax #: Project Ov  S  S  Project Ov	(5/5) 393-2326 FAX (5/5) 393-24/6
	I	Rec	(	X	Rec	ardinal, n	deemed v	ny claim.					1		1 %		0	(G)RAD UR (C)UVIF.	4/6
Cool Intact	6 Sample Conditi	Received By:		ROOM	Received By:	egardless of whether such claim	waived unless made in writing an	arising whether based in contract				* 2 * 2	3	-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		×	# CONTAINERS  GROUNDWATER  WASTEWATER  SOIL  OIL  SLUDGE	
	0			Chio	,	is based upon any of the ab	d received by Cardinal within	or fort shall be limited to the						,	•		. 6.	OTHER: ACID/BASE: ICE / COOL OTHER: OTHER: DD: OTHER: DD: PRESERV. DD: OTHER:	BILL
		REMARKS	1	)	Verbal Result:	ove stated reasons or other	30 days after completion	amount naid by the clien							\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		111/24 905	p: SAMPLING DATE TIME	BILL TO
Thermometer ID #140 Correction Factor 0°C	Turnaround Time:/	KS:	-	All Meanita discollinated. Liegas provide Filiali andiesas	Result:	irwise.	of the applicable	for the	**						1		y y	(1' 4500 8015 MOD. NM	
Rus	Star	1		2 160	Yes			F					1	-	_		X	8021 B	
Rush 24				se broside	□ No /			·						1	1	**	,	and the same of th	
2	1				Add'I Phone #:			,	,		-			1		3			ANALYSIS
Cool Intact Observed Temp. °C ☐ Yes ☐ Yes ☐ No ☐ Corrected Temp. °C	acteria (only)			duicee.	one #:			-							3				
Obse	Sample		.,							1				•					REQUEST
Observed Temp. °C Corrected Temp. °C	Condition	Jan.	-											-	-	,			
ຕິດ								3		, 7				, 1					
		Tip -	177			1		L	-		,				*				_



June 21, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/14/24 7:56.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accredited certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)

Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Celey D. Keene

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

ARCADIS - MIDLAND

Project: BURCH KEELEY #142

Reported:

1004 N BIG SPRING ST., SUITE 300

Project Number: 30197423

21-Jun-24 08:12

MIDLAND TX, 79701

Fax To: NA

Project Manager: JUSTIN NIXON

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
SW-6A-0-8' SW-7-0-8'	H243453-01 H243453-02	Soil Soil	13-Jun-24 15:50 13-Jun-24 16:00	14-Jun-24 07:56 14-Jun-24 07:56
SW-9-0-8'	H243453-03	Soil	13-Jun-24 16:05	14-Jun-24 07:56

06/21/24 - Client changed sample IDs (see COC). This is the revised report and will replace the one sent on 06/17/24.

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



### Analytical Results For:

ARCADIS - MIDLAND 1004 N BIG SPRING ST., SUITE 300

MIDLAND TX, 79701

Project: BURCH KEELEY #142

Project Number: 30197423
Project Manager: JUSTIN NIXON

Fax To: NA

Reported: 21-Jun-24 08:12

### SW-6A-0-8' H243453-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	l Laborat	ories					
Inorganic Compounds										
Chloride	160		16.0	mg/kg	4	4061432	AC	14-Jun-24	4500-Cl-B	
Volatile Organic Compounds	s by EPA Method	8021								
Benzene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Toluene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Ethylbenzene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Total Xylenes*	< 0.150		0.150	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Total BTEX	< 0.300		0.300	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Surrogate: 4-Bromofluorobenzene (PI	D)		108 %	71.5	-134	4061408	JH	14-Jun-24	8021B	
Petroleum Hydrocarbons by	GC FID									
GRO C6-C10*	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
Surrogate: 1-Chlorooctane			99.2 %	48.2	-134	4061357	MS	14-Jun-24	8015B	
Surrogate: 1-Chlorooctadecane			90.0 %	49.1	-148	4061357	MS	14-Jun-24	8015B	

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



### Analytical Results For:

ARCADIS - MIDLAND 1004 N BIG SPRING ST., SUITE 300

MIDLAND TX, 79701

Project: BURCH KEELEY #142

Project Number: 30197423

Project Manager: JUSTIN NIXON

Fax To: NA

Reported: 21-Jun-24 08:12

### SW-7-0-8' H243453-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	ıl Laborat	ories					
Inorganic Compounds										
Chloride	240		16.0	mg/kg	4	4061432	AC	14-Jun-24	4500-Cl-B	
Volatile Organic Compounds	s by EPA Method	8021								
Benzene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Toluene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Ethylbenzene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Total Xylenes*	< 0.150		0.150	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Total BTEX	< 0.300		0.300	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Surrogate: 4-Bromofluorobenzene (Pl	D)		107 %	71.5	-134	4061408	JH	14-Jun-24	8021B	
Petroleum Hydrocarbons by	GC FID									
GRO C6-C10*	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
Surrogate: 1-Chlorooctane			97.4 %	48.2-	-134	4061357	MS	14-Jun-24	8015B	
Surrogate: 1-Chlorooctadecane			87.4 %	49.1	-148	4061357	MS	14-Jun-24	8015B	

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



### Analytical Results For:

ARCADIS - MIDLAND 1004 N BIG SPRING ST., SUITE 300

MIDLAND TX, 79701

Project: BURCH KEELEY #142

Project Number: 30197423
Project Manager: JUSTIN NIXON

Fax To: NA

Reported: 21-Jun-24 08:12

SW-9-0-8' H243453-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
			Cardina	ıl Laborat	ories					
Inorganic Compounds										
Chloride	128		16.0	mg/kg	4	4061432	AC	14-Jun-24	4500-Cl-B	
Volatile Organic Compounds	by EPA Method	8021								
Benzene*	< 0.050		0.050	mg/kg	50	4061408	JН	14-Jun-24	8021B	
Toluene*	< 0.050		0.050	mg/kg	50	4061408	JH	14-Jun-24	8021B	
Ethylbenzene*	< 0.050		0.050	mg/kg	50	4061408	JН	14-Jun-24	8021B	
Total Xylenes*	< 0.150		0.150	mg/kg	50	4061408	JН	14-Jun-24	8021B	
Total BTEX	< 0.300		0.300	mg/kg	50	4061408	ЈН	14-Jun-24	8021B	
Surrogate: 4-Bromofluorobenzene (PIL	))		109 %	71.5	-134	4061408	JH	14-Jun-24	8021B	
Petroleum Hydrocarbons by	GC FID									
GRO C6-C10*	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	4061357	MS	14-Jun-24	8015B	
Surrogate: 1-Chlorooctane			95.5 %	48.2	-134	4061357	MS	14-Jun-24	8015B	
Surrogate: 1-Chlorooctadecane			87.2 %	49.1	-148	4061357	MS	14-Jun-24	8015B	

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### **Analytical Results For:**

ARCADIS - MIDLAND 1004 N BIG SPRING ST., SUITE 300

MIDLAND TX, 79701

Project: BURCH KEELEY #142

Project Number: 30197423
Project Manager: JUSTIN NIXON

Fax To: NA

Reported: 21-Jun-24 08:12

### **Inorganic Compounds - Quality Control**

### **Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 4061432 - 1:4 DI Water										
Blank (4061432-BLK1)				Prepared &	α Analyzed:	14-Jun-24				
Chloride	ND	16.0	mg/kg							
LCS (4061432-BS1)				Prepared &	analyzed:	14-Jun-24				
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (4061432-BSD1)				Prepared &	ն Analyzed:	14-Jun-24				
Chloride	432	16.0	mg/kg	400		108	80-120	0.00	20	

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



%REC

### Analytical Results For:

ARCADIS - MIDLAND 1004 N BIG SPRING ST., SUITE 300

1004 N BIG SPRING ST., SUITE 300 Project N
MIDLAND TX, 79701 Project M

0.0509

Project Number: 30197423
Project Manager: JUSTIN NIXON

Project: BURCH KEELEY #142

Spike

Source

102

71.5-134

Fax To: NA

Reported: 21-Jun-24 08:12

RPD

### Volatile Organic Compounds by EPA Method 8021 - Quality Control

### **Cardinal Laboratories**

Reporting

Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 4061408 - Volatiles										
Blank (4061408-BLK1)				Prepared &	Analyzed:	14-Jun-24				
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0544		mg/kg	0.0500		109	71.5-134			
LCS (4061408-BS1)				Prepared &	: Analyzed:	14-Jun-24				
Benzene	1.80	0.050	mg/kg	2.00		90.1	82.8-130			
Toluene	1.81	0.050	mg/kg	2.00		90.6	86-128			
Ethylbenzene	1.84	0.050	mg/kg	2.00		91.8	85.9-128			
m,p-Xylene	3.64	0.100	mg/kg	4.00		91.1	89-129			
o-Xylene	1.83	0.050	mg/kg	2.00		91.4	86.1-125			
Total Xylenes	5.47	0.150	mg/kg	6.00		91.2	88.2-128			
Surrogate: 4-Bromofluorobenzene (PID)	0.0511		mg/kg	0.0500		102	71.5-134			
LCS Dup (4061408-BSD1)				Prepared &	Analyzed:	14-Jun-24				
Benzene	1.78	0.050	mg/kg	2.00		89.1	82.8-130	1.10	15.8	
Toluene	1.77	0.050	mg/kg	2.00		88.4	86-128	2.52	15.9	
Ethylbenzene	1.80	0.050	mg/kg	2.00		90.2	85.9-128	1.73	16	
m,p-Xylene	3.61	0.100	mg/kg	4.00		90.2	89-129	0.951	16.2	
o-Xylene	1.81	0.050	mg/kg	2.00		90.4	86.1-125	1.07	16.7	
Total Xylenes	5.42	0.150	mg/kg	6.00		90.3	88.2-128	0.989	16.3	

Cardinal Laboratories \*=Accredited Analyte

mg/kg

0.0500

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence are any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether successive any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

Surrogate: 4-Bromofluorobenzene (PID)



%REC

### **Analytical Results For:**

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300  $\,$ 

MIDLAND TX, 79701

Project: BURCH KEELEY #142

Spike

Source

Project Number: 30197423

Project Manager: JUSTIN NIXON

Fax To: NA

Reported: 21-Jun-24 08:12

RPD

### Petroleum Hydrocarbons by GC FID - Quality Control

### **Cardinal Laboratories**

Reporting

		resporting		- Pine	Source		, or the		141 25	
Analyte	Result	Limit	Units	Level	Result	%REC	Limits	RPD	Limit	Notes
Batch 4061357 - General Prep - Organics										
Blank (4061357-BLK1)				Prepared:	13-Jun-24 A	nalyzed: 1	4-Jun-24			
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	53.0		mg/kg	50.0		106	48.2-134			
Surrogate: 1-Chlorooctadecane	49.2		mg/kg	50.0		98.4	49.1-148			
LCS (4061357-BS1)				Prepared: 1	13-Jun-24 A	nalyzed: 1	4-Jun-24			
GRO C6-C10	179	10.0	mg/kg	200		89.5	66.4-123			
DRO >C10-C28	177	10.0	mg/kg	200		88.7	66.5-118			
Total TPH C6-C28	356	10.0	mg/kg	400		89.1	77.6-123			
Surrogate: 1-Chlorooctane	50.6		mg/kg	50.0		101	48.2-134			
Surrogate: 1-Chlorooctadecane	46.2		mg/kg	50.0		92.3	49.1-148			
LCS Dup (4061357-BSD1)				Prepared: 1	13-Jun-24 A	nalyzed: 1	4-Jun-24			
GRO C6-C10	185	10.0	mg/kg	200		92.5	66.4-123	3.27	17.7	
DRO >C10-C28	192	10.0	mg/kg	200		96.0	66.5-118	7.95	21	
Total TPH C6-C28	377	10.0	mg/kg	400		94.3	77.6-123	5.62	18.5	
Surrogate: 1-Chlorooctane	57.8		mg/kg	50.0		116	48.2-134			
Surrogate: 1-Chlorooctadecane	54.8		mg/kg	50.0		110	49.1-148			

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence aring any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

Page 9 of 10

# CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 Ea	Lat	
11 East Marland, Hobbs, NM	RD	
Hobbs, NM	tori	
8824	PS -	

01 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Corrected Lemp. "C		~ ⊕@cardinallabsnm.com	one y'	es. Please email ch	rai caiiiot accept verbal changes. Please email changes	iai ca	
Observed Temp. °C	Cool Intact OI		Thermometer ID #140 Correction Factor 0°C	Ð	AYes Ayes	oriented lemp. C	FORM-000 R 3,4 07/11/23
Tole Condition	Bacteria (only) Sample Condition	Standard	Turnaround Time:	CHECKED BY: (Initials)	o s	Corrected Temp . C. 3. 3	mpler - UPS - Bus - Other:
ID Chauses	reguested	mez	* Cust			Time:	elivered By: (Circle One)
			REMARKS		Received By:	Date:	linquished By:
	Add'l Phone #: e Email address:	Yes □ No A	Verbal Result:			Time:	
				sed upon any of the above stated	Received By:	Date:	inquished By:
			of the applicable of the appli	of use, or loss of profits incurred b	thout limitation, business interruptions, loss o	tal or consequental damages, including weefformance of services hereunder by Can	ales or successors arising out of or related to the performance of services hereinder by Cardinal recent out of or related to the performance of services hereinder by Cardinal recent out of or related to the performance of services hereinder by Cardinal recent of services interruptions, loss of use, or loss of profits incurred by client is substitution.
•			paid by the client for the	rt, shall be limited to the amount	using and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the	any other cause whatsoever shall be de	yses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in contract or tort, shall be limited to the amount paid by the client for the five. In no event shall Cardinal has been shall be deemed waived unless made in waive and the shall be limited to the amount paid by the client for the
	71						EASE NOTE: Liability and Damages Cardinal's lia
		-					
		-					
		34					
	7-	1	1605	X			
		x	1000		7	0-0	0 27-21
	•	+	_		7	8-8	2000
		+	X 221 14/21	7	X	0-4-	70000
			E TIME	AC	# GI W SC OI SL	1	₹U
		0		HEF ID/B E / C HER	ROU AST DIL L		171731520
				OO	IND EW		*
		; [ ]	1		OR (CINEF	Sample I.D.	Lab I.D. Sal
		3	4		ER		
		10	SAMPLING 5	PRESERV. S	IP. MAIRIX		
		D	0	Fax #:		*	0
		_		Phone #:		Rad	Local
****		N		otate: Zip:		4:115	Project Location: Loca
2		'w				keeley #	Project Name: Sarch
7		7		City:	Project Owner: Lenoco	S Project Own	1 1
				Address:		ペンフィ Fax #:	0/1/0
30 30 110				Attn:	Zip: /770/	state: /	27
			c> w + 7.	Company:	1+	000	I'd lams
				7.0. #:		70 600	Address: 1004 W.
REQUEST	ANALYSIS REQI		3	-		100 C	rioject manager: Just
			70	BILL		cachis	月



June 19, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/18/24 8:40.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/17/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: Sample Received By: Alyssa Parras

Project Location: COP - EDDY COUNTY

### Sample ID: B - 1 - 8' (H243518-01)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2024	ND	1.94	97.0	2.00	0.870	
Toluene*	<0.050	0.050	06/18/2024	ND	1.95	97.7	2.00	0.203	
Ethylbenzene*	<0.050	0.050	06/18/2024	ND	1.87	93.3	2.00	0.344	QM-07
Total Xylenes*	<0.150	0.150	06/18/2024	ND	5.82	97.0	6.00	0.219	
Total BTEX	<0.300	0.300	06/18/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.2	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	384	16.0	06/18/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/18/2024	ND	181	90.4	200	0.105	
DRO >C10-C28*	<10.0	10.0	06/18/2024	ND	187	93.5	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	06/18/2024	ND					
Surrogate: 1-Chlorooctane	112	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	105	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/17/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Applyzod By: 14

Project Location: COP - EDDY COUNTY

ma/ka

### Sample ID: B - 2 - 8' (H243518-02)

RTFY 8021R

B1EX 8021B	mg	/кд	Anaiyze	a By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2024	ND	1.94	97.0	2.00	0.870	
Toluene*	<0.050	0.050	06/18/2024	ND	1.95	97.7	2.00	0.203	
Ethylbenzene*	<0.050	0.050	06/18/2024	ND	1.87	93.3	2.00	0.344	
Total Xylenes*	<0.150	0.150	06/18/2024	ND	5.82	97.0	6.00	0.219	
Total BTEX	<0.300	0.300	06/18/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.4	% 71.5-13	4						
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	06/18/2024	ND	416	104	400	3.77	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/18/2024	ND	181	90.4	200	0.105	
DRO >C10-C28*	<10.0	10.0	06/18/2024	ND	187	93.5	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	06/18/2024	ND					
Surrogate: 1-Chlorooctane	114	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	108	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kreine



Alyssa Parras

### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To:

Received: 06/18/2024 Sampling Date: 06/17/2024

Reported: 06/19/2024 Sampling Type: Soil **BURCH KEELEY #142** Sampling Condition: Cool & Intact

Project Name: Project Number: 30197423 Sample Received By:

COP - EDDY COUNTY Project Location:

### Sample ID: B - 4 - 8' (H243518-03)

BTEX 8021B	mg/	'kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2024	ND	1.94	97.0	2.00	0.870	
Toluene*	<0.050	0.050	06/18/2024	ND	1.95	97.7	2.00	0.203	
Ethylbenzene*	<0.050	0.050	06/18/2024	ND	1.87	93.3	2.00	0.344	
Total Xylenes*	<0.150	0.150	06/18/2024	ND	5.82	97.0	6.00	0.219	
Total BTEX	<0.300	0.300	06/18/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	100 5	% 71.5-13	4						
Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	368	16.0	06/18/2024	ND	416	104	400	3.77	
TPH 8015M	mg/	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/18/2024	ND	181	90.4	200	0.105	
DRO >C10-C28*	<10.0	10.0	06/18/2024	ND	187	93.5	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	06/18/2024	ND					
Surrogate: 1-Chlorooctane	107 9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	99.6	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/17/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Project Location: COP - EDDY COUNTY

### Sample ID: B - 7 - 8' (H243518-04)

BTEX 8021B	mg	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2024	ND	1.94	97.0	2.00	0.870	
Toluene*	<0.050	0.050	06/18/2024	ND	1.95	97.7	2.00	0.203	
Ethylbenzene*	<0.050	0.050	06/18/2024	ND	1.87	93.3	2.00	0.344	
Total Xylenes*	<0.150	0.150	06/18/2024	ND	5.82	97.0	6.00	0.219	
Total BTEX	<0.300	0.300	06/18/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	100	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	06/18/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/18/2024	ND	181	90.4	200	0.105	
DRO >C10-C28*	<10.0	10.0	06/18/2024	ND	187	93.5	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	06/18/2024	ND					
Surrogate: 1-Chlorooctane	107	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.3	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/17/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

mg/kg

### Sample ID: B - 11 - 8' (H243518-05)

BTEX 8021B

	9/	9	7	7 5					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/18/2024	ND	1.94	97.0	2.00	0.870	
Toluene*	<0.050	0.050	06/18/2024	ND	1.95	97.7	2.00	0.203	
Ethylbenzene*	<0.050	0.050	06/18/2024	ND	1.87	93.3	2.00	0.344	
Total Xylenes*	<0.150	0.150	06/18/2024	ND	5.82	97.0	6.00	0.219	
Total BTEX	<0.300	0.300	06/18/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	99.3	% 71.5-13-	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	06/18/2024	ND	416	104	400	3.77	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/18/2024	ND	181	90.4	200	0.105	
DRO >C10-C28*	<10.0	10.0	06/18/2024	ND	187	93.5	200	1.65	
EXT DRO >C28-C36	<10.0	10.0	06/18/2024	ND					
Surrogate: 1-Chlorooctane	115	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	104	% 49.1-14	8						

### Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### **Notes and Definitions**

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS

ecovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine

### CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(5/5) 383-2326 FAA (5/5) 353-24/6										107				۷
Company Name: Acael 3		BILL TO				ļ	ANALTOIO		VEWOES	100	-	1	1	L
Project Manager: Justin. Nixon @ Arcadis.	Com	P.O. #:		_	1					_				_
Address: 1004 W. Big Springs Swite	300 00	Company:								_				
State: TX Zip:	7970/ Attn:	m:			101974		_	_	7	_				
Phone #: 432-296-9547 Fax #:	Ad	Address:		_	1			_			_			
Project #: 30 197423 Project Owner:	City:	ty:			n									_
celey	St	State: Zip:			~							*		
	PF	Phone #:			> -					(				
Sampler Name: Heath Boyd	Fa	Fax #:	L	0	ot						,			
	MATRIX	PRESERV. SAMPLING		15	M									1
(C)OM	-			_	,					47.4	٠.٠			-
Lab I.D. Sample I.D.	STEWAT	D/BASE / COOL IER :	ر ان ان از ان ان سا	L'02	301		7 L	_			-	· ·	-	
# C	SOI OIL SLU	ACI ICE OTI		-	. (		-	L	1	1	1	1		
B-1-8.	7	0511/241190	+	x	×	-			_					
1 2 2-2 2 2 1	*		1150	x	*			-		,			-	
B- 4-	*		1140	4	7					13	25		۲.	,
01 8-7-8	¥		1200	4	76	,		-			-	1	-	,
5 8-11-8	8	8	1300	7	4									¥
										•				-
	-			-		-					-		•	
				VY					1				-	10
						7	J		-		•			
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the	whether based in contract or t	ort, shall be limited to the amount paid	d by the client for the	annlicable	1		-	*	-					ا
analyses. All claims including mose for negligetice artu any outer cause miscocore including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, services in no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, services in the consequential damages.	on, business interruptions, loss	of use, or loss of profits incurred by cased upon any of the above stated re-	lient, its subsidiaries asons or otherwise.	,				_	-					
Relinquished By:  Date: //// Received By:	d By:		Verbal Result:	ılt: □ Yes	es □	No	Add'l Phone #:	hone #:	71					
Time: UXU)	3									>				
Relinquished By:  Date:  Received By:	d By:		REMARKS:			11/2	13							
	Sample Condition	CHECKED BY:	Turnaround Time:	Time:	Stan	dard	`	Bacteri	Bacteria (only) Sample Condition	Sample	Condi	tion		
Delivered By: (Circle One)  Observed Temp. Corrected Temp. Cor	Cool Intact  Offices 14 Yes		Thermometer ID #140	ID #140	Rush		Q	Cool Intact	ol Intact ] Yes ☐ Yes	Obs	Observed Temp. °C	emp. °	, n	
amplor HUS - CITAGE	-	5				-		]	]	)	-		Ó	



June 19, 2024

JUSTIN NIXON

ARCADIS - MIDLAND

1004 N BIG SPRING ST., SUITE 300

MIDLAND, TX 79701

RE: BURCH KEELEY #142

Enclosed are the results of analyses for samples received by the laboratory on 06/18/24 16:56.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-23-16. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at <a href="https://www.tceq.texas.gov/field/ga/lab">www.tceq.texas.gov/field/ga/lab</a> accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/18/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Project Location: COP - EDDY COUNTY

### Sample ID: B-3 - 8' (H243575-01)

BTEX 8021B	mg,	/kg	Analyze	d By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/19/2024	ND	2.12	106	2.00	3.35	
Toluene*	<0.050	0.050	06/19/2024	ND	2.06	103	2.00	3.55	
Ethylbenzene*	<0.050	0.050	06/19/2024	ND	2.07	103	2.00	2.93	
Total Xylenes*	<0.150	0.150	06/19/2024	ND	6.07	101	6.00	3.02	
Total BTEX	<0.300	0.300	06/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	92.1	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	06/19/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/19/2024	ND	197	98.4	200	0.427	
DRO >C10-C28*	<10.0	10.0	06/19/2024	ND	181	90.7	200	1.59	
EXT DRO >C28-C36	<10.0	10.0	06/19/2024	ND					
Surrogate: 1-Chlorooctane	97.7	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.8	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keene



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/18/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

mg/kg

### Sample ID: B-6 - 8' (H243575-02)

BTEX 8021B

	9,	9	7	7: :					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/19/2024	ND	2.12	106	2.00	3.35	
Toluene*	<0.050	0.050	06/19/2024	ND	2.06	103	2.00	3.55	
Ethylbenzene*	<0.050	0.050	06/19/2024	ND	2.07	103	2.00	2.93	
Total Xylenes*	<0.150	0.150	06/19/2024	ND	6.07	101	6.00	3.02	
Total BTEX	<0.300	0.300	06/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	92.9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	06/19/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/19/2024	ND	197	98.4	200	0.427	
DRO >C10-C28*	<10.0	10.0	06/19/2024	ND	181	90.7	200	1.59	
EXT DRO >C28-C36	<10.0	10.0	06/19/2024	ND					
Surrogate: 1-Chlorooctane	97.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	100	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



Alyssa Parras

### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Analyzed By: JH

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/18/2024

Reported: 06/19/2024 Sampling Type: Soil
Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact

Project Name: BURCH KEELEY #142 Sampling Condition: Project Number: 30197423 Sample Received By:

mg/kg

Project Location: COP - EDDY COUNTY

### Sample ID: B-8-8' (H243575-03)

BTEX 8021B

DILX GOZID	11197	, kg	Allulyzo	.u Dy. 311					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/19/2024	ND	2.12	106	2.00	3.35	
Toluene*	<0.050	0.050	06/19/2024	ND	2.06	103	2.00	3.55	
Ethylbenzene*	<0.050	0.050	06/19/2024	ND	2.07	103	2.00	2.93	
Total Xylenes*	<0.150	0.150	06/19/2024	ND	6.07	101	6.00	3.02	
Total BTEX	<0.300	0.300	06/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	93.5	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	ed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	06/19/2024	ND	416	104	400	0.00	
TPH 8015M	mg,	/kg	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/19/2024	ND	197	98.4	200	0.427	
DRO >C10-C28*	<10.0	10.0	06/19/2024	ND	181	90.7	200	1.59	
EXT DRO >C28-C36	<10.0	10.0	06/19/2024	ND					
Surrogate: 1-Chlorooctane	92.6	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	97.0	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/18/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

mg/kg

### Sample ID: B-9 - 8' (H243575-04)

BTEX 8021B

	<u> </u>								
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/19/2024	ND	2.12	106	2.00	3.35	
Toluene*	<0.050	0.050	06/19/2024	ND	2.06	103	2.00	3.55	
Ethylbenzene*	<0.050	0.050	06/19/2024	ND	2.07	103	2.00	2.93	
Total Xylenes*	<0.150	0.150	06/19/2024	ND	6.07	101	6.00	3.02	
Total BTEX	<0.300	0.300	06/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	93.9	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	06/19/2024	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/19/2024	ND	197	98.4	200	0.427	
DRO >C10-C28*	<10.0	10.0	06/19/2024	ND	181	90.7	200	1.59	
EXT DRO >C28-C36	<10.0	10.0	06/19/2024	ND					
Surrogate: 1-Chlorooctane	93.3	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	93.5	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



### Analytical Results For:

ARCADIS - MIDLAND JUSTIN NIXON 1004 N BIG SPRING ST., SUITE 300 MIDLAND TX, 79701

Fax To: NA

Received: 06/18/2024 Sampling Date: 06/18/2024

Reported: 06/19/2024 Sampling Type: Soil

Project Name: BURCH KEELEY #142 Sampling Condition: Cool & Intact
Project Number: 30197423 Sample Received By: Alyssa Parras

Analyzed By: JH

Project Location: COP - EDDY COUNTY

mg/kg

### Sample ID: B-10 - 8' (H243575-05)

BTEX 8021B

	<u> </u>	<u> </u>		. ,					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	06/19/2024	ND	2.12	106	2.00	3.35	
Toluene*	<0.050	0.050	06/19/2024	ND	2.06	103	2.00	3.55	
Ethylbenzene*	<0.050	0.050	06/19/2024	ND	2.07	103	2.00	2.93	
Total Xylenes*	<0.150	0.150	06/19/2024	ND	6.07	101	6.00	3.02	
Total BTEX	<0.300	0.300	06/19/2024	ND					
Surrogate: 4-Bromofluorobenzene (PID	92.2	% 71.5-13	4						
Chloride, SM4500CI-B	mg,	/kg	Analyze	d By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	06/19/2024	ND	416	104	400	0.00	
TPH 8015M	mg	/kg	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	06/19/2024	ND	197	98.4	200	0.427	
DRO >C10-C28*	<10.0	10.0	06/19/2024	ND	181	90.7	200	1.59	
EXT DRO >C28-C36	<10.0	10.0	06/19/2024	ND					
Surrogate: 1-Chlorooctane	98.9	% 48.2-13	4						
Surrogate: 1-Chlorooctadecane	98.8	% 49.1-14	8						

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



### **Notes and Definitions**

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

\*\* Samples not received at proper temperature of 6°C or below.

\*\*\* Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories \*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results related only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Freene

## CHAIN-OF-CUSTODY AND ANALYSIS REQUEST



(575) 393-2326 FAX (575) 393-2476

		ć	lemp.	Observed Temp. °C		or Intact  Yes	Gool Intact	<b>\(\bar{\bar{\bar{\bar{\bar{\bar{\bar{</b>	56	200	#140		Thermometer ID	9)	Think of the second	S	Yes Xes	Ye			Corrected Temp. °C	Correc	Other:	- Bus - (	Sampler - UPS - Bus - Other:
_			ition	Bacteria (only) Sample Condition	) Sam	ia (only	Bacter	Ð	Standard	Stan	e:	miT bnu	Turnaround Time:		CHECKED BY:	ion	Sample Condition	Sample			Observed Temp. °C	Obser	1е)	(Circle On	Delivered By: (Circle One)
•																					Time:	-1			, ,
		1										KS:	REMARKS:	-				By:	Received By:	Rec	ate:			By:	Relinquished By:
									1		-		-	1		-	8	2	D	0	10Su	-		1	
			*		Ç.	S:	All Results are emailed. Please provide Email address:	de Ema	e provic	. Pleas	mailed	Its are	All Resul	1				ď.			M.81-1	·	\		
_							Add'l Phone #:	Add'I	Z	Yes		PSIIIT.	Verbal Result:	ove stated rea	on any of the ab	l is pased u	such claim	Bv:	Received By:	Rec	amiliates of successors arising out of or remeto to me performances menuture by cardinar, regardness of windows successors arising out of or remeto to me performances menuture by cardinar, regardness of windows successors arising out of or remeto to me performances menuture by cardinar, regardness of windows successors arising out of or remeto to me performances menuture by cardinar, regardness of windows successors arising out of or remeto to me performances menuture by cardinar, regardness of windows successors arising out of or remeto to me performances menuture by cardinar, regardness of windows successors arising out of or remeto to me performances menuture by cardinary of successors arising out of or remeto to me performances menuture by cardinary of successors arising out of or remeto to me performances menuture by cardinary of successors arising out of or remeto to me performances menuture by cardinary of successors arising out of or remeto to me performances menuture by cardinary of successors arising out of the successors are succ	D	related to the periorit	By:	Relinguished By:
											Passage	diaries,	ent, its subsic	incurred by cli	or loss of profits	loss of use,	terruptions,	business in	imitation,	without I	service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries	consequent	able for incidental or	Il Cardinal be lia	ce. In no event sha
. !			10	1						,	able	for the	by the client	e amount paid	Il be limited to the y Cardinal within	t or tort, sha d received b	d in contract	ether base less made i	arising wh	iny claim deemed v	PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 20 days after completion of the applicable	and client's e other cause	s. Cardinal's liability an	y and Damages uding those for	ASE NOTE: Liability yses. All claims inc
,		-	•	-	*	-			+	-		-	1 3		*	-			-	-		-		100	
		-	**			4		Ç,					7	- 1-					-						
* *	-	**	# P			1 1		-	h			-		10						4				7	
*	in .		•	3		•	4	4			1		•				-			-					
	,			-												-									
	,	79 G	2	I		L	y	7.1		×	X	>	1600	(	-			>		0		8,	3-01	R	N
1.	- 1	**	1		,	te.			4-4-4	7	Y	×	1345	1			- 1	×	- N	0		8,	5 1 8	B-	7
		7	٠.			ż	1.40		7	X	X	7	205	- 4		1 -		×		C		OC.	8 1 8	2	w
			17%	6			3 (			-	×,	×	1115	i le y				×		0		1	3 - 9	13	7
			*							×	× '	×	1030	289	a		4	· ×	_	7		01	いいいい	N.	-
-	-	1		- 4				n= ^	4				TIME	DATE	ICE /	отн	OIL SLUI	WAS							MXX
		-			7 %	Ůij.			1.00	3	80	C1			COC		- 1	1 100	-	-		ا در است اسپیا			
1			1.				ha .		4 6 0 0	302	15			1	DL (	E:		ATER	WATE	R (C)C		D ~	Sample I D	15	
		. 1	h 13							16.		40		1					-	THE RESERVE AND				er = -	
		`					,			3		50	ING	SAMPLING	PRESERV.	PR T	MATRIX	MA	+	1		No.			FOR LAB LISE ONLY
-			19	10			×				-	10				Fax #:		10-00-6			5	1	えせい		Sampler Name:
NC III NO	ř					1					) ~				#:	Phone #:					in	5 (	N 030	_	Project Location:
										, -	. JU			D.	Zip:	State:				02V	に存っ	Se Ja	woods he	3	Project Name:
		-								- 1	M					City:				3	Project Owner:	ס	56466	2010	Project #:
_								e sacras							SS:	Address:					Fax #:		296-9547	7.	Phone #: 452
		1														Attn:	7	10CB	1	Zip:	State: TX			isoland	city:
													0		any:	Company:	Strieby	7		3	シアグ	S	NIS	1001	Address:
															T.	P.O. #:					(2)	5	chro	jer:	Project Manager:
ш				ST	REQUEST		<b>ANALYSIS</b>	ANA		,				1 70	BILL		*					- ")	4 cons	ne: /	Company Name:
																					(1)	-	7 000	12:	

Arcadis U.S., Inc. 10205 Westheimer Road, Suite 800 Houston Texas 77042 Phone: 713 953 4800

Fax: 713 977 4620 www.arcadis.com

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS

Action 368259

### **QUESTIONS**

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### QUESTIONS

Prerequisites	
Incident ID (n#)	nHMP1415747700
Incident Name	NHMP1415747700 BURCH KEELY UNIT #142 @ 30-015-04388
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received
Incident Well	[30-015-04388] BURCH KEELY UNIT #142

Location of Release Source	
Please answer all the questions in this group.	
Site Name	BURCH KEELY UNIT #142
Date Release Discovered	05/07/2014
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications fo	or the volumes provided should be attached to the follow-up C-141 submission.
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Corrosion   Flow Line - Injection   Produced Water   Released: 20 BBL   Recovered: 15 BBL   Lost: 5 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 368259

	QUESTIONS (continued)	
ator:	OGRID:	Ī
COC ODERATING LLC	220127	

	· · · · · · · · · · · · · · · · · · ·
Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	. gas only) are to be submitted on the C-129 form.

nitial Response		
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.		
The source of the release has been stopped	True	
The impacted area has been secured to protect human health and the environment	True	
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True	
All free liquids and recoverable materials have been removed and managed appropriately	True	
If all the actions described above have not been undertaken, explain why	Not answered.	

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Name: Brittany Esparza Title: Environmental Technician I hereby agree and sign off to the above statement Email: brittany.Esparza@ConocoPhillips.com

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 368259

### **QUESTIONS** (continued)

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### QUESTIONS

Site Characterization		
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 75 and 100 (ft.)	
What method was used to determine the depth to ground water	NM OSE iWaters Database Search	
Did this release impact groundwater or surface water	No	
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:		
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)	
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 500 and 1000 (ft.)	
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)	
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)	
Any other fresh water well or spring	Greater than 5 (mi.)	
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)	
A wetland	Greater than 5 (mi.)	
A subsurface mine	Greater than 5 (mi.)	
An (non-karst) unstable area	Greater than 5 (mi.)	
Categorize the risk of this well / site being in a karst geology	Low	
A 100-year floodplain	Between 1 and 5 (mi.)	
Did the release impact areas not on an exploration, development, production, or storage site	No	

Remediation Plan		
Please answer all the questions th	nat apply or are indicated. This information must be provided t	o the appropriate district office no later than 90 days after the release discovery date.
Requesting a remediation	plan approval with this submission	Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.		on associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.
Have the lateral and vertical	al extents of contamination been fully delineated	Yes
Was this release entirely co	ontained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)		nilligrams per kilograms.)
Chloride	(EPA 300.0 or SM4500 CI B)	2200
TPH (GRO+DRO+MRO)	(EPA SW-846 Method 8015M)	84.4
GRO+DRO	(EPA SW-846 Method 8015M)	84.4
BTEX	(EPA SW-846 Method 8021B or 8260B)	0.1
Benzene	(EPA SW-846 Method 8021B or 8260B)	0.1
	NMAC unless the site characterization report includes complete the second secon	ed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC
On what estimated date wi	Il the remediation commence	07/15/2024
On what date will (or did) the	ne final sampling or liner inspection occur	07/16/2024
On what date will (or was)	the remediation complete(d)	07/20/2024
What is the estimated surfa	ace area (in square feet) that will be reclaimed	1400
What is the estimated volui	me (in cubic yards) that will be reclaimed	220
What is the estimated surfa	ace area (in square feet) that will be remediated	1400
What is the estimated volume (in cubic yards) that will be remediated		220
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.		

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to

significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II** 

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 1000 Rio Brazos Rd., Aztec, NM 87410

Phone:(505) 334-6178 Fax:(505) 334-6170 <u>District IV</u>
1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462 State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 368259

### **QUESTIONS** (continued)

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	HALFWAY DISPOSAL AND LANDFILL [fEEM0112334510]
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement

Name: Brittany Esparza
Title: Environmental Technician

Email: brittany.Esparza@ConocoPhillips.com

Date: 04/29/2024

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Released to Imaging: 7/31/2024 9:49:21 AM

District I 1625 N. French Dr., Hobbs, NM 88240 Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 368259

<b>QUESTIONS</b>	(continued)
QUESTIONS!	COH I III I I I I C C I I

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II** 

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III** 

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 6

Action 368259

QUESTIONS (continued)

QOESTIONS (continued)	
Operator:  COG OPERATING LLC	OGRID: 229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)
QUESTIONS	
Sampling Event Information	

Sampling Event Information	
Last sampling notification (C-141N) recorded	352881
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	06/12/2024
What was the (estimated) number of samples that were to be gathered	10
What was the sampling surface area in square feet	1800

Remediation Closure Request		
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.		
Requesting a remediation closure approval with this submission	Yes	
Have the lateral and vertical extents of contamination been fully delineated	Yes	
Was this release entirely contained within a lined containment area	No	
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes	
What was the total surface area (in square feet) remediated	2100	
What was the total volume (cubic yards) remediated	762	
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes	
What was the total surface area (in square feet) reclaimed	2100	
What was the total volume (in cubic yards) reclaimed	762	
Summarize any additional remediation activities not included by answers (above)	NA NA	

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

Name: Brittany Esparza
Title: Environmental Technician
Email: brittany.Esparza@ConocoPhillips.com
Date: 07/30/2024

**District I** 

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

What was the total volume of replacement material (in cubic yards) for this site

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 368259

OUTCTIONS (seedings of

QUESTIONS (continued)			
Operator:	OGRID:		
COG OPERATING LLC	229137		
600 W Illinois Ave	Action Number:		
Midland, TX 79701	368259		
	Action Type:		
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)		
QUESTIONS			
Reclamation Report			
Only answer the questions in this group if all reclamation steps have been completed.			
Requesting a reclamation approval with this submission	Yes		
What was the total reclamation surface area (in square feet) for this site	2100		

762 Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one fool of suitable material

to establish vegetation at the site, whichever is greater.	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeding commence(d)	06/19/2024
Summarize any additional reclamation activities not included by answers (above)	The site was backfilled with topsoil consistent with the current soil type in the area, then reseeded the day prior to a rain event on 6/20/24.

The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeding plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete

Name: Brittany Esparza Title: Environmental Technician I hereby agree and sign off to the above statement Email: brittany.Esparza@ConocoPhillips.com Date: 07/30/2024

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

QUESTIONS, Page 8

Action 368259

<b>QUESTIONS</b>	(continued)
QUESTIONS!	COH I III I I I I C C I I

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### QUESTIONS

Revegetation Report		
Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.		
Requesting a restoration complete approval with this submission	No	
Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.		

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

### **State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 368259

### **CONDITIONS**

Operator:	OGRID:
COG OPERATING LLC	229137
600 W Illinois Ave	Action Number:
Midland, TX 79701	368259
	Action Type:
	[C-141] Reclamation Report C-141 (C-141-v-Reclamation)

### CONDITIONS

Created By	Condition	Condition Date
bhall	Remediation closure and reclamation report approved.	7/31/2024
bhall	All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.	7/31/2024
bhall	Per 19.15.29.13 E. NMAC, if a reclamation and revegetation report has been submitted to the surface owner, it may be used if the requirements of the surface owner provide equal or better protection of freshwater, human health, and the environment. A copy of the approval of the reclamation and revegetation report from the surface owner and a copy of the approved reclamation and revegetation report will need to be submitted to the OCD via the Permitting website.	7/31/2024
bhall	Operator failed to provide proper Sampling Notification pursuant to 19.15.29.12.D.(1).(a) NMAC. Failure to provide proper sampling notice is a compliance issue and OCD may pursue compliance actions pursuant to 19.15.5 NMAC. Operator shall ensure future compliance with 19.15.29.12.D.(1).(a) NMAC	7/31/2024