



ENSOLUM

1. Continue O&M schedule as stated in report.
2. Submit next quarterly report by October 15, 2024.

July 11, 2024

New Mexico Oil Conservation Division

New Mexico Energy, Minerals, and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, New Mexico 87505

Re: Second Quarter 2024 – SVE System Update

Scott 4M
San Juan County, New Mexico
Hilcorp Energy Company
NMOCD Incident Number: NCE2003650476

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Second Quarter 2024 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the Scott 4M natural gas production well (Site), located in Section 17, Township 31 North, and Range 10 West in San Juan County (Figure 1). The SVE system has operated since January 2021 to remediate subsurface soil impacts resulting from approximately 42 barrels (bbls) of natural gas condensate released from an aboveground storage tank. This report summarizes Site activities performed in April, May, and June of 2024.

SVE SYSTEM SPECIFICATIONS

An upgraded SVE system was installed at the Site at the end of September 2022 and consists of 3-phase, 3.4 horsepower Republic Model KVHRC500 blower capable of producing a flow of 221 cubic feet per minute (cfm) and a vacuum of 76 inches of water column (IWC). The system is powered by a permanent power drop and is intended to run 24 hours per day. Seven SVE wells are currently present at the Site (SVE01 through SVE07, shown on Figure 2). SVE wells SVE01 through SVE03 are screened at depth intervals ranging from 25 feet to 45 feet below ground surface (bgs) in order to remediate deep soil impacts located at the Site. SVE wells SVE04 and SVE05 are screened at depth intervals ranging from 5 feet to 25 feet bgs in order to remediate shallow soil impacts at the Site. SVE wells SVE06 and SVE07 were installed at the Site in order to complete the pilot test conducted in 2021; however, these wells are not located in impacted areas and are not connected to the permanent SVE system.

SECOND QUARTER 2024 ACTIVITIES

During the second quarter 2024, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to ensure the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. Prior to June 13, 2024, vacuum was applied to SVE wells SVE01 through SVE05 in order to induce flow in impacted soil zones. On June 13, 2024, the valves for SVE03 and SVE04 were closed in order to focus extraction on the remaining SVE wells with higher PID readings. Between March 19, 2024, and June 13, 2024, the SVE system operated for 2,060.2 hours for a runtime efficiency of 100 percent (%). Photographs of the runtime meter for calculating the second quarter

runtime efficiency are presented as Appendix B. Please note that an additional O&M visit was conducted on June 25, 2024; however, a photo of the runtime meter was not collected and therefore the second quarter of 2024 runtime presented above is through June 13, 2024, only. The SVE system operational hours and calculated percent runtime are presented in Table 1.

A second quarter 2024 vapor sample was collected on June 13, 2024, from a sample port located between the SVE piping manifold and the SVE blower, using a high vacuum air sampler. Prior to collection, the vapor sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing (Formerly Hall Environmental Analysis Laboratory) in Albuquerque, New Mexico for analysis of total volatile petroleum hydrocarbons [TVPH – also known as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)] following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processors Association (GPA) Method 2261. A summary of analytical data collected during this sampling event and historical sampling events is summarized in Table 2, with the full laboratory analytical report included as Appendix C.

Vapor sample data and measured flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, 8,938 pounds (4.5 tons) of TVPH have been removed by the system to date.

RECOMMENDATIONS

Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to ensure the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum) until it is determined that SVE is no longer effective, at which point a workplan for soil confirmation sampling will be submitted to the NMOCD for review and approval. Deviations from regular SVE system operations will be noted on field logs and included in the following quarterly report.


We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,

Ensolum, LLC



Stuart Hyde, LG (licensed in WA & TX)
Senior Managing Geologist
(970) 903-1607
shyde@ensolum.com




Daniel R. Moir, PG (licensed in WY & TX)
Senior Managing Geologist
(303) 887-2946
dmoir@ensolum.com


Attachments:

Figure 1	Site Location
Figure 2	SVE System Configuration
Table 1	Soil Vapor Extraction System Runtime Calculations
Table 2	Soil Vapor Extraction System Air Analytical Results
Table 3	Soil Vapor Extraction System Mass Removal and Emissions
Appendix A	Field Notes
Appendix B	Project Photographs
Appendix C	Laboratory Analytical Reports



Figures





ENSOLUM
Environmental & Hydrogeologic Consultants

SITE LOCATION
 HILCORP ENERGY COMPANY
 SCOTT 4M
 SESE SEC 17 T31N R10W, San Juan County, New Mexico
 36.893345° N, 107.899185° W
 PROJECT NUMBER: 07A1988016

FIGURE
1



SVE SYSTEM CONFIGURATION

HILCORP ENERGY COMPANY
SCOTT 4M
SESE SEC 17 T31N R10W, San Juan County, New Mexico
36.893345° N, 107.899185° W

PROJECT NUMBER: 07A1988016

FIGURE

2



Tables





TABLE 1
SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS
Scott 4M
Hilcorp Energy Company
San Juan County, New Mexico

Date	Total Operational Hours	Delta Hours	Days	Percent Runtime
3/19/2024	19,228	--	--	--
6/13/2024	21,288	2,060.2	86.0	100%

TABLE 2
SOIL VAPOR EXTRACTION SYSTEM EMISSIONS ANALYTICAL RESULTS
 Scott 4M
 Hilcorp Energy Company
 San Juan County, New Mexico

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH/GRO (µg/L)	Oxygen (%)	Carbon Dioxide (%)
2/1/2021	118	85	240	10	64	18,000	--	--
9/7/2021	53	40	280	24	240	15,000	--	--
9/29/2021	316	210	1,800	240	2,200	85,000	--	--
12/2/2021	232	48	320	32	310	50,000	16.60%	1.03%
3/15/2022	402	38	430	63	660	18,000	20.80%	0.473%
6/16/2022	89	1.3	13	1.6	17	750	21.57%	0.15%
9/28/2022	476	9.6	120	19	220	5,900	20.73%	0.90%
12/12/2022	198	2.5	26	4.9	59	2,100	21.65%	0.27%
3/9/2023	274	1.0	19	4.0	50	1,500	21.64%	0.19%
6/22/2023	247	1.2	16	2.4	34	940	21.42%	0.29%
8/23/2023	186	1.0	12	2.0	29	930	21.49%	0.32%
11/27/2023	129	0.86	11	1.5	22	860	21.40%	0.22%
3/5/2024	57.5	<0.50	5.6	0.76	12	260	22.25%	0.10%
6/13/2024	88.7	0.67	8.0	1.1	18	490	21.78%	0.15%

Notes:

GRO: gasoline range organics
 µg/L: microgram per liter
 PID: photoionization detector
 ppm: parts per million

TVPH: total volatile petroleum hydrocarbons
 %: percent
 --: not sampled
 Grey: Below laboratory reporting limit



TABLE 3
SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS
 Scott 4M
 Hilcorp Energy Company
 San Juan County, New Mexico

Laboratory Analysis

Date	PID (ppm)	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	TVPH (µg/L)
2/1/2021	118	85	240	10	64	18,000
9/7/2021	53	40	280	24	240	15,000
9/29/2021	316	210	1,800	240	2,200	85,000
12/2/2021	232	48	320	32	310	50,000
3/15/2022	402	38	430	63	660	18,000
6/16/2022	89	1.3	13	1.6	17	750
9/9/2022 (1)	476	9.6	120	19	220	5,900
12/12/2022 (2)	198	2.5	26	4.9	59	2,100
3/9/2023	274	1.0	19	4.0	50	1,500
6/22/2023	247	1.2	16	2.4	34	940
8/23/2023	186	1.0	12	2.0	29	930
11/27/2023	129	0.86	11	1.5	22	860
3/5/2024	57.5	0.50	5.6	0.76	12	260
6/13/2024	88.7	0.67	8.0	1.10	18	490
Average	205	31	236	29	281	14,266

Vapor Extraction Summary

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
2/1/2021	22	1,980	1,980	0.0070	0.020	0.00082	0.0053	1.5
9/7/2021	22	2,841,168	2,839,188	0.0051	0.021	0.0014	0.013	1.4
9/29/2021	10	2,979,528	138,360	0.0047	0.039	0.0049	0.046	1.9
12/2/2021	3.5	3,106,158	126,630	0.00169	0.0139	0.00178	0.0164	0.88
3/15/2022	8.0	3,519,486	413,328	0.00129	0.0112	0.00142	0.0145	1.02
6/16/2022	14	4,412,322	892,836	0.00103	0.0116	0.00169	0.0177	0.49
9/9/2022 (1)	12	5,218,146	805,824	0.00024	0.0030	0.00046	0.0053	0.15
12/10/2022 (2)	46	10,939,074	5,720,928	0.00104	0.0126	0.00206	0.0240	0.69
3/9/2023	31	14,846,376	3,907,302	0.00020	0.0026	0.00052	0.0063	0.21
6/22/2023 (3)	36	20,301,024	5,454,648	0.00015	0.0024	0.00043	0.0057	0.16
8/23/2023 (4)	38	23,648,084	3,347,060	0.00015	0.0020	0.00031	0.0044	0.13
11/27/2023	50	30,561,884	6,913,800	0.00017	0.0022	0.00033	0.0048	0.17
3/5/2024	100	44,834,684	14,272,800	0.00025	0.0031	0.00042	0.0064	0.21
6/13/2024	38	50,297,108	5,462,424	0.00008	0.0010	0.00013	0.0021	0.05
Average				0.0017	0.010	0.0012	0.012	0.63

Mass Recovery

Date	Total SVE System Hours	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
2/1/2021	1.5	1.5	0.010	0.030	0.0012	0.0079	2.2	0.0011
9/7/2021	2,152	2,151	11	46	3.0	27	2,920	1.5
9/29/2021	2,383	231	1.1	9.0	1.1	11	431	0.22
12/2/2021	2,986	603	1.0	8.4	1.1	9.9	533	0.27
3/15/2022	3,847	861	1.1	9.7	1.2	12	876	0.44
6/16/2022	4,910	1,063	1.1	12.3	1.8	19	522	0.26
9/9/2022 (1)	6,029	1,119	0.3	3.3	0.5	6.0	167	0.08
12/10/2022 (2)	8,102	2,073	2.2	26	4.3	50	1,426	0.71
3/9/2023	10,203	2,101	0.43	5.5	1.1	13	438	0.22
6/22/2023	12,728	2,525	0.37	6.0	1.1	14	415	0.21
8/23/2023	14,209	1,481	0.23	2.9	0.46	6.6	195	0.10
11/27/2023	16,514	2,305	0.40	5.0	0.75	11	386	0.19
3/5/2024	18,892	2,379	0.60	7.4	1.01	15	498	0.25
6/13/2024	21,288	2,396	0.20	2.3	0.32	5	128	0.06
Total Mass Recovery to Date			20	144	18	200	8,938	4.5

Notes:

- (1): SVE system hours and flow rates were collected during operation and maintenance visit on 9/9/2022
- (2): PID measurement, SVE system hours, and flow rates were collected during operation and maintenance visit on 12/10/2022
- (3): SVE system rotameter was malfunctioning during site visit on 6/22/2023. Flow rate was estimated based on the average flow recorded during site visits between 4/13/2023 and 6/7/2023.
- (4): SVE system rotameter was oscillating during third quarter 2023 site visits. Flow rate was estimated based on average historical flow for the current system

cf: cubic feet

cfm: cubic feet per minute

µg/L: micrograms per liter

lb/hr: pounds per hour

--: not sampled

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

Grey: Below laboratory reporting limit



APPENDIX A

Field Notes

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 4-16
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM		READING	TIME	TIMER SETTINGS	
				Month	Timer Setting
Blower Hours (take photo)		19898.0	1424	January	
Voltage In				February	
Amperage In				March	
Voltage Out				April	
Amperage Out				May	
KiloWatts				June	
KiloWatt-Hours				July	
Solar Controller Status				August	
<i>Post</i> Pre K/O Vacuum (IWC)		-62		September	
Inlet Rotameter Flow (cfm)		34		October	
Inlet PID (ppm)		65.6		November	
Exhaust PID (ppm)		54.3		December	
Solar Panel Angle					
K/O Tank Drum Level					
K/O Liquid Drained (gallons)					
Timer Setting					

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)
 OPERATING WELLS: _____

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	44.5		104.4	
SVE02	44.3		73.3	
SVE03	45.7		54.6	
SVE04	40.7		38.4	
SVE05	15.82		70	
SVE06 (OBSERVATION WELL)				
SVE07 (OBSERVATION WELL)				

COMMENTS/OTHER MAINTENANCE: _____

Empty box for comments/other maintenance.

**SCOTT 4M SVE SYSTEM
BIWEEKLY O&M FORM**

DATE: 5-13
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM		READING	TIME	TIMER SETTINGS	
Blower Hours (take photo)		20545.8	1918	Month	Timer Setting
Voltage In				January	
Amperage In				February	
Voltage Out				March	
Amperage Out				April	
KiloWatts				May	
KiloWatt-Hours				June	
Solar Controller Status				July	
Post K/O Vacuum (IWC)		-62		August	
Inlet Rotameter Flow (cfm)		34		September	
Inlet PID (ppm)		55.6		October	
Exhaust PID (ppm)		63.5		November	
Solar Panel Angle				December	
K/O Tank Drum Level					
K/O Liquid Drained (gallons)					
Timer Setting					

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID:	SAMPLE TIME:
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS	

Change in Well Operation: _____

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	44.4		132.9	
SVE02	44.3		68.3	
SVE03	45.7		32.1	
SVE04	40.8		35.8	
SVE05	15.84		54.7	
SVE06 (OBSERVATION WELL)				
SVE07 (OBSERVATION WELL)				

COMMENTS/OTHER MAINTENANCE: _____

**SCOTT 4M SVE SYSTEM
BIWEEKLY O&M FORM**

DATE: 5-22
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM	READING	TIME
Blower Hours (take photo)	20763.6	1604
Post Pre K/O Vacuum (IWC)	-53	
Inlet Rotameter Flow (cfm)	*	
Inlet PID	46	
Exhaust PID	72.6	
K/O Tank Drum Level		
K/O Liquid Drained (gallons)		
Timer Setting		

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: _____ SAMPLE TIME: _____
Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS

Change in Well Operation:

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE01	43.4	168.5		
SVE02	39.8	59.6		
SVE03	44.7	55.4		
SVE04	38.9	56.4		
SVE05	16.01	47.8		
SVE06 (OBSERVATION WELL)	 	 	 	
SVE07 (OBSERVATION WELL)	 	 	 	

COMMENTS/OTHER MAINTENANCE:

* rotameter oscillating

SCOTT 4M SVE SYSTEM BIWEEKLY O&M FORM

DATE: 6-13
TIME ONSITE: _____

O&M PERSONNEL: B Sinclair
TIME OFFSITE: _____

SVE SYSTEM - MONTHLY O&M

SVE ALARMS: KO TANK HIGH LEVEL

SVE SYSTEM		READING	TIME	TIMER SETTINGS	
Blower Hours (take photo)		21288.2	1234	Month	Timer Setting
Voltage In				January	
Amperage In				February	
Voltage Out				March	
Amperage Out				April	
KiloWatts				May	
KiloWatt-Hours				June	
Solar Controller Status				July	
Post-Pre K/O Vacuum (IWC)		-61		August	
Inlet Rotameter Flow (cfm)		38		September	
Inlet PID (ppm)		88.7		October	
Exhaust PID (ppm)		116.8		November	
Solar Panel Angle				December	
K/O Tank Drum Level					
K/O Liquid Drained (gallons)					
Timer Setting					

SVE SYSTEM - QUARTERLY SAMPLING

SAMPLE ID: SVE-1 SAMPLE TIME: 1240
 Analytes: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)

OPERATING WELLS

Change in Well Operation:

LOCATION	VACUUM (IWC)	VELOCITY (fpm)	PID HEADSPACE (PPM)	ADJUSTMENTS
SVE01	41.9		103.5	
SVE02	43.6		44.6	
SVE03				
SVE04				
SVE05	16.17		72.9	
SVE06 (OBSERVATION WELL)				
SVE07 (OBSERVATION WELL)				

COMMENTS/OTHER MAINTENANCE:

closed valves 3 & 4



APPENDIX B

Project Photographs



PROJECT PHOTOGRAPHS
Scott 4M
San Juan County, New Mexico
Hilcorp Energy Company

<p>Photograph 1</p> <p>Runtime meter taken on March 19, 2024 at 4:37 PM Hours = 19,228.2</p>	
<p>Photograph 2</p> <p>Runtime meter taken on June 13, 2024 at 12:34 PM Hours = 21,288.2</p>	



APPENDIX C

Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

ANALYTICAL REPORT

PREPARED FOR

Attn: Mitch Killough
Hilcorp Energy
PO BOX 4700
Farmington, New Mexico 87499

Generated 7/9/2024 5:21:52 PM

JOB DESCRIPTION

Scott 4M

JOB NUMBER

885-6349-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
7/9/2024 5:21:52 PM

Authorized for release by
Michelle Garcia, Project Manager
michelle.garcia@et.eurofinsus.com
(505)345-3975

Client: Hilcorp Energy
Project/Site: Scott 4M

Laboratory Job ID: 885-6349-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	12
Lab Chronicle	13
Certification Summary	14
Subcontract Data	17
Chain of Custody	22
Receipt Checklists	23

Definitions/Glossary

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Hilcorp Energy
Project: Scott 4M

Job ID: 885-6349-1

Job ID: 885-6349-1

Eurofins Albuquerque

Job Narrative 885-6349-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 6/15/2024 1:00 PM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 26.3°C.

Subcontract Work

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



Client Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Client Sample ID: SVE-1

Lab Sample ID: 885-6349-1

Date Collected: 06/13/24 12:40

Matrix: Air

Date Received: 06/15/24 13:00

Sample Container: Tedlar Bag 1L

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	490		25	ug/L			06/27/24 19:11	5

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		52 - 172		06/27/24 19:11	5

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L			06/27/24 19:11	5
1,1,1-Trichloroethane	ND		0.50	ug/L			06/27/24 19:11	5
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L			06/27/24 19:11	5
1,1,2-Trichloroethane	ND		0.50	ug/L			06/27/24 19:11	5
1,1-Dichloroethane	ND		0.50	ug/L			06/27/24 19:11	5
1,1-Dichloroethene	ND		0.50	ug/L			06/27/24 19:11	5
1,1-Dichloropropene	ND		0.50	ug/L			06/27/24 19:11	5
1,2,3-Trichlorobenzene	ND		0.50	ug/L			06/27/24 19:11	5
1,2,3-Trichloropropane	ND		1.0	ug/L			06/27/24 19:11	5
1,2,4-Trichlorobenzene	ND		0.50	ug/L			06/27/24 19:11	5
1,2,4-Trimethylbenzene	3.0		0.50	ug/L			06/27/24 19:11	5
1,2-Dibromo-3-Chloropropane	ND		1.0	ug/L			06/27/24 19:11	5
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			06/27/24 19:11	5
1,2-Dichlorobenzene	ND		0.50	ug/L			06/27/24 19:11	5
1,2-Dichloroethane (EDC)	ND		0.50	ug/L			06/27/24 19:11	5
1,2-Dichloropropane	ND		0.50	ug/L			06/27/24 19:11	5
1,3,5-Trimethylbenzene	3.0		0.50	ug/L			06/27/24 19:11	5
1,3-Dichlorobenzene	ND		0.50	ug/L			06/27/24 19:11	5
1,3-Dichloropropane	ND		0.50	ug/L			06/27/24 19:11	5
1,4-Dichlorobenzene	ND		0.50	ug/L			06/27/24 19:11	5
1-Methylnaphthalene	ND		2.0	ug/L			06/27/24 19:11	5
2,2-Dichloropropane	ND		1.0	ug/L			06/27/24 19:11	5
2-Butanone	ND		5.0	ug/L			06/27/24 19:11	5
2-Chlorotoluene	ND		0.50	ug/L			06/27/24 19:11	5
2-Hexanone	ND		5.0	ug/L			06/27/24 19:11	5
2-Methylnaphthalene	ND		2.0	ug/L			06/27/24 19:11	5
4-Chlorotoluene	ND		0.50	ug/L			06/27/24 19:11	5
4-Isopropyltoluene	ND		0.50	ug/L			06/27/24 19:11	5
4-Methyl-2-pentanone	ND		5.0	ug/L			06/27/24 19:11	5
Acetone	ND		5.0	ug/L			06/27/24 19:11	5
Benzene	0.67		0.50	ug/L			06/27/24 19:11	5
Bromobenzene	ND		0.50	ug/L			06/27/24 19:11	5
Bromodichloromethane	ND		0.50	ug/L			06/27/24 19:11	5
Dibromochloromethane	ND		0.50	ug/L			06/27/24 19:11	5
Bromoform	ND		0.50	ug/L			06/27/24 19:11	5
Bromomethane	ND		1.5	ug/L			06/27/24 19:11	5
Carbon disulfide	ND		5.0	ug/L			06/27/24 19:11	5
Carbon tetrachloride	ND		0.50	ug/L			06/27/24 19:11	5
Chlorobenzene	ND		0.50	ug/L			06/27/24 19:11	5
Chloroethane	ND		1.0	ug/L			06/27/24 19:11	5

Eurofins Albuquerque

Client Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Client Sample ID: SVE-1

Lab Sample ID: 885-6349-1

Date Collected: 06/13/24 12:40

Matrix: Air

Date Received: 06/15/24 13:00

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	ND		0.50	ug/L			06/27/24 19:11	5
Chloromethane	ND		1.5	ug/L			06/27/24 19:11	5
cis-1,2-Dichloroethene	ND		0.50	ug/L			06/27/24 19:11	5
cis-1,3-Dichloropropene	ND		0.50	ug/L			06/27/24 19:11	5
Dibromomethane	ND		0.50	ug/L			06/27/24 19:11	5
Dichlorodifluoromethane	ND		0.50	ug/L			06/27/24 19:11	5
Ethylbenzene	1.1		0.50	ug/L			06/27/24 19:11	5
Hexachlorobutadiene	ND		0.50	ug/L			06/27/24 19:11	5
Isopropylbenzene	0.50		0.50	ug/L			06/27/24 19:11	5
Methyl-tert-butyl Ether (MTBE)	ND		0.50	ug/L			06/27/24 19:11	5
Methylene Chloride	ND		1.5	ug/L			06/27/24 19:11	5
n-Butylbenzene	ND		1.5	ug/L			06/27/24 19:11	5
N-Propylbenzene	0.55		0.50	ug/L			06/27/24 19:11	5
Naphthalene	ND		1.0	ug/L			06/27/24 19:11	5
sec-Butylbenzene	ND		0.50	ug/L			06/27/24 19:11	5
Styrene	ND		0.50	ug/L			06/27/24 19:11	5
tert-Butylbenzene	ND		0.50	ug/L			06/27/24 19:11	5
Tetrachloroethene (PCE)	ND		0.50	ug/L			06/27/24 19:11	5
Toluene	8.0		0.50	ug/L			06/27/24 19:11	5
trans-1,2-Dichloroethene	ND		0.50	ug/L			06/27/24 19:11	5
trans-1,3-Dichloropropene	ND		0.50	ug/L			06/27/24 19:11	5
Trichloroethene (TCE)	ND		0.50	ug/L			06/27/24 19:11	5
Trichlorofluoromethane	ND		0.50	ug/L			06/27/24 19:11	5
Vinyl chloride	ND		0.50	ug/L			06/27/24 19:11	5
Xylenes, Total	18		0.75	ug/L			06/27/24 19:11	5

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	92		70 - 130		06/27/24 19:11	5
Toluene-d8 (Surr)	110		70 - 130		06/27/24 19:11	5
4-Bromofluorobenzene (Surr)	109		70 - 130		06/27/24 19:11	5
Dibromofluoromethane (Surr)	96		70 - 130		06/27/24 19:11	5

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Method: 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-7599/3
Matrix: Air
Analysis Batch: 7599

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	ug/L			06/27/24 17:09	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		52 - 172				06/27/24 17:09	1

Lab Sample ID: LCS 885-7599/2
Matrix: Air
Analysis Batch: 7599

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	500	475		ug/L		95	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	107		52 - 172				

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-7511/28
Matrix: Air
Analysis Batch: 7511

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.10	ug/L			06/27/24 17:09	1
1,1,1-Trichloroethane	ND		0.10	ug/L			06/27/24 17:09	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			06/27/24 17:09	1
1,1,2-Trichloroethane	ND		0.10	ug/L			06/27/24 17:09	1
1,1-Dichloroethane	ND		0.10	ug/L			06/27/24 17:09	1
1,1-Dichloroethene	ND		0.10	ug/L			06/27/24 17:09	1
1,1-Dichloropropene	ND		0.10	ug/L			06/27/24 17:09	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			06/27/24 17:09	1
1,2,3-Trichloropropane	ND		0.20	ug/L			06/27/24 17:09	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			06/27/24 17:09	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			06/27/24 17:09	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			06/27/24 17:09	1
1,2-Dichlorobenzene	ND		0.10	ug/L			06/27/24 17:09	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			06/27/24 17:09	1
1,2-Dichloropropane	ND		0.10	ug/L			06/27/24 17:09	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
1,3-Dichlorobenzene	ND		0.10	ug/L			06/27/24 17:09	1
1,3-Dichloropropane	ND		0.10	ug/L			06/27/24 17:09	1
1,4-Dichlorobenzene	ND		0.10	ug/L			06/27/24 17:09	1
1-Methylnaphthalene	ND		0.40	ug/L			06/27/24 17:09	1
2,2-Dichloropropane	ND		0.20	ug/L			06/27/24 17:09	1
2-Butanone	ND		1.0	ug/L			06/27/24 17:09	1
2-Chlorotoluene	ND		0.10	ug/L			06/27/24 17:09	1
2-Hexanone	ND		1.0	ug/L			06/27/24 17:09	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-7511/28

Matrix: Air

Analysis Batch: 7511

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
2-Methylnaphthalene	ND		0.40	ug/L			06/27/24 17:09	1
4-Chlorotoluene	ND		0.10	ug/L			06/27/24 17:09	1
4-Isopropyltoluene	ND		0.10	ug/L			06/27/24 17:09	1
4-Methyl-2-pentanone	ND		1.0	ug/L			06/27/24 17:09	1
Acetone	ND		1.0	ug/L			06/27/24 17:09	1
Benzene	ND		0.10	ug/L			06/27/24 17:09	1
Bromobenzene	ND		0.10	ug/L			06/27/24 17:09	1
Bromodichloromethane	ND		0.10	ug/L			06/27/24 17:09	1
Dibromochloromethane	ND		0.10	ug/L			06/27/24 17:09	1
Bromoform	ND		0.10	ug/L			06/27/24 17:09	1
Bromomethane	ND		0.30	ug/L			06/27/24 17:09	1
Carbon disulfide	ND		1.0	ug/L			06/27/24 17:09	1
Carbon tetrachloride	ND		0.10	ug/L			06/27/24 17:09	1
Chlorobenzene	ND		0.10	ug/L			06/27/24 17:09	1
Chloroethane	ND		0.20	ug/L			06/27/24 17:09	1
Chloroform	ND		0.10	ug/L			06/27/24 17:09	1
Chloromethane	ND		0.30	ug/L			06/27/24 17:09	1
cis-1,2-Dichloroethene	ND		0.10	ug/L			06/27/24 17:09	1
cis-1,3-Dichloropropene	ND		0.10	ug/L			06/27/24 17:09	1
Dibromomethane	ND		0.10	ug/L			06/27/24 17:09	1
Dichlorodifluoromethane	ND		0.10	ug/L			06/27/24 17:09	1
Ethylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
Hexachlorobutadiene	ND		0.10	ug/L			06/27/24 17:09	1
Isopropylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
Methyl-tert-butyl Ether (MTBE)	ND		0.10	ug/L			06/27/24 17:09	1
Methylene Chloride	ND		0.30	ug/L			06/27/24 17:09	1
n-Butylbenzene	ND		0.30	ug/L			06/27/24 17:09	1
N-Propylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
Naphthalene	ND		0.20	ug/L			06/27/24 17:09	1
sec-Butylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
Styrene	ND		0.10	ug/L			06/27/24 17:09	1
tert-Butylbenzene	ND		0.10	ug/L			06/27/24 17:09	1
Tetrachloroethene (PCE)	ND		0.10	ug/L			06/27/24 17:09	1
Toluene	ND		0.10	ug/L			06/27/24 17:09	1
trans-1,2-Dichloroethene	ND		0.10	ug/L			06/27/24 17:09	1
trans-1,3-Dichloropropene	ND		0.10	ug/L			06/27/24 17:09	1
Trichloroethene (TCE)	ND		0.10	ug/L			06/27/24 17:09	1
Trichlorofluoromethane	ND		0.10	ug/L			06/27/24 17:09	1
Vinyl chloride	ND		0.10	ug/L			06/27/24 17:09	1
Xylenes, Total	ND		0.15	ug/L			06/27/24 17:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 130		06/27/24 17:09	1
Toluene-d8 (Surr)	95		70 - 130		06/27/24 17:09	1
4-Bromofluorobenzene (Surr)	95		70 - 130		06/27/24 17:09	1
Dibromofluoromethane (Surr)	105		70 - 130		06/27/24 17:09	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-7511/5

Matrix: Air

Analysis Batch: 7511

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			06/27/24 17:09	1
1,1,1-Trichloroethane	ND		1.0	ug/L			06/27/24 17:09	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			06/27/24 17:09	1
1,1,2-Trichloroethane	ND		1.0	ug/L			06/27/24 17:09	1
1,1-Dichloroethane	ND		1.0	ug/L			06/27/24 17:09	1
1,1-Dichloroethene	ND		1.0	ug/L			06/27/24 17:09	1
1,1-Dichloropropene	ND		1.0	ug/L			06/27/24 17:09	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			06/27/24 17:09	1
1,2,3-Trichloropropane	ND		2.0	ug/L			06/27/24 17:09	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			06/27/24 17:09	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			06/27/24 17:09	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			06/27/24 17:09	1
1,2-Dichlorobenzene	ND		1.0	ug/L			06/27/24 17:09	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			06/27/24 17:09	1
1,2-Dichloropropane	ND		1.0	ug/L			06/27/24 17:09	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
1,3-Dichlorobenzene	ND		1.0	ug/L			06/27/24 17:09	1
1,3-Dichloropropane	ND		1.0	ug/L			06/27/24 17:09	1
1,4-Dichlorobenzene	ND		1.0	ug/L			06/27/24 17:09	1
1-Methylnaphthalene	ND		4.0	ug/L			06/27/24 17:09	1
2,2-Dichloropropane	ND		2.0	ug/L			06/27/24 17:09	1
2-Butanone	ND		10	ug/L			06/27/24 17:09	1
2-Chlorotoluene	ND		1.0	ug/L			06/27/24 17:09	1
2-Hexanone	ND		10	ug/L			06/27/24 17:09	1
2-Methylnaphthalene	ND		4.0	ug/L			06/27/24 17:09	1
4-Chlorotoluene	ND		1.0	ug/L			06/27/24 17:09	1
4-Isopropyltoluene	ND		1.0	ug/L			06/27/24 17:09	1
4-Methyl-2-pentanone	ND		10	ug/L			06/27/24 17:09	1
Acetone	ND		10	ug/L			06/27/24 17:09	1
Benzene	ND		1.0	ug/L			06/27/24 17:09	1
Bromobenzene	ND		1.0	ug/L			06/27/24 17:09	1
Bromodichloromethane	ND		1.0	ug/L			06/27/24 17:09	1
Dibromochloromethane	ND		1.0	ug/L			06/27/24 17:09	1
Bromoform	ND		1.0	ug/L			06/27/24 17:09	1
Bromomethane	ND		3.0	ug/L			06/27/24 17:09	1
Carbon disulfide	ND		10	ug/L			06/27/24 17:09	1
Carbon tetrachloride	ND		1.0	ug/L			06/27/24 17:09	1
Chlorobenzene	ND		1.0	ug/L			06/27/24 17:09	1
Chloroethane	ND		2.0	ug/L			06/27/24 17:09	1
Chloroform	ND		1.0	ug/L			06/27/24 17:09	1
Chloromethane	ND		3.0	ug/L			06/27/24 17:09	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			06/27/24 17:09	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			06/27/24 17:09	1
Dibromomethane	ND		1.0	ug/L			06/27/24 17:09	1
Dichlorodifluoromethane	ND		1.0	ug/L			06/27/24 17:09	1
Ethylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
Hexachlorobutadiene	ND		1.0	ug/L			06/27/24 17:09	1

Eurofins Albuquerque

QC Sample Results

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-7511/5
Matrix: Air
Analysis Batch: 7511

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			06/27/24 17:09	1
Methylene Chloride	ND		3.0	ug/L			06/27/24 17:09	1
n-Butylbenzene	ND		3.0	ug/L			06/27/24 17:09	1
N-Propylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
Naphthalene	ND		2.0	ug/L			06/27/24 17:09	1
sec-Butylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
Styrene	ND		1.0	ug/L			06/27/24 17:09	1
tert-Butylbenzene	ND		1.0	ug/L			06/27/24 17:09	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			06/27/24 17:09	1
Toluene	ND		1.0	ug/L			06/27/24 17:09	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			06/27/24 17:09	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			06/27/24 17:09	1
Trichloroethene (TCE)	ND		1.0	ug/L			06/27/24 17:09	1
Trichlorofluoromethane	ND		1.0	ug/L			06/27/24 17:09	1
Vinyl chloride	ND		1.0	ug/L			06/27/24 17:09	1
Xylenes, Total	ND		1.5	ug/L			06/27/24 17:09	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	107		70 - 130		06/27/24 17:09	1
Toluene-d8 (Surr)	95		70 - 130		06/27/24 17:09	1
4-Bromofluorobenzene (Surr)	95		70 - 130		06/27/24 17:09	1
Dibromofluoromethane (Surr)	105		70 - 130		06/27/24 17:09	1

Lab Sample ID: LCS 885-7511/3
Matrix: Air
Analysis Batch: 7511

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1-Dichloroethene	20.1	21.9		ug/L		109	70 - 130
Benzene	20.1	22.8		ug/L		113	70 - 130
Chlorobenzene	20.1	22.9		ug/L		114	70 - 130
Toluene	20.2	21.9		ug/L		108	70 - 130
Trichloroethene (TCE)	20.2	22.1		ug/L		110	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
Toluene-d8 (Surr)	95		70 - 130
4-Bromofluorobenzene (Surr)	96		70 - 130
Dibromofluoromethane (Surr)	103		70 - 130

Eurofins Albuquerque

QC Association Summary

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

GC/MS VOA

Analysis Batch: 7511

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-6349-1	SVE-1	Total/NA	Air	8260B	
MB 885-7511/28	Method Blank	Total/NA	Air	8260B	
MB 885-7511/5	Method Blank	Total/NA	Air	8260B	
LCS 885-7511/3	Lab Control Sample	Total/NA	Air	8260B	

Analysis Batch: 7599

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-6349-1	SVE-1	Total/NA	Air	8015M/D	
MB 885-7599/3	Method Blank	Total/NA	Air	8015M/D	
LCS 885-7599/2	Lab Control Sample	Total/NA	Air	8015M/D	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Lab Chronicle

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Client Sample ID: SVE-1

Lab Sample ID: 885-6349-1

Date Collected: 06/13/24 12:40

Matrix: Air

Date Received: 06/15/24 13:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8015M/D		5	7599	CM	EET ALB	06/27/24 19:11
Total/NA	Analysis	8260B		5	7511	CM	EET ALB	06/27/24 19:11

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Accreditation/Certification Summary

Client: Hilcorp Energy
 Project/Site: Scott 4M

Job ID: 885-6349-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropane
8260B		Air	Dibromochloromethane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
 Project/Site: Scott 4M

Job ID: 885-6349-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Oregon	NELAP	NM100001	02-26-25
--------	-------	----------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Hilcorp Energy
Project/Site: Scott 4M

Job ID: 885-6349-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Eurofins Albuquerque



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

June 27, 2024

Hall Environmental
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B24061611 Quote ID: B15626

Project Name: Scott 4M, 88501698

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 6/18/2024 for analysis.


Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B24061611-001	SVE-1 (885-6349-1)	06/13/24 12:40	06/18/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond,/1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.





Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Hall Environmental
Project: Scott 4M, 88501698
Lab ID: B24061611-001
Client Sample ID: SVE-1 (885-6349-1)

Report Date: 06/27/24
Collection Date: 06/13/24 12:40
Date Received: 06/18/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	21.78	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Nitrogen	77.86	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Carbon Dioxide	0.15	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Methane	0.16	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Ethane	0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Hexanes plus	0.04	Mol %		0.01		GPA 2261-95	06/19/24 01:18 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
Hexanes plus	0.017	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
GPM Total	0.017	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj
GPM Pentanes plus	0.017	gpm		0.001		GPA 2261-95	06/19/24 01:18 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	4			1		GPA 2261-95	06/19/24 01:18 / jrj
Net BTU per cu ft @ std cond. (LHV)	3			1		GPA 2261-95	06/19/24 01:18 / jrj
Pseudo-critical Pressure, psia	546			1		GPA 2261-95	06/19/24 01:18 / jrj
Pseudo-critical Temperature, deg R	240			1		GPA 2261-95	06/19/24 01:18 / jrj
Specific Gravity @ 60/60F	0.999			0.001		D3588-81	06/19/24 01:18 / jrj
Air, %	99.51			0.01		GPA 2261-95	06/19/24 01:18 / jrj

- The analysis was not corrected for air.

COMMENTS

- 06/19/24 01:18 / jrj

- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.
- GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.
- To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.
- Standard conditions: 60 F & 14.73 psi on a dry basis

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Client: Hall Environmental

Work Order: B24061611

Report Date: 06/27/24

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-95								Batch: R423086		
Lab ID: B24061609-001ADUP	12 Sample Duplicate					Run: GCNGA-B_240619A		06/19/24 10:50		
Oxygen		21.7	Mol %	0.01				0.1	20	
Nitrogen		78.0	Mol %	0.01				0	20	
Carbon Dioxide		0.25	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		0.02	Mol %	0.01				0.0	20	
Lab ID: LCS061924								06/19/24 03:57		
	11 Laboratory Control Sample					Run: GCNGA-B_240619A				
Oxygen		0.64	Mol %	0.01	128	70	130			
Nitrogen		6.00	Mol %	0.01	100	70	130			
Carbon Dioxide		1.00	Mol %	0.01	101	70	130			
Methane		75.1	Mol %	0.01	100	70	130			
Ethane		5.81	Mol %	0.01	97	70	130			
Propane		5.04	Mol %	0.01	102	70	130			
Isobutane		1.57	Mol %	0.01	78	70	130			
n-Butane		2.00	Mol %	0.01	100	70	130			
Isopentane		1.01	Mol %	0.01	101	70	130			
n-Pentane		1.01	Mol %	0.01	101	70	130			
Hexanes plus		0.84	Mol %	0.01	105	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Hall Environmental

B24061611

Login completed by: Danielle N. Harris

Date Received: 6/18/2024

Reviewed by: cindy

Received by: CMJ

Reviewed Date: 6/21/2024

Carrier name: FedEx NDA

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	13.0°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

Contact and Corrective Action Comments:

None



Login Sample Receipt Checklist

Client: Hilcorp Energy

Job Number: 885-6349-1

Login Number: 6349

List Source: Eurofins Albuquerque

List Number: 1

Creator: McQuiston, Steven

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 363126

CONDITIONS

Operator: HILCORP ENERGY COMPANY 1111 Travis Street Houston, TX 77002	OGRID: 372171
	Action Number: 363126
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
nvelez	1. Continue O&M & sampling as stated in report. 2. Submit next quarterly report by October 15, 2024.	8/2/2024