

Continue O&M as stated in report.
 Updated timeline proposed is acceptable to OCD 3. Submit next quarterly report by October 15, 2024.

July 15, 2024

#### **New Mexico Oil Conservation Division**

New Mexico Energy, Minerals, and Natural Resources Department 1220 South St. Francis Drive Santa Fe, New Mexico 87505

Re: Second Quarter 2024 – SVE System Update

San Juan 28-6 #31

Rio Arriba County, New Mexico Hilcorp Energy Company

NMOCD Incident Number: NVF1816655680

To Whom it May Concern:

Ensolum, LLC (Ensolum), on behalf of Hilcorp Energy Company (Hilcorp), presents this *Second Quarter 2024 – SVE System Update* report summarizing the soil vapor extraction (SVE) system performance at the San Juan 28-6 #31 natural gas production well (Site) located in Unit M, Section 28, Township 28 North, Range 6 West in Rio Arriba County, New Mexico (Figure 1). Specifically, this report summarizes Site activities performed in April, May, and June of 2024 to the New Mexico Oil Conservation Division (NMOCD).

#### **SVE SYSTEM SPECIFICATIONS**

The current SVE system consists of a three-phase, 3 horsepower (HP) Ametek Rotron Model EN656 regenerative blower capable of producing 100 standard cubic feet per minute (scfm) of flow and 50 inches of water column (IWC). In total, 19 SVE wells (SVE-1, SVE-2RS, SVE-2RD, SVE-3, SVE-4, SVE-5, SVE-6, SVE-7S, SVE-7D, SVE-8, SVE-9, SVE-10, SVE-11S, SVE-11D, SVE-12S, SVE-13S, SVE-13D, SVE-14S, and SVE-15) are installed at the Site at varying depth intervals in order to induce air flow through the impacted zones in the subsurface. Two additional deep zone SVE wells (SVE-12D and SVE-14D) were previously installed but are not currently connected to the SVE system. SVE well locations are presented on Figure 2. Additionally, the power for the SVE system was converted from generator to a permanent power drop on April 20, 2022. Specifically, the voltage capacity of the power drop at the Site was increased in order to run the SVE system and negate the need for a generator to power the system. This was determined to be necessary based on reliability issues with the generators used at the Site.

#### **SECOND QUARTER 2024 ACTIVITIES**

During the second quarter 2024, Ensolum and Hilcorp personnel performed bi-weekly operation and maintenance (O&M) visits to ensure the system was operating as designed and to perform any required maintenance. Field notes taken during O&M visits are presented in Appendix A. Between March 29, 2024, and June 25, 2024, the SVE system operated for 2,096 hours for a runtime efficiency of 99.2 percent (%). Table 1 presents the SVE system operational hours and percent runtime. Appendix B presents photographs of the runtime meter for calculating the second quarter runtime efficiency. During the second quarter 2024, zones Leg A Deep, Leg A Shallow, and Leg B-1 were operating with 13 of the 19 wells operational.

Hilcorp Energy Company Second Quarter 2024 – SVE System Update San Juan 28-6 #31



A vapor sample for the second quarter 2024 was collected on June 15, 2024. The second quarter 2024 vapor sample was collected from the sample port located between the SVE piping manifold (collected from the total combined air flow from all active wells) and the SVE blower using a high vacuum air sampler. Prior to collection, the vapor sample was field screened with a photoionization detector (PID) for organic vapor monitoring (OVM). The vapor sample was collected directly into two 1-Liter Tedlar® bags and submitted to Eurofins Environment Testing (Formerly Hall Environmental Analysis Laboratory), located in Albuquerque, New Mexico, for analysis of total volatile petroleum hydrocarbons (TVPH, also referred to as total petroleum hydrocarbons – gasoline range organics (TPH-GRO)) following United States Environmental Protection Agency (EPA) Method 8015D, volatile organic compounds (VOCs) following EPA Method 8260B, and fixed gas analysis of oxygen and carbon dioxide following Gas Processor Association (GPA) Method 2261. Table 2 presents a summary of analytical data collected during this and previous sampling events, with the full laboratory analytical report included in Appendix C.

Vapor sample data and measured stack flow rates are used to estimate total mass recovered and total emissions generated by the SVE system (Table 3). Based on these estimates, a total of 24,327 pounds (12 tons) of TVPH have been removed by the system to date.

#### **RECOMMENDATIONS**

Bi-weekly O&M visits will continue to be performed by Ensolum and/or Hilcorp personnel to verify the SVE system is operating within normal working ranges (i.e., temperature, pressure, and vacuum). Deviations from regular operations will be noted on field logs and included in the following quarterly report. Hilcorp will continue operating the SVE until asymptotic mass removal rates are observed. At that time, an evaluation of residual petroleum hydrocarbons will be assessed and further recommendations for remedial actions, if any, will be provided to NMOCD.

In addition, based on the remediation timeline presented in the WSP USA, Inc. (WSP) *Updated Remediation Work Plan* (dated October 7, 2021), it was estimated soil would be remediated to below applicable NMOCD Closure Criteria for the Site by the third quarter of 2024; however, concentrations of benzene, toluene, total xylenes, and TVPH constituents are still present in recovered hydrocarbon vapor at levels indicating residual hydrocarbon impacts in soil would not be in compliance with the Closure Criteria in the Tertiary Source Zone. As such, Hilcorp and Ensolum is requesting an alternative remediation timeline and reporting schedule as described below:

Hilcorp Energy Company Second Quarter 2024 – SVE System Update San Juan 28-6 #31



- 3rd Quarter 2024 through 3rd Quarter 2026: Continue bi-monthly O&M Site visits. Prepare quarterly reports summarizing system performance and vapor sample results. At any point, if vapor concentrations of TVPH collected from the system become asymptotic and/or are below 1.0 milligrams per liter (mg/L), soil samples can be collected and analyzed for TPH and BTEX constituents to determine if concentrations are below applicable NMOCD Closure Criteria. Additionally, the system will be adjusted to maximize performance and address areas with remaining soil impacts.
- 4<sup>th</sup> Quarter 2026: Collect soil confirmation samples and analyze for TPH and BTEX constituents for potential Site closure.

We appreciate the opportunity to provide this report to the NMOCD. If you should have any questions or comments regarding this report, please contact the undersigned.

Sincerely,

**Ensolum, LLC** 

Stuart Hyde, LG (licensed in WA & TX) Senior Managing Geologist

(970) 903-1607

shyde@ensolum.com

Daniel R. Moir, PG (licensed in WY & TX)

Senior Managing Geologist

(303) 887-2946

dmoir@ensolum.com

#### **Attachments:**

Figure 1 Site Location Map

Figure 2 SVE System Configuration

Table 1 Soil Vapor Extraction System Runtime Calculations
Table 2 Soil Vapor Extraction System Air Analytical Results

Table 3 Soil Vapor Extraction System Mass Removal and Emissions


Appendix A Field Notes

Appendix B Project Photographs

Appendix C Laboratory Analytical Reports




**Figures** 





# **Site Location Map**

San Juan 28-6 #31 Hilcorp Energy Company 36.6277°N, -107.4781°W Rio Arriba County, NM **FIGURE** 





# **SVE System Configuration**

San Juan 28-6 #31 Hilcorp Energy Company 36.6277° N, -107.4781° W Rio Arriba County, New Mexico FIGURE 2



**Tables** 



# TABLE 1

# **SOIL VAPOR EXTRACTION SYSTEM RUNTIME CALCULATIONS**

San Juan 28-6 #31
Hilcorp Energy Company
Rio Arriba County, New Mexico

Date	SVE Runtime Hours	Delta Hours	Days	% Runtime
3/29/2024	18,726		-	
6/25/2024	20,822	2,096	88	99.2%

Ensolum 1 of 1

Received by OCD: 7/15/2024 11:37:16 AM



## TABLE 2

#### SOIL VAPOR EXTRACTION SYSTEM AIR ANALYTICAL RESULTS

San Juan 28-6 #31 Hilcorp Energy Company Rio Arriba County, New Mexico

Date	Sample Identification	Operating SVE Zones	PID (ppm)	Benzene (µg/L)	Toluene (μg/L)	Ethylbenzene (µg/L)	Total Xylenes (μg/L)	TVPH/GRO (μg/L)	Oxygen (%)	Carbon Dioxide (%)
9/20/2021	Pilot Test	All Zones	1,287	720	1,600	15	320	250,000	17.87%	2.05%
9/28/2021	Influent A+B	All Zones	736	240	720	27	350	53,000		
10/21/2021	Influent A+B	All Zones	615	60	170	6.7	74	13,000		
11/5/2021	Leg A Deep	Leg A Deep	1,177	620	1,700	29	390	72,000		
12/16/2021	Leg A Deep	Leg A Deep	1,398	470	950	11	190	96,000	21.00%	0.83%
12/16/2021	Leg A Shallow	Leg A Shallow	298	10	32	1.1	19	2,300	22.00%	0.12%
1/6/2022	Leg A Shallow	Leg A Shallow	283	12	34	1.2	15	2,500	22.13%	0.13%
1/6/2022	Leg B-1	Leg B-1	158	2.3	10	<0.50	6.7	1,100	21.97%	0.10%
3/24/2022	Influent All Wells	All Zones	604	48	92	1.2	19	6,300	22.10%	0.18%
6/13/2022	Influent All Wells	All Zones	414	30	89	<2.0	29	4,600	21.57%	0.25%
9/30/2022	Influent 9-30	All Zones	410	19	65	2.1	26	3,700	21.57%	0.28%
12/6/2022	SVE-1	All Zones	284	85	220	<5.0	58	22,000	21.69%	0.23%
3/8/2023	SVE-1	All Zones	381	13	54	<5.0	16	52	21.66%	0.19%
6/22/2023	SVE-1	All Zones	356	8.4	39	1.2	17	3,000	21.66%	0.20%
8/22/2023	SVE-1	All Zones	386	14	49	<5.0	17	2,800	21.68%	0.20%
11/22/2023	SVE-1	All Zones	396	14	56	<5.0	20	2,800	21.45%	0.19%
3/7/2024	SVE-1	All Zones	265	6.3	24	<5.0	8.6	1,300	21.93%	0.02%
6/15/2024	SVE-1	Leg A Shallow Leg A Deep Leg B-1	143	7.2	28	0.92	16	1,400	21.98%	0.20%

#### Notes:

GRO: gasoline range hydrocarbons

μg/L: microgram per liter

PID: photoionization detector

ppm: parts per million

TVPH: total volatile petroleum hydrocarbons

%: percent

--: not sampled/analyzed

< gray indicates result less than the stated laboratory reporting limit (RL)

Ensolum 1 of 1



#### TABLE 3

#### SOIL VAPOR EXTRACTION SYSTEM MASS REMOVAL AND EMISSIONS

San Juan 28-6 #31 Hilcorp Energy Company Rio Arriba County, New Mexico

Laboratory	

			aboratory Analysi			
Date	PID (ppm)	Benzene (μg/L)	Toluene (μg/L)	Ethylbenzene (µg/L)	Total Xylenes (μg/L)	TVPH (μg/L)
9/28/2021	736	240	720	27	350	53,000
10/21/2021	615	60	170	6.7	74	13,000
11/5/2021	1,177	620	1,700	29	390	72,000
12/16/2021	298	10	32	1.1	19	2,300
1/6/2022	158	2.3	10	0.50	6.7	1,100
3/24/2022	604	48	92	1.2	19	6,300
6/13/2022	414	30	89	2.0	29	4,600
9/30/2022 (1)	410	19	65	2.1	26	3,700
12/6/2022	284	85	220	5.0	58	22,000
3/8/2023	381	13	54	5.0	16	52
6/22/2023	356	8.4	39	1.2	17	3,000
8/22/2023	386	14	49	5.0	17	2,800
11/22/2023	396	14	56	5.0	20	2,800
3/7/2024	265	6.3	24	5.0	8.6	1,300
6/15/2024	143	7.2	28	0.92	16	1,400
Average	442	78	223	6.4	71	12,623

#### Vapor Extraction Summary

Date	Flow Rate (cfm)	Total System Flow (cf)	Delta Flow (cf)	Benzene (lb/hr)	Toluene (lb/hr)	Ethylbenzene (lb/hr)	Total Xylenes (lb/hr)	TVPH (lb/hr)
9/28/2021	60	17,280	17,280	0.054	0.16	0.0061	0.079	12
10/21/2021	50	1,648,680	1,631,400	0.028	0.083	0.0032	0.040	6.2
11/5/2021	8	1,864,392	215,712	0.010	0.028	0.00053	0.0069	1.3
12/16/2021	12	2,496,696	632,304	0.014	0.039	0.00068	0.0092	1.7
1/6/2022	32	3,352,056	855,360	0.00072	0.0025	0.000096	0.0015	0.20
3/24/2022	12	4,610,688	1,258,632	0.0011	0.0023	0.000038	0.00058	0.17
6/13/2022	61	11,659,482	7,048,794	0.0089	0.021	0.00037	0.0055	1.2
9/19/2022 (1)	52	18,819,882	7,160,400	0.0048	0.015	0.00040	0.0053	0.81
12/6/2022	55	24,971,082	6,151,200	0.011	0.029	0.00073	0.0086	2.6
3/8/2023	50	31,583,082	6,612,000	0.0092	0.026	0.00094	0.0069	2.1
6/22/2023	55	39,941,982	8,358,900	0.0022	0.0096	0.00064	0.0034	0.31
8/22/2023	60	45,183,582	5,241,600	0.0025	0.0099	0.00070	0.0038	0.65
11/22/2023	60	53,117,982	7,934,400	0.0031	0.012	0.0011	0.0042	0.63
3/7/2024	55	61,486,782	8,368,800	0.0021	0.008	0.0010	0.0029	0.42
6/15/2024	55	68,403,582	6,916,800	0.0014	0.005	0.0006	0.0025	0.28
		_	Average	0.010	0.030	0.001	0.012	2.0

#### Mass Recovery

Date	Total Operational Hours <sup>(2)</sup>	Delta Hours	Benzene (pounds)	Toluene (pounds)	Ethylbenzene (pounds)	Total Xylenes (pounds)	TVPH (pounds)	TVPH (tons)
9/28/2021	5	5	0.26	0.78	0.029	0.4	57	0.029
10/21/2021	549	544	15	45	1.7	21.6	3,356	1.7
11/9/2021 (3)	998	449	4.6	13	0.24	3.1	571	0.29
12/16/2021	1,876	878	12	34	0.59	8.1	1,464	0.73
1/6/2022	2,322	446	0.32	1.1	0.043	0.7	91	0.045
3/24/2022	4,070	1,748	2.0	4.0	0.067	1.0	290	0.15
6/13/2022	5,996	1,926	17	40	0.70	11	2,395	1.2
9/19/2022 (1)	8,291	2,295	11	34	0.9	12	1,852	0.93
12/6/2022	10,155	1,864	20	55	1.4	16	4,927	2.5
3/8/2023	12,359	2,204	20	56	2	15	4,544	2.3
6/22/2023	14,892	2,533	5.6	24	1.6	8.6	795	0.40
8/22/2023	16,348	1,456	3.7	14	1.0	5.6	948	0.47
11/22/2023	18,552	2,204	6.9	26	2.5	9.1	1,385	0.69
3/7/2024	21,088	2,536	5.3	21	2.6	7.5	1,069	0.53
6/15/2024	23,184	2,096	2.9	11	1.3	5.3	582	0.29
	Total Mass	Recovery to Date	127	380	16.7	125	24,327	12

- (1): an emissions air sample was recollected on 9/30/2022 due to air-collection errors during the 9/19/2022 site visit. Flow rates collected during the 9/19/2022 visit are used for emissions calculations
- (2): total operational hours are a summation of runtime hours collected from several generators and blower runtime meters used since system startup
- (3): runtime hours collected during a site visit on 11/9/2021 cfm: cubic feet per minute
- cf: cubic feet
- μg/L: micrograms per liter lb/hr: pounds per hour
- --: not sampled
- PID: photoionization detector
- ppm: parts per million
- TVPH: total volatile petroleum hydrocarbons
- gray: Indicates result less than the stated laboratory reporting limit (RL); as such, RL used for calculating emissions.



**APPENDIX A** 

Field Notes

# 28-6 #31 SVE SYSTEM BIWEEKLY O&M FORM

		BIWEEKLY O&M FORM		
	4-10	O&M PERSONNEL:	B Sinclair	
DATE:	7-10	TIME OFFSITE:		
TIME ONSITE:				
		SVE SYSTEM - MONTHLY O&M		
		KO TANK HIGH LEVEL		
SVE ALARMS:				TIME
GENERATOR		04501015111	ADING	1317
Hours (take photo)		Blower Hours (take photo)	17007	
Frequency (Hertz)		Pre K/O Vacuum (IWC)	-27	
Voltage		Post K/O Vacuum (IWC)	55	
Battery Voltage		Pitot Tube 3" Flow (cfm)	2.5	
Oil Pressure		Leg A Rotameter (cfm) Leg B Rotameter (cfm)	24	
Oil Temp		Inlet PID (ppm)	206.5	
		Exhaust Post GAC PID (ppm)	389.9	
		Liquid in K/O Sight Tube (Y/N)		
		K/O Liquird Drained (gallons)		
HOUSEKEEPING CH	neck			
Generator Lubrication				
Inline Filter Clean				
Clean Wye Strainer				
	SV	E SYSTEM - QUARTERLY SAMPLING		
SAMPLE ID:	SV	SAMPLE TIME:		
Analytes: T	VPH (8015), VOCs (8260),			
OPERATING WELLS	VI II (6616); V 6 66 (6266);			
TOUTO				
ZONES			Explain the second	
Change in Well				
Operation:				
LEG A DEEP  LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD	20.2	1037		
SVE-3	20.2	712.9		
SVE-5	20.2	1544		
SVE-11D	20.2			
SVE-13D	20.3	1983		
LEG A SHALLOW	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
LOCATION	17.14	685.4		
SVE-1	20.2	931.6		
SVE-2RS SVE-4	20.2	787,9		
SVE-11S	20.2	583.7		
SVE-113S	20.2	1735		
SVE-14S	20.2	1275		
SVETIO				
EG B-1	VACUUM (IWC)	PID HEADSPACE (PPM)	ELOW/OTAN	
LOCATION	VACOOM (IVVO)		FLOW (CFM)	ADJUSTMENTS
SVE-7D	716	145.8		
SVE-10	21.0	1246		
SVE-12S	21.0			
SVE-15				
0,1		T DID LIEADODA OF T		
-0.02	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
EG B-2 LOCATION	1			ADJUSTIVIENTS
SVE-6				
SVE-7S				
SVE 8				
SVE-8	The state of the s			

SVE-9

COMMENTS/OTHER MAINTENANCE:

# 28-6 #31 SVE SYSTEM BIWEEKLY O&M FORM

		BIWEEKLY O&M FORM		
DATE:	4-25	O&M PERSONNEL:	B Sinclair	
		SVE SYSTEM - MONTHLY O&M		
SVE ALARMS:		KO TANK HIGH LEVEL		
OFNIER	A State of the second	THE TAINTENEE TELEVEE		
GENERATOR Hours (take photo) Frequency (Hertz) Voltage	493770	Blower Hours (take photo) Pre K/O Vacuum (IWC) Post K/O Vacuum (IWC)	READING 19370 -32	TIME 1921
Battery Voltage Oil Pressure _ Oil Temp _		Pitot Tube 3" Flow (cfm)  Leg A Rotameter (cfm)  Leg B Rotameter (cfm)  Inlet PID (ppm)  Exhaust Post GAC PID (ppm)	25	
HOUSEKEEDING		Liquid in K/O Sight Tube (Y/N)  K/O Liquird Drained (gallons)		
HOUSEKEEPING ( Generator Lubrication   Inline Filter Clean   Clean Wye Strainer	check			
SAMPLE ID:	S\	/E SYSTEM - QUARTERLY SAMPLING	G	
	TVPH (8015), VOCs (8260),	SAMPLE TIME:  Fixed Gas (CO/CO2/O2)		
OPERATING WELLS	VI II (00 10), VOOS (0200),	Tixed das (CO/COZ/OZ)		
ZONES Change in Well Operation:				
LEG A DEEP				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3	70.7	672.3		
SVE-5	20.2	1119		
SVE-11D	20,2	1594		
SVE-13D	20.2	2031		
LEG A SHALLOW				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-1	17.15	574.8		
SVE-2RS	20.2	7/1/2		
SVE-4	20.2	612.0		
SVE-11S	20.2	1755		
SVE-13S SVE-14S	20.2	1140		
SVE-145				
LEG B-1	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	AD II IOTA
LOCATION SVE-7D			(C) (VI)	ADJUSTMENTS
SVE-7D SVE-10	20.5	161. >		
SVE-10 SVE-12S	21.0	1335		
SVE-15				
LEG B-2  LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-6 SVE-7S				
SVE-8				
SVE-9				
THER MAINTE	NANCE:			
COMMENTS/OTHER MAINTE				

M

# 28-6 #31 SVE SYSTEM BIWEEKLY O&M FORM

DATE:	5-15	
TIME ONSITE:		

SVE SYSTEM
LY O&M FORM

O&M PERSONNEL:
TIME OFFSITE:

B Sinclair

SVE ALARMS:	KO TANK HIGH LEVEL	
GENERATOR Hours (take photo) Frequency (Hertz) Voltage Battery Voltage Oil Pressure Oil Temp	SVE SYSTEM Blower Hours (take photo) Pre K/O Vacuum (IWC) Post K/O Vacuum (IWC) Pitot Tube 3" Flow (cfm) Leg A Rotameter (cfm) Leg B Rotameter (cfm)	TIME 1/30
HOUSEKEEPING Check enerator Lubrication Inline Filter Clean Clean Wye Strainer	Inlet PID (ppm) Exhaust Post GAC PID (ppm) Liquid in K/O Sight Tube (Y/N) K/O Liquird Drained (gallons)	

	SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID: Analytes: TVPH (801	SAMPLE TIME: 5), VOCs (8260), Fixed Gas (CO/CO2/O2)	
OPERATING WELLS		

ZONES Change in Well	THE RESERVE TO SERVE THE PARTY OF THE PARTY			
Operation: G A DEEP				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD	19.02	1041	12011 (01111)	ABGGGTMEITTG
SVE-3	19.09	158.2		
SVE-5	19.09	2716		
SVE-11D	19,06	7695		
SVE-13D	1000	17277		

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-1	16.06	109.8		
SVE-2RS	19.07	1122	The state of the s	
SVE-4	19.05	343.3		
SVE-11S	19.00	1513		
SVE-13S	19.06	1613	The second second second second	
SVE-14S	19.07	516.5	AND THE RESERVE OF THE PARTY OF	

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-7D			70. 10. 10.	The state of the s
SVE-10	19.43	185	Medical Control of the Control of th	
SVE-12S	19.71	1466		
SVE-15			STATE OF THE PARTY	

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-6				
SVE-7S		CONTRACTOR OF THE PARTY OF THE		
SVE-8				
SVE-9				

COMMENTS/OTHER MAINTENANCE:

# 28-6 #31 SVE SYSTEM BIWEEKLY O&M FORM

					1
DATE:	5-29	O&M PERSONNEL:	BS	incl	ail
THE ONOTICE		TIME OFFSITE:			

	SVE SYSTEM - MONTHLY O&M		
SVE ALARMS:	KO TANK HIGH LEVEL		
GENERATOR Hours (take photo)	SVE SYSTEM R Blower Hours (take photo)	20182	TIME
Frequency (Hertz)  Voltage	Pre K/O Vacuum (IWC) Post K/O Vacuum (IWC)	-3	[350]
Oil Trans	Pitot Tube 3" Flow (cfm)  Leg A Rotameter (cfm)	55 25	
Oil Temp	Leg B Rotameter (cfm) Inlet PID (ppm)	206.1	
	Exhaust Post GAC PID (ppm) Liquid in K/O Sight Tube (Y/N) K/O Liquird Drained (gallons)	395.6	
HOUSEKEEPING Check Generator Lubrication	roo Elquira Diamea (gallons)		
Inline Filter Clean Clean Wye Strainer			

	SVE SYSTEM - QUARTERLY SAMPLING	
SAMPLE ID: Analytes: OPERATING WELLS	SAMPLE TIME: TVPH (8015), VOCs (8260), Fixed Gas (CO/CO2/O2)	

ZONES Change in Well Operation: LEG A DEEP				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-2RD	18,45	1322		ABOOGTWENTO
SVE-3	18.31	1087		
SVE-5	18.28	154.4		
SVE-11D	18,26	1566		
SVE-13D	18.3	1625		

LOCATION	VACUUM (IWG)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-1	15.38	54.1		7 LD G G T WILL TO
SVE-2RS	18.32	1513		
SVE-4	18.19	716.6		
SVE-11S	18.35	957.1		
SVE-13S	18.32	1744		
SVE-14S	18.26	935 4		

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-7D				
SVE-10	18.44	1034		
SVE-12S	18.82	1464		
SVE-15				

LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-6				
SVE-7S				
SVE-8				DESCRIPTION OF THE PARTY OF THE
SVE-9				

COMMENTS/OTHER MAINTENANCE:

Fresh air valve closed.

# 28-6 #31 SVE SYSTEM BIWEEKLY O&M FORM

C) / E		SVE SYSTEM - MONTHLY O&M		
SVE ALARMS:[		KO TANK HIGH LEVEL		
GENERATOR	L.			
Hours (take photo)		SVE SYSTEM R Blower Hours (take photo)	READING	TIME
Frequency (Hertz)		Pre K/O Vacuum (IWC)	20586	1202
Voltage Battery Voltage		Post K/O Vacuum (IWC)	-23	
Oil Pressure		Pitot Tube 3" Flow (cfm)	55	
Oil Temp		Leg A Rotameter (cfm)	24	
		Leg B Rotameter (cfm) Inlet PID (ppm)	143	
		Exhaust Post GAC PID (ppm)	652.3	
		Liquid in K/O Sight Tube (Y/N)		
HOUSEKEEPING	Check	K/O Liquird Drained (gallons)		
Generator Lubrication				
Inline Filter Clean Clean Wye Strainer				
Olean Wye Strainer				
SAMPLE ID:	CICE-	/E SYSTEM - QUARTERLY SAMPLING		
	TVPH (8015), VOCs (8260),	SAMPLE TIME: Fixed Gas (CO/CO2/O2)		
OPERATING WELLS				
ZONES				
Change in Well				
Operation:				
	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS.
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
	18.16	1188	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5	18.16	1188	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D	18.16	PID HEADSPACE (PPM)  1188  972.1  398.9  1200	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5	18.16	1188 972.1 398.9	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D	18.16 18.21 18.24 18.12 18.31	1188 972.1 398.9		
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION	18.16	1188 972.1 398.9 1200 229	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1	18.16 18.21 18.24 18.12 18.31	972.1 398.9 1200 (229		
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS	18.16 18.21 18.12 18.31 VACUUM (IWC)	1188 972.1 398.9 1200 229		
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S	18.16 18.21 18.12 18.31 VACUUM (IWC)	972.1 398.9 1200 1229 PID HEADSPACE (PPM) 191.9 1328 397.9		
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-13S	18.16 18.21 18.12 18.31 VACUUM (IWC)	972.1 398.9 1200 1229 PID HEADSPACE (PPM) 191.9 1328 397.9		
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S	18.16 18.24 18.12 18.31 VACUUM (IWC) 15.41 18.19 18.18 18.18	972.1 398.9 1200 1229 PID HEADSPACE (PPM) 191.9 1328 397.9		
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  G A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-13S	18.16 18.24 18.12 18.31 VACUUM (IWC) 15.41 18.19 18.18 18.18 18.18	972.1 39 8.9 1200 (229) PID HEADSPACE (PPM) 191.9 1328 397.9 1111 1953 660.6	FLOW (CFM)	
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  GASHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-11S SVE-14S	18.16 18.24 18.12 18.31 VACUUM (IWC) 15.41 18.19 18.18 18.18	972.1 398.9 1200 1229 PID HEADSPACE (PPM) 191.9 1328 397.9		ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-1S SVE-1S SVE-1S SVE-14S SVE-14S	18.16   18.24   18.12   18.31   VACUUM (IWC)   18.19   18.18   18.18   18.18   18.18	PID HEADSPACE (PPM)  142.6  PID HEADSPACE (PPM)  1328  397.9  1111  143.3  660.6	FLOW (CFM)	
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  GASHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-14S SVE-14S  EG B-1 LOCATION SVE-7D	18.16   18.21   18.12   18.31   VACUUM (IWC)   18.18   18.18   18.18   18.18   18.18	972.1 39 8.9 1200 (229) PID HEADSPACE (PPM) 191.9 1328 397.9 1111 1953 660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  GASHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-14S SVE-14S  EG B-1 LOCATION SVE-14S	18.16   18.24   18.12   18.31   VACUUM (IWC)   18.19   18.18   18.18   18.18   18.18	PID HEADSPACE (PPM)  142.6  PID HEADSPACE (PPM)  1328  397.9  1111  143.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  G A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-14S SVE-14S  G B-1 LOCATION SVE-7D	18.16   18.21   18.12   18.31   VACUUM (IWC)   18.18   18.18   18.18   18.18   18.18	PID HEADSPACE (PPM)  142.6  PID HEADSPACE (PPM)  1328  397.9  1111  143.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  GASHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-11S SVE-14S  SVE-14S  EG B-1 LOCATION SVE-14S  SVE-14S  SVE-14S	18.16   18.21   18.12   18.31   18.19   18.18   18.18	PID HEADSPACE (PPM)  142.6  PID HEADSPACE (PPM)  1328  397.9  1111  143.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD   SVE-3   SVE-5   SVE-5   SVE-11D   SVE-13D	18.16   18.21   18.12   18.31   VACUUM (IWC)   18.18   18.18   18.18   18.18   18.18	PID HEADSPACE (PPM)  142.6  1972.1  398.9  1200  1229  PID HEADSPACE (PPM)  198.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  GA SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-11S SVE-14S  SVE-14S  EG B-1 LOCATION SVE-10 SVE-10 SVE-15  EG B-2 LOCATION SVE-6	18.16   18.21   18.12   18.31   18.19   18.18   18.18	PID HEADSPACE (PPM)  142.6  1972.1  398.9  1200  1229  PID HEADSPACE (PPM)  198.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-1S SVE-1S SVE-14S  EG B-1 LOCATION SVE-14S  EG B-1 LOCATION SVE-10 SVE-12S SVE-15  EG B-2 LOCATION SVE-6 SVE-7S	18.16   18.21   18.12   18.31   18.19   18.18   18.18	PID HEADSPACE (PPM)  142.6  1972.1  398.9  1200  1229  PID HEADSPACE (PPM)  198.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  GASHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-11S SVE-11S SVE-14S  SVE-14S  EG B-1 LOCATION SVE-14S  EG B-1 LOCATION SVE-15  EG B-2 LOCATION SVE-6 SVE-8	18.16   18.21   18.12   18.31   18.19   18.18   18.18	PID HEADSPACE (PPM)  142.6  1972.1  398.9  1200  1229  PID HEADSPACE (PPM)  198.3  660.6	FLOW (CFM)	ADJUSTMENTS
SVE-2RD SVE-3 SVE-5 SVE-11D SVE-13D  EG A SHALLOW LOCATION SVE-1 SVE-2RS SVE-4 SVE-1S SVE-1S SVE-14S  EG B-1 LOCATION SVE-14S  EG B-1 LOCATION SVE-10 SVE-12S SVE-15  EG B-2 LOCATION SVE-6 SVE-7S	VACUUM (IWC)  18.19 18.19 18.18 18.18 18.18 18.18 18.18 18.18 18.18 18.18 18.17  VACUUM (IWC)	PID HEADSPACE (PPM)  142.6  1972.1  398.9  1200  1229  PID HEADSPACE (PPM)  198.3  660.6	FLOW (CFM)	ADJUSTMENTS

		BIWEEKLY O&M FORM		
DATE:	6/25/24			
TIME ONSITE:	11:30	— O&M PERSONNEL	E. Carroll	
	11.70	TIME OFFSITE		_
				_
SVE ALABASIA		SVE SYSTEM - MONTHLY O&M		
SVE ALARMS:		KO TANK HIGH LEVEL		
GENERATOR		KO TANK HIGH LEVEL		
TIOUIS (take bhota)		SVE SVOTEM		
Frequency (Hertz)		SVE SYSTEM	READING	TIME
Voltage		Blower Hours (take photo)		11 45
Dattery Voltage		Pre K/O Vacuum (IWC) Post K/O Vacuum (IWC)	30	
Oil Pressure	X	Pitot Tube 3" Flow (cfm)		
Oil Temp	<del></del>	Leg A Rotameter (cfm)		
- Temp		Leg B Rotameter (cfm)		
1		Inlet PID (ppm)		
		Exhaust Post GAC PID (ppm)		
		Liquid in K/O Sight Tube (Y/N)		
HOUSEKEEPING	Check	K/O Liquird Drained (gallons)	N	
Concidior Lubrication			0	
Inline Filter Class				
Clean Wye Strainer		_		
SAMPLE ID:	N 5	VE SYSTEM - QUARTERLY SAMPLIN	G	
Analytes:	TI (DI) (A.	SAMPLE TIME:	1/6	
OPERATING WELLS	12 5 (0 15), VOCS (8260)	, Fixed Gas (CO/CO2/O2)	103	
	10,10,45,4,	13D, 135, 2RS, 2RD	3. 115.11D	
ZONES		, , , , , , , , , , , , , , , , , , , ,	7, 11, 11, 11	
ZONES				
Change in M. II a				
Change in Well Operation: LEG A DEEP	<u>I</u>			
LEG A DEEP				
LOCATION	VACUUM (IWC)	PID HEADODAGE (TEXT		
SVE-2RD	18.4	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-3	18.1	13 34 98G		T.DOGGTIMEITTO
SVE-5 SVE-11D	18.1	163		
SVE-11D SVE-13D	18. 2	1601		
OVE-13D	18,2	1622		
LEG A SHALLOW		,,,,,		
LOCATION				
SVE-1	VACUUM (IWC)	PID HEADSPACE (PPM)	FLOW OFFE	
SVE-2RS	13.2	49	FLOW (CFM)	ADJUSTMENTS
SVE-4	18.7	1496		
SVE-11S	18.2	704		
SVE-13S	18.7	964		
SVE-14S	18.3	1762		
	18-7	914		
LEG B-1				
LOCATION	VACUUM (IWC)	DID LIEADORAGE (TOTAL)		
SVE-7D	(1100)	PID HEADSPACE (PPM)	FLOW (CFM)	ADJUSTMENTS
SVE-10	18.3	ar		T T T T T T T T T T T T T T T T T T T
SVE-12S	18-6	1471		
SVE-15	10:44	'7//		
LEG B-2				
LOCATION	VACUUM (IWC)	PID HEADSPACE (PPM)	F1 0111 10-11	
SVE-6		THE TEST ACE (FFIM)	FLOW (CFM)	ADJUSTMENTS
SVE-7S				
SVE-8				
SVE-9				
COMMENTS/OTHER MAINTE	ENANCE:			

Released to Imaging: 8/2/2024 3:24:23 PM



**APPENDIX B** 

**Project Photographs** 

### **PROJECT PHOTOGRAPHS**

San Juan 28-6 #31 Rio Arriba County, New Mexico Hilcorp Energy Company

# Photograph 1

Runtime meter taken on March 29, 2024 at 2:43 PM Hours = 18,726



## Photograph 2

Runtime meter taken on June 25, 2024 at 11:45 AM Hours = 20,822





# **APPENDIX C**

**Laboratory Analytical Reports** 

# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Samantha Grabert Hilcorp Energy PO BOX 4700 Farmington, New Mexico 87499

Generated 7/9/2024 2:58:16 PM

# **JOB DESCRIPTION**

S J 28-6 #31

# **JOB NUMBER**

885-6412-1

Eurofins Albuquerque 4901 Hawkins NE Albuquerque NM 87109

# **Eurofins Albuquerque**

# **Job Notes**

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

# Authorization

Generated 7/9/2024 2:58:16 PM

Authorized for release by Michelle Garcia, Project Manager michelle.garcia@et.eurofinsus.com (505)345-3975

Page 2 of 25 7/9/2024

5

3

3

6

7

ŏ

Laboratory Job ID: 885-6412-1

Client: Hilcorp Energy Project/Site: S J 28-6 #31

# **Table of Contents**

Cover Page	
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	14
Lab Chronicle	15
Certification Summary	16
Subcontract Data	19
Chain of Custody	24
Receipt Checklists	

6

4

6

8

9

10

# **Definitions/Glossary**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

#### **Qualifiers**

#### **GC/MS VOA**

Qualifier **Qualifier Description** 

Sample was prepped or analyzed beyond the specified holding time. This does not meet regulatory requirements.

## **Glossary**

MDC

Abbreviation	These commonly used abbreviations may or may not be present in this report.
n	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)

MDL Method Detection Limit ML Minimum Level (Dioxin) MPN Most Probable Number MQL Method Quantitation Limit

NC Not Calculated

Not Detected at the reporting limit (or MDL or EDL if shown) ND

Minimum Detectable Concentration (Radiochemistry)

NEG Negative / Absent POS Positive / Present

PQL Practical Quantitation Limit

**PRES** Presumptive QC **Quality Control** 

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin) TEQ Toxicity Equivalent Quotient (Dioxin)

Too Numerous To Count **TNTC** 

Eurofins Albuquerque

## **Case Narrative**

Client: Hilcorp Energy Job ID: 885-6412-1 Project: S J 28-6 #31

Job ID: 885-6412-1 Eurofins Albuquerque

#### Job Narrative 885-6412-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers are applied to indicate exceptions. Noncompliant quality control (QC) is further explained in narrative comments.

- Matrix QC may not be reported if insufficient sample or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

#### Receipt

The sample was received on 6/18/2024 7:00 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 18.6°C.

#### **Subcontract Work**

Method Fixed Gases: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

#### **Gasoline Range Organics**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

#### GC/MS VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

1

2

3

1

5

0

8

\_

11

# **Client Sample Results**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

**Client Sample ID: SVE-1** Lab Sample ID: 885-6412-1

Date Collected: 06/15/24 12:15 Matrix: Air

Date Received: 06/18/24 07:00 Sample Container: Tedlar Bag 1L

	Method: SW846 8015M/D - Nonhalogenated C	Organics using GC/MS -I	Modified (Gasoline I	Range Organics)
--	--	-------------------------	----------------------	-----------------

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 -	1400	H	25	ug/L			07/05/24 16:39	5

C10]

Method: SW846 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		52 - 172		07/05/24 16:39	5

Method: SW846 8260B - Volatile	Organic Compounds (GC/MS)
--------------------------------	---------------------------

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.50	ug/L			06/28/24 15:15	- 5
1,1,1-Trichloroethane	ND		0.50	ug/L			06/28/24 15:15	5
1,1,2,2-Tetrachloroethane	ND		1.0	ug/L			06/28/24 15:15	5
1,1,2-Trichloroethane	ND		0.50	ug/L			06/28/24 15:15	5
1,1-Dichloroethane	ND		0.50	ug/L			06/28/24 15:15	5
1,1-Dichloroethene	ND		0.50	ug/L			06/28/24 15:15	5
1,1-Dichloropropene	ND		0.50	ug/L			06/28/24 15:15	5
1,2,3-Trichlorobenzene	ND		0.50	ug/L			06/28/24 15:15	į
1,2,3-Trichloropropane	ND		1.0	ug/L			06/28/24 15:15	į.
1,2,4-Trichlorobenzene	ND		0.50	ug/L			06/28/24 15:15	
1,2,4-Trimethylbenzene	0.67		0.50	ug/L			06/28/24 15:15	į
1,2-Dibromo-3-Chloropropane	ND		1.0	ug/L			06/28/24 15:15	į
1,2-Dibromoethane (EDB)	ND		0.50	ug/L			06/28/24 15:15	
1,2-Dichlorobenzene	ND		0.50	ug/L			06/28/24 15:15	
1,2-Dichloroethane (EDC)	ND		0.50	ug/L			06/28/24 15:15	
1,2-Dichloropropane	ND		0.50	ug/L			06/28/24 15:15	
1,3,5-Trimethylbenzene	0.88		0.50	ug/L			06/28/24 15:15	į
1,3-Dichlorobenzene	ND		0.50	ug/L			06/28/24 15:15	į
1,3-Dichloropropane	ND		0.50	ug/L			06/28/24 15:15	
1,4-Dichlorobenzene	ND		0.50	ug/L			06/28/24 15:15	į.
1-Methylnaphthalene	ND		2.0	ug/L			06/28/24 15:15	į
2,2-Dichloropropane	ND		1.0	ug/L			06/28/24 15:15	
2-Butanone	ND		5.0	ug/L			06/28/24 15:15	į
2-Chlorotoluene	ND		0.50	ug/L			06/28/24 15:15	į
2-Hexanone	ND		5.0	ug/L			06/28/24 15:15	
2-Methylnaphthalene	ND		2.0	ug/L			06/28/24 15:15	
4-Chlorotoluene	ND		0.50	ug/L			06/28/24 15:15	į
4-Isopropyltoluene	ND		0.50	ug/L			06/28/24 15:15	
4-Methyl-2-pentanone	ND		5.0	ug/L			06/28/24 15:15	į
Acetone	ND		5.0	ug/L			06/28/24 15:15	
Benzene	7.2		0.50	ug/L			06/28/24 15:15	
Bromobenzene	ND		0.50	ug/L			06/28/24 15:15	į
Bromodichloromethane	ND		0.50	ug/L			06/28/24 15:15	į
Dibromochloromethane	ND		0.50	ug/L			06/28/24 15:15	
Bromoform	ND		0.50	ug/L			06/28/24 15:15	
Bromomethane	ND		1.5	ug/L			06/28/24 15:15	
Carbon disulfide	ND		5.0	ug/L			06/28/24 15:15	
Carbon tetrachloride	ND		0.50	ug/L			06/28/24 15:15	
Chlorobenzene	ND		0.50	ug/L			06/28/24 15:15	
Chloroethane	ND		1.0	ug/L			06/28/24 15:15	

Eurofins Albuquerque

# **Client Sample Results**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

tert-Butylbenzene

**Toluene** 

Tetrachloroethene (PCE)

trans-1,2-Dichloroethene

Trichloroethene (TCE)

Trichlorofluoromethane

Vinyl chloride

**Xylenes, Total** 

trans-1,3-Dichloropropene

Released to Imaging: 8/2/2024 3:24:23 PM

**Client Sample ID: SVE-1** Lab Sample ID: 885-6412-1 Date Collected: 06/15/24 12:15

Matrix: Air

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

06/28/24 15:15

Date Received: 06/18/24 07:00 Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile			d)				
Analyte	Result	Qualifier RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	ND	0.50	ug/L			06/28/24 15:15	5
Chloromethane	ND	1.5	ug/L			06/28/24 15:15	5
cis-1,2-Dichloroethene	ND	0.50	ug/L			06/28/24 15:15	5
cis-1,3-Dichloropropene	ND	0.50	ug/L			06/28/24 15:15	5
Dibromomethane	ND	0.50	ug/L			06/28/24 15:15	5
Dichlorodifluoromethane	ND	0.50	ug/L			06/28/24 15:15	5
Ethylbenzene	0.92	0.50	ug/L			06/28/24 15:15	5
Hexachlorobutadiene	ND	0.50	ug/L			06/28/24 15:15	5
Isopropylbenzene	ND	0.50	ug/L			06/28/24 15:15	5
Methyl-tert-butyl Ether (MTBE)	ND	0.50	ug/L			06/28/24 15:15	5
Methylene Chloride	ND	1.5	ug/L			06/28/24 15:15	5
n-Butylbenzene	ND	1.5	ug/L			06/28/24 15:15	5
N-Propylbenzene	ND	0.50	ug/L			06/28/24 15:15	5
Naphthalene	ND	1.0	ug/L			06/28/24 15:15	5
sec-Butylbenzene	ND	0.50	ug/L			06/28/24 15:15	5
Styrene	ND	0.50	ug/L			06/28/24 15:15	5

0.50

0.50

0.50

0.50

0.50

0.50

0.50

0.50

0.75

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

#### Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

ND

ND

28

ND

ND

ND

ND

ND

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	87		70 - 130		06/28/24 15:15	5
Toluene-d8 (Surr)	105		70 - 130		06/28/24 15:15	5
4-Bromofluorobenzene (Surr)	102		70 - 130		06/28/24 15:15	5
Dibromofluoromethane (Surr)	89		70 - 130		06/28/24 15:15	5

Eurofins Albuquerque

5

5

5

5

5

5

5

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

Prep Type: Total/NA

# Method: 8015M/D - Nonhalogenated Organics using GC/MS -Modified (Gasoline Range Organics)

Lab Sample ID: MB 885-7958/3 Client Sample ID: Method Blank

Matrix: Air

**Analysis Batch: 7958** 

	INID	IVID						
Analyte	Result (	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	ug/L			07/05/24 15:26	1

MB MB

MD MD

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99	52 - 172		07/05/24 15:26	

Lab Sample ID: LCS 885-7958/2 **Client Sample ID: Lab Control Sample** Prep Type: Total/NA

Matrix: Air

**Analysis Batch: 7958** 

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
Gasoline Range Organics [C6 -	500	480		ug/L		96	70 - 130	

C10]

LCS LCS Surrogate %Recovery Qualifier Limits 4-Bromofluorobenzene (Surr) 107 52 - 172

# Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-7603/25 Client Sample ID: Method Blank Prep Type: Total/NA

Matrix: Air

Analysis Batch: 7603								
Amelida		MB	DI	l lmi4	ь.	Duamanad	Amalumad	Dil Faa
Analyte 1,1,1,2-Tetrachloroethane	Result	Qualifier		Unit	D	Prepared	Analyzed 06/28/24 14:50	Dil Fac
, , ,				ug/L				1
1,1,1-Trichloroethane	ND		0.10	ug/L			06/28/24 14:50	1
1,1,2,2-Tetrachloroethane	ND		0.20	ug/L			06/28/24 14:50	1
1,1,2-Trichloroethane	ND		0.10	ug/L			06/28/24 14:50	1
1,1-Dichloroethane	ND		0.10	ug/L			06/28/24 14:50	1
1,1-Dichloroethene	ND		0.10	ug/L			06/28/24 14:50	1
1,1-Dichloropropene	ND		0.10	ug/L			06/28/24 14:50	1
1,2,3-Trichlorobenzene	ND		0.10	ug/L			06/28/24 14:50	1
1,2,3-Trichloropropane	ND		0.20	ug/L			06/28/24 14:50	1
1,2,4-Trichlorobenzene	ND		0.10	ug/L			06/28/24 14:50	1
1,2,4-Trimethylbenzene	ND		0.10	ug/L			06/28/24 14:50	1
1,2-Dibromo-3-Chloropropane	ND		0.20	ug/L			06/28/24 14:50	1
1,2-Dibromoethane (EDB)	ND		0.10	ug/L			06/28/24 14:50	1
1,2-Dichlorobenzene	ND		0.10	ug/L			06/28/24 14:50	1
1,2-Dichloroethane (EDC)	ND		0.10	ug/L			06/28/24 14:50	1
1,2-Dichloropropane	ND		0.10	ug/L			06/28/24 14:50	1
1,3,5-Trimethylbenzene	ND		0.10	ug/L			06/28/24 14:50	1
1,3-Dichlorobenzene	ND		0.10	ug/L			06/28/24 14:50	1
1,3-Dichloropropane	ND		0.10	ug/L			06/28/24 14:50	1
1,4-Dichlorobenzene	ND		0.10	ug/L			06/28/24 14:50	1
1-Methylnaphthalene	ND		0.40	ug/L			06/28/24 14:50	1
2,2-Dichloropropane	ND		0.20	ug/L			06/28/24 14:50	1
2-Butanone	ND		1.0	ug/L			06/28/24 14:50	1
2-Chlorotoluene	ND		0.10	ug/L			06/28/24 14:50	1
2-Hexanone	ND		1.0	ug/L			06/28/24 14:50	1

Eurofins Albuquerque

Client: Hilcorp Energy Job ID: 885-6412-1

RL

Unit

Project/Site: S J 28-6 #31

# Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

MB MB Result

Qualifier

Lab Sample ID: MB 885-7603/25

Matrix: Air

**Analysis Batch: 7603** 

Client Sample ID: Method Blank

Prep Type: Total/NA

Prepared	Analyzed	Dil Fac	

			•		,u.,u	
2-Methylnaphthalene	ND ND	0.40	ug/L	- <u>-</u>	06/28/24 14:50	1
4-Chlorotoluene	ND	0.10	ug/L		06/28/24 14:50	1
4-Isopropyltoluene	ND	0.10	ug/L		06/28/24 14:50	1
4-Methyl-2-pentanone	ND	1.0	ug/L		06/28/24 14:50	1
Acetone	ND	1.0	ug/L		06/28/24 14:50	1
Benzene	ND	0.10	ug/L		06/28/24 14:50	1
Bromobenzene	ND	0.10	ug/L		06/28/24 14:50	1
Bromodichloromethane	ND	0.10	ug/L		06/28/24 14:50	1
Dibromochloromethane	ND	0.10	ug/L		06/28/24 14:50	1
Bromoform	ND	0.10	ug/L		06/28/24 14:50	1
Bromomethane	ND	0.30	ug/L		06/28/24 14:50	1
Carbon disulfide	ND	1.0	ug/L		06/28/24 14:50	1
Carbon tetrachloride	ND	0.10	ug/L		06/28/24 14:50	1
Chlorobenzene	ND	0.10	ug/L		06/28/24 14:50	1
Chloroethane	ND	0.20	ug/L		06/28/24 14:50	1
Chloroform	ND	0.10	ug/L		06/28/24 14:50	1
Chloromethane	ND	0.30	ug/L		06/28/24 14:50	1
cis-1,2-Dichloroethene	ND	0.10	ug/L		06/28/24 14:50	1
cis-1,3-Dichloropropene	ND	0.10	ug/L		06/28/24 14:50	1
Dibromomethane	ND	0.10	ug/L		06/28/24 14:50	1
Dichlorodifluoromethane	ND	0.10	ug/L		06/28/24 14:50	1
Ethylbenzene	ND	0.10	ug/L		06/28/24 14:50	1
Hexachlorobutadiene	ND	0.10	ug/L		06/28/24 14:50	1
Isopropylbenzene	ND	0.10	ug/L		06/28/24 14:50	1
Methyl-tert-butyl Ether (MTBE)	ND	0.10	ug/L		06/28/24 14:50	1
Methylene Chloride	ND	0.30	ug/L		06/28/24 14:50	1
n-Butylbenzene	ND	0.30	ug/L		06/28/24 14:50	1
N-Propylbenzene	ND	0.10	ug/L		06/28/24 14:50	1
Naphthalene	ND	0.20	ug/L		06/28/24 14:50	1
sec-Butylbenzene	ND	0.10	ug/L		06/28/24 14:50	1
Styrene	ND	0.10	ug/L		06/28/24 14:50	1
tert-Butylbenzene	ND	0.10	ug/L		06/28/24 14:50	1
Tetrachloroethene (PCE)	ND	0.10	ug/L		06/28/24 14:50	1
Toluene	ND	0.10	ug/L		06/28/24 14:50	1

1B	MB

ND

ND

ND

ND

ND

ND

Surrogate	%Recovery Qualifie	er Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103	70 - 130		06/28/24 14:50	1
Toluene-d8 (Surr)	94	70 - 130		06/28/24 14:50	1
4-Bromofluorobenzene (Surr)	94	70 - 130		06/28/24 14:50	1
Dibromofluoromethane (Surr)	103	70 - 130		06/28/24 14:50	1

0.10

0.10

0.10

0.10

0.10

0.15

ug/L

ug/L

ug/L

ug/L

ug/L

ug/L

Eurofins Albuquerque

06/28/24 14:50

06/28/24 14:50

06/28/24 14:50

06/28/24 14:50

06/28/24 14:50

06/28/24 14:50

trans-1,2-Dichloroethene

Trichloroethene (TCE)

Trichlorofluoromethane

Vinyl chloride

Xylenes, Total

trans-1,3-Dichloropropene

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

# Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-7603/6

Matrix: Air

Client Sample ID: Method Blank Prep Type: Total/NA

e: Total/NA

6

6

8

10

11

12

	МВ	MB						
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil F
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			06/28/24 14:50	
1,1,1-Trichloroethane	ND		1.0	ug/L			06/28/24 14:50	
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			06/28/24 14:50	
1,1,2-Trichloroethane	ND		1.0	ug/L			06/28/24 14:50	
1,1-Dichloroethane	ND		1.0	ug/L			06/28/24 14:50	
1,1-Dichloroethene	ND		1.0	ug/L			06/28/24 14:50	
1,1-Dichloropropene	ND		1.0	ug/L			06/28/24 14:50	
1,2,3-Trichlorobenzene	ND		1.0	ug/L			06/28/24 14:50	
1,2,3-Trichloropropane	ND		2.0	ug/L			06/28/24 14:50	
1,2,4-Trichlorobenzene	ND		1.0	ug/L			06/28/24 14:50	
1,2,4-Trimethylbenzene	ND		1.0	ug/L			06/28/24 14:50	
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			06/28/24 14:50	
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			06/28/24 14:50	
1,2-Dichlorobenzene	ND		1.0	ug/L			06/28/24 14:50	
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			06/28/24 14:50	
1,2-Dichloropropane	ND		1.0	ug/L			06/28/24 14:50	
1,3,5-Trimethylbenzene	ND		1.0	ug/L			06/28/24 14:50	
1,3-Dichlorobenzene	ND		1.0	ug/L			06/28/24 14:50	
1,3-Dichloropropane	ND		1.0	ug/L			06/28/24 14:50	
1,4-Dichlorobenzene	ND		1.0	ug/L			06/28/24 14:50	
1-Methylnaphthalene	ND		4.0	ug/L			06/28/24 14:50	
2,2-Dichloropropane	ND		2.0	ug/L			06/28/24 14:50	
2-Butanone	ND		10	ug/L			06/28/24 14:50	
2-Chlorotoluene	ND		1.0	ug/L			06/28/24 14:50	
2-Hexanone	ND		10	ug/L ug/L			06/28/24 14:50	
2-Methylnaphthalene	ND		4.0	ug/L			06/28/24 14:50	
4-Chlorotoluene	ND		1.0	ug/L			06/28/24 14:50	
4-Isopropyltoluene	ND		1.0	ug/L			06/28/24 14:50	
4-isopropyrioidene 4-Methyl-2-pentanone	ND		10	ug/L			06/28/24 14:50	
Acetone	ND		10	ug/L			06/28/24 14:50	
Benzene	ND						06/28/24 14:50	
Bromobenzene	ND ND		1.0 1.0	ug/L			06/28/24 14:50	
				ug/L				
Bromodichloromethane	ND		1.0	ug/L			06/28/24 14:50	
Dibromochloromethane	ND		1.0	ug/L			06/28/24 14:50	
Bromoform	ND		1.0	ug/L			06/28/24 14:50	
Bromomethane	ND		3.0	ug/L			06/28/24 14:50	
Carbon disulfide	ND		10	ug/L			06/28/24 14:50	
Carbon tetrachloride	ND		1.0	ug/L			06/28/24 14:50	
Chlorobenzene	ND		1.0	ug/L			06/28/24 14:50	
Chloroethane	ND		2.0	ug/L			06/28/24 14:50	
Chloroform	ND		1.0	ug/L			06/28/24 14:50	
Chloromethane	ND		3.0	ug/L			06/28/24 14:50	
cis-1,2-Dichloroethene	ND		1.0	ug/L			06/28/24 14:50	
cis-1,3-Dichloropropene	ND		1.0	ug/L			06/28/24 14:50	
Dibromomethane	ND		1.0	ug/L			06/28/24 14:50	
Dichlorodifluoromethane	ND		1.0	ug/L			06/28/24 14:50	
Ethylbenzene	ND		1.0	ug/L			06/28/24 14:50	
Hexachlorobutadiene	ND		1.0	ug/L			06/28/24 14:50	

Eurofins Albuquerque

6

# QC Sample Results

Job ID: 885-6412-1 Client: Hilcorp Energy

Project/Site: S J 28-6 #31

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-7603/6

Matrix: Air **Analysis Batch: 7603**  Client Sample ID: Method Blank

Prep Type: Total/NA

мв мв Analyte Result Qualifier RL Unit D Dil Fac Prepared Analyzed ND 1.0 06/28/24 14:50 Isopropylbenzene ug/L Methyl-tert-butyl Ether (MTBE) ND 1.0 ug/L 06/28/24 14:50 Methylene Chloride ND 06/28/24 14:50 3.0 ug/L n-Butylbenzene ND 3.0 ug/L 06/28/24 14:50 N-Propylbenzene ND 1.0 ug/L 06/28/24 14:50 Naphthalene ND 2.0 ug/L 06/28/24 14:50 sec-Butylbenzene ND 1.0 ug/L 06/28/24 14:50 Styrene ND 1.0 ug/L 06/28/24 14:50 tert-Butylbenzene ND 1.0 ug/L 06/28/24 14:50 Tetrachloroethene (PCE) ND 1.0 ug/L 06/28/24 14:50 Toluene ND 1.0 ug/L 06/28/24 14:50 ND trans-1,2-Dichloroethene 1.0 ug/L 06/28/24 14:50 trans-1,3-Dichloropropene ND 1.0 ug/L 06/28/24 14:50 Trichloroethene (TCE) ND 1.0 ug/L 06/28/24 14:50 Trichlorofluoromethane ND 1.0 ug/L 06/28/24 14:50

MB MB

ND

ND

Surrogate	%Recovery Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103	70 - 130		06/28/24 14:50	1
Toluene-d8 (Surr)	94	70 - 130		06/28/24 14:50	1
4-Bromofluorobenzene (Surr)	94	70 - 130		06/28/24 14:50	1
Dibromofluoromethane (Surr)	103	70 - 130		06/28/24 14:50	1

1.0

1.5

ug/L

ug/L

Lab Sample ID: LCS 885-7603/5

Matrix: Air

Vinyl chloride

Xylenes, Total

**Analysis Batch: 7603** 

**Client Sample ID: Lab Control Sample** Prep Type: Total/NA

06/28/24 14:50

06/28/24 14:50

	Spike	LCS	LCS				%Rec	
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	
1,1-Dichloroethene	20.1	22.9		ug/L		114	70 - 130	
Benzene	20.1	21.2		ug/L		105	70 - 130	
Chlorobenzene	20.1	22.2		ug/L		111	70 - 130	
Toluene	20.2	21.6		ug/L		107	70 - 130	
Trichloroethene (TCE)	20.2	21.7		ug/L		107	70 - 130	

LCS LCS %Recovery Qualifier Limits Surrogate 1,2-Dichloroethane-d4 (Surr) 70 - 130 100 Toluene-d8 (Surr) 93 70 - 130 70 - 130 4-Bromofluorobenzene (Surr) 94 Dibromofluoromethane (Surr) 100 70 - 130

Lab Sample ID: 885-6412-1 DU

Matrix: Air

Analysis Batch: 7603								
	Sample	Sample	DU	DU				RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limit
1,1,1,2-Tetrachloroethane	ND		ND		ug/L		 NC	20
1,1,1-Trichloroethane	ND		ND		ug/L		NC	20

Eurofins Albuquerque

Client Sample ID: SVE-1

Prep Type: Total/NA

Page 11 of 25

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

# Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 885-6412-1 DU

Matrix: Air

**Client Sample ID: SVE-1** 

Prep Type: Total/NA

	RPD	
RPD	Limit	
 NC	20	
NC	20	

	Sample	Sample	DU	DU				RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limi
1,1,2,2-Tetrachloroethane	ND		MD		ug/L		NC	20
1,1,2-Trichloroethane	ND		ND		ug/L		NC	20
1,1-Dichloroethane	ND		ND		ug/L		NC	20
1,1-Dichloroethene	ND		ND		ug/L		NC	20
1,1-Dichloropropene	ND		ND		ug/L		NC	20
1,2,3-Trichlorobenzene	ND		ND		ug/L		NC	20
1,2,3-Trichloropropane	ND		ND		ug/L		NC	20
1,2,4-Trichlorobenzene	ND		ND		ug/L		NC	20
1,2,4-Trimethylbenzene	0.67		0.673		ug/L		0.1	20
1,2-Dibromo-3-Chloropropane	ND		ND		ug/L		NC	20
1,2-Dibromoethane (EDB)	ND		ND		ug/L		NC	20
1,2-Dichlorobenzene	ND		ND		ug/L		NC	20
1,2-Dichloroethane (EDC)	ND		ND		ug/L		NC	20
1,2-Dichloropropane	ND		ND		ug/L		NC	20
1,3,5-Trimethylbenzene	0.88		0.867		ug/L		1	20
1,3-Dichlorobenzene	ND		ND		ug/L		NC	20
1,3-Dichloropropane	ND		ND		ug/L		NC	20
1,4-Dichlorobenzene	ND		ND		ug/L		NC	20
1-Methylnaphthalene	ND		ND		ug/L		NC	20
2,2-Dichloropropane	ND		ND		ug/L		NC	20
2-Butanone	ND		ND		ug/L		NC	20
2-Chlorotoluene	ND		ND		ug/L		NC	20
2-Hexanone	ND		ND		ug/L		NC	20
2-Methylnaphthalene	ND		ND		ug/L		NC	20
4-Chlorotoluene	ND		ND		ug/L		NC	20
4-Isopropyltoluene	ND		ND		ug/L		NC	20
4-Methyl-2-pentanone	ND		ND		ug/L		NC	20
Acetone	ND		ND		ug/L		NC	20
Benzene	7.2		8.01		ug/L		11	20
Bromobenzene	ND		ND		ug/L		NC	20
Bromodichloromethane	ND		ND		ug/L		NC	20
Dibromochloromethane	ND		ND		ug/L		NC	20
Bromoform	ND		ND		ug/L		NC	20
Bromomethane	ND		ND		ug/L		NC	20
Carbon disulfide	ND		ND		ug/L		NC	20
Carbon tetrachloride	ND		ND		ug/L		NC	20
Chlorobenzene	ND		ND		ug/L		NC	20
Chloroethane	ND		ND		ug/L		NC	20
Chloroform	ND		ND		ug/L		NC	20
Chloromethane	ND		ND		ug/L		NC	20
cis-1,2-Dichloroethene	ND		ND		ug/L		NC	20
cis-1,3-Dichloropropene	ND		ND		ug/L		NC	20
Dibromomethane	ND		ND		ug/L		NC	20
Dichlorodifluoromethane	ND		ND		ug/L		NC	20
Ethylbenzene	0.92		0.930		ug/L		1	20
Hexachlorobutadiene	ND		ND		ug/L		NC	20
Isopropylbenzene	ND		ND		ug/L		NC	20
Methyl-tert-butyl Ether (MTBE)	ND		ND		ug/L		NC	20
Methylene Chloride	ND		ND		ug/L		NC	20

Eurofins Albuquerque

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

# Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 885-6412-1 DU

Matrix: Air

Analysis Batch: 7603

**Client Sample ID: SVE-1** 

**Prep Type: Total/NA** 

	Sample	Sample	DU	DU				RPD
Analyte	Result	Qualifier	Result	Qualifier	Unit	D	RPD	Limit
n-Butylbenzene	ND		ND		ug/L		NC NC	20
N-Propylbenzene	ND		ND		ug/L		NC	20
Naphthalene	ND		ND		ug/L		NC	20
sec-Butylbenzene	ND		ND		ug/L		NC	20
Styrene	ND		ND		ug/L		NC	20
tert-Butylbenzene	ND		ND		ug/L		NC	20
Tetrachloroethene (PCE)	ND		ND		ug/L		NC	20
Toluene	28		30.4		ug/L		7	20
trans-1,2-Dichloroethene	ND		ND		ug/L		NC	20
trans-1,3-Dichloropropene	ND		ND		ug/L		NC	20
Trichloroethene (TCE)	ND		ND		ug/L		NC	20
Trichlorofluoromethane	ND		ND		ug/L		NC	20
Vinyl chloride	ND		ND		ug/L		NC	20
Xvlenes, Total	16		16.3		ua/L		5	20

DU DU

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	84		70 - 130
Toluene-d8 (Surr)	108		70 - 130
4-Bromofluorobenzene (Surr)	106		70 - 130
Dibromofluoromethane (Surr)	92		70 - 130

# **QC Association Summary**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

## **GC/MS VOA**

### **Analysis Batch: 7603**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-6412-1	SVE-1	Total/NA	Air	8260B	
MB 885-7603/25	Method Blank	Total/NA	Air	8260B	
MB 885-7603/6	Method Blank	Total/NA	Air	8260B	
LCS 885-7603/5	Lab Control Sample	Total/NA	Air	8260B	
885-6412-1 DU	SVE-1	Total/NA	Air	8260B	

## **Analysis Batch: 7958**

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-6412-1	SVE-1	Total/NA	Air	8015M/D	
MB 885-7958/3	Method Blank	Total/NA	Air	8015M/D	
LCS 885-7958/2	Lab Control Sample	Total/NA	Air	8015M/D	

4

<u>'</u>

Q

10

11

## Lab Chronicle

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

Client Sample ID: SVE-1 Lab Sample ID: 885-6412-1

. Matrix: Air

Date Collected: 06/15/24 12:15 Date Received: 06/18/24 07:00

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8015M/D		5	7958	CM	EET ALB	07/05/24 16:39
Total/NA	Analysis	8260B		5	7603	CM	EET ALB	06/28/24 15:15

#### **Laboratory References:**

= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Eurofins Albuquerque

3

4

6

8

4.6

11

# **Accreditation/Certification Summary**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

## **Laboratory: Eurofins Albuquerque**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Progra	am	Identification Number	Expiration Date
New Mexico	State		NM9425, NM0901	02-26-25
	are included in this report, bu oes not offer certification.	t the laboratory is not certif	ied by the governing authority. This lie	st may include analytes
Analysis Method	Prep Method	Matrix	Analyte	
8015M/D		Air	Gasoline Range Organics	[C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane	
8260B		Air	1,1,1-Trichloroethane	
8260B		Air	1,1,2,2-Tetrachloroethane	
8260B		Air	1,1,2-Trichloroethane	
8260B		Air	1,1-Dichloroethane	
8260B		Air	1,1-Dichloroethene	
8260B		Air	1,1-Dichloropropene	
8260B		Air	1,2,3-Trichlorobenzene	
8260B		Air	1,2,3-Trichloropropane	
8260B		Air	1,2,4-Trichlorobenzene	
8260B		Air	1,2,4-Trimethylbenzene	
8260B		Air	1,2-Dibromo-3-Chloroprop	oane
8260B		Air	1,2-Dibromoethane (EDB	)
8260B		Air	1,2-Dichlorobenzene	
8260B		Air	1,2-Dichloroethane (EDC)	)
8260B		Air	1,2-Dichloropropane	
8260B		Air	1,3,5-Trimethylbenzene	
8260B		Air	1,3-Dichlorobenzene	
8260B		Air	1,3-Dichloropropane	
8260B		Air	1,4-Dichlorobenzene	
8260B		Air	1-Methylnaphthalene	
8260B		Air	2,2-Dichloropropane	
8260B		Air	2-Butanone	
8260B		Air	2-Chlorotoluene	
8260B		Air	2-Hexanone	
8260B		Air	2-Methylnaphthalene	
8260B		Air	4-Chlorotoluene	
8260B		Air	4-Isopropyltoluene	
8260B		Air	4-Methyl-2-pentanone	
8260B		Air	Acetone	
8260B		Air	Benzene	
8260B		Air	Bromobenzene	
8260B		Air	Bromodichloromethane	
8260B		Air	Bromoform	
8260B		Air	Bromomethane	
8260B		Air	Carbon disulfide	
8260B		Air	Carbon tetrachloride	
8260B		Air	Chlorobenzene	
8260B		Air	Chloroethane	
8260B		Air	Chloroform	
8260B		Air	Chloromethane	
8260B		Air	cis-1,2-Dichloroethene	
8260B		Air	cis-1,3-Dichloropropene	
8260B		Air	Dibromochloromethane	

Eurofins Albuquerque

2

3

4

5

7

9

4

# **Accreditation/Certification Summary**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

# **Laboratory: Eurofins Albuquerque (Continued)**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

hority	Progra	am	Identification Number	Expiration Date
	are included in this report, bu	t the laboratory is not certif	ied by the governing authority. This li	st may include analyte
Analysis Method	Prep Method	Matrix	Analyte	
8260B		Air	Dibromomethane	
8260B		Air	Dichlorodifluoromethane	
8260B		Air	Ethylbenzene	
8260B		Air	Hexachlorobutadiene	
8260B		Air	Isopropylbenzene	
8260B		Air	Methylene Chloride	
8260B		Air	Methyl-tert-butyl Ether (M	ITBE)
8260B		Air	Naphthalene	
8260B		Air	n-Butylbenzene	
8260B		Air	N-Propylbenzene	
8260B		Air	sec-Butylbenzene	
8260B		Air	Styrene	
8260B		Air	tert-Butylbenzene	
8260B		Air	Tetrachloroethene (PCE)	
8260B		Air	Toluene	
8260B		Air	trans-1,2-Dichloroethene	
8260B		Air	trans-1,3-Dichloropropen	е
8260B		Air	Trichloroethene (TCE)	
8260B		Air	Trichlorofluoromethane	
8260B		Air	Vinyl chloride	
8260B		Air	Xylenes, Total	
on	NELAI	0	NM100001	02-26-25

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015M/D		Air	Gasoline Range Organics [C6 - C10]
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
3260B		Air	1,1,2,2-Tetrachloroethane
3260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene

Eurofins Albuquerque

# **Accreditation/Certification Summary**

Client: Hilcorp Energy Job ID: 885-6412-1

Project/Site: S J 28-6 #31

## **Laboratory: Eurofins Albuquerque (Continued)**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

ority	Progra	am	Identification Number Expiration	Date
	are included in this report, bu	ut the laboratory is not certif	ied by the governing authority. This list may include a	nalyte
Analysis Method	Prep Method	Matrix	Analyte	
8260B		Air	1-Methylnaphthalene	
8260B		Air	2,2-Dichloropropane	
8260B		Air	2-Butanone	
8260B		Air	2-Chlorotoluene	
8260B		Air	2-Hexanone	
8260B		Air	2-Methylnaphthalene	
8260B		Air	4-Chlorotoluene	
8260B		Air	4-Isopropyltoluene	
8260B		Air	4-Methyl-2-pentanone	
8260B		Air	Acetone	
8260B		Air	Benzene	
8260B		Air	Bromobenzene	
8260B		Air	Bromodichloromethane	
8260B		Air	Bromoform	
8260B		Air	Bromomethane	
8260B		Air	Carbon disulfide	
8260B		Air	Carbon tetrachloride	
8260B		Air	Chlorobenzene	
8260B		Air	Chloroethane	
8260B		Air	Chloroform	
8260B		Air	Chloromethane	
8260B		Air	cis-1,2-Dichloroethene	
8260B		Air	cis-1,3-Dichloropropene	
8260B		Air	Dibromochloromethane	
8260B		Air	Dibromomethane	
8260B		Air	Dichlorodifluoromethane	
8260B		Air		
8260B		Air	Ethylbenzene Hexachlorobutadiene	
8260B		Air	Isopropylbenzene	
8260B 8260B		Air	Methyl tert butyl Ether (MTRE)	
		Air	Methyl-tert-butyl Ether (MTBE)	
8260B		Air	Naphthalene n-Butylbenzene	
8260B		Air	•	
8260B		Air	N-Propylbenzene	
8260B		Air	sec-Butylbenzene	
8260B		Air	Styrene	
8260B		Air	tert-Butylbenzene	
8260B		Air	Tetrachloroethene (PCE)	
8260B		Air	Toluene	
8260B		Air	trans-1,2-Dichloroethene	
8260B		Air	trans-1,3-Dichloropropene	
8260B		Air	Trichloroethene (TCE)	
8260B		Air	Trichlorofluoromethane	
8260B		Air	Vinyl chloride	
8260B		Air	Xylenes, Total	

Eurofins Albuquerque

2

3

5

6

0

10

11

Trust our People. Trust our Data. www.energylab.com Billings, MT 406.252.6325 • Casper, WY 307.235.0515 Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

2

Gillette, WY 307.686.7175 • Helena, MI 406

# ANALYTICAL SUMMARY REPORT

July 03, 2024

Hall Environmental 4901 Hawkins St NE Ste D Albuquerque, NM 87109-4372

Work Order: B24061715 Quote ID: B15626

Project Name: S J 28-6 #31, 88501698

Energy Laboratories Inc Billings MT received the following 1 sample for Hall Environmental on 6/19/2024 for analysis.

Lab ID	Client Sample ID	Collect Date Receive Date	Matrix	Test
B24061715-001	SVE-1 (885-6414-1)	06/15/24 12:15 06/19/24	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond,/1000 cu. ft., moist Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.

Page 1 of 5 7/9/2024

Billings, MT **406.252.6325** • Casper, WY **307.235.0515** Gillette, WY **307.686.7175** • Helena, MT **406.442.0711** 

## LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

 Client:
 Hall Environmental

 Project:
 S J 28-6 #31, 88501698

 Lab ID:
 B24061715-001

 Client Sample ID:
 SVE-1 (885-6414-1)

Report Date: 07/03/24
Collection Date: 06/15/24 12:15
DateReceived: 06/19/24
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS I	REPORT						
Oxygen	21.98	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
Nitrogen	77.77	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
Carbon Dioxide	0.20	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
Hydrogen Sulfide	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
Methane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
Ethane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
Propane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
sobutane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
-Butane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
sopentane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
-Pentane	< 0.01	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
lexanes plus	0.05	Mol %		0.01		GPA 2261-95	06/20/24 10:30 / jrj
ropane	< 0.001	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
sobutane	< 0.001	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
-Butane	< 0.001	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
sopentane	< 0.001	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
-Pentane	< 0.001	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
lexanes plus	0.021	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
SPM Total	0.021	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
PM Pentanes plus	0.021	gpm		0.001		GPA 2261-95	06/20/24 10:30 / jrj
CALCULATED PROPERTIES							
Gross BTU per cu ft @ Std Cond. (HHV)	2			1		GPA 2261-95	06/20/24 10:30 / jrj
let BTU per cu ft @ std cond. (LHV)	2			1		GPA 2261-95	06/20/24 10:30 / jrj
Seudo-critical Pressure, psia	546			1		GPA 2261-95	06/20/24 10:30 / jrj
seudo-critical Temperature, deg R	240			1		GPA 2261-95	06/20/24 10:30 / jrj
Specific Gravity @ 60/60F	1.00			0.001		D3588-81	06/20/24 10:30 / jrj
ir, % - The analysis was not corrected for air.	100.44			0.01		GPA 2261-95	06/20/24 10:30 / jrj
COMMENTS							

<sup>-</sup> BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.

ReportRL - Analyte Reporting LimitMCL - Maximum Contaminant Level

**Definitions:** QCL - Quality Control Limit ND - Not detected at the Reporting Limit (RL)

Page 2 of 5 7/9/2024

06/20/24 10:30 / jrj

2

3

4

6

\_

10

<sup>-</sup> GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.

<sup>-</sup> To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.

<sup>-</sup> Standard conditions: 60 F & 14.73 psi on a dry basis



Billings, MT 406.252.6325 • Casper, WY 307.235.0515 Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

# **QA/QC Summary Report**

Prepared by Billings, MT Branch

Client: Hall Environmental Work Order: B24061715 Report Date: 07/03/24

Analyte		Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method:	GPA 2261-95									Batch:	R423193
Lab ID:	B24061715-001ADUP	12 Saı	mple Duplic	ate			Run: GCNG	GA-B_240620A		06/20/	24 11:19
Oxygen			22.1	Mol %	0.01				0.5	20	
Nitrogen			77.7	Mol %	0.01				0.1	20	
Carbon D	ioxide		0.20	Mol %	0.01				0.0	20	
Hydrogen	Sulfide		< 0.01	Mol %	0.01					20	
Methane			< 0.01	Mol %	0.01					20	
Ethane			< 0.01	Mol %	0.01					20	
Propane			< 0.01	Mol %	0.01					20	
Isobutane			< 0.01	Mol %	0.01					20	
n-Butane			< 0.01	Mol %	0.01					20	
Isopentan	е		< 0.01	Mol %	0.01					20	
n-Pentane	9		< 0.01	Mol %	0.01					20	
Hexanes	plus		0.05	Mol %	0.01				0.0	20	
Lab ID:	LCS062024	11 Lab	ooratory Co	ntrol Sample			Run: GCNG	A-B_240620A		06/20/	24 03:27
Oxygen			0.64	Mol %	0.01	128	70	130			
Nitrogen			6.08	Mol %	0.01	101	70	130			
Carbon D	ioxide		0.99	Mol %	0.01	100	70	130			
Methane			75.1	Mol %	0.01	100	70	130			
Ethane			6.09	Mol %	0.01	101	70	130			
Propane			5.04	Mol %	0.01	102	70	130			
Isobutane			1.45	Mol %	0.01	72	70	130			
n-Butane			1.99	Mol %	0.01	99	70	130			
Isopentan	е		0.95	Mol %	0.01	95	70	130			
n-Pentane	e		0.97	Mol %	0.01	97	70	130			
Hexanes	plus		0.74	Mol %	0.01	93	70	130			

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)



Billings, MT 406.252.6325 • Casper, WY 307.235.0515 Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

# **Work Order Receipt Checklist**

# Hall Environmental B24061715

Login completed by:	Danielle N. Harris		Date	Received: 6/19/2024
Reviewed by:	cindy		Re	eceived by: DNH
Reviewed Date:	6/21/2024		Ca	rrier name: FedEx NDA
Shipping container/cooler in	good condition?	Yes ✓	No 🗌	Not Present
Custody seals intact on all s	hipping container(s)/cooler(s)?	Yes 🗸	No 🗌	Not Present
Custody seals intact on all s	ample bottles?	Yes	No 🗌	Not Present ✓
Chain of custody present?		Yes 🗸	No 🗌	
Chain of custody signed who	en relinquished and received?	Yes 🗸	No 🗌	
Chain of custody agrees with	h sample labels?	Yes 🗸	No 🗌	
Samples in proper container	/bottle?	Yes ✓	No 🗌	
Sample containers intact?		Yes ✓	No 🗌	
Sufficient sample volume for	r indicated test?	Yes ✓	No 🗌	
All samples received within l (Exclude analyses that are c such as pH, DO, Res Cl, Su	considered field parameters	Yes ✓	No 🗌	
Temp Blank received in all s	hipping container(s)/cooler(s)?	Yes	No 🗸	Not Applicable
Container/Temp Blank temp	erature:	15.0°C No Ice		
Containers requiring zero he bubble that is <6mm (1/4").	eadspace have no headspace or	Yes 🗌	No 🗌	No VOA vials submitted ✓
Water - pH acceptable upon	receipt?	Yes	No 🗌	Not Applicable

# **Standard Reporting Procedures:**

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

#### **Contact and Corrective Action Comments:**

None

Eurofins Albuquerque 4901 Hawkins NE	Chain o	Chain of Custody Record	ecord		eurofins Environment Testing
Albuquerque, NM 87109 Phone: 605-345-3975 Fax: 505-345-4107				200	
13 13	Sampler:	Lab PM Freem	Lab PM: Freeman, Andy	Carrier Tracking No(s):	885-993.1
ormation (Sub Contract Lab)	Phone:	E-Mail:		State of Origin:	Page:
Shipping/Receiving		andy	andy.freeman@et.eurofinsus.com	New Mexico	Job#:
Company: Finerry Laboratories Inc			NELAP - Oregon; State - New Mexico	0;	885-6412-1
Address:	Due Date Requested:		Analysis Requested	equested	Preservation Codes:
1120 South 27th Street, , , City:	TAT Requested (days):				
Billings State, Zip:			W4-11		
MII, 59101 Phone:	PO#:				
406-252-6325(Tel)	WO#:		(0		
			ı No		ueta
Project Name: S J 28-6 #31	Project #: 88501698		0 58)		ist <mark>no</mark>
Site:	:#MOSS		) as		
		Sample Matrix Type (Wewater, Sesoild,	4 Filtered WS/W myo'		edmu <b>l</b> l ls:
Sample Identification - Client ID (Lab ID)	Sample Date Time	G=grab) BT=Tissue, A=Air)	Fiel		Special Instructions/Note:
	X X	Preservation Code:	X		
SVE-1 (885-6412-1)	6/15/24 Mountain	Air	×		1 B240101 HS
Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the samples must be shipped back to the Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.	ent Testing South Central, LLC places above for analysis/lests/matrix being a sentral, LLC attention immediately. If	the ownership of method, are analyzed, the samples must the samples must all requested accreditations a	nalyte & accreditation compliance upon our sul os shipped back to the Eurofins Environment T are current to date, return the signed Chain of f	ocontract laboratories. This sample shi esting South Central, LLC laboratory or Custody attesting to said compliance to	pment is forwarded under chain-of-custody. If the cather instructions will be provided. Any changes to Eurofins Environment Testing South Central, LLC.
Possible Hazard Identification			Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)	be assessed if samples are r	etained longer than 1 month)
Unconfirmed			Return To Client	Disposal by Lab	
Deliverable Requested: I, II, III, IV, Other (specify)	Primary Deliverable Rank:	2	Special Instructions/QC Requirements	. 1	
Fmoty Kit Relinauished by:	Date:	1	Time:	Method of Shipment:	Description
Relinquished by	Date/Time: 1,1/2 19 1/	143c-Company	Received by:	Date/Time:	Company
Reinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Reference Hurse	of half College	Company COM
Custody Seals Intact:   Custody Seal No.:			Cooler Temperature(s) °C and Other Remarks.	er Remarks:	
					Ver: 04/02/2024

Page 5 of 5 7/9/2024

Chain-or-Custody Record		
Client: // ./c.o.r.f/	☑ Standard □ Rush	ANALYSIS LABOR HUH:
	Project Name:	www.hallenvironmental.com
Mailing Address:	ST 28-6 #31	87109
	Project #:	885-6412 COC Tel. 505-345-3975 Fax 505-345-4107
Phone #:		Analysis Request
email or Fax#: brandon. Singlaice bileorp com	Project Manager:	<sup>†</sup> OS
QA/QC Package:	1	bO <sup>†</sup> ' ∂IW∂ bCB∂
:	or dor	1 S80 (1.0)
		208/8/25/04/25/05/04/25/04/25/04/25/04/25/04/25/04/25/04/25/04/25/04/25/05/04/25/04/25/04/25/05/05/05/05/05/05/05/05/05/05/05/05/05
□ EDD (Type)	# of Coolers: 1 Und	(GF) bod (3 10 10 10 10 10 10 10 10 10 10 10 10 10
	Cooler Temp(induding cF): / 次パチ(い(コ)がし。C)	15D ethodelethody 83 Methody 1, 183 Methody 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
i		TEX / Per 180 Per 180 Per 19 P
$\dashv$	be and	E E E E E E E E E E E E E E E E E E E
(4) S A (1	6 E4191	>
nf 2		
25		
Date: Time: Relinquished by:	Reggived by: Via: Date Time	Remarks:
bated Time: Relinquished by:	Received by Your Via: Date Time	
	if necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility	s possibility Any sub-contracted data will be clearly notated on the analytical report
>		

# **Login Sample Receipt Checklist**

Client: Hilcorp Energy Job Number: 885-6412-1

Login Number: 6412 List Source: Eurofins Albuquerque

List Number: 1

Creator: McQuiston, Steven

Question	Answer	Comment
Radioactivity wasn't checked or is = background as measured by a survey meter.</td <td>True</td> <td></td>	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 364041

#### **CONDITIONS**

Operator:	OGRID:	
HILCORP ENERGY COMPANY	372171	
1111 Travis Street	Action Number:	
Houston, TX 77002	364041	
	Action Type:	
	[REPORT] Alternative Remediation Report (C-141AR)	

#### CONDITIONS

Created By		Condition Date
nvelez	1. Continue O&M as stated in report. 2. Updated timeline proposed is acceptable to OCD 3. Submit next quarterly report by October 15, 2024.	8/2/2024