

July 12,  
2023

nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Northeast Drinkard Unit (NEDU) #829, #830, #922, #928, and #929  
Lea County, New Mexico

Prepared for:




303 Veterans Airpark Lance  
Midland, TX 79701

Prepared by:



507 North Marienfeld Street, Suite 202  
Midland, Texas 79701  
(432) 687-0901

Mark J. Larson  
Certified Professional Geologist #10490



Heather Wells  
Staff Geologist

LAI Project No: 19-0112-22

**This Page Intentionally Left Blank**

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

**Contents**

1.0 EXECUTIVE SUMMARY ..... 1

2.0 INTRODUCTON ..... 3

    2.1 Background ..... 3

3.0 GROUNDWATER INVESTIGATION ..... 4

    3.1 Monitoring Well Installation ..... 4

4.0 GROUNDWATER MONITORING ..... 4

    4.1 Depth to Groundwater and Groundwater Potentiometric Surface Elevation ..... 4

    4.2 Groundwater Samples and Analysis ..... 5

        4.2.1 Organic Analysis ..... 5

        4.2.2 Inorganic Analysis ..... 5

5.0 CONCLUSIONS ..... 6

6.0 RECOMMENDATIONS ..... 6

**List of Tables**

|         |   |
|---------|---|
| Table 1 | Monitor Well Completion and Gauging Summary |
| Table 2 | Groundwater Analytical Data Summary         |

**List of Figures**

|          |  |
|----------|--|
| Figure 1 | Topographic Map                                      |
| Figure 2 | Aerial Map   |
| Figure 3 | Site Map   |
| Figure 4 | Groundwater Potentiometric Map, June 05, 2023        |
| Figure 5 | Chloride Concentration in Groundwater, June 05, 2023 |
| Figure 6 | TDS Concentration in Groundwater, June 05, 2023      |

**List of Appendices**

|            |                                    |
|------------|------------------------------------|
| Appendix A | NMOCD Communications               |
| Appendix B | Monitoring Well Completion Records |
| Appendix C | Laboratory Report                  |

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

## 1.0 EXECUTIVE SUMMARY

Larson & Associates, Inc. (LAI) has prepared this report on behalf of the Apache Corporation (Apache) for submittal to the New Mexico Oil Conservation Division (NMOCD) District I in Hobbs and Santa Fe, New Mexico. This report presents 2023 second (2<sup>nd</sup>) quarter (April-June) groundwater monitoring results for the Northeast Drinkard Unit (NEDU) #829, 830, 922, 928, and 929 (Sites). The Sites are located in Section 22, Township 21 South, Range 37 East, in Lea County, New Mexico. The approximate geodetic position is North 32.46294° and West -103.15153°.

*The following activities occurred on June 05, 2023:*

- Gauged depth to groundwater and collected groundwater samples from monitoring wells MW-1 through MW-4.
- Analyzed groundwater samples for benzene, toluene, ethylbenzene, and xylenes (BTEX), chloride, and total dissolved solids (TDS).

*The following observations are documented in this report for June 05, 2023:*

- Depth to groundwater was 54.41 feet below ground surface (bgs) in MW-1, 52.18 feet bgs (MW-2), 51.77 feet bgs (MW-3) and 40.63 feet bgs (MW-4).
- Groundwater elevation ranged between 3,371.31 feet above mean sea level (MSL) at MW-4 (upgradient) and 3,354.95 feet above MSL at MW-3 (downgradient).
- The groundwater flow was from northwest to southeast at a gradient of about 0.013 feet per foot (ft/ft).
- BTEX compounds were below the analytical method reporting limit (RL) and New Mexico Water Quality Control Commission (NMWQCC) human health standards in groundwater samples from monitoring wells MW-1 through MW-4.
- Chloride concentrations in the groundwater samples were 893 milligrams per liter (MW-1), 303 mg/L (MW-2) and were above the NMWQCC domestic water quality standard of 250 mg/L.
- Chloride concentrations in samples from MW-3 (151 mg/L) and MW-4 (194 mg/L) were below the NMWQCC standard.
- TDS concentrations in the groundwater samples from MW-1 (2950 mg/L) and MW-2 (1160 mg/L) were above the NMWQCC domestic water quality standard of 1000 milligrams per liter (mg/L).
- TDS concentrations in groundwater samples from MW-3 (778 mg/L) and MW-4 (864 mg/L) were below the NMWQCC standard.

*Apache proposes the following:*

- Apache will continue groundwater monitoring on a quarterly (4 times per year) schedule.
- Gauge all monitoring wells for depth to groundwater and collect groundwater samples from monitoring wells with sufficient groundwater during each quarterly event.
- Analyze samples for BTEX, chloride and TDS.
- Report the laboratory results to NMOCD in quarterly reports, unless significant changes in analyte concentrations are detected, at which time Apache will immediately report the results to NMOCD.

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

- Apache will provide notice to the NMOCD in Hobbs and Santa Fe, New Mexico, at least 7 working days prior to each monitoring event.

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

## 2.0 INTRODUCTON

Larson & Associates, Inc. (LAI) has prepared this report on behalf of Apache Corporation (Apache) for submittal to the New Mexico Oil Conservation Division (NMOCD) District I in Hobbs and Santa Fe, New Mexico. This report presents 2023 quarterly groundwater monitoring results for the second (2<sup>nd</sup>) quarter on June 05, 2023. During the quarterly event, groundwater samples were collected from four (4) monitor wells (MW-1 through MW-4) at the Northeast Drinkard Unit (NEDU) #829, 830, 922, 928, and 929 (Sites) located in Lea County, New Mexico. The legal description is Section 22, Township 21 South, Range 37 East. The geodetic coordinates are as follows:

| Site      | North (°) | West (°)    |
|-----------|-----------|-------------|
| NEDU #829 | 32.462947 | -103.151539 |
| NEDU #830 | 32.463967 | -103.155761 |
| NEDU #922 | 32.457803 | -103.151181 |
| NEDU #928 | 32.458019 | -103.155831 |
| NEDU #929 | 32.458022 | -103.151450 |

The NMOCD was notified via email on May 20, 2023, prior to the groundwater monitoring event. Figure 1 presents a topographic map. Figure 2 presents an aerial map. Figure 3 presents a site map. Appendix A presents the NMOCD communications.

### 2.1 Background

On April 6, 2001, the landowner reported to the NMOCD that an Apache contractor was closing drilling pits at the Sites by disposing pit fluid in open trenches adjacent to the drilling pits. Apache was notified and submitted the initial C-141 on April 23, 2001. NMOCD assigned the trenches remediation permit 1RP-313.

On April 23, 2001, Apache submitted a work plan for remediating the trenches. NMOCD approved the work plan on May 8, 2001. The work plan stated that the trenches at wells #829, #830 and #929 would be excavated to approximately 19 feet bgs and to approximately 13 feet bgs at #928. There is no evidence that the trench was excavated at #922. An Apache contractor collected bottom and composite samples from the excavations and found chloride above the remediation closure limits in all excavations. Total petroleum hydrocarbons (TPH) were reported above the NMOCD closure limits in the excavation at #928. No documentation is available in NMOCD files to confirm the remediation.

On October 31, 2019, Apache submitted an administrative summary and path forward for remediating and closing the trenches. The plan requested approval from the NMOCD for a variance to excavate soil to a depth of approximately four (4) feet bgs at each trench and install a 20-mil polyethylene liner in the bottom of the excavations. Additionally, Apache committed to installing monitoring wells hydraulically down gradient (east - southeast) approximately 50 feet from the trench. On May 19, 2021, the NMOCD

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

approved the administrative summary and path forward for remediation but stated that “preapproval for monitoring well locations on map before installation” was required. On July 14, 2021, NMOCD approved the monitor well locations. Appendix A presents the NMOCD communications.

## **3.0 GROUNDWATER INVESTIGATION**

### ***3.1 Monitoring Well Installations***

On July 19 and 20, 2021, Scarborough Drilling, Inc. (SDI), under the supervision of LAI, installed monitoring wells MW-1, MW-2, MW-3, and MW-4 utilizing an air rotary drill rig at locations specified in the New Mexico Office of the State Engineer (OSE) permits. The wells were completed in 5-inch diameter borings advanced between about 65 and 76 feet below ground surface (bgs). Monitoring wells MW-1, MW-2, MW-3, and MW-4 were completed at depths of 74.08, 74.86, 65.35 and 76.01 feet bgs, respectively. The monitoring wells are completed with a 2-inch schedule 40 threaded PVC casing and 20 feet of 0.010-inch factory slotted screen installed above and below the groundwater level observed during drilling. Graded silica sand is positioned around the well screens to a depth about 2 feet above the screen. Sodium bentonite chips extend around the PVC riser and above the sand to about 1-foot bgs. The wells are secured with locking steel sleeves anchored in concrete.

On July 27 through 30, 2021, the wells were developed by pumping with an electric submersible pump to remove sediment disturbed drilling and well installation. Approximately 40 gallons of water were removed from each well and disposed in 55-gallon drums.

West Company, a State of New Mexico licensed Professional Land Surveyor (PLS Number 23263) surveyed the monitoring wells for location and elevation including top of casing and natural ground surface. Figure 3 presents Site drawing showing the monitoring well locations. Table 1 presents the monitoring well completion and gauging summary. Appendix B presents the boring logs and well completion records.

## **4.0 GROUNDWATER MONITORING**

### ***4.1 Depth to Groundwater and Groundwater Potentiometric Surface Elevation***

On June 05, 2023, LAI personnel gauged monitoring wells MW-1 through MW-4 for depth to groundwater. Groundwater was gauged in monitoring well MW-1 (54.41 feet bgs), MW-2 (52.18 feet bgs), MW-3 (51.77 feet bgs), and MW-4 (40.63 feet bgs). The groundwater potentiometric surface elevation was recorded 3,371.31 feet above mean sea level (MSL) in well MW-4 (upgradient) and at 3,354.95 feet above MSL at well MW-3 (downgradient). The groundwater flow direction was from northwest to southeast at a gradient of about 0.013 ft/ft. Figure 4 presents the groundwater potentiometric surface map for June 05, 2023.

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

## **4.2 Groundwater Samples and Analysis**

On June 05, 2023, LAI personnel collected groundwater samples from monitoring wells MW-1 through MW-4, using the low stress or low flow method following EPA protocol (EQASOP-GW4, Revision 4, September 19, 2017) where an environmental pump is submerged near the middle of the water column and the well is pumped at a low flow rate until environmental parameters stabilize.

Samples were collected from the discharge of dedicated disposable Tygon® tubing. The tubing was discarded after each use and the pump was thoroughly cleaned with a solution of potable water and laboratory grade detergent (Alconox®) and rinsed with distilled water. The samples were transferred to labeled laboratory containers and delivered under chain of custody control and preservation to Euro-Xenco Laboratories (Xenco), a National Environmental Laboratory Accreditation Conference (NELAC) accredited laboratory, in Midland, Texas. A duplicate sample was collected from MW-2 for laboratory quality assurance and quality control (QA/QC).

Xenco analyzed the samples for benzene, toluene, ethylbenzene, xylene (BTEX) according to EPA SW-846 Method SW-8260D, total dissolved solids (TDS) by Method SM 2540C, and chloride by EPA Method 300. Table 2 presents the laboratory analytical summary. Appendix C presents the laboratory report.

### **4.2.1 Organic Analysis**

BTEX concentrations were below the laboratory analytical reporting limit (RL) and NMWQCC human health standards in all groundwater samples. The results are consistent with previous groundwater monitoring events.

### **4.2.2 Inorganic Analysis**

Chloride concentrations were reported below the NMWQCC domestic water quality standard of 250 mg/L in monitoring wells, MW-3 (151 mg/L), and MW-4 (194 mg/L). The chloride concentrations in the groundwater sample collected from monitoring well MW-1 (1,140 mg/L) and MW-2 (303 mg/L) were above the NMWQCC domestic water quality standard. The chloride concentration in the QA/QC sample (Dup-1) collected from monitoring well MW-2 was 242 mg/L and within 20.3 percent of the original chloride value for MW-2 (303 mg/L). No data exceptions were noted in the laboratory report case narratives. Figure 5 presents the chloride concentration map for June 05, 2023.

TDS concentrations were reported above the NMWQCC domestic water quality standard of 1,000 mg/L in groundwater samples collected from monitoring wells MW-1 (2,950 mg/L) and MW-2 (1,160 mg/L). TDS concentrations were below the NMWQCC domestic water quality standard in groundwater samples from MW-3 (778 mg/L) and MW-4 (864 mg/L). The TDS concentration in the QA/QC sample (Dup-1) collected from monitoring well MW-2 was reported 1,270 mg/L and within 8.7 percent of the original chloride value for MW-2 (1,160 mg/L). No data exceptions were noted in the laboratory case narratives. Figure 6 presents the TDS concentration map for June 05, 2023.

Tracking Number: nRM2031146817  
2023 Second (2<sup>nd</sup>) Quarter Groundwater Monitoring Report  
Lea County, New Mexico  
July 12, 2023

## 5.0 CONCLUSIONS

The following observations are documented in this report:

- Groundwater elevation ranged between 3,371.31 feet above MSL at well MW-4 (upgradient) and 3,354.95 (MSL) at well MW-3 (downgradient).
- The groundwater flow direction was from northwest to southeast at a gradient of about 0.013 feet per foot (ft/ft).
- BTEX concentrations were below the analytical method RL and NMWQCC human health standards in all groundwater samples collected from monitoring wells MW-1 through MW-4.
- Chloride concentrations were above the NMWQCC domestic water quality standard (250 mg/L) in samples from MW-1 (893 mg/L) and MW-2 (303 mg/L).
- Chloride concentrations were below the MNWQCC standard in samples from MW-3 (151 mg/L) and MW-4 (194 mg/L).
- TDS concentrations were above the NMWQCC domestic water quality standard (1,000 mg/L) in the groundwater samples MW-1 (2950 mg/L) and MW-2 (1160 mg/L) and below the MNWQCC standard in samples from MW-3 (778 mg/L) and MW-4 (864 mg/L).

## 6.0 RECOMMENDATIONS

Apache proposes the following:

- Continue groundwater monitoring on a quarterly (4 times per year).
- Gauge each well (MW-1 through MW-4) for depth to groundwater and collect groundwater samples from monitoring wells with sufficient groundwater during each quarterly event.
- Report the laboratory results to NMOCD in quarterly reports, unless significant changes in analyte concentrations are detected, at which time Apache will immediately report the results to NMOCD.
- Apache will provide notice to the NMOCD in Hobbs and Santa Fe, New Mexico, at least 7 working days prior to each monitoring event.

**Tables**

**Table 1  
1RP-313  
Monitoring Well Completion and Gauging Summary  
Apache Corporaion, NEDU Drill Pits  
Lea County, New Mexico**

| Well Information |              |                       |                          |                        | Groundwater Data              |                            |                       |                           |             |                           |                           |                            |                                   |
|------------------|--------------|-----------------------|--------------------------|------------------------|-------------------------------|----------------------------|-----------------------|---------------------------|-------------|---------------------------|---------------------------|----------------------------|-----------------------------------|
| Well No.         | Date Drilled | Well Depth (Feet TOC) | Drilled Depth (Feet BGS) | Well Diameter (Inches) | Surface Elevation (Feet AMSL) | Screen Interval (Feet BGS) | Casing Stickup (Feet) | TOC Elevation (Feet AMSL) | Date Gauged | Depth to Water (Feet TOC) | Depth to Water (Feet BGS) | Water Column Height (Feet) | Groundwater Elevation (Feet AMSL) |
| MW-1             | 07/19/2021   | 74.08                 | 71.08                    | 2                      | 3417.34                       | 70.85-50.85                | 3.00                  | 3,417.34                  | 07/29/2021  | 57.40                     | 54.40                     | 16.68                      | 3,359.94                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 11/08/2021  | 57.40                     | 54.40                     | 16.68                      | 3,359.94                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/02/2022  | 57.36                     | 54.36                     | 16.72                      | 3,359.98                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 05/24/2022  | 57.32                     | 54.32                     | 16.76                      | 3,360.02                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 08/17/2022  | 57.40                     | 54.40                     | 16.68                      | 3,359.94                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/10/2023  | 57.41                     | 54.41                     | 16.67                      | 3,359.93                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 06/05/2023  | 57.41                     | 54.41                     | 16.67                      | 3,359.93                          |
| MW-2             | 07/19/2021   | 74.86                 | 71.86                    | 2                      | 3408.43                       | 71.68-51.68                | 3.00                  | 3,411.66                  | 07/29/2021  | 54.81                     | 51.81                     | 20.05                      | 3,356.85                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 11/08/2021  | 54.85                     | 51.85                     | 20.01                      | 3,356.81                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/02/2022  | 54.91                     | 51.91                     | 19.95                      | 3,356.75                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 05/24/2022  | 54.91                     | 51.91                     | 19.95                      | 3,356.75                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 08/17/2022  | 55.04                     | 52.04                     | 19.82                      | 3,356.62                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/10/2023  | 55.18                     | 52.18                     | 19.68                      | 3,356.48                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 06/05/2023  | 55.25                     | 52.18                     | 19.61                      | 3,356.41                          |
| MW-3             | 07/20/2021   | 65.35                 | 62.75                    | 2                      | 3406.01                       | 65.15-45.15                | 2.60                  | 3,409.32                  | 07/29/2021  | 53.55                     | 50.95                     | 11.80                      | 3,355.77                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 11/08/2021  | 53.67                     | 51.07                     | 9.68                       | 3,355.65                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/02/2022  | 53.83                     | 51.23                     | 11.52                      | 3,355.49                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 05/24/2022  | 53.88                     | 51.28                     | 11.47                      | 3,355.44                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 08/17/2022  | 54.08                     | 51.48                     | 11.27                      | 3,355.24                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/10/2023  | 54.30                     | 51.70                     | 11.05                      | 3,355.02                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 06/05/2023  | 54.37                     | 51.77                     | 10.98                      | 3,354.95                          |
| MW-4             | 07/20/2021   | 76.01                 | 72.93                    | 2                      | 3412.51                       | 75.81-55.81                | 3.08                  | 3,415.02                  | 07/30/2021  | 44.38                     | 41.30                     | 31.63                      | 3,370.64                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 11/08/2021  | 43.44                     | 40.36                     | 32.57                      | 3,371.58                          |

**Table 1**  
**1RP-313**  
**Monitoring Well Completion and Gauging Summary**  
**Apache Corportaion, NEDU Drill Pits**  
**Lea County, New Mexico**

| Well Information |              |                       |                          |                        | Groundwater Data              |                            |                       |                           |             |                           |                           |                            |                                   |
|------------------|--------------|-----------------------|--------------------------|------------------------|-------------------------------|----------------------------|-----------------------|---------------------------|-------------|---------------------------|---------------------------|----------------------------|-----------------------------------|
| Well No.         | Date Drilled | Well Depth (Feet TOC) | Drilled Depth (Feet BGS) | Well Diameter (Inches) | Surface Elevation (Feet AMSL) | Screen Interval (Feet BGS) | Casing Stickup (Feet) | TOC Elevation (Feet AMSL) | Date Gauged | Depth to Water (Feet TOC) | Depth to Water (Feet BGS) | Water Column Height (Feet) | Groundwater Elevation (Feet AMSL) |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/02/2022  | 43.44                     | 40.36                     | 32.57                      | 3,371.58                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 05/24/2022  | 43.50                     | 40.42                     | 32.51                      | 3,371.52                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 08/17/2022  | 42.63                     | 39.55                     | 33.38                      | 3,372.39                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 03/10/2023  | 43.62                     | 40.54                     | 32.39                      | 3,371.40                          |
|                  |              |                       |                          |                        |                               |                            |                       |                           | 06/05/2023  | 43.71                     | 40.63                     | 32.30                      | 3,371.31                          |

Notes: monitoring wells installed by Environ-Drill, Albuquerque, New Mexico with 2 inch schedule 40 PVC casing and screen  
 bgs: below ground surface  
 TOC: top of casing  
 AMSL: denotes elevation in feet above mean sea level

**Table 2**  
**Groundwater Sample Analytical Data Summary**  
**Apache Corporation, NEDU #830, 922, 928, and 929**  
**Lea County, New Mexico**

| Sample                  | Collection | Benzene       | Toluene    | Ethylbenzene | Xylenes      | Chloride     | TDS            |
|-------------------------|------------|---------------|------------|--------------|--------------|--------------|----------------|
|                         | Date       | (mg/L)        | (mg/L)     | (mg/L)       | (mg/L)       | (mg/L)       | (mg/L)         |
| <i>NMWQCC Standard:</i> |            | <i>*0.005</i> | <i>* 1</i> | <i>*0.7</i>  | <i>*0.62</i> | <i>**250</i> | <i>**1,000</i> |
| MW-1<br>(NEDU #830)     | 07/29/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 446          | 2,510          |
|                         | 11/08/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 1,270        | 2,490          |
|                         | 03/02/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 1,250        | 2,500          |
|                         | 05/24/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 912          | 2,500          |
|                         | 08/17/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 1,070        | 2,670          |
|                         | 12/14/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 893          | 2,520          |
|                         | 03/10/2023 | <0.00100      | <0.00100   | <0.00100     | <0.00100     | 1210         | 2600           |
|                         | 06/05/2023 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 1140         | 2950           |
| MW-2<br>(NEDU #922)     | 07/29/2021 | 0.0391        | <0.00200   | <0.00219     | <0.00400     | 268          | 1,170          |
|                         | 11/08/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 279          | 1,100          |
|                         | 03/02/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 253          | 1,110          |
|                         | 05/24/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 200          | 1,100          |
|                         | 08/17/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 239          | 1,080          |
|                         | 12/14/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 167          | 983            |
|                         | 03/10/2023 | <0.00100      | <0.00100   | <0.00100     | <0.00100     | 282          | 1030           |
|                         | 06/05/2023 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 303          | 1160           |
| MW-3<br>(NEDU #929)     | 07/29/2021 | 0.00407       | <0.00200   | <0.00200     | <0.00400     | 128          | 663            |
|                         | 11/08/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 122          | 644            |
|                         | 03/02/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 114          | 664            |
|                         | 05/24/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 114          | 647            |
|                         | 08/17/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 111          | 645            |
|                         | 12/14/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 97.9         | 381            |
|                         | 03/10/2023 | <0.00100      | <0.00100   | <0.00100     | <0.00100     | 121          | 635            |
|                         | 06/05/2023 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 151          | 778            |
| MW-4<br>(NEDU #928)     | 07/30/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 559          | 1,030          |
|                         | 11/08/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 203          | 832            |
|                         | 03/02/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 182          | 836            |
|                         | 05/24/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 171          | 827            |
|                         | 08/17/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 165          | 797            |
|                         | 12/14/2022 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 134          | 327            |
|                         | 03/10/2023 | <0.00100      | <0.00100   | <0.00100     | <0.00100     | 176          | 810            |
|                         | 06/05/2023 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 194          | 864            |
| Dup-1 (MW-2)            | 07/29/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 244          | 1,160          |
| Dup-2 (MW-4)            | 07/30/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 235          | 1,030          |
| Dup-1 (MW-2)            | 11/08/2021 | <0.00200      | <0.00200   | <0.00200     | <0.00400     | 270          | 1,100          |

**Table 2**  
**Groundwater Sample Analytical Data Summary**  
**Apache Corporation, NEDU #830, 922, 928, and 929**  
**Lea County, New Mexico**

|              |            |          |          |          |          |     |       |
|--------------|------------|----------|----------|----------|----------|-----|-------|
| Dup-1 (MW-2) | 03/02/2022 | <0.00200 | <0.00200 | <0.00200 | <0.00400 | 268 | 1,090 |
| Dup-1 (MW-2) | 05/24/2022 | <0.00200 | <0.00200 | <0.00200 | <0.00400 | 189 | 1,100 |
| Dup-1 (MW-2) | 08/17/2022 | <0.00200 | <0.00200 | <0.00200 | <0.00400 | 246 | 1,090 |
| Dup-1 (MW-2) | 12/14/2022 | <0.00200 | <0.00200 | <0.00200 | <0.00400 | 171 | 1,100 |
| Dup-1 (MW-2) | 03/10/2023 | <0.00100 | <0.00100 | <0.00100 | <0.00100 | 217 | 1,000 |
| Dup-1 (MW-2) | 06/05/2023 | <0.00200 | <0.00200 | <0.00200 | <0.00400 | 242 | 1,270 |

**Notes:**

analysis performed by Xenco-Eurofins Laboratories, Midland, Texas by EPA SW-846 Method 8021B (BTEX), Method 300 (chloride), Method 2540C

All values reported in milligrams per liter (mg/L); equivalent to parts per million (ppm)



< - concentration is less than analytical method reporting limit (RL).

\* - NMWQCC human health standard

\*\* - NMWQCC domestic water quality standard

bgs - below ground surface


**Figures**



**Apache Corporation**  
 1RP-313 - NEDU 928, 929, 922, 829, 830 Drill P  
 Sec. 22, T. 21 S., R. 37 E.  
 Lea County, New Mexico  
 $32^{\circ} 27' 46.61''$ N  
 $103^{\circ} 09' 05.54''$ W

**Larson & Associates, Inc.**  
 Environmental Consultants

Figure 1 - Topographic Map




500 0 500  
Graphic Scale in Feet

**Apache Corporation**  
1RP-313 - NEDU 928, 929, 922, 829, 830 Drill  
Sec. 22, T. 21 S., R. 37 E.  
Lea County, New Mexico  
 $32^{\circ} 27' 46.61''N$   
 $103^{\circ} 09' 05.54''W$

**Larson & Associates, Inc.**  
Environmental Consultants

Figure 2 - Aerial Map




500 0 500  
Graphic Scale in Feet

**Apache Corporation**  
 1RP-313 - NEDU 928, 929, 922, 829, 830 Drill Pit  
 Sec. 22, T. 21 S., R. 37 E.  
 Lea County, New Mexico  
 32° 27' 46.61"N  
 103° 09' 05.54"W

**L**arson &  
 Associates, Inc.  
 Environmental Consultants

Figure 3 - Site Map



**Legend**


-  3359.93 MW-1 - Monitoring Well Location and Groundwater Potentiometric Surface Elevation, Feet AMSL, June 5, 2023
-  3350.00 - Contour of Groundwater Potentiometric Surface Elevation, Feet AMSL, June 5, 2023
-  - Groundwater Flow Direction

500 0 500  
Graphic Scale in Feet

**Apache Corporation**  
 1RP-313 - NEDU 928, 929, 922, 829, 830 Drill Pit  
 Sec. 22, T. 21 S., R. 37 E.  
 Lea County, New Mexico  
 32° 27' 46.61"N  
 103° 09' 05.54"W


**L**arson &  
**A**ssociates, Inc.  
 Environmental Consultants

Figure 4b - Groundwater Potentiometric Map, June 5, 2023



**Legend**


- 1140 MW-1 - Monitoring Well Location and Chloride Concentration in Groundwater, mg/L, June 5, 2023
- 303 MW-2 - Monitoring Well Location and Chloride Concentration in Groundwater, mg/L, June 5, 2023
- 194 MW-4 - Monitoring Well Location and Chloride Concentration in Groundwater, mg/L, June 5, 2023
- 151 MW-3 - Monitoring Well Location and Chloride Concentration in Groundwater, mg/L, June 5, 2023
- - Exceeds NMWQCC Domestic Water Quality Standard: 250 mg/L



**Apache Corporation**  
 1RP-313 - NEDU 928, 929, 922, 829, 830 Drill Pit  
 Sec. 22, T. 21 S., R. 37 E.  
 Lea County, New Mexico  
 32° 27' 46.61"N  
 103° 09' 05.54"W



Figure 5b - Chloride Concentration in Groundwater, June 5, 2023



**Legend**

- 2950 MW-1 - Monitoring Well Location and TDS Concentration in Groundwater, mg/L, June 5, 2023
- - NMWQCC Domestic Quality Standard: 1000 mg/L

500 0 500  
Graphic Scale in Feet

**Apache Corporation**  
1RP-313 - NEDU 928, 929, 922, 829, 830 Drill Pit  
Sec. 22, T. 21 S., R. 37 E.  
Lea County, New Mexico  
32° 27' 46.61"N  
103° 09' 05.54"W

**L**arson & Associates, Inc.  
Environmental Consultants

Figure 6b - TDS Concentration in Groundwater, June 5, 2023

**Appendix A**  
**NMOCD Communications**

## Daniel St. Germain

---

**From:** Robert Nelson  
**Sent:** Tuesday, May 30, 2023 11:54 AM  
**To:** Velez, Nelson, EMNRD; Bratcher, Michael, EMNRD  
**Cc:** 'Larry.Baker@apachecorp.com'; Mark Larson; Daniel St. Germain  
**Subject:** Apache Corp. NEDU 829, 830, 922, 928, & 929 (1RP-0313/nRM2031146817) Groundwater Sampling Notice

Hello Mr. Velez and Mr. Bratcher,

This message is submitted to the New Mexico Oil Conservation Division (OCD) on behalf of Apache Corporation to provide notice that personnel from Larson & Associates, Inc. (LAI) will be at the Northeast Drinkard Unit (NEDU) Wells 829, 830, 922, 928, & 929 (1RP-0313/nRM2031146817), on June 5, 2023, at approximately 09:00 mst for the purpose of collecting groundwater samples from monitoring wells per the OCD approved plans. Please feel free to contact Bruce Baker with Apache at (432) 215-2284 or [Larry.Baker@apache.com](mailto:Larry.Baker@apache.com), Mark Larson at (432) 687-0901 or [mark@laenvironmental.com](mailto:mark@laenvironmental.com), or me if you have any questions.

Thank you,


Robert Nelson  
Sr. Geologist  
Office – 432-687-0901  
Cell – 432-664-4804  
[rnelson@laenvironmental.com](mailto:rnelson@laenvironmental.com)



**Appendix B**  
**Monitoring Well Completion Records**

**BORING RECORD**

| GEOLOGIC UNIT | DEPTH | DESCRIPTION LITHOLOGIC  | DESCRIPTION USCS | GRAPHIC LOG           | Surface Elevation:<br>TOC Elevation: |          |       | REMARKS  |
|---------------|-------|---|------------------|-----------------------|--------------------------------------|----------|-------|--|
|               |       |   |                  |                       | NUMBER                               | RECOVERY | DEPTH |  |
|               | 0     |   |                  |                       |                                      |          |       | BACKGROUND PID READING<br>SOIL : _____ PPM<br>SOIL : _____ PPM |
|               | 0-5   | Sand, 10YR 5/6, Yellowish Brown, Fine Grained Quartz Sand, Well Sorted, Dry                 | SW               | [Graphic Log Pattern] |                                      |          |       |  |
|               | 5-10  | Silty Sand, 10YR 5/6, Yellowish Brown, Fine Grained Quartz Sand, Well Sorted, Dry           | SM               | [Graphic Log Pattern] |                                      |          |       |  |
|               | 10-15 | Sand, 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Dry, Poorly Sorted               | SW               | [Graphic Log Pattern] |                                      |          |       |  |
|               | 15-20 |   |                  |                       |                                      |          |       |  |
|               | 20-25 |   |                  |                       |                                      |          |       |  |
|               | 25-30 | Sand, 7.5YR 7/6, Reddish Brown, Fine Grained Quartz Sand, Dry, 4.75mm Clasts, Poorly Sorted | SW               | [Graphic Log Pattern] |                                      |          |       |  |
|               | 30-35 |   |                  |                       |                                      |          |       |  |
|               | 35-40 |   |                  |                       |                                      |          |       |  |
|               | 40-45 | Silty Sand, 7.5YR 8/6, Pink, Well Sorted, Fine Grained Quartz Sand, Dry                     | SM               | [Graphic Log Pattern] |                                      |          |       |  |
|               | 45-50 | 10 YR 7/6, Yellowish Brown, Fine Grained Quartz Sand, Well Sorted Dry                       |                  |                       |                                      |          |       |  |
|               | 50-55 | 10 YR 7/6, Yellowish Brown, Moderately Sorted, 2mm Quartz Clasts, Dry                       | SM               | [Graphic Log Pattern] |                                      |          |       |  |
|               | 55    | <b>Water Injected at 55'</b>  |                  |                       |                                      |          |       |  |
|               | 57.88 | 57.88 Depth to Water  |                  |                       |                                      |          |       |  |
|               | 60    |   |                  |                       |                                      |          |       |  |
|               | 65    |   |                  |                       |                                      |          |       |  |
|               | 70    |   |                  |                       |                                      |          |       |  |
|               | 70.85 | TD: 71.08'  |                  |                       |                                      |          |       |  |
|               | 71.08 |   |                  |                       |                                      |          |       |  |
|               | 75    |   |                  |                       |                                      |          |       |  |



57.88  
Depth to  
Water

57.88  
Depth  
to  
Water

Graded  
Silica Sand

2" Sch. 40  
PVC  
Threaded  
0.0.0" Slotted  
Screw

70.85  
71.08

Cap

- ONE CONTINUOUS AUGER SAMPLER
- STANDARD PENETRATION TEST
- UNDISTURBED SAMPLE
- WATER TABLE ( 24 HRS )
- WATER TABLE ( TIME OF BORING )
- LABORATORY TEST LOCATION
- PENETROMETER ( TONS/ SQ. FT )
- NR NO RECOVERY

JOB NUMBER : 19-0112-22/ Apache

HOLE DIAMETER : 5'

LOCATION : NEDU #830

LAI GEOLOGIST : R. Nelson

DRILLING CONTRACTOR : SDI

DRILLING METHOD : Air Rotary




DRILL DATE : 07/19/2021

BORING NUMBER : MW-1

**BORING RECORD**

| GEOLOGIC UNIT | DEPTH | DESCRIPTION LITHOLOGIC  | DESCRIPTION USCS | GRAPHIC LOG | Surface Elevation:<br>TOC Elevation: |          |       | REMARKS  |
|---------------|-------|---|------------------|-------------|--------------------------------------|----------|-------|--|
|               |       |   |                  |             | NUMBER                               | RECOVERY | DEPTH |  |
|               | 0     |   |                  |             |                                      |          |       | BACKGROUND PID READING<br>SOIL : _____ PPM<br>SOIL : _____ PPM |
|               | 0-5   | Sand, 7.5YR 4/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry                                   | SW               | [Pattern]   |                                      |          |       |  |
|               | 5-10  |   |                  |             |                                      |          |       |  |
|               | 10-15 | Silty Sand, 7.5YR 7/4, Pink, Fine Grained Quartz Sand, Moderately Sorted, Dry, Quartz Clasts 2mm            | SM               | [Pattern]   |                                      |          |       |  |
|               | 15-20 |   |                  |             |                                      |          |       |  |
|               | 20-25 | 7.5YR 6/6, Reddish Yellow, Fine Grained Quartz Sand, Moderately Sorted, Dry, Fine to Medium Quartz Clasts   |                  |             |                                      |          |       |  |
|               | 25-30 |   |                  |             |                                      |          |       |  |
|               | 30-35 | Sand, 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Dry  | SW               | [Pattern]   |                                      |          |       |  |
|               | 35-40 |   |                  |             |                                      |          |       |  |
|               | 40-45 | 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Quartz Clasts  |                  |             |                                      |          |       |  |
|               | 45-50 |   |                  |             |                                      |          |       |  |
|               | 50-55 | Silty Sand, 7.5YR 5/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry                             | SM               | [Pattern]   |                                      |          |       |  |
|               | 55-60 | 7.5YR 5/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry, Quartz Clasts Medium to Coarse Grained |                  |             |                                      |          |       |  |
|               | 60-65 | <b>Water Injected at 55'</b>  |                  |             |                                      |          |       |  |
|               | 65-70 |   |                  |             |                                      |          |       |  |
|               | 70-75 |   |                  |             |                                      |          |       |  |
|               |       | TD: 71.86'  |                  |             |                                      |          |       |  |

57.88  
Depth to  
Water



- ONE CONTINUOUS AUGER SAMPLER
- STANDARD PENETRATION TEST
- UNDISTURBED SAMPLE
- WATER TABLE ( 24 HRS )
- WATER TABLE ( TIME OF BORING )
- LABORATORY TEST LOCATION
- PENETROMETER ( TONS/ SQ. FT )
- NO RECOVERY

JOB NUMBER : 19-0112-22/ Apache  
 HOLE DIAMETER : 5'  
 LOCATION : NEDU #922  
 LAI GEOLOGIST : R. Nelson  
 DRILLING CONTRACTOR : SDI  
 DRILLING METHOD : Air Rotary



DRILL DATE : 07/19/2021  
 BORING NUMBER : MW-2

**BORING RECORD**

| GEOLOGIC UNIT | DEPTH | DESCRIPTION LITHOLOGIC  | DESCRIPTION USCS | GRAPHIC LOG | PID READING |   |   |   |    |    |    |    |    |                  |                  |  | SAMPLE |             |          | REMARKS |                        |       |  |
|---------------|-------|---|------------------|-------------|-------------|---|---|---|----|----|----|----|----|------------------|------------------|--|--------|-------------|----------|---------|------------------------|-------|--|
|               |       |   |                  |             | PPM X _____ |   |   |   |    |    |    |    |    |                  |                  |  | NUMBER | PID READING | RECOVERY | DEPTH   | BACKGROUND PID READING |       |  |
|               |       |   |                  |             | 2           | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 | SOIL : _____ PPM | SOIL : _____ PPM |  |        |             |          |         |                        |       |  |
|               | 0     | 2.5YR 4/6, Red, Fine Grained Quartz Rich Sand, Very Well Sorted, Well Rounded, Unconsolidated                           | SM               |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        | 1           |          | 5       | 13:50                  |       |  |
|               | 5     | Increase in Depth Lithology Remains Same Color Changes to 2.5YR 7/3 to 7/4 Light Reddish Brown at 13'                   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 2        |         | 10                     | 13:54 |  |
|               | 10    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 3        |         | 15                     | 13:58 |  |
|               | 15    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 4        |         | 20                     | 14:03 |  |
|               | 20    | 5YR 7/4, Pink, Fine to Medium Grained Quartz Rich Sand, Moderately Sorted, Rounded to Sub Rounded                       | SM               |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        | 5           |          | 25      | 14:10                  |       |  |
|               | 25    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 6        |         | 30                     | 14:13 |  |
|               | 30    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 7        |         | 35                     | 14:20 |  |
|               | 35    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 8        |         | 40                     | 14:22 |  |
|               | 40    | 7.5YR 9/2, Pale Yellowish Pink, Very Fine to Fine Grained Quartz Grained Sand, Well Sorted, Well Rounded to Sub Rounded | SM               |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        | 9           |          | 45      | 14:25                  |       |  |
|               | 45    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 10       |         | 50                     | 14:30 |  |
|               | 50    | 7.5YR 6/8, Reddish Yellow, Very Fine to Fine Grained Quartz Sand, Well Sorted, Well Rounded                             |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 11       |         | 55                     | 14:42 |  |
|               | 55    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             | 12       |         | 60                     | 14:44 |  |
|               | 60    |   |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  | 13     |             | 65       | 14:50   |                        |       |  |
|               | 65    | TD: 65.35'  |                  |             |             |   |   |   |    |    |    |    |    |                  |                  |  |        |             |          |         |                        |       |  |

Depth to Water: 53.71

- ONE CONTINUOUS AUGER SAMPLER
- STANDARD PENETRATION TEST
- UNDISTURBED SAMPLE
- WATER TABLE ( 24 HRS )
- WATER TABLE ( TIME OF BORING )
- LABORATORY TEST LOCATION
- PENETROMETER ( TONS/ SQ. FT )
- NO RECOVERY

JOB NUMBER : Apache/19-0112-22  
 HOLE DIAMETER : 5"  
 LOCATION : NEDU 929  
 LAI GEOLOGIST : T. Jackson  
 DRILLING CONTRACTOR : SDI  
 DRILLING METHOD : Air Rotary



DRILL DATE : 7/20/2021  
 BORING NUMBER : MW- 3

**BORING RECORD**

| GEOLOGIC UNIT | DEPTH | Start: 9:35<br>Finish: 12:10<br>DESCRIPTION LITHOLOGIC  | DESCRIPTION USCS  | GRAPHIC LOG | PID READING |   |   |   |    |    |    |    |    | SAMPLE |             |          | REMARKS |                        |                  |                  |  |  |
|---------------|-------|---|---|-------------|-------------|---|---|---|----|----|----|----|----|--------|-------------|----------|---------|------------------------|------------------|------------------|--|--|
|               |       |   |   |             | PPM X _____ |   |   |   |    |    |    |    |    | NUMBER | PID READING | RECOVERY | DEPTH   | BACKGROUND PID READING |                  |                  |  |  |
|               |       |   |   |             | 2           | 4 | 6 | 8 | 10 | 12 | 14 | 16 | 18 |        |             |          |         |                        | SOIL : _____ PPM | SOIL : _____ PPM |  |  |
|               | 0     | Sand, 2.5YR 4/6, Red, Fine Grained Quart Sand, Very Well Sorted, Well Rounded, Unconsolidated, Quartz Rich Sand   | SM  |             |             |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               | 5     |   |   |             |             |   |   |   |    |    |    |    | 1  |        | 5           | 9:38     |         |                        |                  |                  |  |  |
|               | 10    |   |   |             |             |   |   |   |    |    |    |    | 2  |        | 10          | 9:40     |         |                        |                  |                  |  |  |
|               | 15    |   | Sand, 2.5YR 7/4, Light Reddish Brown, Very Fine to Fine Grained Quartz Sand, Moderately Sorted, Sub Angular to Sub Rounded, with Depth Decrease in Grain Size and Becomes Well Sorted, Quartz Rich Sand |             | SM          |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               | 20    |   |   |             |             |   |   |   |    |    |    |    |    | 3      |             | 15       | 9:40    |                        |                  |                  |  |  |
|               | 25    |   |   |             |             |   |   |   |    |    |    |    |    | 4      |             | 20       | 9:42    |                        |                  |                  |  |  |
|               | 30    |   | 7.5YR 8/3, Pink, Fine to Medium Grained Quartz Sand, Sub Rounded to Sub Angular, Moderately Sorted, Quartz Rich Sand  |             | SM          |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               | 35    |   |   |             |             |   |   |   |    |    |    |    |    | 5      |             | 25       | 9:45    |                        |                  |                  |  |  |
|               | 40    |   |   |             |             |   |   |   |    |    |    |    |    | 6      |             | 30       | 10:30   |                        |                  |                  |  |  |
|               | 45    | 7.5YR 6/4, Light Brown, Fine Grained Quartz Sand, Well Sorted, Rounded to Sub Rounded, with Depth Increase in Consolidation and Cementation, Quartz Rich Sand                       | SM  |             |             |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               | 50    |   |   |             |             |   |   |   |    |    |    | 7  |    | 35     | 10:35       |          |         |                        |                  |                  |  |  |
|               | 55    |   |   |             |             |   |   |   |    |    |    | 8  |    | 40     | 10:38       |          |         |                        |                  |                  |  |  |
|               | 60    | 7.5YR 7/4, Light Reddish Brown, Poorly Sorted, Fine to Coarse Grained Quartz Sand, Rounded to Angular, Very Consolidated with Red Sandstone Fragments in Cuttings, Quartz Rich Sand | SM  |             |             |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               | 65    |   |   |             |             |   |   |   |    |    |    | 9  |    | 45     | 11:14       |          |         |                        |                  |                  |  |  |
|               | 70    |   |   |             |             |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               | 75    |   |   |             |             |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |
|               |       | TD: 76.01   |   |             |             |   |   |   |    |    |    |    |    |        |             |          |         |                        |                  |                  |  |  |

Depth to Water:  
41.05

- ONE CONTINUOUS AUGER SAMPLER
- STANDARD PENETRATION TEST
- UNDISTURBED SAMPLE
- WATER TABLE ( 24 HRS )
- WATER TABLE ( TIME OF BORING )
- LABORATORY TEST LOCATION
- PENETROMETER ( TONS/ SQ. FT )
- NO RECOVERY

JOB NUMBER : Apache/ 19-0112-22  
 HOLE DIAMETER : 5"  
 LOCATION : NEDU 928  
 LAI GEOLOGIST : T. Jackson  
 DRILLING CONTRACTOR : SDI  
 DRILLING METHOD : Air Rotary



DRILL DATE : 7/20/2021

BORING NUMBER : MW-4

**Appendix C**  
**Laboratory Report**



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

# ANALYTICAL REPORT

## PREPARED FOR

Attn: Mr. Mark J Larson  
Larson & Associates, Inc.  
507 N Marienfeld  
Suite 202  
Midland, Texas 79701

Generated 6/15/2023 1:39:25 PM

## JOB DESCRIPTION

NEDU Pits  
SDG NUMBER 19-0112-22

## JOB NUMBER

880-29214-1

Eurofins Midland  
1211 W. Florida Ave  
Midland TX 79701



# Eurofins Midland

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

## Authorization



Generated  
6/15/2023 1:39:25 PM

Authorized for release by  
Holly Taylor, Project Manager  
[Holly.Taylor@et.eurofinsus.com](mailto:Holly.Taylor@et.eurofinsus.com)  
(806)794-1296

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Laboratory Job ID: 880-29214-1  
SDG: 19-0112-22

# Table of Contents

|                                  |    |
|----------------------------------|----|
| Cover Page . . . . .             | 1  |
| Table of Contents . . . . .      | 3  |
| Definitions/Glossary . . . . .   | 4  |
| Case Narrative . . . . .         | 5  |
| Client Sample Results . . . . .  | 6  |
| Surrogate Summary . . . . .      | 9  |
| QC Sample Results . . . . .      | 10 |
| QC Association Summary . . . . . | 12 |
| Lab Chronicle . . . . .          | 13 |
| Certification Summary . . . . .  | 15 |
| Method Summary . . . . .         | 16 |
| Sample Summary . . . . .         | 17 |
| Chain of Custody . . . . .       | 18 |
| Receipt Checklists . . . . .     | 19 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

## Definitions/Glossary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

## Qualifiers

## GC VOA

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## HPLC/IC

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## General Chemistry

| Qualifier | Qualifier Description                                    |
|-----------|--|
| U         | Indicates the analyte was analyzed for but not detected. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| α              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

### Case Narrative

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

**Job ID: 880-29214-1**

**Laboratory: Eurofins Midland**

**Narrative**

**Job Narrative**  
**880-29214-1**

**Receipt**

The samples were received on 6/7/2023 8:34 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.0°C

**GC VOA**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**HPLC/IC**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

**General Chemistry**

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Client Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

**Client Sample ID: MW-3**

**Lab Sample ID: 880-29214-1**

Date Collected: 06/05/23 10:33

Matrix: Water

Date Received: 06/07/23 08:34

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

| Analyte        | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Benzene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:26 | 1       |
| Toluene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:26 | 1       |
| Ethylbenzene   | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:26 | 1       |
| m,p-Xylenes    | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 13:26 | 1       |
| o-Xylene       | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:26 | 1       |
| Xylenes, Total | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 13:26 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 86        |           | 70 - 130 |          | 06/14/23 13:26 | 1       |
| 1,4-Difluorobenzene (Surr)  | 97        |           | 70 - 130 |          | 06/14/23 13:26 | 1       |

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

| Analyte    | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Total BTEX | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/15/23 10:36 | 1       |

**Method: EPA 300.0 - Anions, Ion Chromatography**

| Analyte  | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|---|----------|----------------|---------|
| Chloride | 151    |           | 2.50 | mg/L |   |          | 06/09/23 13:17 | 5       |

**General Chemistry**

| Analyte                           | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------------|--------|-----------|------|------|---|----------|----------------|---------|
| Total Dissolved Solids (SM 2540C) | 778    |           | 50.0 | mg/L |   |          | 06/08/23 11:16 | 1       |

**Client Sample ID: MW-4**

**Lab Sample ID: 880-29214-2**

Date Collected: 06/05/23 11:10

Matrix: Water

Date Received: 06/07/23 08:34

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

| Analyte        | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Benzene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:47 | 1       |
| Toluene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:47 | 1       |
| Ethylbenzene   | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:47 | 1       |
| m,p-Xylenes    | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 13:47 | 1       |
| o-Xylene       | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 13:47 | 1       |
| Xylenes, Total | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 13:47 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 86        |           | 70 - 130 |          | 06/14/23 13:47 | 1       |
| 1,4-Difluorobenzene (Surr)  | 100       |           | 70 - 130 |          | 06/14/23 13:47 | 1       |

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

| Analyte    | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Total BTEX | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/15/23 10:36 | 1       |

**Method: EPA 300.0 - Anions, Ion Chromatography**

| Analyte  | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|---|----------|----------------|---------|
| Chloride | 194    |           | 2.50 | mg/L |   |          | 06/09/23 13:23 | 5       |

**General Chemistry**

| Analyte                           | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------------|--------|-----------|------|------|---|----------|----------------|---------|
| Total Dissolved Solids (SM 2540C) | 864    |           | 50.0 | mg/L |   |          | 06/08/23 11:16 | 1       |

Eurofins Midland

### Client Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

**Client Sample ID: MW-2**

**Lab Sample ID: 880-29214-3**

Date Collected: 06/05/23 11:45

Matrix: Water

Date Received: 06/07/23 08:34

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

| Analyte        | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Benzene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:07 | 1       |
| Toluene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:07 | 1       |
| Ethylbenzene   | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:07 | 1       |
| m,p-Xylenes    | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 14:07 | 1       |
| o-Xylene       | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:07 | 1       |
| Xylenes, Total | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 14:07 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 91        |           | 70 - 130 |          | 06/14/23 14:07 | 1       |
| 1,4-Difluorobenzene (Surr)  | 101       |           | 70 - 130 |          | 06/14/23 14:07 | 1       |

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

| Analyte    | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Total BTEX | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/15/23 10:36 | 1       |

**Method: EPA 300.0 - Anions, Ion Chromatography**

| Analyte  | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|---|----------|----------------|---------|
| Chloride | 303    |           | 5.00 | mg/L |   |          | 06/09/23 13:28 | 10      |

**General Chemistry**

| Analyte                           | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------------|--------|-----------|------|------|---|----------|----------------|---------|
| Total Dissolved Solids (SM 2540C) | 1160   |           | 50.0 | mg/L |   |          | 06/08/23 11:16 | 1       |

**Client Sample ID: MW-1**

**Lab Sample ID: 880-29214-4**

Date Collected: 06/05/23 12:30

Matrix: Water

Date Received: 06/07/23 08:34

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

| Analyte        | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Benzene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:28 | 1       |
| Toluene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:28 | 1       |
| Ethylbenzene   | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:28 | 1       |
| m,p-Xylenes    | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 14:28 | 1       |
| o-Xylene       | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:28 | 1       |
| Xylenes, Total | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 14:28 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 84        |           | 70 - 130 |          | 06/14/23 14:28 | 1       |
| 1,4-Difluorobenzene (Surr)  | 99        |           | 70 - 130 |          | 06/14/23 14:28 | 1       |

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

| Analyte    | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Total BTEX | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/15/23 10:36 | 1       |

**Method: EPA 300.0 - Anions, Ion Chromatography**

| Analyte  | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|---|----------|----------------|---------|
| Chloride | 1140   |           | 10.0 | mg/L |   |          | 06/09/23 13:33 | 20      |

**General Chemistry**

| Analyte                           | Result | Qualifier | RL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------------|--------|-----------|-----|------|---|----------|----------------|---------|
| Total Dissolved Solids (SM 2540C) | 2950   |           | 200 | mg/L |   |          | 06/08/23 11:16 | 1       |

Eurofins Midland

### Client Sample Results

Client: Larson & Associates, Inc.  
 Project/Site: NEDU Pits

Job ID: 880-29214-1  
 SDG: 19-0112-22

**Client Sample ID: Dup-1**

**Lab Sample ID: 880-29214-5**

Date Collected: 06/05/23 00:00

Matrix: Water

Date Received: 06/07/23 08:34

**Method: SW846 8021B - Volatile Organic Compounds (GC)**

| Analyte        | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Benzene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:48 | 1       |
| Toluene        | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:48 | 1       |
| Ethylbenzene   | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:48 | 1       |
| m,p-Xylenes    | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 14:48 | 1       |
| o-Xylene       | <0.00200 | U         | 0.00200 | mg/L |   |          | 06/14/23 14:48 | 1       |
| Xylenes, Total | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/14/23 14:48 | 1       |

| Surrogate                   | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|-----------|-----------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 92        |           | 70 - 130 |          | 06/14/23 14:48 | 1       |
| 1,4-Difluorobenzene (Surr)  | 101       |           | 70 - 130 |          | 06/14/23 14:48 | 1       |

**Method: TAL SOP Total BTEX - Total BTEX Calculation**

| Analyte    | Result   | Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------|----------|-----------|---------|------|---|----------|----------------|---------|
| Total BTEX | <0.00400 | U         | 0.00400 | mg/L |   |          | 06/15/23 10:36 | 1       |

**Method: EPA 300.0 - Anions, Ion Chromatography**

| Analyte  | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|--------|-----------|------|------|---|----------|----------------|---------|
| Chloride | 242    |           | 5.00 | mg/L |   |          | 06/09/23 13:49 | 10      |

**General Chemistry**

| Analyte                           | Result | Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|-----------------------------------|--------|-----------|------|------|---|----------|----------------|---------|
| Total Dissolved Solids (SM 2540C) | 1270   |           | 50.0 | mg/L |   |          | 06/08/23 11:16 | 1       |

### Surrogate Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

**Method: 8021B - Volatile Organic Compounds (GC)**

**Matrix: Water**

**Prep Type: Total/NA**

**Percent Surrogate Recovery (Acceptance Limits)**

| Lab Sample ID    | Client Sample ID       | BFB1     | DFBZ1    |
|------------------|------------------------|----------|----------|
|                  |                        | (70-130) | (70-130) |
| 880-29214-1      | MW-3                   | 86       | 97       |
| 880-29214-2      | MW-4                   | 86       | 100      |
| 880-29214-3      | MW-2                   | 91       | 101      |
| 880-29214-4      | MW-1                   | 84       | 99       |
| 880-29214-5      | Dup-1                  | 92       | 101      |
| LCS 880-55462/3  | Lab Control Sample     | 97       | 100      |
| LCSD 880-55462/4 | Lab Control Sample Dup | 95       | 104      |
| MB 880-55462/8   | Method Blank           | 89       | 123      |

**Surrogate Legend**

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### QC Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

#### Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-55462/8  
Matrix: Water  
Analysis Batch: 55462

Client Sample ID: Method Blank  
Prep Type: Total/NA

| Analyte        | MB Result | MB Qualifier | RL      | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|-----------|--------------|---------|------|---|----------|----------------|---------|
| Benzene        | <0.00200  | U            | 0.00200 | mg/L |   |          | 06/14/23 11:56 | 1       |
| Toluene        | <0.00200  | U            | 0.00200 | mg/L |   |          | 06/14/23 11:56 | 1       |
| Ethylbenzene   | <0.00200  | U            | 0.00200 | mg/L |   |          | 06/14/23 11:56 | 1       |
| m,p-Xylenes    | <0.00400  | U            | 0.00400 | mg/L |   |          | 06/14/23 11:56 | 1       |
| o-Xylene       | <0.00200  | U            | 0.00200 | mg/L |   |          | 06/14/23 11:56 | 1       |
| Xylenes, Total | <0.00400  | U            | 0.00400 | mg/L |   |          | 06/14/23 11:56 | 1       |

| Surrogate                   | MB %Recovery | MB Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|-----------------------------|--------------|--------------|----------|----------|----------------|---------|
| 4-Bromofluorobenzene (Surr) | 89           |              | 70 - 130 |          | 06/14/23 11:56 | 1       |
| 1,4-Difluorobenzene (Surr)  | 123          |              | 70 - 130 |          | 06/14/23 11:56 | 1       |

Lab Sample ID: LCS 880-55462/3  
Matrix: Water  
Analysis Batch: 55462

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

| Analyte      | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|--------------|-------------|------------|---------------|------|---|------|-------------|
| Benzene      | 0.100       | 0.1098     |               | mg/L |   | 110  | 70 - 130    |
| Toluene      | 0.100       | 0.1217     |               | mg/L |   | 122  | 70 - 130    |
| Ethylbenzene | 0.100       | 0.09921    |               | mg/L |   | 99   | 70 - 130    |
| m,p-Xylenes  | 0.200       | 0.1883     |               | mg/L |   | 94   | 70 - 130    |
| o-Xylene     | 0.100       | 0.09012    |               | mg/L |   | 90   | 70 - 130    |

| Surrogate                   | LCS %Recovery | LCS Qualifier | Limits   |
|-----------------------------|---------------|---------------|----------|
| 4-Bromofluorobenzene (Surr) | 97            |               | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 100           |               | 70 - 130 |

Lab Sample ID: LCSD 880-55462/4  
Matrix: Water  
Analysis Batch: 55462

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

| Analyte      | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | Limit |
|--------------|-------------|-------------|----------------|------|---|------|-------------|-----|-------|
| Benzene      | 0.100       | 0.1222      |                | mg/L |   | 122  | 70 - 130    | 11  | 20    |
| Toluene      | 0.100       | 0.1153      |                | mg/L |   | 115  | 70 - 130    | 5   | 20    |
| Ethylbenzene | 0.100       | 0.09768     |                | mg/L |   | 98   | 70 - 130    | 2   | 20    |
| m,p-Xylenes  | 0.200       | 0.1857      |                | mg/L |   | 93   | 70 - 130    | 1   | 20    |
| o-Xylene     | 0.100       | 0.08447     |                | mg/L |   | 84   | 70 - 130    | 6   | 20    |

| Surrogate                   | LCSD %Recovery | LCSD Qualifier | Limits   |
|-----------------------------|----------------|----------------|----------|
| 4-Bromofluorobenzene (Surr) | 95             |                | 70 - 130 |
| 1,4-Difluorobenzene (Surr)  | 104            |                | 70 - 130 |

### QC Sample Results

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

#### Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-55138/3  
Matrix: Water  
Analysis Batch: 55138

Client Sample ID: Method Blank  
Prep Type: Total/NA

| Analyte  | MB Result | MB Qualifier | RL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------|-----------|--------------|-------|------|---|----------|----------------|---------|
| Chloride | <0.500    | U            | 0.500 | mg/L |   |          | 06/09/23 12:45 | 1       |

Lab Sample ID: LCS 880-55138/4  
Matrix: Water  
Analysis Batch: 55138

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

| Analyte  | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|----------|-------------|------------|---------------|------|---|------|-------------|
| Chloride | 25.0        | 25.34      |               | mg/L |   | 101  | 90 - 110    |

Lab Sample ID: LCSD 880-55138/5  
Matrix: Water  
Analysis Batch: 55138

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

| Analyte  | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|----------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| Chloride | 25.0        | 25.72       |                | mg/L |   | 103  | 90 - 110    | 1   | 20        |

#### Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 880-55032/1  
Matrix: Water  
Analysis Batch: 55032

Client Sample ID: Method Blank  
Prep Type: Total/NA

| Analyte                | MB Result | MB Qualifier | RL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------|-----------|--------------|------|------|---|----------|----------------|---------|
| Total Dissolved Solids | <25.0     | U            | 25.0 | mg/L |   |          | 06/08/23 11:16 | 1       |

Lab Sample ID: LCS 880-55032/2  
Matrix: Water  
Analysis Batch: 55032

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

| Analyte                | Spike Added | LCS Result | LCS Qualifier | Unit | D | %Rec | %Rec Limits |
|------------------------|-------------|------------|---------------|------|---|------|-------------|
| Total Dissolved Solids | 1000        | 1160       |               | mg/L |   | 116  | 80 - 120    |

Lab Sample ID: LCSD 880-55032/3  
Matrix: Water  
Analysis Batch: 55032

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

| Analyte                | Spike Added | LCSD Result | LCSD Qualifier | Unit | D | %Rec | %Rec Limits | RPD | RPD Limit |
|------------------------|-------------|-------------|----------------|------|---|------|-------------|-----|-----------|
| Total Dissolved Solids | 1000        | 1098        |                | mg/L |   | 110  | 80 - 120    | 5   | 10        |

## QC Association Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU PitsJob ID: 880-29214-1  
SDG: 19-0112-22

## GC VOA

## Analysis Batch: 55462

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-29214-1      | MW-3                   | Total/NA  | Water  | 8021B  |            |
| 880-29214-2      | MW-4                   | Total/NA  | Water  | 8021B  |            |
| 880-29214-3      | MW-2                   | Total/NA  | Water  | 8021B  |            |
| 880-29214-4      | MW-1                   | Total/NA  | Water  | 8021B  |            |
| 880-29214-5      | Dup-1                  | Total/NA  | Water  | 8021B  |            |
| MB 880-55462/8   | Method Blank           | Total/NA  | Water  | 8021B  |            |
| LCS 880-55462/3  | Lab Control Sample     | Total/NA  | Water  | 8021B  |            |
| LCSD 880-55462/4 | Lab Control Sample Dup | Total/NA  | Water  | 8021B  |            |

## Analysis Batch: 55567

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method     | Prep Batch |
|---------------|------------------|-----------|--------|------------|------------|
| 880-29214-1   | MW-3             | Total/NA  | Water  | Total BTEX |            |
| 880-29214-2   | MW-4             | Total/NA  | Water  | Total BTEX |            |
| 880-29214-3   | MW-2             | Total/NA  | Water  | Total BTEX |            |
| 880-29214-4   | MW-1             | Total/NA  | Water  | Total BTEX |            |
| 880-29214-5   | Dup-1            | Total/NA  | Water  | Total BTEX |            |

## HPLC/IC

## Analysis Batch: 55138

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method | Prep Batch |
|------------------|------------------------|-----------|--------|--------|------------|
| 880-29214-1      | MW-3                   | Total/NA  | Water  | 300.0  |            |
| 880-29214-2      | MW-4                   | Total/NA  | Water  | 300.0  |            |
| 880-29214-3      | MW-2                   | Total/NA  | Water  | 300.0  |            |
| 880-29214-4      | MW-1                   | Total/NA  | Water  | 300.0  |            |
| 880-29214-5      | Dup-1                  | Total/NA  | Water  | 300.0  |            |
| MB 880-55138/3   | Method Blank           | Total/NA  | Water  | 300.0  |            |
| LCS 880-55138/4  | Lab Control Sample     | Total/NA  | Water  | 300.0  |            |
| LCSD 880-55138/5 | Lab Control Sample Dup | Total/NA  | Water  | 300.0  |            |

## General Chemistry

## Analysis Batch: 55032

| Lab Sample ID    | Client Sample ID       | Prep Type | Matrix | Method   | Prep Batch |
|------------------|------------------------|-----------|--------|----------|------------|
| 880-29214-1      | MW-3                   | Total/NA  | Water  | SM 2540C |            |
| 880-29214-2      | MW-4                   | Total/NA  | Water  | SM 2540C |            |
| 880-29214-3      | MW-2                   | Total/NA  | Water  | SM 2540C |            |
| 880-29214-4      | MW-1                   | Total/NA  | Water  | SM 2540C |            |
| 880-29214-5      | Dup-1                  | Total/NA  | Water  | SM 2540C |            |
| MB 880-55032/1   | Method Blank           | Total/NA  | Water  | SM 2540C |            |
| LCS 880-55032/2  | Lab Control Sample     | Total/NA  | Water  | SM 2540C |            |
| LCSD 880-55032/3 | Lab Control Sample Dup | Total/NA  | Water  | SM 2540C |            |

### Lab Chronicle

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

**Client Sample ID: MW-3**

**Lab Sample ID: 880-29214-1**

Date Collected: 06/05/23 10:33

Matrix: Water

Date Received: 06/07/23 08:34

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 55462        | 06/14/23 13:26       | AJ      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 55567        | 06/15/23 10:36       | AJ      | EET MID |
| Total/NA  | Analysis   | 300.0        |     | 5          |                |              | 55138        | 06/09/23 13:17       | CH      | EET MID |
| Total/NA  | Analysis   | SM 2540C     |     | 1          | 100 mL         | 200 mL       | 55032        | 06/08/23 11:16       | CH      | EET MID |

**Client Sample ID: MW-4**

**Lab Sample ID: 880-29214-2**

Date Collected: 06/05/23 11:10

Matrix: Water

Date Received: 06/07/23 08:34

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 55462        | 06/14/23 13:47       | AJ      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 55567        | 06/15/23 10:36       | AJ      | EET MID |
| Total/NA  | Analysis   | 300.0        |     | 5          |                |              | 55138        | 06/09/23 13:23       | CH      | EET MID |
| Total/NA  | Analysis   | SM 2540C     |     | 1          | 100 mL         | 200 mL       | 55032        | 06/08/23 11:16       | CH      | EET MID |

**Client Sample ID: MW-2**

**Lab Sample ID: 880-29214-3**

Date Collected: 06/05/23 11:45

Matrix: Water

Date Received: 06/07/23 08:34

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 55462        | 06/14/23 14:07       | AJ      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 55567        | 06/15/23 10:36       | AJ      | EET MID |
| Total/NA  | Analysis   | 300.0        |     | 10         |                |              | 55138        | 06/09/23 13:28       | CH      | EET MID |
| Total/NA  | Analysis   | SM 2540C     |     | 1          | 100 mL         | 200 mL       | 55032        | 06/08/23 11:16       | CH      | EET MID |

**Client Sample ID: MW-1**

**Lab Sample ID: 880-29214-4**

Date Collected: 06/05/23 12:30

Matrix: Water

Date Received: 06/07/23 08:34

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 55462        | 06/14/23 14:28       | AJ      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 55567        | 06/15/23 10:36       | AJ      | EET MID |
| Total/NA  | Analysis   | 300.0        |     | 20         |                |              | 55138        | 06/09/23 13:33       | CH      | EET MID |
| Total/NA  | Analysis   | SM 2540C     |     | 1          | 25 mL          | 200 mL       | 55032        | 06/08/23 11:16       | CH      | EET MID |

**Client Sample ID: Dup-1**

**Lab Sample ID: 880-29214-5**

Date Collected: 06/05/23 00:00

Matrix: Water

Date Received: 06/07/23 08:34

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8021B        |     | 1          | 5 mL           | 5 mL         | 55462        | 06/14/23 14:48       | AJ      | EET MID |
| Total/NA  | Analysis   | Total BTEX   |     | 1          |                |              | 55567        | 06/15/23 10:36       | AJ      | EET MID |
| Total/NA  | Analysis   | 300.0        |     | 10         |                |              | 55138        | 06/09/23 13:49       | CH      | EET MID |
| Total/NA  | Analysis   | SM 2540C     |     | 1          | 100 mL         | 200 mL       | 55032        | 06/08/23 11:16       | CH      | EET MID |

Eurofins Midland

### Lab Chronicle

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Accreditation/Certification Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

#### Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| Texas     | NELAP   | T104704400-22-25      | 06-30-23        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix | Analyte    |
|-----------------|-------------|--------|------------|
| Total BTEX      |             | Water  | Total BTEX |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

### Method Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

| Method     | Method Description              | Protocol | Laboratory |
|------------|---------------------------------|----------|------------|
| 8021B      | Volatile Organic Compounds (GC) | SW846    | EET MID    |
| Total BTEX | Total BTEX Calculation          | TAL SOP  | EET MID    |
| 300.0      | Anions, Ion Chromatography      | EPA      | EET MID    |
| SM 2540C   | Solids, Total Dissolved (TDS)   | SM       | EET MID    |
| 5030B      | Purge and Trap                  | SW846    | EET MID    |

**Protocol References:**

EPA = US Environmental Protection Agency

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

**Laboratory References:**

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



### Sample Summary

Client: Larson & Associates, Inc.  
Project/Site: NEDU Pits

Job ID: 880-29214-1  
SDG: 19-0112-22

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       |
|---------------|------------------|--------|----------------|----------------|
| 880-29214-1   | MW-3             | Water  | 06/05/23 10:33 | 06/07/23 08:34 |
| 880-29214-2   | MW-4             | Water  | 06/05/23 11:10 | 06/07/23 08:34 |
| 880-29214-3   | MW-2             | Water  | 06/05/23 11:45 | 06/07/23 08:34 |
| 880-29214-4   | MW-1             | Water  | 06/05/23 12:30 | 06/07/23 08:34 |
| 880-29214-5   | Dup-1            | Water  | 06/05/23 00:00 | 06/07/23 08:34 |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



### Login Sample Receipt Checklist

Client: Larson & Associates, Inc.

Job Number: 880-29214-1

SDG Number: 19-0112-22

**Login Number: 29214**

**List Number: 1**

**Creator: Rodriguez, Leticia**

**List Source: Eurofins Midland**

| Question   | Answer | Comment |
|--|--------|---------|
| The cooler's custody seal, if present, is intact.                                | N/A    |         |
| Sample custody seals, if present, are intact.                                    | N/A    |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.  | True   |         |
| Cooler Temperature is acceptable.  | True   |         |
| Cooler Temperature is recorded.  | True   |         |
| COC is present.  | True   |         |
| COC is filled out in ink and legible.  | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the containers received and the COC.          | True   |         |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |         |
| Sample containers have legible labels.   | True   |         |
| Containers are not broken or leaking.  | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.  | True   |         |
| Sample bottles are completely filled.  | True   |         |
| Sample Preservation Verified.  | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |         |

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(575) 393-6161 Fax:(575) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(575) 748-1283 Fax:(575) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
 Action 373815

**CONDITIONS**

|   |  |
|---|--|
| Operator:<br>APACHE CORPORATION<br>303 Veterans Airpark Ln<br>Midland, TX 79705 | OGRID:<br>873  |
|   | Action Number:<br>373815   |
|   | Action Type:<br>[UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT) |

**CONDITIONS**

| Created By       | Condition  | Condition Date |
|------------------|--|----------------|
| michael.buchanan | Apache - NEDU 829, 830, 922, 929, 2023 Second Quarter Groundwater Monitoring Report for calendar year 2023, accepted for the record. Submitted by Apache on 08/14/2024. App ID: 373815 | 8/28/2024      |