

September 1,
2022

nRM2031146817

**2022 Third (3rd) Quarter Groundwater Monitoring Report
Northeast Drinkard Unit (NEDU) #829, #830, #922, #928, and #929
Lea County, New Mexico**

Prepared for:



303 Veterans Airpark Lance
Midland, TX 79701

Prepared by:



507 North Marienfeld Street, Suite 202
Midland, Texas 79701
(432) 687-0901

A handwritten signature in black ink, appearing to read "Mark J. Larson".

Mark J. Larson
Certified Professional Geologist #10490



A handwritten signature in black ink, appearing to read "Daniel St. Germain".

Daniel St. Germain
Staff Geologist

LAI Project No: 19-0112-38

This Page Intentionally Left Blank

nRM2031146817
2022 Third (3rd) Quarter Groundwater Monitoring Report
Lea County, New Mexico
September 1, 2022

Contents

1.0 EXECUTIVE SUMMARY	1
2.0 INTRODUCTON	3
2.1 Background	3
3.0 GROUNDWATER INVESTIGATION	4
3.1 Monitoring Well Installation	4
4.0 GROUNDWATER MONITORING	4
4.1 Depth to Groundwater and Groundwater Potentiometric Surface Elevation	4
4.2 Groundwater Samples and Analysis.....	5
4.2.1 Organic Analysis	5
4.2.2 Inorganic Analysis	5
5.0 CONCLUSIONS.....	6
6.0 RECOMMENDATIONS.....	6

List of Tables

Table 1	Monitor Well Completion and Gauging Summary
Table 2	Groundwater Analytical Data Summary

List of Figures

Figure 1	Topographic Map
Figure 2	Aerial Map
Figure 3	Site Map
Figure 4	Groundwater Potentiometric Map, August 17, 2022
Figure 5	Chloride Concentration in Groundwater, August 17, 2022
Figure 6	TDS Concentration in Groundwater, August 17, 2022

List of Appendices

Appendix A	NMOCD Communications
Appendix B	Monitoring Well Completion Records
Appendix C	Laboratory Report

nRM2031146817

2022 Third (3rd) Quarter Groundwater Monitoring Report

Lea County, New Mexico

September 1, 2022

1.0 EXECUTIVE SUMMARY

Larson & Associates, Inc. (LAI) has prepared this report on behalf of the Apache Corporation (Apache) for submittal to the New Mexico Oil Conservation Division (NMOCD) District I in Hobbs and Santa Fe, New Mexico. This report presents 2022 third (3rd) quarter (July-September) groundwater monitoring results for the Northeast Drinkard Unit (NEDU) #829, 830, 922, 928, and 929 (Sites). The Sites are located in Section 22, Township 21 South, Range 37 East, in Lea County, New Mexico. The approximate geodetic position is North 32.46294° and West -103.15153°.

The following activities occurred on August 17, 2022:

- Gauged depth to groundwater and collected groundwater samples from monitoring wells MW-1 through MW-4.
- Analyzed groundwater samples for benzene, toluene, ethylbenzene, and xylenes (BTEX), chloride, and total dissolved solids (TDS).

The following observations are documented in this report:

- Depth to groundwater ranged from 54.40 feet below ground surface (bgs) in monitoring well MW-1 to 39.55 feet bgs in monitoring well MW-4.
- The groundwater elevation ranged between at 3,372.39 and 3,355.24 feet above mean sea level (MSL) in monitoring wells MW-4 (upgradient) and MW-3 (downgradient), respectively.
- Groundwater flow is northwest to southeast at a gradient of about 0.013 feet per foot (ft/ft).
- BTEX compounds were below the analytical method reporting limit (RL) and New Mexico Water Quality Control Commission (NMWQCC) human health standards in groundwater samples from monitoring wells MW-1 through MW-4.
- Chloride concentrations in the groundwater samples were below the NMWQCC domestic water quality standard of 250 milligrams per liter (mg/L), except from monitoring well MW-1 (1,070 mg/L).
- TDS concentrations in samples collected from MW-3 and MW-4 were below the NMWQCC domestic water quality standard of 1,000 mg/L.
- TDS concentrations were above the NMWQCC domestic water quality standard (1,000 mg/L) in samples collected from MW-1 (2,670 mg/L) and MW-2 (1,080 mg/L).
- The groundwater elevations, groundwater flow direction and laboratory analysis were consistent with the previous monitoring events.

Apache proposes the following:

- Apache will continue groundwater monitoring on a quarterly (4 times per year) schedule.
- Gauge all monitoring wells for depth to groundwater and collect groundwater samples from monitoring wells with sufficient groundwater during each quarterly event.
- Analyze samples for BTEX, chloride and TDS.
- Report the laboratory results to NMOCD in quarterly reports, unless significant changes in analyte concentrations are detected, at which time Apache will immediately report the results to NMOCD.

nRM2031146817

2022 Third (3rd) Quarter Groundwater Monitoring Report

Lea County, New Mexico

September 1, 2022

- Apache will provide notice to the NMOCD in Hobbs and Santa Fe, New Mexico, at least 7 working days prior to each monitoring event.

nRM2031146817

2022 Third (3rd) Quarter Groundwater Monitoring Report

Lea County, New Mexico

September 1, 2022

2.0 INTRODUCTION

Larson & Associates, Inc. (LAI) has prepared this report on behalf of Apache Corporation (Apache) for submittal to the New Mexico Oil Conservation Division (NMOCD) District I in Hobbs and Santa Fe, New Mexico. This report presents 2022 quarterly groundwater monitoring results for the third (3rd) quarter on August 17, 2022. During the quarterly event, groundwater samples were collected from four (4) monitor wells (MW-1 through MW-4) at the Northeast Drinkard Unit (NEDU) #829, 830, 922, 928, and 929 (Sites) located in Lea County, New Mexico. The legal description is Section 22, Township 21 South, Range 37 East. The geodetic coordinates are as follows:

Site	North (°)	West (°)
NEDU #829	32.462947	-103.151539
NEDU #830	32.463967	-103.155761
NEDU #922	32.457803	-103.151181
NEDU #928	32.458019	-103.155831
NEDU #929	32.458022	-103.151450

The NMOCD was notified prior to the groundwater monitoring event. Figure 1 presents a topographic map. Figure 2 presents an aerial map. Figure 3 presents a site map. Appendix A presents the NMOCD communications.

2.1 Background

On April 6, 2001, the landowner reported to the NMOCD that an Apache contractor was closing drilling pits at the Sites by disposing pit fluid in open trenches adjacent to the drilling pits. Apache was notified and submitted the initial C-141 on April 23, 2001. NMOCD assigned the trenches remediation permit 1RP-313.

On April 23, 2001, Apache submitted a work plan for the remediating the trenches. NMOCD approved the work plan on May 8, 2001. The work plan stated that the trenches at wells #829, #830 and #929 would be excavated to approximately 19 feet bgs and to approximately 13 feet bgs at #928. There is no evidence that the trench was excavated at #922. An Apache contractor collected bottom and composite samples from the excavations and found chloride above the remediation closure limits in all excavations. Total petroleum hydrocarbons (TPH) were reported above the NMOCD closure limits in the excavation at #928. No documentation is available in NMOCD files to confirm the remediation.

On October 31, 2019, Apache submitted an administrative summary and path forward for remediating and closing the trenches. The plan requested approval from the NMOCD for a variance to excavate soil to a depth of approximately four (4) feet bgs at each trench and install a 20-mil polyethylene liner in the bottom of the excavations. Additionally, Apache committed to installing monitoring wells hydraulically down gradient (east - southeast) approximately 50 feet from the trench. On May 19, 2021, the NMOCD

nRM2031146817

2022 Third (3rd) Quarter Groundwater Monitoring Report
Lea County, New Mexico
September 1, 2022

approved the administrative summary and path forward for remediation but stated that “preapproval for monitor well locations on map before installation” was required. On July 14, 2021, NMOCD approved the monitor well locations. Appendix A presents the NMOCD communications.

3.0 GROUNDWATER INVESTIGATION

3.1 Monitoring Well Installation

On July 19 and 20, 2021, Scarborough Drilling, Inc. (SDI) under the supervision of LAI, installed monitoring wells MW-1, MW-2, MW-3, and MW-4 at locations specified in the permits utilizing an air rotary drill rig. The wells were completed in 5-inch diameter borings advanced to 65 to 76 feet BGS. Monitoring wells MW-1, MW-2, MW-3, and MW-4 were completed to depths of approximately 74.08, 74.86, 65.35 and 76.01 feet bgs, respectively. The monitoring wells are completed with 2-inch schedule 40 threaded PVC casing and 20 feet of 0.010-inch factory slotted screen installed above and below the groundwater level observed during drilling. Graded silica sand is positioned around the well screens to a depth about 2 feet above the screen. Sodium bentonite chips extend around the PVC riser and above the sand to about 1-foot bgs. The wells are secured with locking steel sleeves anchored in concrete.

On July 27-30, 2021, the wells were developed by pumping with an electric submersible pump to remove sediment disturbed drilling and well installation. Approximately 40 gallons of water were removed from each well and disposed in 55-gallon drums.

West Company, a State of New Mexico licensed Professional Land Surveyor (License Number 23263) surveyed the monitoring wells for location and elevation including top of casing and natural ground surface. Figure 3 presents Site drawing showing the monitoring well locations. Table 1 presents the monitoring well completion and gauging summary. Appendix B presents the monitoring well boring logs and well completion records.

4.0 GROUNDWATER MONITORING

4.1 Depth to Groundwater and Groundwater Potentiometric Surface Elevation

On August 17, 2022, LAI personnel gauged monitoring wells MW-1 through MW-4 for depth to groundwater. Groundwater was gauged in monitoring wells MW-1, MW-2, MW-3, and MW-4 at 54.40, 52.04, 51.48, and 39.55 feet bgs, respectively. Groundwater potentiometric surface elevation was recorded at 3,372.39 above MSL at MW-4 (upgradient) to 3,355.24 feet above MSL at MW-3 (downgradient). The groundwater flow direction is from northwest to southeast at a gradient of about 0.013 ft/ft. Figure 4 presents the groundwater potentiometric surface map for August 18, 2022.

nRM2031146817

2022 Third (3rd) Quarter Groundwater Monitoring Report
Lea County, New Mexico
September 1, 2022

4.2 Groundwater Samples and Analysis

On August 17, 2022, LAI personnel collected groundwater samples from monitoring wells TMW-1 through TMW-4. The groundwater Samples were collected using the low stress or low flow method following EPA protocol (EQASOP-GW4, Revision 4, September 19, 2017) where an environmental pump is submerged near the middle of the water column and the well is pumped at a low flow rate until environmental parameters stabilize.

Samples were collected from the discharge of dedicated disposable Tygon® tubing. The tubing was discarded after each use and the pump was thoroughly cleaned with a solution of potable water and laboratory grade detergent (Alconox®) and rinsed with distilled water. The samples were transferred to labeled laboratory containers and delivered under chain of custody control and preservation to Euro-Xenco Laboratories (Xenco), a National Environmental Laboratory Accreditation Conference (NELAC) accredited laboratory, in Midland, Texas. A duplicate sample was collected from MW-2 for laboratory quality assurance and quality control (QA/QC).

Xenco analyzed the samples for benzene, toluene, ethylbenzene, xylene (BTEX) according to EPA SW-846 Method SW-8260D, total dissolved solids (TDS) by Method SM 2540C, and chloride by EPA Method 300. Table 2 presents the laboratory analytical summary. Appendix C presents the laboratory report.

4.2.1 Organic Analysis

Total BTEX concentrations were below the laboratory analytical RL and NMWQCC human health standards in all groundwater samples collected from monitoring wells, MW-1 through MW-4. The results are consistent with results from previous groundwater monitoring events.

4.2.2 Inorganic Analysis

Chloride concentrations were reported below the NMWQCC domestic water quality standard of 250 mg/L in monitoring wells MW-2 (239 mg/L), MW-3 (111 mg/L), and MW-4 (165 mg/L). The chloride concentration in the groundwater sample collected from monitoring well MW-1 (1,070 mg/L) was above the NMWQCC domestic water quality standard. The chloride concentration in the QA/QC sample (Dup-1) collected from monitoring well MW-2 was 246 mg/L and within 2.9 percent of the original chloride value for MW-2 (239 mg/L). No data exceptions were noted in the laboratory report case narratives. Figure 5 presents the chloride concentration map for August 17, 2022.

TDS concentrations in groundwater samples collected from monitoring wells MW-1 (2,670 mg/L) and MW-2 (1,080 mg/L) were above the NMWQCC domestic water quality standard of 1,000 mg/L. TDS concentrations were below the NMWQCC domestic water quality standard in groundwater samples collected from MW-3 (645 mg/L) and MW-4 (797 mg/L). The TDS concentration in the QA/QC sample (Dup-1) was 1,090 mg/L and within 0.93 percent of the original TDS value for MW-2 (1,080 mg/L). No data exceptions were noted in the laboratory case narratives. Figure 6 presents the TDS concentration map for August 17, 2022.

nRM2031146817

2022 Third (3rd) Quarter Groundwater Monitoring Report
Lea County, New Mexico
September 1, 2022

5.0 CONCLUSIONS

The following observations are documented in this report:

- Groundwater flow direction is from northwest to southeast at a gradient of about 0.013 ft/ft.
- BTEX concentrations were below the analytical method RL and NMWQCC human health standards in all groundwater samples collected from monitoring wells MW-1 through MW-4.
- The chloride concentration in the groundwater sample collected from monitoring well MW-1 (1,070 mg/L) was above the NMWQCC domestic water quality standard of 250 mg/L.
- Chloride concentrations in groundwater samples from monitoring wells MW-2 (239 mg/L), MW-3 (111 mg/L), and MW-4 (165 mg/L) were below the NMWQCC domestic water quality standard of 250 mg/L.
- TDS concentrations in the groundwater samples collected from wells MW-1 (2,670 mg/L) and MW-2 (1,080 mg/L) were above the NMWQCC domestic water quality standard of 1,000 mg/L.
- TDS concentrations were below the NMWQCC domestic water quality standard of 1,000 mg/L in groundwater samples collected from monitoring wells MW-3 (645 mg/L) and MW-4 (797 mg/L).

6.0 RECOMMENDATIONS

Apache proposes the following:

- Continue groundwater monitoring on a quarterly (4 times per year).
- Gauge each well (MW-1 through MW-4) for depth to groundwater and collect groundwater samples from monitoring wells with sufficient groundwater during each quarterly event.
- Report the laboratory results to NMOCD in quarterly reports, unless significant changes in analyte concentrations are detected, at which time Apache will immediately report the results to NMOCD.
- Apache will provide notice to the NMOCD in Hobbs and Santa Fe, New Mexico, at least 7 working days prior to each monitoring event.

Tables

Table 1
1RP-313
Monitoring Well Completion and Gauging Summary
Apache Corporaion, NEDU Drill Pits
Lea County, New Mexico

Well Information									Groundwater Data				
Well No.	Date Drilled	Well Depth (Feet TOC)	Drilled Depth (Feet BGS)	Well Diameter (Inches)	Surface Elevation (Feet AMSL)	Screen Interval (Feet BGS)	Casing Stickup (Feet)	TOC Elevation (Feet AMSL)	Date Gauged	Depth to Water (Feet TOC)	Depth to Water (Feet BGS)	Water Column Height (Feet)	Groundwater Elevation (Feet AMSL)
MW-1	07/19/2021	74.08	71.08	2	3417.34	70.85-50.85	3.00	3,417.34	07/29/2021	57.40	54.40	16.68	3,359.94
									11/08/2021	57.40	54.40	16.68	3,359.94
									03/02/2022	57.36	54.36	16.72	3,359.98
									05/24/2022	57.32	54.32	16.76	3,360.02
									08/17/2022	57.40	54.40	16.68	3,359.94
MW-2	07/19/2021	74.86	71.86	2	3408.43	71.68-51.68	3.00	3,411.66	07/29/2021	54.81	51.81	20.05	3,356.85
									11/08/2021	54.85	51.85	20.01	3,356.81
									03/02/2022	54.91	51.91	19.95	3,356.75
									05/24/2022	54.91	51.91	19.95	3,356.75
									08/17/2022	55.04	52.04	19.82	3,356.62
MW-3	07/20/2021	65.35	62.75	2	3406.01	65.15-45.15	2.60	3,409.32	07/29/2021	53.55	50.95	11.80	3,355.77
									11/08/2021	53.67	51.07	9.68	3,355.65
									03/02/2022	53.83	51.23	11.52	3,355.49
									05/24/2022	53.88	51.28	11.47	3,355.44
									08/17/2022	54.08	51.48	11.27	3,355.24
MW-4	07/20/2021	76.01	72.93	2	3412.51	75.81-55.81	3.08	3,415.02	07/30/2021	44.38	41.30	31.63	3,370.64
									11/08/2021	43.44	40.36	32.57	3,371.58
									03/02/2022	43.44	40.36	32.57	3,371.58
									05/24/2022	43.50	40.42	32.51	3,371.52
									08/17/2022	42.63	39.55	33.38	3,372.39

Table 1
1RP-313
Monitoring Well Completion and Gauging Summary
Apache Corportaion, NEDU Drill Pits
Lea County, New Mexico

Well Information									Groundwater Data				
Well No.	Date Drilled	Well Depth (Feet TOC)	Drilled Depth (Feet BGS)	Well Diameter (Inches)	Surface Elevation (Feet AMSL)	Screen Interval (Feet BGS)	Casing Stickup (Feet)	TOC Elevation (Feet AMSL)	Date Gauged	Depth to Water (Feet TOC)	Depth to Water (Feet BGS)	Water Column Height (Feet)	Groundwater Elevation (Feet AMSL)

Notes: monitoring wells installed by Environ-Drill, Albuquerque, New Mexico with 2 inch schedule 40 PVC casing and screen

bgs: below ground surface

TOC: top of casing

AMSL: denotes elevation in feet above mean sea level

Table 2
Groundwater Sample Analytical Data Summary
Apache Corporation, NEDU #830, 922, 928, and 929
Lea County, New Mexico

Sample	Collection	Benzene	Toluene	Ethylbenzene	Xylenes	Chloride	TDS
	Date	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)	(mg/L)
NMWQCC Standard:		*0.005	* 1	*0.7	*0.62	**250	**1,000
MW-1 (NEDU #830)	07/29/2021	<0.00200	<0.00200	<0.00200	<0.00400	446	2,510
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	1,270	2,490
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	1,250	2,500
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	912	2,500
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	1,070	2,670
MW-2 (NEDU #922)	07/29/2021	0.0391	<0.00200	<0.00219	<0.00400	268	1,170
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	279	1,100
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	253	1,110
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	200	1,100
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	239	1,080
MW-3 (NEDU #929)	07/29/2021	0.00407	<0.00200	<0.00200	<0.00400	128	663
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	122	644
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	114	664
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	114	647
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	111	645
MW-4 (NEDU #928)	07/30/2021	<0.00200	<0.00200	<0.00200	<0.00400	559	1,030
	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	203	832
	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	182	836
	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	171	827
	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	165	797
Dup-1 (MW-2)	07/29/2021	<0.00200	<0.00200	<0.00200	<0.00400	244	1,160
Dup-2 (MW-4)	07/30/2021	<0.00200	<0.00200	<0.00200	<0.00400	235	1,030
Dup-1 (MW-2)	11/08/2021	<0.00200	<0.00200	<0.00200	<0.00400	270	1,100
Dup-1 (MW-2)	03/02/2022	<0.00200	<0.00200	<0.00200	<0.00400	268	1,090
Dup-1 (MW-2)	05/24/2022	<0.00200	<0.00200	<0.00200	<0.00400	189	1,100
Dup-1 (MW-2)	08/17/2022	<0.00200	<0.00200	<0.00200	<0.00400	246	1,090

Notes:

analysis performed by Xenco-Eurofins Laboratories, Midland, Texas by EPA SW-846 Method 8021B (BTEX), Method 300 (chloride), Method 2540C

All values reported in milligrams per liter (mg/L); equivalent to parts per million (ppm)

< - concentration is less than analytical method reporting limit (RL).

* - NMWQCC human health standard

** - NMWQCC domestic water quality standard

bgs - below ground surface

Figures






Figure 1 - Topographic Map



Apache Corporation
1RP-313 - NEDU 928, 929, 922, 829, 830 Drill P
Sec. 22, T. 21 S., R. 37 E.
Lea County, New Mexico
32° 27' 46.61"N
103° 09' 05.54"W

Larson & Associates, Inc.
Environmental Consultants

Figure 2 - Aerial Map





Figure 3 - Site Map






Figure 5 - Chloride Concentration in Groundwater, August 17, 2022




Figure 6 - TDS Concentration in Groundwater, August 17, 2022

Appendix A

NMOCD Communications

Robert Nelson

From: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>
Sent: Wednesday, August 10, 2022 9:12 AM
To: Robert Nelson; Bratcher, Mike, EMNRD
Cc: 'Larry.Baker@apachecorp.com'; Bole, Barrett; Mark Larson; Daniel St. Germain
Subject: RE: [EXTERNAL] Apache Corp. NEDU 829, 830, 922, 928, &929
(1RP-0313/nRM2031146817) Groundwater Sampling Notice

Hello,

Thank you for the notification. Please keep this email and include with allied report(s).

Bradford Billings
EMNRD/OCD

From: Robert Nelson <rnelson@laenvironmental.com>
Sent: Tuesday, August 9, 2022 3:30 PM
To: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Cc: 'Larry.Baker@apachecorp.com' <Larry.Baker@apachecorp.com>; Bole, Barrett <Barrett.Bole@apachecorp.com>; Mark Larson <Mark@laenvironmental.com>; Daniel St. Germain <dstgermain@laenvironmental.com>
Subject: [EXTERNAL] Apache Corp. NEDU 829, 830, 922, 928, &929 (1RP-0313/nRM2031146817) Groundwater Sampling Notice

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Hello Mr. Billings and Mr. Bratcher,

This message is submitted to the New Mexico Oil Conservation Division (OCD) on behalf of Apache Corporation to provide notice that personnel from Larson & Associates, Inc. (LAI) will be at the Northeast Drinkard Unit (NEDU) Wells 829, 830, 922, 928, & 929 (1RP-0313/nRM2031146817), on August 17, 2022, at approximately 13:00 mst for the purpose of collecting groundwater samples from monitoring wells per the OCD approved plans. Please feel free to contact Bruce Baker with Apache at (432) 215-2284 or Larry.Baker@apache.com, Mark Larson at (432) 687-0901 or mark@laenvironmental.com, or me if you have any questions.

Thank you,

Robert Nelson
Sr. Geologist
Office – 432-687-0901
Cell – 432-664-4804
rnelson@laenvironmental.com



From: [Baker, Larry](#)
To: [Robert Nelson](#)
Subject: FW: [EXTERNAL] The Oil Conservation Division (OCD) has approved the application, Application ID: 10932
Date: Tuesday, July 13, 2021 3:24:03 PM

From: OCDOnline@state.nm.us [mailto:OCDOnline@state.nm.us]
Sent: Thursday, May 13, 2021 3:00 PM
To: Baker, Larry <Larry.Baker@apachecorp.com>
Subject: [EXTERNAL] The Oil Conservation Division (OCD) has approved the application, Application ID: 10932

To whom it may concern (c/o Larry Baker for APACHE CORPORATION),

The OCD has approved the submitted *Application for administrative approval of a release notification and corrective action* (C-141), for incident ID (n#) nRM2031146817, with the following conditions:

- **Using new Rule make sure sidewall data and bottom data are correct. Requested variances for excavation and liner are approved. Get pre-approval for Monitor Well locations on map before installations.**

The signed C-141 can be found in the OCD Online: Imaging under the incident ID (n#).

If you have any questions regarding this application, please contact me.

Thank you,
Bradford Billings
Hydrologist/E.Spec.A
505-670-6549
bradford.billings@state.nm.us

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

WARNING EXTERNAL EMAIL: This email is from an external source. Do not click links or open attachments without positive sender verification of purpose. Never enter Username, Password or sensitive information on linked pages from this email. If you are unsure about the message, please contact the Apache IT ServiceDesk for assistance.

From: [Billings, Bradford, EMNRD](#)
To: [Robert Nelson](#)
Cc: [Mark Larson](#); [Baker, Larry](#)
Subject: RE: Apache Corp. (1RP-0313/nRM2031146817) Monitor Well Location Approval
Date: Wednesday, July 14, 2021 12:13:08 PM
Attachments: [image001.png](#)

07/14/2021

Hello,

Locations as indicated in attached PDF's are APPROVED. Question, one might consider some soil samples for same analytes, at least in the vicinity of anticipated/encountered groundwater. Thank you for your efforts.

Sincerely,

Bradford Billings
EMNRD/OCD

From: Robert Nelson <rnelson@laenvironmental.com>
Sent: Wednesday, July 14, 2021 7:12 AM
To: Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>
Cc: Mark Larson <Mark@laenvironmental.com>; Baker, Larry <Larry.Baker@apachecorp.com>
Subject: Apache Corp. (1RP-0313/nRM2031146817) Monitor Well Location Approval

Hello Bradford,

On October 31, 2019, Larson & Associates, Inc. (LAI) submitted a summary of work and path forward for remediation and closure of trenches associated with drillings pits at the Northeast Drinkard Unit (NEDU) Wells 829, 830, 922, 928, & 929 (1RP-0313). The trenches were discovered on April 6, 2001 when a landowner reported the drilling pits were being closed by disposing pit fluid in trenches adjacent to the drilling pits. Apache was notified and submitted the initial C-141 on April 23, 2001. OCD assigned the wells (trenches) remediation permit 1RP-313. On May 13, 2021, Apache received notification from OCD with approval for the submitted application for administrative approval of a release notification and corrective action (C-141), for incident ID (n#) nRM2031146817. OCD stated “**Using new Rule make sure sidewall data and bottom data are correct. Requested variance for excavation and liner are approved. Get pre- approval for Monitor Well locations on map before installations**”.

The summary of work and path forward stated that monitor wells be installed approximately 50 feet hydraulically down gradient (east-southeast) from the trenches and complete with 15 feet of 2-inch schedule 40 screen to gauge depth to groundwater and collect groundwater samples for laboratory analysis (BTEX, chloride and total dissolved solids (TDS)). Please find attached the topographic map and proposed monitor well locations. The drilling rig is currently scheduled to complete the

installation of these monitor wells on Tuesday – Thursday (July 20th through July 22nd, 2021). Your approval of these monitor well locations is requested and greatly appreciated. Please feel free to contact Bruce Baker with Apache at (432) 631-6982 or Larry.Baker@apache.com, Mark Larson at (432) 687-0901 or mark@laenvironmental.com or me if you have any questions.

Thank you,

Robert Nelson

Sr. Geologist

Office – 432-687-0901

Cell – 432-664-4804

rnelson@laenvironmental.com



Appendix B
Monitoring Well Completion Records

BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 10:49 MST Finish: 12:37 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	Surface Elevation: TOC Elevation:		REMARKS	
					NUMBER	RECOVERY	DEPTH	BACKGROUND PID READING SOIL: _____ PPM SOIL: _____ PPM
	0	Sand, 10YR 5/6, Yellowish Brown, Fine Grained Quartz	SW					
	5	Sand, Well Sorted, Dry						
		Silty Sand, 10YR 5/6, Yellowish Brown, Fine Grained Quartz	SM					
	10	Sand, Well Sorted, Dry						
		Sand, 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz						
	15	Sand, Dry, Poorly Sorted						
	20							
	25	Sand, 7.5YR 7/6, Reddish Brown, Fine Grained Quartz	SW					
	30	Sand, Dry, 4.75mm Clasts, Poorly Sorted						
	35							
	40	Silty Sand, 7.5YR 8/6, Pink, Well Sorted, Fine Grained						
	45	Quartz Sand, Dry						
		10 YR 7/6, Yellowish Brown, Fine Grained Quartz Sand, Well						
	50	Sorted Dry						
		10 YR 7/6, Yellowish Brown, Moderately Sorted, 2mm						
	55	Quartz Clasts, Dry	SM					
		Water Injected at 55'						
	60							
	65							
	70							
		TD: 71.08'						
	75							

57.88
Depth to
Water

57.88
Depth to
Water

Graded
Silica Sand

2" Sch. 40
PVC
Threaded
0.0.0" Slotted
Screw

70.85
71.08

Cap

ONE CONTINUOUS AUGER SAMPLER

STANDARD PENETRATION TEST

UNDISTURBED SAMPLE

WATER TABLE (24 HRS)

WATER TABLE (TIME OF BORING)

LABORATORY TEST LOCATION

PENETROMETER (TONS/ SQ. FT)

NR NO RECOVERY

JOB NUMBER : 19-0112-22/ Apache

HOLE DIAMETER : 5'

LOCATION : NEDU #830

LAI GEOLOGIST : R. Nelson

DRILLING CONTRACTOR : SDI

DRILLING METHOD : Air Rotary

Larson &
Associates, Inc.
Environmental Consultants

DRILL DATE :
07/19/2021

BORING NUMBER :
MW-1

BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 13:17 MST Finish: 14:40 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	Surface Elevation: TOC Elevation:			REMARKS	
					NUMBER	RECOVERY	DEPTH	BACKGROUND PID READING SOIL : _____ PPM SOIL : _____ PPM	
	0	Sand, 7.5YR 4/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry	SW						
	5								
	10	Silty Sand, 7.5YR 7/4, Pink, Fine Grained Quartz Sand, Moderately Sorted, Dry, Quartz Clasts 2mm	SM						
	15	7.5YR 6/6, Reddish Yellow, Fine Grained Quartz Sand, Moderately Sorted, Dry, Fine to Medium Quartz Clasts							
	20								
	25	Sand, 7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Dry	SW						
	30	7.5YR 7/6, Reddish Yellow, Fine Grained Quartz Sand, Quartz Clasts							
	35								
	40	Silty Sand, 7.5YR 5/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry							
	45								
	50	7.5YR 5/6, Strong Brown, Fine Grained Quartz Sand, Well Sorted, Dry, Quartz Clasts	SM						
	55	Medium to Coarse Grained Water Injected at 55'							
	60								
	65								
	70								
	75	TD: 71.86'							

57.88
Depth to
Water

57.88
Depth
to
Water

Graded
Silica Sand

2" Sch. 40
PVC
Threaded
0.0.0" Slotted
Screw

Cap

71.68
71.86

ONE CONTINUOUS AUGER SAMPLER

STANDARD PENETRATION TEST

UNDISTURBED SAMPLE

WATER TABLE (24 HRS)

WATER TABLE (TIME OF BORING)

LABORATORY TEST LOCATION

PENETROMETER (TONS/ SQ. FT)

NR NO RECOVERY

JOB NUMBER : 19-0112-22/ Apache

HOLE DIAMETER : 5'

LOCATION : NEDU #922

LAI GEOLOGIST : R. Nelson

DRILLING CONTRACTOR : SDI

DRILLING METHOD : Air Rotary

Larson & Associates, Inc.
Environmental Consultants

DRILL DATE :
07/19/2021

BORING NUMBER :
MW-2

BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 13:45 Finish: 14:50 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	PID READING										SAMPLE			REMARKS	
					PPM X _____										NUMBER	PID READING	RECOVERY	DEPTH	BACKGROUND PID READING
					2	4	6	8	10	12	14	16	18	SOIL : _____ PPM					
	0	2.5YR 4/6, Red, Fine Grained Quartz Rich Sand, Very Well Sorted, Well Rounded, Unconsolidated	SM												1		5	13:50	
	5	Increase in Depth Lithology Remains Same Color Changes to 2.5YR 7/3 to 7/4 Light Reddish Brown at 13'													2		10	13:54	
	10														3		15	13:58	
	15														4		20	14:03	
	20	5YR 7/4, Pink, Fine to Medium Grained Quartz Rich Sand, Moderately Sorted, Rounded to Sub Rounded	SM												5		25	14:10	
	25														6		30	14:13	
	30														7		35	14:20	
	35														8		40	14:22	
	40	7.5YR 9/2, Pale Yellowish Pink, Very Fine to Fine Grained Quartz Grained Sand, Well Sorted, Well Rounded to Sub Rounded	SM												9		45	14:25	
	45														10		50	14:30	
	50	7.5YR 6/8, Reddish Yellow, Very Fine to Fine Grained Quartz Sand, Well Sorted, Well Rounded													11		55	14:42	
	55														12		60	14:44	
	60													13		65	14:50		
	65	TD: 65.35'																	

Depth to
Water:
53.71
▼

- ☐ ONE CONTINUOUS AUGER SAMPLER
☐ STANDARD PENETRATION TEST
☐ UNDISTURBED SAMPLE
☐ WATER TABLE (24 HRS)

- WATER TABLE (TIME OF BORING)
 LABORATORY TEST LOCATION
 PENETROMETER (TONS/ SQ. FT)
 NO RECOVERY

JOB NUMBER : Apache/19-0112-22HOLE DIAMETER : 5"LOCATION : NEDU 929LAI GEOLOGIST : T. JacksonDRILLING CONTRACTOR : SDIDRILLING METHOD : Air Rotary

Larson & Associates, Inc.
Environmental Consultants

DRILL DATE :
7/20/2021

BORING NUMBER :
MW- 3

BORING RECORD

GEOLOGIC UNIT	DEPTH	Start: 9:35 Finish: 12:10 DESCRIPTION LITHOLOGIC	DESCRIPTION USCS	GRAPHIC LOG	PID READING										SAMPLE			REMARKS	
					PPM X _____										NUMBER	PID READING	RECOVERY	DEPTH	BACKGROUND PID READING
					2	4	6	8	10	12	14	16	18						
	0	Sand, 2.5YR 4/6, Red, Fine Grained Quart Sand, Very Well Sorted, Well Rounded, Unconsolidated, Quartz Rich Sand	SM															9:38	
	5														1		5		
	10														2		10		9:40
	15	Sand, 2.5YR 7/4, Light Reddish Brown, Very Fine to Fine Grained Quartz Sand, Moderately Sorted, Sub Angular to Sub Rounded, with Depth Decrease in Grain Size and Becomes Well Sorted, Quartz Rich Sand													3		15		9:40
	20														4		20		9:42
	25														5		25		9:45
	30	7.5YR 8/3, Pink, Fine to Medium Grained Quartz Sand, Sub Rounded to Sub Angular, Moderately Sorted, Quartz Rich Sand	SM												6		30		10:30
	35														7		35		10:35
	40	7.5YR 6/4, Light Brown, Fine Grained Quartz Sand, Well Sorted, Rounded to Sub Rounded, with Depth Increase in Consolidation and													8		40		10:38
	45	Cementation, Quartz Rich Sand 7.5YR 7/4, Light Reddish Brown, Poorly Sorted, Fine to Coarse Grained Quartz Sand, Rounded to Angular, Very Consolidated with Red Sandstone Fragments in Cuttings, Quartz Rich Sand													9		45		11:14
	50																		
	55																		
	60	Introduced Water with Drilling	SM																
	65																		
	70																		
	75	TD: 76.01																	

Depth to Water: 41.05

☐ ONE CONTINUOUS AUGER SAMPLER
☐ STANDARD PENETRATION TEST
☐ UNDISTURBED SAMPLE
 WATER TABLE (24 HRS)

WATER TABLE (TIME OF BORING)
 LABORATORY TEST LOCATION
 + PENETROMETER (TONS/ SQ. FT)
 NR NO RECOVERY

JOB NUMBER : Apache/ 19-0112-22
 HOLE DIAMETER : 5"
 LOCATION : NEDU 928
 LAI GEOLOGIST : T. Jackson
 DRILLING CONTRACTOR : SDI
 DRILLING METHOD : Air Rotary

DRILL DATE : 7/20/2021
 BORING NUMBER : MW-4

Appendix C
Laboratory Report



Environment Testing America

ANALYTICAL REPORT

Eurofins Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-18376-1

Laboratory Sample Delivery Group: 19-0112-22

Client Project/Site: NEDU Pits

For:

Larson & Associates, Inc.
507 N Marienfeld
Suite 202
Midland, Texas 79701

Attn: Mr. Mark J Larson

A handwritten signature in cursive script that reads "Holly Taylor".

Authorized for release by:

8/31/2022 5:28:01 PM

Holly Taylor, Project Manager

(806)794-1296

Holly.Taylor@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Laboratory Job ID: 880-18376-1
SDG: 19-0112-22

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	11
Lab Chronicle	12
Certification Summary	14
Method Summary	15
Sample Summary	16
Chain of Custody	17
Receipt Checklists	18

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Qualifiers

GC VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
*1	LCS/LCSD RPD exceeds control limits.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
⌘	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Job ID: 880-18376-1

Laboratory: Eurofins Midland

Narrative

Job Narrative 880-18376-1

Receipt

The samples were received on 8/22/2022 8:31 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.4° C.

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for analytical batch 880-33411 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

Method 8021B: Surrogate recovery for the following sample was outside control limits: MW-1 (880-18376-4). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: LCSD biased low. Since only an acceptable LCS is required per the method, the data has been qualified and reported. (LCS 880-33411/3) and (LCSD 880-33411/4)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method 300.0: The matrix spike / matrix spike duplicate (MS/MSD) recoveries and precision for analytical batch 880-32790 were outside control limits. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample / laboratory sample control duplicate (LCS/LCSD) precision was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample Results

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Client Sample ID: MW-3

Lab Sample ID: 880-18376-1

Date Collected: 08/17/22 10:40

Matrix: Water

Date Received: 08/22/22 08:31

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/31/22 14:05	1
Toluene	<2.00	U *- *1	2.00	ug/L			08/31/22 14:05	1
Ethylbenzene	<2.00	U *- *1	2.00	ug/L			08/31/22 14:05	1
m,p-Xylenes	<4.00	U *- *1	4.00	ug/L			08/31/22 14:05	1
o-Xylene	<2.00	U *1	2.00	ug/L			08/31/22 14:05	1
Xylenes, Total	<4.00	U *1	4.00	ug/L			08/31/22 14:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130		08/31/22 14:05	1
1,4-Difluorobenzene (Surr)	94		70 - 130		08/31/22 14:05	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/31/22 15:51	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	111		2.50	mg/L			08/23/22 17:25	5

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	645		50.0	mg/L			08/24/22 10:20	1

Client Sample ID: MW-4

Lab Sample ID: 880-18376-2

Date Collected: 08/17/22 11:32

Matrix: Water

Date Received: 08/22/22 08:31

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/31/22 14:25	1
Toluene	<2.00	U *- *1	2.00	ug/L			08/31/22 14:25	1
Ethylbenzene	<2.00	U *- *1	2.00	ug/L			08/31/22 14:25	1
m,p-Xylenes	<4.00	U *- *1	4.00	ug/L			08/31/22 14:25	1
o-Xylene	<2.00	U *1	2.00	ug/L			08/31/22 14:25	1
Xylenes, Total	<4.00	U *1	4.00	ug/L			08/31/22 14:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130		08/31/22 14:25	1
1,4-Difluorobenzene (Surr)	96		70 - 130		08/31/22 14:25	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/31/22 15:51	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	165		2.50	mg/L			08/23/22 17:33	5

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	797		50.0	mg/L			08/24/22 10:20	1

Eurofins Midland

Client Sample Results

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Client Sample ID: MW-2

Lab Sample ID: 880-18376-3

Date Collected: 08/17/22 12:14

Matrix: Water

Date Received: 08/22/22 08:31

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/31/22 14:46	1
Toluene	<2.00	U *- *1	2.00	ug/L			08/31/22 14:46	1
Ethylbenzene	<2.00	U *- *1	2.00	ug/L			08/31/22 14:46	1
m,p-Xylenes	<4.00	U *- *1	4.00	ug/L			08/31/22 14:46	1
o-Xylene	<2.00	U *1	2.00	ug/L			08/31/22 14:46	1
Xylenes, Total	<4.00	U *1	4.00	ug/L			08/31/22 14:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130		08/31/22 14:46	1
1,4-Difluorobenzene (Surr)	92		70 - 130		08/31/22 14:46	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/31/22 15:51	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	239		5.00	mg/L			08/23/22 18:06	10

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	1080		50.0	mg/L			08/24/22 10:20	1

Client Sample ID: MW-1

Lab Sample ID: 880-18376-4

Date Collected: 08/17/22 13:11

Matrix: Water

Date Received: 08/22/22 08:31

Method: 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/31/22 15:06	1
Toluene	<2.00	U *- *1	2.00	ug/L			08/31/22 15:06	1
Ethylbenzene	<2.00	U *- *1	2.00	ug/L			08/31/22 15:06	1
m,p-Xylenes	<4.00	U *- *1	4.00	ug/L			08/31/22 15:06	1
o-Xylene	<2.00	U *1	2.00	ug/L			08/31/22 15:06	1
Xylenes, Total	<4.00	U *1	4.00	ug/L			08/31/22 15:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	132	S1+	70 - 130		08/31/22 15:06	1
1,4-Difluorobenzene (Surr)	91		70 - 130		08/31/22 15:06	1

Method: Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400	mg/L			08/31/22 15:51	1

Method: 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1070		10.0	mg/L			08/23/22 18:14	20

General Chemistry

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	2670		200	mg/L			08/24/22 10:20	1

Eurofins Midland

Client Sample Results

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Client Sample ID: DUP-1
Date Collected: 08/17/22 00:00
Date Received: 08/22/22 08:31

Lab Sample ID: 880-18376-5
Matrix: Water

Method: 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	<2.00	U	2.00	ug/L			08/31/22 15:27	1	
Toluene	<2.00	U *- *1	2.00	ug/L			08/31/22 15:27	1	
Ethylbenzene	<2.00	U *- *1	2.00	ug/L			08/31/22 15:27	1	
m,p-Xylenes	<4.00	U *- *1	4.00	ug/L			08/31/22 15:27	1	
o-Xylene	<2.00	U *1	2.00	ug/L			08/31/22 15:27	1	
Xylenes, Total	<4.00	U *1	4.00	ug/L			08/31/22 15:27	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	110		70 - 130				08/31/22 15:27	1	
1,4-Difluorobenzene (Surr)	98		70 - 130				08/31/22 15:27	1	
Method: Total BTEX - Total BTEX Calculation									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Total BTEX	<0.00400	U	0.00400	mg/L			08/31/22 15:51	1	
Method: 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	246		5.00	mg/L			08/23/22 18:21	10	
General Chemistry									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Total Dissolved Solids	1090		50.0	mg/L			08/24/22 10:20	1	

Surrogate Summary

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Method: 8021B - Volatile Organic Compounds (GC)
Matrix: Water

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
880-18376-1	MW-3	109	94
880-18376-2	MW-4	111	96
880-18376-3	MW-2	113	92
880-18376-4	MW-1	132 S1+	91
880-18376-5	DUP-1	110	98
LCS 880-33411/3	Lab Control Sample	116	105
LCSD 880-33411/4	Lab Control Sample Dup	85	106
MB 880-33411/8	Method Blank	96	94

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

QC Sample Results

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-33411/8

Matrix: Water

Analysis Batch: 33411

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<2.00	U	2.00	ug/L			08/31/22 13:02	1
Toluene	<2.00	U	2.00	ug/L			08/31/22 13:02	1
Ethylbenzene	<2.00	U	2.00	ug/L			08/31/22 13:02	1
m,p-Xylenes	<4.00	U	4.00	ug/L			08/31/22 13:02	1
o-Xylene	<2.00	U	2.00	ug/L			08/31/22 13:02	1
Xylenes, Total	<4.00	U	4.00	ug/L			08/31/22 13:02	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	96		70 - 130		08/31/22 13:02	1
1,4-Difluorobenzene (Surr)	94		70 - 130		08/31/22 13:02	1

Lab Sample ID: LCS 880-33411/3

Matrix: Water

Analysis Batch: 33411

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	100	100.2		ug/L		100	70 - 130
Toluene	100	97.66		ug/L		98	70 - 130
Ethylbenzene	100	100.3		ug/L		100	70 - 130
m,p-Xylenes	200	212.7		ug/L		106	70 - 130
o-Xylene	100	122.0		ug/L		122	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	116		70 - 130
1,4-Difluorobenzene (Surr)	105		70 - 130

Lab Sample ID: LCSD 880-33411/4

Matrix: Water

Analysis Batch: 33411

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	100	110.8		ug/L		111	70 - 130	10	20
Toluene	100	63.39	*- *1	ug/L		63	70 - 130	43	20
Ethylbenzene	100	63.53	*- *1	ug/L		64	70 - 130	45	20
m,p-Xylenes	200	135.9	*- *1	ug/L		68	70 - 130	44	20
o-Xylene	100	75.09	*1	ug/L		75	70 - 130	48	20

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	85		70 - 130
1,4-Difluorobenzene (Surr)	106		70 - 130

Eurofins Midland

QC Sample Results

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-32790/3

Matrix: Water

Analysis Batch: 32790

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.500	U	0.500	mg/L			08/23/22 15:46	1

Lab Sample ID: LCS 880-32790/4

Matrix: Water

Analysis Batch: 32790

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	25.0	23.63		mg/L		95	90 - 110

Lab Sample ID: LCSD 880-32790/5

Matrix: Water

Analysis Batch: 32790

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	25.0	23.59		mg/L		94	90 - 110	0	20

Method: SM 2540C - Solids, Total Dissolved (TDS)

Lab Sample ID: MB 880-32834/1

Matrix: Water

Analysis Batch: 32834

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Dissolved Solids	<25.0	U	25.0	mg/L			08/24/22 10:20	1

Lab Sample ID: LCS 880-32834/2

Matrix: Water

Analysis Batch: 32834

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Total Dissolved Solids	1000	981.0		mg/L		98	80 - 120

Lab Sample ID: LCSD 880-32834/3

Matrix: Water

Analysis Batch: 32834

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total Dissolved Solids	1000	1010		mg/L		101	80 - 120	3	10

Lab Sample ID: 880-18376-1 DU

Matrix: Water

Analysis Batch: 32834

Client Sample ID: MW-3

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Dissolved Solids	645		640.0		mg/L		0.8	10

Eurofins Midland

QC Association Summary

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

GC VOA

Analysis Batch: 33411

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-18376-1	MW-3	Total/NA	Water	8021B	
880-18376-2	MW-4	Total/NA	Water	8021B	
880-18376-3	MW-2	Total/NA	Water	8021B	
880-18376-4	MW-1	Total/NA	Water	8021B	
880-18376-5	DUP-1	Total/NA	Water	8021B	
MB 880-33411/8	Method Blank	Total/NA	Water	8021B	
LCS 880-33411/3	Lab Control Sample	Total/NA	Water	8021B	
LCSD 880-33411/4	Lab Control Sample Dup	Total/NA	Water	8021B	

Analysis Batch: 33470

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-18376-1	MW-3	Total/NA	Water	Total BTEX	
880-18376-2	MW-4	Total/NA	Water	Total BTEX	
880-18376-3	MW-2	Total/NA	Water	Total BTEX	
880-18376-4	MW-1	Total/NA	Water	Total BTEX	
880-18376-5	DUP-1	Total/NA	Water	Total BTEX	

HPLC/IC

Analysis Batch: 32790

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-18376-1	MW-3	Total/NA	Water	300.0	
880-18376-2	MW-4	Total/NA	Water	300.0	
880-18376-3	MW-2	Total/NA	Water	300.0	
880-18376-4	MW-1	Total/NA	Water	300.0	
880-18376-5	DUP-1	Total/NA	Water	300.0	
MB 880-32790/3	Method Blank	Total/NA	Water	300.0	
LCS 880-32790/4	Lab Control Sample	Total/NA	Water	300.0	
LCSD 880-32790/5	Lab Control Sample Dup	Total/NA	Water	300.0	

General Chemistry

Analysis Batch: 32834

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-18376-1	MW-3	Total/NA	Water	SM 2540C	
880-18376-2	MW-4	Total/NA	Water	SM 2540C	
880-18376-3	MW-2	Total/NA	Water	SM 2540C	
880-18376-4	MW-1	Total/NA	Water	SM 2540C	
880-18376-5	DUP-1	Total/NA	Water	SM 2540C	
MB 880-32834/1	Method Blank	Total/NA	Water	SM 2540C	
LCS 880-32834/2	Lab Control Sample	Total/NA	Water	SM 2540C	
LCSD 880-32834/3	Lab Control Sample Dup	Total/NA	Water	SM 2540C	
880-18376-1 DU	MW-3	Total/NA	Water	SM 2540C	

Eurofins Midland

Lab Chronicle

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Client Sample ID: MW-3**Lab Sample ID: 880-18376-1****Date Collected: 08/17/22 10:40****Matrix: Water****Date Received: 08/22/22 08:31**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	33411	08/31/22 14:05	MR	EET MID
Total/NA	Analysis	Total BTEX		1			33470	08/31/22 15:51	SM	EET MID
Total/NA	Analysis	300.0		5			32790	08/23/22 17:25	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	32834	08/24/22 10:20	SMC	EET MID

Client Sample ID: MW-4**Lab Sample ID: 880-18376-2****Date Collected: 08/17/22 11:32****Matrix: Water****Date Received: 08/22/22 08:31**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	33411	08/31/22 14:25	MR	EET MID
Total/NA	Analysis	Total BTEX		1			33470	08/31/22 15:51	SM	EET MID
Total/NA	Analysis	300.0		5			32790	08/23/22 17:33	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	32834	08/24/22 10:20	SMC	EET MID

Client Sample ID: MW-2**Lab Sample ID: 880-18376-3****Date Collected: 08/17/22 12:14****Matrix: Water****Date Received: 08/22/22 08:31**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	33411	08/31/22 14:46	MR	EET MID
Total/NA	Analysis	Total BTEX		1			33470	08/31/22 15:51	SM	EET MID
Total/NA	Analysis	300.0		10			32790	08/23/22 18:06	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	32834	08/24/22 10:20	SMC	EET MID

Client Sample ID: MW-1**Lab Sample ID: 880-18376-4****Date Collected: 08/17/22 13:11****Matrix: Water****Date Received: 08/22/22 08:31**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	33411	08/31/22 15:06	MR	EET MID
Total/NA	Analysis	Total BTEX		1			33470	08/31/22 15:51	SM	EET MID
Total/NA	Analysis	300.0		20			32790	08/23/22 18:14	CH	EET MID
Total/NA	Analysis	SM 2540C		1	25 mL	200 mL	32834	08/24/22 10:20	SMC	EET MID

Client Sample ID: DUP-1**Lab Sample ID: 880-18376-5****Date Collected: 08/17/22 00:00****Matrix: Water****Date Received: 08/22/22 08:31**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8021B		1	5 mL	5 mL	33411	08/31/22 15:27	MR	EET MID
Total/NA	Analysis	Total BTEX		1			33470	08/31/22 15:51	SM	EET MID
Total/NA	Analysis	300.0		10			32790	08/23/22 18:21	CH	EET MID
Total/NA	Analysis	SM 2540C		1	100 mL	200 mL	32834	08/24/22 10:20	SMC	EET MID

Eurofins Midland

Lab Chronicle

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Accreditation/Certification Summary

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400-22-24	06-30-23
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
Total BTEX		Water	Total BTEX

Method Summary

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
300.0	Anions, Ion Chromatography	MCAWW	EET MID
SM 2540C	Solids, Total Dissolved (TDS)	SM	EET MID
5030B	Purge and Trap	SW846	EET MID

Protocol References:

- MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
- SM = "Standard Methods For The Examination Of Water And Wastewater"
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Larson & Associates, Inc.
Project/Site: NEDU Pits

Job ID: 880-18376-1
SDG: 19-0112-22

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-18376-1	MW-3	Water	08/17/22 10:40	08/22/22 08:31
880-18376-2	MW-4	Water	08/17/22 11:32	08/22/22 08:31
880-18376-3	MW-2	Water	08/17/22 12:14	08/22/22 08:31
880-18376-4	MW-1	Water	08/17/22 13:11	08/22/22 08:31
880-18376-5	DUP-1	Water	08/17/22 00:00	08/22/22 08:31

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Arson & Associates, Inc.
Environmental Consultants

507 N Warrenfield, Ste 202
Midland, TX 79701
432-687-0901

DATE 8/22/22 PAGE 1 OF 1
PO# _____ LAB WORK ORDER# _____
PROJECT LOCATION OR NAME NEB4 PITS
LAI PROJECT # 19 012-22 COLLECTOR: DSG/PM

TRRP report?
☐ Yes ☒ No

S=SOIL
W=WATER
A=AIR
P=PAINT
SL=SLUDGE
OT=OTHER

TIME ZONE
Time zone/State

Field Sample ID

Lab # Date Time Matrix

of Containers

HCl 3 Vials
HNO₃
H₂SO₄ ☐ NaOH ☐
ICE 2 Poly's
UNPRESSERVED

ANALYSES

BTEX ☒ MTBE ☐
TRPH 418 ☐ TPH 1005 ☐ TPH 1006 ☐
GASOLINE MOD 8015 ☐
DIESEL - MOD 8015 ☐
OIL - MOD 8015 ☐
VOC 8260 ☐
SVOC 8270 ☐ PAH 8270 ☐ HCLDPAH ☐
8081 PESTICIDES ☐ 8151 HERBICIDES ☐
TCPP - METALS (RCRA) ☐ TCPP VOC ☐
TCPP - PEST ☐ HERB ☐ Semi-VOC ☐
TOTAL METALS (RCRA) ☐ OTHER LIST ☐
LEAD - TOTAL ☐ DW 200.8 ☐ TCPL ☐
RCL ☐ TOX ☐ FLASHPOINT ☐
TDS ☐ TSS ☐ % MOISTURE ☐ CYANIDE ☐
pH ☐ HEXAVALENT CHROMIUM ☐
EXPLOSIVES ☐ PECTHLOATE ☐
CHLORIDE ☒ ANIONS ☐ ALKALINITY ☐

FIELD NOTES

Bill to Apache

Report to Larson

MW-3
MW-4
MW-2
MW-1
DUP-1

8/17/22 1040 W
8/17/22 1132 W
8/17/22 1214 W
8/17/22 1311 W
8/17/22 - W

X
X
X
X
X

X
X
X
X
X

X
X
X
X
X

X
X
X
X
X

X
X
X
X
X



880-18376 Chain of Custody

TOTAL 5

RELINQUISHED BY (Signature)

DATE/TIME

RECEIVED BY (Signature)

RELINQUISHED BY (Signature)

DATE/TIME

RECEIVED BY (Signature)

RELINQUISHED BY (Signature)

DATE/TIME

RECEIVED BY (Signature)

LABORATORY Y-ten 00

TURN AROUND TIME

NORMAL ☒

1 DAY ☐

2 DAY ☐

OTHER ☐

LABORATORY USE ONLY:

RECEIVING TEMP 42/44

Therm# IPB-20

CUSTODY SEALS - ☐ BROKEN ☒ INTACT ☐ NOT USED

CARRIER BILL # _____

HAND DELIVERED ☒

18376 CHAIN-OF-CUSTODY

No. 2669

Login Sample Receipt Checklist

Client: Larson & Associates, Inc.

Job Number: 880-18376-1

SDG Number: 19-0112-22

Login Number: 18376

List Number: 1

Creator: Rodriguez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 373811

CONDITIONS

Operator: APACHE CORPORATION 303 Veterans Airpark Ln Midland, TX 79705	OGRID: 873
	Action Number: 373811
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Apache 2022 Third Quarter Groundwater Monitoring Report NEDU Pits, submitted by Apache on 08/14/2024, and received for the record. App ID: 373811.	8/28/2024