***** LIQUID SPILLS - VOLUME CALCULATIONS ******

Location of spill:	Vaca Draw 20-17 Federal 57H	Date of Spill:	10/24/2024
	If the leak/spill is associated with production of	equipment, i.e wellhead, stuffin	g box,
	flowline tank battery production vessel transfe	r numn, or storage tank place an "X	(" here:

flowline, tank battery, production vessel, transfer pump, or storage tank place an "X" here:

Input Data:

If spill volumes from measurement, i.e. metering, tank volumes, etc.are known enter the volumes here: 0.0000 BBL 0.0000 BBL

If "known" spill volumes are given, input data for the following "Area Calculations" is optional. The above will override the calculated volumes.

Total Area Calculations				Standing Liquid Calculations								
Total Surface Area	width	length		wet soil depth	oil (%)	Standing Liquid Area	width		length		liquid depth	oil (%)
Rectangle Area #1	7 ft X	30 ft	Χ	1 in	40%	Rectangle Area #1	10 ft	Χ	30 ft	Χ	1 in	40%
Rectangle Area #2	10 ft 0	30 ft	Χ	1 in	40%	Rectangle Area #2	0 ft	Χ	0 ft	Χ	0 in	0%
Rectangle Area #3	0 ft 0	0 ft	Х	0 in	0%	Rectangle Area #3	0 ft	X	0 ft	Χ	0 in	0%
Rectangle Area #4	0 ft 0	0 ft	Χ	0 in	0%	Rectangle Area #4	0 ft	Χ	0 ft	Χ	0 in	0%
Rectangle Area #5	0 ft 0	0 ft	Х	0 in	0%	Rectangle Area #5	0 ft	X	0 ft	Χ	0 in	0%
Rectangle Area #6	0 ft 0	0 ft	Χ	0 in	0%	Rectangle Area #6	0 ft	Χ	0 ft	Χ	0 in	0%
Rectangle Area #7	0 ft 0	0 ft	Х	0 in	0%	Rectangle Area #7	0 ft	Х	0 ft	Х	0 in	0%
Rectangle Area #8	0 ft 0	0 ft	Х	0 in	0%	Rectangle Area #8	0 ft	Х	0 ft	Х	0 in	0%
Rectangle Area #9	0 ft 0	0 ft	Χ	0 in	0%	Rectangle Area #9	0 ft	Χ	0 ft	Χ	0 in	0%

Liquid holding factor *:

0.14 gal per gal

Use the following when the spill wets the grains of the soil.

- * sand = .08 gallon liquid per gallon volume of soil.
- * gravelly (caliche) loam = .14 gallon liquid per gallon volume of soil.

 * sandy clay loam soil = .14 gallon liquid per gallon volume of soil.
- * clay loam = .16 gallon liquid per gallon volume of soil.

Use the following when the liquid completely fills the pore space of the soil:

WATER:

OIL:


- Occures when the spill soaked soil is contained by barriers, natural (or not).

 * gravelly (caliche) loam = .25 gallon liquid per gallon volume of soil.
- * sandy loam = .5 gallon liquid per gallon volume of soil.


Saturated Soil Volume	Calculations:			Free Liquid Volum	e Calculations:		
Total Solid/Liquid Volume:	510 sq. ft.	<u>H2O</u> 26 cu. ft.	OIL 17 cu. ft.	Total Free Liquid Volume:	300 sq. ft.	<u>H2O</u> 7.500 cu. ft.	OIL 5.000 cu. ft.
Estimated Volumes Sp	oilled			Estimated Production Vol	lumes Lost		
	l in Soil: e Liquid:	<u>H2O</u> 0.6 BBL <u>1.3</u> BBL	OIL 0.4 BBL 0.9 BBL	Estimated Production	n Spilled:	H2O 0.000000 BBL	OIL 0.000000 BBL
	Totals:	1.972 BBL	1.314 BBL	Estimated Surface Da			
	covered:	0.0 BBL	2.205 BBL	Surface Area:	510 sq. ft.		
Total Liquid Spil	l Liquid:	1.972 BBL	3.519 BBL	Surface Area:	.0117 acre		
Recovered Volume	<u>s</u>			Estimated Weights, and	Volumes		
Estimated oil recovered: Estimated water recovered:	0.0 BBL 0.0 BBL	check - o	•	Saturated Soil = Total Liquid =	4,760 lbs 5 BBL	43 cu.ft. 230.61 gallon	2 cu.yds. 1,919 lbs

























<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

1000 Rio Brazos Rd., Aztec, NM 87410 **Santa Fe, NM 87505**

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

QUESTIONS

Action 396144

QUESTIONS

ı	Operator:	OGRID:
ı	CIMAREX ENERGY CO.	215099
ı	6001 Deauville Blvd	Action Number:
ı	Midland, TX 79706	396144
ı		Action Type:
ı		[C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2429872874
Incident Name	NAPP2429872874 VACA DRAW 20-17 FEDERAL 57H @ 30-025-46119
Incident Type	Produced Water Release
Incident Status	Initial C-141 Received
Incident Well	[30-025-46119] VACA DRAW 20 17 FEDERAL #057H

Location of Release Source				
Please answer all the questions in this group.				
Site Name	Vaca Draw 20-17 Federal 57H			
Date Release Discovered	10/24/2024			
Surface Owner	Private			

Incident Details				
Please answer all the questions in this group.				
Incident Type	Produced Water Release			
Did this release result in a fire or is the result of a fire	No			
Did this release result in any injuries	No			
Has this release reached or does it have a reasonable probability of reaching a watercourse	No			
Has this release endangered or does it have a reasonable probability of endangering public health	No			
Has this release substantially damaged or will it substantially damage property or the environment	No			
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No			

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications f	or the volumes provided should be attached to the follow-up C-141 submission.
Crude Oil Released (bbls) Details	Cause: Human Error Other (Specify) Crude Oil Released: 2 BBL Recovered: 2 BBL Lost: 0 BBL.
Produced Water Released (bbls) Details	Cause: Human Error Other (Specify) Produced Water Released: 3 BBL Recovered: 0 BBL Lost: 3 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Upon the Pumper's arrival on location, fluid was discovered on the well pad. Further investigation revealed that the coupon packing gland had backed out due to the safety chain not being properly secured and tightened on the packing gland. A total of 5 barrels were discharged onto the well pad, with 2 barrels recovered by a vac truck. The impacted soils will be scheduled for remediation in the coming weeks. Released: 5 barrels (2 barrels oil + 3 barrels water) Recovered: 2 barrels oil

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV**

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr.

QUESTIONS, Page 2

Action 396144

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462	1 Fe, NM 8/505
QUESTI	IONS (continued)
Operator: CIMAREX ENERGY CO. 6001 Deauville Blvd Midland, TX 79706	OGRID: 215099 Action Number: 396144 Action Type: [C-141] Initial C-141 (C-141-v-Initial)
QUESTIONS	[0-141] Initial 0-141 (0-141-v-initial)
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	More info needed to determine if this will be treated as a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	e. gas only) are to be submitted on the C-129 form.
Initial Response The responsible party must undertake the following actions immediately unless they could create a s	safety hazard that would result in injury.
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	i lation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of ted or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of evaluation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for releathe OCD does not relieve the operator of liability should their operations have failed to a	knowledge and understand that pursuant to OCD rules and regulations all operators are required asses which may endanger public health or the environment. The acceptance of a C-141 report by adequately investigate and remediate contamination that pose a threat to groundwater, surface t does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Laci Luig Title: ES&H Specialist

Email: DL_PermianEnvironmental@coterra.com

Date: 10/28/2024

District I

storage site

1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 **District II**

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720 **District III**

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 **District IV** 1220 S. St Francis Dr., Santa Fe, NM 87505

Phone:(505) 476-3470 Fax:(505) 476-3462

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 QUESTIONS, Page 3

Action 396144

QUESTIONS (continued)

State of New Mexico

Energy, Minerals and Natural Resources

Operator:	OGRID:
CIMAREX ENERGY CO.	215099
6001 Deauville Blvd	Action Number:
Midland, TX 79706	396144
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS Site Characterization Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the elease discovery date. What is the shallowest depth to groundwater beneath the area affected by the Not answered. release in feet below ground surface (ft bgs) What method was used to determine the depth to ground water Not answered. Did this release impact groundwater or surface water Not answered. What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A continuously flowing watercourse or any other significant watercourse Not answered. Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Not answered. An occupied permanent residence, school, hospital, institution, or church Not answered. A spring or a private domestic fresh water well used by less than five households Not answered for domestic or stock watering purposes Any other fresh water well or spring Not answered. Incorporated municipal boundaries or a defined municipal fresh water well field Not answered. A wetland Not answered. A subsurface mine Not answered. An (non-karst) unstable area Not answered. Categorize the risk of this well / site being in a karst geology Not answered. A 100-year floodplain Not answered. Did the release impact areas not on an exploration, development, production, or

Remediation Plan				
Please answer all the questions that apply or are indicated. This information must be provided to the	appropriate district office no later than 90 days after the release discovery date.			
Requesting a remediation plan approval with this submission	No			
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to				
significantly deviate from the remediation plan proposed, then it should consult with the division to de	etermine it another remediation plan submission is required.			

Not answered.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone: (575) 748-1283 Fax: (575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 396144

CONDITIONS

Operator:	OGRID:
CIMAREX ENERGY CO.	215099
6001 Deauville Blvd	Action Number:
Midland, TX 79706	396144
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	None	10/28/2024