

2024 Annual Groundwater Monitoring Summary Report

Linam Ranch Natural Gas Plant
Lea County, New Mexico
GW-015

Incident Number:
nAUTOfGP000132

Prepared for:



6900 E. Layton Ave., Suite 900
Denver, CO 80237-3658

Prepared by:



6855 W. 119th Avenue
Broomfield, Colorado 80020

March 13, 2025



Table of Contents

- 1. Introduction 1
- 2. Site Location and Background..... 1
- 3. Groundwater Monitoring..... 1
 - 3.1 Groundwater and LNAPL Elevation Monitoring..... 2
 - 3.2 Groundwater Quality Monitoring 2
 - 3.3 Data Quality Assurance / Quality Control 3
- 4. Remediation Activities 4
- 5. Conclusions 4
- 6. Recommendations 4

Tables

- 1 2024 Annual Summary of Groundwater Elevation Data
- 2 2024 Annual Summary of BTEX Concentrations in Groundwater

Figures

- 1 Site Location Map
- 2 Site Overview Map
- 3 Groundwater Elevation Contour Map – March 19, 2024
- 4 Groundwater Elevation Contour Map – September 19, 2024
- 5 Analytical Results Map – March 19, 2024
- 6 Analytical Results Map –September 19, 2024

Appendices

- A Historical Analytical Results – BTEX Concentrations in Groundwater
- B Laboratory Analytical Report
 - Pace Analytical Job #: L1717119
 - Pace Analytical Job #: L1780263
- C NMOCD Sampling Notifications



1. Introduction

This report summarizes groundwater monitoring and remediation activities conducted during the 2024 calendar year at the Linam Ranch Natural Gas Plant (Site) in Lea County, New Mexico (Figure 1). Tasman Geosciences (Tasman) performed these activities on behalf of DCP Operating Company (DCP). The field activities described herein were conducted with the purpose of monitoring groundwater flow and quality conditions and assessing the presence of light non-aqueous phase liquid (LNAPL) hydrocarbons in the Site subsurface. Current Site conditions were evaluated from field data and analytical laboratory results collected on March 19 and September 19, 2024. The data collected was used to develop the groundwater elevation map and analytical results figure presented herein.

2. Site Location and Background

The Site is located in New Mexico Oil Conservation Division (OCD) designated Unit B, Section 6, Township 19 South, Range 37 East (Figure 1). The approximate facility coordinates are 32.6965 degrees north and 103.2883 degrees west. The facility is an active natural gas processing facility and includes an office complex and storage areas in addition to the main plant.

In February 1994, hydrocarbon-impacted groundwater was detected during subsurface investigations performed at two areas within the plant. A follow-up subsurface investigation was performed in May 1994 to delineate the horizontal extent of hydrocarbon-impacted soils and groundwater. The OCD subsequently requested a work plan to completely define the extent of groundwater contamination at the plant. In October 1995, the OCD approved a quarterly sampling and monitoring program for the Site, which was reduced to semi-annual frequency in 1997 after the recommendations of a 1996 report submitted by Geoscience Consultants Ltd. (GCL).

There are currently twelve groundwater monitoring wells at the Site: MW-1, MW-2, MW-3, MW-4, MW-5, MW-6, MW-7, MW-8, MW-9, MW-10, MW-10D, and MW-11 (Figure 2); monitoring well MW-13 was destroyed during the second half of 2012 and has been removed from the sampling program. These wells were installed between 1991 and 1995.

3. Groundwater Monitoring

This section describes the groundwater field and laboratory activities performed during the semi-annual monitoring events on March 19 and September 19, 2024. Monitoring activities included Site-wide groundwater gauging, LNAPL measurements, and groundwater sampling. Figure 2 illustrates the groundwater monitoring network utilized to perform these activities at the Site.



3.1 Groundwater and LNAPL Elevation Monitoring

Groundwater and LNAPL levels were measured to evaluate hydraulic characteristics and provide information regarding seasonal and annual fluctuations in groundwater elevations at the Site. During the reporting period, groundwater levels were measured at all 11 of the 12 Site monitoring wells.

Groundwater and LNAPL levels were measured on the north side of the well casing to the nearest 0.01-foot using an oil-water interface probe (IP). Groundwater level data was converted to elevation (feet above mean sea level [AMSL]). Measured groundwater levels, calculated groundwater elevations, and LNAPL level data are presented in Table 1.

Groundwater elevation maps, included as Figures 3 and 4, indicate that groundwater flow at the Site trends generally to the southeast. Groundwater elevation ranges, average elevation changes from previous monitoring events, and calculated hydraulic gradients at the Site are summarized in the table below.

Summary of Measured Hydraulic Parameters

	March	September
Maximum Elevation (Well ID)	3,667.58 (MW-1)	3,664.32 (MW-1)
Minimum Elevation (Well ID)	3,661.98 (MW-3)	3,660.67 (MW-3)
Potentiometric Surface Average Change	-0.87	-1.31
Hydraulic Gradient (ft/ft)	0.00270	0.00176

Measurable LNAPL was observed at monitor wells MW-4, MW-6 and MW-11 during one or more of the monitoring events.

3.2 Groundwater Quality Monitoring

After recording groundwater level measurements, groundwater samples were collected from each on-site monitor well. Monitor wells MW-4 and MW-11 were not sampled due to the presence of LNAPL. Monitor well MW-6 was not sampled due to the presence of an active spill buster remediation system. Monitor well MW-1, MW-2, and MW-5 were not sampled during the September groundwater monitoring event due to an insufficient volume of water needed for sample collection. Monitor well MW-7 was not sampled and has been dry since 2020.

A minimum of three well casing volumes of groundwater were purged from each monitoring well prior to collection of groundwater samples. Groundwater samples were collected using disposable polyethylene bailers, placed in clean laboratory-supplied containers for the selected analytical methods, packed in an ice-filled cooler, and maintained at approximately four (4) degrees Celsius (°C) for transportation to the laboratory. Groundwater samples were then shipped under chain-of-custody procedures to Pace Analytical laboratory (Pace) in Mount Juliet, Tennessee for analysis.



Water quality samples were submitted for analysis of benzene, toluene, ethylbenzene, and xylene (BTEX) by United States Environmental Protection Agency (USEPA) Method 8260B.

Table 2 summarizes BTEX concentrations in groundwater samples collected during the reporting period. Historical analytical results up to and including the September 19, 2024 event are included in Appendix A, and the laboratory analytical reports for each event are included in Appendix B. Analytical results are displayed on Figures 4 and 5 and NMOCD sampling notifications are provided as Appendix C.

Analytical results/observations are summarized below:

- Benzene was detected in exceedance of the New Mexico Water Quality Control Commission (NMWQCC) groundwater standard of (0.010 milligrams per liter [mg/L]) during each monitoring event in monitoring wells MW-10 and MW-10D. Concentrations ranged from 0.0196 mg/L at monitor well MW-10D during the March event to 0.734 mg/L in monitor well MW-10 also during the March event. Concentrations of benzene were below the NMWQCC standard at all other wells.
- Toluene, Ethylbenzene, and Total Xylenes were not detected at concentrations greater than their respective NMWQCC standards during the 2024 monitoring period.

3.3 Data Quality Assurance / Quality Control

A trip blank and field duplicate sample (MW-10D) were collected during each of the 2024 monitoring events. The data was reviewed for compliance with the analytical method and the associated quality assurance/quality control (QA/QC) procedures. All samples were analyzed using the correct analytical methods and within the correct holding times. Chain of custody forms were in order and properly executed and indicate that samples were received at the proper temperature with no headspace. All data were reported using the correct method number and reporting units. QA/QC items of note for 2024 include the following:

- Target analytes were not detected in the trip blank; and
- Calculated relative percent difference (RPD) are shown in the table below:

	Parent Sample (mg/L)	Duplicate Sample (mg/L)	RPD
March	0.0196	0.0224	13.33%
September	0.0334	0.0305	9.07%

The RPD between parent and duplicate samples were each within the target of 20 percent. The overall QA/QC assessment, based on the data review, indicates that data precision and accuracy are acceptable.



4. Remediation Activities

Active LNAPL recovery using a Clean Earth Technologies Magnum Spill Buster™ automatic LNAPL recovery system (Magnum Spill Buster™) deployed at MW-6 was shut down in November 2018 based on the LNAPL being absent in the well. Due to the presence of LNAPL observed at this location during the second half of 2019, the Spill Buster was re-initiated on September 18, 2019. Currently the auto seeking function of the spill buster unit is not operational. Therefore, the Spill Buster pump is run manually during each monitoring event. Passive bailers were deployed in monitor well MW-4 following the September 2022 event and at monitor well MW-11 on October 11, 2023. In July 2024, MW-6 and MW-4 were observed to be dry and subsequent LNAPL recovery events show that they continue to be dry. Manual recovery of LNAPL using a hydrocarbon bailer also takes place during each month at monitor well MW-11. The total of all recovered product shows 11 gallons of LNAPL recovered during the 2024 calendar year.

5. Conclusions

Comparison of data gathered throughout 2024 with historical information provides the following general observations:

- Based on historical groundwater level measurements, groundwater elevations at the Site typically exhibit seasonal and annual fluctuations. Measurements collected during 2024 exhibited an overall decrease in elevation compared to the second half of 2023. The observed decrease is likely due to seasonal groundwater fluctuations or the pumping of water taking place near the site.
- Dissolved phase benzene concentrations above NMWQCC standards persist in the central portion of the Site, represented by wells MW-4 (dissolved phase and LNAPL), MW-5, MW-6 (dissolved phase and LNAPL), MW-10, and MW-10D. In addition, MW-11 has exhibited LNAPL since September 2022. Generally, benzene concentrations at these locations demonstrate stable conditions.
- While dissolved phase hydrocarbon impacts persist on-Site, BTEX concentrations in downgradient monitoring wells MW-3 and MW-9 remain below laboratory detection limits.

6. Recommendations

Based on evaluation of data gathered during the 2024 monitoring period and historical Site observations and monitoring results, the following recommendations have been developed for future activities:

- Continue semi-annual groundwater monitoring and sampling at the monitoring locations illustrated on Figure 2.
- Continue LNAPL recovery at monitoring well MW-6, MW-4, and MW-11 during 2025 if groundwater elevations allow for it.

Tables

**TABLE 1
2024 ANNUAL
SUMMARY OF GROUNDWATER ELEVATION DATA
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location	Date	Depth to Groundwater (feet)	Depth to Product (feet)	Free Phase Hydrocarbon Thickness (feet)	Total Depth (feet)	TOC Elevation (feet amsl)	Groundwater Elevation (*) (feet amsl)	Change in Groundwater Elevation Since Previous Event (1) (feet)
MW-1	03/19/24	50.71			54.42	3718.29	3667.58	-3.34
MW-1	09/19/24	53.97			54.42	3718.29	3664.32	-3.26
MW-2	03/19/24	50.35			50.54	3714.80	3664.45	0.03
MW-2	09/19/24	DRY			50.54	3714.80	NA	NA
MW-3	03/19/24	53.52			55.36	3715.50	3661.98	-0.30
MW-3	09/19/24	54.83			55.36	3715.50	3660.67	-1.31
*MW-4	03/19/24	53.65	52.82	0.83	54.32	3720.46	3667.43	-2.72
*MW-4	09/19/24	54.22			54.32	3720.46	3666.24	-1.19
MW-5	03/19/24	54.47			56.71	3721.53	3667.06	-1.51
MW-5	09/19/24	DRY			56.71	3721.53	NA	NA
**MW-6	03/19/24	54.98	53.87	1.11	55.75	3720.99	3666.84	-1.12
**MW-6	09/19/24	DRY			55.75	3720.99	NA	NA
MW-7	03/19/24	DRY			62.81	3728.57	NA	NA
MW-7	09/19/24	DRY			62.81	3728.57	NA	NA
MW-8	03/19/24	50.50			58.45	3714.18	3663.68	0.19
MW-8	09/19/24	52.01			58.45	3714.18	3662.17	-1.51
MW-9	03/19/24	57.03			59.44	3720.48	3663.45	-0.28
MW-9	09/19/24	57.61			59.44	3720.48	3662.87	-0.58
MW-10	03/19/24	57.32			59.25	3720.76	3663.44	-0.30
MW-10	09/19/24	57.91			59.25	3720.76	3662.85	-0.59
MW-10D	03/19/24	58.77			79.67	3720.85	3662.08	-0.24
MW-10D	09/19/24	59.65			79.03	3720.85	3661.20	-0.88
MW-11	03/19/24	59.79	58.63	1.16	64.09	3722.02	3663.10	-0.25
MW-11	09/19/24	60.76	59.81	0.95	64.09	3722.02	3661.97	-1.13
Average change in groundwater elevation (2024)								-1.31

1- Changes in groundwater elevation calculated by subtracting the measurement collected during the previous monitoring event from the measurement collected during the most recent monitoring event.

amsl = feet above mean sea level

TOC = top of casing

Groundwater elevation = (TOC Elevation - Measured Depth to Water)

* Groundwater elevation was corrected for product thickness using the following calculation, when applicable:

Groundwater elevation = (TOC Elevation - Measured Depth to Water) + (LNAPL Thickness in Well * LNAPL Relative Density)

LNAPL relative density is assumed to be approximately 0.75 grams per cubic centimeter (g/cm³)

** Monitoring well MW-6 has an active Spill Buster automatic LNAPL recovery pump installed. As such, the calculated groundwater elevations may not be representative of actual groundwater elevations within the well.

NM = Not Measured

NA = Not Applicable

**TABLE 2
2024 ANNUAL
SUMMARY OF BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.010	1.00	0.70	0.62	
MW-1	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-1	9/19/2024	NS - Inadequate Volume				
MW-2	3/19/2024	NS - Inadequate Volume				
MW-2	9/19/2024	NS - Inadequate Volume				
MW-3	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-4	3/19/2024	Not Sampled - LNAPL Present				
MW-4	9/19/2024	Not Sampled - LNAPL Present				
MW-5	3/19/2024	0.00487	<0.00100	0.121	<0.00300	
MW-5	9/19/2024	NS - Inadequate Volume				
MW-6	3/19/2024	LNAPL				LNAPL (Spill Buster)
MW-6	9/19/2024	Not Sampled - Insufficient Volume				LNAPL (Spill Buster)
MW-7	3/19/2024	NS				DRY
MW-7	9/19/2024	NS				DRY
MW-8	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-8	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-10	3/19/2024	0.734	0.00138	0.35	0.0695	
MW-10	9/19/2024	0.277	<0.025	0.538	0.0351 J	
MW-10D	3/19/2024	0.0196	0.0135	0.00195 J	<0.00300	Duplicate Sample Collected
MW-10D (Duplicate)	3/19/2024	0.0224	0.016	0.00253 J	0.00239 J	
MW-10D	9/19/2024	0.0334	0.0152	0.00564 J	0.00585 J	Duplicate Sample Collected
MW-10D (Duplicate)	9/19/2024	0.0305	0.0138	0.00519	0.00575	
MW-11	3/19/2024	Not Sampled- LNAPL Present				
MW-11	9/19/2024	Not Sampled- LNAPL Present				
Trip Blank	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.

NMWQCC = New Mexico Water Quality Control Commission



LNAPL = Light Non-Aqueous Phase Liquid

J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

NS = Not Sampled

mg/L = milligrams per liter

Figures



DATE:	June 2014
DESIGNED BY:	T. Johansen
DRAWN BY:	D. Arnold



Tasman Geosciences, Inc.
6855 W. 119th Avenue
Broomfield, Colorado 80020

DCP Operating Company, LP
Linam Ranch Gas Plant
Unit B, Section 6, Township 19 South, Range 37 East
Lea County, New Mexico

Site Location
Map

Figure
1



DATE:	March 2024
DESIGNED BY:	B. Dennis
DRAWN BY:	B. Dennis


Tasman, Inc.
 6855 W. 119th Ave
 Broomfield, CO 80020

DCP Operating Company, LP
Linam Gas Plant
 2023 Annual Groundwater Monitoring
 Summary Report

Site Overview Map

Figure 2



DATE:	April 2024
DESIGNED BY:	B. Dennis
DRAWN BY:	B. Dennis

TASMAN Tasman Geosciences, Inc.
6855 W. 119th Avenue
Broomfield, Colorado 80020

DCP Operating Company, LP
Linam Ranch Gas Plant
2024 Annual Groundwater Monitoring
Summary Report

Groundwater Elevation
Contour Map
(March 19, 2024)

Figure
3




DATE:	September 2024
DESIGNED BY:	B. Dennis
DRAWN BY:	B. Dennis

TASMAN Tasman Geosciences, Inc.
6855 W. 119th Avenue
Broomfield, Colorado 80020

DCP Operating Company, LP
Linam Ranch Gas Plant
2024 Annual Groundwater Monitoring
Summary Report

Groundwater Elevation
Contour Map
(September 19, 2024)

Figure
4




DATE: March 2024
DESIGNED BY: B. Dennis
DRAWN BY: K. Stark

Tasman Geosciences, Inc.
6855 W. 119th Avenue
Broomfield, Colorado 80020

DCP Operating Company, LP
Linam Ranch Gas Plant
2024 Annual Groundwater Monitoring
Summary Report

Analytical Results
Map
(March 19, 2024)

Figure
5



DATE: October 2024
 DESIGNED BY: B. Dennis
 DRAWN BY: K. Stark



DCP Operating Company, LP
Linam Ranch Gas Plant
 2024 Annual Groundwater Monitoring
 Summary Report

Analytical Results Map
 (September 19, 2024)

Figure
 6

Appendix A
Historical Analytical Results

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-1	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-1	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-1	9/28/2010	<0.001	<0.002	<0.002	<0.004	
MW-1	4/28/2011	0.00054 J	<0.002	<0.002	<0.002	
MW-1	9/13/2011	<0.001	<0.002	<0.002	<0.004	
MW-1	3/5/2012	<0.005	<0.005	<0.005	<0.015	
MW-1	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-1	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-1	9/9/2013	0.012	<0.001	0.0024	0.0038	
MW-1	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-1	9/23/2014	<0.001	<0.001	<0.001	<0.003	
MW-1	2/24/2015	<0.001	<0.001	<0.001	<0.003	
MW-1	9/1/2015	<0.001	<0.001	<0.001	<0.003	
MW-1	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-1	9/28/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-1	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	3/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	9/18/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	6/23/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	9/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	3/25/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	9/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-1	3/24/2022	0.000105 J	<0.00100	<0.00100	<0.00300	
MW-1	9/16/2022	0.000212 J	0.000541 J	<0.00100	0.000536 J	
MW-1	3/23/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-1	9/22/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-1	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-1	9/19/2024	NS - Inadequate Volume				
MW-2	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-2	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-2	9/28/2010	<0.001	<0.002	<0.002	<0.004	
MW-2	4/28/2011	<0.001	<0.002	<0.002	<0.002	
MW-2	9/12/2011	<0.001	<0.002	<0.002	<0.004	
MW-2	3/5/2012	<0.005	<0.005	<0.005	<0.015	
MW-2	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-2	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-2	9/9/2013	<0.001	<0.001	<0.01	<0.001	
MW-2	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-2	9/23/2014	NS	NS	NS	NS	Inaccessible
MW-2	2/24/2015	<0.001	<0.001	<0.001	<0.003	
MW-2	9/1/2015	<0.001	<0.001	<0.001	<0.003	
MW-2	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-2	9/28/2016	NS				Well inaccessible due to flooding
MW-2	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-2	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	3/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	9/18/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	6/23/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	9/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	3/25/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-2	9/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-2	3/24/2022	0.000411 J	<0.00100	<0.00100	<0.00300	
MW-2	9/16/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-2	3/23/2023	NS - Inadequate Volume				
MW-2	9/22/2023	NS - Inadequate Volume				
MW-2	3/19/2024	NS - Inadequate Volume				
MW-2	9/19/2024	NS - Inadequate Volume				
MW-3	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-3	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-3	9/28/2010	<0.001	<0.002	<0.002	<0.004	
MW-3	4/28/2011	<0.001	<0.002	<0.002	<0.002	
MW-3	9/12/2011	<0.001	<0.002	<0.002	<0.004	
MW-3	3/5/2012	<0.005	<0.005	<0.005	<0.015	
MW-3	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-3	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-3	9/9/2013	<0.001	<0.001	<0.001	<0.001	
MW-3	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-3	9/23/2014	<0.001	<0.001	<0.001	<0.003	
MW-3	2/24/2015	<0.001	<0.001	<0.001	<0.003	
MW-3	9/1/2015	<0.001	<0.001	<0.001	<0.003	
MW-3	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-3	9/28/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-3	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	3/26/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	9/18/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	6/24/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	9/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	3/25/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	9/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-3	3/24/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	9/16/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	3/23/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	9/22/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-3	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-4	9/24/2009	LNAPL				
MW-4	3/24/2010	LNAPL				
MW-4	9/28/2010	LNAPL				
MW-4	4/28/2011	LNAPL				LNAPL (0.23 feet)
MW-4	9/13/2011	LNAPL				LNAPL (0.28 feet)
MW-4	3/5/2012	LNAPL				LNAPL (0.34 feet)
MW-4	9/4/2012	LNAPL				LNAPL (0.43 feet)
MW-4	2/18/2013	LNAPL				LNAPL (0.47 feet)
MW-4	9/9/2013	LNAPL				LNAPL (0.06 feet)
MW-4	2/25/2014	LNAPL				LNAPL (0.02 feet)
MW-4	2/24/2015	9.8	<0.005	0.59	<0.015	LNAPL (0.01 feet)
MW-4	9/1/2015	8.6	<0.005	0.53	<0.015	
MW-4	3/24/2016	6.9	<0.005	0.38	<0.015	
MW-4	10/12/2016	5	<0.010	0.027	0.053	
MW-4	3/7/2017	8.9	<0.005	0.024	0.0051	
MW-4	10/3/2017	16.9	<0.100	0.618	<0.300	
MW-4	3/14/2018	18.7	<0.010	0.686	<0.030	
MW-4	9/7/2018	12.3	<0.200	0.74	<0.600	

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-4	3/26/2019	15.9	<0.200	0.516	<0.600	
MW-4	9/18/2019	19.3	<0.0010	0.829	0.00356	
MW-4	6/23/2020	12.9	<0.0010	0.561	0.0351	
MW-4	9/16/2020	18.5	<0.100	0.601	<0.300	
MW-4	3/25/2021	17.3	<0.100	0.911	0.121 J	LNAPL (0.60')
MW-4	9/23/2021	Not Sampled - LNAPL Present				LNAPL (3.43')
MW-4	3/24/2022	Not Sampled - LNAPL Present				LNAPL (2.61')
MW-4	9/16/2022	Not Sampled - LNAPL Present				LNAPL (3.01')
MW-4	3/23/2023	Not Sampled - LNAPL Present				
MW-4	9/22/2023	Not Sampled - LNAPL Present				SHEEN
MW-4	3/19/2024	Not Sampled - LNAPL Present				
MW-4	9/19/2024	Not Sampled - LNAPL Present				
MW-5	9/24/2009	0.0272	<0.002	0.227	<0.006	
MW-5	3/24/2010	0.13	<0.002	0.482	0.46	
MW-5	9/28/2010	0.0095	<0.004	0.188	<0.008	
MW-5	4/28/2011	0.149	<0.004	0.776	<0.004	
MW-5	9/13/2011	0.13	<0.010	0.86	<0.020	
MW-5	3/5/2012	0.24	<0.025	2	<0.075	
MW-5	9/4/2012	0.17	<0.005	1	0.038	Duplicate Sample Collected
MW-5	2/18/2013	0.21	<0.005	1.4	<0.015	Duplicate Sample Collected
MW-5	9/9/2013	0.096	<0.001	0.89	<0.001	Duplicate Sample Collected
MW-5 (Duplicate)	9/9/2013	0.095	<0.001	0.9	<0.001	
MW-5	2/25/2014	0.18	<0.005	1.3	<0.005	
MW-5	9/23/2014	0.33	<0.005	2	<0.015	
MW-5	2/24/2015	0.16	<0.005	1.3	<0.015	
MW-5	9/1/2015	0.1	<0.005	0.57	<0.015	
MW-5	3/24/2016	0.095	<0.005	1.4	<0.015	
MW-5	9/28/2016	0.081	<0.0050	1.6	<0.015	
MW-5	3/7/2017	0.081	<0.0050	0.91	<0.0050	
MW-5	10/3/2017	0.151	0.00906 J	2.34	<0.060	
MW-5	3/14/2018	0.0609	<0.010	0.930	<0.030	
MW-5	9/7/2018	0.131	<0.001	2.040	0.00267 J	
MW-5	3/26/2019	0.08	0.000443 J	2.530	<0.003	
MW-5	9/18/2019	0.0980	<0.0200	1.97	<0.0600	
MW-5	6/23/2020	0.0266	<0.0200	1.73	0.00356 J	
MW-5	9/16/2020	0.0358	<0.0200	2.12	<0.0600	
MW-5	3/25/2021	0.105	<0.0200	2.61	<0.0600	
MW-5	9/23/2021	0.0933	<0.0200	2.72	<0.0600	
MW-5	3/24/2022	0.151	<0.0500	2.51	<0.150	
MW-5	9/16/2022	0.141	<0.00100	1.14	0.00121 J	
MW-5	3/23/2023	0.0696	<0.00100	0.835	0.0152 J	
MW-5	9/22/2023	0.0474	<0.00100	0.538	0.000380 J	
MW-5	3/19/2024	0.00487	<0.00100	0.121	<0.00300	
MW-5	9/19/2024	NS - Inadequate Volume				
MW-6	9/24/2009	LNAPL				
MW-6	3/24/2010	LNAPL				
MW-6	9/28/2010	LNAPL				
MW-6	4/28/2011	LNAPL				LNAPL (2.81 feet)
MW-6	9/13/2011	LNAPL				LNAPL (3.33 feet)
MW-6	3/5/2012	LNAPL				LNAPL (3.1 feet)
MW-6	9/4/2012	LNAPL				LNAPL (3.98 feet)
MW-6	2/18/2013	LNAPL				LNAPL (2.32 feet) Active Spill Buster
MW-6	9/9/2013	LNAPL				LNAPL (0.17 feet) Active Spill Buster
MW-6	2/25/2014	LNAPL				LNAPL (1.99 feet) Active Spill Buster
MW-6	9/23/2014	LNAPL				LNAPL (0.09 feet)
MW-6	2/24/2015	LNAPL				LNAPL (0.07 feet)

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-6	9/1/2015	LNAPL				LNAPL (0.01 feet)
MW-6	3/24/2016	LNAPL				LNAPL (0.13 feet)
MW-6	9/28/2016	LNAPL				LNAPL (3.74 feet)
MW-6	3/7/2017	LNAPL				LNAPL (0.7 feet) Active Spill Buster
MW-6	10/3/2017	LNAPL				LNAPL (0.25 feet) Active Spill Buster
MW-6	3/14/2018	LNAPL				LNAPL (NM) Active Spill Buster
MW-6	9/7/2018	LNAPL				LNAPL (0.32 feet) Active Spill Buster
MW-6	3/26/2019	0.543	<0.001	0.188	<0.003	
MW-6	9/18/2019	LNAPL				LNAPL (2.62 feet)
MW-6	6/23/2020	LNAPL				LNAPL (3.36 feet)
MW-6	9/16/2020	LNAPL				LNAPL (3.36 feet)
MW-6	3/25/2021	LNAPL				LNAPL (Spill Buster)
MW-6	9/23/2021	LNAPL				LNAPL (Spill Buster)
MW-6	3/24/2022	LNAPL				LNAPL (Spill Buster)
MW-6	9/16/2022	LNAPL				LNAPL (Spill Buster)
MW-6	3/23/2023	LNAPL				LNAPL (Spill Buster)
MW-6	9/22/2023	LNAPL				LNAPL (Spill Buster)
MW-6	3/19/2024	LNAPL				LNAPL (Spill Buster)
MW-6	9/19/2024	Not Sampled - Insufficient Volume				LNAPL (Spill Buster)
MW-7	9/24/2009	NS				
MW-7	3/24/2010	NS				
MW-7	9/28/2010	NS				
MW-7	4/28/2011	NS				DRY
MW-7	9/13/2011	NS				
MW-7	3/5/2012	NS				
MW-7	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-7	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-7	9/9/2013	<0.001	<0.001	<0.001	<0.001	
MW-7	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-7	9/23/2014	<0.001	<0.001	<0.001	<0.003	
MW-7	2/24/2015	<0.001	<0.001	<0.001	<0.003	
MW-7	9/1/2015	<0.001	<0.001	<0.001	<0.003	
MW-7	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-7	10/12/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-7	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-7	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-7	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-7	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-7	3/25/2019	<0.0010	<0.0010	0.000421 J	<0.0030	
MW-7	9/18/2019	NS				Not enough water for sample
MW-7	6/24/2020	NS				DRY
MW-7	9/16/2020	NS				DRY
MW-7	3/25/2021	NS				DRY
MW-7	9/23/2021	NS				DRY
MW-7	3/24/2022	NS				DRY
MW-7	9/16/2022	NS				DRY
MW-7	3/23/2023	NS				DRY
MW-7	9/22/2023	NS				DRY
MW-7	3/19/2024	NS				DRY
MW-7	9/19/2024	NS				DRY
MW-8	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-8	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-8	9/28/2010	<0.001	<0.002	<0.002	<0.004	
MW-8	4/28/2011	<0.001	<0.002	<0.002	<0.002	
MW-8	9/12/2011	<0.005	<0.005	<0.005	<0.015	
MW-8	3/5/2012	<0.005	<0.005	<0.005	<0.015	

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-8	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-8	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-8	9/9/2013	<0.001	<0.001	<0.001	<0.001	
MW-8	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-8	9/23/2014	NS				Inaccessible
MW-8	2/24/2015	<0.001	<0.001	<0.001	<0.003	
MW-8	9/1/2015	<0.001	<0.001	<0.001	<0.003	
MW-8	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-8	9/28/2016	NS				Well inaccessible due to flooding
MW-8	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-8	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	3/25/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	9/18/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	6/23/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	9/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	3/25/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	9/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-8	3/24/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-8	9/16/2022	<0.00200	<0.00100	<0.00200	<0.00300	
MW-8	3/23/2023	<0.00100	<0.00100	<0.00100	0.000281 J	
MW-8	9/22/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-8	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-8	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-9	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-9	9/28/2010	<0.001	<0.002	<0.002	<0.004	
MW-9	4/28/2011	<0.001	<0.002	<0.002	<0.002	
MW-9	9/12/2011	<0.001	<0.002	<0.002	<0.004	
MW-9	3/5/2012	<0.005	<0.005	<0.005	<0.015	
MW-9	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-9	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-9	9/9/2013	<0.001	<0.001	<0.001	<0.001	
MW-9	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-9	9/23/2014	<0.001	<0.001	<0.001	<0.003	
MW-9	2/24/2015	<0.001	<0.001	<0.001	<0.003	
MW-9	9/1/2015	<0.001	<0.001	<0.001	<0.003	
MW-9	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-9	9/28/2016	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
MW-9	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	3/26/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	9/18/2019	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	6/24/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	9/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	3/25/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	9/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	
MW-9	3/24/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	9/16/2022	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	3/23/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	9/22/2023	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
MW-9	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	

APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-10	4/30/2008	0.769	0.0457	0.0851	0.05	
MW-10	4/29/2009	0.883	0.23	0.0859	0.0759	
MW-10	9/24/2009	1.07	0.126	0.148	0.154	
MW-10	3/24/2010	1.64	0.175	0.246	0.156	
MW-10	9/28/2010	1.9	0.0547 J	0.24	0.104 J	
MW-10	4/28/2011	1.72	0.228	0.195	0.126	Duplicate Sample Collected
MW-10 (Duplicate)	4/28/2011	2.29	0.258	0.234	0.155	
MW-10	9/12/2011	1.97	0.104	0.249	0.145	Duplicate Sample Collected
MW-10 (Duplicate)	9/12/2011	2.08	0.0964	0.25	0.153	
MW-10	3/5/2012	2.2	0.11	0.23	0.13	
MW-10	9/4/2012	2.7	0.0083	0.28	0.12	
MW-10	2/18/2013	2.0	0.019	0.3	0.13	
MW-10	9/9/2013	1.6	0.022	0.26	0.11	
MW-10	2/25/2014	1.7	0.0054	0.35	0.098	
MW-10	9/23/2014	2.2	<0.005	0.53	0.15	
MW-10	2/24/2015	1.6	0.012	0.29	0.086	
MW-10	9/1/2015	1.6	0.012	0.19	0.078	
MW-10	3/24/2016	4.6	0.0068	0.22	0.054	
MW-10	9/28/2016	3.1	0.012	0.25	0.19	
MW-10	3/7/2017	3.1	0.011	0.23	0.09	
MW-10	10/3/2017	4.27	0.0202	0.311	0.158	
MW-10	3/14/2018	4.24	<0.010	0.440	0.109	
MW-10	9/7/2018	3.32	0.0274	0.332	0.155	
MW-10	3/26/2019	2.0	0.0182	0.197	0.0826	
MW-10	9/18/2019	1.66	<0.200	0.284	0.202	
MW-10	6/23/2020	2.66	0.0100 J	0.522	0.141	
MW-10	9/16/2020	2.96	<0.0200	0.500	0.119	
MW-10	3/25/2021	1.64	0.0162 J	0.221	0.0452 J	
MW-10	9/23/2021	1.52	<0.0200	0.272	0.0150 J	
MW-10	3/24/2022	1.31	0.0107 J	0.247	0.0497 J	
MW-10	9/16/2022	1.40	0.00793	0.293	0.0645	
MW-10	3/23/2023	0.20	0.0130 J	0.937	0.0121 J	
MW-10	9/22/2023	0.40	0.0209	0.154	0.03	
MW-10	3/19/2024	0.734	0.00138	0.35	0.0695	
MW-10	9/19/2024	0.277	<0.025	0.538	0.0351 J	
MW-10D	4/30/2008	0.195	0.0677	0.0144	0.0221	
MW-10D	4/29/2009	0.179	0.0772	0.0203	0.0296	
MW-10D	9/24/2009	0.103	0.0496	0.0127	0.0261	
MW-10D	3/24/2010	0.196	0.0703	0.0129	0.0202	
MW-10D	9/28/2010	0.0402	0.0358	0.006	0.0077 J	
MW-10D	4/28/2011	0.0512	0.0373	0.0063	0.0113	
MW-10D	9/12/2011	0.0278	0.0131	0.0032	0.006	
MW-10D	3/5/2012	0.024	0.0081	<0.005	<0.015	Duplicate Sample Collected
MW-10D (Duplicate)	3/5/2012	0.022	0.0089	<0.005	<0.015	
MW-10D	9/4/2012	0.023	0.0057	<0.005	<0.015	
MW-10D	2/18/2013	0.034	0.014	0.0023	0.0031	
MW-10D	9/9/2013	0.034	0.019	<0.005	<0.005	
MW-10D	2/25/2014	0.046	0.021	0.005	<0.005	Duplicate Sample Collected
MW-10D (Duplicate)	2/25/2014	0.043	0.019	<0.005	<0.005	
MW-10D	9/23/2014	0.059	0.024	<0.005	<0.015	Duplicate Sample Collected
MW-10D (Duplicate)	9/23/2014	0.058	0.024	<0.005	<0.015	
MW-10D	2/24/2015	0.062	0.026	0.008	<0.015	Duplicate Sample Collected
MW-10D (Duplicate)	2/24/2015	0.058	0.024	0.0074	<0.015	
MW-10D	9/1/2015	0.062	0.025	0.006	<0.015	Duplicate Sample Collected
MW-10D (Duplicate)	9/1/2015	0.065	0.026	0.0075	<0.015	
MW-10D	3/24/2016	0.079	0.021	0.021	<0.015	Duplicate Sample Collected

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-10D (Duplicate)	3/24/2016	0.079	0.019	0.013	<0.015	
MW-10D	9/28/2016	0.024	0.013	<0.0050	<0.015	Duplicate Sample Collected
MW-10D (Duplicate)	9/28/2016	0.025	0.013	<0.0050	<0.015	
MW-10D	3/7/2017	0.15	0.017	0.026	0.0072	Duplicate Sample Collected
MW-10D (Duplicate)	3/7/2017	0.15	0.016	0.025	0.0066	
MW-10D	10/3/2017	0.0510	0.0153	<0.010	<0.030	Duplicate Sample Collected
MW-10D (Duplicate)	10/3/2017	0.0614	0.020	<0.020	<0.060	
MW-10D	3/14/2018	0.116	0.0178	0.0194	0.00472	Duplicate Sample Collected
MW-10D (Duplicate)	3/14/2018	0.104	0.0169	0.0176	<0.0150	
MW-10D	9/7/2018	0.0499	0.0163	0.00769	0.0033	Duplicate Sample Collected
MW-10D (Duplicate)	9/7/2018	0.0497	0.0181	0.00899	0.00384	
MW-10D	3/26/2019	0.047	0.0126	0.00647	0.00238 J	Duplicate Sample Collected
MW-10D (Duplicate)	3/26/2019	0.0477	0.0124	0.00642	0.00227 J	
MW-10D	9/18/2019	0.0588	0.0119	0.0182	0.00272 J	Duplicate Sample Collected
MW-10D (Duplicate)	9/18/2019	0.0574	0.0116	0.0185	0.00264 J	
MW-10D	6/23/2020	0.0297	0.0151	0.00472	0.00318	Duplicate Sample Collected
MW-10D (Duplicate)	6/23/2020	0.0290	0.0145	0.00418	0.00323	
MW-10D	9/16/2020	0.0466	0.0138	0.0103	0.00248 J	Duplicate Sample Collected
MW-10D (Duplicate)	9/16/2020	0.0523	0.0124	0.0129	0.00261 J	
MW-10D	3/25/2021	0.0318	0.0153	0.00399	0.00328	Duplicate Sample Collected
MW-10D (Duplicate)	3/25/2021	0.0322	0.0148	0.00418	0.0034	
MW-10D	9/23/2021	0.0227	0.0117	0.0036	0.00328	Duplicate Sample Collected
MW-10D (Duplicate)	9/23/2021	0.0221	0.0116	0.00361	0.00325	
MW-10D	3/24/2022	0.0276	0.0201	0.00333	0.00513	Duplicate Sample Collected
MW-10D (Duplicate)	3/24/2022	0.0285	0.0212	0.00347	0.00498	
MW-10D	9/16/2022	0.0201	0.0134 J	0.00341 J	<0.0600	Duplicate Sample Collected
MW-10D (Duplicate)	9/16/2022	0.0196 J	0.0146 J	<0.0250	<0.0750	
MW-10D	3/23/2023	0.0237	0.0163	0.00303 J	0.00452 J	Duplicate Sample Collected
MW-10D (Duplicate)	3/23/2023	0.222	0.0128	0.00248	0.00372	
MW-10D	9/22/2023	0.0446	0.0178	0.00514	0.00499	Duplicate Sample Collected
MW-10D (Duplicate)	9/22/2023	0.0484	0.000337	0.559	0.000662	
MW-10D	3/19/2024	0.0196	0.0135	0.00195 J	<0.00300	Duplicate Sample Collected
MW-10D (Duplicate)	3/19/2024	0.0224	0.016	0.00253 J	0.00239 J	
MW-10D	9/19/2024	0.0334	0.0152	0.00564 J	0.00585 J	Duplicate Sample Collected
MW-10D (Duplicate)	9/19/2024	0.0305	0.0138	0.00519	0.00575	
MW-11	4/29/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-11	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-11	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-11	9/28/2010	0.0036	<0.002	<0.002	0.004	
MW-11	4/28/2011	<0.001	<0.002	<0.002	<0.002	
MW-11	9/12/2001	<0.001	<0.002	<0.002	<0.004	
MW-11	3/5/2012	<0.005	<0.005	<0.005	<0.015	
MW-11	9/4/2012	<0.005	<0.005	<0.005	<0.015	
MW-11	2/18/2013	<0.001	<0.001	<0.001	<0.003	
MW-11	9/9/2013	<0.001	<0.001	<0.001	0.0033	
MW-11	2/25/2014	<0.001	<0.001	<0.001	<0.001	
MW-11	9/23/2014	<0.001	<0.001	<0.001	<0.003	
MW-11	2/24/2015	0.0019	<0.001	<0.001	<0.003	
MW-11	9/1/2015	0.019	<0.001	<0.001	0.0031	
MW-11	3/24/2016	<0.001	<0.001	<0.001	<0.003	
MW-11	9/28/2016	0.0036	<0.0010	<0.0010	<0.0030	
MW-11	3/7/2017	0.0081	<0.0010	<0.0010	0.0017	
MW-11	10/3/2017	0.000951 J	<0.0010	<0.0010	<0.0030	
MW-11	3/14/2018	0.00385	<0.0010	<0.0010	<0.0030	
MW-11	9/7/2018	0.000467 J	<0.0010	<0.0010	<0.0030	
MW-11	3/26/2019	0.0135	0.00082 J	<0.0010	<0.0030	

**APPENDIX A
HISTORICAL ANALYTICAL RESULTS
BTEX CONCENTRATIONS IN GROUNDWATER
LINAM RANCH
LEA COUNTY, NEW MEXICO**

Location Identification	Sample Date	Benzene (mg/L)	Toluene (mg/L)	Ethylbenzene (mg/L)	Total Xylenes (mg/L)	Comments
NMWQCC Groundwater Standards (mg/L)		0.005	1.00	0.70	0.62	
MW-11	9/18/2019	0.0207	0.00138	0.000459 J	0.00166 J	
MW-11	6/23/2020	0.05	0.00263	0.000628 J	0.00211 J	
MW-11	9/16/2020	0.0148	0.00138	0.000301 J	0.000603 J	
MW-11	3/25/2021	0.0227	0.000762 J	0.000310 J	0.00150 J	
MW-11	9/23/2021	0.0178	0.000671 J	0.000456 J	0.00147 J	
MW-11	3/24/2022	0.00411	<0.00100	<0.00100	0.000315 J	
MW-11	9/16/2022	Not Sampled- LNAPL Present				LNAPL (1.30)
MW-11	3/23/2023	Not Sampled- LNAPL Present				
MW-11	9/22/2023	Not Sampled- LNAPL Present				
MW-11	3/19/2024	Not Sampled- LNAPL Present				
MW-11	9/19/2024	Not Sampled- LNAPL Present				
MW-13	4/29/2009	<0.00046	<0.00048	<0.00045	<0.0014	
MW-13	9/24/2009	<0.002	<0.002	<0.002	<0.006	
MW-13	3/24/2010	<0.002	<0.002	<0.002	<0.006	
MW-13	9/28/2010	<0.001	<0.002	<0.002	<0.004	
MW-13	4/28/2011	<0.001	<0.002	<0.002	<0.002	
MW-13	9/12/2011	<0.001	<0.002	<0.002	<0.004	
MW-13	3/5/2012	<0.005	<0.005	<0.005	<0.015	
MW-13	Well Destroyed					
Trip Blank	2/25/2014	<0.001	<0.001	<0.001	<0.001	
Trip Blank	9/23/2014	<0.001	<0.001	<0.001	<0.003	
Trip Blank	2/24/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	9/1/2015	<0.001	<0.001	<0.001	<0.003	
Trip Blank	3/24/2016	<0.001	<0.001	<0.001	<0.003	
Trip Blank	9/28/2016	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	3/7/2017	<0.0010	<0.0010	<0.0010	<0.0010	
Trip Blank	10/3/2017	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	3/14/2018	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	9/7/2018	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	3/26/2019	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	9/18/2019	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	6/24/2020	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	9/16/2020	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	3/25/2021	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	9/23/2021	<0.0010	<0.0010	<0.0010	<0.0030	
Trip Blank	3/24/2022	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	3/23/2023	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/16/2022	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/22/2023	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	3/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	
Trip Blank	9/19/2024	<0.00100	<0.00100	<0.00100	<0.00300	

Notes:

Bold red values indicate an exceedance of the NMWQCC groundwater standards for the Site.

NMWQCC = New Mexico Water Quality Control Commission

LNAPL = Light Non-Aqueous Phase Liquid

J = A qualifier indicating an estimated value of a concentration above the laboratory's Method Detection Limit (MDL) but below the Reported Detection Limit (RDL).

NS = Not Sampled

mg/L = milligrams per liter

Appendix B

Laboratory Analytical Report

- Pace Analytical Job #: L1717119
- Pace Analytical Job #: L1780263



ANALYTICAL REPORT

March 27, 2024

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

DCP Midstream - Tasman


Sample Delivery Group: L1717119
 Samples Received: 03/20/2024
 Project Number: 400128006
 Description: Linam Ranch

Report To: Brett Dennis
 2620 W. Marland Blvd
 Hobbs, NM 88240

Entire Report Reviewed By:

Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

Cp: Cover Page 1

Tc: Table of Contents 2

Ss: Sample Summary 3

Cn: Case Narrative 5

Sr: Sample Results 6

 MW-1 L1717119-01 6

 MW-3 L1717119-02 7

 MW-5 L1717119-03 8

 MW-8 L1717119-04 9

 MW-9 L1717119-05 10

 MW-10 L1717119-06 11

 MW-10D L1717119-07 12

 DUPLICATE L1717119-08 13

 TRIP BLANK L1717119-09 14


Qc: Quality Control Summary 15

Volatile Organic Compounds (GC/MS) by Method 8260B 15

Gl: Glossary of Terms 17

Al: Accreditations & Locations 18

Sc: Sample Chain of Custody 19



MW-1 L1717119-01 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 11:48
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 15:37	03/23/24 15:37	JTO	Mt. Juliet, TN

1 Cp

2 Tc

3 Ss

MW-3 L1717119-02 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 12:36
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 15:59	03/23/24 15:59	JTO	Mt. Juliet, TN

4 Cn

5 Sr

MW-5 L1717119-03 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 14:23
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 16:20	03/23/24 16:20	JTO	Mt. Juliet, TN

6 Qc

7 Gl

MW-8 L1717119-04 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 12:22
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 16:42	03/23/24 16:42	JTO	Mt. Juliet, TN

8 Al

9 Sc

MW-9 L1717119-05 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 14:04
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 17:03	03/23/24 17:03	JTO	Mt. Juliet, TN

MW-10 L1717119-06 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 13:09
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 17:25	03/23/24 17:25	JTO	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2254479	25	03/27/24 00:08	03/27/24 00:08	JHH	Mt. Juliet, TN

MW-10D L1717119-07 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 13:44
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2254479	10	03/27/24 00:27	03/27/24 00:27	JHH	Mt. Juliet, TN

DUPLICATE L1717119-08 GW

Collected by Kendon Stark
 Collected date/time 03/19/24 00:00
 Received date/time 03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2254479	10	03/27/24 00:46	03/27/24 00:46	JHH	Mt. Juliet, TN

SAMPLE SUMMARY

TRIP BLANK L1717119-09 GW

Collected by	Collected date/time	Received date/time
Kendon Stark	03/19/24 00:00	03/20/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2252578	1	03/23/24 11:17	03/23/24 11:17	JTO	Mt. Juliet, TN

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris Ward
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Collected date/time: 03/19/24 11:48

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	03/23/2024 15:37	WG2252578
Toluene	U		0.000278	0.00100	1	03/23/2024 15:37	WG2252578
Ethylbenzene	U		0.000137	0.00100	1	03/23/2024 15:37	WG2252578
Total Xylenes	U		0.000174	0.00300	1	03/23/2024 15:37	WG2252578
(S) Toluene-d8	115			80.0-120		03/23/2024 15:37	WG2252578
(S) 4-Bromofluorobenzene	109			77.0-126		03/23/2024 15:37	WG2252578
(S) 1,2-Dichloroethane-d4	117			70.0-130		03/23/2024 15:37	WG2252578

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 03/19/24 12:36

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	03/23/2024 15:59	WG2252578
Toluene	U		0.000278	0.00100	1	03/23/2024 15:59	WG2252578
Ethylbenzene	U		0.000137	0.00100	1	03/23/2024 15:59	WG2252578
Total Xylenes	U		0.000174	0.00300	1	03/23/2024 15:59	WG2252578
(S) Toluene-d8	113			80.0-120		03/23/2024 15:59	WG2252578
(S) 4-Bromofluorobenzene	109			77.0-126		03/23/2024 15:59	WG2252578
(S) 1,2-Dichloroethane-d4	119			70.0-130		03/23/2024 15:59	WG2252578

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 03/19/24 14:23

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.00487		0.0000941	0.00100	1	03/23/2024 16:20	WG2252578
Toluene	U		0.000278	0.00100	1	03/23/2024 16:20	WG2252578
Ethylbenzene	0.121		0.000137	0.00100	1	03/23/2024 16:20	WG2252578
Total Xylenes	U		0.000174	0.00300	1	03/23/2024 16:20	WG2252578
(S) Toluene-d8	105			80.0-120		03/23/2024 16:20	WG2252578
(S) 4-Bromofluorobenzene	105			77.0-126		03/23/2024 16:20	WG2252578
(S) 1,2-Dichloroethane-d4	120			70.0-130		03/23/2024 16:20	WG2252578

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 03/19/24 12:22

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	03/23/2024 16:42	WG2252578
Toluene	U		0.000278	0.00100	1	03/23/2024 16:42	WG2252578
Ethylbenzene	U		0.000137	0.00100	1	03/23/2024 16:42	WG2252578
Total Xylenes	U		0.000174	0.00300	1	03/23/2024 16:42	WG2252578
(S) Toluene-d8	114			80.0-120		03/23/2024 16:42	WG2252578
(S) 4-Bromofluorobenzene	109			77.0-126		03/23/2024 16:42	WG2252578
(S) 1,2-Dichloroethane-d4	119			70.0-130		03/23/2024 16:42	WG2252578

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 03/19/24 14:04

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	03/23/2024 17:03	WG2252578
Toluene	U		0.000278	0.00100	1	03/23/2024 17:03	WG2252578
Ethylbenzene	U		0.000137	0.00100	1	03/23/2024 17:03	WG2252578
Total Xylenes	U		0.000174	0.00300	1	03/23/2024 17:03	WG2252578
(S) Toluene-d8	111			80.0-120		03/23/2024 17:03	WG2252578
(S) 4-Bromofluorobenzene	108			77.0-126		03/23/2024 17:03	WG2252578
(S) 1,2-Dichloroethane-d4	120			70.0-130		03/23/2024 17:03	WG2252578

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Collected date/time: 03/19/24 13:09

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.734		0.00235	0.0250	25	03/27/2024 00:08	WG2254479
Toluene	0.00138		0.000278	0.00100	1	03/23/2024 17:25	WG2252578
Ethylbenzene	0.350		0.00343	0.0250	25	03/27/2024 00:08	WG2254479
Total Xylenes	0.0695		0.000174	0.00300	1	03/23/2024 17:25	WG2252578
(S) Toluene-d8	106			80.0-120		03/23/2024 17:25	WG2252578
(S) Toluene-d8	103			80.0-120		03/27/2024 00:08	WG2254479
(S) 4-Bromofluorobenzene	104			77.0-126		03/23/2024 17:25	WG2252578
(S) 4-Bromofluorobenzene	86.7			77.0-126		03/27/2024 00:08	WG2254479
(S) 1,2-Dichloroethane-d4	115			70.0-130		03/23/2024 17:25	WG2252578
(S) 1,2-Dichloroethane-d4	114			70.0-130		03/27/2024 00:08	WG2254479

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 03/19/24 13:44

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis date / time	Batch
Benzene	0.0196		0.000941	0.0100	10	03/27/2024 00:27	WG2254479
Toluene	0.0135		0.00278	0.0100	10	03/27/2024 00:27	WG2254479
Ethylbenzene	0.00195	J	0.00137	0.0100	10	03/27/2024 00:27	WG2254479
Total Xylenes	U		0.00174	0.0300	10	03/27/2024 00:27	WG2254479
(S) Toluene-d8	105			80.0-120		03/27/2024 00:27	WG2254479
(S) 4-Bromofluorobenzene	94.5			77.0-126		03/27/2024 00:27	WG2254479
(S) 1,2-Dichloroethane-d4	115			70.0-130		03/27/2024 00:27	WG2254479

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Sample Narrative:

L1717119-07 WG2254479: Non-target compounds too high to run at a lower dilution.

Collected date/time: 03/19/24 00:00

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0224		0.000941	0.0100	10	03/27/2024 00:46	WG2254479
Toluene	0.0160		0.00278	0.0100	10	03/27/2024 00:46	WG2254479
Ethylbenzene	0.00253	J	0.00137	0.0100	10	03/27/2024 00:46	WG2254479
Total Xylenes	0.00239	J	0.00174	0.0300	10	03/27/2024 00:46	WG2254479
(S) Toluene-d8	108			80.0-120		03/27/2024 00:46	WG2254479
(S) 4-Bromofluorobenzene	96.8			77.0-126		03/27/2024 00:46	WG2254479
(S) 1,2-Dichloroethane-d4	114			70.0-130		03/27/2024 00:46	WG2254479

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Sample Narrative:

L1717119-08 WG2254479: Non-target compounds too high to run at a lower dilution.

Collected date/time: 03/19/24 00:00

L1717119

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	03/23/2024 11:17	WG2252578
Toluene	U		0.000278	0.00100	1	03/23/2024 11:17	WG2252578
Ethylbenzene	U		0.000137	0.00100	1	03/23/2024 11:17	WG2252578
Total Xylenes	U		0.000174	0.00300	1	03/23/2024 11:17	WG2252578
<i>(S) Toluene-d8</i>	110			80.0-120		03/23/2024 11:17	WG2252578
<i>(S) 4-Bromofluorobenzene</i>	113			77.0-126		03/23/2024 11:17	WG2252578
<i>(S) 1,2-Dichloroethane-d4</i>	118			70.0-130		03/23/2024 11:17	WG2252578

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1717119-01,02,03,04,05,06,09](#)

Method Blank (MB)

(MB) R4050187-3 03/23/24 10:55

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Total Xylenes	U		0.000174	0.00300
(S) Toluene-d8	108			80.0-120
(S) 4-Bromofluorobenzene	110			77.0-126
(S) 1,2-Dichloroethane-d4	118			70.0-130

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4050187-1 03/23/24 09:48 • (LCSD) R4050187-2 03/23/24 10:10

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	mg/l	mg/l	mg/l	%	%	%			%	%
Benzene	0.00500	0.00478	0.00496	95.6	99.2	70.0-123			3.70	20
Toluene	0.00500	0.00432	0.00444	86.4	88.8	79.0-120			2.74	20
Ethylbenzene	0.00500	0.00416	0.00438	83.2	87.6	79.0-123			5.15	20
Total Xylenes	0.0150	0.0127	0.0133	84.7	88.7	79.0-123			4.62	20
(S) Toluene-d8				108	108	80.0-120				
(S) 4-Bromofluorobenzene				114	113	77.0-126				
(S) 1,2-Dichloroethane-d4				122	116	70.0-130				

⁷ Gl

⁸ Al

⁹ Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1717119-06.07.08](#)

Method Blank (MB)

(MB) R4050351-3 03/26/24 18:55

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Total Xylenes	U		0.000174	0.00300
(S) Toluene-d8	103			80.0-120
(S) 4-Bromofluorobenzene	79.1			77.0-126
(S) 1,2-Dichloroethane-d4	123			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4050351-1 03/26/24 17:59 • (LCSD) R4050351-2 03/26/24 18:17

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	mg/l	mg/l	mg/l	%	%	%			%	%
Benzene	0.00500	0.00497	0.00527	99.4	105	70.0-123			5.86	20
Toluene	0.00500	0.00518	0.00541	104	108	79.0-120			4.34	20
Ethylbenzene	0.00500	0.00460	0.00497	92.0	99.4	79.0-123			7.73	20
Total Xylenes	0.0150	0.0139	0.0150	92.7	100	79.0-123			7.61	20
(S) Toluene-d8				101	103	80.0-120				
(S) 4-Bromofluorobenzene				84.4	86.3	77.0-126				
(S) 1,2-Dichloroethane-d4				119	120	70.0-130				

7 Gl

8 Al

9 Sc

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.


Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.
Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		



¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

DCP Midstream - Tasman

2620 W. Marland Blvd
Hobbs, NM 88240

Billing Information:
Steve Weathers
370 17th St, Ste 2500
Denver, CO 80202

Pres
Chk

Analysis / Container / Preservative

Chain of Custody

Report to:
Brett Dennis

Email To:
Stephen.Weathers@p66.com;knorman@tasma

Project Description:
Linam Ranch

City/State
Collected:

Please Circle:
PT MT CT ET

Phone: 575-318-5017

Client Project #

Lab Project #
DCPTASMAN-LINAM

Collected by (print):
Kendon Stark

Site/Facility ID #

P.O. #
0000662143

Collected by (signature):
Kendon Stark

Rush? (Lab MUST Be Notified)
___ Same Day ___ Five Day
___ Next Day ___ 5 Day (Rad Only)
___ Two Day ___ 10 Day (Rad Only)
___ Three Day

Quote #
Date Results Needed

Immediately
Packed on Ice N ___ Y ___

No.
of
Cntrs

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs
MW-1	Grab	GW	NA	3/19/24	11:48	3
MW-2		GW				3
MW-3		GW			12:36	3
MW-4		GW				3
MW-5		GW			14:23	3
MW-6		GW				3
MW-7		GW				3
MW-8		GW			12:22	3
MW-9		GW			14:04	3
MW-10		GW			13:09	3

V8260BTEX 40mIAmb-HCl

V8260BTEX 40mIAmb-HCl-BIK



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **1717119**
F171

Acctnum: **DCPTASMAN**

Template: **T127845**

Prelogin: **P1060774**

PM: **824 - Chris Ward**

PB:

Shipped Via: **FedEX Ground**

Remarks | Sample # (lab only)

* Matrix:
SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:
___ UPS ___ FedEx ___ Courier

Tracking # **6426 8302 7127**

pH ___ Temp ___
Flow ___ Other ___

Sample Receipt Checklist

- COC Seal Present/Intact: ___ NP Y ___ N
- COC Signed/Accurate: ___ Y ___ N
- Bottles arrive intact: ___ Y ___ N
- Correct bottles used: ___ Y ___ N
- Sufficient volume sent: ___ Y ___ N
- If Applicable
- VOA Zero HeadSpace: ___ Y ___ N
- Preservation Correct/Checked: ___ Y ___ N
- RAD Screen <0.5 mR/hr: ___ Y ___ N

Relinquished by: (Signature)
Kendon Stark

Date: **3/19/24**
Time: **15:29**

Received by: (Signature)

Trip Blank Received: No **3**
HCl/MeOH
TBR

Relinquished by: (Signature)

Date:
Time:

Received by: (Signature)

Temp: **0.710 = 0.7**
Bottles Received: **24**

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:
Time:

Received for lab by: (Signature)
[Signature]

Date: **3/20/24**
Time: **9:00**

Hold: Condition: **NCF / OK**

Company Name/Address: **DCP Midstream - Tasman**
 2620 W. Marland Blvd
 Hobbs, NM 88240

Billing Information: **Steve Weathers**
 370 17th St, Ste 2500
 Denver, CO 80202

Report to: **Brett Dennis**

Project Description: **Linam Ranch**

City/State Collected: _____ Please Circle: PT MT CT ET

Phone: **575-318-5017**

Client Project #: _____ Lab Project #: **DCPTASMAN-LINAM**

Collected by (print): **Kendon Stark**

Site/Facility ID #: _____ P.O. #: **0000662143**

Collected by (signature): *Kendon Stark*

Rush? (Lab MUST Be Notified)
 ___ Same Day ___ Five Day
 ___ Next Day ___ 5 Day (Rad Only)
 ___ Two Day ___ 10 Day (Rad Only)
 ___ Three Day

Quote #: _____ Date Results Needed: _____

Immediately Packed on Ice N ___ Y ___



MT JULIET, TN
 12065 Lebanon Rd Mount Juliet, TN 37122
 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>

SDG # **1717119**

Table # **E171**

Acctnum: **DCPTASMAN**

Template: **T127845**

Prelogin: **P1060774**

PM: **824 - Chris Ward**

PB: _____

Shipped Via: **FedEX Ground**

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs	V8260BTEX 40mlAmb-HCl	V8260BTEX 40mlAmb-HCl-Blk	Analysis / Container / Preservative	Chain of Custody
MW-10D	Grab	GW	NA	3/19/24	13:44	3	X			
MW-11		GW				3	X			
DUPLICATE 15 here	↓	GW	↓			3	X			
		GW				3	X			
TRIP BLANK		GW				3		X		

- * Matrix:
- SS - Soil AIR - Air F - Filter
- GW - Groundwater B - Bioassay
- WW - WasteWater
- DW - Drinking Water
- OT - Other _____

Remarks: _____

pH _____ Temp _____

Flow _____ Other _____

Samples returned via: ___ UPS ___ FedEx ___ Courier _____

Tracking # **6426 8302 7127**

Sample Receipt Checklist

COC Seal Present/Intact: ___ NP ___ Y ___ N

COC Signed/Accurate: ___ Y ___ N

Bottles arrive intact: ___ Y ___ N

Correct bottles used: ___ Y ___ N

Sufficient volume sent: ___ Y ___ N

If Applicable

VOA Zero Headspace: ___ Y ___ N

Preservation Correct/Checked: ___ Y ___ N

RAD Screen <0.5 mR/hr: ___ Y ___ N

Relinquished by: (Signature) *Kendon Stark* Date: **3/19/24** Time: **15:29**

Received by: (Signature) _____ Trip Blank Received: Yes/No **3**
 (HCl/MeOH) TBR

Relinquished by: (Signature) _____ Date: _____ Time: _____

Received by: (Signature) _____ Temp: **0.7 + 0 = 0.7** Bottles Received: **24**

Relinquished by: (Signature) _____ Date: **3/20/24** Time: **9:00**

Received for lab by: (Signature) _____ Date: _____ Time: _____

Hold: _____ Condition: **NCF / OK**



ANALYTICAL REPORT

September 27, 2024

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Phillips 66 - Tasman


Sample Delivery Group: L1780263
 Samples Received: 09/20/2024
 Project Number: 400128006
 Description: Linam Ranch

Report To: Brett Dennis
 2620 W. Marland Blvd
 Hobbs, NM 88240

Entire Report Reviewed By:

Chris Ward
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

Cp: Cover Page 1

Tc: Table of Contents 2

Ss: Sample Summary 3

Cn: Case Narrative 4

Sr: Sample Results 5

MW-3 L1780263-01 5

MW-8 L1780263-02 6

MW-9 L1780263-03 7

MW-10 L1780263-04 8

MW-10D L1780263-05 9

DUPLICATE L1780263-06 10

TRIP BLANK L1780263-07 11


Qc: Quality Control Summary 12

Volatile Organic Compounds (GC/MS) by Method 8260B 12

Gl: Glossary of Terms 13

Al: Accreditations & Locations 14

Sc: Sample Chain of Custody 15



MW-3 L1780263-01 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 12:02
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	1	09/26/24 20:56	09/26/24 20:56	JAH	Mt. Juliet, TN

1 Cp

2 Tc

MW-8 L1780263-02 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 11:51
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	1	09/26/24 21:15	09/26/24 21:15	JAH	Mt. Juliet, TN

3 Ss

4 Cn

5 Sr

MW-9 L1780263-03 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 12:13
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	1	09/26/24 21:34	09/26/24 21:34	JAH	Mt. Juliet, TN

6 Qc

7 Gl

8 Al

MW-10 L1780263-04 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 12:59
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	25	09/26/24 22:31	09/26/24 22:31	JAH	Mt. Juliet, TN

9 Sc

MW-10D L1780263-05 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 12:47
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	10	09/26/24 22:50	09/26/24 22:50	JAH	Mt. Juliet, TN

DUPLICATE L1780263-06 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 00:00
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	1	09/26/24 21:53	09/26/24 21:53	JAH	Mt. Juliet, TN

TRIP BLANK L1780263-07 GW

Collected by Kendon Stark
 Collected date/time 09/19/24 00:00
 Received date/time 09/20/24 09:30

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260B	WG2370285	1	09/26/24 17:26	09/26/24 17:26	JAH	Mt. Juliet, TN

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.

Chris Ward
Project Manager

- ¹ Cp
- ² Tc
- ³ Ss
- ⁴ Cn
- ⁵ Sr
- ⁶ Qc
- ⁷ Gl
- ⁸ Al
- ⁹ Sc

Collected date/time: 09/19/24 12:02

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	09/26/2024 20:56	WG2370285
Toluene	U		0.000278	0.00100	1	09/26/2024 20:56	WG2370285
Ethylbenzene	U		0.000137	0.00100	1	09/26/2024 20:56	WG2370285
Total Xylenes	U		0.000174	0.00300	1	09/26/2024 20:56	WG2370285
(S) Toluene-d8	99.7			80.0-120		09/26/2024 20:56	WG2370285
(S) 4-Bromofluorobenzene	100			77.0-126		09/26/2024 20:56	WG2370285
(S) 1,2-Dichloroethane-d4	93.0			70.0-130		09/26/2024 20:56	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 09/19/24 11:51

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	09/26/2024 21:15	WG2370285
Toluene	U		0.000278	0.00100	1	09/26/2024 21:15	WG2370285
Ethylbenzene	U		0.000137	0.00100	1	09/26/2024 21:15	WG2370285
Total Xylenes	U		0.000174	0.00300	1	09/26/2024 21:15	WG2370285
(S) Toluene-d8	98.7			80.0-120		09/26/2024 21:15	WG2370285
(S) 4-Bromofluorobenzene	103			77.0-126		09/26/2024 21:15	WG2370285
(S) 1,2-Dichloroethane-d4	94.1			70.0-130		09/26/2024 21:15	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 09/19/24 12:13

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	09/26/2024 21:34	WG2370285
Toluene	U		0.000278	0.00100	1	09/26/2024 21:34	WG2370285
Ethylbenzene	U		0.000137	0.00100	1	09/26/2024 21:34	WG2370285
Total Xylenes	U		0.000174	0.00300	1	09/26/2024 21:34	WG2370285
(S) Toluene-d8	97.2			80.0-120		09/26/2024 21:34	WG2370285
(S) 4-Bromofluorobenzene	94.6			77.0-126		09/26/2024 21:34	WG2370285
(S) 1,2-Dichloroethane-d4	93.8			70.0-130		09/26/2024 21:34	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 09/19/24 12:59

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.277		0.00235	0.0250	25	09/26/2024 22:31	WG2370285
Toluene	U		0.00695	0.0250	25	09/26/2024 22:31	WG2370285
Ethylbenzene	0.538		0.00343	0.0250	25	09/26/2024 22:31	WG2370285
Total Xylenes	0.0351	J	0.00435	0.0750	25	09/26/2024 22:31	WG2370285
(S) Toluene-d8	100			80.0-120		09/26/2024 22:31	WG2370285
(S) 4-Bromofluorobenzene	99.5			77.0-126		09/26/2024 22:31	WG2370285
(S) 1,2-Dichloroethane-d4	89.2			70.0-130		09/26/2024 22:31	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 09/19/24 12:47

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0334		0.000941	0.0100	10	09/26/2024 22:50	WG2370285
Toluene	0.0152		0.00278	0.0100	10	09/26/2024 22:50	WG2370285
Ethylbenzene	0.00564	J	0.00137	0.0100	10	09/26/2024 22:50	WG2370285
Total Xylenes	0.00585	J	0.00174	0.0300	10	09/26/2024 22:50	WG2370285
(S) Toluene-d8	100			80.0-120		09/26/2024 22:50	WG2370285
(S) 4-Bromofluorobenzene	88.9			77.0-126		09/26/2024 22:50	WG2370285
(S) 1,2-Dichloroethane-d4	92.3			70.0-130		09/26/2024 22:50	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Sample Narrative:

L1780263-05 WG2370285: Elevated RL due to foamy matrix.

Collected date/time: 09/19/24 00:00

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result mg/l	Qualifier	MDL mg/l	RDL mg/l	Dilution	Analysis date / time	Batch
Benzene	0.0305		0.0000941	0.00100	1	09/26/2024 21:53	WG2370285
Toluene	0.0138		0.000278	0.00100	1	09/26/2024 21:53	WG2370285
Ethylbenzene	0.00519		0.000137	0.00100	1	09/26/2024 21:53	WG2370285
Total Xylenes	0.00575		0.000174	0.00300	1	09/26/2024 21:53	WG2370285
(S) Toluene-d8	97.7			80.0-120		09/26/2024 21:53	WG2370285
(S) 4-Bromofluorobenzene	86.9			77.0-126		09/26/2024 21:53	WG2370285
(S) 1,2-Dichloroethane-d4	85.9			70.0-130		09/26/2024 21:53	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Collected date/time: 09/19/24 00:00

L1780263

Volatile Organic Compounds (GC/MS) by Method 8260B

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	mg/l		mg/l	mg/l		date / time	
Benzene	U		0.0000941	0.00100	1	09/26/2024 17:26	WG2370285
Toluene	U		0.000278	0.00100	1	09/26/2024 17:26	WG2370285
Ethylbenzene	U		0.000137	0.00100	1	09/26/2024 17:26	WG2370285
Total Xylenes	U		0.000174	0.00300	1	09/26/2024 17:26	WG2370285
(S) Toluene-d8	99.9			80.0-120		09/26/2024 17:26	WG2370285
(S) 4-Bromofluorobenzene	98.4			77.0-126		09/26/2024 17:26	WG2370285
(S) 1,2-Dichloroethane-d4	91.4			70.0-130		09/26/2024 17:26	WG2370285

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260B

[L1780263-01,02,03,04,05,06,07](#)

Method Blank (MB)

(MB) R4125224-3 09/26/24 16:48

Analyte	MB Result	MB Qualifier	MB MDL	MB RDL
	mg/l		mg/l	mg/l
Benzene	U		0.0000941	0.00100
Toluene	U		0.000278	0.00100
Ethylbenzene	U		0.000137	0.00100
Total Xylenes	U		0.000174	0.00300
(S) Toluene-d8	98.6			80.0-120
(S) 4-Bromofluorobenzene	99.4			77.0-126
(S) 1,2-Dichloroethane-d4	95.0			70.0-130

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4125224-1 09/26/24 15:50 • (LCSD) R4125224-2 09/26/24 16:09

Analyte	Spike Amount	LCS Result	LCSD Result	LCS Rec.	LCSD Rec.	Rec. Limits	LCS Qualifier	LCSD Qualifier	RPD	RPD Limits
	mg/l	mg/l	mg/l	%	%	%			%	%
Benzene	0.00500	0.00455	0.00452	91.0	90.4	70.0-123			0.662	20
Toluene	0.00500	0.00485	0.00464	97.0	92.8	79.0-120			4.43	20
Ethylbenzene	0.00500	0.00502	0.00483	100	96.6	79.0-123			3.86	20
Total Xylenes	0.0150	0.0147	0.0143	98.0	95.3	79.0-123			2.76	20
(S) Toluene-d8				99.6	98.2	80.0-120				
(S) 4-Bromofluorobenzene				98.9	97.6	77.0-126				
(S) 1,2-Dichloroethane-d4				91.1	92.9	70.0-130				

6 Qc

7 Gl

8 Al

9 Sc


Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.
Qualifier	Description
J	The identification of the analyte is acceptable; the reported value is an estimate.



Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122


Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey-NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio-VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA-Crypto	TN00003		


¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

Company Name/Address: Phillips 66 - Tasman 2620 W. Marland Blvd Hobbs, NM 88240		Billing Information: Steve Weathers 370 17th St, Ste 2500 Denver, CO 80202		Analysis / Container / Preservative		Chain of Custody Page ___ of ___	
Report to: Brett Dennis		Email To: Stephen.Weathers@p66.com;knorman@tasma		Pres Chk		 MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubs/pas-standard-terms.pdf	
Project Description: Linam Ranch		City/State Collected:		Please Circle: PT MT CT ET			
Phone: 575-318-5017	Client Project #	Lab Project # DCPTASMAN-LINAM		V8260BTEX 40mlAmb-HCl V8260BTEX 40mlAmb-HCl-Bik		SDG # 1780263 B076	
Collected by (print): Kendon Stark	Site/Facility ID #	P.O. # 4301459768				Acctnum: DCPTASMAN Template: T127845 Prelogin: P1101085 PM: 824 - Chris Ward PB: 9-10-24BK	
Collected by (signature): <i>Kendon Stark</i>	Rush? (Lab MUST Be Notified)		Quote #		Shipped Via: FedEX Ground		
Immediately Packed on Ice N ___ Y <input checked="" type="checkbox"/>	___ Same Day ___ Five Day ___ Next Day ___ 5 Day (Rad Only) ___ Two Day ___ 10 Day (Rad Only) ___ Three Day		Date Results Needed				
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time	No. of Cntrs
MW-1			GW				3 X
MW-2			GW				3 X
MW-3		Grab	GW	NA	9/19/24	12:02	3 X
MW-4			GW				3 X
MW-5			GW				3 X
MW-6			GW				3 X
MW-7			GW				3 X
MW-8		↓	GW	↓		11:51	3 X
MW-9		↓	GW	↓		12:13	3 X
MW-10		↓	GW	↓		12:59	3 X
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other		Remarks:		pH _____ Temp _____ Flow _____ Other _____		Sample Receipt Checklist COC Seal Present/Intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Bottles arrive intact: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Correct bottles used: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N Sufficient volume sent: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N If Applicable VOA Zero Headspace: <input type="checkbox"/> Y <input type="checkbox"/> N Preservation Correct/Checked: <input type="checkbox"/> Y <input type="checkbox"/> N RAD Screen <0.5 mR/hr: <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	
Samples returned via: ___ UPS ___ FedEx ___ Courier		Tracking # 4102 9173 2555		Relinquished by: (Signature) <i>Kendon Stark</i>		Trip Blank Received: Yes/No 4/ HCL/MeOH TBR	
Relinquished by: (Signature) <i>Kendon Stark</i>		Date: 9/19/24	Time: 13:40	Received by: (Signature)		Temp: T1A9°C Bottles Received: 2097.3=3.2 18	
Relinquished by: (Signature)		Date:	Time:	Received for lab by: (Signature) <i>Alisa Mitchell</i>		Date: 9/20/24	Time: 0930
						Hold:	Condition: NCF 10K

Company Name/Address: Phillips 66 - Tasman 2620 W. Marland Blvd Hobbs, NM 88240		Billing Information: Steve Weathers 370 17th St, Ste 2500 Denver, CO 80202		Analysis / Container / Preservative		Chain of Custody Page ___ of ___	
Report to: Brett Dennis		Email To: Stephen.Weathers@p66.com;knorman@tasma		Pres Chk		 MT JULIET, TN 12065 Lebanon Rd Mount Juliet, TN 37122 Submitting a sample via this chain of custody constitutes acknowledgment and acceptance of the Pace Terms and Conditions found at: https://info.pacelabs.com/hubs/pas-standard-terms.pdf	
Project Description: Linam Ranch		City/State Collected:		Please Circle: PT MT C ET			
Phone: 575-318-5017		Client Project #		Lab Project # DCPTASMAN-LINAM			
Collected by (print): <i>Hendon Stark</i>		Site/Facility ID #		P.O. # 4301459768			
Collected by (signature): <i>Hendon Stark</i>		Rush? (Lab MUST Be Notified) <input type="checkbox"/> Same Day <input type="checkbox"/> Five Day <input type="checkbox"/> Next Day <input type="checkbox"/> 5 Day (Rad Only) <input type="checkbox"/> Two Day <input type="checkbox"/> 10 Day (Rad Only) <input type="checkbox"/> Three Day		Quote #		No. of Cntrs V8260BTEX 40m/Amb-HCl V8260BTEX 40m/Amb-HCl-Bik	
Packed on Ice N ___ Y ___		Date Results Needed				Acctnum: DCPTASMAN Template: T127845 Prelogin: P1101085 PM: 824 - Chris Ward PB: 9-10-24 BK Shipped Via: FedEX Ground	
Sample ID		Comp/Grab	Matrix *	Depth	Date	Time	Remarks
MW-10D	Grab	GW	NA	9/19/24	12:47	3	X
MW-11		GW				3	X
DUPLICATE	↓	GW	↓	↓	↓	3	X
		GW				3	X
TRIP BLANK	↓	GW	↓	↓	↓	3	X
* Matrix: SS - Soil AIR - Air F - Filter GW - Groundwater B - Bioassay WW - WasteWater DW - Drinking Water OT - Other		Remarks:		pH _____ Temp _____ Flow _____ Other _____		Sample Receipt Checklist COC Seal Present/Intact: <input type="checkbox"/> NP <input checked="" type="checkbox"/> Y <input type="checkbox"/> N COC Signed/Accurate: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Bottles arrive intact: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Correct bottles used: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Sufficient volume sent: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N If Applicable VOA Zero Headspace: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N Preservation Correct/Checked: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N RAD Screen <0.5 mR/hr: <input type="checkbox"/> Y <input checked="" type="checkbox"/> N	
Samples returned via: <input type="checkbox"/> UPS <input type="checkbox"/> FedEx <input type="checkbox"/> Courier		Tracking # 4102 9173 2555					
Relinquished by: (Signature) <i>Hendon Stark</i>		Date: 9/19/24	Time: 13:40	Received by: (Signature)		Trip Blank Received: Yes/No <input checked="" type="checkbox"/> HCL/MeOH <input type="checkbox"/> TBR	
Relinquished by: (Signature)		Date:	Time:	Received by: (Signature)		Temp: TIA°C Bottles Received: 209+0.3=3.2 1B If preservation required by Login: Date/Time	
Relinquished by: (Signature)		Date:	Time:	Received for lab by: (Signature) <i>Alexa Mitchell</i>		Date: 9/20/24	Condition: NCF 10K

Appendix C
NMOCD Sampling Notifications

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 322568

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 322568
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAUTOfGP000132
Incident Name	NAUTOfGP000132 1984 A SPL @ 0
Incident Type	Release Other
Incident Status	Closure Not Approved
Incident Facility	[fGP0000000012] DCP LINAM RANCH GP

Location of Release Source	
Site Name	Unavailable.
Date Release Discovered	03/26/1984
Surface Owner	Unavailable.

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,177,000
What is the estimated number of samples that will be gathered	7
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	03/19/2024
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Groundwater abatement per 19.15.30.14B NMAC
Please provide any information necessary for navigation to sampling site	Email notification provided to Nelson Velez on 3/8/24 and acknowledged on 3/11/24.

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 322568

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 6900 E. Layton Ave Denver, CO 80237	OGRID: 36785
	Action Number: 322568
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	3/12/2024

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 382359

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 382359
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAUTOfGP000132
Incident Name	NAUTOfGP000132 1984 A SPL @ 0
Incident Type	Release Other
Incident Status	Closure Not Approved
Incident Facility	[fGP0000000012] DCP LINAM RANCH GP

Location of Release Source	
Site Name	Unavailable.
Date Release Discovered	03/26/1984
Surface Owner	Unavailable.

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,690,000
What is the estimated number of samples that will be gathered	12
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	09/19/2024
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Groundwater abatement per 19.15.30.14B NMAC
Please provide any information necessary for navigation to sampling site	Kyle Norman - 575-318-5017

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 382359

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 382359
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	9/10/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 447321

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 447321
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
amaxwell	Report accepted for record.	6/23/2025
amaxwell	The following tasks are approved: Continue semi-annual groundwater monitoring and sampling at the monitoring locations illustrated on Figure 2. Continue LNAPL recovery at monitoring well MW-6, MW-4, and MW-11 during 2025 if groundwater elevations allow for it.	6/23/2025
amaxwell	Please submit all sampling/monitoring notifications via a C-141N.	6/23/2025