

Certificate of Analysis

Number: 6030-22020386-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Alex Batista Mar. 01, 2022

Taprock

602 Park Point Drive

Ste. 200

Golden, CO 80401

Station Name: Black Marlin CTB Sales Sour

Station Number: 14801 Sample Point: Meter run Formation: Spot

County: Spot

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sampling Company: SPL

Sampled By: Gerardo Rodriguez
Sample Of: Gas Spot

Sample Date: 02/24/2022 10:30

Sample Conditions: 74.3 psig, @ 67.9 °F Ambient: 20 °F

Effective Date: 02/24/2022 10:30 Method: GPA 2286

Cylinder No: 5030-01102

Instrument: 6030_GC2 (Agilent GC-7890B)

Last Inst. Cal.: 03/01/2022 8:20 AM

Analyzed: 03/01/2022 09:20:24 by KNF

Analytical Data

0.000 1.199 3.694 2.015 0.204 6.020 1.173	0.800 1.195 73.427 2.008 10.167 5.998	1.170 1.436 50.532 3.791 13.115	2 720	GPM TOTAL C2+ GPM TOTAL C3+ GPM TOTAL iC5+	6.614 3.884 1.062
3.694 2.015 0.204 6.020	73.427 2.008 10.167	50.532 3.791 13.115	2.720		3.884
2.015 0.204 6.020	2.008 10.167	3.791 13.115	2.720	GPM TOTAL iC5+	1.062
0.204 6.020	10.167	13.115	2.720		
6.020			2 720		
	5.998		2.730		
1.173		11.346	1.659		
	1.169	2.915	0.384		
2.469	2.460	6.134	0.779		
0.865	0.862	2.668	0.317		
0.739	0.736	2.278	0.268		
1.182	1.178	4.615	0.477		
9.560	100.000	100.000	6.614		
	То	tal	C6+		
Calculated Physical Properties Relative Density Real Gas Calculated Molecular Weight Compressibility Factor		79	3.1414		
		.31	90.98		
		957			
4.73 ps	sia & 60°F				
•		326	4916		
Real Gas Dry BTU Water Sat. Gas Base BTU		303	4830		
	132	0.6	4915.9		
	129	7.6	0.000		
	11	85			
	2.469 0.865 0.739 1.182 9.560	2.469 2.460 0.865 0.862 0.739 0.736 1.182 1.178 9.560 100.000 To 0.86 23 0.99 14.73 psia & 60°F 13 132 129 11	2.469	2.469	2.469

Comments: H2S Field Content 0.8 %

Mcf/day 4818.8

Caly Hatin

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

. All 10

Quality Assurance:



Certificate of Analysis

Number: 6030-22020386-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Alex Batista Taprock 602 Park Point Drive

Ste. 200

Golden, CO 80401

Station Name: Black Marlin CTB Sales Sour

Station Number: 14801 Sample Point: Meter run Formation: Spot

County: Lea

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Mar. 01, 2022

Sample Of: Gas Spot
Sample Date: 02/24/2022 10:30
Sample Conditions: 74.3 psig, @ 67.9 °F

Method: GPA 2286 Cylinder No: 5030-01102

Analyzed: 03/01/2022 11:02:19 by KNF

Sampling Company: SPL

Analytical Data

Components	Mol. %	Wt. %	GPM at 14.73 psia	
Hydrogen Sulfide	0.800	1.170		
Nitrogen	1.195	1.436		
Methane	73.427	50.532		
Carbon Dioxide	2.008	3.791		
Ethane	10.167	13.115	2.730	
Propane	5.998	11.346	1.659	
Iso-Butane	1.169	2.915	0.384	
n-Butane	2.460	6.134	0.779	
Iso-Pentane	0.862	2.668	0.317	
n-Pentane	0.736	2.278	0.268	
i-Hexanes	0.381	1.381	0.153	
n-Hexane	0.194	0.704	0.079	
Benzene	0.051	0.169	0.014	
Cyclohexane	0.095	0.341	0.032	
i-Heptanes	0.220	0.873	0.089	
n-Heptane	0.045	0.193	0.021	
Toluene	0.040	0.156	0.013	
i-Octanes	0.106	0.489	0.048	
n-Octane	0.008	0.039	0.004	
Ethylbenzene	0.002	0.012	0.001	
Xylenes	0.007	0.033	0.003	
i-Nonanes	0.011	0.067	0.006	
n-Nonane	0.001	0.008	0.001	
Decanes Plus	0.017	0.150	0.013	
	100.000	100.000	6.614	



Certificate of Analysis

Number: 6030-22020386-001A

Artesia Laboratory 200 E Main St. Artesia, NM 88210 Phone 575-746-3481

Alex Batista Mar. 01, 2022

Taprock

602 Park Point Drive

Ste. 200

Golden, CO 80401

Station Name: Black Marlin CTB Sales Sour

Station Number: 14801 Sample Point: Meter run Formation: Spot

County: Lea

Type of Sample: Spot-Cylinder

Heat Trace Used: N/A

Sampling Method: Fill and Purge

Sampled By: Gerardo Rodriguez
Sample Of: Gas Spot
Sample Date: 02/24/2022 10:30

Sample Conditions: 74.3 psig, @ 67.9 °F Method: GPA 2286 Cylinder No: 5030-01102

Analyzed: 03/01/2022 11:02:19 by KNF

Sampling Company: SPL

Calculated Physical Properties	Total	C10+
Calculated Molecular Weight	23.31	185.24
GPA 2172 Calculation:		
Calculated Gross BTU per ft ³ @ 14.73	psia & 60°F	
Real Gas Dry BTU	1326.4	10096.1
Water Sat. Gas Base BTU	1303.3	9877.3
Relative Density Real Gas	0.8079	6.3957
Compressibility Factor	0.9957	
Ideal, Gross HV - Wet	1297.6	
Ideal, Gross HV - Dry at 14.73 psia	1320.6	

1206

1185

Comments: H2S Field Content 0.8 %

Net BTU Dry Gas - real gas

Net BTU Wet Gas - real gas

Mcf/day 4818.8

Caly Atom

Hydrocarbon Laboratory Manager

The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated.

Quality Assurance:

FLARING SUMMARY

Battery	Date	Total Flare Vol (mcf)	Hrs Flared	Start		End	

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 480651

DEFINITIONS

Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street	Action Number:
Denver, CO 80202	480651
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 480651

QI	JESTIONS	
Operator:		OGRID:
Civitas Permian Operating, LLC 555 17th Street		332195 Action Number:
Denver, CO 80202		480651
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		[o 120] rotating unater Financing (o 120)
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve t	hese issues before continuing witl	h the rest of the questions.
Incident Well	Unavailable.	·
ilicident Well	Unavanable.	
Incident Facility	[fAPP2126030240] BLACK	MARLIN CTB
Determination of Reporting Requirements		
Answer all questions that apply. The Reason(s) statements are calculated based on your answers an	nd may provide addional quidance	
Was this vent or flare caused by an emergency or malfunction	Yes	
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or f	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during vi		
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	be a major of minor release under 19.10.29.7 Mino.
Did this vent or flare result in the release of ANY liquids (not fully and/or completely		
flared) that reached (or has a chance of reaching) the ground, a surface, a	No	
watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water		
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in	No	
existence	NO	
Equipment Involved		
Primary Equipment Involved	Not answered.	
Additional details for Equipment Involved. Please specify	Not answered.	
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group. Methodo (CHA) percentage	72	
Methane (CH4) percentage	73	
Nitrogen (N2) percentage, if greater than one percent	1	
Hydrogen Sulfide (H2S) PPM, rounded up	8,000	
Carbon Dioxide (C02) percentage, if greater than one percent	2	
Oxygen (02) percentage, if greater than one percent	0	
If you are venting and/or flaring because of Pipeline Specification, please provide the required speci	ifications for each gas.	
Methane (CH4) percentage quality requirement	Not answered.	
Nitrogen (N2) percentage quality requirement	Not answered.	
Hydrogen Sufide (H2S) PPM quality requirement	Not answered.	
Carbon Dioxide (C02) percentage quality requirement	Not answered.	

Not answered.

Oxygen (02) percentage quality requirement

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 480651

QUESTI	ONS (continued)
Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street Denver, CO 80202	Action Number: 480651
	Action Type:
	[C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	06/19/2025
Time vent or flare was discovered or commenced	12:01 AM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	17
Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Cause: Separation Flowback Pipeline (Any) Natural Gas Flared Released: 140 Mcf Recovered: 0 Mcf Lost: 140 Mcf.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	Ma
Was notification of downstream activity received by this operator	No Not answered.
Downstream OGRID that should have notified this operator	Not answered. Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered. Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered. Not answered.
The remot of commencer acting the remot have	Tot dilation.
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	The location experienced flaring attributed to high line pressure due to more wells coming on line and are flaring also due to safety concerns at the site and because there are wells in flowback.
Steps taken to limit the duration and magnitude of vent or flare	Standard PM. Worked with vendor to coordinate service time and minimize downtime.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Standard PM. No way to avoid periodic downtime for maintenance/repairs to address unforeseen issues.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 480651

ACKNOWLEDGMENTS

Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street	Action Number:
Denver, CO 80202	480651
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a Venting and/or Flaring (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 480651

CONDITIONS

Operator:	OGRID:
Civitas Permian Operating, LLC	332195
555 17th Street	Action Number:
Denver, CO 80202	480651
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
mlaruecdh	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	7/1/2025