



ENTERPRISE PRODUCTS PARTNERS L.P.
ENTERPRISE PRODUCTS HOLDINGS LLC
(General Partner)

ENTERPRISE PRODUCTS OPERATING LLC

May 19, 2025

7022 1670 0001 7321 4359
Return Receipt Requested

BLM Farmington Field Office
Lands Team
Attn: James Cruan
6251 College Blvd.
Farmington, New Mexico 87401

RE: Closure Report
Enterprise Field Services, LLC
Angel Peak 2C#2
Rio Arriba County, NM

Mr. Cruan:

Enterprise Field Services, LLC is submitting the Closure Report for the Angle Peak 2C#2 site release that occurred on September 9, 2024.

If you have questions or require additional information, please contact our Field Representative, Thomas Long at (505) 599-2286 or Brian Stone, Field Environmental Manager at (970) 263-3020.

Thank you,

A handwritten signature in blue ink, appearing to read "Jon E. Fields".

Jon E. Fields
Director, Field Environmental

/bjm
Attachment



CLOSURE REPORT

Property:

Angel Peak 2C Site #2 (09/09/24)
Unit Letter E, S17 T26N R7W
Rio Arriba County, New Mexico

New Mexico EMNRD OCD Incident ID No. NAPP2425329209


May 15, 2025


Ensolum Project No. 05A1226338

Prepared for:

Enterprise Field Services, LLC
614 Reilly Avenue
Farmington, NM 87401
Attn: Mr. Thomas Long

Prepared by:



Landon Daniell
Project Geologist

Kyle Summers
Senior Managing Geologist

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
1.1	Site Description & Background	1
1.2	Project Objective	1
2.0	CLOSURE CRITERIA.....	1
3.0	SOIL REMEDIATION ACTIVITIES	3
4.0	SOIL SAMPLING PROGRAM	3
5.0	SOIL LABORATORY ANALYTICAL METHODS.....	4
6.0	SOIL DATA EVALUATION	4
7.0	RECLAMATION.....	5
8.0	REVEGETATION	5
9.0	FINDINGS AND RECOMMENDATION	5
10.0	STANDARDS OF CARE, LIMITATIONS, AND RELIANCE	5
10.1	Standard of Care	5
10.2	Limitations	5
10.3	Reliance.....	6

LIST OF APPENDICES

Appendix A – Figures

Figure 1: Topographic Map
Figure 2: Site Vicinity Map
Figure 3: Site Map with Soil Analytical Results

Appendix B – Siting Figures and Documentation

Figure A: 1.0 Mile Radius Water Well/POD Location Map
Figure B: Cathodic Protection Well Recorded Depth to Water
Figure C: 300 Foot Radius Watercourse and Drainage Identification
Figure D: 300 Foot Radius Occupied Structure Identification
Figure E: Water Well and Natural Spring Location
Figure F: Wetlands
Figure G: Mines, Mills, and Quarries
Figure H: 100-Year Flood Plain Map

Appendix C – Executed C-138 Solid Waste Acceptance Form

Appendix D – Photographic Documentation

Appendix E – Regulatory Correspondence

Appendix F – Table 1 - Soil Analytical Summary

Appendix G – Laboratory Data Sheets & Chain of Custody Documentation

1.0 INTRODUCTION

1.1 Site Description & Background

Operator:	Enterprise Field Services, LLC / Enterprise Products Operating LLC (Enterprise)
Site Name:	Angel Peak 2C Site #2 (09/09/24) (Site)
NM EMNRD OCD Incident ID No.	NAPP2425329209
Location:	36.49034° North, 107.60663° West Unit Letter D, Section 17, Township 26 North, Range 7 West Rio Arriba County, New Mexico
Property:	Bureau of Land Management (BLM)
Regulatory:	New Mexico (NM) Energy, Minerals and Natural Resources Department (EMNRD) Oil Conservation Division (OCD)

On August 30, 2024, a potential release of natural gas was discovered from the Angel Peak 2C Site #2 pipeline. Enterprise subsequently isolated and locked the pipeline out of service. On September 7, 2024, Enterprise initiated activities to remediate potential petroleum hydrocarbon impact. On September 9, 2024, Enterprise determined the release was “reportable” due to the potential volume of impacted soil. The NM EMNRD OCD was subsequently notified.

A **Topographic Map** depicting the location of the Site is included as **Figure 1**, and a **Site Vicinity Map** is included as **Figure 2** in **Appendix A**.

1.2 Project Objective

The primary objective of the closure activities was to reduce constituent of concern (COC) concentrations in the on-site soils to below the applicable NM EMNRD OCD closure criteria.

2.0 CLOSURE CRITERIA

The Site is subject to regulatory oversight by the NM EMNRD OCD. During the evaluation and remediation of the Site, Ensolum, LLC (Ensolum) referenced New Mexico Administrative Code (NMAC) 19.15.29 *Releases*, which establishes investigation and abatement action requirements for oil and gas release sites that are subject to reporting and/or corrective action. The appropriate closure criteria for sites are determined using the siting requirements outlined in Paragraph (4) of Subsection C of 19.15.29.12 NMAC. Ensolum utilized the general site characteristics and information available from NM state agency databases and federal agency geospatial databases to determine the appropriate closure criteria for the Site. Supporting figures and documentation associated with the following Siting bullets are provided in **Appendix B**.

- The NM Office of the State Engineer (OSE) tracks the usage and assignment of water rights and water well installations and records this information in the Water Rights Reporting System (WRRS) database. Water wells and other points of diversion (PODs) are each assigned POD numbers in the database (which is searchable and includes an interactive map). No PODs were identified in the same Public Land Survey System (PLSS) section as the Site or in the adjacent PLSS sections (**Figure A, Appendix B**).
- No cathodic protection wells (CPWs) were identified in the NM EMNRD OCD imaging database in the same or adjacent PLSS sections (**Figure B, Appendix B**).

- The Site is not located within 300 feet of a NM EMNRD OCD-defined significant watercourse (**Figure C, Appendix B**).
- The Site is not located within 200 feet of a lakebed, sinkhole, or playa lake.
- The Site is not located within 300 feet of a permanent residence, school, hospital, institution, or church (**Figure D, Appendix B**).
- No springs, or private domestic freshwater wells used by less than five households for domestic or stock watering purposes were identified within 500 feet of the Site (**Figure E, Appendix B**).
- No freshwater wells or springs were identified within 1,000 feet of the Site (**Figure E, Appendix B**).
- The Site is not located within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to New Mexico Statutes Annotated (NMSA) 1978, Section 3-27-3.
- Based on information identified in the U.S. Fish & Wildlife Service National Wetlands Inventory Wetlands Mapper, the Site is not within 300 feet of a wetland (**Figure F, Appendix B**). A riverine is located approximately 750 feet west of the Site. This riverine bears the "J" designation (intermittently flooded) that is generally not considered a wetland in this region. A manmade pond is located approximately 1,750 feet south of the Site.
- Based on information identified in the NM Mining and Minerals Division's Geographic Information System (GIS) Maps and Mine Data database, the Site is not within an area overlying a subsurface mine (**Figure G, Appendix B**).
- The Site is not located within an unstable area per Paragraph (6) of Subsection U of 19.15.2.7 NMAC.
- Based on information provided by the Federal Emergency Management Agency (FEMA) National Flood Hazard Layer (NFHL) geospatial database, the Site is not within a 100-year floodplain (**Figure H, Appendix B**).

Based on available information, the depth to water at the Site is potentially less than 50 feet bgs due to the elevation of the release relative to the elevation of the Rincon Canyon Wash, resulting in a Tier I ranking. The closure criteria for soils remaining in place at the Site include:

Tier I Closure Criteria for Soils Impacted by a Release		
Constituent ¹	Method	Limit
Chloride	EPA 300.0 or SM4500 Cl B	600 mg/kg
TPH (GRO+DRO+MRO) ²	EPA SW-846 Method 8015	100 mg/kg
BTEX ³	EPA SW-846 Method 8021 or 8260	50 mg/kg
Benzene	EPA SW-846 Method 8021 or 8260	10 mg/kg

¹ – Constituent concentrations are in milligrams per kilogram (mg/kg).

² – Total Petroleum Hydrocarbons (TPH). Gasoline Range Organics (GRO). Diesel Range Organics (DRO). Motor Oil/Lube Oil Range Organics (MRO).

³ – Benzene, Toluene, Ethylbenzene, and Total Xylenes (BTEX).

3.0 SOIL REMEDIATION ACTIVITIES

On September 7, 2024, Enterprise initiated activities to remediate petroleum hydrocarbon impact resulting from the release. During the remediation and corrective action activities, Sierra Oilfield Services Inc. provided heavy equipment and labor support, while Ensolum provided environmental consulting support.

The excavation measured approximately 30 feet long and 15 feet wide at the maximum extents, with an approximate 450 ft² footprint. The maximum depth of the excavation measured approximately 16 feet bgs. The lithology encountered during the completion of remediation activities consisted primarily of silty sandy clay.

Approximately 300 cubic yards (yd³) of petroleum hydrocarbon-affected soils were transported to the Envirotech, Inc., (Envirotech) landfarm in San Juan County, NM for disposal/remediation. The executed C-138 solid waste acceptance form is provided in **Appendix C**. Following permanent repairs, the excavation was backfilled with imported fill on May 14, 2025 and then contoured to the surrounding grade.

Figure 3 is a map that identifies approximate soil sample locations and depicts the approximate dimensions of the excavation with respect to the pipeline (**Appendix A**). Photographic documentation of the field activities is included in **Appendix D**.

4.0 SOIL SAMPLING PROGRAM

Ensolum field screened the soil samples from the excavation utilizing a calibrated Dexsil PetroFLAG[®] hydrocarbon analyzer system and a photoionization detector (PID) fitted with a 10.6 eV lamp to guide excavation extents.

Ensolum's soil sampling program included the collection of eleven composite soil samples (S-1 through S-9, S-2a, and S-3a) from the excavation and one composite sample (BF-1) from the backfill for laboratory analysis. The composite samples were comprised of five aliquots each and represent an estimated 200 square foot (ft²) or less sample area per guidelines outlined in Section D of 19.15.29.12 NMAC. Excavator bucket and/or hand tools were utilized to obtain fresh aliquots from each area of the excavation and backfill. Regulatory correspondence is provided in **Appendix E**.

First Sampling Event

On September 25, 2024, sampling was performed at the Site. The NM EMNRD OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil samples S-1 (14'), S-2 (14'), and S-3 (14') were collected from the floor of the excavation. Composite soil samples, S-4 (0' to 14'), S-5 (0' to 14'), S-6 (0' to 14'), S-7 (0' to 14'), S-8 (0' to 14'), and S-9 (0' to 14') were collected from the walls of the excavation. The results for composite soil samples S-2 and S-3 indicated exceedances in total combined TPH concentrations.

Second Sampling Event

On September 30, 2024, sampling was performed at the Site. The NM EMNRD OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil samples S-2a (14' to 16') and S-3a (14' to 16') were collected from the floor and base of the walls of the excavation to replace composite soil samples S-2 and S-3.

Third Sampling Event

On January 21, 2024, sampling was performed at the Site. The NM EMNRD OCD was notified of the sampling event although no representative was present during sampling activities. Composite soil sample BF-1 was collected from the imported fill.

All soil samples were collected and placed in laboratory-prepared glassware. The containers were labeled and sealed using the laboratory-supplied labels and custody seals and were stored on ice in a cooler. The samples were relinquished to the courier for Eurofins Environment Testing South Central, LLC (Eurofins) of Albuquerque, NM, under proper chain-of-custody procedures.

5.0 SOIL LABORATORY ANALYTICAL METHODS

The composite soil samples were analyzed for BTEX using Environmental Protection Agency (EPA) SW-846 Method 8021; TPH GRO/DRO/MRO using EPA SW-846 Method 8015; and chlorides using EPA Method 300.0.

The laboratory analytical results are summarized in **Table 1 (Appendix F)**. The laboratory data sheets and executed chain-of-custody forms are provided in **Appendix G**.

6.0 SOIL DATA EVALUATION

Ensolum compared the benzene, BTEX, TPH, and chloride laboratory analytical results or laboratory practical quantitation limits (PQLs) / reporting limits (RLs) associated with the composite soil samples (S-1, S-4 through S-9, S-2a, S-3a, and BF-1) to the applicable NM EMNRD OCD closure criteria. Due to the high PQLs/RLs associated with the TPH MRO results when using EPA SW-846 Method 8015, Ensolum only compared the quantified TPH results to the New Mexico EMNRD OCD closure criteria. The results for composite soil samples S-2 and S-3 are not included in the following discussion because the impacted soils were removed from the Site. The laboratory analytical results are summarized in **Table 1 (Appendix F)**.

- The laboratory analytical results for the composite soil samples indicate benzene concentrations are less than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 10 mg/kg.
- The laboratory analytical results for the composite soil samples indicate total BTEX concentrations are less than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 50 mg/kg.
- The laboratory analytical results for composite soil sample S-7 indicate a total combined TPH GRO/DRO/MRO concentration of 3.7 mg/kg, which is less than the NM EMNRD OCD closure criteria of 100 mg/kg. The laboratory analytical results for the other composite soil samples collected from soils remaining at the Site indicate total combined TPH GRO/DRO/MRO concentrations are less than the laboratory PQLs/RLs, which are less than the NM EMNRD OCD closure criteria of 100 mg/kg.
- The laboratory analytical result for composite soil sample S-3a indicates a chloride concentration of 210 mg/kg, which is below the NM EMNRD OCD closure criteria of 600 mg/kg. The laboratory analytical results for the other composite samples collected from soils remaining at the Site indicate chloride concentrations are less than the laboratory PQLs/RLs, which is less than the NM EMNRD OCD closure criteria of 600 mg/kg.

7.0 RECLAMATION

The excavation was backfilled with imported fill and then contoured to the surrounding grade. The backfill and the upper four feet of the excavation have been analytically verified to be below the Tier I soil standards of 50 mg/kg BTEX, 10 mg/kg benzene, 100 mg/kg total combined TPH, and 600 mg/kg Chloride. See **APPENDIX D** and **APPENDIX F** for further documentation.

8.0 REVEGETATION

Revegetation will be addressed in accordance with 19.15.29.13 NMAC utilizing the recommended seed mix as described in guidance (Vegetation Community Descriptions and Seed Mixes) provided by the BLM Farmington Field Office. In this case the surrounding vegetation is predominantly of the Sagebrush/Grassland Vegetation Communities. Enterprise will reseed the area with the appropriate seed mix during the next favorable growing season. Enterprise will provide revegetation documentation under separate cover.

9.0 FINDINGS AND RECOMMENDATION

- Eleven composite soil samples were collected from the Site. Based on laboratory analytical results, no benzene, BTEX, chloride, or total combined TPH GRO/DRO/MRO exceedances were identified in the soils remaining at the Site.
- Approximately 300 yd³ of petroleum hydrocarbon-affected soils were transported to the Envirotech landfarm for disposal/remediation.

Based on field observations and laboratory analytical results, no additional investigation or corrective action appears warranted at this time.

10.0 STANDARDS OF CARE, LIMITATIONS, AND RELIANCE

10.1 Standard of Care

Ensolum's services were performed in accordance with standards customarily provided by a firm rendering the same or similar services in the area during the same time period. Ensolum makes no warranties, express or implied, as to the services performed hereunder. Additionally, Ensolum does not warrant the work of third parties supplying information used in the report (e.g., laboratories, regulatory agencies, or other third parties).

10.2 Limitations

Findings, conclusions, and recommendations resulting from these services are based upon information derived from the on-Site activities and other services performed under this scope of work, and it should be noted that this information is subject to change over time. Certain indicators of the presence of hazardous substances, petroleum products, or other constituents may have been latent, inaccessible, unobservable, or not present during these services, and Ensolum cannot represent that the Site contains no hazardous substances, toxic materials, petroleum products, or other latent conditions beyond those identified during the investigation. Environmental conditions at other areas or portions of the Site may vary from those encountered at actual sample locations. Ensolum's findings and recommendation are based solely upon data available to Ensolum at the time of these services.


10.3 Reliance

This report has been prepared for the exclusive use of Enterprise, and any authorization for use or reliance by any other party (except a governmental entity having jurisdiction over the Site) is prohibited without the express written authorization of Enterprise and Ensolum. Any unauthorized distribution or reuse is at the client's sole risk. Notwithstanding the foregoing, reliance by authorized parties will be subject to the terms, conditions, and limitations stated in this report and Ensolum's Master Services Agreement. The limitation of liability defined in the agreement is the aggregate limit of Ensolum's liability to the client.



APPENDIX A

Figures




Topographic Map

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE

1




Site Vicinity Map

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE
2



Site Map with Soil Analytical Results

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE


3





APPENDIX B

Siting Figures and Documentation




1.0 Mile Radius Water Well / POD Location Map

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

**FIGURE
A**




**Cathodic Protection Well
Recorded Depth to Water**

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

**FIGURE
B**




**300 Foot Radius Watercourse
and Drainage Identification**

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

**FIGURE
C**




**300 Foot Radius Occupied
Structure Identification**

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

**FIGURE
D**




Water Well and Natural Spring Location

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE
E




Wetlands

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE
F



Document Path: C:\Users\Peter.Rodriguez\OneDrive - ENSOLUM, LLC\Desktop\PAR_GIS\File Path Structure6 - Aztec\Enterprise Field Services, LLC\05A1226338 - Angel Peak 2C Site #2 (09/09/24).aprx




Mines, Mills, and Quarries

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE
G



100-Year Flood Plain Map

Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Project Number: 05A1226338

Unit Letter D, S17 T26N R7W, Rio Arriba County, New Mexico
36.49034, -107.60663

FIGURE
H



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

No report data available.

Basin/County Search:

Basin: SJ

PLSS Search:

Range: 07W

Township: 26N

Section: 7,8,9,16,17,18,19,20,21

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



APPENDIX C

Executed C-138 Solid Waste Acceptance Form

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-138
Revised 08/01/11

*Surface Waste Management Facility Operator
and Generator shall maintain and make this
documentation available for Division inspection.

REQUEST FOR APPROVAL TO ACCEPT SOLID WASTE

1. Generator Name and Address:

Enterprise Field Services, LLC, 614 Reilly Ave, Farmington NM 87401

PayKey: AM14058
PM: Dwayne Dixon
AFE: N74575

2. Originating Site:

Angel Peak 2C #2

3. Location of Material (Street Address, City, State or ULSTR):

UL D Section 17 T26N R7W; 36.490340, -107.606630

4. Source and Description of Waste:

Source: Remediation activities associated with a natural gas pipeline leak.

Description: Hydrocarbon/Condensate impacted soil associated natural gas pipeline release.

Estimated Volume 50 yd³ / bbls Known Volume (to be entered by the operator at the end of the haul) 300 yd³ bbls

5. GENERATOR CERTIFICATION STATEMENT OF WASTE STATUS

I, Thomas Long *Thomas Long*, representative or authorized agent for Enterprise Products Operating do hereby

Generator Signature

certify that according to the Resource Conservation and Recovery Act (RCRA) and the US Environmental Protection Agency's July 1988 regulatory determination, the above described waste is: (Check the appropriate classification)

☒ RCRA Exempt: Oil field wastes generated from oil and gas exploration and production operations and are not mixed with non-exempt waste. Operator Use Only: Waste Acceptance Frequency ☐ Monthly ☐ Weekly ☐ Per Load

☐ RCRA Non-Exempt: Oil field waste which is non-hazardous that does not exceed the minimum standards for waste hazardous by characteristics established in RCRA regulations, 40 CFR 261.21-261.24, or listed hazardous waste as defined in 40 CFR, part 261, subpart D, as amended. The following documentation is attached to demonstrate the above-described waste is non-hazardous. (Check the appropriate items)

☐ MSDS Information ☐ RCRA Hazardous Waste Analysis ☐ Process Knowledge ☐ Other (Provide description in Box 4)

GENERATOR 19.15.36.15 WASTE TESTING CERTIFICATION STATEMENT FOR LANDFARMS

I, Thomas Long *Thomas Long* 9-6-2024, representative for Enterprise Products Operating authorizes Envirotech, Inc. to complete

Generator Signature

the required testing/sign the Generator Waste Testing Certification.

I, Greg Crabtree, representative for Envirotech, Inc. do hereby certify that representative samples of the oil field waste have been subjected to the paint filter test and tested for chloride content and that the samples have been found to conform to the specific requirements applicable to landfarms pursuant to Section 15 of 19.15.36 NMAC. The results of the representative samples are attached to demonstrate the above-described waste conform to the requirements of Section 15 of 19.15.36 NMAC.

5. Transporter: TBD

OCD Permitted Surface Waste Management Facility

Name and Facility Permit #: **Envirotech Inc. Soil Remediation Facility * Permit #: NM 01-0011**

Address of Facility: **Hilltop, NM**

Method of Treatment and/or Disposal:

☐ Evaporation ☐ Injection ☐ Treating Plant ☒ Landfarm ☐ Landfill ☐ Other

Waste Acceptance Status:

☒ **APPROVED**

☐ **DENIED** (Must Be Maintained As Permanent Record)

PRINT NAME: Greg Crabtree

SIGNATURE: *Greg Crabtree*

Surface Waste Management Facility Authorized Agent

TITLE: Enviro Manager

TELEPHONE NO.:

505-632-0615

DATE: 9/23/24



APPENDIX D

Photographic Documentation

SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Ensolum Project No. 05A1226338

**Photograph 1**

Photograph Description: View of the in-process excavation activities.

**Photograph 2**

Photograph Description: View of the in-process excavation activities.

**Photograph 3**

Photograph Description: View of the in-process excavation activities.



SITE PHOTOGRAPHS

Closure Report
Enterprise Field Services, LLC
Angel Peak 2C Site #2 (09/09/24)
Ensolum Project No. 05A1226338

**Photograph 4**

Photograph Description: View of the in-process excavation activities.

**Photograph 5**

Photograph Description: View of the final excavation

**Photograph 6**

Photograph Description: View of the excavation final restoration.





APPENDIX E

Regulatory Correspondence

From: OCDOnline@state.nm.us
To: [Long, Thomas](#)
Subject: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 386555
Date: Wednesday, September 25, 2024 7:16:25 AM

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2425329209.

The sampling event is expected to take place:

When: 09/25/2024 @ 09:00

Where: D-17-26N-07W 0 FNL 0 FEL (36.49034,-107.60663)

Additional Information: Ensolum, LLC

Additional Instructions: 36.49034,-107.60663

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: [Velez, Nelson, EMNRD](#)
To: [Long, Thomas](#)
Cc: [Stone, Brian](#)
Subject: Re: [EXTERNAL] Angel Peak 2C#2 - UL D Section 17 T26N R7W;36.490340, -107.606630; NMOCD Incident # nAPP2425329209
Date: Monday, September 30, 2024 8:15:51 AM
Attachments: [image001.jpg](#)
[image002.png](#)
[Outlook-05yf2zwq.png](#)

[Use caution with links/attachments]

Good morning Tom,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

Regards,

Nelson Velez • Environmental Specialist - Adv
Environmental Bureau | EMNRD - Oil Conservation Division
1000 Rio Brazos Road | Aztec, NM 87410
(505) 469-6146 | nelson.velez@emnrd.nm.gov
<http://www.emnrd.nm.gov/oecd>



From: Long, Thomas <tjlong@eprod.com>
Sent: Monday, September 30, 2024 7:24 AM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Cc: Stone, Brian <bmstone@eprod.com>
Subject: FW: [EXTERNAL] Angel Peak 2C#2 - UL D Section 17 T26N R7W;36.490340, -107.606630;

NMOCD Incident # nAPP2425329209

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48 hour notification per 19.15.29.12D (1a) NMAC. Enterprise would like to collect soil samples for laboratory analysis today, September 30, 2024 at 12:00 p.m. at the Angle Peak 2C #2 excavation. We did not get enough done to resample on Friday. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)
tjlong@eprod.com



From: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>

Sent: Friday, September 27, 2024 8:39 AM

To: Long, Thomas <tjlong@eprod.com>

Cc: Stone, Brian <bmstone@eprod.com>

Subject: Re: [EXTERNAL] Angel Peak 2C#2 - UL D Section 17 T26N R7W;36.490340, -107.606630;
NMOCD Incident # nAPP2425329209

[Use caution with links/attachments]

Good morning Tom,

Thank you for the notice. Your variance request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

The OCD requires a copy of all correspondence relative to remedial activities be included in all proposals and/or final closure reports. Correspondence required to be included in reports may include, but not limited to, notifications for liner inspections, sample events, spill/release/fire, and request for time extensions or variances.

Regards,

Nelson Velez • Environmental Specialist - Adv
Environmental Bureau | EMNRD - Oil Conservation Division
1000 Rio Brazos Road | Aztec, NM 87410
(505) 469-6146 | nelson.velez@emnrd.nm.gov
<http://www.emnrd.nm.gov/oed>



From: Long, Thomas <tjlong@eprod.com>
Sent: Friday, September 27, 2024 8:32 AM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Cc: Stone, Brian <bmstone@eprod.com>
Subject: RE: [EXTERNAL] Angel Peak 2C#2 - UL D Section 17 T26N R7W;36.490340, -107.606630; NMOCD Incident # nAPP2425329209

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48 hour notification per 19.15.29.12D (1a) NMAC. Enterprise would like to collect soil samples for laboratory analysis today, September 27, 2024 at 12:00 p.m. at the Angle Peak 2C #2 excavation. We had a couple of samples that exceeded regulatory standards and we will be excavating and resampling. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)
tjlong@eprod.com

logo

From: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Sent: Wednesday, September 25, 2024 7:46 AM
To: Long, Thomas <tjlong@eprod.com>
Cc: Stone, Brian <bmstone@eprod.com>
Subject: Re: [EXTERNAL] Angel Peak 2C#2 - UL D Section 17 T26N R7W;36.490340, -107.606630;
NMOCD Incident # nAPP2425329209

[Use caution with links/attachments]

Good morning Tom,

Thank you for the notice. Your request specifically addressing 19.15.29.12D (1a) NMAC is approved.

If an OCD representative is not on-site on the date &/or time given, please sample per 19.15.29 NMAC or from an OCD pre-approved sampling plan. For whatever reason, if the sampling timeframe is altered, please notify the OCD as soon as possible so we may adjust our schedule(s). Failure to notify the OCD of this change may result in the closure sample(s) not being accepted.

Please keep a copy of this communication for inclusion within the appropriate report submittal.

Regards,

Nelson Velez • Environmental Specialist - Adv
Environmental Bureau | EMNRD - Oil Conservation Division
1000 Rio Brazos Road | Aztec, NM 87410
(505) 469-6146 | nelson.velez@emnrd.nm.gov
<http://www.emnrd.nm.gov/oed>



From: Long, Thomas <tjlong@eprod.com>
Sent: Wednesday, September 25, 2024 7:14 AM
To: Velez, Nelson, EMNRD <Nelson.Velez@emnrd.nm.gov>
Cc: Stone, Brian <bmstone@eprod.com>

Subject: [EXTERNAL] Angel Peak 2C#2 - UL D Section 17 T26N R7W;36.490340, -107.606630;
NMOCD Incident # nAPP2425329209

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Nelson,

This email is a notification and a variance request. Enterprise is requesting a variance for required 48 hour notification per 19.15.29.12D (1a) NMAC. Enterprise would like to collect soil samples for laboratory analysis today, September 25, 2024 at 9:00 a.m. at the Angle Peak 2C #2 excavation. Please acknowledge acceptance of this variance request. If you have any questions, please call or email.

Thomas J. Long
Senior Environmental Scientist
Enterprise Products Company
614 Reilly Ave.
Farmington, New Mexico 87401
505-599-2286 (office)
505-215-4727 (Cell)
tjlong@eprod.com

logo



This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>

Sent: Thursday, January 16, 2025 1:46 PM

To: Long, Thomas <tjlong@eprod.com>

Subject: [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 421733

[Use caution with links/attachments]

To whom it may concern (c/o Thomas Long for Enterprise Field Services, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAPP2425329209.

The sampling event is expected to take place:

When: 01/21/2025 @ 10:30

Where: D-17-26N-07W 0 FNL 0 FEL (36.49034,-107.60663)

Additional Information: Ensolum LLC

Additional Instructions: 36.49034,-107.60663

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

This message (including any attachments) is confidential and intended for a specific individual and purpose. If you are not the intended recipient, please notify the sender immediately and delete this message.



APPENDIX F

Table 1 – Soil Analytical Summary



TABLE 1
Angel Peak 2C Site #2 (09/09/24)
SOIL ANALYTICAL SUMMARY

Sample I.D.	Date	Sample Type C- Composite G - Grab	Sample Depth (feet)	Benzene (mg/kg)	Toluene (mg/kg)	Ethylbenzene (mg/kg)	Xylenes (mg/kg)	Total BTEX ¹ (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH MRO (mg/kg)	Total Combined TPH (GRO/DRO/MRO) ¹ (mg/kg)	Chloride (mg/kg)
New Mexico Energy, Mineral & Natural Resources Department Oil Conservation Division Closure Criteria (Tier I)				10	NE	NE	NE	50	NE	NE	NE	100	600
Composite Soil Samples Removed by Excavation													
S-2	09.25.24	C	14	<0.021	<0.041	<0.041	<0.083	ND	12	7100	5300	12,000	<60
S-3	09.25.24	C	14	<0.018	<0.036	<0.036	<0.073	ND	12	100	88	200	<60
Excavation Composite Soil Samples													
S-1	09.25.24	C	14	<0.015	<0.031	<0.031	<0.062	ND	<3.1	<9.1	<45	ND	<60
S-4	09.25.24	C	0 to 14	<0.017	<0.034	<0.034	<0.068	ND	<3.4	<9.9	<49	ND	<60
S-5	09.25.24	C	0 to 14	<0.018	<0.035	<0.035	<0.070	ND	<3.5	<9.4	<47	ND	<60
S-6	09.25.24	C	0 to 14	<0.018	<0.036	<0.036	<0.071	ND	<3.6	<9.5	<47	ND	<60
S-7	09.25.24	C	0 to 14	<0.016	<0.032	<0.032	<0.065	ND	3.7	<9.2	<46	3.7	<60
S-8	09.25.24	C	0 to 14	<0.017	<0.035	<0.035	<0.069	ND	<3.5	<9.9	<50	ND	<60
S-9	09.25.24	C	0 to 14	<0.019	<0.037	<0.037	<0.074	ND	<3.7	<9.5	<48	ND	<60
S-2a	09.30.24	C	14 to 16	<0.018	<0.037	<0.037	<0.073	ND	<3.7	<9.2	<46	ND	<61
S-3a	09.30.24	C	14 to 16	<0.019	<0.038	<0.038	<0.075	ND	<3.8	<9.5	<47	ND	210
Backfill Composite Soil Sample													
BF-1	1.21.25	C	BF	<0.024	<0.047	<0.047	<0.095	ND	<4.7	<9.3	<47	ND	<60

Note: Concentrations in **bold** and yellow exceed the applicable NM EMNRD Closure Criteria

¹ = Total combined concentrations are rounded to two (2) significant figures to match the laboratory resolution of the individual constituents.

ND = Not Detected above the Practical Quantitation Limits (PQLs) or Reporting Limits (RLs)

NE = Not established

NS = Not sampled

mg/kg = milligrams per kilogram

BTEX = Benzene, Toluene, Ethylbenzene, and Xylenes

TPH = Total Petroleum Hydrocarbons

GRO = Gasoline Range Organics

DRO = Diesel Range Organics

MRO = Motor Oil/Lube Oil Range Organics

BF = Backfill sample



APPENDIX G

Laboratory Data Sheets & Chain of Custody Documentation



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Summers
Ensolum
606 S Rio Grande
Suite A
Aztec, New Mexico 87410
Generated 10/4/2024 11:37:43 AM

JOB DESCRIPTION

Angel Peak 2C #2

JOB NUMBER

885-12583-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
10/4/2024 11:37:43 AM

Authorized for release by
John Caldwell, Project Manager
john.caldwell@et.eurofinsus.com
(505)345-3975

Client: Ensolum
Project/Site: Angel Peak 2C #2

Laboratory Job ID: 885-12583-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	18
Certification Summary	20
Chain of Custody	21
Receipt Checklists	22



Definitions/Glossary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Qualifiers

GC Semi VOA

Qualifier	Qualifier Description
D	Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D.
S1-	Surrogate recovery exceeds control limits, low biased.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project: Angel Peak 2C #2

Job ID: 885-12583-1

Job ID: 885-12583-1

Eurofins Albuquerque

Job Narrative 885-12583-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 9/26/2024 6:40 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 1.2°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015D_DRO: The following sample required a dilution due to the nature of the sample matrix: S-2 (885-12583-2). Because of this dilution, the surrogate spike concentration in the sample was reduced to a level where the recovery calculation does not provide useful information.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-1

Lab Sample ID: 885-12583-1

Date Collected: 09/25/24 10:00

Matrix: Solid

Date Received: 09/26/24 06:40

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.1	mg/Kg		09/26/24 08:23	09/26/24 10:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		35 - 166			09/26/24 08:23	09/26/24 10:35	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.015	mg/Kg		09/26/24 08:23	09/26/24 10:35	1
Ethylbenzene	ND		0.031	mg/Kg		09/26/24 08:23	09/26/24 10:35	1
Toluene	ND		0.031	mg/Kg		09/26/24 08:23	09/26/24 10:35	1
Xylenes, Total	ND		0.062	mg/Kg		09/26/24 08:23	09/26/24 10:35	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			09/26/24 08:23	09/26/24 10:35	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.1	mg/Kg		09/26/24 08:51	09/26/24 10:36	1
Motor Oil Range Organics [C28-C40]	ND		45	mg/Kg		09/26/24 08:51	09/26/24 10:36	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	96		62 - 134			09/26/24 08:51	09/26/24 10:36	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/26/24 09:31	09/26/24 10:29	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-2

Lab Sample ID: 885-12583-2

Date Collected: 09/25/24 10:05

Matrix: Solid

Date Received: 09/26/24 06:40

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	12		4.1	mg/Kg		09/26/24 08:23	09/26/24 10:59	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	161		35 - 166			09/26/24 08:23	09/26/24 10:59	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.021	mg/Kg		09/26/24 08:23	09/26/24 10:59	1
Ethylbenzene	ND		0.041	mg/Kg		09/26/24 08:23	09/26/24 10:59	1
Toluene	ND		0.041	mg/Kg		09/26/24 08:23	09/26/24 10:59	1
Xylenes, Total	ND		0.083	mg/Kg		09/26/24 08:23	09/26/24 10:59	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			09/26/24 08:23	09/26/24 10:59	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	7100		100	mg/Kg		09/26/24 08:51	09/26/24 10:46	10
Motor Oil Range Organics [C28-C40]	5300		500	mg/Kg		09/26/24 08:51	09/26/24 10:46	10
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	0	S1 - D	62 - 134			09/26/24 08:51	09/26/24 10:46	10

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/26/24 09:31	09/26/24 10:42	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-3

Lab Sample ID: 885-12583-3

Date Collected: 09/25/24 10:10

Matrix: Solid

Date Received: 09/26/24 06:40

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	12		3.6	mg/Kg		09/26/24 08:23	09/26/24 11:22	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	156		35 - 166			09/26/24 08:23	09/26/24 11:22	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.018	mg/Kg		09/26/24 08:23	09/26/24 11:22	1
Ethylbenzene	ND		0.036	mg/Kg		09/26/24 08:23	09/26/24 11:22	1
Toluene	ND		0.036	mg/Kg		09/26/24 08:23	09/26/24 11:22	1
Xylenes, Total	ND		0.073	mg/Kg		09/26/24 08:23	09/26/24 11:22	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		48 - 145			09/26/24 08:23	09/26/24 11:22	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	100		9.7	mg/Kg		09/26/24 08:51	09/26/24 11:18	1
Motor Oil Range Organics [C28-C40]	88		48	mg/Kg		09/26/24 08:51	09/26/24 11:18	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	100		62 - 134			09/26/24 08:51	09/26/24 11:18	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/26/24 09:31	09/26/24 10:55	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-4
Date Collected: 09/25/24 10:15
Date Received: 09/26/24 06:40

Lab Sample ID: 885-12583-4
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.4	mg/Kg		09/26/24 08:23	09/26/24 12:33	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		35 - 166			09/26/24 08:23	09/26/24 12:33	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.017	mg/Kg		09/26/24 08:23	09/26/24 12:33	1
Ethylbenzene	ND		0.034	mg/Kg		09/26/24 08:23	09/26/24 12:33	1
Toluene	ND		0.034	mg/Kg		09/26/24 08:23	09/26/24 12:33	1
Xylenes, Total	ND		0.068	mg/Kg		09/26/24 08:23	09/26/24 12:33	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		48 - 145			09/26/24 08:23	09/26/24 12:33	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		09/26/24 08:51	09/26/24 11:39	1
Motor Oil Range Organics [C28-C40]	ND		49	mg/Kg		09/26/24 08:51	09/26/24 11:39	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98		62 - 134			09/26/24 08:51	09/26/24 11:39	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/26/24 09:31	09/26/24 11:08	20

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-5

Lab Sample ID: 885-12583-5

Date Collected: 09/25/24 10:20

Matrix: Solid

Date Received: 09/26/24 06:40

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.5	mg/Kg		09/26/24 08:48	09/26/24 11:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166			09/26/24 08:48	09/26/24 11:46	1
Method: SW846 8021B - Volatile Organic Compounds (GC)								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.018	mg/Kg		09/26/24 08:48	09/26/24 11:46	1
Ethylbenzene	ND		0.035	mg/Kg		09/26/24 08:48	09/26/24 11:46	1
Toluene	ND		0.035	mg/Kg		09/26/24 08:48	09/26/24 11:46	1
Xylenes, Total	ND		0.070	mg/Kg		09/26/24 08:48	09/26/24 11:46	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		48 - 145			09/26/24 08:48	09/26/24 11:46	1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.4	mg/Kg		09/26/24 08:51	09/26/24 11:50	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		09/26/24 08:51	09/26/24 11:50	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	98		62 - 134			09/26/24 08:51	09/26/24 11:50	1
Method: EPA 300.0 - Anions, Ion Chromatography								
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/26/24 09:31	09/26/24 11:47	20

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-6

Lab Sample ID: 885-12583-6

Date Collected: 09/25/24 10:25

Matrix: Solid

Date Received: 09/26/24 06:40

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.6	mg/Kg		09/26/24 08:48	09/26/24 12:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166	09/26/24 08:48	09/26/24 12:09	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.018	mg/Kg		09/26/24 08:48	09/26/24 12:09	1
Ethylbenzene	ND		0.036	mg/Kg		09/26/24 08:48	09/26/24 12:09	1
Toluene	ND		0.036	mg/Kg		09/26/24 08:48	09/26/24 12:09	1
Xylenes, Total	ND		0.071	mg/Kg		09/26/24 08:48	09/26/24 12:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		48 - 145	09/26/24 08:48	09/26/24 12:09	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		09/26/24 08:51	09/26/24 12:01	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		09/26/24 08:51	09/26/24 12:01	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	99		62 - 134	09/26/24 08:51	09/26/24 12:01	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/26/24 09:31	09/26/24 11:59	20

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-13048/1-A

Matrix: Solid

Analysis Batch: 13090

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13048

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		09/26/24 08:23	09/26/24 10:12	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		35 - 166			09/26/24 08:23	09/26/24 10:12	1

Lab Sample ID: LCS 885-13048/2-A

Matrix: Solid

Analysis Batch: 13090

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13048

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	23.9		mg/Kg		95	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	212		35 - 166				

Lab Sample ID: 885-12583-1 MS

Matrix: Solid

Analysis Batch: 13090

Client Sample ID: S-1

Prep Type: Total/NA

Prep Batch: 13048

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		15.4	17.2		mg/Kg		106	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	237		35 - 166						

Lab Sample ID: 885-12583-1 MSD

Matrix: Solid

Analysis Batch: 13090

Client Sample ID: S-1

Prep Type: Total/NA

Prep Batch: 13048

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		15.4	17.1		mg/Kg		105	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	237		35 - 166								

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-13048/1-A

Matrix: Solid

Analysis Batch: 13091

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13048

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		09/26/24 08:23	09/26/24 10:12	1
Ethylbenzene	ND		0.050	mg/Kg		09/26/24 08:23	09/26/24 10:12	1
Toluene	ND		0.050	mg/Kg		09/26/24 08:23	09/26/24 10:12	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-13048/1-A

Matrix: Solid

Analysis Batch: 13091

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13048

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.10	mg/Kg		09/26/24 08:23	09/26/24 10:12	1
Surrogate	%Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	103		48 - 145			09/26/24 08:23	09/26/24 10:12	1

Lab Sample ID: LCS 885-13048/3-A

Matrix: Solid

Analysis Batch: 13091

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13048

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.01		mg/Kg		101	70 - 130
Ethylbenzene	1.00	1.04		mg/Kg		104	70 - 130
Toluene	1.00	1.02		mg/Kg		102	70 - 130
Xylenes, Total	3.00	3.11		mg/Kg		104	70 - 130
Surrogate	%Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	104		48 - 145				

Lab Sample ID: 885-12583-2 MS

Matrix: Solid

Analysis Batch: 13091

Client Sample ID: S-2

Prep Type: Total/NA

Prep Batch: 13048

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		0.829	0.849		mg/Kg		101	70 - 130
Ethylbenzene	ND		0.829	0.876		mg/Kg		102	70 - 130
Toluene	ND		0.829	0.850		mg/Kg		102	70 - 130
Xylenes, Total	ND		2.49	2.56		mg/Kg		102	70 - 130
Surrogate	%Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	106		48 - 145						

Lab Sample ID: 885-12583-2 MSD

Matrix: Solid

Analysis Batch: 13091

Client Sample ID: S-2

Prep Type: Total/NA

Prep Batch: 13048

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	ND		0.829	0.823		mg/Kg		98	70 - 130	3	20
Ethylbenzene	ND		0.829	0.880		mg/Kg		102	70 - 130	0	20
Toluene	ND		0.829	0.835		mg/Kg		101	70 - 130	2	20
Xylenes, Total	ND		2.49	2.56		mg/Kg		102	70 - 130	0	20
Surrogate	%Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	109		48 - 145								

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-13055/1-A

Matrix: Solid

Analysis Batch: 13068

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13055

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		09/26/24 08:51	09/26/24 10:14	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		09/26/24 08:51	09/26/24 10:14	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	91		62 - 134			09/26/24 08:51	09/26/24 10:14	1

Lab Sample ID: LCS 885-13055/2-A

Matrix: Solid

Analysis Batch: 13068

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13055

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	51.1		mg/Kg		102	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	100		62 - 134				

Lab Sample ID: 885-12583-6 MS

Matrix: Solid

Analysis Batch: 13068

Client Sample ID: S-6

Prep Type: Total/NA

Prep Batch: 13055

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		49.6	51.6		mg/Kg		104	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	104		62 - 134						

Lab Sample ID: 885-12583-6 MSD

Matrix: Solid

Analysis Batch: 13068

Client Sample ID: S-6

Prep Type: Total/NA

Prep Batch: 13055

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		46.6	48.8		mg/Kg		105	44 - 136	5	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	106		62 - 134								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-13066/1-A

Matrix: Solid

Analysis Batch: 13077

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13066

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		09/26/24 09:31	09/26/24 09:53	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-13066/2-A				Client Sample ID: Lab Control Sample			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 13077				Prep Batch: 13066			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	33.0		mg/Kg		110	90 - 110

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

QC Association Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

GC VOA

Prep Batch: 13048

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	5035	
885-12583-2	S-2	Total/NA	Solid	5035	
885-12583-3	S-3	Total/NA	Solid	5035	
885-12583-4	S-4	Total/NA	Solid	5035	
885-12583-5	S-5	Total/NA	Solid	5035	
885-12583-6	S-6	Total/NA	Solid	5035	
MB 885-13048/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-13048/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-13048/3-A	Lab Control Sample	Total/NA	Solid	5035	
885-12583-1 MS	S-1	Total/NA	Solid	5035	
885-12583-1 MSD	S-1	Total/NA	Solid	5035	
885-12583-2 MS	S-2	Total/NA	Solid	5035	
885-12583-2 MSD	S-2	Total/NA	Solid	5035	

Analysis Batch: 13090

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	8015M/D	13048
885-12583-2	S-2	Total/NA	Solid	8015M/D	13048
885-12583-3	S-3	Total/NA	Solid	8015M/D	13048
885-12583-4	S-4	Total/NA	Solid	8015M/D	13048
885-12583-5	S-5	Total/NA	Solid	8015M/D	13048
885-12583-6	S-6	Total/NA	Solid	8015M/D	13048
MB 885-13048/1-A	Method Blank	Total/NA	Solid	8015M/D	13048
LCS 885-13048/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13048
885-12583-1 MS	S-1	Total/NA	Solid	8015M/D	13048
885-12583-1 MSD	S-1	Total/NA	Solid	8015M/D	13048

Analysis Batch: 13091

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	8021B	13048
885-12583-2	S-2	Total/NA	Solid	8021B	13048
885-12583-3	S-3	Total/NA	Solid	8021B	13048
885-12583-4	S-4	Total/NA	Solid	8021B	13048
885-12583-5	S-5	Total/NA	Solid	8021B	13048
885-12583-6	S-6	Total/NA	Solid	8021B	13048
MB 885-13048/1-A	Method Blank	Total/NA	Solid	8021B	13048
LCS 885-13048/3-A	Lab Control Sample	Total/NA	Solid	8021B	13048
885-12583-2 MS	S-2	Total/NA	Solid	8021B	13048
885-12583-2 MSD	S-2	Total/NA	Solid	8021B	13048

GC Semi VOA

Prep Batch: 13055

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	SHAKE	
885-12583-2	S-2	Total/NA	Solid	SHAKE	
885-12583-3	S-3	Total/NA	Solid	SHAKE	
885-12583-4	S-4	Total/NA	Solid	SHAKE	
885-12583-5	S-5	Total/NA	Solid	SHAKE	
885-12583-6	S-6	Total/NA	Solid	SHAKE	
MB 885-13055/1-A	Method Blank	Total/NA	Solid	SHAKE	

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

GC Semi VOA (Continued)

Prep Batch: 13055 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 885-13055/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-12583-6 MS	S-6	Total/NA	Solid	SHAKE	
885-12583-6 MSD	S-6	Total/NA	Solid	SHAKE	

Analysis Batch: 13068

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	8015M/D	13055
885-12583-2	S-2	Total/NA	Solid	8015M/D	13055
885-12583-3	S-3	Total/NA	Solid	8015M/D	13055
885-12583-4	S-4	Total/NA	Solid	8015M/D	13055
885-12583-5	S-5	Total/NA	Solid	8015M/D	13055
885-12583-6	S-6	Total/NA	Solid	8015M/D	13055
MB 885-13055/1-A	Method Blank	Total/NA	Solid	8015M/D	13055
LCS 885-13055/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13055
885-12583-6 MS	S-6	Total/NA	Solid	8015M/D	13055
885-12583-6 MSD	S-6	Total/NA	Solid	8015M/D	13055

HPLC/IC

Prep Batch: 13066

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	300_Prep	
885-12583-2	S-2	Total/NA	Solid	300_Prep	
885-12583-3	S-3	Total/NA	Solid	300_Prep	
885-12583-4	S-4	Total/NA	Solid	300_Prep	
885-12583-5	S-5	Total/NA	Solid	300_Prep	
885-12583-6	S-6	Total/NA	Solid	300_Prep	
MB 885-13066/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13066/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 13077

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12583-1	S-1	Total/NA	Solid	300.0	13066
885-12583-2	S-2	Total/NA	Solid	300.0	13066
885-12583-3	S-3	Total/NA	Solid	300.0	13066
885-12583-4	S-4	Total/NA	Solid	300.0	13066
885-12583-5	S-5	Total/NA	Solid	300.0	13066
885-12583-6	S-6	Total/NA	Solid	300.0	13066
MB 885-13066/1-A	Method Blank	Total/NA	Solid	300.0	13066
LCS 885-13066/2-A	Lab Control Sample	Total/NA	Solid	300.0	13066

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-1

Lab Sample ID: 885-12583-1

Date Collected: 09/25/24 10:00

Matrix: Solid

Date Received: 09/26/24 06:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8015M/D		1	13090	JP	EET ALB	09/26/24 10:35
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8021B		1	13091	JP	EET ALB	09/26/24 10:35
Total/NA	Prep	SHAKE			13055	EM	EET ALB	09/26/24 08:51
Total/NA	Analysis	8015M/D		1	13068	EM	EET ALB	09/26/24 10:36
Total/NA	Prep	300_Prep			13066	JT	EET ALB	09/26/24 09:31
Total/NA	Analysis	300.0		20	13077	JT	EET ALB	09/26/24 10:29

Client Sample ID: S-2

Lab Sample ID: 885-12583-2

Date Collected: 09/25/24 10:05

Matrix: Solid

Date Received: 09/26/24 06:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8015M/D		1	13090	JP	EET ALB	09/26/24 10:59
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8021B		1	13091	JP	EET ALB	09/26/24 10:59
Total/NA	Prep	SHAKE			13055	EM	EET ALB	09/26/24 08:51
Total/NA	Analysis	8015M/D		10	13068	EM	EET ALB	09/26/24 10:46
Total/NA	Prep	300_Prep			13066	JT	EET ALB	09/26/24 09:31
Total/NA	Analysis	300.0		20	13077	JT	EET ALB	09/26/24 10:42

Client Sample ID: S-3

Lab Sample ID: 885-12583-3

Date Collected: 09/25/24 10:10

Matrix: Solid

Date Received: 09/26/24 06:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8015M/D		1	13090	JP	EET ALB	09/26/24 11:22
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8021B		1	13091	JP	EET ALB	09/26/24 11:22
Total/NA	Prep	SHAKE			13055	EM	EET ALB	09/26/24 08:51
Total/NA	Analysis	8015M/D		1	13068	EM	EET ALB	09/26/24 11:18
Total/NA	Prep	300_Prep			13066	JT	EET ALB	09/26/24 09:31
Total/NA	Analysis	300.0		20	13077	JT	EET ALB	09/26/24 10:55

Client Sample ID: S-4

Lab Sample ID: 885-12583-4

Date Collected: 09/25/24 10:15

Matrix: Solid

Date Received: 09/26/24 06:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8015M/D		1	13090	JP	EET ALB	09/26/24 12:33

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Client Sample ID: S-4
Date Collected: 09/25/24 10:15
Date Received: 09/26/24 06:40

Lab Sample ID: 885-12583-4
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:23
Total/NA	Analysis	8021B		1	13091	JP	EET ALB	09/26/24 12:33
Total/NA	Prep	SHAKE			13055	EM	EET ALB	09/26/24 08:51
Total/NA	Analysis	8015M/D		1	13068	EM	EET ALB	09/26/24 11:39
Total/NA	Prep	300_Prep			13066	JT	EET ALB	09/26/24 09:31
Total/NA	Analysis	300.0		20	13077	JT	EET ALB	09/26/24 11:08

Client Sample ID: S-5
Date Collected: 09/25/24 10:20
Date Received: 09/26/24 06:40

Lab Sample ID: 885-12583-5
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:48
Total/NA	Analysis	8015M/D		1	13090	JP	EET ALB	09/26/24 11:46
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:48
Total/NA	Analysis	8021B		1	13091	JP	EET ALB	09/26/24 11:46
Total/NA	Prep	SHAKE			13055	EM	EET ALB	09/26/24 08:51
Total/NA	Analysis	8015M/D		1	13068	EM	EET ALB	09/26/24 11:50
Total/NA	Prep	300_Prep			13066	JT	EET ALB	09/26/24 09:31
Total/NA	Analysis	300.0		20	13077	JT	EET ALB	09/26/24 11:47

Client Sample ID: S-6
Date Collected: 09/25/24 10:25
Date Received: 09/26/24 06:40

Lab Sample ID: 885-12583-6
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:48
Total/NA	Analysis	8015M/D		1	13090	JP	EET ALB	09/26/24 12:09
Total/NA	Prep	5035			13048	JP	EET ALB	09/26/24 08:48
Total/NA	Analysis	8021B		1	13091	JP	EET ALB	09/26/24 12:09
Total/NA	Prep	SHAKE			13055	EM	EET ALB	09/26/24 08:51
Total/NA	Analysis	8015M/D		1	13068	EM	EET ALB	09/26/24 12:01
Total/NA	Prep	300_Prep			13066	JT	EET ALB	09/26/24 09:31
Total/NA	Analysis	300.0		20	13077	JT	EET ALB	09/26/24 11:59

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12583-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-12583-1

Login Number: 12583
List Number: 1
Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Summers
Ensolum
606 S Rio Grande
Suite A
Aztec, New Mexico 87410
Generated 10/4/2024 12:10:30 PM

JOB DESCRIPTION

Angel Peak 2C #2

JOB NUMBER

885-12707-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
10/4/2024 12:10:30 PM

Authorized for release by
John Caldwell, Project Manager
john.caldwell@et.eurofinsus.com
(505)345-3975

Client: Ensolum
Project/Site: Angel Peak 2C #2

Laboratory Job ID: 885-12707-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	9
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Chain of Custody	16
Receipt Checklists	17



Definitions/Glossary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project: Angel Peak 2C #2

Job ID: 885-12707-1

Job ID: 885-12707-1

Eurofins Albuquerque

Job Narrative 885-12707-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 9/27/2024 7:10 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.2°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Client Sample ID: S-7

Lab Sample ID: 885-12707-1

Date Collected: 09/25/24 10:30

Matrix: Solid

Date Received: 09/27/24 07:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	3.7		3.2	mg/Kg		09/27/24 09:21	09/27/24 15:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	136		35 - 166			09/27/24 09:21	09/27/24 15:12	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.016	mg/Kg		09/27/24 09:21	09/27/24 15:12	1
Ethylbenzene	ND		0.032	mg/Kg		09/27/24 09:21	09/27/24 15:12	1
Toluene	ND		0.032	mg/Kg		09/27/24 09:21	09/27/24 15:12	1
Xylenes, Total	ND		0.065	mg/Kg		09/27/24 09:21	09/27/24 15:12	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145			09/27/24 09:21	09/27/24 15:12	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		09/27/24 09:21	09/27/24 13:03	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		09/27/24 09:21	09/27/24 13:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	108		62 - 134			09/27/24 09:21	09/27/24 13:03	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/27/24 09:53	09/27/24 11:21	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Client Sample ID: S-8
Date Collected: 09/25/24 10:35
Date Received: 09/27/24 07:10

Lab Sample ID: 885-12707-2
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.5	mg/Kg		09/27/24 09:21	09/27/24 15:34	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	103		35 - 166			09/27/24 09:21	09/27/24 15:34	1	
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.017	mg/Kg		09/27/24 09:21	09/27/24 15:34	1	
Ethylbenzene	ND		0.035	mg/Kg		09/27/24 09:21	09/27/24 15:34	1	
Toluene	ND		0.035	mg/Kg		09/27/24 09:21	09/27/24 15:34	1	
Xylenes, Total	ND		0.069	mg/Kg		09/27/24 09:21	09/27/24 15:34	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	104		48 - 145			09/27/24 09:21	09/27/24 15:34	1	
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.9	mg/Kg		09/27/24 09:21	09/27/24 13:14	1	
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		09/27/24 09:21	09/27/24 13:14	1	
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	94		62 - 134			09/27/24 09:21	09/27/24 13:14	1	
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	ND		60	mg/Kg		09/27/24 09:53	09/27/24 11:37	20	

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Client Sample ID: S-9

Lab Sample ID: 885-12707-3

Date Collected: 09/25/24 10:40

Matrix: Solid

Date Received: 09/27/24 07:10

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.7	mg/Kg		09/27/24 09:38	09/27/24 16:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		35 - 166			09/27/24 09:38	09/27/24 16:17	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.019	mg/Kg		09/27/24 09:38	09/27/24 16:17	1
Ethylbenzene	ND		0.037	mg/Kg		09/27/24 09:38	09/27/24 16:17	1
Toluene	ND		0.037	mg/Kg		09/27/24 09:38	09/27/24 16:17	1
Xylenes, Total	ND		0.074	mg/Kg		09/27/24 09:38	09/27/24 16:17	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			09/27/24 09:38	09/27/24 16:17	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		09/27/24 09:21	09/27/24 13:25	1
Motor Oil Range Organics [C28-C40]	ND		48	mg/Kg		09/27/24 09:21	09/27/24 13:25	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	95		62 - 134			09/27/24 09:21	09/27/24 13:25	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		09/27/24 09:53	09/27/24 11:52	20

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-13151/1-A

Matrix: Solid

Analysis Batch: 13193

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13151

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		09/27/24 09:21	09/27/24 11:56	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		35 - 166			09/27/24 09:21	09/27/24 11:56	1

Lab Sample ID: LCS 885-13151/2-A

Matrix: Solid

Analysis Batch: 13193

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13151

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Gasoline Range Organics [C6 - C10]	25.0	25.4		mg/Kg		102	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	220		35 - 166					

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-13151/1-A

Matrix: Solid

Analysis Batch: 13194

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13151

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		09/27/24 09:21	09/27/24 11:56	1
Ethylbenzene	ND		0.050	mg/Kg		09/27/24 09:21	09/27/24 11:56	1
Toluene	ND		0.050	mg/Kg		09/27/24 09:21	09/27/24 11:56	1
Xylenes, Total	ND		0.10	mg/Kg		09/27/24 09:21	09/27/24 11:56	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		48 - 145			09/27/24 09:21	09/27/24 11:56	1

Lab Sample ID: LCS 885-13151/3-A

Matrix: Solid

Analysis Batch: 13194

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13151

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Benzene	1.00	1.04		mg/Kg		104	70 - 130	
Ethylbenzene	1.00	1.05		mg/Kg		105	70 - 130	
Toluene	1.00	1.04		mg/Kg		104	70 - 130	
Xylenes, Total	3.00	3.13		mg/Kg		104	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	110		48 - 145					

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-13152/1-A

Matrix: Solid

Analysis Batch: 13161

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13152

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		09/27/24 09:21	09/27/24 11:05	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		09/27/24 09:21	09/27/24 11:05	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	92		62 - 134			09/27/24 09:21	09/27/24 11:05	1

Lab Sample ID: LCS 885-13152/2-A

Matrix: Solid

Analysis Batch: 13161

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13152

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	43.7		mg/Kg		87	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	93		62 - 134				

Lab Sample ID: 885-12707-3 MS

Matrix: Solid

Analysis Batch: 13161

Client Sample ID: S-9

Prep Type: Total/NA

Prep Batch: 13152

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		47.2	42.8		mg/Kg		91	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	97		62 - 134						

Lab Sample ID: 885-12707-3 MSD

Matrix: Solid

Analysis Batch: 13161

Client Sample ID: S-9

Prep Type: Total/NA

Prep Batch: 13152

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		46.6	45.3		mg/Kg		97	44 - 136	6	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	104		62 - 134								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-13153/1-A

Matrix: Solid

Analysis Batch: 13191

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13153

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		09/27/24 09:53	09/27/24 10:52	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-13153/2-A				Client Sample ID: Lab Control Sample			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 13191				Prep Batch: 13153			
Analyte		Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec Limits
Chloride		30.0	30.0		mg/Kg		100 90 - 110

Lab Sample ID: MB 885-13191/15				Client Sample ID: Method Blank			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 13191							
Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed Dil Fac
Chloride	ND		0.50	mg/Kg			09/27/24 10:21 1

Lab Sample ID: MRL 885-13191/14				Client Sample ID: Lab Control Sample			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 13191							
Analyte		Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec Limits
Chloride		0.500	0.541		mg/L		108 50 - 150

QC Association Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

GC VOA

Prep Batch: 13151

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	5035	
885-12707-2	S-8	Total/NA	Solid	5035	
885-12707-3	S-9	Total/NA	Solid	5035	
MB 885-13151/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-13151/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-13151/3-A	Lab Control Sample	Total/NA	Solid	5035	

Analysis Batch: 13193

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	8015M/D	13151
885-12707-2	S-8	Total/NA	Solid	8015M/D	13151
885-12707-3	S-9	Total/NA	Solid	8015M/D	13151
MB 885-13151/1-A	Method Blank	Total/NA	Solid	8015M/D	13151
LCS 885-13151/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13151

Analysis Batch: 13194

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	8021B	13151
885-12707-2	S-8	Total/NA	Solid	8021B	13151
885-12707-3	S-9	Total/NA	Solid	8021B	13151
MB 885-13151/1-A	Method Blank	Total/NA	Solid	8021B	13151
LCS 885-13151/3-A	Lab Control Sample	Total/NA	Solid	8021B	13151

GC Semi VOA

Prep Batch: 13152

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	SHAKE	
885-12707-2	S-8	Total/NA	Solid	SHAKE	
885-12707-3	S-9	Total/NA	Solid	SHAKE	
MB 885-13152/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13152/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-12707-3 MS	S-9	Total/NA	Solid	SHAKE	
885-12707-3 MSD	S-9	Total/NA	Solid	SHAKE	

Analysis Batch: 13161

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	8015M/D	13152
885-12707-2	S-8	Total/NA	Solid	8015M/D	13152
885-12707-3	S-9	Total/NA	Solid	8015M/D	13152
MB 885-13152/1-A	Method Blank	Total/NA	Solid	8015M/D	13152
LCS 885-13152/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13152
885-12707-3 MS	S-9	Total/NA	Solid	8015M/D	13152
885-12707-3 MSD	S-9	Total/NA	Solid	8015M/D	13152

HPLC/IC

Prep Batch: 13153

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	300_Prep	
885-12707-2	S-8	Total/NA	Solid	300_Prep	
885-12707-3	S-9	Total/NA	Solid	300_Prep	

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

HPLC/IC (Continued)

Prep Batch: 13153 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 885-13153/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13153/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 13191

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12707-1	S-7	Total/NA	Solid	300.0	13153
885-12707-2	S-8	Total/NA	Solid	300.0	13153
885-12707-3	S-9	Total/NA	Solid	300.0	13153
MB 885-13153/1-A	Method Blank	Total/NA	Solid	300.0	13153
MB 885-13191/15	Method Blank	Total/NA	Solid	300.0	
LCS 885-13153/2-A	Lab Control Sample	Total/NA	Solid	300.0	13153
MRL 885-13191/14	Lab Control Sample	Total/NA	Solid	300.0	

Lab Chronicle

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Client Sample ID: S-7
Date Collected: 09/25/24 10:30
Date Received: 09/27/24 07:10

Lab Sample ID: 885-12707-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13151	AT	EET ALB	09/27/24 09:21
Total/NA	Analysis	8015M/D		1	13193	AT	EET ALB	09/27/24 15:12
Total/NA	Prep	5035			13151	AT	EET ALB	09/27/24 09:21
Total/NA	Analysis	8021B		1	13194	AT	EET ALB	09/27/24 15:12
Total/NA	Prep	SHAKE			13152	EM	EET ALB	09/27/24 09:21
Total/NA	Analysis	8015M/D		1	13161	EM	EET ALB	09/27/24 13:03
Total/NA	Prep	300_Prep			13153	JT	EET ALB	09/27/24 09:53
Total/NA	Analysis	300.0		20	13191	JT	EET ALB	09/27/24 11:21

Client Sample ID: S-8
Date Collected: 09/25/24 10:35
Date Received: 09/27/24 07:10

Lab Sample ID: 885-12707-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13151	AT	EET ALB	09/27/24 09:21
Total/NA	Analysis	8015M/D		1	13193	AT	EET ALB	09/27/24 15:34
Total/NA	Prep	5035			13151	AT	EET ALB	09/27/24 09:21
Total/NA	Analysis	8021B		1	13194	AT	EET ALB	09/27/24 15:34
Total/NA	Prep	SHAKE			13152	EM	EET ALB	09/27/24 09:21
Total/NA	Analysis	8015M/D		1	13161	EM	EET ALB	09/27/24 13:14
Total/NA	Prep	300_Prep			13153	JT	EET ALB	09/27/24 09:53
Total/NA	Analysis	300.0		20	13191	JT	EET ALB	09/27/24 11:37

Client Sample ID: S-9
Date Collected: 09/25/24 10:40
Date Received: 09/27/24 07:10

Lab Sample ID: 885-12707-3
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13151	AT	EET ALB	09/27/24 09:38
Total/NA	Analysis	8015M/D		1	13193	AT	EET ALB	09/27/24 16:17
Total/NA	Prep	5035			13151	AT	EET ALB	09/27/24 09:38
Total/NA	Analysis	8021B		1	13194	AT	EET ALB	09/27/24 16:17
Total/NA	Prep	SHAKE			13152	EM	EET ALB	09/27/24 09:21
Total/NA	Analysis	8015M/D		1	13161	EM	EET ALB	09/27/24 13:25
Total/NA	Prep	300_Prep			13153	JT	EET ALB	09/27/24 09:53
Total/NA	Analysis	300.0		20	13191	JT	EET ALB	09/27/24 11:52

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12707-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

1 2 3 4 5 6 7 8 9 10 11

11 10 9 8 7 6 5 4 3 2 1

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-12707-1

Login Number: 12707
List Number: 1
Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Summers
Ensolum
606 S Rio Grande
Suite A
Aztec, New Mexico 87410
Generated 10/7/2024 4:09:04 PM

JOB DESCRIPTION

Angel Peak 2C #2

JOB NUMBER

885-12880-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
10/7/2024 4:09:04 PM

Authorized for release by
John Caldwell, Project Manager
john.caldwell@et.eurofinsus.com
(505)345-3975

Client: Ensolum
Project/Site: Angel Peak 2C #2

Laboratory Job ID: 885-12880-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	12
Lab Chronicle	14
Certification Summary	15
Chain of Custody	16
Receipt Checklists	17



Definitions/Glossary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project: Angel Peak 2C #2

Job ID: 885-12880-1

Job ID: 885-12880-1

Eurofins Albuquerque

Job Narrative 885-12880-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The samples were received on 10/1/2024 7:35 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.9°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Client Sample ID: S-2a

Lab Sample ID: 885-12880-1

Date Collected: 09/30/24 13:00

Matrix: Solid

Date Received: 10/01/24 07:35

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		3.7	mg/Kg		10/01/24 08:43	10/01/24 10:50	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		35 - 166			10/01/24 08:43	10/01/24 10:50	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.018	mg/Kg		10/01/24 08:43	10/01/24 10:50	1
Ethylbenzene	ND		0.037	mg/Kg		10/01/24 08:43	10/01/24 10:50	1
Toluene	ND		0.037	mg/Kg		10/01/24 08:43	10/01/24 10:50	1
Xylenes, Total	ND		0.073	mg/Kg		10/01/24 08:43	10/01/24 10:50	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		48 - 145			10/01/24 08:43	10/01/24 10:50	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.2	mg/Kg		10/01/24 08:31	10/01/24 13:03	1
Motor Oil Range Organics [C28-C40]	ND		46	mg/Kg		10/01/24 08:31	10/01/24 13:03	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	94		62 - 134			10/01/24 08:31	10/01/24 13:03	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		61	mg/Kg		10/01/24 10:03	10/01/24 11:23	20

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Client Sample ID: S-3a
Date Collected: 09/30/24 13:05
Date Received: 10/01/24 07:35

Lab Sample ID: 885-12880-2
Matrix: Solid

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Gasoline Range Organics [C6 - C10]	ND		3.8	mg/Kg		10/01/24 08:43	10/01/24 11:12		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	106		35 - 166			10/01/24 08:43	10/01/24 11:12		1
Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Benzene	ND		0.019	mg/Kg		10/01/24 08:43	10/01/24 11:12		1
Ethylbenzene	ND		0.038	mg/Kg		10/01/24 08:43	10/01/24 11:12		1
Toluene	ND		0.038	mg/Kg		10/01/24 08:43	10/01/24 11:12		1
Xylenes, Total	ND		0.075	mg/Kg		10/01/24 08:43	10/01/24 11:12		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
4-Bromofluorobenzene (Surr)	106		48 - 145			10/01/24 08:43	10/01/24 11:12		1
Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Diesel Range Organics [C10-C28]	ND		9.5	mg/Kg		10/01/24 08:31	10/01/24 13:16		1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		10/01/24 08:31	10/01/24 13:16		1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac	
Di-n-octyl phthalate (Surr)	94		62 - 134			10/01/24 08:31	10/01/24 13:16		1
Method: EPA 300.0 - Anions, Ion Chromatography									
Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac	
Chloride	210		60	mg/Kg		10/01/24 10:03	10/01/24 11:49		20

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-13348/1-A

Matrix: Solid

Analysis Batch: 13394

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13348

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics [C6 - C10]	ND		5.0	mg/Kg		10/01/24 08:43	10/01/24 10:28	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		35 - 166			10/01/24 08:43	10/01/24 10:28	1

Lab Sample ID: LCS 885-13348/2-A

Matrix: Solid

Analysis Batch: 13394

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13348

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	25.0	23.5		mg/Kg		94	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	213		35 - 166				

Lab Sample ID: 885-12880-1 MS

Matrix: Solid

Analysis Batch: 13394

Client Sample ID: S-2a

Prep Type: Total/NA

Prep Batch: 13348

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics [C6 - C10]	ND		18.4	18.6		mg/Kg		102	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	212		35 - 166						

Lab Sample ID: 885-12880-1 MSD

Matrix: Solid

Analysis Batch: 13394

Client Sample ID: S-2a

Prep Type: Total/NA

Prep Batch: 13348

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics [C6 - C10]	ND		18.4	17.3		mg/Kg		94	70 - 130	7	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	198		35 - 166								

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-13348/1-A

Matrix: Solid

Analysis Batch: 13395

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13348

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		10/01/24 08:43	10/01/24 10:28	1
Ethylbenzene	ND		0.050	mg/Kg		10/01/24 08:43	10/01/24 10:28	1
Toluene	ND		0.050	mg/Kg		10/01/24 08:43	10/01/24 10:28	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 885-13348/1-A

Matrix: Solid

Analysis Batch: 13395

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13348

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Xylenes, Total	ND		0.10	mg/Kg		10/01/24 08:43	10/01/24 10:28	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		48 - 145			10/01/24 08:43	10/01/24 10:28	1

Lab Sample ID: LCS 885-13348/3-A

Matrix: Solid

Analysis Batch: 13395

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13348

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	1.00	1.05		mg/Kg		105	70 - 130
Ethylbenzene	1.00	1.05		mg/Kg		105	70 - 130
Toluene	1.00	1.05		mg/Kg		105	70 - 130
Xylenes, Total	3.00	3.11		mg/Kg		104	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	112		48 - 145				

Lab Sample ID: 885-12880-2 MS

Matrix: Solid

Analysis Batch: 13395

Client Sample ID: S-3a

Prep Type: Total/NA

Prep Batch: 13348

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	ND		0.754	0.780		mg/Kg		103	70 - 130
Ethylbenzene	ND		0.754	0.779		mg/Kg		103	70 - 130
Toluene	ND		0.754	0.787		mg/Kg		104	70 - 130
Xylenes, Total	ND		2.26	2.29		mg/Kg		101	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	102		48 - 145						

Lab Sample ID: 885-12880-2 MSD

Matrix: Solid

Analysis Batch: 13395

Client Sample ID: S-3a

Prep Type: Total/NA

Prep Batch: 13348

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	ND		0.754	0.764		mg/Kg		101	70 - 130	2	20
Ethylbenzene	ND		0.754	0.770		mg/Kg		102	70 - 130	1	20
Toluene	ND		0.754	0.785		mg/Kg		104	70 - 130	0	20
Xylenes, Total	ND		2.26	2.28		mg/Kg		101	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	100		48 - 145								

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-13346/1-A

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13346

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		10/01/24 08:31	10/01/24 11:51	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		10/01/24 08:31	10/01/24 11:51	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	89		62 - 134			10/01/24 08:31	10/01/24 11:51	1

Lab Sample ID: LCS 885-13346/2-A

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 13346

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	40.0		mg/Kg		80	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	88		62 - 134				

Lab Sample ID: 885-12880-2 MS

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: S-3a

Prep Type: Total/NA

Prep Batch: 13346

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	ND		48.9	40.5		mg/Kg		83	44 - 136
Surrogate	MS %Recovery	MS Qualifier	Limits						
Di-n-octyl phthalate (Surr)	94		62 - 134						

Lab Sample ID: 885-12880-2 MSD

Matrix: Solid

Analysis Batch: 13333

Client Sample ID: S-3a

Prep Type: Total/NA

Prep Batch: 13346

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Diesel Range Organics [C10-C28]	ND		49.0	44.5		mg/Kg		91	44 - 136	9	32
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
Di-n-octyl phthalate (Surr)	93		62 - 134								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-13353/1-A

Matrix: Solid

Analysis Batch: 13383

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 13353

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		10/01/24 10:03	10/01/24 10:57	1

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 885-13353/2-A				Client Sample ID: Lab Control Sample			
Matrix: Solid				Prep Type: Total/NA			
Analysis Batch: 13383				Prep Batch: 13353			
Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	30.0	31.9		mg/Kg		106	90 - 110

QC Association Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

GC VOA

Prep Batch: 13348

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	5035	
885-12880-2	S-3a	Total/NA	Solid	5035	
MB 885-13348/1-A	Method Blank	Total/NA	Solid	5035	
LCS 885-13348/2-A	Lab Control Sample	Total/NA	Solid	5035	
LCS 885-13348/3-A	Lab Control Sample	Total/NA	Solid	5035	
885-12880-1 MS	S-2a	Total/NA	Solid	5035	
885-12880-1 MSD	S-2a	Total/NA	Solid	5035	
885-12880-2 MS	S-3a	Total/NA	Solid	5035	
885-12880-2 MSD	S-3a	Total/NA	Solid	5035	

Analysis Batch: 13394

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	8015M/D	13348
885-12880-2	S-3a	Total/NA	Solid	8015M/D	13348
MB 885-13348/1-A	Method Blank	Total/NA	Solid	8015M/D	13348
LCS 885-13348/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13348
885-12880-1 MS	S-2a	Total/NA	Solid	8015M/D	13348
885-12880-1 MSD	S-2a	Total/NA	Solid	8015M/D	13348

Analysis Batch: 13395

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	8021B	13348
885-12880-2	S-3a	Total/NA	Solid	8021B	13348
MB 885-13348/1-A	Method Blank	Total/NA	Solid	8021B	13348
LCS 885-13348/3-A	Lab Control Sample	Total/NA	Solid	8021B	13348
885-12880-2 MS	S-3a	Total/NA	Solid	8021B	13348
885-12880-2 MSD	S-3a	Total/NA	Solid	8021B	13348

GC Semi VOA

Analysis Batch: 13333

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	8015M/D	13346
885-12880-2	S-3a	Total/NA	Solid	8015M/D	13346
MB 885-13346/1-A	Method Blank	Total/NA	Solid	8015M/D	13346
LCS 885-13346/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	13346
885-12880-2 MS	S-3a	Total/NA	Solid	8015M/D	13346
885-12880-2 MSD	S-3a	Total/NA	Solid	8015M/D	13346

Prep Batch: 13346

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	SHAKE	
885-12880-2	S-3a	Total/NA	Solid	SHAKE	
MB 885-13346/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-13346/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	
885-12880-2 MS	S-3a	Total/NA	Solid	SHAKE	
885-12880-2 MSD	S-3a	Total/NA	Solid	SHAKE	

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

HPLC/IC

Prep Batch: 13353

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	300_Prep	
885-12880-2	S-3a	Total/NA	Solid	300_Prep	
MB 885-13353/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-13353/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 13383

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-12880-1	S-2a	Total/NA	Solid	300.0	13353
885-12880-2	S-3a	Total/NA	Solid	300.0	13353
MB 885-13353/1-A	Method Blank	Total/NA	Solid	300.0	13353
LCS 885-13353/2-A	Lab Control Sample	Total/NA	Solid	300.0	13353

Lab Chronicle

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Client Sample ID: S-2a
Date Collected: 09/30/24 13:00
Date Received: 10/01/24 07:35

Lab Sample ID: 885-12880-1
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13348	AT	EET ALB	10/01/24 08:43
Total/NA	Analysis	8015M/D		1	13394	AT	EET ALB	10/01/24 10:50
Total/NA	Prep	5035			13348	AT	EET ALB	10/01/24 08:43
Total/NA	Analysis	8021B		1	13395	AT	EET ALB	10/01/24 10:50
Total/NA	Prep	SHAKE			13346	KR	EET ALB	10/01/24 08:31
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 13:03
Total/NA	Prep	300_Prep			13353	EH	EET ALB	10/01/24 10:03
Total/NA	Analysis	300.0		20	13383	EH	EET ALB	10/01/24 11:23

Client Sample ID: S-3a
Date Collected: 09/30/24 13:05
Date Received: 10/01/24 07:35

Lab Sample ID: 885-12880-2
Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			13348	AT	EET ALB	10/01/24 08:43
Total/NA	Analysis	8015M/D		1	13394	AT	EET ALB	10/01/24 11:12
Total/NA	Prep	5035			13348	AT	EET ALB	10/01/24 08:43
Total/NA	Analysis	8021B		1	13395	AT	EET ALB	10/01/24 11:12
Total/NA	Prep	SHAKE			13346	KR	EET ALB	10/01/24 08:31
Total/NA	Analysis	8015M/D		1	13333	KR	EET ALB	10/01/24 13:16
Total/NA	Prep	300_Prep			13353	EH	EET ALB	10/01/24 10:03
Total/NA	Analysis	300.0		20	13383	EH	EET ALB	10/01/24 11:49

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum
Project/Site: Angel Peak 2C #2

Job ID: 885-12880-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-26-25

1
2
3
4
5
6
7
8
9
10
11



HALL ENVIRONMENT ANALYSIS LABORATORY

www.hallenvironmental.com

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107



885-12880 COC

Analysis Request

[illegible]

If necessary, samples submitted to Hall Environmental may be subcontracted to other accredited laboratories. This serves as notice of this possibility. Any sub-contracted data will be clearly notated on the analytical report.

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-12880-1

Login Number: 12880
List Number: 1
Creator: Casarrubias, Tracy

List Source: Eurofins Albuquerque

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Summers
Ensolum
606 S Rio Grande
Suite A
Aztec, New Mexico 87410
Generated 1/24/2025 4:29:51 PM

JOB DESCRIPTION

AP 2C #2

JOB NUMBER

885-18699-1

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque NM 87109

See page two for job notes and contact information.
Released to Imaging: 5/19/2025 10:40:05 AM

Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
1/24/2025 4:29:51 PM

Authorized for release by
John Caldwell, Project Manager
john.caldwell@et.eurofinsus.com
(505)345-3975

Client: Ensolum
Project/Site: AP 2C #2

Laboratory Job ID: 885-18699-1

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	7
QC Association Summary	9
Lab Chronicle	10
Certification Summary	11
Chain of Custody	12
Receipt Checklists	13



Definitions/Glossary

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ensolum
Project: AP 2C #2

Job ID: 885-18699-1

Job ID: 885-18699-1

Eurofins Albuquerque

Job Narrative 885-18699-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 1/22/2025 7:45 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 0.0°C.

Gasoline Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque

Client Sample Results

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

Client Sample ID: BF-1

Lab Sample ID: 885-18699-1

Date Collected: 01/21/25 10:00

Matrix: Solid

Date Received: 01/22/25 07:45

Method: SW846 8015M/D - Gasoline Range Organics (GRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	ND		4.7	mg/Kg		01/22/25 14:16	01/23/25 12:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		35 - 166			01/22/25 14:16	01/23/25 12:30	1

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.024	mg/Kg		01/22/25 14:16	01/23/25 12:30	1
Ethylbenzene	ND		0.047	mg/Kg		01/22/25 14:16	01/23/25 12:30	1
Toluene	ND		0.047	mg/Kg		01/22/25 14:16	01/23/25 12:30	1
Xylenes, Total	ND		0.095	mg/Kg		01/22/25 14:16	01/23/25 12:30	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		48 - 145			01/22/25 14:16	01/23/25 12:30	1

Method: SW846 8015M/D - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		9.3	mg/Kg		01/23/25 08:19	01/23/25 10:58	1
Motor Oil Range Organics [C28-C40]	ND		47	mg/Kg		01/23/25 08:19	01/23/25 10:58	1
Surrogate	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	86		62 - 134			01/23/25 08:19	01/23/25 10:58	1

Method: EPA 300.0 - Anions, Ion Chromatography

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		60	mg/Kg		01/23/25 08:40	01/23/25 11:12	20

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

Method: 8015M/D - Gasoline Range Organics (GRO) (GC)

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
GRO (C6-C10)	ND		5.0	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		35 - 166			01/22/25 14:16	01/23/25 11:19	1

Lab Sample ID: LCS 885-19692/2-A

Matrix: Solid

Analysis Batch: 19723

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
GRO (C6-C10)	25.0	25.5		mg/Kg		102	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	208		35 - 166					

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 885-19692/1-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19692

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	ND		0.025	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Ethylbenzene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Toluene	ND		0.050	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Xylenes, Total	ND		0.10	mg/Kg		01/22/25 14:16	01/23/25 11:19	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		48 - 145			01/22/25 14:16	01/23/25 11:19	1

Lab Sample ID: LCS 885-19692/3-A

Matrix: Solid

Analysis Batch: 19724

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19692

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits	
Benzene	1.00	1.21		mg/Kg		121	70 - 130	
Ethylbenzene	1.00	1.23		mg/Kg		123	70 - 130	
Toluene	1.00	1.22		mg/Kg		122	70 - 130	
Xylenes, Total	3.00	3.64		mg/Kg		121	70 - 130	
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
4-Bromofluorobenzene (Surr)	114		48 - 145					

Eurofins Albuquerque

QC Sample Results

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

Method: 8015M/D - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 885-19717/1-A

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19717

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Diesel Range Organics [C10-C28]	ND		10	mg/Kg		01/23/25 08:19	01/23/25 09:55	1
Motor Oil Range Organics [C28-C40]	ND		50	mg/Kg		01/23/25 08:19	01/23/25 09:55	1
Surrogate	MB %Recovery	MB Qualifier	Limits			Prepared	Analyzed	Dil Fac
Di-n-octyl phthalate (Surr)	93		62 - 134			01/23/25 08:19	01/23/25 09:55	1

Lab Sample ID: LCS 885-19717/2-A

Matrix: Solid

Analysis Batch: 19714

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 19717

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Diesel Range Organics [C10-C28]	50.0	49.3		mg/Kg		99	60 - 135
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
Di-n-octyl phthalate (Surr)	88		62 - 134				

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 885-19720/1-A

Matrix: Solid

Analysis Batch: 19721

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 19720

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	ND		3.0	mg/Kg		01/23/25 08:40	01/23/25 10:03	1
Surrogate	LCS %Recovery	LCS Qualifier	Limits					
Chloride	30.0		30.3	mg/Kg		101	90 - 110	

Eurofins Albuquerque

QC Association Summary

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

GC VOA

Prep Batch: 19692

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	5030C	
MB 885-19692/1-A	Method Blank	Total/NA	Solid	5030C	
LCS 885-19692/2-A	Lab Control Sample	Total/NA	Solid	5030C	
LCS 885-19692/3-A	Lab Control Sample	Total/NA	Solid	5030C	

Analysis Batch: 19723

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	8015M/D	19692
MB 885-19692/1-A	Method Blank	Total/NA	Solid	8015M/D	19692
LCS 885-19692/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19692

Analysis Batch: 19724

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	8021B	19692
MB 885-19692/1-A	Method Blank	Total/NA	Solid	8021B	19692
LCS 885-19692/3-A	Lab Control Sample	Total/NA	Solid	8021B	19692

GC Semi VOA

Analysis Batch: 19714

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	8015M/D	19717
MB 885-19717/1-A	Method Blank	Total/NA	Solid	8015M/D	19717
LCS 885-19717/2-A	Lab Control Sample	Total/NA	Solid	8015M/D	19717

Prep Batch: 19717

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	SHAKE	
MB 885-19717/1-A	Method Blank	Total/NA	Solid	SHAKE	
LCS 885-19717/2-A	Lab Control Sample	Total/NA	Solid	SHAKE	

HPLC/IC

Prep Batch: 19720

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	300_Prep	
MB 885-19720/1-A	Method Blank	Total/NA	Solid	300_Prep	
LCS 885-19720/2-A	Lab Control Sample	Total/NA	Solid	300_Prep	

Analysis Batch: 19721

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-18699-1	BF-1	Total/NA	Solid	300.0	19720
MB 885-19720/1-A	Method Blank	Total/NA	Solid	300.0	19720
LCS 885-19720/2-A	Lab Control Sample	Total/NA	Solid	300.0	19720

Eurofins Albuquerque

Lab Chronicle

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

Client Sample ID: BF-1

Date Collected: 01/21/25 10:00

Date Received: 01/22/25 07:45

Lab Sample ID: 885-18699-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8015M/D		1	19723	JP	EET ALB	01/23/25 12:30
Total/NA	Prep	5030C			19692	JP	EET ALB	01/22/25 14:16
Total/NA	Analysis	8021B		1	19724	JP	EET ALB	01/23/25 12:30
Total/NA	Prep	SHAKE			19717	EM	EET ALB	01/23/25 08:19
Total/NA	Analysis	8015M/D		1	19714	EM	EET ALB	01/23/25 10:58
Total/NA	Prep	300_Prep			19720	RC	EET ALB	01/23/25 08:40
Total/NA	Analysis	300.0		20	19721	RC	EET ALB	01/23/25 11:12

Laboratory References:
EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975

Accreditation/Certification Summary

Client: Ensolum
Project/Site: AP 2C #2

Job ID: 885-18699-1

Laboratory: Eurofins Albuquerque

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Oregon	NELAP	NM100001	02-25-25

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Chain-of-Custody Record

Client: Engelum LLCMailing Address: 606 S Rio Grande
Suit A 87410

Phone #:

email or Fax#:

QA/QC Package:

☐ Standard ☐ Level 4 (Full Validation)Accreditation: ☐ Az Compliance☐ NELAC ☐ Other _____☐ EDD (Type) _____

Turn-Around Time:

☒ Standard ☐ Rush _____

Project Name:

AP 2C #2 - per sample label - time 1/22/25

Project #:

Project Manager:

K SummersSampler: C D AprateOn Ice: ☒ Yes ☐ No yes# of Coolers: 1Cooler Temp (including CF): 0.1 - 0.1 = 0 (°C)

Container Type and #

Preservative Type

HEAL No.

Date Time Matrix Sample Name

1/21 1000 S BF-14oz Jar Cool

BTEX / MTBE / TCE's (8021)

TPH:8015D(GRO / DRO / MRO)

8081 Pesticides/8082 PCB's

EDB (Method 504.1)

PAHs by 8310 or 8270SIMS

RCRA 8 Metals


Cl, ~~Br~~ NO₃, NO₂, PO₄, SO₄

8260 (VOA)

8270 (Semi-VOA)

Total Coliform (Present/Absent)

Analysis Request

HALL ENVIRONM
ANALYSIS LABO

www.hallenvironmental.com

885-18699 COC

4901 Hawkins NE - Albuquerque, NM 87109

Tel. 505-345-3975 Fax 505-345-4107

Date: <u>1/21/25</u>	Time: <u>1540</u>	Relinquished by: <u>[Signature]</u>	Received by: <u>[Signature]</u>	Via: <u>car</u>	Date: <u>1/21/25</u>	Time: <u>1540</u>
Date: <u>1/21/25</u>	Time: <u>1723</u>	Relinquished by: <u>[Signature]</u>	Received by: <u>[Signature]</u>	Via: <u>car</u>	Date: <u>1/22/25</u>	Time: <u>7:45</u>

Remarks: Tom long
Am 14058

Login Sample Receipt Checklist

Client: Ensolum

Job Number: 885-18699-1

Login Number: 18699

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division

1220 S. St Francis Dr.

Santa Fe, NM 87505

QUESTIONS

Action 464413

QUESTIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2425329209
Incident Name	NAPP2425329209 ANGEL PEAK 2C#2 @ 0
Incident Type	Natural Gas Release
Incident Status	Remediation Closure Report Received

Location of Release Source	
Please answer all the questions in this group.	
Site Name	ANGEL PEAK 2C#2
Date Release Discovered	09/07/2024
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 5 BBL Recovered: 0 BBL Lost: 5 BBL.
Natural Gas Vented (Mcf) Details	Cause: Corrosion Pipeline (Any) Natural Gas Vented Released: 4 MCF Recovered: 0 MCF Lost: 4 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 464413

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this will be treated as a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Thomas Long Title: Sr Field Environmental Scientist Email: tjlong@eprod.com Date: 09/11/2024
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 464413

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization	
<i>Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 26 and 50 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 500 and 1000 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Greater than 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 500 and 1000 (ft.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 300 and 500 (ft.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)	
Chloride (EPA 300.0 or SM4500 Cl B)	210
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	12000
GRO+DRO (EPA SW-846 Method 8015M)	7112
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	1
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	09/07/2024
On what date will (or did) the final sampling or liner inspection occur	01/21/2025
On what date will (or was) the remediation complete(d)	05/14/2025
What is the estimated surface area (in square feet) that will be reclaimed	450
What is the estimated volume (in cubic yards) that will be reclaimed	300
What is the estimated surface area (in square feet) that will be remediated	450
What is the estimated volume (in cubic yards) that will be remediated	300
<i>These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.</i>	
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 464413

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	ENVIROTECH LANDFARM #2 [FEEM0112336756]
OR which OCD approved well (API) will be used for off-site disposal	<i>Not answered.</i>
OR is the off-site disposal site, to be used, out-of-state	<i>Not answered.</i>
OR is the off-site disposal site, to be used, an NMED facility	<i>Not answered.</i>
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	<i>Not answered.</i>
(In Situ) Soil Vapor Extraction	<i>Not answered.</i>
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	<i>Not answered.</i>
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	<i>Not answered.</i>
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	<i>Not answered.</i>
Ground Water Abatement pursuant to 19.15.30 NMAC	<i>Not answered.</i>
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Julianna Falcomata Title: Field Environmental Scientist Email: JRFalcomata@eprod.com Date: 05/19/2025
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 464413

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 464413

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	421733
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	01/21/2025
What was the (estimated) number of samples that were to be gathered	1
What was the sampling surface area in square feet	200

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	450
What was the total volume (cubic yards) remediated	300
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	450
What was the total volume (in cubic yards) reclaimed	300
Summarize any additional remediation activities not included by answers (above)	N/A

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Julianna Falcomata Title: Field Environmental Scientist Email: JRFalcomata@eprod.com Date: 05/19/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 464413

QUESTIONS (continued)

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 464413

CONDITIONS

Operator: Enterprise Field Services, LLC PO Box 4324 Houston, TX 77210	OGRID: 241602
	Action Number: 464413
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
nvez	None	7/8/2025