



Certificate of Analysis

Number: 6030-25030113-001A

Artesia Laboratory

200 E Main St.
Artesia, NM 88210
Phone 575-746-3481Chandler Montgomery
Occidental Petroleum
1502 W Commerce Dr.
Carlsbad, NM 88220

Field: PERMIAN_RESOURCES
 Station Name: Red Tank 19 Train 2 Check
 Station Number: 15622C
 Station Location: OP-L2151-BT001
 Sample Point: Meter
 Property ID: FMP/LSE N/A
 Formation: NEW_MEXICO
 County:
 Well Name: CTB
 Type of Sample: : Spot-Cylinder
 Sampling Company: : SPL
 Heat Trace Used: N/A
 Sampling Method: Purge and Fill
 Last Inst. Cal.: 03/10/2025 07:40:57
 Analyzed: 03/11/2025 07:14:46 by CDW

Report Date: 03/11/2025
 Sampled By: Ian Pollock
 Sample Of: Gas
 Sample Type: Spot
 Sample Conditions: 128 psig, @ 78.1 °F
 Sample Date: 02/28/2025 11:40
 Received Date: 03/07/2025
 Login Date: 03/07/2025
 Effective Date: 03/01/2025
 Flow Rate: 35692 MSCFD
 Sampling Method:
 Heating Method:
 Method: GPA-2261M
 Cylinder No: 5030-03289
 Instrument: 6030_GC6 (Inficon GC-3000 Micro)

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.65 psia		
Hydrogen Sulfide	0.0000	0.0003	0.0005		GPM TOTAL C2+	6.319
Nitrogen	2.2260	2.2093	2.7879		GPM TOTAL C3+	3.071
Methane	74.0508	73.4967	53.1133		GPM TOTAL iC5+	0.443
Carbon Dioxide	1.8717	1.8577	3.6829			
Ethane	12.2596	12.1678	16.4814	3.248		
Propane	6.4182	6.3702	12.6536	1.752		
Iso-butane	0.8106	0.8045	2.1064	0.263		
n-Butane	1.9626	1.9479	5.1000	0.613		
Iso-pentane	0.3830	0.3801	1.2354	0.139		
n-Pentane	0.3985	0.3955	1.2854	0.143		
Hexanes Plus	0.3728	0.3700	1.5532	0.161		
	100.7538	100.0000	100.0000	6.319		

Calculated Physical Properties

Relative Density Real Gas	Total	C6+
	0.7691	3.2176
Calculated Molecular Weight	22.20	93.19
Compressibility Factor	0.9962	

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.65 psia & 60°F

Real Gas Dry BTU	1259	5113
Water Sat. Gas Base BTU	1237	5024
Ideal, Gross HV - Dry at 14.65 psia	1253.7	5113.2
Ideal, Gross HV - Wet	1231.8	5023.7
Net BTU Dry Gas - real gas	1143	
Net BTU Wet Gas - real gas	1123	

Comments: H2S Field Content: 2.5 ppm

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated. The test results apply to the sample as received.

**UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM****Facility Id#** fAPP2127031815**Operator:** OXY USA, Inc.**Facility:** Red Tank 19 CTB**Flare Date:** 08/30/2025**Duration of Event:** 15 Minutes**MCF Flared:** 50**Start Time:** 12:35 AM**End Time:** 12:50 AM**Cause:** Emergency Flare > Severe Weather Conditions > Thunderstorms & Lightning > Multiple Compression Equipment Issues**Method of Flared Gas Measurement:** Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. OXY engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, due to severe thunderstorms and lightning, the facility had multiple compression equipment issues caused by a brief weather-induced power outage which triggered flaring to occur. Once the thunderstorm and lightning subsided, and power was restored, the compression equipment was restarted. Notwithstanding compressor engine design and operation, compressors are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable, and unexpected which can cause compression malfunctions to occur. Gas compressor engines are designed to operate in a precise manner and when any type of malfunction occurs, especially when caused by extreme weather conditions, it disrupts the gas compressor's operating manner and cuts off engine power, which in turn, prompts an automatic shutdown of the units. Before the unexpected malfunctions occurred, the compressor units operated as intended and performed normally. This flaring event is out of OXY's control to prevent from happening yet OXY made every effort to control and minimize emissions as much as possible during this event by working safely and diligently.

2. Steps taken to limit duration and magnitude of venting or flaring:

This facility is unmanned, except when OXY production techs gather data daily or conducting daily walk-throughs to ensure that there are no problems, circumstances and/or assist other personnel on-site for maintenance purposes. It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond OXY's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, production techs are promptly notified and are instructed to assess the issue as soon as possible in order to take prompt corrective action and minimize emissions. OXY production techs must assess whether compressor unit shutdown is due to damage and repair is needed, or whether there are other reasons for its cause. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, due to severe thunderstorms and lightning, the facility had multiple compression equipment issues caused by a brief weather-induced power outage which triggered flaring to occur. Once the thunderstorm and lightning subsided, and power was restored, the compression equipment was restarted. Before the unexpected malfunctions occurred, the compressor units operated as intended and performed normally. The facility experienced unforeseen malfunctions due to severe thunderstorms and lightning

in the vicinity, resulting in a power outage that impacted both the compression equipment and overall operations. To mitigate the risks associated with overpressure and to ensure the safety of our operations, OXY had to resort to controlled flaring. This process allows us to safely burn off excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions. While flaring is not our preferred method of handling excess gas, it is a necessary step under these exceptional circumstances to maintain the integrity and safety of our operations. OXY production technicians, in the area, began shutting in wells manually until the field pressure remained below the flare trigger setpoints of the facility to stop flaring. This flaring event is out of OXY's control to prevent from happening yet OXY made every effort to control and minimize emissions as much as possible during this event by working safely and diligently.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

Oxy is limited in its corrective actions to eliminate the cause and recurrence of weather induced power outages during severe and intense weather circumstances as this is out of OXY's control to avoid or prevent from recurring. The only action available to OXY and its personnel in severe weather circumstances is to be pro-active and take precautionary measures prior to known severe weather conditions by securing equipment, and focusing on overall safety, communication and operational adjustments, if possible, during and after this event. OXY continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events by having a strong and positive equipment maintenance program in place.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 505783

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 505783
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application: • this application's operator, hereinafter "this operator"; • venting and/or flaring, hereinafter "vent or flare"; • any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms"; • the statements in (and/or attached to) this, hereinafter "the statements in this"; • and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 505783

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 505783
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites <i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2127031815] RED TANK 19 CTB

Determination of Reporting Requirements <i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Severe Weather Conditions > Thunderstorms & Lightning > Multiple Compression Equipment Issues

Representative Compositional Analysis of Vented or Flared Natural Gas <i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	73
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	3
Carbon Dioxide (CO2) percentage, if greater than one percent	2
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 505783

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 505783
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	08/30/2025
Time vent or flare was discovered or commenced	12:35 AM
Time vent or flare was terminated	12:50 AM
Cumulative hours during this event	0

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 50 Mcf Recovered: 0 Mcf Lost: 50 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	equipment or process that was beyond the owner/operator's control and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventative maintenance practices. OXY engages in respectable and good facility operation practices while also maintaining its continuous facility equipment preventative maintenance program. In this case, due to severe thunderstorms and lightning, the facility had multiple compression equipment issues caused by a brief weather-induced power outage which triggered flaring to occur. Once the thunderstorm and lightning subsided, and power was restored, the compression equipment was restarted. Notwithstanding compressor engine design and operation, compressors are inherently dynamic and even the smallest alarms, false or true, can be sudden, reasonably unforeseeable, and unexpected which can cause compression malfunctions to occur. Gas compressor engines are designed to operate in a precise manner and when any type of malfunction occurs, especially when caused by extreme weather conditions, it disrupts the gas compressor's operating manner and cuts off engine power, which in turn, prompts an automatic shutdown of the units. Before the unexpected malfunctions occurred, the compressor units operated as intended and performed normally. This flaring event is out of OXY's control to prevent from happening yet OXY made every effort to control and minimize emissions as much as possible during this event by working safely and diligently. This facility is unmanned, except when OXY production techs gather data daily or conduct daily walk-throughs to ensure that there are no problems, circumstances and/or assist other

Steps taken to limit the duration and magnitude of vent or flare	personnel on-site for maintenance purposes. It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond OXY's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. Internal OXY procedures ensure that upon gas compressor unit and/or multiple unit shutdown, production techs are promptly notified and are instructed to assess the issue as soon as possible in order to take prompt corrective action and minimize emissions. OXY production techs must assess whether compressor unit shutdown is due to damage and repair is needed, or whether there are other reasons for its cause. The flare at this facility has a 98% combustion efficiency to lessen emissions as much as possible. In this case, due to severe thunderstorms and lightning, the facility had multiple compression equipment issues caused by a brief weather-induced power outage which triggered flaring to occur. Once the thunderstorm and lightning subsided, and power was restored, the compression equipment was restarted. Before the unexpected malfunctions occurred, the compressor units operated as intended and performed normally. The facility experienced unforeseen malfunctions due to severe thunderstorms and lightning in the vicinity, resulting in a power outage that impacted both the compression equipment and overall operations. To mitigate the risks associated with overpressure and to ensure the safety of our operations, OXY had to resort to controlled flaring. This process allows us to safely burn off excess gas, thereby preventing potential hazards such as equipment damage, leaks, or even explosions.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Oxy is limited in its corrective actions to eliminate the cause and recurrence of weather induced power outages during severe and intense weather circumstances as this is out of OXY's control to avoid or prevent from recurring. The only action available to OXY and its personnel in severe weather circumstances is to be pro-active and take precautionary measures prior to known severe weather conditions by securing equipment, and focusing on overall safety, communication and operational adjustments, if possible, during and after this event. OXY continually strives to maintain and operate all its equipment in a manner consistent with good practices for minimizing emissions and reducing the number of emission events by having a strong and positive equipment maintenance program in place.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 505783

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 505783
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

☒	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
☒	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
☒	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
☒	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
☒	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 505783

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 505783
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	9/14/2025