

Volumetrics Inc.

3710 East Rio Grande St, Victoria, TX-77901 Phone: 361-827-4024

Company: OXY USA INC Field/Location: NMSW

Station Name: CORRAL FLY 02-01 STATE CTB CHECK

 Station Number :
 18100C

 Sample Date:
 11/2/21 2:15 PM

 Analysis Date:
 11/10/21 12:40 AM

 Instrument:
 VARIAN- 490 GC

 Calibration/Verification Date:
 11/10/2021

Heat Trace used: YES

Work Order 4000409972
Sampled by: VOLUMETRICS/RA
Sample Type: SPOT-CYLINDER

Sample Temperature (F): 70.44
Sample Pressure (PSIG): 88.89
Flow rate (MCF/Day): 18606.68
Ambient Temperature (F): 57

Sampling method: FILL & EMPTY

Cylinder Number: 1473

NATURAL GAS ANALYSIS: GPA 2261

	Un-Normalized	Normalized	GPM	GPM	GPM
Components	Mol%	Mol%	14.650	14.730	15.025
Hydrogen Sulfide	0.0000	0.0000			
Nitrogen	1.2776	1.2987			
Methane	75.0352	76.2740			
Carbon Dioxide	0.2202	0.2238			
Ethane	11.7923	11.9870	3.200	3.217	3.282
Propane	5.8419	5.9383	1.633	1.642	1.675
Isobutane	0.7737	0.7865	0.257	0.258	0.263
N-butane	1.8754	1.9064	0.600	0.603	0.615
Isopentane	0.4173	0.4242	0.155	0.156	0.159
N-Pentane	0.4622	0.4698	0.170	0.171	0.174
Hexanes Plus	0.6801	0.6913	0.301	0.303	0.309
Total	98.3759	100.0000			

Hexanes plus split (60%-30%-10%)

Physical Properties (Calculated)	14.650 psia	14.730 psia	15.025 psia
Total GPM Ethane+	6.316	6.350	6.477
Total GPM Iso-Pentane+	0.626	0.629	0.642
Compressibility (Z)	0.9961	0.9961	0.9960
Specific Gravity (Air=1) @ 60 °F	0.7545	0.7545	0.7545
Molecular Weight	21.776	21.776	21.776
Gross Heating Value	14.650 psia	14.730 psia	15.025 psia
Dry, Real (BTU/Ft ³)	1291.9	1299.0	1325.1
Wet, Real (BTU/Ft ³)	1269.4	1276.4	1302.0
Dry, Ideal (BTU/Ft ³)	1286.9	1293.9	1319.8
Wet, Ideal (BTU/Ft ³)	1264.5	1271.4	1296.9

Temperature base 60 °F

Comment: FIELD H2S = 0 PPM

Verified by

Mostaq Ahammad Petroleum Chemist Approved by

Deann Friend

Deann Friend Laboratory Manager



UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility Id# fAPP2126639814 Operator: OXY USA, Inc.

Facility: Corral Fly Oil Gathering Station Flare Date: 10/02/2025

Duration of Event: >8 hours/day **MCF Flared:** 55.4

Start Time: 12:00 AM End Time: 11:59 PM

Cause: Routine Combustion of storage tank vapors using an enclosed combustion device (VCU)

Method of Flared Gas Measurement: CORRAL OGS LP VCU MTR 151190

Comments: No wells were involved with this flaring event as this event is due to combustion of storage tank vapors by an enclosed combustion device which is used routinely at this facility, pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

1. Reason why this event was beyond Operator's control:

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

2. Steps Taken to limit duration and magnitude of venting or flaring:

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

DEFINITIONS

Action 522235

DEFINITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	522235
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 522235

Q	UESTIONS	
Operator: OXY USA INC P.O. Box 4294		OGRID: 16696 Action Number:
Houston, TX 772104294		522235
		Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS		
Prerequisites		
Any messages presented in this section, will prevent submission of this application. Please resolve	these issues before continuing wit	h the rest of the questions.
Incident Well	Unavailable.	
Incident Facility	[fAPP2126639814] CORRA	L OGS
Determination of Deposition Deposition and		
Determination of Reporting Requirements Answer all questions that apply. The Reason(s) statements are calculated based on your answers are	nd may provide addienal quidance	
Was this vent or flare caused by an emergency or malfunction	No	•
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes	
Is this considered a submission for a vent or flare event	Yes, minor venting and/or	flaring of natural gas.
An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during v	enting and/or flaring that is or may	be a major or minor release under 19.15.29.7 NMAC
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes	
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No	
Was the vent or flare within an incorporated municipal boundary or withing 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No	
Equipment Involved	T	
Primary Equipment Involved	Other (Specify)	
Additional details for Equipment Involved. Please specify	event is due to combustion is used routinely at this facil	R 151190 - No wells were involved with this flaring event as this of storage tank vapors by an enclosed combustion device which lity, pursuant to Federal US EPA NSPS OOOO/OOOOa regulations uirements that require the use of such a device to reduce storage
Representative Compositional Analysis of Vented or Flared Natural Gas		
Please provide the mole percent for the percentage questions in this group. Methane (CH4) percentage	76	
Nitrogen (N2) percentage Nitrogen (N2) percentage, if greater than one percent	1	
14th Ogen (142) percentage, it greater than one percent	I '	

0

0

0

Not answered.

Not answered.

Not answered.

Not answered.

Not answered.

Released to Imaging: 10/31/2025 3:56:20 PM

Hydrogen Sulfide (H2S) PPM, rounded up

Carbon Dioxide (C02) percentage, if greater than one percent

you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas

Oxygen (02) percentage, if greater than one percent

Methane (CH4) percentage quality requirement

Hydrogen Sufide (H2S) PPM quality requirement

Carbon Dioxide (C02) percentage quality requirement

Nitrogen (N2) percentage quality requirement

Oxygen (02) percentage quality requirement

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 522235

QUESTI	IONS (continued)
Operator:	OGRID:
OXY USA INC P.O. Box 4294	16696 Action Number:
Houston, TX 772104294	522235
	Action Type: [C-129] Venting and/or Flaring (C-129)
QUESTIONS	
Date(s) and Time(s)	
Date vent or flare was discovered or commenced	10/02/2025
Time vent or flare was discovered or commenced	12:00 AM
Time vent or flare was terminated	11:59 PM
Cumulative hours during this event	24
Measured or Estimated Volume of Vented or Flared Natural Gas	
	T
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Other Other (Specify) Natural Gas Flared Released: 55 Mcf Recovered: 0 Mcf Lost: 55 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	CORRAL OGS LP VCU MTR 151190
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.
Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	
Was notification of downstream activity received by this operator	No Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.
This issued of common carry requiring the roll of like	The undirected.
Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that " pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOa regulations and state air permitting requirements that require the use of such a device to reduce storage tank emissions by 95%.
	On May 17, 2021, NMOCD issued a notice entitled "Frequently Asked Questions Regarding

the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively

require the use of such a device to reduce storage tank emissions by 95%

during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that

On May 17, 2021, NMOCD issued a notice entitled, "Frequently Asked Questions Regarding the Natural Gas Waste Rules," and states that "... pursuant to 19.15.27.8(G) NMAC, an operator who vents or flares for any reason and that lasts more than 8 hours cumulatively

during any 24-hour period must report that event on Form C-129." Combustion of storage tank vapors by this enclosed combustion device is used routinely at this facility pursuant to Federal US EPA NSPS OOOO/OOOOa regulations and state air permitting requirements that

Steps taken to limit the duration and magnitude of vent or flare

Corrective actions taken to eliminate the cause and reoccurrence of vent or flare

require the use of such a device to reduce storage tank emissions by 95%.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 522235

ACKNOWLEDGMENTS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	522235
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

V	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
V	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
V	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
V	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
V	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 522235

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	522235
	Action Type:
	[C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
shelbyschoepf	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	10/31/2025