Received by OCD: 12/22/2025 7:52:09 AM SPILL TO SOIL (including spill to dry creek beds/banks)

Rev 3.0: 11/13/2018 All calculations & conversions confirmed on: 11/13/2018

Date: 11/18/2024 Location: _ W-3 Line Leak

V = D x A x P x Adj x 7.48

- V = Volume of hydrocarbon (oil) released, gallons
- D = Average depth of oil penetration across impacted area, inches
- A = Area of spill, square feet
 P = Porosity of soil (void space between soil particles) of impacted media (soil), unitless Use Table 1 to select best fit for observed impacted soil conditions
- Adj = Correction factor of 50% for soil porosity factor overestimating volume of oil in soil (standard assumption). %

 The factor can be adjusted lower or higher for local observed conditions. For Lower Adj = 50% * (100% % decrease). For Higher Adj = 50% * (100% + % increase).

For example:

Observed Condition	% Decrease/Increase	New Adj		
Ground is saturated with water	decrease by 25%	37.5%		
Ground is frozen	decrease by 50%	25.0%		
Dry cracked clay	increase by 40%	70.0%		

7.48 = Conversion factor: cubic feet to gallons

Enter data for each individual impacted soil area

= Data Entry Fields = Standard Assumptions

Square or Rectangle

	Length	Width	Dep	th (D)	Area (A)	Volume	Porosity (P)	Adjustment (Adj)	0	il Volume	(V)
Loc	ft	ft	in	ft	ft ²	ft ³			ft ³	gal	bbl
1				0.50	894.0	447.0	0.38	20%	33.972	254.128	6.05
2						-		50%	-	-	-
3				-	-	-		50%	-	-	-
4				-	-	-		50%	-	-	-
5				-	-	-		50%	-	-	-
6				-	-	-		50%	-	-	-
				Sub-Total	894.0	447.0			33.972	254.128	6.05
							•				

Triang	ular										
	Base	Height	Dep	th (D)	Area (A)	Volume	Porosity (P)	Adjustment (Adj)	C	il Volume	(V)
Loc	ft	ft	in	ft	ft ²	ft ³			ft ³	gal	bbl
1				-	-	-		50%	-	-	-
2				-	-	-		50%	-	-	-
3				-	-	-		50%	-	-	-
4				-	-	-		50%	-	-	-
5				-	-	-		50%	-	-	-
				Sub-Total	-	-			-	-	-

	Diameter	Dept	h (D)	Area (A)	Volume	Porosity (P)	Adjustment (Adj)	0	il Volume	(V)
Loc	ft	in	ft	ft ²	ft ³			ft ³	gal	bbl
1			-	-	-		50%	-	-	-
2			-	-	-		50%	-	-	-
3			-	-	-		50%	-	-	-
4			-	-	-		50%	-	-	-
5			-	-	-		50%	-	-	-
		S	ub-Total	-	-			-	-	-

			ft ³	gal	bbl
	Total Soil Volume: 447.0	Total Oil Volume:	33.972	254.128	6.051
NOTES:	•				

Use Best Professional Judgement Table 1: Soil Porosity for Different Soils [1]

Soil	Description	Porosity
	Gravel	0.31
Gravel	Sandy gravel, with little or no fines	0.27
Giavei	Silty gravels, silty sandy gravels	0.19
	Clayey gravels, clayey sandy gravels	0.22
	Coarse sand	0.35
	Fine sand	0.38
Sand	Gravelly sands, with little or no fines	0.33
	Silty sands	0.37
	Clayey sands	0.26
Silt	Uniform silt, silty or clayey fine sands, silty clays	0.49
Clay	Clay	0.63
Clay	Silty or sandy clay	0.39

Sources:

[1] http://www.geotechdata.info/parameter/soil-porosity.html

FAX To: Regional Environmental Department 111-111-1111

13 Bataan Blvd Santa Fe, NM 87508

LEPC Address: unknown

Page 2 of 8

SERC/LEPC Notification Form

SENM East Facility Name: Date: 11/19/2024 7:59 AM County: LEA PL/Gathering

Location: Event GPS Coordinates: 32.67590, -103.79026

X Initial Report **Driving Directions:**

Updated Report Final Report

Release Occurred Type of Incident: Malfunction Air Release Type: Vented To:

11/16/2024 11:51 AM Ended On: Started On: 11/16/2024 1:52 PM Discovered On: 11/16/2024 11:51 AM

Event Duration:

121 Minutes

Material Released:

Material Composition:

Carbon Dioxide 1.1061%, Methane 74.8821%, Hydrogen Sulfide 0.0217%, Hexane 0.4082%, Butane 1.7838%, Pentane 0.5369%, Heptane 0.3604%, n-Nonane 0.0266%, n-Octane 0.1419%, Nitrogen 2.7848%, Propane 5.3856%, Ethane 10.4116%, Isobutane 0.6517%, Isopentane 0.4822%, Water 1.0164%, Hydrogen Sulfide 0.0217%,

Calculations:

Compound Calculation Used to Obtain Released Amount (Id: 112857)

Hexane: 14105.1 (scf/event) * 0.004082 (mole fraction) * 86.1754 (lb/lb-mole) / 379.3 (scf/lb-mole) Butane: 14105.1 (scf/event) * 0.017838 (mole fraction) * 58.1222 (lb/lb-mole) / 379.3 (scf/lb-mole)

Pentane: 14105.1 {scf/event} * 0.005369 {mole fraction} * 72.1488 {lb/lb-mole} / 379.3 {scf/lb-mole} Heptane: 14105.1 {scf/event} * 0.003604 {mole fraction} * 100.2019 {lb/lb-mole} / 379.3 {scf/lb-mole}

n-Nonane: 14105.1 {scf/event} * 0.000266 {mole fraction} * 128.2551 {lb/lb-mole} / 379.3 {scf/lb-mole}

n-Octane: 14105.1 {scf/event} * 0.001419 {mole fraction} * 114.2285 {lb/lb-mole} / 379.3 {scf/lb-mole} Propane: 14105.1 {scf/event} * 0.053856 {mole fraction} * 44.0956 {lb/lb-mole} / 379.3 {scf/lb-mole}

Isobutane: 14105.1 {scf/event} * 0.006517 {mole fraction} * 58.1222 {lb/lb-mole} / 379.3 {scf/lb-mole} Isopentane: 14105.1 {scf/event} * 0.004822 {mole fraction} * 72.1488 {lb/lb-mole} / 379.3 {scf/lb-mole}

Hydrogen Sulfide: 14105.1 {scf/event} * 0.000217 {mole fraction} * 34.08088 {lb/lb-mole} / 379.3 {scf/lb-mole}

Nitrogen: 14105.1 {scf/event} * 0.027848 {mole fraction} * 28.0134 {lb/lb-mole} / 379.3 {scf/lb-mole} Ethane: 14105.1 {scf/event} * 0.104116 {mole fraction} * 30.069 {lb/lb-mole} / 379.3 {scf/lb-mole}

Volume Calculations Used to Obtain Release Amount

14.1051 {mscf/event}

Vol=3.14159 * (Dia / 12 / 2)^2 * Len * (StartPressure - EndPressure) / 14.7 / 1000 Dia=12, Len(ft)=10560.00, StartPressure=25, EndPressure=0 Length In Miles: 2

Violations:

Known or anticipated acute or chronic health risks associated with the emergency:

Medical attention advised for exposed individuals:

Cause of the upset:

line leak

Actions taken to correct the upset and minimize emissions:

shut in blown down

Precautions taken as a result of the release:

·				
B. SO2:	C. CO:	D DM:	E. VOC:	F. H2S:
0 lb	0 lb	D. PIVI.	202.1 lb	0.28 lb
	W-3 B. SO2 :	W-3	B. SO2: C. CO: D. PM:	W-3 B. SO2: C. CO: D. PM. E. VOC:

Vol=14.11 mscf/eve	ent			
SERC Email Notification:	henry.jolly@state.nm.us	LEPC Email Notification:	lvelasquez@leacounty.net	

From: Bratcher, Michael, EMNRD <mike.bratcher@emnrd.nm.gov>

Sent: Monday, November 18, 2024 7:17 AM

To: Daly, Stacey <Stacey.Daly@p66.com>

Cc: Case, Nicholas L <Nicholas.L.Case@p66.com>; Khelurkar, Nikunj <Nikunj.Khelurkar@p66.com>; Smalts, Raymond A <Raymond.A.Smalts@p66.com>; Dabney, Claudia <Claudia.Dabney@p66.com>; Spicer, Wayne D <Wayne.D.Spicer@p66.com>; Cook, John W <John.W.Cook2@p66.com>; Kyle Norman <knorman@tasman-geo.com>

Subject: RE: [EXTERNAL] spill event on W-3 line

Notification received via this email and phone call Saturday 11/16/24.

Thank you,

Mike Bratcher

Incident Supervisor
Environmental Bureau
EMNRD - Oil Conservation Division
506 W. Texas Ave | Artesia, NM 88210
(575) 626-0857 |
mike.bratcher@emnrd.nm.gov
http://www.emnrd.nm.gov/ocd

From: Daly, Stacey < Sent: Saturday, November 16, 2024 2:13 PM

To: Bratcher, Michael, EMNRD < mike.bratcher@emnrd.nm.gov >; Bratcher, Michael, EMNRD < mike.bratcher@emnrd.nm.gov >

Cc: Case, Nicholas L < <u>Nicholas.L.Case@p66.com</u>>; Khelurkar, Nikunj < <u>Nikunj.Khelurkar@p66.com</u>>; Smalts, Raymond A < <u>Raymond.A.Smalts@p66.com</u>>; Dabney, Claudia < <u>Claudia.Dabney@p66.com</u>>; Spicer, Wayne D < <u>Wayne.D.Spicer@p66.com</u>>; Cook, John W < <u>John.W.Cook2@p66.com</u>>; Kyle Norman < <u>knorman@tasman-geo.com</u>>; Daly, Stacey < <u>Stacey.Daly@p66.com</u>>

Subject: [EXTERNAL] spill event on W-3 line

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Mr. Bratcher: DCP/P66 Ops notified me of a spill event on the W-3 Line in Lea County which occurred around 1:40PM on 11/16/2024 THE event occurred at 32.67590 -103.79026. The estimated leak volume has the potential to exceed 25 BBLs. DCP/P66 has asked Tasman to assess the spill. Nick Case has reached out and spoken with you at 3:05 PM for initial verbal communication.

Therefore:

In an abundance of caution and to meet potentially applicable reporting deadlines, DCP is submitting this initial report based on the information currently available and DCP's understanding of the facts at this time; however, DCP's investigation and assessment is ongoing. DCP therefore reserves the right to supplement and revise the information in this initial report if and as new information becomes available. DCP also reserves the right to raise any arguments, facts, or defenses regarding this incident, including that this incident is not a "major release" as defined by 19.15.29.7(A) NMAC.

Please contact me if you have any additional questions or concerns for this possible NOR.

Thanks Nick

Nicholas L. Case SENM ENV Spec P66 575-802-5225

S

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 536644

QUESTIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	536644
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites			
Incident ID (n#)	nAPP2432726040		
Incident Name	NAPP2432726040 W-3 LINE LEAK @ F-08-19S-32E		
Incident Type	Natural Gas Release		
Incident Status	Initial C-141 Received		

Location of Release Source					
Please answer all the questions in this group.					
Site Name	W-3 Line Leak				
Date Release Discovered	11/16/2024				
Surface Owner	Federal				

Incident Details	
Please answer all the questions in this group.	
Incident Type	Natural Gas Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release				
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.				
Crude Oil Released (bbls) Details	Not answered.			
Produced Water Released (bbls) Details	Not answered.			
Is the concentration of chloride in the produced water >10,000 mg/l	No			
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 6 BBL Recovered: 0 BBL Lost: 6 BBL.			
Natural Gas Vented (Mcf) Details	Not answered.			
Natural Gas Flared (Mcf) Details	Not answered.			
Other Released Details	Not answered.			
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.			

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 2

Action 536644

QUESTIONS (continued)

202011	one (continuou)
Operator: DCP OPERATING COMPANY, LP	OGRID: 36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	536644
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)
QUESTIONS	
Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	Unavailable.
With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e.	. gas only) are to be submitted on the C-129 form.
Initial Response	
The responsible party must undertake the following actions immediately unless they could create a sa	afety hazard that would result in injury.
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.
	ation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative c ed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of raluation in the follow-up C-141 submission.
to report and/or file certain release notifications and perform corrective actions for relea the OCD does not relieve the operator of liability should their operations have failed to a	nowledge and understand that pursuant to OCD rules and regulations all operators are required ses which may endanger public health or the environment. The acceptance of a C-141 report by dequately investigate and remediate contamination that pose a threat to groundwater, surface does not relieve the operator of responsibility for compliance with any other federal, state, or
I hereby agree and sign off to the above statement	Name: Kyle Norman Title: Tasman-Regional Project Manager Email: knorman@tasman-geo.com Date: 12/22/2025

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS, Page 3

Action 536644

QUESTIONS (continued)

Operator:		OGRID:
	DCP OPERATING COMPANY, LP	36785
	2331 Citywest Blvd	Action Number:
	Houston, TX 77042	536644
		Action Type:
		[C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS Site Characterization Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the What is the shallowest depth to groundwater beneath the area affected by the Not answered. release in feet below ground surface (ft bgs) What method was used to determine the depth to ground water Not answered. Did this release impact groundwater or surface water Not answered What is the minimum distance, between the closest lateral extents of the release and the following surface areas: A continuously flowing watercourse or any other significant watercourse Not answered Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark) Not answered. An occupied permanent residence, school, hospital, institution, or church Not answered. A spring or a private domestic fresh water well used by less than five households Not answered. for domestic or stock watering purposes Any other fresh water well or spring Not answered. Incorporated municipal boundaries or a defined municipal fresh water well field Not answered. Not answered. A subsurface mine Not answered. An (non-karst) unstable area Not answered. Categorize the risk of this well / site being in a karst geology A 100-year floodplain Not answered. Did the release impact areas not on an exploration, development, production, or Not answered. storage site

Remediation Plan		
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
Requesting a remediation plan approval with this submission	No	
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to		

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 536644

CONDITIONS

Operator:	OGRID:
DCP OPERATING COMPANY, LP	36785
2331 Citywest Blvd	Action Number:
Houston, TX 77042	536644
	Action Type:
	[C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Crea By	d Condition	Condition Date
nve	z None	12/22/2025