

Remediation Summary & Soil Closure Request

ConocoPhillips

Triste Draw 5 2H Fed Battery

Lea County, New Mexico

Unit Letter M, Section 06, Township 24 South, Range 32 East

Latitude 32.242479 North, Longitude -103.722265 West

NMOCD Reference No. nAPP2520442761.

Prepared By:

ASAP Oilfield Services LLC

48 Sweat RD

Lovington, NM 88260



TABLE OF CONTENTS

PROJECT INFORMATION.....	1.0
SITE CHARACTERIZATION.....	2.0
CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE.....	3.0
REMEDIATION ACTIVITIES SUMMARY.....	4.0
SOIL CLOSURE REQUEST.....	5.0
RESTORATION, RECLAMATION & RE-VEGETATION PLAN.....	6.0
LIMITATIONS.....	7.0
DISTRIBUTION.....	8.0

Figures

Figure 1 - Site Location Map

Figure 2A - Site Characterization Map (1-Mile Radius)

Figure 3 - Sample Location Map

Tables

Table 1 - Concentrations of BTEX, TPH & Chloride in Soil

APPENDICES

Appendix A - Depth to Groundwater and NMOCD Siting Information

Appendix B - Photographic Log

Appendix C - Regulatory Correspondence

Appendix D - Laboratory Analytical Reports

1.0 PROJECT INFORMATION

ASAP Oilfield Services LLC, (ASAP) on behalf of ConcoPhillips has prepared this remediation summary and soil closure request for the release site know as the Tristle Draw 5 2H Fed Battetry(henceforth "site"). Details of the release are summarized below:

Location of Release Source				
Latitude: _____ 32.242479_____		Longitude: _____-103.722265_____		
Provided GPS are in WGS84 format.				
Site Name: Tristle Draw 5 2H Fed Battery		Site Type: Pipe Line		
Date Release Discovered: 07/22/2025		API # (if applicable):		
Unit Letter	Section	Township	Range	County
M	6	24S	32E	lea
Surface Owner: <input type="checkbox"/> State <input checked="" type="checkbox"/> Federal <input type="checkbox"/> Tribal <input type="checkbox"/> Private (Name)_____				
Nature and Volume of Release				
<input type="checkbox"/> Crude Oil	Volume Released:(bbls)		Volume Recovered:(bbls)	
<input checked="" type="checkbox"/> Produced Water	Volume Released:(bbls) 53		Volume Recovered:(bbls) 50	
	Is the concentration of dissolved chloride in the produced water > 10,000 mg/L?		<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Condensate	Volume released:(bbls)		Volume Recovered(bbls)	
<input type="checkbox"/> Natural Gas	Volume Released:(mcf)		Volume Recovered(mcf)	
<input type="checkbox"/> Other	Volume/Weight Released:		Volume/Weight Recoved:	
Initial Response				
<input checked="" type="checkbox"/> The source of the release has been stopped? <input checked="" type="checkbox"/> The impacted area has been secured to protect human health and the environment? <input checked="" type="checkbox"/> Release materials have been contained via the use of berms or dikes, absorbent pad, or other containment devices? <input checked="" type="checkbox"/> All free liquids and recoverable materials have been removed and managed appropriately?				

Previously submitted portions of theNewMexicoOil ConservationDivision (NMOCD) FormC-141 are available in the NMOCD Imaging System.

2.0 SITE CHARACTERIZATION

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (bgs)?	<u>100'-150'</u>
What method was used to determine the depth to groundwater?	<u>NMOSE</u>
Did the release impact groundwater or surface water?	<u>No</u>
What is the minimum distance between the closest lateral extents of the release and the following surface areas?	
A continuously flowing watercourse or any other significant watercourse?	<u>Greater than 5 (MI)</u>
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	<u>Between 1 and 5(mi)</u>
An occupied permanent residence, school, hospital, institution or church?	<u>Between 1 and 5(mi)</u>
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	<u>Between 1 and 5(mi)</u>
Any other fresh water well or spring?	<u>Between 1 and 5(mi)</u>
Incorporated municipal boundaries or a defined municipal fresh water well field?	<u>Greater than 5 (MI)</u>
A wetland?	<u>Between 1 and 5(mi)</u>
A subsurface mine?	<u>Greater than 5 (MI)</u>
A (non-karst) unstable area?	<u>Between 1 and 5(mi)</u>
Categorize the risk of this well/site being in a karst geology.	<u>Low</u>
A 100-year floodplain?	<u>Greater than 5 (MI)</u>
Did the release impact areas not on an exploration, development, production or storage site?	<u>Yes</u>

A search of groundwater databases maintained by the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) was conducted in an effort to determine the horizontal distance to known water sources within a half mile radius of the Site. Probable groundwater depth was determined using data generated by numeric models based on available water well data and published information. Depth to groundwater and NMOCD siting information is provided as Appendix A.

Additional NMOCD Siting Criteria data was gathered from available resources including Bureau of Land Management (BLM) and Fish and Wildlife Services (FWS) shapefiles; topographic maps; NMOSE and USGS databases; and aerial imagery. The results are depicted in Figures 1, 2A, 2B, and 4.

3.0 CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE

Based on the volume and nature of the release, inferred depth to groundwater, NMOCD Siting Criteria, the NMOCD Closure Criteria, and NMOCD Reclamation Standards for the Site are as follows:

Probable Depth to Groundwater	Constituent	Laboratory Analytical Method	Closure Criteria	Reclamation Standard
>100'	Chloride (Cl-)	EPA** 300.0 or SM4500 Cl B	20,000	600
	Total Petroleum Hydrocarbons (TPH)	EPA SW-846 Method 8015M Ext	2,500	100
	GRO+DRO	EPA SW-846 Method 8015M	1,000	100
	Benzene	EPA SW-846 Methods 8021b or 8260b	50	50
	BTEX	EPA SW-846 Methods 8021b or 8260b	10	10

4.0 REMEDIATION ACTIVITIES SUMMARY

Requesting a remediation plan approval with this submission?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Have the lateral and vertical extents of contamination been fully delineated?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Was this release entirely contained within a lined containment area?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
On what estimated date will (or did) the remediation commence?	<u>9/11/2025</u>
On what date will (or did) the final sampling or liner inspection occur?	<u>10/6/2025</u>
On what date will (or was) the remediation complete(d)?	<u>10/10/2025</u>
What is the total surface area (sq. ft.) in need of or that will eventually be reclaimed?	<u>5185</u>
What is the total volume (cy) in need of or that will eventually be reclaimed?	<u>1020</u>
What was the total surface area (sq. ft.) that has or will be remediated?	<u>5185</u>
What was the total volume (cy) that has or will be remediated?	<u>1020</u>
This remediation utilized the following processes to remediate/reduce contaminants	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
(In Situ) Soil Vapor Extraction	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
(In Situ) Biological processing (i.e. Microbes/Fertilizer, etc.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Ground Water Abatement pursuant to 19.15.30 NMAC	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Other (Non-listed remedial process)	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Which OCD approved facility was or will be used for off-site disposal?	<u>Lea Land Landfill</u>
NMOCD Disposal Facility ID?	<u>feem0112342028</u>
Summarize any additional remediation activities not included by answers above.	<u>See below</u>

On September 11, 2025, ASAP commenced remediation activities at the Site. In accordance with NMOCD regulatory guidelines, impacted soil affected above the NMOCD Closure Criteria and/or NMOCD Reclamation Standards was excavated and stockpiled on-site, pending transfer to a NMOCD-permitted surface waste facility for disposal. Olfactory/visual senses and/or a chloride test kit were utilized to field-screen the horizontal and vertical extent of impacted soil and to guide the excavation. The sidewalls and floor of the excavation were advanced until field tests and field observations suggested that BTEX, TPH, and chloride concentrations were below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards. Representative five point composite confirmation soil samples were collected every 200 square feet from the sidewalls and floor of the excavated area to be submitted for laboratory analysis. A summary of soil sampling events is provided below:

Constituent	Highest Observable Concentration	Sample ID	Sample Date	Sample Depth (ft bgs)	Soil Status
Chloride	1330	FS-21	9/23/2025	4	Excavated
TPH	<10.0	All Samples	9/23/2025	4	In-Situ
GOR+DRO	<10.0	All Samples	9/23/2025	4	In-Situ
BTEX	<0.300	All Samples	9/23/2025	4	In-Situ
Benzene	<.050	All Samples	9/23/2025	4	In-Situ

On September 23, 2025, thirty-nine (39) confirmation soil samples were retrieved from the floor and sidewalls of the excavated area. The confirmation soil samples were delivered to Cardinal Laboratories, a certified commercial laboratory (henceforth, "the laboratory"), for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that chloride concentrations were above the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards for samples WS-4, WS-5, WS-11, FS-15, FS-21, and FS-25.

On October 1, 2025, The excavation was advanced horizontally and vertically until field tests and field observations suggested that BTEX, TPH, and chloride concentrations were below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards.

On October 6, 2025, six (6) confirmation soil samples (WS-4, WS-5, WS-11, FS-15, FS-21, FS-25) were retrieved from the floor and sidewalls of the excavation. The confirmation soil samples were delivered to the laboratory for analysis of BTEX, TPH, and chloride concentrations. Laboratory analytical results indicated that concentrations of BTEX, TPH, and chloride were below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards for each of the submitted soil samples.

The final dimensions of the excavated area was approximately 5,180 square feet, and 4' to 5' in depth. During the course of remediation activities, ASAP transported approximately 1,020 cubic yards of impacted soil to Lea Land Landfill, an NMOCD-permitted surface waste facility for disposal. ASAP imported approximately 1,128 cubic yards of locally sourced, nonimpacted material to the Site for use as backfill.

Soil sample locations and the extent of the excavated area are depicted in Figure 3, "Site & Sample Location Map". Soil chemistry data is summarized in Table 1. Field data is provided in Appendix B. General photographs of the site are provided in Appendix C. Laboratory analytical reports are provided in Appendix D. Copies of all regulatory correspondence are provided in Appendix E.

5.0 SOIL CLOSURE REQUEST

Requesting a deferral of remediation closure due date with the approval of this submission?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Requesting a remediation closure approval with this submission?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Have the lateral and vertical extents of contamination been fully delineated?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Was this release entirely contained within a lined containment area?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the site's existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion.	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
What was the total surface area (sq. ft.) remediated?	<u>5185</u>
What was the total volume (cy) remediated?	<u>1020</u>

Remediation activities were conducted in accordance with NMOCD regulatory guidelines. Impacted soil affected above the NMOCD Closure Criteria and/or NMOCD Reclamation Standards was excavated and transported to an NMOCD-permitted disposal facility. Laboratory analytical results from confirmation soil samples indicate in-situ concentrations of BTEX, TPH, and chloride are below the applicable NMOCD Closure Criteria and NMOCD Reclamation Standards.

Based on laboratory analytical results and field activities conducted to date, ASAP recommends ConocoPhillips provide copies of this Remediation Summary & Soil Closure Request to the appropriate agencies and request remediation closure approval be granted to the Site.

6.0 RESTORATION, RECLAMATION, & RE-VEGETATION PLAN

All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste containing earthen material with concentrations of less than 600 mg/kg chloride, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg benzene?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Requesting a reclamation approval with this submission?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
Requesting a restoration complete approval with this submission?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No
What was the total surface area (in square feet) reclaimed?	<u>5185</u>
What was the total volume (in cubic yards) reclaimed?	<u>1020</u>

On October 13, 2025, in accordance with the NMOCD, one (1) 5-point composite soil sample as collected from the imported material stockpiled on-site to be utilized as backfill. Pit location (GPS: 32.2563187,-103.6972398). The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride concentrations. Laboratory analytical results indicated that the BTEX, TPH, and chloride concentrations in the soil sample were below the applicable NMOCD Closure Criteria and NMOCD Reclamation Standards and confirmed that the material was acceptable for use as backfill.

From October 20, 2025 through October 22, 2025, upon receiving laboratory analytical results from confirmation soil samples, the excavated area was backfilled with locally sourced, non-impacted "like" material placed at/or near original relative positions. The affected areas were contoured and/or compacted to achieve erosion control, stability, and preservation of surface water flow to the extent practicable. Areas affected by remediation activities will be reseeded with a landowner-approved seed mixture during the first favorable growing season following closure of the Site.

7.0 LIMITATIONS

ASAP Oilfield Services LLC, has prepared this Remediation Summary & Soil Closure Request to the best of its ability. No other warranty, expressed or implied, is made or intended. ASAP has examined and relied upon documents referenced in the report and on oral statements made by certain individuals. ASAP has not conducted an independent examination of the facts contained in referenced materials and statements. ASAP has presumed the genuineness of these documents and statements and that the information provided therein is true and accurate. ASAP has prepared the report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. ASAP notes that the facts and conditions referenced in this report may change over time, and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of ConocoPhillips. Use of the information contained in this report is prohibited without the consent of ASAP and/or ConocoPhillips.

8.0 DISTRIBUTION

ConocoPhillips


925 N.Eldridge Parkway
Houston TX, 77079

New Mexico Energy, Minerals and Natural Resources Department

Oil Conservation Division, District 2
811 S. First Street
Artesia, NM 88210

(Electronic Submission)

Figure 1
Site Location Map




Legend	
●	Site Location

Figure 1
Site Location Map
ConocoPhillips
Triste Draw 5 2H Fed Battery
GPS: 32.242479, -103.722265



Figure 2
Site Characterization Map



Legend

- Site Location
- .5 mi.
- 1 mi.
- Well NMOSE
- Wetland

Figure 2

Site Characterization Map
ConocoPhillips
Triste Draw 5 2H Fed Battery
GPS: 32.242479, -103.722265



Figure 3
Sample Location Map



Legend	
	Sample point
	Excavated Area

Figure 3
Site Sample Map
ConocoPhillips
Triste Draw 5 2H Fed Battery
GPS: 32.242479, -103.722265



Table 1
Concentrations of BTEX, TPH, and Chloride in Soil

Table 1 Concentrations of BTEX, TPH, and Chloride in Soil ConocoPhillips Triste Draw 5 2H Fed Battery NMOCD Ref. #: nAPP2520442761												
NMOCD Closure Criteria				10	50	-	-	-	-	100	600	
NMOCD Reclamation Standard				10	50	-	-	-	-	100	600	
Sample ID	Date	Depth (Feet)	Soil Status	SW 846 8021B		SW 846 8015M Ext.					4500 Cl	
				Benzen e (mg/kg)	BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10- C28 (mg/kg)	GRO + DRO C6-C28 (mg/kg)	ORO C28-C36 (mg/kg)	TPH C6-C36 (mg/kg)	Chloride (mg/kg)	
WS-1	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	432	
WS-2	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	336	
WS-3	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	288	
WS-4	9/23/2025	1'-4'	Excavated	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	624	
WS-4B	10/6/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	432	
WS-5	9/23/2025	1'-4'	Excavated	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	944	
WS-5B	10/6/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	240	
WS-6	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	288	
WS-7	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	112	
WS-8	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	304	
WS-9	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	384	
WS-10	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	288	
WS-11	9/23/2025	1'-4'	Excavated	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	672	
WS-11B	10/6/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	288	
WS-12	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	304	
WS-13	9/23/2025	1'-4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	96	
FS-1	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	320	
FS-2	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	544	
FS-3	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	512	
FS-4	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	144	
FS-5	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	560	
FS-6	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	560	
FS-7	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	112	
FS-8	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	512	

Dash (-): Sample not analyzed for that constituent.
 Bold: NMOCD Closure Criteria exceedance.
 Red: NMOCD Reclamation Standard exceedance.
 Red Border with Shading: Highest observed concentration.

Table 1 Concentrations of BTEX, TPH, and Chloride in Soil ConocoPhillips Triste Draw 5 2H Fed Battery NMOCD Ref. #: nAPP2520442761												
NMOCD Closure Criteria				10	50	-	-	-	-	100	600	
NMOCD Reclamation Standard				10	50	-	-	-	-	100	600	
Sample ID	Date	Depth (Feet)	Soil Status	SW 846 8021B		SW 846 8015M Ext.					4500 Cl	
				Benzen e (mg/kg)	BTEX (mg/kg)	GRO C6-C10 (mg/kg)	DRO C10- C28 (mg/kg)	GRO + DRO C6-C28 (mg/kg)	ORO C28-C36 (mg/kg)	TPH C6-C36 (mg/kg)	Chloride (mg/kg)	
FS-9	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	352	
FS-10	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	304	
FS-11	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	544	
FS-12	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	288	
FS-13	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	352	
FS-14	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	256	
FS-15	9/23/2025	4'	Excavated	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	912	
FS-15B	10/6/2025	5'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	336	
FS-16	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	512	
FS-17	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	128	
FS-18	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	576	
FS-19	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	128	
FS-20	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	528	
FS-21	9/23/2025	4'	Excavated	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	1330	
FS-21B	9/23/2025	5	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	416	
FS-22	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	480	
FS-23	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	464	
FS-24	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	528	
FS-25	9/23/2025	4'	Excavated	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	672	
FS-25B	10/6/2025	5'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	320	
FS-26	9/23/2025	4'	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	480	
Backfill	10/13/2025	0	In-situ	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<10.0	<16.0	

Dash (-): Sample not analyzed for that constituent.
 Bold: NMOCD Closure Criteria exceedance.
 Red: NMOCD Reclamation Standard exceedance.
 Red Border with Shading: Highest observed concentration.

Appendix A
Depth to Groundwater Information

Point of Diversion Summary

quarters are 1=NW 2=NE 3=SW 4=SE
quarters are smallest to largest

NAD83 UTM in meters

Well Tag	POD Nbr	Q64	Q16	Q4	Sec	Tws	Rng	X	Y	Map
NA	C 04672 POD 1	NE	NW	SE	01	24S	31E	619762.2	3568286.5	

* UTM location was derived from PLSS - see Help

Driller License: 1184 **Driller Company:** WEST TEXAS WATER WELL SERVICE

Driller Name: RUSSELL SOUTHERLAND

Drill Start Date: 2022-09-01 **Drill Finish Date:** 2022-09-01 **Plug Date:**

Log File Date: 2022-09-26 **PCW Rcv Date:** **Source:**

Pump Type: **Pipe Discharge Size:** **Estimated Yield:**

Casing Size: **Depth Well:** 110 **Depth Water:**

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

10/16/25 6:48 PM MST

Point of Diversion Summary

©2024 New Mexico Office of the State Engineer, All Rights Reserved. | [Disclaimer](#) | [Contact Us](#) | [Help](#) | [Home](#) |



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) C-04672 POD 1		WELL TAG ID NO.		OSE FILE NO(S) C-04672		
	WELL OWNER NAME(S) OXY US INC				PHONE (OPTIONAL)		
	WELL OWNER MAILING ADDRESS PO BOX 4294				CITY HOUSTON	STATE ZIP TX 77210	
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE	MINUTES 14	SECONDS 41.51	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND	
		LONGITUDE	-103	43	43.43	W	* DATUM REQUIRED: WGS 84
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLUS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE PROXIMITY 31							
2. DRILLING & CASING INFORMATION	LICENSE NO. WD-1184		NAME OF LICENSED DRILLER RUSSELL SOUTHERLAND		NAME OF WELL DRILLING COMPANY WEST TEXAS WATER WELL SERVICE		
	DRILLING STARTED 09/01/2022	DRILLING ENDED 09/01/2022	DEPTH OF COMPLETED WELL (FT) 110	BORE HOLE DEPTH (FT)	DEPTH WATER FIRST ENCOUNTERED (FT)		
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) N/A		
	DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:						
	DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY:						
	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)
				NO CASING IN HOLE			
3. ANNULAR MATERIAL	DEPTH (feet bgl) FROM TO		BORE HOLE DIAM (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT	
				N/A			

OSE 011 SEP 26 2022 PM 3:28

FOR OSE INTERNAL USE			WR-20 WELL RECORD & LOG (Version 04/30/19)		
FILE NO.	C-4672	POD NO.	1	TRN NO.	134614
LOCATION	245. 31E. 01 214	WELL TAG ID NO.		PAGE 1 OF 2	

Appendix B
Photographic Log

Photographic Log



Initial Photo-View looking southeast.



Initial Photo - View looking southeast.

Photographic log



Initial Photo - View looking northeast.



Initial Photo - View looking northeast

Photographic Log



Initial Photo - View looking west.



Excavation Photo - View Looking northeast.

Photographic Log



Excavation Photo - View looking southwest.



Excavation Photo - View Looking southwest.

Photographic Log



Backfill Photo - View looking northeast.



Backfill Photo - View looking southeast.

Photographic Log



Backfill Photo - View looking southwest.

Appendix C
Regulatory Correspondence

From: OCDOOnline@state.nm.us <OCDOOnline@state.nm.us>
Sent: Wednesday, September 17, 2025 1:22 PM
To: Laird, Jacob <Jacob.Laird@conocophillips.com>
Subject: [EXTERNAL]The Oil Conservation Division (OCD) has accepted the application, Application ID: 506796

CAUTION:This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Jacob Laird for COG PRODUCTION, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2520442761.

The sampling event is expected to take place:

When: 09/22/2025 @ 10:00

Where: M-06-24S-32E 0 FNL 0 FEL (32.242626,-103.722268)

Additional Information: Steve Taylor 575-704-2718

Additional Instructions: 32.242626, -103.722268

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Wednesday, October 1, 2025 12:52 PM
To: Laird, Jacob <Jacob.Laird@conocophillips.com>
Subject: [EXTERNAL]The Oil Conservation Division (OCD) has accepted the application, Application ID: 511201

CAUTION:This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Jacob Laird for COG PRODUCTION, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2520442761.

The sampling event is expected to take place:

When: 10/06/2025 @ 14:00

Where: M-06-24S-32E 0 FNL 0 FEL (32.242626,-103.722268)

Additional Information: Steve Taylor 575-704-2718

Additional Instructions: 32.242626, -103.722268

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Appendix D
Laboratory Analytical Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 30, 2025

STEVE TAYLOR
ASAP OILFIELD SERVICES
48 SWEAT RD
LOVINGTON, NM 88260

RE: TRISTE DRAW LINE STRIKE

Enclosed are the results of analyses for samples received by the laboratory on 09/24/25 15:21.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 1 (H255976-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	QM-07	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	432	16.0	09/25/2025	ND	416	104	400	3.77	QM-07	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/24/2025	ND	200	99.8	200	0.739		
DRO >C10-C28*	<10.0	10.0	09/24/2025	ND	196	97.8	200	1.32		
EXT DRO >C28-C36	<10.0	10.0	09/24/2025	ND						

Surrogate: 1-Chlorooctane 94.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 2 (H255976-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.0 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/24/2025	ND	200	99.8	200	0.739		
DRO >C10-C28*	<10.0	10.0	09/24/2025	ND	196	97.8	200	1.32		
EXT DRO >C28-C36	<10.0	10.0	09/24/2025	ND						

Surrogate: 1-Chlorooctane 99.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 3 (H255976-03)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 97.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 4 (H255976-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	624	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 90.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 5 (H255976-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	944	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 88.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 6 (H255976-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 75.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 71.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 7 (H255976-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 91.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 8 (H255976-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.1 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 88.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 9 (H255976-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 92.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 92.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 10 (H255976-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 95.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 11 (H255976-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	672	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 97.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 12 (H255976-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 96.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 13 (H255976-13)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 93.2 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 91.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 1 (H255976-14)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	09/25/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 90.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 2 (H255976-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 93.0 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	544	16.0	09/25/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 93.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 3 (H255976-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	512	16.0	09/25/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 93.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 4 (H255976-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03		
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 91.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	09/25/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 92.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 5 (H255976-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	560	16.0	09/25/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 92.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 6 (H255976-19)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	560	16.0	09/25/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 95.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 7 (H255976-20)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	2.03	102	2.00	9.03	
Toluene*	<0.050	0.050	09/25/2025	ND	1.98	99.1	2.00	9.22	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	6.91	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.01	100	6.00	6.58	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	09/25/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 93.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 8 (H255976-21)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	512	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 95.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 9 (H255976-22)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	221	111	200	5.29	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	231	116	200	5.42	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 92.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 10 (H255976-23)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17		
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	304	16.0	09/25/2025	ND	480	120	400	18.2		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 92.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 11 (H255976-24)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	544	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 95.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 12 (H255976-25)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 84.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 13 (H255976-26)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 85.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 14 (H255976-27)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17		
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	256	16.0	09/25/2025	ND	480	120	400	18.2		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 87.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 15 (H255976-28)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	912	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 87.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 16 (H255976-29)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	512	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 80.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 17 (H255976-30)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 87.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 18 (H255976-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	576	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 91.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 19 (H255976-32)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17		
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	09/25/2025	ND	480	120	400	18.2		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 87.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 20 (H255976-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 95.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 21 (H255976-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1330	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 84.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 22 (H255976-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	480	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 91.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 23 (H255976-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	464	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 86.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 24 (H255976-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 91.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 25 (H255976-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17	
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178	
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34	
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48	
Total BTEX	<0.300	0.300	09/25/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	672	16.0	09/25/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32	
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41	
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND					

Surrogate: 1-Chlorooctane 91.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	09/24/2025	Sampling Date:	09/23/2025
Reported:	09/30/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 26 (H255976-39)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/25/2025	ND	1.92	95.8	2.00	1.17		
Toluene*	<0.050	0.050	09/25/2025	ND	2.00	100	2.00	0.178		
Ethylbenzene*	<0.050	0.050	09/25/2025	ND	2.04	102	2.00	1.34		
Total Xylenes*	<0.150	0.150	09/25/2025	ND	6.04	101	6.00	1.48		
Total BTEX	<0.300	0.300	09/25/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	480	16.0	09/25/2025	ND	480	120	400	18.2		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/25/2025	ND	210	105	200	5.32		
DRO >C10-C28*	<10.0	10.0	09/25/2025	ND	226	113	200	6.41		
EXT DRO >C28-C36	<10.0	10.0	09/25/2025	ND						

Surrogate: 1-Chlorooctane 88.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: **ASAP Oilfield Services**
 Project Manager: **Steve Taylor**
 Address: **48 Sweet Rd**
 City: **Lovington** State: **NM** Zip: **88220**
 Phone #: **(575) 904-2718** Fax #: _____
 Project Owner: _____
 Project Name: **Triste Draw Like Strike**
 Project Location: _____
 Sampler Name: **Steve Taylor** Fax #: _____
 FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX							DATE	TIME	ANALYSIS
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:			
HASS9710	WS-1	C	1			X					9/23/95	2:00 PM	Chloride
	WS-2	C	1			X					2:10	2:05	TPH
		C	1			X						2:15	Btcy
		C	1			X						2:20	
		C	1			X						2:25	
		C	1			X						2:30	
		C	1			X						2:35	
		C	1			X						2:40	
		C	1			X						2:45	
		C	1			X							

PLEASE NOTE: Liability and Damages: Cardinal's liability and clients' exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: _____
 Date: _____
 Received By: **Steele Rigby**
 Date: **9/24/95**
 Time: **15:01**

Delivered By: (Circle One) _____
 Observed Temp. °C: **1.2**
 Corrected Temp. °C: **0.9**
 Sample Condition: Cool Intact
 Checked By: _____ (Initials)
 Turnaround Time: _____
 Standard Add'l Phone #: _____
 Bacteria (only) Sample Condition: Cool Intact
 Corrected Temp. °C: _____

FORM 0001 3-93 0217/230
 † Cardinal cannot accept verbal changes. Please email changes to caley.keene@cardinallabsnm.com



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: **ASAP Oilfield Services** P.O. #: _____ Company: **ASAP**

Project Manager: **Steve Taylor** Attn: _____

Address: **48 Sweet Rd** State: **NM** Zip: **88240**

City: **Livingston** Address: _____

Phone #: **(575) 704-2718** Fax #: _____ City: _____

Project #: _____ Project Owner: _____ State: _____ Zip: _____

Project Name: **Triste Draw Line Strike** Phone #: _____

Project Location: _____ Fax #: _____

Sampler Name: **Steve Taylor**

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	Chloride	TPH	BTEX
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :					
11	WS-11	C	1			X				9/23/18	2:50 pm	X	X	X
12	WS-12	C	1			X				9/23/18	2:55 pm	X	X	X
13	WS-13	C	1			X				9/23/18	3:00 pm	X	X	X
14	FS-1	C	1			X				10:15 AM		X	X	X
15	FS-2	C	1			X				10:20		X	X	X
16	FS-3	C	1			X				10:25		X	X	X
17	FS-4	C	1			X				10:30		X	X	X
18	FS-5	C	1			X				10:35		X	X	X
19	FS-6	C	1			X				10:40		X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and clients' exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: **9/23/18** Received By: *[Signature]* Date: **10/31**

Time: **15:31** Received By: *[Signature]*

Turnaround Time: _____ Standard Bacteria (only) Sample Condition

Thermometer ID #140 Cool Intact Observed Temp. °C

Correction Factor +0.3°C Yes No Corrected Temp. °C

REMARKS: **Steve Teasap oilfieldservices.com**

Delivered By: (Circle One) Observed Temp. °C **18.2** Sample Condition Intact Cool Intact Yes No

Sampler - UPS - Bus - Other: Corrected Temp. °C **0.92** CHECKED BY: *[Signature]*

FORWARD TO: 307271230

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinalabsnm.com



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: <i>ASAP Diagnostics Services</i> Project Manager: <i>Steve Taylor</i> Address: <i>48 Sweet Rd</i> City: <i>Doerington</i> State: <i>NM</i> zip: <i>88210</i> Phone #: Fax #: Project #: Project Owner: Project Name: <i>Kriste Draw Line Strike</i> Project Location: Sampler Name: <i>Steve Taylor</i>		BILL TO P.O. #: Company: <i>ASAP</i> Attn: Address: City: State: Zip: Phone #: Fax #:	
FOR LAB USE ONLY Lab I.D.: <i>#155970</i>		ANALYSIS REQUEST	
Sample I.D.: <i>F5-17</i>		DATE TIME <i>9/23/85 11:35 AM</i>	
(G)RAB OR (C)OMP. <input type="checkbox"/> # CONTAINERS: <i>1</i> MATRIX: GROUNDWATER <input type="checkbox"/> WASTEWATER <input type="checkbox"/> SOIL <input checked="" type="checkbox"/> OIL <input type="checkbox"/> SLUDGE <input type="checkbox"/> OTHER: <input type="checkbox"/> ACID/BASE: <input type="checkbox"/> ICE / COOL <input checked="" type="checkbox"/> OTHER: <input type="checkbox"/>		ANALYSIS REQUEST Chloride <input checked="" type="checkbox"/> TPH <input checked="" type="checkbox"/> BTEX <input checked="" type="checkbox"/>	
PRESEV: <input type="checkbox"/> SAMPLING:		Turnaround Time: <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Rush Bacteria (only) <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No Sample Condition <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No	
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.		Verbal Result: <input type="checkbox"/> Yes <input type="checkbox"/> No Add'l Phone #: All Results are emailed. Please provide Email address: REMARKS: <i>Steve, Teasap@richservices.com</i>	
Relinquished By: <i>[Signature]</i> Date: Time: Received By: Date: Time:		Turnaround Time: <input type="checkbox"/> Standard <input checked="" type="checkbox"/> Rush Bacteria (only) <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No Sample Condition <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No	
Delivered By: (Circle One) Sampler - UPS <input type="checkbox"/> - Bus <input type="checkbox"/> - Other: <input type="checkbox"/>		Thermometer ID #140 Correction Factor +0.3°C Standard <input checked="" type="checkbox"/> Rush <input type="checkbox"/> Bacteria (only) <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No Sample Condition <input type="checkbox"/> Cool <input type="checkbox"/> Intact <input type="checkbox"/> Yes <input type="checkbox"/> No	
Observed Temp. °C Corrected Temp. °C		Observed Temp. °C Corrected Temp. °C	

† Cardinal cannot accept verbal changes. Please email changes to celey.keene@cardinallabsnm.com



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 08, 2025

STEVE TAYLOR
ASAP OILFIELD SERVICES
48 SWEAT RD
LOVINGTON, NM 88260

RE: TRISTE DRAW LINE STRIKE

Enclosed are the results of analyses for samples received by the laboratory on 10/07/25 8:38.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/07/2025	Sampling Date:	10/06/2025
Reported:	10/08/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 21 B (H256228-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2025	ND	1.86	93.0	2.00	20.7		
Toluene*	<0.050	0.050	10/07/2025	ND	1.96	97.9	2.00	17.7		
Ethylbenzene*	<0.050	0.050	10/07/2025	ND	1.97	98.6	2.00	16.6		
Total Xylenes*	<0.150	0.150	10/07/2025	ND	6.11	102	6.00	15.5		
Total BTEX	<0.300	0.300	10/07/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	416	16.0	10/07/2025	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/07/2025	ND	209	104	200	4.51		
DRO >C10-C28*	<10.0	10.0	10/07/2025	ND	191	95.6	200	3.10		
EXT DRO >C28-C36	<10.0	10.0	10/07/2025	ND						

Surrogate: 1-Chlorooctane 96.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/07/2025	Sampling Date:	10/06/2025
Reported:	10/08/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 4B (H256228-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2025	ND	1.86	93.0	2.00	20.7		
Toluene*	<0.050	0.050	10/07/2025	ND	1.96	97.9	2.00	17.7		
Ethylbenzene*	<0.050	0.050	10/07/2025	ND	1.97	98.6	2.00	16.6		
Total Xylenes*	<0.150	0.150	10/07/2025	ND	6.11	102	6.00	15.5		
Total BTEX	<0.300	0.300	10/07/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	432	16.0	10/07/2025	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/07/2025	ND	209	104	200	4.51		
DRO >C10-C28*	<10.0	10.0	10/07/2025	ND	191	95.6	200	3.10		
EXT DRO >C28-C36	<10.0	10.0	10/07/2025	ND						

Surrogate: 1-Chlorooctane 98.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/07/2025	Sampling Date:	10/06/2025
Reported:	10/08/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 5B (H256228-03)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2025	ND	1.86	93.0	2.00	20.7		
Toluene*	<0.050	0.050	10/07/2025	ND	1.96	97.9	2.00	17.7		
Ethylbenzene*	<0.050	0.050	10/07/2025	ND	1.97	98.6	2.00	16.6		
Total Xylenes*	<0.150	0.150	10/07/2025	ND	6.11	102	6.00	15.5		
Total BTEX	<0.300	0.300	10/07/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	240	16.0	10/07/2025	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/07/2025	ND	209	104	200	4.51		
DRO >C10-C28*	<10.0	10.0	10/07/2025	ND	191	95.6	200	3.10		
EXT DRO >C28-C36	<10.0	10.0	10/07/2025	ND						

Surrogate: 1-Chlorooctane 100 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/07/2025	Sampling Date:	10/06/2025
Reported:	10/08/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: WS - 11B (H256228-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2025	ND	1.86	93.0	2.00	20.7		
Toluene*	<0.050	0.050	10/07/2025	ND	1.96	97.9	2.00	17.7		
Ethylbenzene*	<0.050	0.050	10/07/2025	ND	1.97	98.6	2.00	16.6		
Total Xylenes*	<0.150	0.150	10/07/2025	ND	6.11	102	6.00	15.5		
Total BTEX	<0.300	0.300	10/07/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	10/07/2025	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/07/2025	ND	209	104	200	4.51		
DRO >C10-C28*	<10.0	10.0	10/07/2025	ND	191	95.6	200	3.10		
EXT DRO >C28-C36	<10.0	10.0	10/07/2025	ND						

Surrogate: 1-Chlorooctane 90.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/07/2025	Sampling Date:	10/06/2025
Reported:	10/08/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 15 B (H256228-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/07/2025	ND	1.86	93.0	2.00	20.7	
Toluene*	<0.050	0.050	10/07/2025	ND	1.96	97.9	2.00	17.7	
Ethylbenzene*	<0.050	0.050	10/07/2025	ND	1.97	98.6	2.00	16.6	
Total Xylenes*	<0.150	0.150	10/07/2025	ND	6.11	102	6.00	15.5	
Total BTEX	<0.300	0.300	10/07/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	336	16.0	10/07/2025	ND	416	104	400	7.41	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/07/2025	ND	209	104	200	4.51	
DRO >C10-C28*	<10.0	10.0	10/07/2025	ND	191	95.6	200	3.10	
EXT DRO >C28-C36	<10.0	10.0	10/07/2025	ND					

Surrogate: 1-Chlorooctane 96.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/07/2025	Sampling Date:	10/06/2025
Reported:	10/08/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: FS - 25 B (H256228-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/07/2025	ND	1.86	93.0	2.00	20.7		
Toluene*	<0.050	0.050	10/07/2025	ND	1.96	97.9	2.00	17.7		
Ethylbenzene*	<0.050	0.050	10/07/2025	ND	1.97	98.6	2.00	16.6		
Total Xylenes*	<0.150	0.150	10/07/2025	ND	6.11	102	6.00	15.5		
Total BTEX	<0.300	0.300	10/07/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	320	16.0	10/07/2025	ND	416	104	400	7.41		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/07/2025	ND	209	104	200	4.51		
DRO >C10-C28*	<10.0	10.0	10/07/2025	ND	191	95.6	200	3.10		
EXT DRO >C28-C36	<10.0	10.0	10/07/2025	ND						

Surrogate: 1-Chlorooctane 96.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QR-04 The RPD for the BS/BSD was outside of historical limits.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



101 East Marland, Hobbs, NM 88240
 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

BILL TO

ANALYSIS REQUEST

Company Name: **ASAP Oilfield Services** P.O. #: **ASAP**
 Project Manager: **Steve Taylor** Company: **ASAP**
 Address: **48 Sweet Rd** Attn: **ASAP**
 City: **Louington** State: **NM** Zip: **88240**
 Phone #: **(575) 704-2718** Fax #: **ASAP**
 Project #: **ASAP** Project Owner: **ASAP**
 Project Name: **ASAP** State: **ASAP** Zip: **ASAP**
 Project Location: **Triste Draw Line Strike** Phone #: **ASAP**
 Sampler Name: **Steve Taylor** Fax #: **ASAP**

FOR LAB USE ONLY

Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX						DATE	TIME	ANALYSIS
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :			
1	FS-21B	C		X						10/6/05	2:10 pm	Chloride
2	WS-4B	C		X						2:20 pm	2:30 pm	TPH
3	WS-5B	C		X						2:40 pm	2:50 pm	Btex
4	WS-11B	C		X						3:00 pm	3:10 pm	
5	FS-15B	C		X								
6	FS-25B	C		X								

PLEASE NOTE: Liability and Damages: Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the service. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: **Steve Taylor** Received By: **Stocking**
 Date: **10/1/05** Time: **08:38**
 Date: **10/1/05** Time: **08:38**

Delivered By: (Circle One) Observed Temp. °C **28** Sample Condition (Initials) **SK**
 Cooler Intact Yes No
 Cooler Intact Yes No

Turnaround Time: **Standard** Bacteria (only) Sample Condition Standard Rush **Standard**
 Thermometer ID #140 Cool Intact Yes No
 Correction Factor +0.3°C Corrected Temp. °C **28** Observed Temp. °C **28**

REMARKS: **Steve, t @ asap oilfield services, com**
Rush 24hr
Kenner cardon fire per client
Stocking
OS-04093015

Verbal Result: Yes No Add'l Phone #: **ASAP**
 All Results are emailed. Please provide Email address: **ASAP**



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 15, 2025

STEVE TAYLOR
ASAP OILFIELD SERVICES
48 SWEAT RD
LOVINGTON, NM 88260

RE: TRISTE DRAW LINE STRIKE

Enclosed are the results of analyses for samples received by the laboratory on 10/14/25 10:21.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

ASAP OILFIELD SERVICES
 STEVE TAYLOR
 48 SWEAT RD
 LOVINGTON NM, 88260
 Fax To:

Received:	10/14/2025	Sampling Date:	10/13/2025
Reported:	10/15/2025	Sampling Type:	Soil
Project Name:	TRISTE DRAW LINE STRIKE	Sampling Condition:	** (See Notes)
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	NONE GIVEN		

Sample ID: BASKFILL (H256425-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/14/2025	ND	1.87	93.5	2.00	7.83	
Toluene*	<0.050	0.050	10/14/2025	ND	1.93	96.3	2.00	4.95	
Ethylbenzene*	<0.050	0.050	10/14/2025	ND	1.92	96.2	2.00	3.52	
Total Xylenes*	<0.150	0.150	10/14/2025	ND	5.99	99.8	6.00	3.13	
Total BTEX	<0.300	0.300	10/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/15/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/14/2025	ND	186	93.1	200	6.79	
DRO >C10-C28*	<10.0	10.0	10/14/2025	ND	206	103	200	4.68	
EXT DRO >C28-C36	<10.0	10.0	10/14/2025	ND					

Surrogate: 1-Chlorooctane 93.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

From: [Laird, Jacob](#)
To: [Wells, Shelly, EMNRD](#)
Cc: [Knowlton, Jennifer](#)
Subject: [EXTERNAL] RE: [EXTERNAL]nAPP2520442761 TRISTE DRAW 5 2H FEDERAL BATTERY Question
Date: Thursday, January 15, 2026 7:47:15 AM

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Good morning, Shelly,

The flowline originated at the Triste Draw facility, which is why the facility ID was initially referenced. However, the impacted portion of the line was struck approximately 1.5 miles southwest of the facility, in the pasture. I apologize for any confusion. My intent in referencing the facility ID was to indicate the point of origin for the flowline. Moving forward, if a release occurs away from a facility, I will reference the actual release location rather than the facility ID, unless the incident occurs at that specific facility.

Again, I apologize for any confusion that this may have caused.

I appreciate you,

Jacob Laird | Environmental Engineer, DBE | **ConocoPhillips**
C: 575-703-5482

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Wednesday, January 14, 2026 10:46 AM
To: Laird, Jacob <Jacob.Laird@conocophillips.com>
Subject: [EXTERNAL]nAPP2520442761 TRISTE DRAW 5 2H FEDERAL BATTERY Question

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you recognize the sender and know the content is safe.

Hi Jacob,

According to the report I have received for incident nAPP2520442761, the Triste Draw 5 2H Federal Battery is located here: [32.242626,-103.722268](#). What is the name of the facility located at this location then? [32.252739,-103.6995163](#). As I previously wrote, when Triste Draw 5 2H FED BATTERY was registered with OCD on 2/7/22 its location was entered as this: 32.252739,-103.6995163. I would like to update the Facility's location if indeed it is incorrect.

Looking forward to hearing back from you when you have the opportunity.

Kind regards,

Shelly

Shelly Wells * Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive|Santa Fe, NM 87505
(505)469-7520 Shelly.Wells@emnrd.nm.gov
<http://www.emnrd.state.nm.us/OCD/>

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 537011

QUESTIONS

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2520442761
Incident Name	NAPP2520442761 TRISTE DRAW 5 2H FEDERAL BATTERY @ FAPP2203833990
Incident Type	Produced Water Release
Incident Status	Reclamation Report Received
Incident Facility	[fAPP2203833990] TRISTE DRAW 5 2H FED BATTERY

Location of Release Source

Please answer all the questions in this group.

Site Name	TRISTE DRAW 5 2H FEDERAL BATTERY
Date Release Discovered	07/22/2025
Surface Owner	Federal

Incident Details

Please answer all the questions in this group.

Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Vehicular Accident Pipeline (Any) Produced Water Released: 53 BBL Recovered: 50 BBL Lost: 3 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Jacob Laird Title: Environmental Engineer Email: jacob.laird@conocophillips.com Date: 12/23/2025
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1 and 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	1330
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	10
GRO+DRO (EPA SW-846 Method 8015M)	10
BTEX (EPA SW-846 Method 8021B or 8260B)	0.3
Benzene (EPA SW-846 Method 8021B or 8260B)	0.5

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	09/11/2025
On what date will (or did) the final sampling or liner inspection occur	10/06/2025
On what date will (or was) the remediation complete(d)	10/10/2025
What is the estimated surface area (in square feet) that will be reclaimed	5185
What is the estimated volume (in cubic yards) that will be reclaimed	1020
What is the estimated surface area (in square feet) that will be remediated	5185
What is the estimated volume (in cubic yards) that will be remediated	1020

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	FEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Jacob Laird Title: Environmental Engineer Email: jacob.laird@conocophillips.com Date: 12/23/2025
--	---

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	511201
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/06/2025
What was the (estimated) number of samples that were to be gathered	5
What was the sampling surface area in square feet	1000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	5185
What was the total volume (cubic yards) remediated	1020
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	5185
What was the total volume (in cubic yards) reclaimed	1020
Summarize any additional remediation activities not included by answers (above)	NA

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Jacob Laird Title: Environmental Engineer Email: jacob.laird@conocophillips.com Date: 12/23/2025
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	Yes
What was the total reclamation surface area (in square feet) for this site	5185
What was the total volume of replacement material (in cubic yards) for this site	1020
<i>Per Paragraph (1) of Subsection D of 19.15.29.13 NMAC the reclamation must contain a minimum of four feet of non-waste containing, uncontaminated, earthen material with chloride concentrations less than 600 mg/kg as analyzed by EPA Method 300.0, or other test methods approved by the division. The soil cover must include a top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater.</i>	
Is the soil top layer complete and is it suitable material to establish vegetation	Yes
On what (estimated) date will (or was) the reseeded commence(d)	03/16/2026
Summarize any additional reclamation activities not included by answers (above)	NA
<i>The responsible party must attach information demonstrating they have complied with all applicable reclamation requirements and any conditions or directives of the OCD. This demonstration should be in the form of attachments (in .pdf format) including a scaled site map, any proposed reseeded plans or relevant field notes, photographs of reclaimed area, and a narrative of the reclamation activities. Refer to 19.15.29.13 NMAC.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.	
I hereby agree and sign off to the above statement	Name: Jacob Laird Title: Environmental Engineer Email: jacob.laird@conocophillips.com Date: 12/23/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 8

Action 537011

QUESTIONS (continued)

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

QUESTIONS

Revegetation Report	
<i>Only answer the questions in this group if all surface restoration, reclamation and re-vegetation obligations have been satisfied.</i>	
Requesting a restoration complete approval with this submission	No
<i>Per Paragraph (4) of Subsection (D) of 19.15.29.13 NMAC for any major or minor release containing liquids, the responsible party must notify the division when reclamation and re-vegetation are complete.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 537011

CONDITIONS

Operator: COG PRODUCTION, LLC 600 W. Illinois Ave Midland, TX 79701	OGRID: 217955
	Action Number: 537011
	Action Type: [C-141] Reclamation Report C-141 (C-141-v-Reclamation)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	1/15/2026