

Standard Safety and Supply

<https://standardtx.com/>



Remediation Closure Report
Silver 33 CTB
nAPP2523143234
32.26444, -103.78418
F-33-23S-31E

Introduction

Standard Safety and Supply (Standard) on behalf of OXY USA INC. (Oxy) is pleased to submit this Remediation Closure Report. Based on the Notification of Release C-141 the spill was discovered on August 11, 2025, and was attributed to corrosion in a flow line. There was an approximate net loss of four (4) barrels (bbls) of crude oil and zero (0) bbls of produced water. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

Site Characterization

Based on a site characterization desktop review the site designated as a Low Karst area. Furthermore, there are no receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, other fresh water well/spring, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. The depth to groundwater in the area is estimated to be between one hundred (100) feet (ft) below ground surface (bgs) to five hundred (500) ft bgs. However, since there are no water wells within the specified half (0.5) mile radius the following closure criteria will be used.



Standard Safety and Supply

<https://standardtx.com/>

NMAC Closure Criteria Remediation and Reclamation (NMAC 19.15.29.12 & 19.15.29.13)					
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
* Value must not exceed TPH (GRP-DRO-MRO) value					

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Initial Assessment

On August 27, 2025, Standard performed an initial assessment to characterize impacts. Six (6) horizontal sample points (H-1 to H-6) were collected from surface (0) to half (0.5) ft bgs. Five (5) vertical samples points (V-1 to V-5) were collected from surface (0) to five (5) ft bgs in one (1) ft intervals. Soil samples were placed in lab provided containers, onto ice then transported to Eurofins in Carlsbad, New Mexico, for the analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX 8021B), Total Petroleum Hydrocarbons (TPH 8015M) and chloride (EPA 300.0). Proper chain-of-custody was followed during the collection and delivery of the samples to the laboratory. Analytical results indicated that vertical delineation was achieved, however one (1) horizontal sample point was above the closure criteria for TPH.

On September 5, 2025, Standard returned to site and collected one additional horizontal sample point (H-6A) to characterize the extent of impacts. Soil samples were transported under proper chain-of-custody and sampling handling procedures to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that horizontal delineation was achieved.

The delineation data can be found in this report under Attachment A: Table 1 Delineation Assessment Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

The delineation sample locations are located under Attachment B: Figure 3 Delineation Assessment Map while photographs of the impacted area are under Attachment D: Photographic Log.



Standard Safety and Supply

<https://standardtx.com/>

Remedial Action Activities and Confirmation Sampling

Oxy contracted Standard to begin remedial action activities at the Site on October 9, 2025, to remove the impacted soils identified in previous delineation efforts.

On October 16, Standard was onsite to perform a confirmation sampling event where thirty-seven (37) base samples (CS-1 to CS-37), seven (7) sidewall samples (SW-1 to SW-7) were collected. Analytical results indicated that TPH impacts were still present at the site.

On November 7, after further excavation an additional seven (7) sidewall samples (SW-8 to SW-14) and twelve (12) base samples (CS-7 to CS-12, CS-14, CS-16, CS-17, CS-2, CS-26, CS-31) were recollected along with two (2) additional base samples (CS-38 and CS-39) we collected. Analytical results indicated that TPH impacts were still present at the site.

On December 5, after further excavation and horizontal expansion of sidewalls, one (1) sidewall was recollected (SW-7) and two additional sidewalls (SW-15 and 16) were collected; three (3) base samples (CS-10, CS-38, and CS-39) were collected and one (1) additional base sample (CS-40) was collected. Analytical results indicated that all samples were below NMOCD closure criteria.

Soil samples were jarred in lab provided containers, placed on ice then transported under proper chain-of-custody to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that all final samples were below closure criteria for the Site.

Soil samples were collected as a five-point composite and represented an area no greater than 200 square feet. There was an estimated seven hundred and eight (708) cubic yards of impacted material that was excavated and transported off to the closest approved disposal facility.

The confirmation sampling data can be found in this report under Attachment A: Table 2 Confirmation Sampling Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody. The confirmation sample locations are located under Attachment B: Figure 4 Confirmation Sampling Map while photographs of the excavation area are under Attachment D: Photographic Log.



Standard Safety and Supply

<https://standardtx.com/>

Closing

Based on information provided herein Oxy respectfully requests that a no further actions designation be assigned to this incident.

Address: 2524 Trunk St, Odessa TX 79761

Contact: 254-266-5456

Attachments

- Attachment A: Analytical Data Tables
 1. Table 1: Delineation Assessment Analytical Data Table
 2. Table 2: Confirmation Assessment Analytical Data Table
- Attachment B: Figures
 1. Site Location Map
 2. Topographic Map
 3. Delineation Assessment Map
 4. Confirmation Sampling Map
- Attachment C: Site Characterization
 1. OCD Well map and Karst Potential
 2. OSE POD
 3. Open Environment Wetlands
 4. Wetlands Inventory
 5. National Flood Hazard Layer
- Attachment D: Photographic Documentation
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody



Standard Safety and Supply

<https://standardtx.com/>



ATTACHEMENT A: ANALYTICAL DATA TABLES



Table 1: Delineation Assessment Analytical Data Table
 Oxy Usa Inc.
 Silver 33 CTB
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	...**	...**	...**	...**	10 mg/Kg	...*	...*	...*	50 mg/Kg
Sample ID	Depth (ft)	Date											
V-1	0-6"	8/27/2025	112	33,460	11,700	19,600	31,300	2,160	41.1	265	78.0	431	815
	1	8/27/2025	32.0	2,791	656	1,910	2,566	225	0.713	8.68	5.24	31.3	46.0
	2	8/27/2025	32.0	138.1	10.2	111	121.2	16.9	<0.050	0.374	0.307	2.70	3.38
	3	8/27/2025	<16.0	264.4	22.4	217	239.4	25.0	<0.050	0.146	0.127	1.28	1.55
	4	8/27/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	5	8/27/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-2	0-6"	8/27/2025	64.0	23,610	4,060	17,600	21,660	1,950	2.36	28.1	20.4	142	193
	1	8/27/2025	48.0	40.8	<10.0	40.8	40.8	<10.0	0.139	0.329	<0.050	0.286	0.755
	2	8/27/2025	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-3	0-6"	8/27/2025	80.0	1,905	238	1,500	1,738	167	<0.050	0.609	0.979	10.2	11.8
	1	8/27/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	0.204	0.204
V-4	0-6"	8/27/2025	32.0	12,021	2,160	8,880	11,040	981	<2.00	16.7	15.7	119	151
	1	8/27/2025	<16.0	49.9	<10.0	23.2	23.2	26.7	<0.050	<0.050	<0.050	<0.150	<0.300
V-5	0-6"	8/27/2025	<16.0	9,823	1,360	7,610	8,970	853	<0.200	4.85	7.01	76.7	88.5
	1	8/27/2025	<16.0	53.4	<10.0	35.00	35.0	18.4	<0.050	<0.050	<0.050	<0.150	<0.300
H-1	0-6"	8/27/2025	96.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-2	0-6"	8/27/2025	80	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-3	0-6"	8/27/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-4	0-6"	8/27/2025	64	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-5	0-6"	8/27/2025	32	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-6	0-6"	8/27/2025	48	335.2	<10.0	260	260	75.2	<0.050	<0.050	<0.050	<0.150	<0.300
H-6A	0-6"	9/5/2025	32	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

- 1. mg/kg - milligram per kilogram
- 2. TPH - Total Petroleum Hydrocarbons
- 3. (CS) - Confirmation Sample
- 4. (SW) - Sidewall Sample
- 5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal or less than total TPH
- 9. H = Horizontal Sample
- 10. V= Vertical Sample

- 11. Remediation Limits
- 12. Reclamation Limits (0-4ft below ground surface)

Table 2: Confirmation Assessment Analytical Data Table
 Oxy Usa Inc.
 Silver 33 CTB
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	...**	...**	...**	...**	10 mg/Kg	...*	...*	...*	50 mg/Kg
Sample ID	Depth (ft)	Date											
SW-1	0-4	10/16/2025	<16.0	10.8	<10.0	10.8	10.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-2	0-4	10/16/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-3	0-4	10/16/2025	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-4	3-4	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-5	0-1	10/16/2025	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-6	0-1	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-7	0-1	10/16/2025	48.0	1,577	<10.0	1,340	1,340	237	<0.050	<0.050	<0.050	<0.150	<0.300
	0-1	12/5/2025	32	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-8	3-4	11/7/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-9	0-3	11/7/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-10	1-3	11/7/2025	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-11	1-3	11/7/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-12	1-3	11/7/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-13	1-3	11/7/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-14	0-3	11/7/2025	112.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-15	0-4	12/5/2025	32	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-16	0-6	12/5/2025	48	14.8	<10.0	14.8	14.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-1	4	10/16/2025	<16.0	15.5	<10.0	15.5	15.5	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-2	4	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-3	4	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-4	4	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-5	4	10/16/2025	<16.0	12.1	<10.0	12.1	12.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-6	4	10/16/2025	<16.0	31.9	<10.0	31.9	31.9	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-7	1	10/16/2025	<16.0	2,556	<10.0	2,220	2,220	336	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-8	1	10/16/2025	<16.0	1,060	<10.0	908	908	152	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	48.0	79.9	<10.0	79.9	79.9	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-9	1	10/16/2025	<16.0	114.6	<10.0	95.0	95.0	19.6	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-10	1	10/16/2025	48.0	598.8	<10.0	503	503	95.8	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	<16.0	518.3	<10.0	456	456	62.3	<0.050	<0.050	<0.050	<0.150	<0.300
	6	12/5/2025	32	14.3	<10.0	14.3	14.3	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-11	1	10/16/2025	32.0	169.2	<10.0	146.0	146.0	23.2	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-12	1	10/16/2025	<16.0	230.1	<10.0	202.0	202.0	28.1	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-13	1	10/16/2025	<16.0	52.4	<10.0	52.4	52.4	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-14	1	10/16/2025	<16.0	421.1	<10.0	378	378	53.1	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-15	1	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 2: Confirmation Assessment Analytical Data Table
 Oxy Usa Inc.
 Silver 33 CTB
 Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	...**	...**	...**	...**	10 mg/Kg	...*	...*	...*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-16	1	10/16/2025	32.0	154.2	<10.0	139	139	15.2	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-17	1	10/16/2025	32.0	748	<10.0	641	641	107.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-18	1	10/16/2025	<16.0	28.1	<10.0	28.1	28.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-19	1	10/16/2025	<16.0	83.9	<10.0	83.9	83.9	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-20	1	10/16/2025	<16.0	81.7	<10.0	81.7	81.7	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-21	1	10/16/2025	<16.0	210.8	<10.0	181	181	29.8	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-22	1	10/16/2025	<16.0	49.0	<10.0	49.0	49.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-23	1	10/16/2025	<16.0	34.8	<10.0	34.8	34.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-24	1	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-25	1	10/16/2025	16.0	41.8	<10.0	41.8	41.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-26	1	10/16/2025	<16.0	142.9	<10.0	130	130	12.9	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-27	1	10/16/2025	<16.0	94.8	<10.0	94.8	94.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-28	1	10/16/2025	<16.0	63.9	<10.0	63.9	63.9	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-29	1	10/16/2025	<16.0	76.8	<10.0	76.8	76.8	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-30	1	10/16/2025	32.0	22.4	<10.0	22.4	22.4	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-31	1	10/16/2025	<16.0	279.7	<10.0	245.0	245.0	34.7	<0.050	<0.050	<0.050	<0.150	<0.300
	3	11/7/2025	16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-32	1	10/16/2025	<16.0	17.6	<10.0	17.6	17.6	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-33	1	10/16/2025	<16.0	32.3	<10.0	32.3	32.3	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-34	1	10/16/2025	<16.0	10.1	<10.0	10.1	10.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-35	1	10/16/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-36	1	10/16/2025	16.0	27.3	<10.0	27.3	27.3	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-37	1	10/16/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-38	1	11/7/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	12/5/2025	32	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-39	1	11/7/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	12/5/2025	16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-40	1	12/5/2025	16	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

- 1. mg/kg - milligram per kilogram
- 2. TPH - Total Petroleum Hydrocarbons
- 3. (CS) - Confirmation Sample
- 4. (SW) - Sidewall Sample
- 5. * Indicates Value must be equal to or less than Total BTEX

- 6.** Indicates that total value must be equal to or less than total TPH
- 7.*** Indicates that total value must be equal to or less than GRO+DRO total
- 8.**** Indicates that Total value must be equal or less than total TPH
- 9. H = Horizontal Sample
- 10. V= Vertical Sample

- 11. Remediation Limits
- 12. Reclamation Limits (0-4ft below ground surface)

Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT B: FIGURES






Legend

★ Site Location

Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community



**SILVER 33 CTB
OXY USA INC**




Figure 1. (Site Location Map)
Release Date: 08/11/2025
Eddy County, New Mexico

09/10/2025

Coordinates: 32.26444,-103.78418





SILVER 33 CTB
OXY USA INC




Figure 2. (Topographic Map)
 Release Date: 08/11/2025
 Eddy County, New Mexico

09/10/2025

Coordinates: 32.26444,-103.78418





**SILVER 33 CTB
OXY USA INC**




Figure 3. (Delineation Map)
Release Date: 08/11/2025
Eddy County, New Mexico

09/10/2025



Coordinates: 32.26444,-103.78418



SILVER 33 CTB OCCIDENTAL PERMIAN LTD.

Figure 4. Confirmation Sample Map
Eddy County, New Mexico

12/15/2025

Coordinates: 32.26444° N, -103.78418° W

Scale: 1:320



Standard Safety and Supply


<https://standardtx.com/>



ATTACHMENT C: SITE CHRACTERIZATION



OCD Well Locations




9/2/2025, 2:34:56 PM

Wells - Large Scale


- Oil, New
- Oil, Plugged
- Oil, Active
- Oil, Cancelled
- ⚙ Gas, Active
- Low

- ▭ PLSS Second Division
- ▭ PLSS First Division



BLM, OCD, New Mexico Tech, OCD, Maxar, BLM

OSE POD Locations Map



9/2/2025, 2:15:55 PM

World Imagery

High Resolution 30cm Imagery


Low Resolution 15m Imagery

Citations

High Resolution 60cm Imagery

2.4m Resolution Metadata

1:11,161



Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS,
 (c) OpenStreetMap contributors, and the GIS User
 Community, Maxar

Legend Basemap Query 1:4,514

Legend

All Layers On/Off
All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status
Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears
— Riverine

Hydrogeomorphic Mapping (HGM) Polygons

- Depressional
- Flats
- Lacustrine Fringe
- Riverine
- Slope

Landscape Position and Water Body (LLWW) Linears

- Lentic (LE)
- Lotic R/Iver (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landscape Position and Water Body (LLWW) Polygons

- Lentic (LE)
- Lake (LK)
- Lotic River (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)


Landform (LLWW)

- Basin
- Flat
- Floodplain



U.S. Fish and Wildlife Service
National Wetlands Inventory

Silver 33 CTB



U.S. Fish and Wildlife Service, National Standards and Support Team, wetlands_team@fws.gov

September 2, 2025

Wetlands

-  Estuarine and Marine Deepwater
-  Estuarine and Marine Wetland
-  Freshwater Emergent Wetland
-  Freshwater Forested/Shrub Wetland
-  Freshwater Pond
-  Lake
-  Other
-  Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Flood Hazard Layer FIRMette



103°47'23"W 32°16'6"N



1:6,000

103°46'45"W 32°15'36"N

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- SPECIAL FLOOD HAZARD AREAS**
 - Without Base Flood Elevation (BFE) Zone A, V, A99
 - With BFE or Depth Zone AE, AO, AH, VE, AR
 - Regulatory Floodway
 - OTHER AREAS OF FLOOD HAZARD**
 - 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
 - Future Conditions 1% Annual Chance Flood Hazard Zone X
 - Area with Reduced Flood Risk due to Levee. See Notes. Zone X
 - Area with Flood Risk due to Levee Zone D
 - OTHER AREAS**
 - NO SCREEN Area of Minimal Flood Hazard Zone X
 - Effective LOMRs
 - Area of Undetermined Flood Hazard Zone D
 - GENERAL STRUCTURES**
 - Channel, Culvert, or Storm Sewer
 - Levee, Dike, or Floodwall
 - OTHER FEATURES**
 - Cross Sections with 1% Annual Chance Water Surface Elevation
 - Coastal Transect
 - Base Flood Elevation Line (BFE)
 - Limit of Study
 - Jurisdiction Boundary
 - Coastal Transect Baseline
 - Profile Baseline
 - Hydrographic Feature
 - MAP PANELS**
 - Digital Data Available
 - No Digital Data Available
 - Unmapped
- The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/2/2025 at 7:36 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT D: PHOTOGRAPHIC DOCUMENTATION



Before Photo



Area of Concern




Area of Concern



Before Photo



Area of Concern



Area of Concern



Before Photo



Area of Concern



After Photo



View of Excavation



View of Excavation



After Photo



View of Excavation



View of Excavation



After Photo



View of Excavation



Standard Safety and Supply

<https://standardtx.com/>



ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN- OF-CUSTODY





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 09, 2025

ETHAN SESSUMS
STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA, TX 79764

RE: SILVER 33 CTB

Enclosed are the results of analyses for samples received by the laboratory on 08/28/25 11:32.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
V - 1 0-6"	H255368-01	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 1 1	H255368-02	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 1 2	H255368-03	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 1 3	H255368-04	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 1 4	H255368-05	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 1 5	H255368-06	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 2 0-6"	H255368-07	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 2 1	H255368-08	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 2 2	H255368-09	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 3 0-6"	H255368-11	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 3 1	H255368-12	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 4 0-6"	H255368-14	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 4 1	H255368-15	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 5 0-6"	H255368-17	Soil	27-Aug-25 00:00	28-Aug-25 11:32
V - 5 1	H255368-18	Soil	27-Aug-25 00:00	28-Aug-25 11:32
H - 1 0-6"	H255368-20	Soil	27-Aug-25 00:00	28-Aug-25 11:32
H - 2 0-6"	H255368-21	Soil	27-Aug-25 00:00	28-Aug-25 11:32
H - 3 0-6"	H255368-22	Soil	27-Aug-25 00:00	28-Aug-25 11:32
H - 4 0-6"	H255368-23	Soil	27-Aug-25 00:00	28-Aug-25 11:32
H - 5 0-6"	H255368-24	Soil	27-Aug-25 00:00	28-Aug-25 11:32
H - 6 0-6"	H255368-25	Soil	27-Aug-25 00:00	28-Aug-25 11:32

09/09/25 - Client added analysis to samples -05 and -06 (see COC). This is the revised report and will replace the one sent on 09/04/25.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 1 0-6"
H255368-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	112		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	41.1		2.00	mg/kg	2000	5082829	JH	29-Aug-25	8021B	
Toluene*	265		2.00	mg/kg	2000	5082829	JH	29-Aug-25	8021B	
Ethylbenzene*	78.0		2.00	mg/kg	2000	5082829	JH	29-Aug-25	8021B	
Total Xylenes*	431		6.00	mg/kg	2000	5082829	JH	29-Aug-25	8021B	
Total BTEX	815		12.0	mg/kg	2000	5082829	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			126 %	71.5-134		5082829	JH	29-Aug-25	8021B	
--	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

S-06

GRO C6-C10*	11700		100	mg/kg	10	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	19600		100	mg/kg	10	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	2160		100	mg/kg	10	5082838	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			780 %	44.4-145		5082838	MS	29-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			308 %	40.6-153		5082838	MS	29-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 1 1
H255368-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

S-04

Benzene*	0.713		0.200	mg/kg	200	5082829	JH	29-Aug-25	8021B	
Toluene*	8.68		0.200	mg/kg	200	5082829	JH	29-Aug-25	8021B	
Ethylbenzene*	5.24		0.200	mg/kg	200	5082829	JH	29-Aug-25	8021B	
Total Xylenes*	31.3		0.600	mg/kg	200	5082829	JH	29-Aug-25	8021B	
Total BTEX	46.0		1.20	mg/kg	200	5082829	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			141 %	71.5-134		5082829	JH	29-Aug-25	8021B	
--	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	656		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
DRO >C10-C28*	1910		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
EXT DRO >C28-C36	225		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			133 %	44.4-145		5082838	MS	28-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			129 %	40.6-153		5082838	MS	28-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 1 2

H255368-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	0.374		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	0.307		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	2.70		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	QM-07
Total BTEX	3.38		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			116 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	10.2		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
DRO >C10-C28*	111		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
EXT DRO >C28-C36	16.9		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	

Surrogate: 1-Chlorooctane			105 %	44.4-145		5082838	MS	28-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			112 %	40.6-153		5082838	MS	28-Aug-25	8015B	
-------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 1 3

H255368-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	0.146		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	0.127		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	1.28		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	1.55		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			105 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	22.4		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
DRO >C10-C28*	217		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
EXT DRO >C28-C36	25.0		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	

Surrogate: 1-Chlorooctane			111 %	44.4-145		5082838	MS	28-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			116 %	40.6-153		5082838	MS	28-Aug-25	8015B	
-------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 1 4

H255368-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5090523	AC	08-Sep-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5090436	JH	05-Sep-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			99.8 %	71.5-134		5090436	JH	05-Sep-25	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5090502	MS	05-Sep-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5090502	MS	05-Sep-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5090502	MS	05-Sep-25	8015B	

Surrogate: 1-Chlorooctane			92.5 %	44.4-145		5090502	MS	05-Sep-25	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			90.5 %	40.6-153		5090502	MS	05-Sep-25	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 1 5

H255368-06 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5090523	AC	08-Sep-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5090436	JH	05-Sep-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5090436	JH	05-Sep-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			100 %		71.5-134	5090436	JH	05-Sep-25	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5090502	MS	05-Sep-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5090502	MS	05-Sep-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5090502	MS	05-Sep-25	8015B	

Surrogate: 1-Chlorooctane			92.6 %		44.4-145	5090502	MS	05-Sep-25	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			90.6 %		40.6-153	5090502	MS	05-Sep-25	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 2 0-6"
H255368-07 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	64.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	2.36		2.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Toluene*	28.1		2.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	20.4		2.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	142		6.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Total BTEX	193		12.0	mg/kg	2000	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			117 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

S-06

GRO C6-C10*	4060		100	mg/kg	10	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	17600		100	mg/kg	10	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	1950		100	mg/kg	10	5082838	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			659 %	44.4-145		5082838	MS	29-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			300 %	40.6-153		5082838	MS	29-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 2 1

H255368-08 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	48.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	0.139		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	0.329		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	0.286		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	0.755		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.1 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	40.8		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			112 %	44.4-145		5082838	MS	29-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			118 %	40.6-153		5082838	MS	29-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 2 2

H255368-09 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	64.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.5 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	

Surrogate: 1-Chlorooctane			105 %	44.4-145		5082838	MS	28-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			109 %	40.6-153		5082838	MS	28-Aug-25	8015B	
-------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 3 0-6"
H255368-11 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	80.0		16.0	mg/kg	4	5082941	AC	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

S-04

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	0.609		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	0.979		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	10.2		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	11.8		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			193 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	238		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
DRO >C10-C28*	1500		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	
EXT DRO >C28-C36	167		10.0	mg/kg	1	5082838	MS	28-Aug-25	8015B	

Surrogate: 1-Chlorooctane			115 %	44.4-145		5082838	MS	28-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			113 %	40.6-153		5082838	MS	28-Aug-25	8015B	
-------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 3 1

H255368-12 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	48.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	0.204		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			92.4 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			105 %	44.4-145		5082838	MS	29-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			108 %	40.6-153		5082838	MS	29-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 4 0-6"
H255368-14 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<2.00		2.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Toluene*	16.7		2.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	15.7		2.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	119		6.00	mg/kg	2000	5082830	JH	29-Aug-25	8021B	
Total BTEX	151		12.0	mg/kg	2000	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			114 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

S-04

GRO C6-C10*	2160		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	8880		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	981		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

Surrogate: 1-Chlorooctane			322 %	44.4-145		5082838	MS	29-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			175 %	40.6-153		5082838	MS	29-Aug-25	8015B	
-------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 4 1

H255368-15 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			91.4 %		71.5-134	5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	23.2		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	26.7		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

Surrogate: 1-Chlorooctane			106 %		44.4-145	5082838	MS	29-Aug-25	8015B	
---------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			112 %		40.6-153	5082838	MS	29-Aug-25	8015B	
-------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 5 0-6"
H255368-17 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

S-04

Benzene*	<0.200		0.200	mg/kg	200	5082830	JH	29-Aug-25	8021B	
Toluene*	4.85		0.200	mg/kg	200	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	7.01		0.200	mg/kg	200	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	76.7		0.600	mg/kg	200	5082830	JH	29-Aug-25	8021B	
Total BTEX	88.5		1.20	mg/kg	200	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			228 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

S-04

GRO C6-C10*	1360		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	7610		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	853		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

Surrogate: 1-Chlorooctane			267 %	44.4-145		5082838	MS	29-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			149 %	40.6-153		5082838	MS	29-Aug-25	8015B	
-------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

V - 5 1
H255368-18 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.4 %		71.5-134	5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	35.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	18.4		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

Surrogate: 1-Chlorooctane			104 %		44.4-145	5082838	MS	29-Aug-25	8015B	
---------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			110 %		40.6-153	5082838	MS	29-Aug-25	8015B	
-------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

H - 1 0-6"
H255368-20 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	96.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.7 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			90.6 %	44.4-145		5082838	MS	29-Aug-25	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			93.9 %	40.6-153		5082838	MS	29-Aug-25	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

H - 2 0-6"
H255368-21 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	80.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.0 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082838	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			87.2 %	44.4-145		5082838	MS	29-Aug-25	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			87.7 %	40.6-153		5082838	MS	29-Aug-25	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

H - 3 0-6"
H255368-22 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			92.8 %		71.5-134	5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	

Surrogate: 1-Chlorooctane			105 %		44.4-145	5082845	MS	29-Aug-25	8015B	
---------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			101 %		40.6-153	5082845	MS	29-Aug-25	8015B	
-------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

**H - 4 0-6''
H255368-23 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	64.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			90.1 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			107 %	44.4-145		5082845	MS	29-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			102 %	40.6-153		5082845	MS	29-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

**H - 5 0-6"
H255368-24 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			90.3 %	71.5-134		5082830	JH	29-Aug-25	8021B	
---------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	

Surrogate: 1-Chlorooctane			100 %	44.4-145		5082845	MS	29-Aug-25	8015B	
---------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			95.8 %	40.6-153		5082845	MS	29-Aug-25	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

H - 6 0-6"
H255368-25 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	48.0		16.0	mg/kg	4	5082840	KH	29-Aug-25	4500-CI-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5082830	JH	29-Aug-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5082830	JH	29-Aug-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			91.2 %	71.5-134		5082830	JH	29-Aug-25	8021B	
--	--	--	--------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
DRO >C10-C28*	260		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	
EXT DRO >C28-C36	75.2		10.0	mg/kg	1	5082845	MS	29-Aug-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			116 %	44.4-145		5082845	MS	29-Aug-25	8015B	
----------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			122 %	40.6-153		5082845	MS	29-Aug-25	8015B	
--------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5082840 - 1:4 DI Water

Blank (5082840-BLK1)				Prepared & Analyzed: 28-Aug-25						
Chloride	ND	16.0	mg/kg							
LCS (5082840-BS1)				Prepared & Analyzed: 28-Aug-25						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (5082840-BSD1)				Prepared & Analyzed: 28-Aug-25						
Chloride	416	16.0	mg/kg	400		104	80-120	0.00	20	

Batch 5082941 - 1:4 DI Water

Blank (5082941-BLK1)				Prepared & Analyzed: 29-Aug-25						
Chloride	ND	16.0	mg/kg							
LCS (5082941-BS1)				Prepared & Analyzed: 29-Aug-25						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (5082941-BSD1)				Prepared & Analyzed: 29-Aug-25						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Batch 5090523 - 1:4 DI Water

Blank (5090523-BLK1)				Prepared & Analyzed: 05-Sep-25						
Chloride	ND	16.0	mg/kg							
LCS (5090523-BS1)				Prepared & Analyzed: 05-Sep-25						
Chloride	432	16.0	mg/kg	400		108	80-120			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5090523 - 1:4 DI Water

LCS Dup (5090523-BSD1)

Prepared & Analyzed: 05-Sep-25

Chloride	400	16.0	mg/kg	400		100	80-120	7.69	20	
----------	-----	------	-------	-----	--	-----	--------	------	----	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: SILVER 33 CTB
Project Number: NONE GIVEN
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
09-Sep-25 11:18

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5082829 - Volatiles**Blank (5082829-BLK1)**

Prepared & Analyzed: 28-Aug-25

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0509		mg/kg	0.0500		102	71.5-134			

LCS (5082829-BS1)

Prepared & Analyzed: 28-Aug-25

Benzene	1.84	0.050	mg/kg	2.00		91.8	76.3-129			
Toluene	1.97	0.050	mg/kg	2.00		98.4	84.1-129			
Ethylbenzene	2.05	0.050	mg/kg	2.00		103	80.1-133			
m,p-Xylene	4.12	0.100	mg/kg	4.00		103	81.4-134			
o-Xylene	2.04	0.050	mg/kg	2.00		102	81.4-133			
Total Xylenes	6.16	0.150	mg/kg	6.00		103	81.5-134			
Surrogate: 4-Bromofluorobenzene (PID)	0.0498		mg/kg	0.0500		99.5	71.5-134			

LCS Dup (5082829-BSD1)

Prepared & Analyzed: 28-Aug-25

Benzene	1.80	0.050	mg/kg	2.00		90.2	76.3-129	1.75	15.8	
Toluene	1.96	0.050	mg/kg	2.00		98.2	84.1-129	0.252	15.9	
Ethylbenzene	2.00	0.050	mg/kg	2.00		100	80.1-133	2.52	16	
m,p-Xylene	3.98	0.100	mg/kg	4.00		99.6	81.4-134	3.39	16.2	
o-Xylene	1.97	0.050	mg/kg	2.00		98.4	81.4-133	3.52	16.7	
Total Xylenes	5.95	0.150	mg/kg	6.00		99.2	81.5-134	3.43	16.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0494		mg/kg	0.0500		98.8	71.5-134			

Batch 5082830 - Volatiles**Blank (5082830-BLK1)**

Prepared: 28-Aug-25 Analyzed: 29-Aug-25

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
PO BOX 14987
ODESSA TX, 79764

Project: SILVER 33 CTB
Project Number: NONE GIVEN
Project Manager: ETHAN SESSUMS
Fax To: NA

Reported:
09-Sep-25 11:18

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5082830 - Volatiles**Blank (5082830-BLK1)**

Prepared: 28-Aug-25 Analyzed: 29-Aug-25

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		90.6	71.5-134			

LCS (5082830-BS1)

Prepared: 28-Aug-25 Analyzed: 29-Aug-25

Benzene	1.68	0.050	mg/kg	2.00		84.1	76.3-129			
Toluene	1.79	0.050	mg/kg	2.00		89.7	84.1-129			
Ethylbenzene	1.83	0.050	mg/kg	2.00		91.3	80.1-133			
m,p-Xylene	3.60	0.100	mg/kg	4.00		90.1	81.4-134			
o-Xylene	1.81	0.050	mg/kg	2.00		90.5	81.4-133			
Total Xylenes	5.41	0.150	mg/kg	6.00		90.2	81.5-134			
Surrogate: 4-Bromofluorobenzene (PID)	0.0447		mg/kg	0.0500		89.5	71.5-134			

LCS Dup (5082830-BSD1)

Prepared: 28-Aug-25 Analyzed: 29-Aug-25

Benzene	1.77	0.050	mg/kg	2.00		88.7	76.3-129	5.29	15.8	
Toluene	1.87	0.050	mg/kg	2.00		93.6	84.1-129	4.22	15.9	
Ethylbenzene	1.89	0.050	mg/kg	2.00		94.6	80.1-133	3.59	16	
m,p-Xylene	3.73	0.100	mg/kg	4.00		93.2	81.4-134	3.35	16.2	
o-Xylene	1.86	0.050	mg/kg	2.00		93.0	81.4-133	2.70	16.7	
Total Xylenes	5.59	0.150	mg/kg	6.00		93.1	81.5-134	3.14	16.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0448		mg/kg	0.0500		89.6	71.5-134			

Batch 5090436 - Volatiles**Blank (5090436-BLK1)**

Prepared: 04-Sep-25 Analyzed: 05-Sep-25

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		98.9	71.5-134			

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5090436 - Volatiles

LCS (5090436-BS1)

Prepared: 04-Sep-25 Analyzed: 05-Sep-25

Benzene	1.78	0.050	mg/kg	2.00		89.1	76.3-129			
Toluene	1.88	0.050	mg/kg	2.00		94.2	84.1-129			
Ethylbenzene	1.90	0.050	mg/kg	2.00		95.1	80.1-133			
m,p-Xylene	3.80	0.100	mg/kg	4.00		95.0	81.4-134			
o-Xylene	1.89	0.050	mg/kg	2.00		94.4	81.4-133			
Total Xylenes	5.69	0.150	mg/kg	6.00		94.8	81.5-134			

Surrogate: 4-Bromofluorobenzene (PID)

0.0474 mg/kg 0.0500 94.8 71.5-134

LCS Dup (5090436-BS1)

Prepared: 04-Sep-25 Analyzed: 05-Sep-25

Benzene	1.87	0.050	mg/kg	2.00		93.3	76.3-129	4.62	15.8	
Toluene	1.95	0.050	mg/kg	2.00		97.4	84.1-129	3.28	15.9	
Ethylbenzene	1.94	0.050	mg/kg	2.00		96.8	80.1-133	1.71	16	
m,p-Xylene	3.87	0.100	mg/kg	4.00		96.8	81.4-134	1.96	16.2	
o-Xylene	1.91	0.050	mg/kg	2.00		95.3	81.4-133	0.891	16.7	
Total Xylenes	5.78	0.150	mg/kg	6.00		96.3	81.5-134	1.60	16.3	

Surrogate: 4-Bromofluorobenzene (PID)

0.0479 mg/kg 0.0500 95.7 71.5-134

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5082838 - General Prep - Organics

Blank (5082838-BLK1)		Prepared & Analyzed: 28-Aug-25								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	47.6		mg/kg	50.0		95.2	44.4-145			
Surrogate: 1-Chlorooctadecane	49.3		mg/kg	50.0		98.5	40.6-153			

LCS (5082838-BS1)		Prepared & Analyzed: 28-Aug-25								
GRO C6-C10	193	10.0	mg/kg	200		96.3	81.5-123			
DRO >C10-C28	195	10.0	mg/kg	200		97.4	77.7-122			
Total TPH C6-C28	387	10.0	mg/kg	400		96.8	80.9-121			
Surrogate: 1-Chlorooctane	51.3		mg/kg	50.0		103	44.4-145			
Surrogate: 1-Chlorooctadecane	54.0		mg/kg	50.0		108	40.6-153			

LCS Dup (5082838-BS1)		Prepared & Analyzed: 28-Aug-25								
GRO C6-C10	192	10.0	mg/kg	200		96.1	81.5-123	0.229	13	
DRO >C10-C28	195	10.0	mg/kg	200		97.3	77.7-122	0.0740	15.6	
Total TPH C6-C28	387	10.0	mg/kg	400		96.7	80.9-121	0.151	18.5	
Surrogate: 1-Chlorooctane	50.8		mg/kg	50.0		102	44.4-145			
Surrogate: 1-Chlorooctadecane	53.0		mg/kg	50.0		106	40.6-153			

Batch 5082845 - General Prep - Organics

Blank (5082845-BLK1)		Prepared: 28-Aug-25 Analyzed: 29-Aug-25								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	46.5		mg/kg	50.0		93.0	44.4-145			
Surrogate: 1-Chlorooctadecane	44.4		mg/kg	50.0		88.9	40.6-153			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5082845 - General Prep - Organics

LCS (5082845-BS1)		Prepared: 28-Aug-25 Analyzed: 29-Aug-25								
GRO C6-C10	183	10.0	mg/kg	200		91.5	81.5-123			
DRO >C10-C28	182	10.0	mg/kg	200		90.9	77.7-122			
Total TPH C6-C28	365	10.0	mg/kg	400		91.2	80.9-121			
Surrogate: 1-Chlorooctane	55.5		mg/kg	50.0		111	44.4-145			
Surrogate: 1-Chlorooctadecane	49.2		mg/kg	50.0		98.5	40.6-153			

LCS Dup (5082845-BSD1)		Prepared: 28-Aug-25 Analyzed: 29-Aug-25								
GRO C6-C10	184	10.0	mg/kg	200		92.0	81.5-123	0.513	13	
DRO >C10-C28	182	10.0	mg/kg	200		91.1	77.7-122	0.134	15.6	
Total TPH C6-C28	366	10.0	mg/kg	400		91.5	80.9-121	0.325	18.5	
Surrogate: 1-Chlorooctane	55.2		mg/kg	50.0		110	44.4-145			
Surrogate: 1-Chlorooctadecane	48.9		mg/kg	50.0		97.8	40.6-153			

Batch 5090502 - General Prep - Organics

Blank (5090502-BLK1)		Prepared & Analyzed: 05-Sep-25								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	53.7		mg/kg	50.0		107	44.4-145			
Surrogate: 1-Chlorooctadecane	54.5		mg/kg	50.0		109	40.6-153			

LCS (5090502-BS1)		Prepared & Analyzed: 05-Sep-25								
GRO C6-C10	211	10.0	mg/kg	200		106	81.5-123			
DRO >C10-C28	200	10.0	mg/kg	200		100	77.7-122			
Total TPH C6-C28	411	10.0	mg/kg	400		103	80.9-121			
Surrogate: 1-Chlorooctane	57.1		mg/kg	50.0		114	44.4-145			
Surrogate: 1-Chlorooctadecane	58.5		mg/kg	50.0		117	40.6-153			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: SILVER 33 CTB Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Sep-25 11:18
--	--	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5090502 - General Prep - Organics

LCS Dup (5090502-BSD1)

Prepared & Analyzed: 05-Sep-25

GRO C6-C10	205	10.0	mg/kg	200		102	81.5-123	3.19	13	
DRO >C10-C28	193	10.0	mg/kg	200		96.7	77.7-122	3.31	15.6	
Total TPH C6-C28	398	10.0	mg/kg	400		99.5	80.9-121	3.25	18.5	
Surrogate: 1-Chlorooctane	54.2		mg/kg	50.0		108	44.4-145			
Surrogate: 1-Chlorooctadecane	56.0		mg/kg	50.0		112	40.6-153			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 1 of 3

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA INC
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Project Name:	Silver 33 CTB	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush
Project Number:		Due Date:	5 Day
Project Location:	Eddy Co. New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Kenny Han	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
PO #:	4502796371	Thermometer ID:	140
SAMPLE RECEIPT		Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
		Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
		Total Containers:	25

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters			Preservative Codes
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	
V-1	0-6"	8/27/2025		Soil	Grab	1	X	X	X	
V-1	1	8/27/2025		Soil	Grab	1	X	X	X	
V-1	2	8/27/2025		Soil	Grab	1	X	X	X	
V-1	3	8/27/2025		Soil	Grab	1	X	X	X	
V-1	4	8/27/2025		Soil	Grab	1	X	X	X	
V-1	5	8/27/2025		Soil	Grab	1	X	X	X	
V-2	0-6"	8/27/2025		Soil	Grab	1	X	X	X	
V-2	1	8/27/2025		Soil	Grab	1	X	X	X	
V-2	2	8/27/2025		Soil	Grab	1	X	X	X	
V-2	3	8/27/2025		Soil	Grab	1	X	X	X	

Hold removed 9/4/25

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Kenny Han	<i>Skatman</i>	8:28:25 1/33			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA INC
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 3 of 1

Work Order Comments

H2553408

Project Name:	Project Number:	Project Location:	Sampler's Name:	PO #:	Turn Around		Pres. Code	ANALYSIS REQUEST						Preservative Codes	
					<input checked="" type="checkbox"/> Routine	<input type="checkbox"/> Rush		Due Date:	5 Day	Parameters					
Silver 33 CTB		Eddy Co. New Mexico	Kenny Han	4502795371				BTEX 8012B						None: NO	
								TPH 8015M (GRO-DRO-MRO)						Cool: Cool	
								Chloride 4500 or EPA 300						HCL: HC	
SAMPLE RECEIPT					Temp Blank:	Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Wet Ice:							H ₂ SO ₄ : H ₂	
Samples Received Intact:					Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Thermometer ID:							H ₃ PO ₄ : HP		
Cooler Custody Seals:					Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Correction Factor:							NaHSO ₄ : NABIS		
Sample Custody Seals:					Yes <input checked="" type="checkbox"/> No <input checked="" type="checkbox"/>	Temperature Reading:							Na ₂ S ₂ O ₃ : NaSO ₃		
Total Containers:					25	Corrected Temperature:							Zn Acetate+NaOH: Zn		
													NaOH+Ascorbic Acid: SAPC		
Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont							Sample Comments	
H-2		0-6"	8/27/2025		Soil	Grab	1	X	X	X					21
H-3		0-6"	8/27/2025		Soil	Grab	1	X	X	X					22
H-4		0-6"	8/27/2025		Soil	Grab	1	X	X	X					23
H-5		0-6"	8/27/2025		Soil	Grab	1	X	X	X					24
H-6		0-6"	8/27/2025		Soil	Grab	1	X	X	X					25
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time					
Kenny Han		Ethan Sessums		8/28/25 1332											

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 11, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: SILVER 33 CTB

Enclosed are the results of analyses for samples received by the laboratory on 09/05/25 14:58.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	09/05/2025	Sampling Date:	09/05/2025
Reported:	09/11/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: H - 6A 0-6" (H255565-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/08/2025	ND	1.89	94.3	2.00	1.30	
Toluene*	<0.050	0.050	09/08/2025	ND	1.91	95.5	2.00	0.675	
Ethylbenzene*	<0.050	0.050	09/08/2025	ND	1.89	94.3	2.00	0.624	
Total Xylenes*	<0.150	0.150	09/08/2025	ND	5.57	92.8	6.00	0.752	
Total BTEX	<0.300	0.300	09/08/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/08/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/08/2025	ND	211	105	200	4.47	
DRO >C10-C28*	<10.0	10.0	09/08/2025	ND	206	103	200	6.09	
EXT DRO >C28-C36	<10.0	10.0	09/08/2025	ND					

Surrogate: 1-Chlorooctane 82.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 22, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: SILVER 33 CTB

Enclosed are the results of analyses for samples received by the laboratory on 10/16/25 15:07.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 1 (H256546-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13		
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	15.5	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 92.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 2 (H256546-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13		
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 96.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 100 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 3 (H256546-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13	
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 99.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 4 (H256546-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13	
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 109 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 5 (H256546-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13	
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	12.1	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 89.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 6 (H256546-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13		
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	31.9	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 97.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 7 (H256546-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13	
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 128 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	2220	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	336	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 74.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 8 (H256546-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13	
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 126 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	908	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	152	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 138 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 9 (H256546-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13	
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	95.0	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	19.6	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 113 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 10 (H256546-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13		
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/17/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	503	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	95.8	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 127 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 11 (H256546-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13		
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	146	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	23.2	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 93.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 12 (H256546-12)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.05	102	2.00	3.13		
Toluene*	<0.050	0.050	10/17/2025	ND	2.17	109	2.00	5.29		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.30	115	2.00	6.58		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.91	115	6.00	6.97		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	202	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	28.1	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 100 % 52.4-130

Surrogate: 1-Chlorooctadecane 115 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 13 (H256546-13)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	52.4	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 91.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 14 (H256546-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	378	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	53.1	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 85.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 15 (H256546-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 97.3 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 100 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 16 (H256546-16)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	139	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	15.2	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 98.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 17 (H256546-17)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21	
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20	
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71	
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88	
Total BTEX	<0.300	0.300	10/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/17/2025	ND	416	104	400	3.92	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51	
DRO >C10-C28*	641	10.0	10/17/2025	ND	192	96.2	200	0.300	
EXT DRO >C28-C36	107	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 98.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 129 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 18 (H256546-18)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	28.1	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 96.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 19 (H256546-19)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	83.9	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 96.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 20 (H256546-20)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	190	95.2	200	3.51		
DRO >C10-C28*	81.7	10.0	10/17/2025	ND	192	96.2	200	0.300		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 110 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 21 (H256546-21)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	181	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	29.8	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 85.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 22 (H256546-22)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	49.0	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 88.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 23 (H256546-23)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/17/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/17/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/17/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/17/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/17/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	34.8	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 86.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 24 (H256546-24)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 94.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 25 (H256546-25)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	41.8	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 84.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 26 (H256546-26)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	130	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	12.9	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 89.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 27 (H256546-27)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	94.8	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 96.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 28 (H256546-28)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	63.9	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 92.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 29 (H256546-29)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	76.8	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 85.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 30 (H256546-30)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.0 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/17/2025	ND	416	104	400	3.92		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	22.4	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 92.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 31 (H256546-31)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21	
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	245	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	34.7	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 70.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 32 (H256546-32)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	10/18/2025	ND	2.25	113	2.00	8.21		
Toluene*	<0.050	0.050	10/18/2025	ND	2.12	106	2.00	6.20		
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.16	108	2.00	6.71		
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.42	107	6.00	5.88		
Total BTEX	<0.300	0.300	10/18/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.9 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: ms						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52		
DRO >C10-C28*	17.6	10.0	10/17/2025	ND	215	108	200	4.87		
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND						

Surrogate: 1-Chlorooctane 84.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 33 (H256546-33)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	32.3	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 82.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 34 (H256546-34)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	10.1	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 81.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 35 (H256546-35)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 92.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 36 (H256546-36)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	27.3	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 90.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 37 (H256546-37)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 92.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 1 (H256546-38)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 106 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	10.8	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 94.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 2 (H256546-39)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 86.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 3 (H256546-40)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: ms					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	204	102	200	3.52	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	215	108	200	4.87	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 92.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 91.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 4 (H256546-41)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	216	108	200	2.03	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	209	104	200	5.98	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 84.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 5 (H256546-42)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	216	108	200	2.03	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	209	104	200	5.98	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 87.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 6 (H256546-43)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	216	108	200	2.03	
DRO >C10-C28*	<10.0	10.0	10/17/2025	ND	209	104	200	5.98	
EXT DRO >C28-C36	<10.0	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 86.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	10/16/2025	Sampling Date:	10/16/2025
Reported:	10/22/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 7 (H256546-44)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/18/2025	ND	2.19	110	2.00	1.80	
Toluene*	<0.050	0.050	10/18/2025	ND	2.13	106	2.00	1.92	
Ethylbenzene*	<0.050	0.050	10/18/2025	ND	2.15	108	2.00	2.30	
Total Xylenes*	<0.150	0.150	10/18/2025	ND	6.63	110	6.00	2.10	
Total BTEX	<0.300	0.300	10/18/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/17/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/17/2025	ND	216	108	200	2.03	
DRO >C10-C28*	1340	10.0	10/17/2025	ND	209	104	200	5.98	
EXT DRO >C28-C36	237	10.0	10/17/2025	ND					

Surrogate: 1-Chlorooctane 74.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA INC
Address:	2425 Trunk St. Odessa, Texas, 79761	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

Project Name:	Silver 33 CTB	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code	
Project Number:		Due Date:	5 Day		
Project Location:	Eddy Co, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Kenny Han	Wet Ice:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
PO #:	4502795371	Thermometer ID:	#1110		
SAMPLE RECEIPT	Temp Blank:	Yes	<input checked="" type="checkbox"/> No		
Samples Received Intact:	Yes	<input checked="" type="checkbox"/> No			
Cooler Custody Seals:	Yes	<input checked="" type="checkbox"/> No			
Sample Custody Seals:	Yes	<input checked="" type="checkbox"/> No			
Total Containers:	44	Correction Factor:	+0.3		
		Temperature Reading:	-0.1		
		Corrected Temperature:	0.2		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters			Sample Comments				
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300					
CS-11		10/16/2025		Soil	Com	1	X	X	X					
CS-12		10/16/2025		Soil	Com	1	X	X	X					
CS-13		10/16/2025		Soil	Com	1	X	X	X					
CS-14		10/16/2025		Soil	Com	1	X	X	X					
CS-15		10/16/2025		Soil	Com	1	X	X	X					
CS-16		10/16/2025		Soil	Com	1	X	X	X					
CS-17		10/16/2025		Soil	Com	1	X	X	X					
CS-18		10/16/2025		Soil	Com	1	X	X	X					
CS-19		10/16/2025		Soil	Com	1	X	X	X					
CS-20		10/16/2025		Soil	Com	1	X	X	X					
Relinquished by: (Signature)							Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
Kenny Han							10/16/2025 1507							

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA INC
Address:	2425 Trunk St. Odessa, Texas, 79761	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761	
Contact: (432) 653-0393	
https://standardtx.com/	
Page	3 of 5
Work Order Comments	

Project Name:	Silver 33 CTB	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code	
Project Number:		Due Date:	5 Day		
Project Location:	Eddy Co, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Kenny Han	Wet Ice:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No		
PO #:	4502795371	Thermometer ID:	#114		
SAMPLE RECEIPT	Temp Blank:	Yes	No		
Samples Received In tact:	Yes	No	N/A		
Cooler Custody Seals:	Yes	No	N/A		
Sample Custody Seals:	Yes	No	N/A		
Total Containers:	44	Temperature Reading:	-0.1c		
		Corrected Temperature:	0.2c		

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	ANALYSIS REQUEST			Preservative Codes	Sample Comments
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300		
CS-21		10/16/2025		Soil	Com	1	X	X	X		H2SO4 - 21
CS-22		10/16/2025		Soil	Com	1	X	X	X		22
CS-23		10/16/2025		Soil	Com	1	X	X	X		23
CS-24		10/16/2025		Soil	Com	1	X	X	X		24
CS-25		10/16/2025		Soil	Com	1	X	X	X		25
CS-26		10/16/2025		Soil	Com	1	X	X	X		26
CS-27		10/16/2025		Soil	Com	1	X	X	X		27
CS-28		10/16/2025		Soil	Com	1	X	X	X		28
CS-29		10/16/2025		Soil	Com	1	X	X	X		29
CS-30		10/16/2025		Soil	Com	1	X	X	X		30
Relinquished by: (Signature)							Date/Time	Relinquished by: (Signature)			Date/Time
Kenny Han							10/16/2025				
Received by: (Signature)							Date/Time	Received by: (Signature)			Date/Time
Kenny Han							10/16/2025				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 13, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: SILVER 33 CTB

Enclosed are the results of analyses for samples received by the laboratory on 11/07/25 15:19.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 7 (H257047-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/11/2025	ND	1.99	99.4	2.00	2.23		
Toluene*	<0.050	0.050	11/11/2025	ND	2.05	103	2.00	5.89		
Ethylbenzene*	<0.050	0.050	11/11/2025	ND	2.02	101	2.00	6.20		
Total Xylenes*	<0.150	0.150	11/11/2025	ND	6.24	104	6.00	6.24		
Total BTEX	<0.300	0.300	11/11/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/11/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	195	97.6	200	3.95		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	224	112	200	3.57		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 91.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 8 (H257047-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	GC-NC	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/11/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	195	97.6	200	3.95		
DRO >C10-C28*	79.9	10.0	11/11/2025	ND	224	112	200	3.57		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 96.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 9 (H257047-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	11/11/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	195	97.6	200	3.95	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	224	112	200	3.57	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 96.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 10 (H257047-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	195	97.6	200	3.95		
DRO >C10-C28*	456	10.0	11/11/2025	ND	224	112	200	3.57		
EXT DRO >C28-C36	62.3	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 93.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 11 (H257047-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	195	97.6	200	3.95		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	224	112	200	3.57		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 95.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 12 (H257047-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	195	97.6	200	3.95		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	224	112	200	3.57		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 14 (H257047-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 97.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 16 (H257047-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 96.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 17 (H257047-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 92.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 21 (H257047-10)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 96.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 26 (H257047-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 95.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 31 (H257047-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 97.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 38 (H257047-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 81.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS - 39 (H257047-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.4 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 87.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 8 (H257047-15)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 95.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 9 (H257047-16)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445	
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662	
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226	
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167	
Total BTEX	<0.300	0.300	11/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 98.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/10/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573	
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218	
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND					

Surrogate: 1-Chlorooctane 92.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 10 (H257047-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 100 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 11 (H257047-18)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 90.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 12 (H257047-19)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 99.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 13 (H257047-20)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	11/07/2025	Sampling Date:	11/07/2025
Reported:	11/13/2025	Sampling Type:	Sludge
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW - 14 (H257047-21)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/12/2025	ND	2.22	111	2.00	0.445		
Toluene*	<0.050	0.050	11/12/2025	ND	2.21	111	2.00	0.662		
Ethylbenzene*	<0.050	0.050	11/12/2025	ND	2.17	108	2.00	0.226		
Total Xylenes*	<0.150	0.150	11/12/2025	ND	6.52	109	6.00	0.167		
Total BTEX	<0.300	0.300	11/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 98.8 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	11/10/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/11/2025	ND	202	101	200	0.573		
DRO >C10-C28*	<10.0	10.0	11/11/2025	ND	220	110	200	0.0218		
EXT DRO >C28-C36	<10.0	10.0	11/11/2025	ND						

Surrogate: 1-Chlorooctane 101 % 52.4-130

Surrogate: 1-Chlorooctadecane 100 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- GC-NC 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.
BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>

Work Order Comments

000824014 - P11 JAS

Project Name:	Silver 33 CTB	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josh James	Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Well Ice:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>
PO #:		Samples Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID:	#1140
SAMPLE RECEIPT		Cooler Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Correction Factor:	+0.31
		Sample Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Temperature Reading:	1.31
		Total Containers:	21	Corrected Temperature:	1.01

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab Com	# of Cont	Parameters			Relinquished by: (Signature)	Received by: (Signature)	Date/Time
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300			
CS-7	Soil	11/7/2025			Com	1	X	X	X			
CS-8	Soil	11/7/2025			Com	1	X	X	X			
CS-9	Soil	11/7/2025			Com	1	X	X	X			
CS-10	Soil	11/7/2025			Com	1	X	X	X			
CS-11	Soil	11/7/2025			Com	1	X	X	X			
CS-12	Soil	11/7/2025			Com	1	X	X	X			
CS-14	Soil	11/7/2025			Com	1	X	X	X			
CS-16	Soil	11/7/2025			Com	1	X	X	X			
CS-17	Soil	11/7/2025			Com	1	X	X	X			
Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time		
Josh James		[Signature]		11-7-25/1519								

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Main Office: 2524 Trunk Street, Odessa Texas 79761

Contact: (432) 653-0393

<https://standardtx.com/>

Page 2 of 3

Project Name:	Silver 33 CTB	Turn Around	<input checked="" type="checkbox"/> Routine <input type="checkbox"/> Rush	Pres. Code	
Project Number:		Due Date:			
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.			
Sampler's Name:	Josh James	Wet Ice:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>		
PO #:		Thermometer ID:	#110		
SAMPLE RECEIPT	Temp Blank:	Correction Factor:	#10.3		
Samples Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Temperature Reading:	1.3		
Cooler Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Corrected Temperature:	1.0		
Sample Custody Seals:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>				
Total Containers:	21				

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab Com	# of Cont	Parameters			Sample Comments
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	
CS-21	Soil	11/7/2025			Com	1	X	X	X	HASTA7
CS-26	Soil	11/7/2025			Com	1	X	X	X	
CS-31	Soil	11/7/2025			Com	1	X	X	X	
CS-38	Soil	11/7/2025			Com	1	X	X	X	
CS-30	Soil	11/7/2025			Com	1	X	X	X	
CS-39	Soil	11/7/2025			Com	1	X	X	X	
Relinquished by: (Signature)	Received by: (Signature)		Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time				
1 Josh James	[Signature]		11-7-25 1519			2				
3						4				
5						6				

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



Chain of Custody

Project Manager: Ethan Sessums
 Company Name: Standard Safety & Supply
 Address: 2425 Trunk St
 City, State ZIP: Odessa, Texas, 79761
 Phone: 254-266-5456
 Email: Ethan.Sessums@standardtx.com

Bill to: (if different) Daniel Sparks
 Company Name: Oxy USA Inc
 Address:
 City, State ZIP:

Main Office: 2524 Trunk Street, Odessa Texas 79761
 Contact: (432) 653-0393
<https://standardtx.com/>
 Page 3 of 3

Project Name: Silver 33 CTB
 Project Number:
 Project Location: Eddy County, New Mexico
 Sampler's Name: Josh James
 PO #:
 Turn Around: Routine Rush
 Due Date:
 TAT may vary based on lab start time.
 Temp Blank: Yes No
 Thermometer ID: #140
 Cooler Custody Seals: Yes No
 Correction Factor: 10.35
 Sample Custody Seals: Yes No
 Temperature Reading: 1.35
 Total Containers: 21
 Corrected Temperature: 1.05

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab Com	# of Cont	ANALYSIS REQUEST						Preservative Codes	Sample Comments				
							BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300									
15 SW-8	Soil	11/7/2025			Com	1	X	X	X									
16 SW-9	Soil	11/7/2025			Com	1	X	X	X									
17 SW-10	Soil	11/7/2025			Com	1	X	X	X									
18 SW-11	Soil	11/7/2025			Com	1	X	X	X									
19 SW-12	Soil	11/7/2025			Com	1	X	X	X									
20 SW-13	Soil	11/7/2025			Com	1	X	X	X									
21 SW-14	Soil	11/7/2025			Com	1	X	X	X									

Relinquished by: (Signature) Received by: (Signature) Date/Time

1 Josh James [Signature] 11-7-25/199 2
 3 [Signature] 4
 5
 6

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 12, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: SILVER 33 CTB

Enclosed are the results of analyses for samples received by the laboratory on 12/08/25 14:44.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

- Method EPA 552.2 Haloacetic Acids (HAA-5)
- Method EPA 524.2 Total Trihalomethanes (TTHM)
- Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS-10 (H257613-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16	
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17	
DRO >C10-C28*	14.3	10.0	12/09/2025	ND	216	108	200	4.85	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane 86.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS-38 (H257613-02)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16		
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48		
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97		
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90		
Total BTEX	<0.300	0.300	12/09/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	12/09/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17		
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85		
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND						

Surrogate: 1-Chlorooctane 91.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS-39 (H257613-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16	
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 105 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane 90.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: CS-40 (H257613-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16		
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48		
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97		
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90		
Total BTEX	<0.300	0.300	12/09/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	12/09/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17		
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85		
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND						

Surrogate: 1-Chlorooctane 90.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW-7 (H257613-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16		
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48		
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97		
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90		
Total BTEX	<0.300	0.300	12/09/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	12/09/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17		
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85		
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND						

Surrogate: 1-Chlorooctane 94.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW-15 (H257613-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16		
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48		
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97		
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90		
Total BTEX	<0.300	0.300	12/09/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	12/09/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17		
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85		
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND						

Surrogate: 1-Chlorooctane 87.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 84.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
 ETHAN SESSUMS
 PO BOX 14987
 ODESSA TX, 79764
 Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	SILVER 33 CTB	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY- EDDY CO. NEW MEXICO		

Sample ID: SW-16 (H257613-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.71	85.4	2.00	4.16	
Toluene*	<0.050	0.050	12/09/2025	ND	1.75	87.4	2.00	3.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.81	90.6	2.00	1.97	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.38	89.6	6.00	1.90	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17	
DRO >C10-C28*	14.8	10.0	12/09/2025	ND	216	108	200	4.85	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane 92.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 549887

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2523143234
Incident Name	NAPP2523143234 SILVER 33 CTB @ F-33-23S-31E
Incident Type	Oil Release
Incident Status	Remediation Closure Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	SILVER 33 CTB
Date Release Discovered	08/11/2025
Surface Owner	Federal

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Corrosion Flow Line - Production Crude Oil Released: 8 BBL Recovered: 4 BBL Lost: 4 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 549887

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 02/03/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 549887

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Between 1 and 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	112
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	33460
GRO+DRO (EPA SW-846 Method 8015M)	19600
BTEX (EPA SW-846 Method 8021B or 8260B)	815
Benzene (EPA SW-846 Method 8021B or 8260B)	41.1

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	09/29/2025
On what date will (or did) the final sampling or liner inspection occur	12/05/2025
On what date will (or was) the remediation complete(d)	12/22/2025
What is the estimated surface area (in square feet) that will be reclaimed	0
What is the estimated volume (in cubic yards) that will be reclaimed	0
What is the estimated surface area (in square feet) that will be remediated	7400
What is the estimated volume (in cubic yards) that will be remediated	700

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 549887

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fJEG1635837366 OWL LANDFILL JAL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 02/03/2026
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 549887

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 549887

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	530960
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	12/05/2025
What was the (estimated) number of samples that were to be gathered	3
What was the sampling surface area in square feet	450

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	7400
What was the total volume (cubic yards) remediated	700
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	0
What was the total volume (in cubic yards) reclaimed	0
Summarize any additional remediation activities not included by answers (above)	All remediation activities occurred on pad.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 02/03/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 549887

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 549887

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 549887
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
rhamlet	We have received your Remediation Closure Report for Incident #nAPP2523143234 SILVER 33 CTB, thank you. This Remediation Closure Report is approved.	2/4/2026