

**ARMSTRONG GAS LABS, INC.**

P.O. Box 988  
 Monahans, Texas 79756  
 (432) 943-8844 (FAX) 943-8855

**GAS ANALYSIS REPORT**

Analysis No.: 342063  
 Customer: Centennial

<u>Component</u>	<u>Mol. %</u>	<u>(Ideal)</u> <u>BTU</u>	<u>(Ideal)</u> <u>SG</u>	<u>(Real)</u> <u>GPM</u>	
Nitrogen	0.5538	0.000	0.005		<b>Producer:</b> Centennial <b>Well / Sta. Name:</b> PACMAN 26 FED COM 301H-602H VRU <b>Sta. No.:</b> 99679 <b>Formation:</b> <b>Field:</b> New Mexico <b>County:</b> <b>API Number:</b> N/L  <b>Spot / Composite:</b> SP Date / Time On: Date / Time Off: 06/25/24 Date to Lab: 07/02/24 Date Analyzed: 07/03/24 Effective Date:  Sample Press. (PSIG): 58 Line Press. (PSIG): 58 Sample Temp. (F): 141 Fl. Gas Temp. (F): 141 Amb. Temp. (F): 81  Del. To: Sampled By: IF Cylinder No.: 448
Methane	38.0753	383.357	0.211		
CO2	4.1179	0.000	0.063		
Ethane	18.4720	325.876	0.192	4.965	
H2S	0.0300	0.000	0.000		
Propane	19.2872	483.766	0.294	5.340	
Iso-Butane	3.3965	110.105	0.068	1.117	
Butane	8.6069	279.904	0.173	2.727	
Iso-Pentane	2.5294	100.882	0.063	0.930	
Pentane	2.3338	93.262	0.058	0.850	
Hexanes C6+	2.5972	132.799	0.084	1.139	
Hydrogen	N/A				
Helium	N/A				
Oxygen	N/A				
CO	N/A				
<b>Totals</b>	<b>100.0000</b>	<b>1909.951</b>	<b>1.210</b>	<b>17.068</b>	

**Field H2O (#/mm):**

Field H2S (PPM): 300.0  
 Field H2S (Grains): 18.88

**Pressure Base: 14.65**  
**Temp. Base: 60**

Z Factor (Dry): 0.9893212  
 Z Factor (Act.): 0.9893212

Dry BTU w/ H2S: 1930.76
Sat BTU w/ H2S: 1897.92
As Del. BTU w/ H2S: 1930.76

**Dry BTU W/O H2S (Real): 1930.57**  
**Sat. BTU W/O H2S (Real): 1897.73**  
**H2O (# / mmcf): 0.0**  
**AS DEL. BTU W/O H2S (Real): 1930.57**

*BTU Calc: Dry*


**Sp. Gravity (Real): 1.2228**  
 Field Gravity:  
 Lab Gravitometer:

**GPM Ethane+ (Real): 17.068**  
**GPM Propane+ (Real): 12.103**  
**GPM IC5+ (Real): 2.919**

GPA 2145 / 2172

**Fld. Remarks: TAG: NO API PER WHITNEY**

**Lab Remarks: HIGH TEMP**



**ARMSTRONG GAS LABS, INC.**

P.O. Box 988  
 Monahans, Texas 79756  
 (432) 943-8844 (FAX) 943-8855

**GAS ANALYSIS REPORT**

Analysis No.: 342064  
 Customer: Centennial

<u>Component</u>	<u>Mol. %</u>	<u>(Ideal)</u> <u>BTU</u>	<u>(Ideal)</u> <u>SG</u>	<u>(Real)</u> <u>GPM</u>	
Nitrogen	3.1760	0.000	0.031		<b>Producer: Centennial</b> <b>Well / Sta. Name: QUESO BLANCO 13 STATE COM 302H</b> <b>Sta. No.: N/L</b> <b>Formation:</b> <b>Field: New Mexico</b> <b>County:</b> <b>API Number: 3002552447</b>  <b>Spot / Composite: SP</b> Date / Time On: Date / Time Off: 06/29/24 Date to Lab: 07/02/24 Date Analyzed: 07/03/24 Effective Date:  Sample Press. (PSIG): 144 Line Press. (PSIG): 144 Sample Temp. (F): 112 Fl. Gas Temp. (F): 112 Amb. Temp. (F): 91  Del. To: Sampled By: IF Cylinder No.: 849
Methane	63.3425	637.757	0.351		
CO2	9.6793	0.000	0.147		
Ethane	11.6897	206.225	0.121	3.123	
H2S	0.0800	0.000	0.001		
Propane	6.8220	171.111	0.104	1.877	
Iso-Butane	0.8148	26.414	0.016	0.266	
Butane	2.1387	69.552	0.043	0.673	
Iso-Pentane	0.5542	22.104	0.014	0.202	
Pentane	0.5693	22.750	0.014	0.206	
Hexanes C6+	1.1335	57.958	0.036	0.494	
Hydrogen	N/A				
Helium	N/A				
Oxygen	N/A				
CO	N/A				
<b>Totals</b>	<b>100.0000</b>	<b>1213.870</b>	<b>0.879</b>	<b>6.841</b>	

**Field H2O (#/mm):**

Field H2S (PPM): 800.0  
 Field H2S (Grains): 50.35

**Pressure Base: 14.65**  
**Temp. Base: 60**

Z Factor (Dry): 0.9954867  
 Z Factor (Act.): 0.9954867

Dry BTU w/ H2S: 1219.88
Sat BTU w/ H2S: 1199.03
As Del. BTU w/ H2S: 1219.88

**Dry BTU W/O H2S (Real): 1219.37**

**Sat. BTU W/O H2S (Real): 1198.53**

**H2O (# / mmcf): 0.0**

**AS DEL. BTU W/O H2S (Real): 1219.37**

*BTU Calc: Dry*

**Sp. Gravity (Real): 0.8822**

Field Gravity:

Lab Gravitometer:

**GPM Ethane+ (Real): 6.841**


**GPM Propane+ (Real): 3.718**

**GPM IC5+ (Real): 0.902**

GPA 2145 / 2172

**Fld. Remarks:**

**Lab Remarks: CP @ LAB 120 PSIG**



**ARMSTRONG GAS LABS, INC.**

P.O. Box 988  
 Monahans, Texas 79756  
 (432) 943-8844 (FAX) 943-8855

**GAS ANALYSIS REPORT**

Analysis No.: 342065  
 Customer: Centennial

<u>Component</u>	<u>Mol. %</u>	<u>(Ideal)</u> <u>BTU</u>	<u>(Ideal)</u> <u>SG</u>	<u>(Real)</u> <u>GPM</u>	
Nitrogen	2.9697	0.000	0.029		<b>Producer: Centennial</b> <b>Well / Sta. Name: QUESO BLANCO 13 STATE COM 301H</b> <b>Sta. No.: N/L</b> <b>Formation:</b> <b>Field: New Mexico</b> <b>County:</b> <b>API Number: 3002552446</b>  <b>Spot / Composite: SP</b> Date / Time On: Date / Time Off: 06/29/24 Date to Lab: 07/02/24 Date Analyzed: 07/03/24 Effective Date:  Sample Press. (PSIG): 145 Line Press. (PSIG): 145 Sample Temp. (F): 118 Fl. Gas Temp. (F): 118 Amb. Temp. (F): 103  Del. To: Sampled By: IF Cylinder No.: 769
Methane	62.5669	629.948	0.347		
CO2	10.9683	0.000	0.167		
Ethane	11.7190	206.742	0.122	3.130	
H2S	0.1000	0.000	0.001		
Propane	6.7811	170.085	0.103	1.866	
Iso-Butane	0.8027	26.021	0.016	0.262	
Butane	2.1021	68.362	0.042	0.662	
Iso-Pentane	0.5538	22.088	0.014	0.202	
Pentane	0.5708	22.810	0.014	0.207	
Hexanes C6+	0.8656	44.260	0.028	0.377	
Hydrogen	N/A				
Helium	N/A				
Oxygen	N/A				
CO	N/A				
<b>Totals</b>	<b>100.0000</b>	<b>1190.316</b>	<b>0.882</b>	<b>6.706</b>	

**Field H2O (#/mm):**

Field H2S (PPM): 1,000.0  
 Field H2S (Grains): 62.93

**Pressure Base: 14.65**  
**Temp. Base: 60**

Z Factor (Dry): 0.9955397  
 Z Factor (Act.): 0.9955397

Dry BTU w/ H2S: 1196.29
Sat BTU w/ H2S: 1175.84
As Del. BTU w/ H2S: 1196.29

**Dry BTU W/O H2S (Real): 1195.65**

**Sat. BTU W/O H2S (Real): 1175.21**

**H2O (# / mmcf): 0.0**

**AS DEL. BTU W/O H2S (Real): 1195.65**

*BTU Calc: Dry*

**Sp. Gravity (Real): 0.8858**

Field Gravity:

Lab Gravitometer:

**GPM Ethane+ (Real): 6.706**


**GPM Propane+ (Real): 3.576**

**GPM IC5+ (Real): 0.786**

GPA 2145 / 2172

**Fld. Remarks:**

**Lab Remarks:**



**ARMSTRONG GAS LABS, INC.**

P.O. Box 988  
 Monahans, Texas 79756  
 (432) 943-8844 (FAX) 943-8855

**GAS ANALYSIS REPORT**

Analysis No.: 342066  
 Customer: Centennial

<u>Component</u>	<u>Mol. %</u>	<u>(Ideal)</u> <u>BTU</u>	<u>(Ideal)</u> <u>SG</u>	<u>(Real)</u> <u>GPM</u>	
Nitrogen	3.3170	0.000	0.032		<b>Producer:</b> Centennial <b>Well / Sta. Name:</b> SOLOMON FED COM 105H INJ <b>Sta. No.:</b> T230497409 <b>Formation:</b> <b>Field:</b> NEW MEXICO <b>County:</b> <b>API Number:</b> N/L  <b>Spot / Composite:</b> SP Date / Time On: Date / Time Off: 06/25/24 Date to Lab: 07/02/24 Date Analyzed: 07/03/24 Effective Date:  Sample Press. (PSIG): 986 Line Press. (PSIG): 986 Sample Temp. (F): 129 Fl. Gas Temp. (F): 129 Amb. Temp. (F): 101  Del. To: Sampled By: IF Cylinder No.: 759
Methane	72.6573	731.542	0.402		
CO2	8.5278	0.000	0.130		
Ethane	8.3424	147.173	0.087	2.226	
H2S	0.0002	0.000	0.000		
Propane	4.1572	104.272	0.063	1.143	
Iso-Butane	0.5322	17.252	0.011	0.174	
Butane	1.2708	41.328	0.026	0.400	
Iso-Pentane	0.3658	14.589	0.009	0.133	
Pentane	0.3409	13.623	0.008	0.123	
Hexanes C6+	0.4884	24.973	0.016	0.213	
Hydrogen	N/A				
Helium	N/A				
Oxygen	N/A				
CO	N/A				
<b>Totals</b>	<b>100.0000</b>	<b>1094.752</b>	<b>0.784</b>	<b>4.412</b>	

**Field H2O (#/mm):**

Field H2S (PPM): 2.0  
 Field H2S (Grains): 0.13

**Pressure Base: 14.65**  
**Temp. Base: 60**

Z Factor (Dry): 0.9965539  
 Z Factor (Act.): 0.9965539

Dry BTU w/ H2S: 1098.54
Sat BTU w/ H2S: 1079.73
As Del. BTU w/ H2S: 1098.54

**Dry BTU W/O H2S (Real): 1098.54**

**Sat. BTU W/O H2S (Real): 1079.73**

**H2O (# / mmcf): 0.0**

**AS DEL. BTU W/O H2S (Real): 1098.54**

*BTU Calc: Dry*

**Sp. Gravity (Real): 0.7859**

Field Gravity:

Lab Gravitometer:

**GPM Ethane+ (Real): 4.412**

**GPM Propane+ (Real): 2.186**

**GPM IC5+ (Real): 0.469**

GPA 2145 / 2172

**Fld. Remarks: TAG: NO API PER WHITNEY**

**Lab Remarks: CP @ LAB 800 PSIG / HIGH TEMP**

# **PERMIAN**

RESOURCES

Permian Resources meters all flared volumes, and volumes reported on C-129's in connection with flaring events are based on the available meter readings. While Permian Resources reports metered volumes on C-129 submissions, PR reviews the metered data for accuracy, reconciles any discovered discrepancies, and, where appropriate, submits amended C-129 reported volumes post-reconciliation to ensure accurate reporting.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

DEFINITIONS

Action 550680

**DEFINITIONS**

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 550680
	Action Type: [C-129] Venting and/or Flaring (C-129)

**DEFINITIONS**

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 550680

**QUESTIONS**

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 550680
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS**

<b>Prerequisites</b>	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2220949621] Pac-Man 36 CTB 1

<b>Determination of Reporting Requirements</b>	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	Yes
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there <b>at least 50 MCF</b> of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of <b>ANY</b> liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

<b>Equipment Involved</b>	
Primary Equipment Involved	Not answered.
Additional details for Equipment Involved. Please specify	Not answered.

<b>Representative Compositional Analysis of Vented or Flared Natural Gas</b>	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	38
Nitrogen (N2) percentage, if greater than one percent	1
Hydrogen Sulfide (H2S) PPM, rounded up	0
Carbon Dioxide (CO2) percentage, if greater than one percent	4
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 550680

**QUESTIONS (continued)**

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 550680
	Action Type: [C-129] Venting and/or Flaring (C-129)

**QUESTIONS**

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	01/26/2026
Time vent or flare was discovered or commenced	12:00 AM
Time vent or flare was terminated	09:00 PM
Cumulative hours during this event	21

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Cause: Midstream Emergency Maintenance   Tank (Any)   Natural Gas Flared   Released: 337 Mcf   Recovered: 0 Mcf   Lost: 337 Mcf.
Other Released Details	Not answered.
Additional details for Measured or Estimated Volume(s). Please specify	Not answered.
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	Not answered.
Downstream OGRID that should have notified this operator	Not answered.
Date notified of downstream activity requiring this vent or flare	Not answered.
Time notified of downstream activity requiring this vent or flare	Not answered.

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	Targa down at BH/GH causing HLP
Steps taken to limit the duration and magnitude of vent or flare	Open valves to divert gas to a second midstream company to relieve pressure off the line
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	Clear consistent communication with midstream provider



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

ACKNOWLEDGMENTS

Action 550680

**ACKNOWLEDGMENTS**

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 550680
	Action Type: [C-129] Venting and/or Flaring (C-129)

**ACKNOWLEDGMENTS**

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a <b>complete</b> C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
<input checked="" type="checkbox"/>	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
<input checked="" type="checkbox"/>	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
<input checked="" type="checkbox"/>	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 550680

**CONDITIONS**

Operator: Permian Resources Operating, LLC 300 N. Marienfeld St Ste 1000 Midland, TX 79701	OGRID: 372165
	Action Number: 550680
	Action Type: [C-129] Venting and/or Flaring (C-129)

**CONDITIONS**

Created By	Condition	Condition Date
jdoolingpr	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	2/5/2026