

Volume Calculation

ID	Area (Ft ²)	Sat. Depth (Ft)	% Porosity/ Saturation	Volume (Ft ³)	Volume (bbls)
Release	4,908	0.125	0.2	122.70	22.1

Volume of Liquid Remaining in Soil:	22	bbls
Volume Recovered:	0	bbls
Total Volume:	22	bbls
Oil (Approximate)	0.0	%
Volume of Oil Released:	0.0	bbls
Volume of Water Released:	22	bbls
Volume of Oil Recovered:	0.00	bbls
Volume of Water Recovered:	0.0	bbls

Remediation Summary & Soil Closure Request


Goodnight Midstream Permian, LLC Llano Central Epic Nipple Failure

Lea County, New Mexico
Unit Letter K, Section 16, Township 21 South, Range 35 East
Latitude 32.47711° North, Longitude 103.37394° West
NMOCD Reference No. nAPP2523424299

Prepared By:

Etech Environmental & Safety Solutions, Inc.

6309 Indiana Ave, Ste. D
Lubbock, Texas 79413


Joel Lowry


Matthew Grieco



Midland • San Antonio • Lubbock • Hobbs • Lafayette

TABLE OF CONTENTS

	<i>Section</i>
PROJECT INFORMATION.....	1.0
SITE CHARACTERIZATION.....	2.0
CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE.....	3.0
REMEDIAATION ACTIVITIES SUMMARY.....	4.0
SOIL CLOSURE REQUEST.....	5.0
RESTORATION, RECLAMATION & RE-VEGETATION PLAN.....	6.0
LIMITATIONS.....	7.0
DISTRIBUTION.....	8.0

FIGURES

- Figure 1 - Site Location Map
- Figure 2A - Site Characterization Map (0.5-Mile Radius)
- Figure 2B - Site Characterization Map (5-Mile Radius)
- Figure 3 - Sample Location Map

TABLES

- Table 1 - Concentrations of BTEX, TPH & Chloride in Soil

APPENDICES

- Appendix A - Depth to Groundwater Information
- Appendix B - Field Data
- Appendix C - Photographic Log
- Appendix D - Laboratory Analytical Reports
- Appendix E - Regulatory Correspondence

1.0 PROJECT INFORMATION

Etech Environmental & Safety Solutions, Inc. (Etech), on behalf of Goodnight Midstream Permian, LLC, has prepared this *Remediation Summary & Soil Closure Request* for the release site known as the Llano Central Epic Nipple Failure ("Site"). Details of the release are summarized below:

Location of Release Source

Latitude: 32.47711° Longitude: -103.37394°

Provided GPS are in WGS84 format.

Site Name: <u>Llano Central Epic Nipple Failure</u>	Site Type: <u>Tank Battery</u>
Date Release Discovered: <u>8/10/2025</u>	API # (if applicable): <u>fAPP2521849334</u>

Unit Letter	Section	Township	Range	County
<u>K</u>	<u>16</u>	<u>21S</u>	<u>35E</u>	<u>Lea</u>

Surface Owner: State Federal Tribal Private (Name MERCHANT LIVESTOCK)

Nature and Volume of Release

<input type="checkbox"/> Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
<input checked="" type="checkbox"/> Produced Water	Volume Released (bbls) <u>22</u>	Volume Recovered (bbls) <u>0</u>
	Is the concentration of dissolved chloride in the produced water > 10,000 mg/L?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A
<input type="checkbox"/> Condensate	Volume Released (bbls)	Volume Recovered (bbls)
<input type="checkbox"/> Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
<input type="checkbox"/> Other (describe)	Volume/Weight Released	Volume/Weight Recovered

Cause of Release:
Release related to the failure of a third-party injection nipple into pipeline.

Initial Response

- The source of the release has been stopped.
- The impacted area has been secured to protect human health and the environment.
- Release materials have been contained via the use of berms or dikes, absorbent pad, or other containment devices
- All free liquids and recoverable materials have been removed and managed appropriately.

Previously submitted portions of the New Mexico Oil Conservation Division (NMOCD) Form C-141 are available in the NMOCD Permitting System.

2.0 SITE CHARACTERIZATION

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (bgs)?	Between 75 and 100 (ft.)
What method was used to determine the depth to groundwater?	Estimate or Other
Did the release impact groundwater or surface water?	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
What is the minimum distance between the closest lateral extents of the release and the following surface areas?	
A continuously flowing watercourse or any other significant watercourse?	Between 300 and 500 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution or church?	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	Between ½ and 1 (mi.)
Any other fresh water well or spring?	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field?	Greater than 5 (mi.)
A wetland?	Between 1000 (ft.) and ½ (mi.)
A subsurface mine?	Greater than 5 (mi.)
A (non-karst) unstable area?	Between 300 and 500 (ft.)
Categorize the risk of this well/site being in a karst geology.	Low
A 100-year floodplain?	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production or storage site?	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No

A search of groundwater databases maintained by the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) was conducted in an effort to determine the horizontal distance to known water sources within a half-mile radius of the Site. Probable groundwater depth was determined using data generated by numeric models based on available water well data and published information. Depth to groundwater information is provided as Appendix A.

Additional NMOCD Siting Criteria data was gathered from available resources including Bureau of Land Management (BLM) and Fish and Wildlife Services (FWS) shapefiles; topographic maps; NMOSE and USGS databases; and aerial imagery. The results are depicted in Figures 1, 2A, 2B, and 4.

3.0 CLOSURE CRITERIA FOR SOILS IMPACTED BY A RELEASE

Based on the volume and nature of the release, inferred depth to groundwater, and NMOCD Siting Criteria, the NMOCD Closure Criteria and NMOCD Reclamation Standards for the Site are as follows:

Probable Depth to Groundwater	Constituent	Laboratory Analytical Method	Closure Criteria*†	Reclamation Standards*‡
Between 75 and 100 (ft.)	Chloride (Cl-)	EPA** 300.0 or SM4500 Cl B	10,000	600
	Total Petroleum Hydrocarbons (TPH)	EPA SW-846 Method 8015M Ext	2,500	100
	Gas Range Organics + Diesel Range Organics (GRO+DRO)	EPA SW-846 Method 8015M	1,000	N/A
	Benzene	EPA SW-846 Methods 8021b or 8260b	10	10
	Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA SW-846 Methods 8021b or 8260b	50	50

* Measured in milligrams per kilogram (mg/kg)

** Environmental Protection Agency

† Table I, Section 19.15.29.12 of the New Mexico Administrative Code (NMAC).

‡ The NMOCD Reclamation Standard applies only to the top 4' of soil in non-production areas. Section 19.15.29.13 D.(1) NMAC.

4.0 REMEDIATION ACTIVITIES SUMMARY

Requesting a remediation plan approval with this submission?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Have the lateral and vertical extents of contamination been fully delineated?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Was this release entirely contained within a lined containment area?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
On what estimated date will (or did) the remediation commence?	9/8/2025	
On what date will (or did) the final sampling or liner inspection occur?	9/11/2025	
On what date will (or was) the remediation complete(d)?	9/19/2025	
What is the total surface area (sq. ft.) in need of or that will <i>eventually</i> be reclaimed?	5,700	
What is the total volume (cy) in need of or that will <i>eventually</i> be reclaimed?	613	
What was the total surface area (sq. ft.) that has or will be remediated?	5,700	
What was the total volume (cy) that has or will be remediated?	524	
This remediation utilized the following processes to remediate/reduce contaminants:		
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
(In Situ) Soil Vapor Extraction	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
(In Situ) Biological processing (i.e. Microbes/Fertilizer, etc.)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Ground Water Abatement pursuant to 19.15.30 NMAC	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Other (Non-listed remedial process)	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Which OCD approved facility was or will be used for off-site disposal?	Lea Land, Inc.	
NMOCD Disposal Facility ID?	fEEM0112342028	
Summarize any additional remediation activities not included by answers above.	See below.	

On September 9, 2025, Etech commenced remediation activities at the Site. In accordance with NMOCD regulatory guidelines, impacted soil affected above the NMOCD Closure Criteria and/or NMOCD Reclamation Standards was excavated and stockpiled on-site, pending transfer to an NMOCD-permitted surface waste facility for disposal. Olfactory/visual senses and/or a

chloride test kit were utilized to field-screen the horizontal and vertical extent of impacted soil and to guide the excavation. The sidewalls and floor of the excavation were advanced until field tests and field observations suggested that BTEX, TPH, and chloride concentrations were below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards. Representative five-point composite confirmation soil samples were collected every 200 square feet from the sidewalls and floor of the excavated area to be submitted for laboratory analysis. A summary of soil sampling events is provided below:

Constituent	Highest Observable Concentration	Sample ID	Sample Date	Sample Depth (ft bgs)	Soil Status
Chloride	160 mg/kg	FL 9 @ 4' & FL 21 @ 1'	9/10/25 & 9/11/25	4' & 1'	In-Situ
TPH	<30.0 mg/kg	All Soil Samples	All Sample Dates	0 - 4	In-Situ
GRO+DRO	<20.0 mg/kg	All Soil Samples	All Sample Dates	0 - 4	In-Situ
BTEX	<0.050 mg/kg	All Soil Samples	All Sample Dates	0 - 4	In-Situ
Benzene	<0.300 mg/kg	All Soil Samples	All Sample Dates	0 - 4	In-Situ

Please reference Table 1 for additional information.

On September 10, 2025, Etech collected 18 confirmation soil samples (FL 1 @ 4' through FL 13 @ 1.5', NW 1, EW 1, SW 1, SW 2, and WW 1) from the floor and sidewalls of the excavated area. The soil samples were submitted to a certified, commercial laboratory ("the laboratory") for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards in each of the submitted soil samples.

On September 11, 2025, Etech collected 16 confirmation soil samples (FL 14 @ 1' through FL 25 @ 1', NW 2, NW 3, EW 2, and SW 3) from the floor and sidewalls of the excavated area. The soil samples were submitted to the laboratory for analysis of BTEX, TPH, and chloride. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were below the applicable NMOCD Closure Criteria and/or NMOCD Reclamation Standards in each of the submitted soil samples.

The final dimensions of the excavated area were approximately five (5) to 65 feet in length, 20 to 275 feet in width, and one (1) to four (4) feet in depth. During the course of remediation activities, Etech transported approximately 524 cubic yards of impacted soil to an NMOCD-permitted surface waste facility for disposal and imported approximately 540 cubic yards of locally sourced, non-impacted material to the Site for use as backfill.

Soil sample locations and the extent of the excavated area are depicted in Figure 3, "Sample Location Map". Soil chemistry data is summarized in Table 1. Field data is provided in Appendix B. General photographs of the Site are provided in Appendix C. Laboratory analytical reports are provided in Appendix D. Copies of all regulatory correspondence are provided in Appendix E.

5.0 SOIL CLOSURE REQUEST

Requesting a deferral of remediation closure due date with the approval of this submission?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Requesting a remediation closure approval with this submission?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Have the lateral and vertical extents of contamination been fully delineated?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Was this release entirely contained within a lined containment area?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the site's existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion.	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
What was the total surface area (sq. ft.) remediated?	5,700	
What was the total volume (cy) remediated?	524	

Remediation activities were conducted in accordance with NMOCD regulatory guidelines. Impacted soil affected above the NMOCD Closure Criteria and/or NMOCD Reclamation Standards was excavated and transported to an NMOCD-permitted disposal facility. Laboratory analytical results from confirmation soil samples indicate that in-situ concentrations of BTEX, TPH, and chloride are below the applicable NMOCD Closure Criteria and NMOCD Reclamation Standards.

Based on laboratory analytical results and field activities conducted to date, Etech recommends Goodnight Midstream Permian, LLC provide copies of this *Remediation Summary & Soil Closure Request* to the appropriate agencies and request remediation closure approval be granted to the Site.

6.0 RESTORATION, RECLAMATION & RE-VEGETATION PLAN

All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste containing earthen material with concentrations of less than 600 mg/kg chloride, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg benzene?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Requesting a reclamation approval with this submission?	<input checked="" type="checkbox"/> Yes	<input type="checkbox"/> No
Requesting a restoration complete approval with this submission?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
What was the total surface area (in square feet) reclaimed?	2,220	
What was the total volume (in cubic yards) reclaimed?	97	

From September 17 through September 19, 2025, upon receiving laboratory analytical results from confirmation soil samples, the excavated area was backfilled with locally sourced, non-impacted "like" material characterized by soil sample "Caliche Pit". Excavation backfill was placed at or near original relative positions, compacted and contoured to achieve erosion control, stability and preservation of surface water flow to the extent practicable.

The release involved the production pad of an active tank battery and the adjacent pasture. Final reclamation of the production pad will be conducted upon decommissioning and abandonment of the facility.

On September 19, 2025, the reclaimed pasture area was revegetated with a Homesteaders Choice seed mix certified to be free from noxious weeds. The seed was installed by hand at the prescribed rate utilizing a broadcaster and rake. Images of the seeding event and a copy of the seed tag are provided in Appendix C.

7.0 LIMITATIONS

Etech Environmental & Safety Solutions, Inc., has prepared this *Remediation Summary & Soil Closure Request* to the best of its ability. No other warranty, expressed or implied, is made or intended. Etech has examined and relied upon documents referenced in the report and on oral statements made by certain individuals. Etech has not conducted an independent examination of the facts contained in referenced materials and statements. Etech has presumed the genuineness of these documents and statements and that the information provided therein is true and accurate. Etech has prepared the report in a professional manner, using the degree of skill and care exercised by similar environmental consultants. Etech notes that the facts and conditions referenced in this report may change over time, and the conclusions and recommendations set forth herein are applicable only to the facts and conditions as described at the time of this report.

This report has been prepared for the benefit of Goodnight Midstream Permian, LLC. Use of the information contained in this report is prohibited without the consent of Etech and/or Goodnight Midstream Permian, LLC.

8.0 DISTRIBUTION

Goodnight Midstream Permian, LLC

5910 N Central Expy

Suite 800

Dallas, TX 75206

New Mexico Energy, Minerals and Natural Resources Department


Oil Conservation Division, District 1

1220 South St. Francis Drive

Santa Fe, NM 87505

(Electronic Submission)

Figure 1 Site Location Map



Legend
 ● Site Location

Figure 1
 Site Location Map
 Goodnight Midstream Permian, LLC
 Llano Central Epic Nipple Failure
 GPS: 32.47711, -103.37394
 Lea County, New Mexico

ETECH
 Environmental & Safety Solutions, Inc.

Drafted: mag Checked: rlc Date: 2025-10-07

Figures 2A & 2B Site Characterization Maps





Figure 2A
 Site Characterization Map (0.5-Mile Radius)
 Goodnight Midstream Permian, LLC
 Llano Central Epic Nipple Failure
 GPS: 32.47711, -103.37394
 Lea County, New Mexico

Legend	
	Site Location
	Well - NMOSE
	Well - USGS
	Well - Exploratory
	Potash Mine Workings
	100 ft.
	200 ft.
	300 ft.
	500 ft.
	1,000 ft.
	0.5 mi.
	Affected Area
	FEMA 100-Yr Flood Zone
	Municipal Boundary
	Private Land Boundary
	Emergent/Forested Wetlands
	Freshwater Pond/Lake
	Riverine
	Low
	Medium
	High
	Critical



eTECH
 Environmental & Safety Solutions, Inc.

Drafted: mag Checked: rlc Date: 2025-10-07




Figure 2B
 Site Characterization Map (5-Mile Radius)
 Goodnight Midstream Permian, LLC
 Llano Central Epic Nipple Failure
 GPS: 32.47711, -103.37394
 Lea County, New Mexico

- Legend**
- Site Location
 - Well - NMOSE
 - Well - USGS
 - Well - Exploratory
 - 1,000 ft.
 - 0.5 mi.
 - 1.0 mi.
 - 5.0 mi.
 - Potash Mine Workings
 - Municipal Boundary
 - FEMA 100-Yr Flood Zone
 - Wetlands
 - Emergent/Forested Wetlands
 - Freshwater Pond/Lake
 - Riverine
 - Karst Potential
 - Low
 - Medium
 - High
 - Critical



ETECH
 Environmental & Safety Solutions, Inc.

Drafted: mag Checked: rlc Date: 2025-10-07

Figure 3 Sample Location Map



Legend:

FL 11	Floor Sample Location
EW1	Wall Sample Location
	Excavated Area

Figure 3
 Sample Location Map
 Goodnight Midstream Permian, LLC
 Llano Central Epic Nipple Failure
 GPS: 32.47711, -103.37394
 Lea County, New Mexico



Environmental & Safety Solutions, Inc.

Drafted: jwl Checked: mag Date: 10/7/25


Table 1
Concentrations of BTEX, TPH & Chloride in Soil

Table 1 Concentrations of BTEX, TPH, and Chloride in Soil Goodnight Midstream Permian, LLC Llano Central Epic Nipple Failure NMOCD Ref. #: nAPP2523424299											
NMOCD Closure Criteria				10	50	-	-	1,000	-	2,500	10,000
NMOCD Reclamation Standard				10	50	-	-	-	-	100	600
Sample ID	Date	Depth (Feet)	Soil Status	SW 846 8021B		SW 846 8015M Ext.					4500 Cl
				Benzene (mg/kg)	BTEX (mg/kg)	GRO C ₆ -C ₁₀ (mg/kg)	DRO C ₁₀ -C ₂₈ (mg/kg)	GRO + DRO C ₆ -C ₂₈ (mg/kg)	ORO C ₂₈ -C ₃₆ (mg/kg)	TPH C ₆ -C ₃₆ (mg/kg)	Chloride (mg/kg)
Confirmation Soil Sample Results											
FL 1 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 2 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 3 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 4 @ 1'	9/10/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 5 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 6 @ 2'	9/10/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	112
FL 7 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 8 @ 2'	9/10/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
FL 9 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 10 @ 2'	9/10/2025	2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 11 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 12 @ 4'	9/10/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
FL 13 @ 1.5'	9/10/2025	1.5	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 14 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 15 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 16 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
FL 17 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 18 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 19 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 20 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
FL 21 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	160
FL 22 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
FL 23 @ 4'	9/11/2025	4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	80.0
FL 24 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
FL 25 @ 1'	9/11/2025	1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	48.0
EW 1	9/10/2025	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
EW 2	9/11/2025	0-1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
NW 1	9/10/2025	0-2	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	16.0
NW 2	9/11/2025	0-1.5	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	<16.0
NW 3	9/11/2025	0-1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
SW 1	9/10/2025	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	64.0
SW 2	9/10/2025	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
SW 3	9/11/2025	0-1	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	32.0
WW 1	9/10/2025	0-4	In-Situ	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	96.0
Caliche Pit	5/15/2025	N/A	Backfilled	<0.050	<0.300	<10.0	<10.0	<20.0	<10.0	<30.0	480

Dash (-): Sample not analyzed for that constituent.
Bold: NMOCD Closure Criteria exceedance.
Red: NMOCD Reclamation Standard exceedance.
 Red Border with Shading: Highest observed concentration.

Appendix A

Depth to Groundwater Information



Note: Only NMOSE and USGS wells with recent depth to groundwater gauging data are depicted.

Legend	
● Active Site Locations	■ Affected Area
● Well - NMOSE	■ 500 ft.
● Well - USGS	■ 1,000 ft.
● Well - Exploratory	■ 0.5 mi.

Figure 4
 Inferred Depth to Groundwater Map
 Goodnight Midstream Permian, LLC
 Llano Central Epic Nipple Failure
 GPS: 32.47711, -103.37394
 Lea County, New Mexico



 Environmental & Safety Solutions, Inc.
 Drafted: mag Checked: rlc Date: 2025-10-07

Appendix B

Field Data

Sample ID



Sample Log

Date: _____

Project: Llano Central Epic Nipple Failure

Project Number: 22782 Latitude: 32.476646 Longitude: -103.373866

Sample ID	PID/Odor	Chloride Conc.	GPS
EW1	2.0	—	204
SW1	2.8	—	344
FL1 @ 1'	2.0	—	204
FL2 @ 1'	ND	—	ND
NW1	2.0	—	204
SW2	3.2	—	384
SW2	2.6	—	304
NW1	2.0	—	204
FL3 @ 1'	ND	—	
FL4 @ 1'	2.0	—	
FL5 @ 1 1/2'	2.0	—	
FL6 @ 1 1/2'	3.2	—	384
FL7 @ 1 1/2'	2.0	—	
FL8 @ 1 1/2'	3.2	—	384
FL9 @ 1 1/2'	2.0	—	
FL10 @ 1 1/2'	3.2	—	384
FL11 @ 1 1/2'	2.0	—	
FL12 @ 1 1/2'	1.8	—	
FL13 @ 1 1/2'	2.0	—	
FL6 @ 2'	2.0	—	
FL8 @ 2'	ND	—	
FL14 @ 2'	2.8	—	
EW?	3.2	—	
NW3 1'	2.0	—	
SW3 1'	2.6	—	
FL14 @ 1'	2.8	—	
FL15 @ 1'	ND	—	
FL16 @ 1'	2.6	—	
FL17 @ 1'	6.4	—	1596
FL18 @ 1'	1.6	—	
EW2	2.6	—	
FL17 @ 2'	ND	—	
FL19 @ 1'	3.0	—	
FL20 @ 1'	2.8	—	
FL21 @ 1'	2.0	—	
FL22 @ 1'	5.0	—	

Sample Point = SP #1 @ ## etc
 Floor = FL #1 etc
 Sidewall = SW #1 etc

Test Trench = TT #1 @ ##
 Refusal = SP #1 @ 4'-R
 Soil Intended to be Deferred = SP #1 @ 4' In-Situ

Resamples = SP #1 @ 5b or SW #1b
 Stockpile = Stockpile #1
 GPS Sample Points, Center of Comp Areas

Appendix C

Photographic Log

Photographic Log

Photo Number: 1	 <p>Sep 15, 2025 at 10:47:10 AM +32.477177,-103.373737</p>
Photo Direction: West	
Photo Description: View of open excavation.	

Photo Number: 2	 <p>Sep 15, 2025 at 10:47:09 AM +32.477177,-103.373737</p>
Photo Direction: Northwest	
Photo Description: View of open excavation.	

Photographic Log

Photo Number: 3	
Photo Direction: Northeast	
Photo Description: View of open excavation.	

Photo Number: 4	
Photo Direction: East	
Photo Description: View of open excavation.	

Photographic Log


Photo Number: 5	 <p>Network: Sep 19, 2025 at 12:37:34 PM MDT Local: Sep 19, 2025 at 12:37:34 PM MDT N 32° 28' 37.406", W 103° 22' 25.531" Eunice NM 88231 United States</p>
Photo Direction: North	
Photo Description: View of remediated area after backfill and regrading.	

Photo Number: 6	 <p>Network: Sep 19, 2025 at 12:35:29 PM MDT Local: Sep 19, 2025 at 12:35:29 PM MDT N 32° 28' 37.762", W 103° 22' 26.361" Eunice NM 88231 United States</p>
Photo Direction: Southwest	
Photo Description: View of remediated area after backfill and regrading.	

Photographic Log

Photo Number: 7	 <p>Network: Sep 19, 2025 at 12:37:18 PM MDT Local: Sep 19, 2025 at 12:37:18 PM MDT N 32° 28' 37.731", W 103° 22' 25.458" Eunice NM 88231 United States</p>
Photo Direction: West	
Photo Description: View of remediated area after backfill and regrading.	

Photo Number: 8	 <p>Network: Sep 19, 2025 at 12:33:20 PM MDT Local: Sep 19, 2025 at 12:33:20 PM MDT N 32° 28' 38.035", W 103° 22' 26.723" Eunice NM 88231 United States</p>
Photo Direction: East	
Photo Description: View of remediated area after backfill and regrading.	


Photographic Log

Photo Number: 9	 <p>Network: Sep 19, 2025 at 12:33:00 PM MDT Local: Sep 19, 2025 at 12:33:00 PM MDT N 32° 28' 38.035", W 103° 22' 26.723" Eunice NM 88231 United States</p>
Photo Direction: East	
Photo Description: View of seeding event.	

Photo Number: 10	 <p>Network: Sep 19, 2025 at 12:32:19 PM MDT Local: Sep 19, 2025 at 12:32:19 PM MDT N 32° 28' 37.349", W 103° 22' 26.702" Eunice NM 88231 United States</p>
Photo Direction: North	
Photo Description: View of seeding event.	

Photographic Log

Photo Number: 11	 <p>Network: Sep 19, 2025 at 11:39:29 AM MDT Local: Sep 19, 2025 at 11:39:29 AM MDT N 32° 28' 37.539", W 103° 22' 23.574" Eunice NM 88231 United States</p>
Photo Direction: West	
Photo Description: View of seeding event.	

Photo Number: 12	
Photo Direction: N/A	
Photo Description: Image of seed tag.	

Llano Epic Nipple Failure
Bamert Seed Company Inc.

1897 CR 1018 Muleshoe, TX 79347 (800) 262-9892 Permit # TX00905

Homesteaders Choice Lot/Sales # SO-85707

Kind & Variety	Pure Seed	Germ	Dormant	Hard Seed	Origin
Buffalograss, "Texoka" Primed KNO3 (Bouteloua dactyloides)	9.06%	76.00%	23.00%	0.00%	TX
Dropsseed, Sand (Sporobolus cryptandrus)	13.54%	27.00%	70.00%	0.00%	TX
Grass, Blue "Lovington" (Bouteloua Gracilis)	18.64%	98.00%	0.00%	0.00%	TX
Grass, Sideoats "Vaughn" (Bouteloua curtipendula)	24.62%	99.00%	0.00%	0.00%	TX
Wheatgrass, Western "Arriba" (Pascopyrum smithii)	25.58%	97.00%	0.00%	0.00%	CO

Purity: 91.44% Inert Matter: 8.55% Other Crop Seed: 0.00% Weed Seed: 0.00%

Noxious Weed Seed Per/Lb: None Test Date: 04/2025 Net Wt:

11 lbs.

Appendix D

Laboratory Analytical Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 15, 2025

JOEL LOWRY

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: LLANO CENTRAL EPIC NIPPLE FAILURE

Enclosed are the results of analyses for samples received by the laboratory on 09/11/25 14:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

- Method EPA 552.2 Haloacetic Acids (HAA-5)
- Method EPA 524.2 Total Trihalomethanes (TTHM)
- Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 1 @ 4' (H255720-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 99.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 2 @ 4' (H255720-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.2 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 100 % 44.4-145

Surrogate: 1-Chlorooctadecane 95.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 3 @ 4' (H255720-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.3 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 96.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 91.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 4 @ 1' (H255720-04)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35		
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 88.8 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 78.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 74.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 5 @ 4' (H255720-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 84.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 80.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 6 @ 2' (H255720-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35		
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.3 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 62.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 57.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 7 @ 4' (H255720-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.4 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 64.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 58.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 8 @ 2' (H255720-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35		
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 87.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 82.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 9 @ 4' (H255720-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.5 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 82.2 % 44.4-145

Surrogate: 1-Chlorooctadecane 75.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 10 @ 2' (H255720-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	199	99.3	200	2.35	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	203	101	200	2.34	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 94.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 89.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 11 @ 4' (H255720-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.1 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 97.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 95.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 12 @ 4' (H255720-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 84.5 % 44.4-145

Surrogate: 1-Chlorooctadecane 81.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 13 @ 1.5' (H255720-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35	
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 89.5 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 88.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 85.4 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: NW 1 (H255720-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.84	92.0	2.00	2.35		
Toluene*	<0.050	0.050	09/12/2025	ND	1.86	93.0	2.00	2.41		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.81	90.7	2.00	2.15		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.31	88.5	6.00	2.26		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 89.6 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 105 % 44.4-145

Surrogate: 1-Chlorooctadecane 102 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: EW 1 (H255720-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.80	89.8	2.00	1.30		
Toluene*	<0.050	0.050	09/12/2025	ND	1.85	92.4	2.00	1.57		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.87	93.4	2.00	1.60		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.77	96.2	6.00	1.89		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 112 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 99.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 98.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: SW 1 (H255720-16)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.80	89.8	2.00	1.30		
Toluene*	<0.050	0.050	09/12/2025	ND	1.85	92.4	2.00	1.57		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.87	93.4	2.00	1.60		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.77	96.2	6.00	1.89		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 110 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 103 % 44.4-145

Surrogate: 1-Chlorooctadecane 101 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: SW 2 (H255720-17)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/12/2025	ND	1.80	89.8	2.00	1.30		
Toluene*	<0.050	0.050	09/12/2025	ND	1.85	92.4	2.00	1.57		
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.87	93.4	2.00	1.60		
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.77	96.2	6.00	1.89		
Total BTEX	<0.300	0.300	09/12/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 114 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	09/12/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 92.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 90.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/11/2025	Sampling Date:	09/10/2025
Reported:	09/15/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: WW 1 (H255720-18)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/12/2025	ND	1.80	89.8	2.00	1.30	
Toluene*	<0.050	0.050	09/12/2025	ND	1.85	92.4	2.00	1.57	
Ethylbenzene*	<0.050	0.050	09/12/2025	ND	1.87	93.4	2.00	1.60	
Total Xylenes*	<0.150	0.150	09/12/2025	ND	5.77	96.2	6.00	1.89	
Total BTEX	<0.300	0.300	09/12/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	09/12/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	194	97.0	200	2.36	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	186	92.8	200	1.32	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 103 % 44.4-145

Surrogate: 1-Chlorooctadecane 100 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Etech Environmental & Safety Solutions, Inc.
Project Manager: Joel Lowry
Address: 2617 West Marland
City: Hobbs State: NM Zip: 88240
Phone #: (575) 264-9884 Fax #:
Project #: 22782 Project Owner: Goodnight Midstream Per
Project Name: Llano Central Epic Nipple Failure
Project Location: 32.47711, -103.37394
Sampler Name: Dominic Casarez
BILL TO ANALYSIS REQUEST
FOR LAB USE ONLY
Lab I.D. Sample I.D. (GRAB OR (C)OMP. # CONTAINERS MATRIX PRESERV. SAMPLING
GROUNDWATER WASTEWATER SOIL OIL SLUDGE OTHER: ACID/BASE: ICE / COOL OTHER: DATE TIME
Chloride TPH (8015M) BTEX (8021B)

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature] Date: 9-11-25 Time: 1450
Received By: [Signature] Date:
Verbal Result: [] Yes [] No Add'l Phone #:
All Results are emailed. Please provide Email address: pm@etechenv.com
REMARKS: 72H RUSH 48 Hour Rush MK
Delivered By: (Circle One) Observed Temp. °C -10.0 Corrected Temp. °C -9.7
Sample Condition Cool Intact [] Yes [] No [] Yes [] No
CHECKED BY: (Initials) [Signature]
Turnaround Time: Standard [] Rush [X]
Bacteria (only) Sample Condition Cool Intact Observed Temp. °C [] Yes [] No [] Yes [] No Corrected Temp. °C
Thermometer ID #140 Correction Factor -0.6°C + 0.3



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Etech Environmental & Safety Solutions, Inc.
Project Manager: Joel Lowry
Address: 2617 West Marland
City: Hobbs State: NM Zip: 88240
Phone #: (575) 264-9884 Fax #:
Project #: 22782 Project Owner: Goodnight Midstream Per
Project Name: Llano Central Epic Nipple Failure
Project Location: 32.47711, -103.37394
Sampler Name: Dominic Casarez

Table with columns: Lab I.D., Sample I.D., (G)RAB OR (C)OMP., # CONTAINERS, MATRIX (GROUNDWATER, WASTEWATER, SOIL, OIL, SLUDGE, OTHER), PRESERV. (ACID/BASE, ICE/COOL, OTHER), SAMPLING (DATE, TIME), Chloride, TPH (8015M), BTEX (8021B). Rows 11-18.

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses.

Relinquished By: [Signature] Date: 9-11-25 Time: 1450
Received By: [Signature] Date: [Blank] Time: [Blank]
Verbal Result: [X] Yes [] No Add'l Phone #:
All Results are emailed. Please provide Email address: pm@etechnv.com
REMARKS: 72H Rush 48 Hour Rush Mb
Delivered By: (Circle One) Sampler - UPS - Bus - Other:
Observed Temp. °C -10.0 Corrected Temp. °C -9.7
Sample Condition Cool Intact [X] Yes [] No
CHECKED BY: (Initials) [Signature]
Turnaround Time: Standard [] Rush [X]
Bacteria (only) Sample Condition Cool Intact [X] Yes [] No Observed Temp. °C Corrected Temp. °C
Thermometer ID #140 Correction Factor -0.6°C +0.3



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 16, 2025

JOEL LOWRY

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: LLANO CENTRAL EPIC NIPPLE FAILURE

Enclosed are the results of analyses for samples received by the laboratory on 09/12/25 14:39.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

- Method EPA 552.2 Haloacetic Acids (HAA-5)
- Method EPA 524.2 Total Trihalomethanes (TTHM)
- Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 14 @ 1' (H255739-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 113 % 44.4-145

Surrogate: 1-Chlorooctadecane 106 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 15 @ 1' (H255739-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 105 % 44.4-145

Surrogate: 1-Chlorooctadecane 99.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 16 @ 1' (H255739-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 97.7 % 44.4-145

Surrogate: 1-Chlorooctadecane 91.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 17 @ 1' (H255739-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 103 % 44.4-145

Surrogate: 1-Chlorooctadecane 97.3 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 18 @ 1' (H255739-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 102 % 44.4-145

Surrogate: 1-Chlorooctadecane 95.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 19 @ 1' (H255739-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	16.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 90.9 % 44.4-145

Surrogate: 1-Chlorooctadecane 83.8 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 20 @ 1' (H255739-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308		
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 98.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 89.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 21 @ 1' (H255739-08)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308		
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 102 % 44.4-145

Surrogate: 1-Chlorooctadecane 96.2 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 22 @ 1' (H255739-09)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308		
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 84.1 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 23 @ 4' (H255739-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 63.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 57.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 24 @ 1' (H255739-11)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308		
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 88.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 78.7 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: FL 25 @ 1' (H255739-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 84.8 % 44.4-145

Surrogate: 1-Chlorooctadecane 77.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: NW 2 (H255739-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308	
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50	
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89	
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69	
Total BTEX	<0.300	0.300	09/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	09/15/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52	
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72	
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND					

Surrogate: 1-Chlorooctane 99.0 % 44.4-145

Surrogate: 1-Chlorooctadecane 89.5 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: NW 3 (H255739-14)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308		
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 104 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 103 % 44.4-145

Surrogate: 1-Chlorooctadecane 94.1 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: EW 2 (H255739-15)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.77	88.5	2.00	0.308		
Toluene*	<0.050	0.050	09/13/2025	ND	1.91	95.4	2.00	1.50		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.91	95.6	2.00	2.89		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.62	93.7	6.00	2.69		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 103 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 102 % 44.4-145

Surrogate: 1-Chlorooctadecane 93.6 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 JOEL LOWRY
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	09/12/2025	Sampling Date:	09/11/2025
Reported:	09/16/2025	Sampling Type:	Soil
Project Name:	LLANO CENTRAL EPIC NIPPLE FAILURE	Sampling Condition:	Cool & Intact
Project Number:	22782	Sample Received By:	Alyssa Parras
Project Location:	GOODNIGHT 32.47711-103.37394		

Sample ID: SW 3 (H255739-16)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	09/13/2025	ND	1.80	90.2	2.00	1.65		
Toluene*	<0.050	0.050	09/13/2025	ND	1.84	92.2	2.00	1.52		
Ethylbenzene*	<0.050	0.050	09/13/2025	ND	1.85	92.6	2.00	1.03		
Total Xylenes*	<0.150	0.150	09/13/2025	ND	5.79	96.5	6.00	0.989		
Total BTEX	<0.300	0.300	09/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 123 % 71.5-134

Chloride, SM4500CI-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	09/15/2025	ND	432	108	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	09/12/2025	ND	209	104	200	2.52		
DRO >C10-C28*	<10.0	10.0	09/12/2025	ND	213	106	200	1.72		
EXT DRO >C28-C36	<10.0	10.0	09/12/2025	ND						

Surrogate: 1-Chlorooctane 99.6 % 44.4-145

Surrogate: 1-Chlorooctadecane 91.9 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Etech Environmental & Safety Solutions, Inc.
Project Manager: Joel Lowry
Address: 2617 West Marland
City: Hobbs State: NM Zip: 88240
Phone #: (575) 264-9884 Fax #:
Project #: 22782 Project Owner: Goodnight Midstream Per
Project Name: Llano Central Epic Nipple Failure
Project Location: 32.47711, -103.37394
Sampler Name: Dominic Casarez

Table with columns: Lab I.D., Sample I.D., (GRAB OR (C)OMP., # CONTAINERS, MATRIX (GROUNDWATER, WASTEWATER, SOIL, OIL, SLUDGE, OTHER), PRESERV. (ACID/BASE, ICE / COOL, OTHER), SAMPLING (DATE, TIME), Chloride, TPH (8015M), BTEX (8021B). Rows include samples FL 14 @ 1' through FL 23 @ 4'.

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service.

Relinquished By: [Signature] Date: 9/12/25 Time: 1439
Received By: [Signature] Date:
Verbal Result: Yes No Add'l Phone #:
All Results are emailed. Please provide Email address: pm@etechenv.com
REMARKS: 48H Rush
Delivered By: (Circle One) Sampler - UPS - Bus - Other:
Observed Temp. °C: 7.2 Corrected Temp. °C: 6.9
Sample Condition Cool Intact: Yes No
CHECKED BY: (Initials) AP
Turnaround Time: Standard Rush X
Bacteria (only) Sample Condition Cool Intact Observed Temp. °C: Yes No
Thermometer ID: #140 Correction Factor: -0.6°C to 3



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Etech Environmental & Safety Solutions, Inc.
Project Manager: Joel Lowry
Address: 2617 West Marland
City: Hobbs State: NM Zip: 88240
Phone #: (575) 264-9884 Fax #:
Project #: 22782 Project Owner: Goodnight Midstream Per
Project Name: Llano Central Epic Nipple Failure
Project Location: 32.47711, -103.37394
Sampler Name: Dominic Casarez
BILL TO
P.O. #:
Company: Etech
Attn: Joel Lowry
Address:
City:
State: Zip:
Phone #:
Fax #:
ANALYSIS REQUEST
Chloride
TPH (8015M)
BTEX (8021B)

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature] Date: 9-12-25 Time: 1439
Received By: [Signature] Date: [Blank] Time: [Blank]
Verbal Result: [] Yes [] No Add'l Phone #:
All Results are emailed. Please provide Email address: pm@etechenv.com
REMARKS: 48H Rush
Delivered By: (Circle One) Observed Temp. °C -7.2C Sample Condition Cool Intact CHECKED BY: (Initials) AT Turnaround Time: Standard [] Rush [X] Bacteria (only) Sample Condition Cool Intact Observed Temp. °C Corrected Temp. °C -6.9C [] Yes [] No [] Yes [] No Corrected Temp. °C Thermometer ID #140 Correction Factor -0.6°C



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

May 21, 2025

ROBBIE RUNNELS

Etech Environmental & Safety Solutions

2617 W MARLAND

HOBBS, NM 88240

RE: MERCHANT SAN SIMONE CALICHE PIT

Enclosed are the results of analyses for samples received by the laboratory on 05/15/25 15:07.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C24-00112. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

Etech Environmental & Safety Solutions
 ROBBIE RUNNELS
 2617 W MARLAND
 HOBBS NM, 88240
 Fax To:

Received:	05/15/2025	Sampling Date:	05/15/2025
Reported:	05/21/2025	Sampling Type:	Soil
Project Name:	MERCHANT SAN SIMONE CALICHE PIT	Sampling Condition:	Cool & Intact
Project Number:	21762	Sample Received By:	Alyssa Parras
Project Location:	NONE GIVEN		

Sample ID: CALICHE PIT (H252954-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	05/17/2025	ND	2.16	108	2.00	0.228	
Toluene*	<0.050	0.050	05/17/2025	ND	2.22	111	2.00	0.463	
Ethylbenzene*	<0.050	0.050	05/17/2025	ND	2.17	109	2.00	0.279	
Total Xylenes*	<0.150	0.150	05/17/2025	ND	6.42	107	6.00	0.167	
Total BTEX	<0.300	0.300	05/17/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 102 % 71.5-134

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	480	16.0	05/17/2025	ND	480	120	400	18.2	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	05/16/2025	ND	194	97.1	200	1.92	
DRO >C10-C28*	<10.0	10.0	05/16/2025	ND	183	91.6	200	1.68	
EXT DRO >C28-C36	<10.0	10.0	05/16/2025	ND					

Surrogate: 1-Chlorooctane 78.3 % 44.4-145

Surrogate: 1-Chlorooctadecane 74.0 % 40.6-153

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Etech Environmental & Safety Solutions, Inc.
Project Manager: Robbie Runnels
Address: 2617 West Marland
City: Hobbs State: NM Zip: 88240
Phone #: (575) 264-9884 Fax #:
Project #: 21762 Project Owner: Merchant Livestock
Project Name: Merchant San Simone Caliche Pit
Project Location:
Sampler Name: Robbie Runnels

BILL TO ANALYSIS REQUEST

P.O. #:
Company: Etech
Attn: Robbie Runnels
Address:
City:
State: Zip:
Phone #:
Fax #:

Table with columns: Lab I.D., Sample I.D., (G)RAB OR (C)OMP., # CONTAINERS, MATRIX (GROUNDWATER, WASTEWATER, SOIL, OIL, SLUDGE, OTHER), PRESERV. (ACID/BASE, ICE / COOL, OTHER), SAMPLING (DATE, TIME), and analysis results for Chloride, TPH (8015M), and BTEX (8021B).

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses.

Relinquished By: [Signature] Date: 5/15/25 Time: 1507
Received By: [Signature] Date: Time:
Verbal Result: [] Yes [] No Add'l Phone #:
All Results are emailed. Please provide Email address: pm@etechnv.com
REMARKS:
Delivered By: (Circle One) Observed Temp. °C -5.02 Corrected Temp. °C -4.71
Sample Condition Cool Intact [] Yes [] No
CHECKED BY: (Initials) AP
Turnaround Time: 17061625 Standard Rush [X]
Bacteria (only) Sample Condition Cool Intact Observed Temp. °C [] Yes [] No [] Yes [] No Corrected Temp. °C

Appendix E

Regulatory Correspondence

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:42 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503989

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:45 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503989

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:29 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503989

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/11/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda - (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:42 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503993

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:45 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503993

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:32 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503993

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/12/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda - (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:42 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503995

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:46 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503995

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:35 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503995

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/15/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:42 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503997

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:46 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503997

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:37 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503997

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/16/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda - (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:43 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503999

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:47 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503999

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:39 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 503999

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/17/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda - (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:43 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 504005

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:47 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 504005

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:41 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 504005

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/18/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda - (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

From: Lance Crenshaw
Sent: Tuesday, September 9, 2025 9:43 AM
To: Matthew A. Grieco; Ben Arguijo
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 504009

From: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Sent: Monday, September 8, 2025 3:47 PM
To: Lance Crenshaw <lance@etechenv.com>; Joel Lowry <joel@etechenv.com>
Cc: Jake Forrester <jake.forrester@goodnightmidstream.com>
Subject: FW: The Oil Conservation Division (OCD) has accepted the application, Application ID: 504009

From: OCDOnline@state.nm.us <OCDOnline@state.nm.us>
Sent: Monday, September 8, 2025 4:44 PM
To: Ralph Tijerina <rtijerina@goodnightmidstream.com>
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 504009

[EXTERNAL EMAIL NOTIFICATION] This message was received from outside the Goodnight Midstream Organization, do not click links or attachments unless you recognize the sender and know the content is safe.

To whom it may concern (c/o Ralph Tijerina for GOODNIGHT MIDSTREAM PERMIAN, LLC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAPP2523424299.

The sampling event is expected to take place:

When: 09/19/2025 @ 09:00

Where: K-16-21S-35E 0 FNL 0 FEL (32.47711,-103.37394)

Additional Information: Martin Sepulveda - (432.305.7322)

Additional Instructions: From the intersection of NM-176 and Weaver Rd (32.471594, -103.295890), head W on NM-176 for 4.63 mi, then N onto the pad for 0.06 mi, then E for 0.04 mi, then N for 0.11 mi, then W for 0.03 mi to arrive at the NM-176 and Weaver Rd release area (32.471594, -103.295890).

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D

NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

New Mexico Energy, Minerals and Natural Resources Department

1220 South St. Francis Drive
Santa Fe, NM 87505

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 530237

QUESTIONS

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2523424299
Incident Name	NAPP2523424299 LLANO CENTRAL EPIC NIPPLE FAILURE @ FAPP2521849334
Incident Type	Produced Water Release
Incident Status	Remediation Closure Report Received
Incident Facility	[fAPP2521849334] Llano Central RP

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	LLANO CENTRAL EPIC NIPPLE FAILURE
Date Release Discovered	08/10/2025
Surface Owner	Private

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Fitting Produced Water Released: 22 BBL Recovered: 0 BBL Lost: 22 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	Yes
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Release related to the failure of a third-party injection nipple into pipeline

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 530237

QUESTIONS (continued)

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ralph Tijerina Title: Director of EH&S Email: rtijerina@goodnightmidstream.com Date: 11/26/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 530237

QUESTIONS (continued)

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 75 and 100 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 300 and 500 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Between 1 and 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between ½ and 1 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 300 and 500 (ft.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	160
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	0
GRO+DRO (EPA SW-846 Method 8015M)	0
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	09/08/2025
On what date will (or did) the final sampling or liner inspection occur	09/11/2025
On what date will (or was) the remediation complete(d)	09/19/2025
What is the estimated surface area (in square feet) that will be reclaimed	5700
What is the estimated volume (in cubic yards) that will be reclaimed	613
What is the estimated surface area (in square feet) that will be remediated	5700
What is the estimated volume (in cubic yards) that will be remediated	524

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 530237

QUESTIONS (continued)

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	FEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ralph Tijerina Title: Director of EH&S Email: rtijerina@goodnightmidstream.com Date: 11/26/2025
--	--

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 530237

QUESTIONS (continued)

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 530237

QUESTIONS (continued)

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	504009
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	09/19/2025
What was the (estimated) number of samples that were to be gathered	25
What was the sampling surface area in square feet	4908

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	5700
What was the total volume (cubic yards) remediated	524
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	2220
What was the total volume (in cubic yards) reclaimed	97
Summarize any additional remediation activities not included by answers (above)	Please reference the attached closure report

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Ralph Tijerina Title: Director of EH&S Email: rtijerina@goodnightmidstream.com Date: 11/26/2025
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 530237

QUESTIONS (continued)

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 530237

CONDITIONS

Operator: GOODNIGHT MIDSTREAM PERMIAN, LLC 5910 North Central Expressway Dallas, TX 75206	OGRID: 372311
	Action Number: 530237
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete".	2/10/2026