


G-8 LINE LEAK

Remediation Summary & Closure Report

NMOCD Incident No. nAPP2427125865
UL "M", Sec. 2, T17S, R34E
32.859457 -103.535844
Lea County, New Mexico

December 4, 2025



PREPARED ON BEHALF OF

DCP Operating Company, LP
6900 E. Layton Ave,
Suite 900
Denver, CO 80237

PREPARED BY

Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240





January 7, 2026

DCP Operating Company, LP
6900 E. Layton Ave., Suite 900
Denver, Colorado 80237

Attn: Mr. Steve Weathers
Email: Stephen.weathers@p66.com

Re: Remediation Summary & Closure Report
G-8 Line Leak
UL "M", Section 2, Township 17 South, Range 34 East
Lea County, New Mexico
NMOCD Incident No. nAPP2427125865
Tasman Project No. 8242

Dear Mr. Weathers,

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the above referenced site. Site assessment and remediation activities were executed in accordance with the New Mexico Oil Conservation Division (NMOCD) regulations concerning the remediation of releases of natural gas condensate to the environment.

Tasman conducted initial assessment activities, identifying an approximately 8,268 square foot area, that had been impacted by the release, with an overspray area of approximately 12,419 square feet. Heavy equipment was used to remove approximately 1,524 cubic yards of impacted material from the release area. Based on laboratory analytical results from soil samples collected during confirmation sampling activities, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels and in accordance with NMOCD standards. Additional project details are provided in the attached summary report.

Tasman appreciates the opportunity to provide environmental services to DCP Operating Company, LP. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Sincerely,
Tasman, Inc.

Kendon Stark
Junior Project Manager
Kstark@tasman-geo.com

Kyle Norman
SW Regional Manager
knorman@tasman-geo.com



TABLE OF CONTENTS

1.0 INTRODUCTION 1

 1.1 Site Description 1

 1.2 Cultural Properties and Biological Review 1

 1.3 Release Detail and Initial Response 1

2.0 SITE CHARACTERISTICS 2

 2.1 Depth to Groundwater 2

 2.2 Karst Potential & Subsurface Mines 2

 2.3 Distance to Nearest Potable Water Well 2

 2.4 Distance to Nearest Surface Water 2

 2.5 100-year Floodplain 3

 2.6 Residence, School, Hospital, or Institution 3

 2.7 Proximity to Sensitive Receptors and Site Characteristics Summary 3

3.0 REMEDIATION ACTION LEVELS 4

 3.1 Reclamation Levels 4

4.0 SOIL SAMPLING PROCEDURES 4

 4.1 Soil Sampling Procedures for Laboratory Analysis 4

 4.2 Soil Analytical Methods 5

5.0 SUMMARY OF REMEDIAL ACTIVITIES 5

 5.1 Remedial Activities 5

 5.2 Confirmation Data Evaluation 5

6.0 RESTORATION AND RECLAMATION 6

7.0 SITE CLOSURE REQUEST 7

Figures

- Figure 1 – Site Location & Groundwater Map
- Figure 2 – Karst Potential & Subsurface Mine Map
- Figure 3 – Surface Water Map
- Figure 4 – FEMA FIRMeTe Map
- Figure 5 – Excavation Overview Map

Tables

- Table 1 – Soil Sample Analytical Summary – Confirmation Soil Samples

Appendix A – Biological and Cultural Documentation

Appendix B – Regulatory Agency Correspondence

Appendix C – Depth to Groundwater Information

Appendix D – Photographic Log

Appendix E – Certified Laboratory Analytical Reports



1.0 INTRODUCTION

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the G-8 Line Leak (site) on behalf of DCP Operating Company, LP (DCP), documenting the results of field activities conducted in response to a release of natural gas condensate to environmental media.

1.1 Site Description

The site is located in Unit Letter “M” of Section 2, Township 17 South, Range 34 East in Lea County, New Mexico. The release occurred from the G-8 Line Leak pipeline. The release occurred on New Mexico State Land Office (NMSLO) property. A site location map can be found attached as Figure 1.

1.2 Cultural Properties and Biological Review

Request for the review of archeological data provided from the Archeological Records Management Section (ARMS) indicates the site is not located within an archeological site. On September 27, 2024, a third party conducted a review of the New Mexico Cultural Resource Information System (NMCRIS) as Activity Number 156909 and performed field investigation on October 15, 2024. A copy of the third-party ARMS review is provided in Appendix A.

Tasman utilized the Information for Planning and Consulting website (<https://ipac.ecosphere.fws.gov/>) to infer the biological statement. The site (0.47 acres) does not list any protected species in the area. Additionally, request for the review of Dunes Sagebrush Lizard (DSL) habitat data provided from the Center for Environmental Health Monitoring and Management (CEHMM) indicates that the site is not located within DSL habitat. A copy of the CEHMM email correspondence is provided in Appendix A.

1.3 Release Detail and Initial Response

On September 25, 2024, the G-8 pipeline was discovered by DCP personnel to have failed due to a blowout. On September 27, 2024, DCP provided notice of release to the NMOCD portal and to the NMSLO via email. The release resulted in the loss of approximately 27 barrels (bbls) of natural gas condensate and 53 thousand cubic feet (mcf) of natural gas to the surrounding environmental media. DCP personnel shut in the pipeline to isolate the release. The line has now been removed from service. No natural gas or natural gas condensate was recovered.



A copy of Regulatory Agency Correspondence are provided in Appendix B.

2.0 SITE CHARACTERISTICS

2.1 Depth to Groundwater

On October 7, 2025, Tasman advanced a depth to groundwater determination soil bore at the site, referred to as L-15981-POD1. The soil bore was advanced to approximately 55 feet below ground surface (ft bgs). On October 10, 2025, Tasman returned to the site to gauge the soil boring and groundwater was not encountered at the total depth of 55 ft bgs. Additionally, Tasman verified that the soil boring was appropriately plugged according to New Mexico Administrative Code (NMAC) 19.27.4.

The Site Location & Groundwater Map included as Figure 1 illustrates the location of the registered water wells within the vicinity of the site, and a summary of depth to groundwater information is provided as Appendix C.

2.2 Karst Potential & Subsurface Mines

Tasman utilized the publicly available karst potential map published by the Bureau of Land Management (BLM) Carlsbad Field Office (CFO) to determine the potential for encountering karst formations beneath the site. Review of the BLM CFO karst potential map indicates that the site is located in an area of low potential to encounter karstic features.

Tasman utilized the United States Geological Survey (USGS) Mineral Resources database to determine that there are no subsurface mines beneath or in the vicinity of the site.

Areas of karst potential and subsurface mine locations are illustrated on Figure 2.

2.3 Distance to Nearest Potable Water Well

The nearest potable water well is assumed to be USGS 325115103314701, located 0.21 miles from the site. Tasman did not visually confirm the presence or use of the well. The location of USGS 325115103314701 is shown on the attached Figure 1.

2.4 Distance to Nearest Surface Water

Tasman reviewed aerial imagery and the National Wetland Inventory Map, published by the U.S. Fish and Wildlife Service, for wetlands and surface water in the vicinity of the site. The nearest



G-8 Line Leak – nAPP2427125865
 Remediation Summary and Closure Report

wetland, a freshwater pond, is located approximately 0.26 miles north of the site. The nearest significant surface water was identified as white Lake, located 6.24 miles from the site. The location of the nearest wetland and surface water body can be seen on Figures 1 and 3.

2.5 100-year Floodplain

Review of flood map data published by the Federal Emergency Management Agency (FEMA) indicates the site is not located within a 100-year floodplain. A copy of the FEMA FIRMetete Map can be found attached as Figure 4.

2.6 Residence, School, Hospital, or Institution

Review of aerial imagery did not show that the site is within 300 feet of an occupied permanent residence, school, hospital, or institution

2.7 Proximity to Sensitive Receptors and Site Characteristics Summary

The table below denotes if the site is located within the minimum allowable distance from a sensitive receptor, as defined in NMAC 19.15.29.

Site Characteristics Summary		
Approximate depth to groundwater:	>55 ft bgs	
Within an area of high karst potential?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of any continuously flowing of significant watercourse?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 500 ft. of a spring or private, domestic fresh water well?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 1,000 ft. of any fresh water well?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within the incorporated municipal boundaries or within a municipal well field?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of a wetland?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within an unstable area?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within a 100-year floodplain?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No



3.0 REMEDIATION ACTION LEVELS

NMOCD assessment and cleanup levels for hydrocarbon and produced water releases are based on depth to groundwater and proximity to sensitive receptors as established in NMAC 19.15.29. Based on the site characteristics provided in Section 2.0, Action Levels for a site with a depth to groundwater between 50 and 100 feet were utilized; these Action Levels are as follows:

Constituent	Remediation Action Level
Chloride	10,000 mg/kg
TPH (GRO+DRO+MRO)	2,500 mg/kg
TPH (GRO+DRO)	1,000 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

TPH – total petroleum hydrocarbons

DRO – diesel range organics

BTEX – benzene, toluene, ethylbenzene, total xylenes

GRO – gasoline range organics

MRO – motor/lube oil range organics

mg/kg – milligrams per kilogram

3.1 Reclamation Levels

NMAC 19.15.29.13(D) codifies, and the *Procedures for Implementation of the Spill Rule*, dated September 6, 2019, clarifies that the top four feet of the remediated area should be non-waste containing. Therefore, the NMOCD Reclamation Standards are applied to the top four feet of any area impacted by a release that is not located within an active production facility. NMOCD Reclamation Standards are as follows:

Constituent	Reclamation Standard
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

4.0 SOIL SAMPLING PROCEDURES

4.1 Soil Sampling Procedures for Laboratory Analysis

The collection of soil samples for laboratory analysis was conducted in accordance with NMOCD criteria and generally approved industry standards. Collected soil samples were placed in laboratory provided containers, properly labeled, and preserved on ice pending delivery under a chain of custody form to Cardinal Laboratory in Hobbs, New Mexico.



4.2 Soil Analytical Methods

Each soil sample was analyzed using Environmental Protection Agency (EPA) methods or other NMOCD-approved methods. Laboratory analytical methods are as follows:

- Chloride – EPA Method SM4500.
- Total Petroleum Hydrocarbons (TPH) – gasoline, diesel, and motor/lube oil range organics (GRO+DRO+MRO) – EPA Method 8015M Extended.
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) – EPA Method 8021B and 8260.

5.0 SUMMARY OF REMEDIAL ACTIVITIES

5.1 Remedial Activities

From October 13 to November 25, 2025, Tasman utilized heavy equipment to excavate impacted soil from within the release margins. Excavated material was stockpiled on-site atop a polyethylene liner pending transportation to an NMOCD approved disposal facility.

The final remedial excavation measured a combined approximate 6,000 square feet (ft²) ranging from 1 to 13 feet bgs. A total of 1,488 cubic yards of excavated material was exported to South Monument Surface Waste Facility (SMSWF) with an additional 36 cubic yards exported to Lea Land LLC.

Copies of solid manifests are available upon request and a photographic log is provided as Appendix D.

5.2 Confirmation Data Evaluation

Tasman provided five 48-hour mobilization notices to the NMOCD Portal throughout the months of October and November (Appendix B). On October 22, 28, and 31 and November 12, and 25, 2025, Tasman mobilized to the site to collect confirmation soil samples from the remedial excavation area. A total of 80 confirmation soil samples were collected from the excavation. Each confirmation soil sample was collected as a five-point composite representing approximately 200 square feet (ft²) or less of excavation base or sidewall area.

Concentrations of total TPH were detected above applicable NMOCD Action Levels in 12 confirmation soil samples: FL-11 at 2 ft bgs (444 milligrams per kilogram [mg/kg]), FL-23 at 2 ft bgs (102 mg/kg), FL-23 at 3 ft bgs (883 mg/kg), FL-26 at 2 ft bgs (1,475 mg/kg), W-1 (161 mg/kg), W-4 (177 mg/kg), W-10 (104 mg/kg), W-11 (241 mg/kg), W-15 (8,265 mg/kg), W-22 (174 mg/kg),



G-8 Line Leak – nAPP2427125865
Remediation Summary and Closure Report

W-23 (602 mg/kg), and W-24 (537 mg/kg). Additionally, FL-5 at 12 ft bgs had a combined GRO and DRO of 1,706 mg/kg. Each of these areas were addressed by further excavation. Additional confirmation soil samples were collected in each of these areas and concentrations of total TPH were not detected above applicable NMOCD Action Levels. Concentrations of total TPH in the remaining samples were below NMOCD Action Levels and ranged from 10.2 mg/kg to 246 mg/kg.

Concentrations of chlorides were detected above applicable NMOCD Action Levels in 11 confirmation soil samples: FL-11 at 2 ft bgs (1,230 mg/kg), FL-23 at 2 ft bgs (1,120 mg/kg), FL-23 at 3 ft bgs (720 mg/kg), FL-24 at 2 ft bgs (896 mg/kg), FL-26 at 2 ft bgs (1,170 mg/kg), W-11 (880 mg/kg), W-14 (736 mg/kg), W-15 (640 mg/kg), W-23A (1,090 mg/kg), W-24 (992 mg/kg), and W-25 (736 mg/kg). Each of these areas were addressed by further excavation. Additional confirmation soil samples were collected in each of these areas and concentrations of chlorides were not detected above applicable NMOCD Action Levels. Concentrations of chlorides in the remaining samples were below NMOCD Action Levels and ranged from 16.0 mg/kg to 592 mg/kg.

Concentrations of total BTEX were detected above applicable NMOCD Action Levels in one collected soil sample: W-15 (226 mg/kg). This area was addressed by further excavation. An additional confirmation soil sample was collected in this area and concentrations of total BTEX were not detected above applicable NMOCD Action Levels. Concentrations of total BTEX in the remaining samples were below NMOCD Action Levels and ranged from 0.182 mg/kg to 2.71 mg/kg.

Concentrations of benzene did not exceed applicable NMOCD Action Levels throughout, ranging from 0.049 mg/kg to 1.41 mg/kg.

A summary of soil analytical results is provided as Table 1 and certified laboratory analytical reports are provided in Appendix E. The attached Figure 5 illustrates excavation extents and confirmation sample locations.

6.0 RESTORATION AND RECLAMATION

Areas affected by the release and associated remediation activities were backfilled with non-waste containing “like” material and contoured to the surrounding topography. On November 19, 2025, Tasman returned to the site to collect one backfill sample, named “Backfill” (Table 1), from the imported material. Laboratory results showed that the sample exhibited concentrations for all constituents below Action Levels.

G-8 Line Leak – nAPP2427125865
Remediation Summary and Closure Report




Tasman will seed the site using the NMSLO Course Mix as stated in the approved Remediation Action Plan , dated [August 1, 2025]. Prior to seed application, the disturbed soil will be prepped using a disced plow. The seed mix will then be broadcasted at a rate two times the suggested amount to ensure the greatest likelihood for sufficient germination. The seed will be “set” using a screen harrow following the seeding event. The site will be monitored for successful germination and vegetative cover.

7.0 SITE CLOSURE REQUEST

Based on laboratory analytical results from soil samples collected during the confirmation sampling events, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels in accordance with NMAC 19.15.29. As such, Tasman, on behalf of DCP, respectfully requests that the site be granted closure.

Figures



DATE:	October 2025
DESIGNED BY:	L. Flores
DRAWN BY:	L. Flores




Tasman, Inc.
2620 W. Marland Blvd
Hobbs, NM 88240

DCP Operating Company, LP
G-8 Line Leak - nAPP2427125865
UL "M", Sec. 2, T17S, R34E
Lea County, New Mexico

Site Location & Groundwater
Map

Figure
1



DATE: September 2024
 DESIGNED BY: L. Flores
 DRAWN BY: L. Flores



Tasman, Inc.
 2620 W. Marland Blvd
 Hobbs, NM 88240

DCP Operating Company, LP
G-8 Line Leak - nAPP2427125865
 UL "M", Sec. 2, T17S, R34E
 Lea County, New Mexico

Karst Potential & Subsurface
 Mine Map

Figure
 2



DATE:	September 2024
DESIGNED BY:	L. Flores
DRAWN BY:	L. Flores



Tasman, Inc.
 2620 W. Marland Blvd
 Hobbs, NM 88240

DCP Operating Company, LP
G-8 Line Leak - nAPP2427125865
 UL "M", Sec. 2, T17S, R34E
 Lea County, New Mexico

Surface Water Map

Figure
3

National Flood Hazard Layer FIRMette



Legend

Figure 4

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- SPECIAL FLOOD HAZARD AREAS**
 - Without Base Flood Elevation (BFE) Zone A, V, A99
 - With BFE or Depth Zone AE, AO, AH, VE, AR
 - Regulatory Floodway


- OTHER AREAS OF FLOOD HAZARD**
 - 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
 - Future Conditions 1% Annual Chance Flood Hazard Zone X
 - Area with Reduced Flood Risk due to Levee. See Notes. Zone X
 - Area with Flood Risk due to Levee Zone X

- OTHER AREAS**
 - NO SCREEN Area of Minimal Flood Hazard Zone X
 - Effective LOMRs
 - Area of Undetermined Flood Hazard Zone D

- GENERAL STRUCTURES**
 - Channel, Culvert, or Storm Sewer
 - Levee, Dike, or Floodwall

- OTHER FEATURES**
 - Cross Sections with 1% Annual Chance Water Surface Elevation
 - Coastal Transect
 - Base Flood Elevation Line (BFE)
 - Limit of Study
 - Jurisdiction Boundary
 - Coastal Transect Baseline
 - Profile Baseline
 - Hydrographic Feature

- MAP PANELS**
 - Digital Data Available
 - No Digital Data Available
 - Unmapped



103°31'50"W 32°51'19"N

Basemap Imagery Source: USGS National Map 2023

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards


The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/26/2024 at 12:14 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 2/19/2026 4:46:37 PM

Received by OCD: 1/29/2026 1:29:16 PM

Page 15 of 188



DATE:	October 2025
DESIGNED BY:	K. Johnston
DRAWN BY:	K. Stark



Tasman, Inc.
 2620 W. Marland Blvd
 Hobbs, NM 88240

DCP Operating Company
 G-8 Line Leak - nAPP2427125865
 UL "M", Sec. 2, T17S, R34E
 Lea County, New Mexico

Excavation Overview Map

Figure
5

Table

TABLE 1
SOIL SAMPLE ANALYTICAL SUMMARY - CONFIRMATION SOIL SAMPLES
DCP Operating Company, LP
G-8 Line Leak - nAPP2427125865

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene (mg/kg)	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
FL-1	12'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	27.8	<10.0	27.8	96.0
FL-2	12'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	246	<10.0	246	144
FL-3	12'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	41.9	<10.0	41.9	48.0
FL-4	12'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	17.9	<10.0	17.9	32.0
FL-5	12'	10/22/2025	Excavated	---	---	0.049	2.71	166	1,540	46.9	1,753	528
	13'	10/31/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	80.0
FL-6	4	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	35.6	<10.0	35.6	288
FL-7	4'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	14.1	<10.0	14.1	144
FL-8	4'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	35.1	<10.0	35.1	320
FL-9	4'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	32.0
FL-10	2'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	15.1	<10.0	15.1	96.0
FL-11	2'	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	409	35.4	444	1,230
	3'	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	64.0
FL-12	7'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	96.0
FL-13	7'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	48.0
FL-14	7'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	96.0
FL-15	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	64.0
FL-16	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	10.2	<10.0	10.2	288
FL-17	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	32.0
FL-18	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	32.0
FL-19	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	16.0
FL-20	5	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	25.6	<10.0	25.6	48.0
FL-21	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	<16.0
FL-22	5'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	16.0
FL-23	2'	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	102	<10.0	102	1,120
	3'	10/31/2025	Excavated	---	---	<0.050	<0.300	55.8	739	88.2	883	720
	4'	11/12/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	112
FL-24	2'	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	896
	2.5'	10/31/2025	In-Situ	---	---	<0.050	<0.300	<10.0	48.0	<10.0	48.0	560
FL-25	2'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	68.8	<10.0	68.8	176
NMOCD Reclamation Standards⁴ (Applicable for soils less than 4 ft. below grade surface)				N/A	N/A	10	50	N/A			100	600
NMOCD Action Levels⁵				N/A	N/A	10	50	1,000		N/A	2,500	10,000

TABLE 1
SOIL SAMPLE ANALYTICAL SUMMARY - CONFIRMATION SOIL SAMPLES
DCP Operating Company, LP
G-8 Line Leak - nAPP2427125865

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene (mg/kg)	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
FL-26	2'	10/22/2025	Excavated	---	---	<0.025	0.686	83.8	1,340	51.4	1,475	1,170
	3'	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	18.6	<10.0	18.6	80.0
FL-27	2'	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	48.0
FL-28	2'	11/12/2025	In-Situ	---	---	<0.025	<0.150	<10.0	17.3	<10.0	17.3	112
FL-29	2'	11/12/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	112
FL-30	2'	11/12/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	112
FL-31	12'	11/12/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	160
W-1	---	10/22/2025	Excavated	---	---	<0.025	0.209	16.8	144	<10.0	161	32.0
W-1A	---	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	448
W-2	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	<16.0
W-3	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	592
W-4	---	10/22/2025	Excavated	---	---	<0.025	<0.150	10.8	166	<10.0	177	384
W-4A	---	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	112
W-5	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	96.0
W-6	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	192
W-7	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	512
W-8	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	11.7	<10.0	<10.0	288
W-9	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	32.0
W-10	---	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	104	<10.0	104	336
W-10A	---	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	37.2	<10.0	37.2	144
W-11	---	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	226	14.5	241	880
W-11A	---	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	464
W-12	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	128
W-13	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	112
W-14	---	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	736
W-14A	---	10/28/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	64.0
W-15	---	10/22/2025	Excavated	---	---	1.41	226	3,340	4,830	95.0	8,265	640
W-15A	---	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	48.0
NMOCD Reclamation Standards⁴ (Applicable for soils less than 4 ft. below grade surface)				N/A	N/A	10	50	N/A			100	600
NMOCD Action Levels⁵				N/A	N/A	10	50	1,000		N/A	2,500	10,000

TABLE 1
SOIL SAMPLE ANALYTICAL SUMMARY - CONFIRMATION SOIL SAMPLES
DCP Operating Company, LP
G-8 Line Leak - nAPP2427125865

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene (mg/kg)	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
W-16	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	288
W-17	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	19.8	<10.0	19.8	336
W-18	---	10/22/2025	In-Situ	---	---	<0.025	0.182	<10.0	<10.0	<10.0	<10.0	96.0
W-19	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	32.0
W-20	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	32.0
W-21	---	10/22/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	192
W-22	---	10/22/2025	Excavated	---	---	<0.025	<0.150	<10.0	131	42.9	174	400
W-22A	---	10/31/2025	In-Situ	---	---	<0.025	<0.150	<10.0	<10.0	<10.0	<10.0	128
W-23	---	10/22/2025	Excavated	---	---	<0.025	<0.150	48.5	475	78.1	602	192
W-23A	---	10/31/2025	Excavated	---	---	<0.050	<0.300	<10.0	44.8	<10.0	44.8	1,090
W-23B	---	11/25/2025	In-Situ	---	---	<0.050	<0.300	<10.0	16.4	<10.0	16.4	416
W-24	---	10/22/2025	Excavated	---	---	<0.025	<0.150	19.5	451	66.0	537	992
W-24A	---	10/31/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	64.0
W-25	---	10/31/2025	Excavated	---	---	<0.050	<0.300	<10.0	29.3	<10.0	29.3	736
W-25A	---	11/25/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0
W-27	---	11/12/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	16.0
W-28	---	11/12/2025	In-Situ	---	---	<0.050	<0.300	<10.0	51.1	<10.0	51.1	64.0
W-29	---	11/12/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	48.0
W-30	---	11/12/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	96.0
W-31	---	11/25/2025	In-Situ	---	---	<0.050	<0.300	<10.0	11.2	<10.0	11.2	304
W-32	---	11/25/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	16.0
W-33	---	11/25/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	32.0
Backfill	---	11/19/2025	In-Situ	---	---	<0.050	<0.300	<10.0	<10.0	<10.0	<10.0	<16.0
NMOCDC Reclamation Standards⁴ (Applicable for soils less than 4 ft. below grade surface)				N/A		10	50	N/A			100	600
NMOCDC Action Levels⁵				N/A		10	50	1,000		N/A	2,500	10,000

Notes:

- BTEX = Benzene, toluene, ethylbenzene, and total xylenes by EPA method 8021B & 8260
 - TPH = Total petroleum hydrocarbons analyzed by method EPA 8015M (GRO/DRO/MRO)
 - Chloride - Analyzed by EPA method SM4500
 - New Mexico Administrative Code (NMAC) 19.15.29.13(D) - Restoration, Reclamation, and Re-vegetation (Reclamation for areas no longer in use) for soils extending to 4 ft. below grade surface (bgs) (gray highlighted cells).
 - New Mexico Oil Conservation Division (NMOCDC) Remediation and Delineation Standards (NMAC 19.15.29.12(N))
- * = Denotes discrete/grab sample. All other samples are five-point composites
 N/A = Not applicable **Bold** values denote concentrations above laboratory RL

- BGS = Below ground surface
 GRO = Gasoline range organics
 DRO = Diesel range organics
 MRO = Motor/lube oil range organics
 PID = Photoionization detector
 --- = Sample was not analyzed for this analyte
 <RL = The analyte was not detected above the laboratory reporting limit (RL)
Red values denote concentrations above NMOCDC Action Levels

Appendix A – Biological and Cultural Documentation

Received by OCD: 1/7/2026 1:29:16 PM
From: Ryan Schmidt <ryan.schmidt@cehmm.org>

Sent: Monday, September 30, 2024 10:06 AM

To: Kyle Norman <knorman@tasman-geo.com>

Cc: Matt Mathis <matt.mathis@cehmm.org>; Smalts, Raymond A <Raymond.A.Smalts@p66.com>; Case, Nicholas L <Nicholas.L.Case@p66.com>; nikunj.khelurkar@p66.com; Cook, John W <John.W.Cook2@p66.com>; Weathers, Stephen <Stephen.Weathers@p66.com>; Brett Dennis <bdennis@tasman-geo.com>; Laura Flores <LFlores@tasman-geo.com>

Subject: Re: Phillips 66 Pipeline W-3 and G-8 Leaks/DSL Habitat Look Up

Hi Kyle,

The 8242_G8 Line Leak is outside of the known range of DSL. The 8231 W-3 Line Leak appears to be in suitable DSL habitat based on our desk top analysis.

Best regards,

Ryan Schmidt

Operations Manager

O: (575) 885-3700 C: (575) 607-5253



NMCRIS Investigation Abstract Form (NIAF)

NMCRIS Activity No. 1 5 6 9 0 9

HPD Log No(s).

Registration

Lead Agency: NM State Land Office

Performing Agency: SWCA Environmental Consultants

Activity ID: 93698

Performing Agency Report No: 24-788

Other Agencies:

Report Recipient (Your Client): Tasmin, Inc.

- Activity Types:**
- Research Design
 - Archaeological Survey/Inventory
 - Architectural Survey/Inventory
 - Test Excavation
 - Monitoring
 - Collections/Non-Field Study
 - Compliance Decision
 - Literature Review Overview
 - Excavation
 - Ethnographic Study
 - Resource/Property Visit
 - Historic Structures Report
 - Other:

Total Survey Acreage: 2.76

Total Tribal Acreage: 0.00

Total Resources Visited: 0

NMCRIS Investigation Abstract Form (NIAF)

NMCRIS Activity No. 1 5 6 9 0 9

HPD Log No(s).

Report Details

Type of Report

Type of Report: Negative

Lead Agency

Lead Agency: NM State Land Office

Lead Agency Report No.

Report Number:

Title of Report

Title of Report: G8 Line (32.8594974, -103.535957) Inadvertent Gas Release Cultural Resources Survey for Replacement/Remediation in Lea County, New Mexico

Authors: Nadia Waski

Publication Type: Report, Monograph, or Book

Description of Undertaking (what does the project entail?)

Description: Tasmin, Inc. contracted SWCA Environmental Consultants to conduct an intensive cultural resources pedestrian survey in support of the inadvertent pipeline release 'G8 Line (32.8594974, -103.535957)' project in Lea County, New Mexico. The remediation process will require removing impacted sediments from the contaminated area and replacing them with clean soil. The survey area is 2.76 acres (1.11 hectares), including a 100 ft buffer around the 1.25-acre release area, located approximately 3.69 miles (5.94 kilometers) northwest of Buckeye, New Mexico entirely on lands managed by the New Mexico State Land Office (NMSLO).

Dates of Investigation

From: 15-Oct-2024 **To:** 15-Oct-2024

Report Date

Report Date: 24-Oct-2024

Performing Agency/Consultant

Name: SWCA Environmental Consultants

Principal Investigator: Beau Murphy

Field Supervisor: Joseph Birkmann

Appendix B – Regulatory Agency Correspondence

Kendon Stark

From: Kyle Norman
Sent: Friday, September 27, 2024 9:53 AM
To: spills@nmslo.gov; eco@nmslo.gov
Cc: Smalts, Raymond A; Case, Nicholas L; Khelurkar, Nikunj; Daly, Stacey; Hyman, Albert L; Cook, John W; Weathers, Stephen; Brett Dennis; Laura Flores
Subject: Notification of Release on G-8 Pipeline Leak
Attachments: Initial Response - Calculation for the Volumes and OCD Notification.pdf; Initial C-141 nAPP2427125865.pdf; 8242_G8LineLeak_ISAFeatures.kmz; _G-8 Line Leak-2024-09-25-G-8 Pipeline 2.jpg; _G-8 Line Leak-2024-09-25-ISA.jpg; 2024-09-25 2.jpg

All,

Please see attached kmz file and photos on the G-8 Pipeline Leak and the information below. DCP ops shut in the pipeline.

SWCA will be contacted to review ARMS survey or see if an Arch survey is needed. A biological survey will be conducted through CEHMM. A ROE will be submitted to the SLO.

GPS Data 32.859447, -103.535691

Date of Discovery: 09/25/2024

Condensate released: 27 bbls

Recovered: 0 bbls

MCF released: 53 mcf

Saturated area: 8,268 sq. ft.

Overspray area: 3,000 sq. ft.

Please let me know if you have any questions or need anything from me.

Regards,

Kyle Norman

SW Regional Manager

Tasman, Inc.

C: 575-318-5017

knorman@tasman-geo.com

www.tasman-geo.com



Celebrating 15 Years!

Kyle Norman

From: Case, Nicholas L <Nicholas.L.Case@p66.com>
Sent: Wednesday, September 25, 2024 6:19 PM
To: Michael Bratcher; Mike Bratcher
Cc: Cook, John W; Brett Dennis; Kyle Norman; Millican, Scot A; Khelurkar, Nikunj; Daly, Stacey; Spicer, Wayne D; Case, Nicholas L;
Smalts, Raymond A
Subject: Pipeline leak Lea County G-8

Mr. Bratcher: DCP/P66 Ops notified me of a line leak on the G-8 Pipeline in Lea county which occurred around 13:30 this afternoon. THE event occurred at **32.859447 -103.535691**. The estimated spill amount may exceed the 25BBL reportable threshold and will be reported via C-141. Operations has blocked in the line. Tasman (our third-party remediation contractor) Has been to the site for evaluation. I tried to reach you at 18:00 but your mobile phone 575-626-0857 went to the mailbox and I left you a voice message.

Therefore:

In an abundance of caution and to meet potentially applicable reporting deadlines, DCP is submitting this initial report based on the information currently available and DCP's understanding of the facts at this time; however, DCP's investigation and assessment is ongoing. DCP therefore reserves the right to supplement and revise the information in this initial report if and as new information becomes available. DCP also reserves the right to raise any arguments, facts, or defenses regarding this incident, including that this incident is not a "major release" as defined by 19.15.29.7(A) NMAC.

Please contact me if you have any additional questions or concerns for this possible NOR.

Thanks Nick

Nicholas L. Case
Senior Environmental Specialist
SENM Asset
M: 575-802-5225
139 W US HWY 62 180 | Hobbs, NM 88240
phillips66.com Follow us: [Twitter](#) | [Facebook](#) | [LinkedIn](#) | [Instagram](#)



Barrels Released Calculation

$$\frac{\text{Release Area Square Footage}}{27} \times \text{Height (ft)} = 153.1111 \text{ feet}^3$$

$$153.11111 \times 0.1781 = 27.269089 \text{ barrels released}$$

$$\frac{\text{Overspray Area Square Footage}}{27} \times \text{Height (ft)} = 0.111111 \text{ feet}^3$$

$$0.1111111 \times 0.1781 = 0.0197889 \text{ barrels released}$$



13 Bataan Blvd Santa Fe, NM 87508

unknown

FAX To: Regional Environmental Department 111-111-1111

SERC/LEPC Notification Form

Facility Name:	SENM East PL/Gathering	Date:	9/26/2024 1:18 PM	County:	LEA
Location:	Event GPS Coordinates: 32.859447, -103.535691 Driving Directions:				<input checked="" type="checkbox"/> Initial Report <input type="checkbox"/> Updated Report <input type="checkbox"/> Final Report
Type of Incident:	Malfunction	Release Occurred To:	Air	Release Type:	Vented
Started On:	9/25/2024 10:19 AM	Ended On:	9/25/2024 10:20 AM	Discovered On:	9/25/2024 10:18 AM

Event Duration:

1 Minutes

Material Released:

Hydrogen Sulfide: 157.76 lbs

Material Composition:

Carbon Dioxide 3.714%, Methane 48.517%, Hydrogen Sulfide 3.283%, Hexane 0.52%, Butane 5.702%, Pentane 1.682%, Heptane 0.384%, n-Nonane 0.0209%, n-Octane 0.133%, Nitrogen 1.936%, Propane 15.825%, Ethane 14.582%, Isobutane 1.905%, Isopentane 1.797%, Hydrogen Sulfide 3.283%,

Calculations:

Compound Calculation Used to Obtain Released Amount (Id: 108625)

Hexane: $53481.8 \text{ {scf/event}} * 0.00519999980926514 \text{ {mole fraction}} * 86.1754 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Butane: $53481.8 \text{ {scf/event}} * 0.057020001411438 \text{ {mole fraction}} * 58.1222 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Pentane: $53481.8 \text{ {scf/event}} * 0.01682000041008 \text{ {mole fraction}} * 72.1488 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Heptane: $53481.8 \text{ {scf/event}} * 0.0038400000333786 \text{ {mole fraction}} * 100.2019 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ n-Nonane: $53481.8 \text{ {scf/event}} * 0.000208999998867512 \text{ {mole fraction}} * 128.2551 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ n-Octane: $53481.8 \text{ {scf/event}} * 0.00133000001311302 \text{ {mole fraction}} * 114.2285 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Propane: $53481.8 \text{ {scf/event}} * 0.158249998092651 \text{ {mole fraction}} * 44.0956 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Isobutane: $53481.8 \text{ {scf/event}} * 0.0190499997138977 \text{ {mole fraction}} * 58.1222 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Isopentane: $53481.8 \text{ {scf/event}} * 0.0179700005054474 \text{ {mole fraction}} * 72.1488 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Hydrogen Sulfide: $53481.8 \text{ {scf/event}} * 0.032829999237061 \text{ {mole fraction}} * 34.08088 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Nitrogen: $53481.8 \text{ {scf/event}} * 0.0193599998950958 \text{ {mole fraction}} * 28.0134 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$ Ethane: $53481.8 \text{ {scf/event}} * 0.145819997787476 \text{ {mole fraction}} * 30.069 \text{ {lb/lb-mole}} / 379.3 \text{ {scf/lb-mole}}$

Volume Calculations Used to Obtain Release Amount

53.4818 {mscf/event}

$$\text{Vol} = 3.14159 * (\text{Dia} / 12 / 2)^2 * \text{Len} * (\text{StartPressure} - \text{EndPressure}) / 14.7 / 1000$$

Dia=10, Len(ft)=20592.00, StartPressure=70, EndPressure=0 Length In Miles: 3.9

Violations:

Emission Value Maximum for Hydrogen Sulfide (100 lb/event) - EPCRA/SARA 304

Emission Value Maximum for Hydrogen Sulfide (100 lb/event) - EPCRA/SARA 304

Known or anticipated acute or chronic health risks associated with the emergency:**Hydrogen Sulfide:** Eye contact: No known significant effects or critical hazards.

Inhalation: Fatal if inhaled. May cause respiratory irritation.

Skin contact: No known significant effects or critical hazards.

Ingestion: As this product is a gas, refer to the inhalation section.

Medical attention advised for exposed individuals:

Hydrogen Sulfide: Eye contact: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs.

Inhalation: Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

contact: static discharges and gas ignition, soak contaminated clothing thoroughly with water before removing it. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion: As this product is a gas, refer to the inhalation section.

Cause of the upset:

line leak

Actions taken to correct the upset and minimize emissions:

line shut in

Precautions taken as a result of the release:

A. AI Number	N. Failure Pt No: O. Failure Pt. Description:				
	G-8-2				
A. NOx:	B. SO2:	C. CO:	D. PM:	E. VOC:	F. H2S:
0 lb	0 lb	0 lb		2103.9 lb	157.76 lb

Vol=53.48 mscf/event

SERC Email Notification:	henry.jolly@state.nm.us	LEPC Email Notification:	lvelasquez@leacounty.net
---------------------------------	-------------------------	---------------------------------	--------------------------

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720

District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 387695

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 387695
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ 0
Incident Type	Blow Out
Incident Status	Initial C-141 Received

Location of Release Source

Please answer all the questions in this group.

Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Incident Details

Please answer all the questions in this group.

Incident Type	Blow Out
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release

Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.

Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Blow Out Pipeline (Any) Condensate Released: 27 BBL Recovered: 0 BBL Lost: 27 BBL.
Natural Gas Vented (Mcf) Details	Cause: Blow Out Pipeline (Any) Natural Gas Vented Released: 53 MCF Recovered: 0 MCF Lost: 53 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 387695
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ray Smalts Title: Sr Environmental Eng/Spec Email: raymond.a.smalts@p66.com Date: 09/27/2024
--	---

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720
District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720
District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 387695

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 387695
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

QUESTIONS

Site Characterization

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Not answered.
What method was used to determine the depth to ground water	Not answered.
Did this release impact groundwater or surface water	Not answered.
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Not answered.
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Not answered.
An occupied permanent residence, school, hospital, institution, or church	Not answered.
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Not answered.
Any other fresh water well or spring	Not answered.
Incorporated municipal boundaries or a defined municipal fresh water well field	Not answered.
A wetland	Not answered.
A subsurface mine	Not answered.
An (non-karst) unstable area	Not answered.
Categorize the risk of this well / site being in a karst geology	Not answered.
A 100-year floodplain	Not answered.
Did the release impact areas not on an exploration, development, production, or storage site	Not answered.

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	No
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(575) 393-6161 Fax:(575) 393-0720

District II
 811 S. First St., Artesia, NM 88210
 Phone:(575) 748-1283 Fax:(575) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 387695

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 387695
	Action Type: [C-141] Initial C-141 (C-141-v-Initial)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	None	9/27/2024

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 517820

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 517820
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ M-02-17S-34E
Incident Type	Blow Out
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	4,000
What is the estimated number of samples that will be gathered	50
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/22/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Kendon Stark: 806-317-4707
Please provide any information necessary for navigation to sampling site	Location: 32.859457 -103.535844

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 517820

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 517820
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	10/20/2025
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	10/20/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 519803

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 519803
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ M-02-17S-34E
Incident Type	Blow Out
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	150
What is the estimated number of samples that will be gathered	1
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/28/2025
Time sampling will commence	12:00 PM
Please provide any information necessary for observers to contact samplers	Contact: Kendon Stark 806-317-4707
Please provide any information necessary for navigation to sampling site	Location: 32.859457 -103.535844

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 519803

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 519803
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	10/24/2025
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	10/24/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 520927

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 520927
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ M-02-17S-34E
Incident Type	Blow Out
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	3,000
What is the estimated number of samples that will be gathered	15
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	10/31/2025
Time sampling will commence	09:00 AM
Please provide any information necessary for observers to contact samplers	Contact – Kendon Stark 806-317-4707
Please provide any information necessary for navigation to sampling site	Location - 32.859457 -103.535844

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 520927

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 520927
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	10/29/2025
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	10/29/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 524411

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 524411
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ M-02-17S-34E
Incident Type	Blow Out
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,600
What is the estimated number of samples that will be gathered	8
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/12/2025
Time sampling will commence	11:30 AM
Please provide any information necessary for observers to contact samplers	Kendon Stark – 806-317-4707
Please provide any information necessary for navigation to sampling site	32.859457 -103.535844

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 524411

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 524411
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	11/7/2025
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	11/7/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 528477

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 528477
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ M-02-17S-34E
Incident Type	Blow Out
Incident Status	Remediation Plan Approved

Location of Release Source	
Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,000
What is the estimated number of samples that will be gathered	5
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/25/2025
Time sampling will commence	08:00 AM
Please provide any information necessary for observers to contact samplers	Kendon Stark: 806-317-4707
Please provide any information necessary for navigation to sampling site	GPS: 32.859457 -103.535844

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 528477

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 528477
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	11/20/2025
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	11/20/2025

Appendix C – Depth to Groundwater Information



WELL PLUGGING PLAN OF OPERATIONS



NOTE: A Well Plugging Plan of Operations shall be filed with and accepted by the Office of the State Engineer prior to plugging. This form may be used to plug a single well, or if you are plugging multiple monitoring wells on the same site using the same plugging methodology.

Alert! Your well may be eligible to participate in the Aquifer Mapping Program (AMP)-NM Bureau of Geology gcoinfo.nmt.edu/resources/water/cgma/ if within an area of interest and meets the minimum construction requirements, such as there is still water in your well, and the well construction reflected in a well record and log is not compromised, contact AMP at 575-835-5038 or -6951, or by email nmbg-waterlevels@nmt.edu, prior to completing this prior form. Showing proof to the OSE that your well was accepted in this program, may delay the plugging of your well until a later date.

I. FILING FEE: There is no filing fee for this form.

II. GENERAL / WELL OWNERSHIP: Check here if proposing one plan for multiple monitoring wells on the same site and attaching WD-08m

Existing Office of the State Engineer POD Number (Well Number) for well to be plugged: L-15981-POPI

Name of well owner: DCP Operating Co.

Mailing address: 6900 E Layton Ave. Ste. 900 County: _____

City: Denver State: CO Zip code: 80237

Phone number: 303-619-3042 E-mail: stephen.weathers@p66.com

III. WELL DRILLER INFORMATION:

Well Driller contracted to provide plugging services: James Hawley/H&R Enterprises, LLC.

New Mexico Well Driller License No.: WD-1862 Expiration Date: June 16, 2027

IV. WELL INFORMATION: Check here if this plan describes method for plugging multiple monitoring wells on the same site and attach supplemental form WD-08m and skip to #2 in this section.

Note: A copy of the existing Well Record for the well(s) to be plugged should be attached to this plan.

1) GPS Well Location: Latitude: 32 deg, 51 min, 24.54 sec
Longitude: 103 deg, 32 min, 01.20 sec, NAD 83

2) Reason(s) for plugging well(s):

Temporary well to determine depth of groundwater at remediation site. OSE DII ROSWELL NM
15 SEP '25 PM 1:26

3) Was well used for any type of monitoring program? no If yes, please use section VII of this form to detail what hydrogeologic parameters were monitored. If the well was used to monitor contaminated or poor quality water, authorization from the New Mexico Environment Department may be required prior to plugging.

4) Does the well tap brackish, saline, or otherwise poor quality water? NO If yes, provide additional detail, including analytical results and/or laboratory report(s): _____

5) Static water level: unknown feet below land surface / feet above land surface (circle one)

6) Depth of the well: 55 feet

- 7) Inside diameter of innermost casing: 2 inches.
- 8) Casing material: PVC
- 9) The well was constructed with:
 - an open-hole production interval, state the open interval: _____
 - a well screen or perforated pipe, state the screened interval(s): 10ft
- 10) What annular interval surrounding the artesian casing of this well is cement-grouted? N/A
- 11) Was the well built with surface casing? no If yes, is the annulus surrounding the surface casing grouted or otherwise sealed? _____ If yes, please describe:
- 12) Has all pumping equipment and associated piping been removed from the well? N/A If not, describe remaining equipment and intentions to remove prior to plugging in Section VII of this form.

V. DESCRIPTION OF PLANNED WELL PLUGGING: If plugging method differs between multiple wells on same site, a separate form must be completed for each method.

Note: If this plan proposes to plug an artesian well in a way other than with cement grout, placed bottom to top with a tremie pipe, a detailed diagram of the well showing proposed final plugged configuration shall be attached, as well as any additional technical information, such as geophysical logs, that are necessary to adequately describe the proposal. Attach a copy of any signed OSE variance to this plugging plan.

Also, if this planned plugging plan requires a variance to 19.27.4 NMAC, attach a detailed variance request signed by the applicant.

- 1) Describe the method by which cement grout shall be placed in the well, or describe requested plugging methodology proposed for the well:

We anticipate this to be a dry hole, drill cuttings to 10'BGS, hydrated bentonite chips from 10' BGS to surface.
- 2) Will well head be cut-off below land surface after plugging? N/A

VI. PLUGGING AND SEALING MATERIALS:

Note: The plugging of a well that taps poor quality water may require the use of a specialty cement or specialty sealant. Attach a copy of the batch mix recipe from the cement company and/or product description for specialty cement mixes or any sealant that deviates from the list of OSE approved sealants.

- 1) For plugging intervals that employ cement grout, complete and attach Table A.
- 2) For plugging intervals that will employ approved non-cement based sealant(s), complete and attach Table B.
- 3) Theoretical volume of grout required to plug the well to land surface: 80.85
- 4) Type of Cement proposed: 3/8 bentonite hole plug
- 5) Proposed cement grout mix: _____ gallons of water per 94 pound sack of Portland cement.
- 6) Will the grout be: _____ batch-mixed and delivered to the site
 _____ x _____ mixed on site

OSE DII ROSWELL NM
15 SEP '25 PM 1:26

7) Grout additives requested, and percent by dry weight relative to cement:

N/A

8) Additional notes and calculations:

VII. ADDITIONAL INFORMATION: List additional information below, or on separate sheet(s):

VIII. SIGNATURE:

I, James Hawley, say that I have carefully read the foregoing Well Plugging Plan of Operations and any attachments, which are a part hereof; that I am familiar with the rules and regulations of the State Engineer pertaining to the plugging of wells and will comply with them, and that each and all of the statements in the Well Plugging Plan of Operations and attachments are true to the best of my knowledge and belief.

[Signature]
Signature of Applicant

8/20/25
Date

IX. ACTION OF THE STATE ENGINEER:

This Well Plugging Plan of Operations is:

- Approved subject to the attached conditions.
- Not approved for the reasons provided on the attached letter.

OSE DII ROSWELL NM
15 SEP '25 PM 1:26

Witness my hand and official seal this 19th day of September, 2025

Elizabeth K. Anderson P.E.

_____, New Mexico State Engineer

By: K. Parekh
Kashyap Parekh

Supervisor, Water Resources

WD-08 Well Plugging Plan
Version: March 07, 2022
Page 3 of 5



TABLE A - For plugging intervals that employ cement grout. Start with deepest interval.

	Interval 1 – deepest	Interval 2	Interval 3 – most shallow
			Note: if the well is non-artesian and breaches only one aquifer, use only this column.
Top of proposed interval of grout placement (ft bgl)			
Bottom of proposed interval of grout placement (ft bgl)			
Theoretical volume of grout required per interval (gallons)			
Proposed cement grout mix gallons of water per 94-lb. sack of Portland cement			
Mixed on-site or batch-mixed and delivered?			
Grout additive 1 requested			
Additive 1 percent by dry weight relative to cement			
Grout additive 2 requested			
Additive 2 percent by dry weight relative to cement			OSE DII ROSWELL NM 15 SEP '25 PM1:26

TABLE B - For plugging intervals that will employ approved non-cement based sealant(s). Start with deepest interval.

	Interval 1 – deepest	Interval 2	Interval 3 – most shallow
			Note: if the well is non-artesian and breaches only one aquifer, use only this column.
Top of proposed interval of sealant placement (ft bgl)			0-10' hydrated bentonite chips
Bottom of proposed sealant or grout placement (ft bgl)			10'-55' drill cuttings
Theoretical volume of sealant required per interval (gallons)			80.85
Proposed abandonment sealant (manufacturer and trade name)			Baroid 3/8 hole plug

OSE DII ROSWELL NM
15 SEP '25 PM 1:26



STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER
ROSWELL

Elizabeth K. Anderson, P.E.
State Engineer

DISTRICT II
1900 West Second St.
Roswell, New Mexico 88201
Phone: (575) 622-6521
Fax: (575) 623-8559

September 19, 2025

DCP Operating Co., LP
6900 E. Layton Ave, STE 900
Denver, CO 80237

RE: Well Plugging Plan of Operations for well no. L-15981-POD1

Greetings:

Enclosed is your copy of the Well Plugging Plan of Operations for the above referenced well subject to the attached Conditions of Approval. The proposed method of operation is found to be acceptable and in accordance with the Rules and Regulations Governing Well Driller Licensing; Construction, Repair and Plugging of Wells 19.27.4 NMAC adopted June 30, 2017 by the State Engineer. subject to the attached Conditions of Approval.

Within 30 days after the well is plugged, the well driller is required to file a complete plugging record with the OSE and the permit holder.

Sincerely,



Kashyap Parekh
Supervisor, Water Resources



STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER
ROSWELL

1900 West Second St.
 Roswell, New Mexico 88201
 Phone: (575) 622-6521
 Fax: (575) 623- 8559

Applicant has identified wells, listed below, to be plugged. James Hawley/ H & R Enterprises LLC (WD-1862) will perform the plugging.

Permittee: DCP Operating Co. LP
 NMOSE Permit Number: L-15981-POD1

NMOSE File	Casing diameter (inches)	Well depth (feet bgl)	Approximate static water level (feet bgl)	Latitude	Longitude
L-15981-POD1	6.0 inch (Soil Boring)	55.0	Unknown	32° 51' 24.54"	103° 32' 1.20"

Specific Plugging Conditions of Approval for Well located in Lea County, New Mexico.

1. Water well drilling and well drilling activities, including well plugging, are regulated under 19.27.4 NMAC, which requires any person engaged in the business of well drilling within New Mexico to obtain a Well Driller License issued by the New Mexico Office of the State Engineer (NMOSE). Therefore, the firm of a New Mexico licensed Well Driller shall perform the well plugging.
2. **Groundwater encountered:** The total Theoretical volume of sealant required for abandonment of soil boring well is approximately 80.75 gallons. Total minimum volume of necessary sealant shall be calculated upon sounding the actual pluggable depth of well, which is estimated at 55 feet.
3. **Dry Hole:** The total Theoretical volume of sealant required for abandonment of soil boring well is approximately 14.68 gallons. Total minimum volume of necessary sealant shall be calculated upon sounding the actual pluggable depth of well, which is estimated at 10 feet.
4. **Groundwater encountered:** Bentonite Pellets. The bentonite shall be hydrated separately and added above static water level, a minimum of 5-gallons of fresh water shall be added to the borehole per 50-lb of bentonite chips.
5. **Dry Hole:** (a) Drill cuttings up to ten feet of land surface. (b) 10 feet to 0 feet – Bentonite Pellets. The bentonite shall be hydrated separately with its required increments of water prior to being mixed into the cement slurry.

6. Placement of the sealant within the wells shall be by tremie pipe extending to near well bottom and kept below top of the slurry column as the well is plugged from bottom-upwards in a manner that displaces the standing water column. The tremie shall be incrementally removed to retain the tremie bottom a limited distance above the top of the rising column of pellets throughout the plugging process.
7. Any open annulus encountered surrounding the casing shall also be sealed by the placement of the approved sealant. When plugging shallow wells with no construction or environmental concerns, and if the well record on a well to be plugged shows a proper 20-foot annular seal, a plugging plan can propose the use of clean fill material to a nominal 30 feet bgs, then placing an OSE approved sealant to surface. Lacking that information, we would require an excavation of at least 2-feet which shall then be filled in its entirety with sealant to surface.
8. Should the NMED, or another regulatory agency sharing jurisdiction of the project authorize, or by regulation require a more stringent well plugging procedure than herein acknowledged, the more-stringent procedure should be followed. This, in part, includes provisions regarding pre-authorization to proceed, contaminant remediation, inspection, pulling/perforating of casing, or prohibition of free discharge of any fluid from the borehole during or related to the plugging process.
9. NMOSE witnessing of the plugging of the soil boring will not be required.
10. Any deviation from this plan must obtain an approved variance from this office prior to implementation.
11. A Well Plugging Record itemizing actual abandonment process and materials used shall be filed with the State Engineer within 30 days after completion of well plugging. For the plugging record, please resurvey coordinate location for well and note coordinate system for GPS unit. Please attach a copy of these plugging conditions.

The NMOSE Well Plugging Plan of Operations is hereby approved with the aforesaid conditions applied.

Witness my hand and seal this 19th day of September 2025

Elizabeth K. Anderson, P.E. State Engineer



By: K. Parekh

Kashyap Parekh
Supervisor, Water Resources



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Geographic Area:

Click to hideNews Bulletins

- Explore the *NEW* [USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.

Groundwater levels for the Nation

i Important: [Next Generation Monitoring Location Page](#)

Search Results -- 1 sites found

Agency code = usgs

site_no list =
• 325115103314701

Minimum number of levels = 1

[Save file of selected sites](#) to local disk for future upload

USGS 325115103314701 17S.34E.02.343442

Lea County, New Mexico

Latitude 32°51'25", Longitude 103°31'59" NAD27

Land-surface elevation 4,047.60 feet above NGVD29

This well is completed in the High Plains aquifer (N100HGHPLN) national aquifer.

This well is completed in the Ogallala Formation (121OGLL) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1961-02-08			D	62610	3963.08	NGVD29	1	Z			A
1961-02-08			D	62611	3964.62	NAVD88	1	Z			A
1961-02-08			D	72019	84.52		1	Z			A
1966-03-15			D	62610	3961.64	NGVD29	1	Z			A
1966-03-15			D	62611	3963.18	NAVD88	1	Z			A
1966-03-15			D	72019	85.96		1	Z			A
1971-02-16			D	62610	3961.45	NGVD29	1	Z			A
1971-02-16			D	62611	3962.99	NAVD88	1	Z			A
1971-02-16			D	72019	86.15		1	Z			A
1976-02-19			D	62610	3960.35	NGVD29	1	Z			A
1976-02-19			D	62611	3961.89	NAVD88	1	Z			A
1976-02-19			D	72019	87.25		1	Z			A
1981-01-21			D	62610	3958.82	NGVD29	1	Z			A
1981-01-21			D	62611	3960.36	NAVD88	1	Z			A
1981-01-21			D	72019	88.78		1	Z			A
1986-03-27			D	62610	3957.09	NGVD29	1	Z			A
1986-03-27			D	62611	3958.63	NAVD88	1	Z			A
1986-03-27			D	72019	90.51		1	Z			A
1990-12-18			D	62610	3955.15	NGVD29	1	Z			A
1990-12-18			D	62611	3956.69	NAVD88	1	Z			A
1990-12-18			D	72019	92.45		1	Z			A

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988

Section	Code	Description
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions or Comments](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for USA: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nwis/gwlevels?>



Page Contact Information: [USGS Water Data Support Team](#)


Page Last Modified: 2025-08-01 11:58:15 EDT

0.35 0.3 nadww01

Appendix C – Photographic Log


DCP Operating Company

G-8 Line Leak - nAPP2427125865



DCP Operating Company

G-8 Line Leak - nAPP2427125865



DCP Operating Company

G-8 Line Leak - nAPP2427125865



DCP Operating Company

G-8 Line Leak - nAPP2427125865



DCP Operating Company

G-8 Line Leak - nAPP2427125865





DCP Operating Company

G-8 Line Leak - nAPP2427125865




DCP Operating Company

G-8 Line Leak - nAPP2427125865



DCP Operating Company

G-8 Line Leak - nAPP2427125865



DCP Operating Company

G-8 Line Leak - nAPP2427125865

South Elevation

POS: 32.859332°, -103.535761° ±13ft



North Elevation

POS: 32.859379°, -103.535797° ±6ft



DCP Operating Company

G-8 Line Leak - nAPP2427125865

South East Elevation

POS: 32.859242°, -103.535623° ±45ft



South Elevation

POS: 32.859239°, -103.535862° ±9ft



DCP Operating Company

G-8 Line Leak - nAPP2427125865



Appendix E – Certified Laboratory Analytical Reports



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 28, 2025

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: 8242_G-8 LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 10/22/25 15:21.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 1 @ 12' (H256666-01)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 98.2 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	189	94.7	200	4.86	
DRO >C10-C28*	27.8	10.0	10/23/2025	ND	196	97.9	200	2.95	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 87.5 % 52.4-130
 Surrogate: 1-Chlorooctadecane 85.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 2 @ 12' (H256666-02)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 96.9 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	189	94.7	200	4.86		
DRO >C10-C28*	246	10.0	10/23/2025	ND	196	97.9	200	2.95		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 90.6 % 52.4-130
 Surrogate: 1-Chlorooctadecane 94.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 3 @ 12' (H256666-03)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991	
DRO >C10-C28*	41.9	10.0	10/23/2025	ND	200	100	200	1.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 89.1 % 52.4-130
 Surrogate: 1-Chlorooctadecane 86.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 4 @ 12' (H256666-04)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991	
DRO >C10-C28*	17.9	10.0	10/23/2025	ND	200	100	200	1.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 94.8 % 52.4-130
 Surrogate: 1-Chlorooctadecane 90.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 5 @ 12' (H256666-05)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	0.049	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	0.992	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	0.274	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	1.40	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	2.71	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 101 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 124 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	528	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS						S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	166	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	1540	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	46.9	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 164 % 52.4-130
 Surrogate: 1-Chlorooctadecane 127 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 6 @ 4' (H256666-06)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 98.1 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	35.6	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 97.2 % 52.4-130
 Surrogate: 1-Chlorooctadecane 93.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 7 @ 4' (H256666-07)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 100 % 80.4-124
 Surrogate: Toluene-d8 99.0 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 104 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	144	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	14.1	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 96.9 % 52.4-130
 Surrogate: 1-Chlorooctadecane 92.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 8 @ 4' (H256666-08)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 99.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991	
DRO >C10-C28*	35.1	10.0	10/23/2025	ND	200	100	200	1.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 103 % 52.4-130
 Surrogate: 1-Chlorooctadecane 97.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 9 @ 4' (H256666-09)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 99.1 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991	
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 106 % 52.4-130
 Surrogate: 1-Chlorooctadecane 100 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 10 @ 2' (H256666-10)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 99.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	15.1	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 103 % 52.4-130
 Surrogate: 1-Chlorooctadecane 97.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 11 @ 2' (H256666-11)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.0 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 103 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1230	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991	
DRO >C10-C28*	409	10.0	10/23/2025	ND	200	100	200	1.01	
EXT DRO >C28-C36	35.4	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 108 % 52.4-130
 Surrogate: 1-Chlorooctadecane 109 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 12 @ 7' (H256666-12)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 97.0 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 104 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 102 % 52.4-130
 Surrogate: 1-Chlorooctadecane 96.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 13 @ 7' (H256666-13)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 97.9 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 103 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 94.8 % 52.4-130
 Surrogate: 1-Chlorooctadecane 91.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 14 @ 7' (H256666-14)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 95.9 % 80.4-124
 Surrogate: Toluene-d8 104 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 109 % 52.4-130
 Surrogate: 1-Chlorooctadecane 104 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 15 @ 5' (H256666-15)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 99.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 97.8 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991	
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 97.2 % 52.4-130
 Surrogate: 1-Chlorooctadecane 92.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 16 @ 5' (H256666-16)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 101 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 100 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	288	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	10.2	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 112 % 52.4-130
 Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 17 @ 5' (H256666-17)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 100 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 111 % 52.4-130
 Surrogate: 1-Chlorooctadecane 106 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 18 @ 5' (H256666-18)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 96.5 % 80.4-124
 Surrogate: Toluene-d8 105 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 103 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 111 % 52.4-130
 Surrogate: 1-Chlorooctadecane 106 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 19 @ 5' (H256666-19)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 95.6 % 80.4-124
 Surrogate: Toluene-d8 104 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 103 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 108 % 52.4-130
 Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 20 @ 5' (H256666-20)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 97.0 % 80.4-124
 Surrogate: Toluene-d8 104 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	25.6	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 106 % 52.4-130
 Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 21 @ 5' (H256666-21)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.9 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 99.6 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 104 % 52.4-130
 Surrogate: 1-Chlorooctadecane 100 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 22 @ 5' (H256666-22)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 101 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	10/23/2025	ND	448	112	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	217	109	200	0.991		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	200	100	200	1.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 106 % 52.4-130
 Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 23 @ 2' (H256666-23)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79	
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30	
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74	
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49	
Total BTEX	<0.150	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.7 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 106 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1120	16.0	10/23/2025	ND	448	112	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13	
DRO >C10-C28*	102	10.0	10/23/2025	ND	186	92.9	200	4.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 81.6 % 52.4-130
 Surrogate: 1-Chlorooctadecane 86.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 24 @ 2' (H256666-24)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 98.6 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	896	16.0	10/24/2025	ND	416	104	400	3.77	QM-07	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 64.6 % 52.4-130
 Surrogate: 1-Chlorooctadecane 65.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 25 @ 2' (H256666-25)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 99.7 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 104 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	176	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	68.8	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 86.4 % 52.4-130
 Surrogate: 1-Chlorooctadecane 89.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 26 @ 2' (H256666-26)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79	
Toluene*	0.108	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30	
Ethylbenzene*	0.166	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74	
Total Xylenes*	0.412	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49	
Total BTEX	0.686	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 97.3 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 107 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1170	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	83.8	10.0	10/23/2025	ND	184	91.9	200	2.13	
DRO >C10-C28*	1340	10.0	10/23/2025	ND	186	92.9	200	4.01	
EXT DRO >C28-C36	51.4	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 96.0 % 52.4-130
 Surrogate: 1-Chlorooctadecane 111 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 27 @ 2' (H256666-27)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 97.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	48.0	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 95.3 % 52.4-130
 Surrogate: 1-Chlorooctadecane 99.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 1 (H256666-28)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79	
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30	
Ethylbenzene*	0.032	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74	
Total Xylenes*	0.177	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49	
Total BTEX	0.209	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 96.4 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 109 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	16.8	10.0	10/23/2025	ND	184	91.9	200	2.13	
DRO >C10-C28*	144	10.0	10/23/2025	ND	186	92.9	200	4.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 95.2 % 52.4-130
 Surrogate: 1-Chlorooctadecane 95.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 2 (H256666-29)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 105 % 80.4-124
 Surrogate: Toluene-d8 96.5 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 95.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 98.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 3 (H256666-30)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 98.3 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 103 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	592	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 91.1 % 52.4-130
 Surrogate: 1-Chlorooctadecane 92.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 4 (H256666-31)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 98.6 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 110 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	384	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	10.8	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	166	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 99.1 % 52.4-130
 Surrogate: 1-Chlorooctadecane 101 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 5 (H256666-32)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.1 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	96.0	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 90.4 % 52.4-130
 Surrogate: 1-Chlorooctadecane 94.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 6 (H256666-33)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 98.4 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 103 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 89.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 94.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 7 (H256666-34)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 99.6 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	512	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 90.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 95.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 8 (H256666-35)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79	
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30	
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74	
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49	
Total BTEX	<0.150	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 101 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13	
DRO >C10-C28*	11.7	10.0	10/23/2025	ND	186	92.9	200	4.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 82.4 % 52.4-130
 Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 9 (H256666-36)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 102 % 80.4-124
 Surrogate: Toluene-d8 98.7 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 99.8 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 82.4 % 52.4-130
 Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 10 (H256666-37)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 105 % 80.4-124
 Surrogate: Toluene-d8 98.8 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	104	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 68.5 % 52.4-130
 Surrogate: 1-Chlorooctadecane 72.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 11 (H256666-38)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.486	97.2	0.500	4.79		
Toluene*	<0.025	0.025	10/24/2025	ND	0.478	95.6	0.500	1.30		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.468	93.7	0.500	3.74		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.38	91.8	1.50	3.49		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 97.9 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 104 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	880	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	226	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	14.5	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 83.6 % 52.4-130
 Surrogate: 1-Chlorooctadecane 90.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 12 (H256666-39)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 100 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 98.6 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	128	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 89.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 92.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 13 (H256666-40)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24		
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62		
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73		
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18		
Total BTEX	<0.150	0.150	10/23/2025	ND						

Surrogate: Dibromofluoromethane 103 % 80.4-124
 Surrogate: Toluene-d8 101 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 100 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	112	16.0	10/24/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 86.6 % 52.4-130
 Surrogate: 1-Chlorooctadecane 89.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 14 (H256666-41)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	<0.025	0.025	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	<0.025	0.025	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	<0.050	0.050	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	<0.150	0.150	10/23/2025	ND					

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 98.4 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 99.7 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	736	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	184	91.9	200	2.13	
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	186	92.9	200	4.01	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 89.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 93.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 15 (H256666-42)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	1.41	0.500	10/23/2025	ND	0.481	96.2	0.500	2.24	
Toluene*	53.9	0.500	10/23/2025	ND	0.492	98.5	0.500	2.62	
Ethylbenzene*	14.6	0.500	10/23/2025	ND	0.465	92.9	0.500	2.73	
Total Xylenes*	156	1.00	10/23/2025	ND	1.37	91.2	1.50	3.18	
Total BTEX	226	3.00	10/23/2025	ND					

Surrogate: Dibromofluoromethane 104 % 80.4-124
 Surrogate: Toluene-d8 101 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 116 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	640	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS						S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	3340	10.0	10/23/2025	ND	184	91.9	200	2.13		
DRO >C10-C28*	4830	10.0	10/23/2025	ND	186	92.9	200	4.01		
EXT DRO >C28-C36	95.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 571 % 52.4-130
 Surrogate: 1-Chlorooctadecane 141 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 16 (H256666-43)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07	
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04	
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94	
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91	
Total BTEX	<0.150	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 93.2 % 80.4-124
 Surrogate: Toluene-d8 104 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	10/24/2025	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678	
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	203	101	200	0.341	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 87.3 % 52.4-130
 Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 17 (H256666-44)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 94.5 % 80.4-124
 Surrogate: Toluene-d8 105 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 102 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	336	16.0	10/23/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678		
DRO >C10-C28*	19.8	10.0	10/23/2025	ND	203	101	200	0.341		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 88.8 % 52.4-130
 Surrogate: 1-Chlorooctadecane 83.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 18 (H256666-45)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07	
Toluene*	0.077	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04	
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94	
Total Xylenes*	0.105	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91	
Total BTEX	0.182	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 95.1 % 80.4-124
 Surrogate: Toluene-d8 105 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 99.7 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	10/23/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678	
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	203	101	200	0.341	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 92.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 87.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 19 (H256666-46)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 97.5 % 80.4-124
 Surrogate: Toluene-d8 104 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 100 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	32.0	16.0	10/23/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	203	101	200	0.341		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 95.1 % 52.4-130
 Surrogate: 1-Chlorooctadecane 90.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 20 (H256666-47)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07	
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04	
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94	
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91	
Total BTEX	<0.150	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 95.2 % 80.4-124
 Surrogate: Toluene-d8 105 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 101 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	32.0	16.0	10/23/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678	
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	203	101	200	0.341	
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 86.1 % 52.4-130
 Surrogate: 1-Chlorooctadecane 80.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 21 (H256666-48)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 94.4 % 80.4-124
 Surrogate: Toluene-d8 105 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 99.8 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	192	16.0	10/23/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678		
DRO >C10-C28*	<10.0	10.0	10/23/2025	ND	203	101	200	0.341		
EXT DRO >C28-C36	<10.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 84.8 % 52.4-130
 Surrogate: 1-Chlorooctadecane 80.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 22 (H256666-49)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 97.5 % 80.4-124
 Surrogate: Toluene-d8 103 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 105 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	400	16.0	10/23/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/23/2025	ND	219	110	200	0.678		
DRO >C10-C28*	131	10.0	10/23/2025	ND	203	101	200	0.341		
EXT DRO >C28-C36	42.9	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 91.9 % 52.4-130
 Surrogate: 1-Chlorooctadecane 95.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 23 (H256666-50)

BTEX 8260B		mg/kg		Analyzed By: SK					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07	
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04	
Ethylbenzene*	0.040	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94	
Total Xylenes*	0.089	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91	
Total BTEX	<0.150	0.150	10/24/2025	ND					

Surrogate: Dibromofluoromethane 95.8 % 80.4-124
 Surrogate: Toluene-d8 105 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 113 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	192	16.0	10/23/2025	ND	432	108	400	3.64	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	48.5	10.0	10/23/2025	ND	219	110	200	0.678	
DRO >C10-C28*	475	10.0	10/23/2025	ND	203	101	200	0.341	
EXT DRO >C28-C36	78.1	10.0	10/23/2025	ND					

Surrogate: 1-Chlorooctane 90.7 % 52.4-130
 Surrogate: 1-Chlorooctadecane 93.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/22/2025	Sampling Date:	10/22/2025
Reported:	10/28/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Shalyn Rodriguez
Project Location:	DCP MIDSTREAM		

Sample ID: W - 24 (H256666-51)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/24/2025	ND	0.470	94.0	0.500	8.07		
Toluene*	<0.025	0.025	10/24/2025	ND	0.498	99.6	0.500	7.04		
Ethylbenzene*	<0.025	0.025	10/24/2025	ND	0.494	98.7	0.500	6.94		
Total Xylenes*	<0.050	0.050	10/24/2025	ND	1.48	98.8	1.50	6.91		
Total BTEX	<0.150	0.150	10/24/2025	ND						

Surrogate: Dibromofluoromethane 97.5 % 80.4-124
 Surrogate: Toluene-d8 103 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 106 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	992	16.0	10/23/2025	ND	432	108	400	3.64		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	19.5	10.0	10/23/2025	ND	219	110	200	0.678		
DRO >C10-C28*	451	10.0	10/23/2025	ND	203	101	200	0.341		
EXT DRO >C28-C36	66.0	10.0	10/23/2025	ND						

Surrogate: 1-Chlorooctane 95.2 % 52.4-130
 Surrogate: 1-Chlorooctadecane 94.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences				BILL TO				ANALYSIS REQUEST														
Project Manager: Kyle Norman				P.O. #:				TPH 8015 Ext BTEX 8260 Chlorides Hold 24-hr Rush 48-hr Rush														
Address: 2620 W. Marland Blvd.				Company: Tasman Geo																		
City: Hobbs		State: NM Zip: 88240		Attn: Kyle Norman																		
Phone #: 575-318-5017		Fax #:		Address: 2620 W. Marland																		
Project #: 8242		Project Owner: DCP Operating Company		City: Hobbs																		
Project Name: 8242_G-8 Line Leak				State: NM Zip: 88240																		
Project Location:				Phone #: 575-318-5017																		
Sampler Name: Oscar Garcia, Carter Brister				Fax #:																		
FOR LAB USE ONLY																						
Lab I.D.	Sample I.D.	(GRAB OR (COMP. # CONTAINERS	MATRIX											PRESERV			SAMPLING					
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME									
H2566dd	FL-1 @ 12'	1			X				X			10/22/25	1046	X	X	X						
2	FL-2 @ 12'	1			X				X			10/22/25	0938	X	X	X						
3	FL-3 @ 12'	1			X				X			10/22/25	0940	X	X	X						
4	FL-4 @ 12'	1			X				X			10/22/25	0942	X	X	X						
5	FL-5 @ 12'	1			X				X			10/22/25	1048	X	X	X						
6	FL-6 @ 4'	1			X				X			10/22/25	1300	X	X	X						
7	FL-7 @ 4'	1			X				X			10/22/25	1302	X	X	X						
8	FL-8 @ 4'	1			X				X			10/22/25	1304	X	X	X						
9	FL-9 @ 4'	1			X				X			10/22/25	1306	X	X	X						
10	FL-10 @ 2'	1			X				X			10/22/25	1108	X	X	X						

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries and affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 10/21/25	Received By:	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:	
	Time: 1521		Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:	
Relinquished By:	Date:	Received By:	REMARKS:		
	Time:		email results: NMData@tasman-geo.com; Stephan.weathers@p66.com		
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 2-10: CT03	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	CHECKED BY: (Initials) 	all- 0402401K		
2-9: #140	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No				

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences				BILL TO				ANALYSIS REQUEST													
Project Manager: Kyle Norman				P.O. #:				TPH 8015 Ext BTEX 8260 Chlorides Hold 24-hr Rush 48-hr Rush													
Address: 2620 W. Marland Blvd.				Company: Tasman Geo																	
City: Hobbs		State: NM Zip: 88240		Attn: Kyle Norman																	
Phone #: 575-318-5017		Fax #:		Address: 2620 W. Marland																	
Project #: 8242		Project Owner: DCP Operating Company		City: Hobbs																	
Project Name: 8242_G-8 Line Leak				State: NM Zip: 88240																	
Project Location:				Phone #: 575-318-5017																	
Sampler Name: Oscar Garcia, Carter Brister				Fax #:																	
FOR LAB USE ONLY																					
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS	MATRIX					PRESERV.		SAMPLING										
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL:	OTHER :	DATE	TIME							
H252444																					
21	FL-21 @ 5'		1			X				X		10/22/25	1154	X	X	X					
22	FL-22 @ 5'		1			X				X		10/22/25	1156	X	X	X					
23	FL-23 @ 2'		1			X				X		10/22/25	1017	X	X	X					
24	FL-24 @ 2'		1			X				X		10/22/25	1019	X	X	X					
25	FL-25 @ 2'		1			X				X		10/22/25	1111	X	X	X					
26	FL-26 @ 2'		1			X				X		10/22/25	1113	X	X	X					
27	FL-27 @ 2'		1			X				X		10/22/25	1021	X	X	X					
28	W-1		1			X				X		10/22/25	0930	X	X	X					
29	W-2		1			X				X		10/22/25	0932	X	X	X					
30	W-3		1			X				X		10/22/25	0934	X	X	X					

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 10/22/25	Received By:	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:	
	Time: 1521		Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:	
Relinquished By:	Date:	Received By:	REMARKS:		
	Time:		email results: NMDData@tasman-geo.com; Stephan.weathers@p66.com		
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 2-UPS-CTO-3:	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	CHECKED BY: (Initials) 	all-0402401K		

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences				BILL TO				ANALYSIS REQUEST															
Project Manager: Kyle Norman				P.O. #:				TPH 8015 Ext BTEX 8260 Chlorides Hold 24-hr Rush <i>added papers to</i> 48-hr Rush															
Address: 2620 W. Marland Blvd.				Company: Tasman Geo																			
City: Hobbs		State: NM Zip: 88240		Attn: Kyle Norman																			
Phone #: 575-318-5017		Fax #:		Address: 2620 W. Marland																			
Project #: 8242		Project Owner: DCP Operating Company		City: Hobbs																			
Project Name: 8242_G-8 Line Leak				State: NM Zip: 88240																			
Project Location:				Phone #: 575-318-5017																			
Sampler Name: Oscar Garcia, Carter Brister				Fax #:																			
Lab I.D.	Sample I.D.	(GRAB OR (C)OMP. # CONTAINERS	MATRIX						PRESERV.		SAMPLING												
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL:	OTHER:	DATE	TIME										
<i>H2S table</i>																							
31	W-4	1			X				X		10/22/25	0936	X	X	X								
32	W-5	1			X				X		10/22/25	1040	X	X	X								
33	W-6	1			X				X		10/22/25	1042	X	X	X								
34	W-7	1			X				X		10/22/25	1044	X	X	X								
35	W-8	1			X				X		10/22/25	1308	X	X	X								
36	W-9	1			X				X		10/22/25	1310	X	X	X								
37	W-10	1			X				X		10/22/25	1115	X	X	X								
38	W-11	1			X				X		10/22/25	1117	X	X	X								
39	W-12	1			X				X		10/22/25	1320	X	X	X								
40	W-13	1			X				X		10/22/25	1322	X	X	X								

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: <i>[Signature]</i>	Date: <i>10/22/25</i>	Received By: <i>[Signature]</i>	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
	Time: <i>1521</i>		Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Relinquished By:	Date:	Received By:	REMARKS: email results: NMDData@tasman-geo.com; Stephan.weathers@p66.com	
	Time:			
Delivered By: (Circle One) Sampler - UPS - Bus - Other <i>2.4e / CTO.3: 2.9: #140</i>	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	CHECKED BY: (Initials) <i>[Signature]</i>	<i>all - 0402401K</i>	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences		BILL TO		ANALYSIS REQUEST					
Project Manager: Kyle Norman		P.O. #:		TPH 8015 Ext	BTEX 8260	Chlorides	Hold	24-hr Rush added 10/23/25 4.0	48-hr Rush
Address: 2620 W. Marland Blvd.		Company: Tasman Geo							
City: Hobbs	State: NM Zip: 88240	Attn: Kyle Norman							
Phone #: 575-318-5017	Fax #:	Address: 2620 W. Marland							
Project #: 8242	Project Owner: DCP Operating Company	City: Hobbs							
Project Name: 8242_G-8 Line Leak		State: NM Zip: 88240							
Project Location:		Phone #: 575-318-5017							
Sampler Name: Oscar Garcia, Carter Brister		Fax #:							

Lab I.D.	Sample I.D.	(GRAB OR (C)OMP. # CONTAINERS	MATRIX					PRESERV.		SAMPLING		DATE	TIME	TPH 8015 Ext	BTEX 8260	Chlorides	Hold	24-hr Rush added 10/23/25 4.0	48-hr Rush
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER	ACID/BASE	ICE / COOL	OTHER								
H25706666																			
41	W-14	1		X				X			10/22/25	1324	X	X	X				
42	W-15	1		X				X			10/22/25	1350	X	X	X				
43	W-16	1		X				X			10/22/25	1352	X	X	X				
44	W-17	1		X				X			10/22/25	1354	X	X	X				
45	W-18	1		X				X			10/22/25	1356	X	X	X				
46	W-19	1		X				X			10/22/25	1140	X	X	X				
47	W-20	1		X				X			10/22/25	1142	X	X	X				
48	W-21	1		X				X			10/22/25	1144	X	X	X				
49	W-22	1		X				X			10/22/25	1146	X	X	X				
50	W-23	1		X				X			10/22/25	0943	X	X	X				

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries and affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:	Date: 10/22/25	Received By:	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date: 10/21	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other	2.4 = CTO.3 2.9 = #140	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	REMARKS: email results: NMData@tasman-geo.com; Stephan.weathers@p66.com	
		CHECKED BY: (Initials) 	all 0402401K	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 29, 2025

KYLE NORMAN
TASMAN GEOSCIENCES
6899 PECOS ST. UNIT C
DENVER, CO 80221

RE: 8242_G-8 LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 10/28/25 15:11.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/28/2025	Sampling Date:	10/28/2025
Reported:	10/29/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: W -14 A (H256801-01)

BTEX 8260B		mg/kg		Analyzed By: SK						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.025	0.025	10/28/2025	ND	0.442	88.4	0.500	3.96		
Toluene*	<0.025	0.025	10/28/2025	ND	0.466	93.1	0.500	2.38		
Ethylbenzene*	<0.025	0.025	10/28/2025	ND	0.450	90.1	0.500	2.92		
Total Xylenes*	<0.050	0.050	10/28/2025	ND	1.34	89.6	1.50	4.29		
Total BTEX	<0.150	0.150	10/28/2025	ND						

Surrogate: Dibromofluoromethane 95.3 % 80.4-124
 Surrogate: Toluene-d8 104 % 83.8-114
 Surrogate: 4-Bromofluorobenzene 99.5 % 74.2-123

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	10/29/2025	ND	432	108	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	10/29/2025	ND	208	104	200	2.07		
DRO >C10-C28*	<10.0	10.0	10/29/2025	ND	217	109	200	2.13		
EXT DRO >C28-C36	<10.0	10.0	10/29/2025	ND						

Surrogate: 1-Chlorooctane 82.2 % 52.4-130
 Surrogate: 1-Chlorooctadecane 78.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences		BILL TO				ANALYSIS REQUEST																
Project Manager: Kyle Norman		P.O. #:				TPH 8015 Ext BTEX 802TB # 8260 Chlorides Hold 24-hr Rush 48-hr Rush																
Address: 2620 W. Marland Blvd.		Company: Tasman Geo																				
City: Hobbs State: NM Zip: 88240		Attn: Kyle Norman																				
Phone #: 575-318-5017 Fax #:		Address: 2620 W. Marland																				
Project #: 8242 Project Owner: DCP Operating Company		City: Hobbs																				
Project Name: 8242-G-8 Line Leak		State: NM Zip: 88240																				
Project Location:		Phone #: 575-318-5017																				
Sampler Name: Kalob Johnston		Fax #:																				
FOR LAB USE ONLY																						
Lab I.D.	Sample I.D.	(GRAB OR (COMP. # CONTAINERS	MATRIX					PRESERV.	SAMPLING		DATE	TIME										
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL			OTHER :									
1	W-14A	1		X				X			10/25/25	13:00	X	X	X	X						

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Kalob Johnston	Date: 10-28-25 Time: 1511	Received By: [Signature]	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 2-72/CAD-3C 3-01/#142	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No	CHECKED BY: (Initials) AD	REMARKS: email results: NMData@tasman-geo.com; Stephan.weathers@p66.com	
† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476			040240116	



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 06, 2025

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: 8242_G-8 LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 10/31/25 14:50.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 23A (H256885-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68		
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64		
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319		
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486		
Total BTEX	<0.300	0.300	11/04/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	1090	16.0	11/03/2025	ND	416	104	400	0.00	QM-07	

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76		
DRO >C10-C28*	44.8	10.0	11/03/2025	ND	179	89.3	200	0.460		
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND						

Surrogate: 1-Chlorooctane 81.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 78.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 23 @ 3' (H256885-02)

BTEX 8021B		mg/kg		Analyzed By: JH				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68		
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	GC-NC	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	GC-NC	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	GC-NC	
Total BTEX	<0.300	0.300	11/04/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 158 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	720	16.0	11/03/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	55.8	10.0	11/03/2025	ND	192	96.1	200	2.76		
DRO >C10-C28*	739	10.0	11/03/2025	ND	179	89.3	200	0.460		
EXT DRO >C28-C36	88.2	10.0	11/03/2025	ND						

Surrogate: 1-Chlorooctane 97.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 24 @ 2.5' (H256885-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	560	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	48.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 83.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.1 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 24A (H256885-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 120 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 77.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 73.8 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 5 @ 13' (H256885-05)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	192	96.1	200	2.76	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	179	89.3	200	0.460	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 88.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.9 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 11A (H256885-06)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	464	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 69.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 69.2 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 10A (H256885-07)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	37.2	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 63.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 64.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 1A (H256885-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	448	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 74.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 74.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 26 @ 3' (H256885-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	18.6	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 81.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 11 @ 3' (H256885-10)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 76.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.6 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 4A (H256885-11)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 75.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.7 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received: 10/31/2025
 Reported: 11/06/2025
 Project Name: 8242_G-8 LINE LEAK
 Project Number: 8242
 Project Location: DCP MIDSTREAM

Sampling Date: 10/31/2025
 Sampling Type: Soil
 Sampling Condition: Cool & Intact
 Sample Received By: Tamara Oldaker

Sample ID: W - 22A (H256885-12)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 78.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.8 % 39.9-141

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 15A (H256885-13)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68	
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	
Total BTEX	<0.300	0.300	11/04/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/03/2025	ND	416	104	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00	
DRO >C10-C28*	<10.0	10.0	11/03/2025	ND	181	90.3	200	4.39	
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND					

Surrogate: 1-Chlorooctane 77.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 76.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	10/31/2025	Sampling Date:	10/31/2025
Reported:	11/06/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Tamara Oldaker
Project Location:	DCP MIDSTREAM		

Sample ID: W - 25 (H256885-14)

BTEX 8021B		mg/kg		Analyzed By: JH				S-04		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	3.68		
Toluene*	<0.050	0.050	11/04/2025	ND	1.94	97.1	2.00	1.64	GC-NC	
Ethylbenzene*	<0.050	0.050	11/04/2025	ND	1.92	95.9	2.00	0.0319	GC-NC	
Total Xylenes*	<0.150	0.150	11/04/2025	ND	6.08	101	6.00	0.0486	GC-NC	
Total BTEX	<0.300	0.300	11/04/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 160 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	736	16.0	11/03/2025	ND	416	104	400	0.00		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/03/2025	ND	183	91.5	200	2.00		
DRO >C10-C28*	29.3	10.0	11/03/2025	ND	181	90.3	200	4.39		
EXT DRO >C28-C36	<10.0	10.0	11/03/2025	ND						

Surrogate: 1-Chlorooctane 85.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
GC-NC 8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are reported as ND.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences		BILL TO				ANALYSIS REQUEST									
Project Manager: Kyle Norman		P.O. #:				TPH 8015 Ext BTEX 8021B Chlorides Hold 24-hr Rush 48-hr Rush									
Address: 2620 W. Marland Blvd.		Company: Tasman Geo													
City: Hobbs State: NM Zip: 88240		Attn: Kyle Norman													
Phone #: 575-318-5017 Fax #:		Address: 2620 W. Marland													
Project #: 8242 Project Owner: DCP Operating Company		City: Hobbs													
Project Name: 8242-G-8 Line Leak		State: NM Zip: 88240													
Project Location:		Phone #: 575-318-5017													
Sampler Name: Kaleb Johnston		Fax #:													
FOR LAB USE ONLY															
Lab I.D.	Sample I.D.	(GRAB OR (C)OMP. # CONTAINERS	MATRIX					PRESERV.		SAMPLING		DATE	TIME		
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER :				
H256885															
11	W-4A	1		X				X			10/31/25	11:22	X	X	X
12	W-22A	1		X				X			10/31/25	11:33	X	X	X
13	W-15A	1		X				X			10/31/25	11:38	X	X	X
14	W-25	1		X				X			10/31/25	11:43	X	X	X

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Kaleb Johnston	Date: 10-31-25 Time: 1450	Received By: <i>[Signature]</i>	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other:	Date:	Time:	REMARKS: email results: NMDData@tasman-geo.com; Stephan.weathers@p66.com	
CF + 0.30 #140 3.8c / 4.1c	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	CHECKED BY: (Initials) <i>[Signature]</i>		

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 18, 2025

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: 8242_G-8 LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 11/12/25 13:37.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 23 @ 4' (H257130-01)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	1.32	
Toluene*	<0.050	0.050	11/14/2025	ND	1.95	97.4	2.00	0.450	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.03	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.36	106	6.00	3.47	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 109 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	11/13/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	214	107	200	0.892	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	206	103	200	0.376	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane 106 % 52.4-130

Surrogate: 1-Chlorooctadecane 105 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 28 @ 2' (H257130-02)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	1.32	
Toluene*	<0.050	0.050	11/14/2025	ND	1.95	97.4	2.00	0.450	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.03	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.36	106	6.00	3.47	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	11/13/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	214	107	200	0.892	
DRO >C10-C28*	17.3	10.0	11/12/2025	ND	206	103	200	0.376	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane 111 % 52.4-130

Surrogate: 1-Chlorooctadecane 109 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 29 @ 2' (H257130-03)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/14/2025	ND	1.94	96.8	2.00	1.32	
Toluene*	<0.050	0.050	11/14/2025	ND	1.95	97.4	2.00	0.450	
Ethylbenzene*	<0.050	0.050	11/14/2025	ND	2.03	101	2.00	2.14	
Total Xylenes*	<0.150	0.150	11/14/2025	ND	6.36	106	6.00	3.47	
Total BTEX	<0.300	0.300	11/14/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	11/13/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	214	107	200	0.892	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	206	103	200	0.376	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane 109 % 52.4-130

Surrogate: 1-Chlorooctadecane 105 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 30 @ 2' (H257130-04)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	11/13/2025	ND	432	108	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/12/2025	ND	214	107	200	0.892	
DRO >C10-C28*	<10.0	10.0	11/12/2025	ND	206	103	200	0.376	
EXT DRO >C28-C36	<10.0	10.0	11/12/2025	ND					

Surrogate: 1-Chlorooctane 105 % 52.4-130

Surrogate: 1-Chlorooctadecane 103 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: FL - 31 @ 12' (H257130-05)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150		
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499		
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33		
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889		
Total BTEX	<0.300	0.300	11/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.7 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	160	16.0	11/13/2025	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	214	107	200	0.892		
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	206	103	200	0.376		
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND						

Surrogate: 1-Chlorooctane 108 % 52.4-130

Surrogate: 1-Chlorooctadecane 108 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: W - 27 (H257130-06)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150		
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499		
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33		
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889		
Total BTEX	<0.300	0.300	11/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 95.1 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	16.0	16.0	11/13/2025	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12		
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944		
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND						

Surrogate: 1-Chlorooctane 90.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.0 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: W - 28 (H257130-07)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150		
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499		
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33		
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889		
Total BTEX	<0.300	0.300	11/13/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 96.9 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	64.0	16.0	11/13/2025	ND	464	116	400	3.51		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12		
DRO >C10-C28*	51.1	10.0	11/13/2025	ND	196	97.9	200	0.944		
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND						

Surrogate: 1-Chlorooctane 88.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.3 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: W - 29 (H257130-08)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 94.7 % 70.4-141

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	48.0	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane 91.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.5 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/12/2025	Sampling Date:	11/12/2025
Reported:	11/18/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: W - 30 (H257130-09)

BTEX 8021B		mg/kg		Analyzed By: JH					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	11/13/2025	ND	2.06	103	2.00	0.150	
Toluene*	<0.050	0.050	11/13/2025	ND	2.04	102	2.00	0.499	
Ethylbenzene*	<0.050	0.050	11/13/2025	ND	2.01	100	2.00	1.33	
Total Xylenes*	<0.150	0.150	11/13/2025	ND	6.06	101	6.00	0.889	
Total BTEX	<0.300	0.300	11/13/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID) 95.6 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	96.0	16.0	11/13/2025	ND	464	116	400	3.51	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	11/13/2025	ND	187	93.3	200	1.12	
DRO >C10-C28*	<10.0	10.0	11/13/2025	ND	196	97.9	200	0.944	
EXT DRO >C28-C36	<10.0	10.0	11/13/2025	ND					

Surrogate: 1-Chlorooctane 97.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- S-05 The surrogate recovery is outside of lab established statistical control limits but still within method limits. Data is not adversely affected.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
** Samples not received at proper temperature of 6°C or below.
*** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



ARDINAL LABORATORIES

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences										BILL TO				ANALYSIS REQUEST											
Project Manager: Kyle Norman										P.O. #:				TPH 8015 EXT BTEX 8021B Chlorides Hold 24-hr Rush 48-hr Rush											
Address: 2620 W. Marland Blvd.										Company: Tasman Geo															
City: Hobbs State: NM Zip: 88240										Attn: Kyle Norman															
Phone #: 575-318-5017 Fax #:										Address: 2620 W. Marland															
Project #: 8242 Project Owner: DCP Operating Company										City: Hobbs															
Project Name: 8242-G-8 Line Leak										State: NM Zip: 88240															
Project Location:										Phone #: 575-318-5017															
Sampler Name: Kalob Johnston										Fax #:															
FOR LAB USE ONLY																									
Lab I.D.	Sample I.D.	(GRAB OR (C)OMP. # CONTAINERS	MATRIX					PRESERV.		SAMPLING															
			GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER :	ACID/BASE:	ICE / COOL	OTHER :	DATE	TIME												
425-7130	FL-23@4	1			X				X		11/12/25	09:38	X	X	X										
5	FL-28@2'	1			X				X		11/12/25	09:40	X	X	X										
3	FL-29@2'	1			X				X		11/12/25	09:43	X	X	X										
4	FL-30@2'	1			X				X		11/12/25	09:47	X	X	X										
5	FL-31@12'	1			X				X		11/12/25	09:54	X	X	X										
6	W-27	1			X				X		11/12/25	10:29	X	X	X										
7	W-28	1			X				X		11/12/25	10:33	X	X	X										
8	W-29	1			X				X		11/12/25	10:37	X	X	X										
9	W-30	1			X				X		11/12/25	10:40	X	X	X										

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Kalob Johnston	Date: 11-12-25 Time: 1:33 PM	Received By: [Signature]	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: 3.3- / C103 3.0- / #140	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> No <input type="checkbox"/> No	CHECKED BY: (Initials) AP	REMARKS: email results: NMDData@tasman-geo.com; Stephan.weathers@p66.com	

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

November 25, 2025

KYLE NORMAN

TASMAN GEOSCIENCES

6899 PECOS ST. UNIT C

DENVER, CO 80221

RE: 8242_G-8 LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 11/19/25 11:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Mike Snyder".

Mike Snyder For Celey D. Keene

Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
 KYLE NORMAN
 6899 PECOS ST. UNIT C
 DENVER CO, 80221
 Fax To:

Received:	11/19/2025	Sampling Date:	11/19/2025
Reported:	11/25/2025	Sampling Type:	Soil
Project Name:	8242_G-8 LINE LEAK	Sampling Condition:	Cool & Intact
Project Number:	8242	Sample Received By:	Alyssa Parras
Project Location:	DCP MIDSTREAM		

Sample ID: BACKFILL (H257262-01)

BTEX 8021B		mg/kg		Analyzed By: JH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Benzene*	<0.050	0.050	11/20/2025	ND	2.05	102	2.00	4.28		
Toluene*	<0.050	0.050	11/20/2025	ND	2.18	109	2.00	1.91		
Ethylbenzene*	<0.050	0.050	11/20/2025	ND	2.27	113	2.00	3.10		
Total Xylenes*	<0.150	0.150	11/20/2025	ND	7.00	117	6.00	3.33		
Total BTEX	<0.300	0.300	11/20/2025	ND						

Surrogate: 4-Bromofluorobenzene (PID) 111 % 70.4-141

Chloride, SM4500Cl-B		mg/kg		Analyzed By: KH						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
Chloride	<16.0	16.0	11/20/2025	ND	416	104	400	3.77		

TPH 8015M		mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10*	<10.0	10.0	11/19/2025	ND	207	104	200	1.92		
DRO >C10-C28*	<10.0	10.0	11/19/2025	ND	195	97.3	200	1.41		
EXT DRO >C28-C36	<10.0	10.0	11/19/2025	ND						

Surrogate: 1-Chlorooctane 86.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.4 % 39.9-141

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Mike Snyder For Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 01, 2025

KYLE NORMAN
TASMAN GEOSCIENCES
6899 PECOS ST. UNIT C
DENVER, CO 80221

RE: 8242_G-8 LINE LEAK

Enclosed are the results of analyses for samples received by the laboratory on 11/25/25 10:41.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/ga/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2 Total Haloacetic Acids (HAA-5)
Method EPA 524.2 Total Trihalomethanes (TTHM)
Method EPA 524.4 Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2 Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2 Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
W - 25A	H257403-01	Soil	25-Nov-25 08:45	25-Nov-25 10:41
W - 23B	H257403-02	Soil	25-Nov-25 08:49	25-Nov-25 10:41
W - 31	H257403-03	Soil	25-Nov-25 08:54	25-Nov-25 10:41
W - 32	H257403-04	Soil	25-Nov-25 08:57	25-Nov-25 10:41
W - 33	H257403-05	Soil	25-Nov-25 09:02	25-Nov-25 10:41

12/01/25 - Login put the wrong sample ID for sample -02 originally. This is the corrected report and will replace the one sent on 11/26/25.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

**W - 25A
H257403-01 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	<16.0		16.0	mg/kg	4	5112544	KH	25-Nov-25	4500-Cl-B	
----------	-------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5112455	JH	25-Nov-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			107 %		70.4-141	5112455	JH	25-Nov-25	8021B	
---------------------------------------	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	

Surrogate: 1-Chlorooctane			86.8 %		52.4-130	5112461	MS	26-Nov-25	8015B	
---------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			78.7 %		39.9-141	5112461	MS	26-Nov-25	8015B	
-------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

W - 23B

H257403-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	416		16.0	mg/kg	4	5112544	KH	25-Nov-25	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5112455	JH	25-Nov-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			107 %	70.4-141		5112455	JH	25-Nov-25	8021B	
--	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	
DRO >C10-C28*	16.4		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			85.1 %	52.4-130		5112461	MS	26-Nov-25	8015B	
----------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			77.2 %	39.9-141		5112461	MS	26-Nov-25	8015B	
--------------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

**W - 31
H257403-03 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	304		16.0	mg/kg	4	5112544	KH	25-Nov-25	4500-Cl-B	
-----------------	------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5112455	JH	25-Nov-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			107 %		70.4-141	5112455	JH	25-Nov-25	8021B	
--	--	--	-------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	
DRO >C10-C28*	11.2		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5112461	MS	26-Nov-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			85.9 %		52.4-130	5112461	MS	26-Nov-25	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			78.0 %		39.9-141	5112461	MS	26-Nov-25	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

**W - 32
H257403-04 (Soil)**

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	16.0		16.0	mg/kg	4	5112544	KH	25-Nov-25	4500-Cl-B	
----------	------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5112455	JH	25-Nov-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5112455	JH	25-Nov-25	8021B	

Surrogate: 4-Bromofluorobenzene (PID)			107 %	70.4-141		5112455	JH	25-Nov-25	8021B	
---------------------------------------	--	--	-------	----------	--	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5112525	MS	25-Nov-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5112525	MS	25-Nov-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5112525	MS	25-Nov-25	8015B	

Surrogate: 1-Chlorooctane			71.5 %	52.4-130		5112525	MS	25-Nov-25	8015B	
---------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Surrogate: 1-Chlorooctadecane			68.4 %	39.9-141		5112525	MS	25-Nov-25	8015B	
-------------------------------	--	--	--------	----------	--	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

W - 33

H257403-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
---------	--------	-----	-----------------	-------	----------	-------	---------	----------	--------	-------

Cardinal Laboratories

Inorganic Compounds

Chloride	32.0		16.0	mg/kg	4	5112544	KH	25-Nov-25	4500-Cl-B	
-----------------	-------------	--	------	-------	---	---------	----	-----------	-----------	--

Volatile Organic Compounds by EPA Method 8021

Benzene*	<0.050		0.050	mg/kg	50	5112517	JH	25-Nov-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5112517	JH	25-Nov-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5112517	JH	25-Nov-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5112517	JH	25-Nov-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5112517	JH	25-Nov-25	8021B	

<i>Surrogate: 4-Bromofluorobenzene (PID)</i>			93.6 %		70.4-141	5112517	JH	25-Nov-25	8021B	
--	--	--	--------	--	----------	---------	----	-----------	-------	--

Petroleum Hydrocarbons by GC FID

GRO C6-C10*	<10.0		10.0	mg/kg	1	5112525	MS	25-Nov-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5112525	MS	25-Nov-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5112525	MS	25-Nov-25	8015B	

<i>Surrogate: 1-Chlorooctane</i>			72.1 %		52.4-130	5112525	MS	25-Nov-25	8015B	
----------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

<i>Surrogate: 1-Chlorooctadecane</i>			69.1 %		39.9-141	5112525	MS	25-Nov-25	8015B	
--------------------------------------	--	--	--------	--	----------	---------	----	-----------	-------	--

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5112544 - 1:4 DI Water										
Blank (5112544-BLK1)										
Prepared & Analyzed: 25-Nov-25										
Chloride	ND	16.0	mg/kg							
LCS (5112544-BS1)										
Prepared & Analyzed: 25-Nov-25										
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (5112544-BSD1)										
Prepared & Analyzed: 25-Nov-25										
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES
6899 PECOS ST. UNIT C
DENVER CO, 80221

Project: 8242_G-8 LINE LEAK
Project Number: 8242
Project Manager: KYLE NORMAN
Fax To:

Reported:
01-Dec-25 18:08

Volatile Organic Compounds by EPA Method 8021 - Quality Control**Cardinal Laboratories**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5112455 - Volatiles**Blank (5112455-BLK1)**

Prepared: 24-Nov-25 Analyzed: 25-Nov-25

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	0.0545		mg/kg	0.0500		109	70.4-141			

LCS (5112455-BS1)

Prepared: 24-Nov-25 Analyzed: 25-Nov-25

Benzene	1.97	0.050	mg/kg	2.00		98.4	71-111			
Toluene	2.00	0.050	mg/kg	2.00		99.9	75-116			
Ethylbenzene	1.99	0.050	mg/kg	2.00		99.4	74.2-119			
m,p-Xylene	4.28	0.100	mg/kg	4.00		107	72.5-123			
o-Xylene	2.05	0.050	mg/kg	2.00		102	70.5-124			
Total Xylenes	6.33	0.150	mg/kg	6.00		106	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0498		mg/kg	0.0500		99.6	70.4-141			

LCS Dup (5112455-BSD1)

Prepared: 24-Nov-25 Analyzed: 25-Nov-25

Benzene	1.99	0.050	mg/kg	2.00		99.3	71-111	0.936	17.6	
Toluene	2.02	0.050	mg/kg	2.00		101	75-116	0.913	14.8	
Ethylbenzene	2.01	0.050	mg/kg	2.00		100	74.2-119	0.954	14.2	
m,p-Xylene	4.31	0.100	mg/kg	4.00		108	72.5-123	0.681	13.6	
o-Xylene	2.07	0.050	mg/kg	2.00		103	70.5-124	0.999	13.7	
Total Xylenes	6.38	0.150	mg/kg	6.00		106	72.2-123	0.784	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0503		mg/kg	0.0500		101	70.4-141			

Batch 5112517 - Volatiles**Blank (5112517-BLK1)**

Prepared & Analyzed: 25-Nov-25

Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5112517 - Volatiles

Blank (5112517-BLK1)

Prepared & Analyzed: 25-Nov-25

Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	ND		mg/kg	0.0500		95.1	70.4-141			

LCS (5112517-BS1)

Prepared & Analyzed: 25-Nov-25

Benzene	2.20	0.050	mg/kg	2.00		110	71-111			
Toluene	2.14	0.050	mg/kg	2.00		107	75-116			
Ethylbenzene	2.04	0.050	mg/kg	2.00		102	74.2-119			
m,p-Xylene	4.22	0.100	mg/kg	4.00		106	72.5-123			
o-Xylene	1.97	0.050	mg/kg	2.00		98.4	70.5-124			
Total Xylenes	6.19	0.150	mg/kg	6.00		103	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	0.0474		mg/kg	0.0500		94.9	70.4-141			

LCS Dup (5112517-BSD1)

Prepared & Analyzed: 25-Nov-25

Benzene	2.23	0.050	mg/kg	2.00		111	71-111	1.18	17.6	
Toluene	2.17	0.050	mg/kg	2.00		108	75-116	1.31	14.8	
Ethylbenzene	2.07	0.050	mg/kg	2.00		103	74.2-119	1.56	14.2	
m,p-Xylene	4.27	0.100	mg/kg	4.00		107	72.5-123	1.16	13.6	
o-Xylene	1.99	0.050	mg/kg	2.00		99.7	70.5-124	1.34	13.7	
Total Xylenes	6.26	0.150	mg/kg	6.00		104	72.2-123	1.22	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	0.0468		mg/kg	0.0500		93.6	70.4-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5112461 - General Prep - Organics

Blank (5112461-BLK1)		Prepared: 24-Nov-25 Analyzed: 26-Nov-25								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	49.5		mg/kg	50.0		99.0	52.4-130			
Surrogate: 1-Chlorooctadecane	45.3		mg/kg	50.0		90.6	39.9-141			

LCS (5112461-BS1)		Prepared: 24-Nov-25 Analyzed: 26-Nov-25								
GRO C6-C10	199	10.0	mg/kg	200		99.7	78.7-123			
DRO >C10-C28	187	10.0	mg/kg	200		93.4	74.8-123			
Total TPH C6-C28	386	10.0	mg/kg	400		96.6	78.6-121			
Surrogate: 1-Chlorooctane	50.0		mg/kg	50.0		100	52.4-130			
Surrogate: 1-Chlorooctadecane	46.4		mg/kg	50.0		92.8	39.9-141			

LCS Dup (5112461-BS1)		Prepared: 24-Nov-25 Analyzed: 26-Nov-25								
GRO C6-C10	198	10.0	mg/kg	200		99.0	78.7-123	0.649	11.3	
DRO >C10-C28	187	10.0	mg/kg	200		93.3	74.8-123	0.126	10.9	
Total TPH C6-C28	385	10.0	mg/kg	400		96.2	78.6-121	0.396	10.5	
Surrogate: 1-Chlorooctane	51.4		mg/kg	50.0		103	52.4-130			
Surrogate: 1-Chlorooctadecane	48.5		mg/kg	50.0		97.0	39.9-141			

Batch 5112525 - General Prep - Organics

Blank (5112525-BLK1)		Prepared & Analyzed: 25-Nov-25								
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	46.4		mg/kg	50.0		92.8	52.4-130			
Surrogate: 1-Chlorooctadecane	46.8		mg/kg	50.0		93.7	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

TASMAN GEOSCIENCES 6899 PECOS ST. UNIT C DENVER CO, 80221	Project: 8242_G-8 LINE LEAK Project Number: 8242 Project Manager: KYLE NORMAN Fax To:	Reported: 01-Dec-25 18:08
---	--	------------------------------

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5112525 - General Prep - Organics

LCS (5112525-BS1)

Prepared & Analyzed: 25-Nov-25

GRO C6-C10	192	10.0	mg/kg	200		96.0	78.7-123			
DRO >C10-C28	189	10.0	mg/kg	200		94.4	74.8-123			
Total TPH C6-C28	381	10.0	mg/kg	400		95.2	78.6-121			
Surrogate: 1-Chlorooctane	47.0		mg/kg	50.0		94.0	52.4-130			
Surrogate: 1-Chlorooctadecane	48.7		mg/kg	50.0		97.4	39.9-141			

LCS Dup (5112525-BSD1)

Prepared & Analyzed: 25-Nov-25

GRO C6-C10	215	10.0	mg/kg	200		107	78.7-123	11.2	11.3	
DRO >C10-C28	216	10.0	mg/kg	200		108	74.8-123	13.3	10.9	QR-03
Total TPH C6-C28	431	10.0	mg/kg	400		108	78.6-121	12.3	10.5	QR-03
Surrogate: 1-Chlorooctane	51.9		mg/kg	50.0		104	52.4-130			
Surrogate: 1-Chlorooctadecane	53.4		mg/kg	50.0		107	39.9-141			

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCS/D recovery and/or RPD values.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence or any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Tasman Geosciences		BILL TO		ANALYSIS REQUEST																
Project Manager: Kyle Norman		P.O. #:		TPH 8015 Ext BTEX 8021B Chlorides Hold 24-hr Rush 48-hr Rush																
Address: 2620 W. Marland Blvd.		Company: Tasman Geo																		
City: Hobbs	State: NM Zip: 88240	Attn: Kyle Norman																		
Phone #: 575-318-5017	Fax #:	Address: 2620 W. Marland																		
Project #: 8242	Project Owner: DCP Operating Company	City: Hobbs																		
Project Name: 8242-G-8 Live Leak		State: NM Zip: 88240																		
Project Location:		Phone #: 575-318-5017																		
Sampler Name: Kaleb Johnston		Fax #:																		
FOR LAB USE ONLY																				
Lab I.D.	Sample I.D.	(G)RAB OR (C)OMP.	# CONTAINERS									MATRIX					PRESERV.		SAMPLING	
				GROUNDWATER	WASTEWATER	SOIL	OIL	SLUDGE	OTHER:	ACID/BASE:	ICE / COOL	OTHER:	DATE	TIME						
H257403																				
1	W-25A		1			X				X			11/25/25	08:45	X	X	X		X	
2	W-23B		1			X				X			11/25/25	08:49	X	X	X		X	
3	W-31		1			X				X			11/25/25	08:54	X	X	X		X	
4	W-32		1			X				X			11/25/25	08:57	X	X	X		X	
5	W-33		1			X				X			11/25/25	09:02	X	X	X		X	

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: Kaleb Johnston	Date: 11:25:25 Time: 1041	Received By: [Signature]	Phone Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Phone #:
Relinquished By:	Date:	Received By:	Fax Result: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Add'l Fax #:
Delivered By: (Circle One) Sampler - UPS - Bus - Other: -0.3; X to 0.3	Sample Condition Cool Intact <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	CHECKED BY: (Initials) [Signature]	REMARKS: email results: NMDData@tasman-geo.com; Stephen.weathers@P66.COM	
	0.0; #140			

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 541064

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2427125865
Incident Name	NAPP2427125865 G-8 LINE LEAK @ M-02-17S-34E
Incident Type	Blow Out
Incident Status	Remediation Closure Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	G-8 Line Leak
Date Release Discovered	09/25/2024
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Blow Out
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Blow Out Pipeline (Any) Condensate Released: 27 BBL Recovered: 0 BBL Lost: 27 BBL.
Natural Gas Vented (Mcf) Details	Cause: Blow Out Pipeline (Any) Natural Gas Vented Released: 53 MCF Recovered: 0 MCF Lost: 53 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 541064

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	Not answered.

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Stephen Weathers Title: Program Manager Email: Stephen.Weathers@p66.com Date: 01/07/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 541064

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 75 and 100 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1000 (ft.) and ½ (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Between 1000 (ft.) and ½ (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1000 (ft.) and ½ (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	Yes

Remediation Plan
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	2240
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	4662
GRO+DRO (EPA SW-846 Method 8015M)	4382
BTEX (EPA SW-846 Method 8021B or 8260B)	29.8
Benzene (EPA SW-846 Method 8021B or 8260B)	0.2

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	08/25/2025
On what date will (or did) the final sampling or liner inspection occur	09/30/2025
On what date will (or was) the remediation complete(d)	09/30/2025
What is the estimated surface area (in square feet) that will be reclaimed	8268
What is the estimated volume (in cubic yards) that will be reclaimed	1600
What is the estimated surface area (in square feet) that will be remediated	8268
What is the estimated volume (in cubic yards) that will be remediated	1600

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 541064

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	FEEM0112341194 SOUTH MONUMENT LANDFARM
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	No
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Stephen Weathers Title: Program Manager Email: Stephen.Weathers@p66.com Date: 01/07/2026
--	---

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 541064

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 541064

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	528477
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	11/25/2025
What was the (estimated) number of samples that were to be gathered	5
What was the sampling surface area in square feet	1000

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	6000
What was the total volume (cubic yards) remediated	1488
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	6000
What was the total volume (in cubic yards) reclaimed	670
Summarize any additional remediation activities not included by answers (above)	NA

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Stephen Weathers Title: Program Manager Email: Stephen.Weathers@p66.com Date: 01/07/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 541064

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
<i>Only answer the questions in this group if all reclamation steps have been completed.</i>	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 541064

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 541064
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	This Remediation Closure Report is approved. Areas reasonably needed for production or subsequent drilling operations will need to be reclaimed and revegetated as soon as they are no longer reasonably needed. A report for reclamation and revegetation will need to be submitted and approved prior to this incident receiving the final status of "Restoration Complete".	2/19/2026