



P.O. Box 1653
Durango, Colorado 81302
(970) 764-7356
www.cottonwoodconsulting.com

February 2, 2026

Jerrid Brann
Simcoe LLC
1199 Main Ave Suite 101
Durango, CO 81301

**RE: Mudge A #002
2025 Annual Monitoring Report**

Dear Mr. Brann,

Cottonwood Consulting LLC (Cottonwood) is pleased to provide Simcoe LLC (Simcoe) with the results of the soil vapor extraction (SVE) monitoring conducted at the Mudge A #002 well site (API 30-045-10948). Details regarding the methodology and associated results are summarized below.

Background

In April 2017, hydrocarbon impacts were discovered beneath a production tank at the Mudge A #002 well site. Excavation and removal of some impacted soils occurred; however, due to the presence of the endangered Brack's cactus (*Sclerocactus cloverae*) and adjacent subsurface pipeline infrastructure, excavation of some impacted soil was deemed infeasible. Soil boring results indicated that hydrocarbon impacts remained in the area east and downgradient of the well head. The SVE system was installed in June 2018 to perform in-situ remediation of these soils.

Methodology

The SVE commenced operation in June 2018. As per the remediation plan approved the New Mexico Oil Conservation Division (NMOCD), monitoring is conducted monthly or more often as needed. During the monitoring, observations are made about the SVE system operation and general condition, organic vapor meter (OVM) readings are collected from the exhaust of the SVE unit, vacuum pressure on the unit is noted, and the quantity of water within the drum located on the unit is noted and the drum drained, if required.

The SVE system has primarily extracted from SVE point BH-2.

Per the remediation plan, a gas sample is collected on an annual basis. Gas sampling was conducted on June 18, 2025. The gas sample was submitted to Hall Environmental Analysis Laboratory (HEAL) for analysis of volatile organic compounds (VOCs) by US EPA Method 8260B, carbon

Cottonwood Consulting LLC

dioxide, and oxygen.

Monitoring Results

It appears that the SVE system significantly reduced OVM readings in SVE point BH-2 from 2018 to 2025. OVM readings have been on a general downward trend since the system began extraction from SVE point BH-2, with the exception of an elevated reading collected in June 2022. The system was operational upon arrival during 100 percent of the monitoring events.

Benzene, toluene, ethylbenzene, and total xylenes were not detected in the gas sample collected from the SVE system. See Figure 1 for OVM reading results, Attachment 1 for a summary of the SVE System Monitoring Data, and Attachment 2 for the gas sample laboratory report.

Conclusion

Simcoe will continue to conduct regular monitoring and sampling at the Mudge A #002 SVE system. In the future, Simcoe may advance subsurface soil borings to verify closure standards are met.

Should you have any questions, please do not hesitate to contact me at 970-764-7356. Cottonwood appreciates the opportunity to provide services to Simcoe.

Sincerely,




Kyle Siesser, P.G.
Cottonwood Consulting LLC

Attachments: Figure 1 – OVM Reading Results
Attachment 1 – SVE System Monitoring Data
Attachment 2 – Gas Sampling Laboratory Report



FIGURE 1

Mudge A #002
OVM Reading Results
Simcoe LLC





ATTACHMENT 1

Mudge A #002
SVE Monitoring Results
Simcoe LLC

Date	SVE Point	Exhaust OVM (ppm)	Vacuum Pressure Upstream of Drum (inHg)	Vacuum Pressure Downstream of Drum (inHg)	Exhaust Rate (cfm)	System Operational at Arrival	Water Drained	Water Drained (gal)	Comments
6/6/2018	BH-1	26.2	3.53	-	NA	YES	NO	-	Very little air flow from blow exhaust felt physically
6/7/2018	BH-1	1.3	3.46	-	50	YES	NO	-	Same as above (SAA)
6/6/2018	BH-2	30.5	3.82	-	NA	YES	NO	-	SAA
6/7/2018	BH-2	29.2	3.38	-	60	YES	NO	-	SAA
6/6/2018	BH-3	19.3	3.75	-	60	YES	NO	-	SAA
6/7/2018	BH-3	20.5	3.38	-	50	YES	NO	-	SAA
6/6/2018	BH-4	15.3	4.12	-	NA	YES	NO	-	SAA
6/7/2018	BH-4	5.3	3.38	-	50	YES	NO	-	SAA
6/8/2018	BH-2	36.3	3.38	-	50	YES	NO	-	SAA
6/11/2018	BH-3	30.0	3.38	-	50	YES	NO	-	SAA
6/12/2018	BH-2	322.0	3.46	-	50	YES	NO	-	SAA, collected air sample (BH-2)
6/13/2018	BH-3	179.0	3.46	-	50	YES	NO	-	Dry drum, SAA (BH-3)
6/19/2018	BH-1	5.8	3.53	-	50	YES	NO	-	SAA
6/27/2018	BH-3	86.4	3.53	-	50	YES	NO	-	SAA
7/5/2018	BH-2	346.0	3.53	-	60	YES	NO	-	SAA
7/13/2018	BH-4	65.1	3.53	-	60	YES	NO	-	SAA
7/19/2018	BH-1	5.2	3.53	-	50	YES	NO	-	SAA
8/29/2018	BH-2	217.0	3.53	-	50	YES	NO	-	SAA
9/24/2018	BH-2	148.8	3.53	-	50	YES	NO	-	SAA
10/24/2018	BH-2	430.0	3.53	-	50	YES	NO	-	SAA
11/16/2018	BH-2	359.0	3.53	-	50	YES	NO	-	SAA
12/19/2018	BH-2	390.0	3.68	-	50	YES	NO	-	SAA
1/11/2019	BH-2	305.0	3.68	-	NA	YES	NO	-	SAA
2/28/2019	BH-2	127.0	3.68	-	50	YES	NO	-	Water in drum below drain plug
3/18/2019	BH-2	111.0	3.68	-	50	YES	NO	-	SAA
4/17/2019	BH-2	103.3	3.53	-	50	YES	NO	-	SAA
5/3/2019	BH-2	102.3	3.68	-	50	YES	NO	-	SAA
6/5/2019	BH-2	164.0	3.60	-	50	YES	NO	-	SAA
6/20/2019	BH-2	164.0	3.53	-	48	YES	NO	-	Dry drum, collected air sample (BH-2)
7/27/2019	BH-2	179.3	3.60	-	50	YES	NO	-	Dry drum
8/14/2019	BH-2	189.0	3.60	-	50	YES	NO	-	Dry drum
9/19/2019	BH-2	198.0	3.53	-	60	YES	NO	-	Dry drum
10/17/2019	BH-2	168.0	3.68	-	50	YES	NO	-	Dry drum
11/14/2019	BH-2	145.0	3.68	-	50	YES	NO	-	Dry drum
12/20/2019	BH-2	77.4	3.68	-	50	YES	NO	-	Water in drum below drain plug
1/15/2020	BH-2	57.3	3.60	-	50	YES	NO	-	Water in drum below drain port
2/26/2020	BH-2	42.7	3.68	-	50	YES	NO	-	Water in drum below drain port

**Mudge A #002
SVE Monitoring Results
Simcoe LLC**

Date	SVE Point	Exhaust OVM (ppm)	Vacuum Pressure Upstream of Drum (inHg)	Vacuum Pressure Downstream of Drum (inHg)	Exhaust Rate (cfm)	System Operational at Arrival	Water Drained	Water Drained (gal)	Comments
3/27/2020	BH-2	35.2	3.60	-	50	YES	NO	-	Water in drum below drain port
4/20/2020	BH-2	57.2	3.60	-	50	YES	NO	-	Dry drum
5/22/2020	BH-2	57.9	3.60	-	50	YES	NO	-	Dry drum
6/25/2020	BH-2	55.0	3.60	-	50	YES	NO	-	Dry drum
7/30/2020	BH-2	71.0	3.53	-	50	YES	NO	-	Dry drum
8/25/2020	BH-2	153.4	3.53	-	50	YES	NO	-	Dry drum
9/23/2020	BH-2	86.1	3.60	-	50	YES	NO	-	Dry drum
10/23/2020	BH-2	112.0	3.60	-	60	YES	NO	-	Dry drum
11/17/2020	BH-2	71.5	3.68	-	50	YES	NO	-	Dry drum
12/22/2020	BH-2	37.3	3.68	-	NA	YES	NO	-	Dry drum
1/14/2021	BH-2	35.2	-	-	-	YES	-	-	
2/5/2021	BH-2	11.1	-	-	-	YES	-	-	
3/29/2021	BH-2	5.3	-	-	-	YES	-	-	
4/14/2021	BH-2	17.8	-	-	-	YES	-	-	
5/7/2021	BH-2	18.6	-	-	-	YES	-	-	
6/8/2021	BH-2	16.1	-	-	-	YES	-	-	
7/9/2021	BH-2	14.7	-	-	-	YES	-	-	
9/29/2021	BH-2	24.9	3.68	-	NA	YES	NO	-	Dry drum
10/11/2021	BH-2	27.5	3.60	-	NA	YES	NO	-	Dry drum
11/6/2021	BH-2	18.6	3.68	-	NA	YES	NO	-	Water in drum below drain port
12/13/2021	BH-2	45.6	3.68	-	-	YES	NO	-	Water in drum below drain port
1/4/2022	BH-2	23.2	3.82	-	-	YES	NO	-	Water in drum below drain port
2/8/2022	BH-2	11.9	3.82	-	-	YES	NO	-	Dry drum
3/7/2022	BH-2	10.3	3.82	-	-	YES	NO	-	
4/7/2022	BH-2	6.8	3.82	2.21	-	YES	NO	-	Different type of gauge on outlet. Picture was taken.
5/2/2022	BH-2	12.2	3.75	-	-	YES	NO	-	
6/9/2022	BH-2	1660.0	3.68	-	-	YES	NO	-	
7/5/2022	BH-2	396.8	3.75	-	-	YES	NO	-	
8/17/2022	BH-2	339.5	3.82	-	-	YES	NO	-	
9/15/2022	BH-2	348.4	3.75	3.68	-	YES	NO	-	
10/12/2022	BH-2	363.4	3.75	-	-	YES	NO	-	
11/10/2022	BH-2	271.7	3.82	-	-	YES	NO	-	
12/15/2022	BH-2	217.0	3.82	-	-	YES	YES	-	Drum empty
1/10/2023	BH-2	0.8	3.97	-	-	YES	NO	-	Water in drum below drain port
2/9/2023	BH-2	2.1	3.97	-	-	YES	NO	-	Drum frozen
3/10/2023	BH-2	109.1	3.82	-	-	YES	NO	-	Water in drum below drain port
4/6/2023	BH-2	96.5	3.82	-	-	YES	YES	2.47	

Mudge A #002
SVE Monitoring Results
Simcoe LLC

Date	SVE Point	Exhaust OVM (ppm)	Vacuum Pressure Upstream of Drum (inHg)	Vacuum Pressure Downstream of Drum (inHg)	Exhaust Rate (cfm)	System Operational at Arrival	Water Drained	Water Drained (gal)	Comments
5/3/2023	BH-2	69.3	4.34	-	-	NO	NO	-	Water in drum below drain port. Restarted system.
6/6/2023	BH-2	171.6	3.68	-	-	YES	NO	-	
7/7/2023	BH-2	153.3	3.68	-	-	YES	NO	-	
8/9/2023	BH-2	354.9	3.68	-	-	YES	NO	-	
9/7/2023	BH-2	228.6	3.75	-	-	YES	NO	-	
10/18/2023	BH-2	327.2	3.82	-	-	YES	NO	-	
11/14/2023	BH-2	150.1	2.94	-	-	YES	NO	-	
12/15/2023	BH-2	108.2	3.68	-	-	YES	NO	-	
1/15/2024	BH-2	32	3.68	-	-	YES	NO	-	
2/14/2024	BH-2	22	5.00	4.00	-	YES	NO	-	
3/11/2024	BH-2	47.2	4.75	3.75	-	YES	NO	-	
4/8/2024	BH-2	104.3	4.75	3.00	-	YES	NO	-	
5/6/2024	BH-2	52	5.00	3.75	-	YES	NO	-	
6/13/2024	BH-2	150.5	5.00	5.00	-	YES	NO	-	
7/5/2024	BH-2	123.8	5.00	3.75	-	YES	NO	-	
8/7/2024	BH-2	268.2	5.00	3.75	-	YES	NO	-	
9/18/2024	BH-2	284	5.00	4.80	-	YES	NO	-	
10/3/2024	BH-2	217.1	5.00	3.75	-	YES	NO	-	
11/11/2024	BH-2	144.3	5.00	4.75	-	YES	NO	-	
12/11/2024	BH-2	74.6	5.00	4.75	-	YES	NO	-	
1/7/2025	BH-2	50.6	5.00	4.25	-	YES	NO	-	
2/19/2025	BH-2	31.6	5.00	4.25	-	YES	NO	-	
3/25/2025	BH-2	42.9	5.00	5.00	-	YES	NO	-	
4/8/2025	BH-2	27.9	5.00	4.75	-	YES	NO	-	
5/13/2025	BH-2	94.8	5.00	3.75	-	YES	NO	-	
6/18/2025	BH-2	150.7	4.00	5.00	-	YES	NO	-	
7/21/2025	BH-2	287.3	4.00	5.00	-	YES	NO	-	
8/11/2025	BH-2	271.3	5.00	4.00	-	YES	NO	-	
9/17/2025	BH-2	476.8	5.00	4.00	-	YES	NO	-	
10/1/2025	BH-2	399.4	5.00	4.75	-	YES	NO	-	
11/11/2025	BH-2	250.0	5.00	4.00	-	YES	NO	-	
12/10/2025	BH-2	93.7	5.00	4.00	-	YES	NO	-	

Notes:

SVE - soil vapor extraction
OVM - organic vapor meter
ppm - parts per million
in - inches
cfm - cubic feet per minute
gal - gallons
NA - Not Applicable
inHg - inches mercury



ATTACHMENT 2



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Kyle Siesser
 Cottonwood Consulting LLC
 PO BOX 1653
 Durango, Colorado 81302
 Generated 6/26/2025 2:08:57 PM

JOB DESCRIPTION

Mudge A #2

JOB NUMBER

885-27099-1



Eurofins Albuquerque

Job Notes

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing South Central, LLC Project Manager.

Authorization



Generated
6/26/2025 2:08:57 PM

Authorized for release by
Cheyenne Cason, Project Manager
cheyenne.cason@et.eurofinsus.com
(505)338-8812

Client: Cottonwood Consulting LLC
Project/Site: Mudge A #2

Laboratory Job ID: 885-27099-1

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
QC Sample Results	8
QC Association Summary	10
Lab Chronicle	11
Certification Summary	12
Subcontract Data	15
Chain of Custody	22
Receipt Checklists	23

Definitions/Glossary

Client: Cottonwood Consulting LLC
Project/Site: Mudge A #2

Job ID: 885-27099-1

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Cottonwood Consulting LLC
Project: Mudge A #2

Job ID: 885-27099-1

Job ID: 885-27099-1

Eurofins Albuquerque

Job Narrative 885-27099-1

Analytical test results meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page unless otherwise noted under the individual analysis. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable.

- Matrix QC may not be reported if insufficient sample is provided or site-specific QC samples were not submitted. In these situations, to demonstrate precision and accuracy at a batch level, a LCS/LCSD may be performed, unless otherwise specified in the method.
- Surrogate and/or isotope dilution analyte recoveries (if applicable) which are outside of the QC window are confirmed unless attributed to a dilution or otherwise noted in the narrative.

Regulated compliance samples (e.g. SDWA, NPDES) must comply with the associated agency requirements/permits.

Receipt

The sample was received on 6/19/2025 6:45 AM. Unless otherwise noted below, the sample arrived in good condition, and, where required, properly preserved and on ice.

Subcontract Work

Method Natural Gases O2, CO2: This method was subcontracted to Energy Laboratories, Inc. The subcontract laboratory certification is different from that of the facility issuing the final report. The subcontract report is appended in its entirety.

GC/MS VOA

Method 8260B: The following sample was diluted due to the nature of the sample matrix: SVE (885-27099-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Albuquerque



Client Sample Results

Client: Cottonwood Consulting LLC
Project/Site: Mudge A #2

Job ID: 885-27099-1

Client Sample ID: SVE

Lab Sample ID: 885-27099-1

Date Collected: 06/18/25 09:45

Matrix: Air

Date Received: 06/19/25 06:45

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		0.20	ug/L			06/25/25 14:50	2
1,1,1-Trichloroethane	ND		0.20	ug/L			06/25/25 14:50	2
1,1,2,2-Tetrachloroethane	ND		0.40	ug/L			06/25/25 14:50	2
1,1,2-Trichloroethane	ND		0.20	ug/L			06/25/25 14:50	2
1,1-Dichloroethane	ND		0.20	ug/L			06/25/25 14:50	2
1,1-Dichloroethene	ND		0.20	ug/L			06/25/25 14:50	2
1,1-Dichloropropene	ND		0.20	ug/L			06/25/25 14:50	2
1,2,3-Trichlorobenzene	ND		0.20	ug/L			06/25/25 14:50	2
1,2,3-Trichloropropane	ND		0.40	ug/L			06/25/25 14:50	2
1,2,4-Trichlorobenzene	ND		0.20	ug/L			06/25/25 14:50	2
1,2,4-Trimethylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
1,2-Dibromo-3-Chloropropane	ND		0.40	ug/L			06/25/25 14:50	2
1,2-Dibromoethane (EDB)	ND		0.20	ug/L			06/25/25 14:50	2
1,2-Dichlorobenzene	ND		0.20	ug/L			06/25/25 14:50	2
1,2-Dichloroethane (EDC)	ND		0.20	ug/L			06/25/25 14:50	2
1,2-Dichloropropane	ND		0.20	ug/L			06/25/25 14:50	2
1,3,5-Trimethylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
1,3-Dichlorobenzene	ND		0.20	ug/L			06/25/25 14:50	2
1,3-Dichloropropane	ND		0.20	ug/L			06/25/25 14:50	2
1,4-Dichlorobenzene	ND		0.20	ug/L			06/25/25 14:50	2
1-Methylnaphthalene	ND		0.80	ug/L			06/25/25 14:50	2
2,2-Dichloropropane	ND		0.40	ug/L			06/25/25 14:50	2
2-Butanone	ND		2.0	ug/L			06/25/25 14:50	2
2-Chlorotoluene	ND		0.20	ug/L			06/25/25 14:50	2
2-Hexanone	ND		2.0	ug/L			06/25/25 14:50	2
2-Methylnaphthalene	ND		0.80	ug/L			06/25/25 14:50	2
4-Chlorotoluene	ND		0.20	ug/L			06/25/25 14:50	2
4-Isopropyltoluene	ND		0.20	ug/L			06/25/25 14:50	2
4-Methyl-2-pentanone	ND		2.0	ug/L			06/25/25 14:50	2
Acetone	ND		2.0	ug/L			06/25/25 14:50	2
Benzene	ND		0.20	ug/L			06/25/25 14:50	2
Bromobenzene	ND		0.20	ug/L			06/25/25 14:50	2
Bromodichloromethane	ND		0.20	ug/L			06/25/25 14:50	2
Dibromochloromethane	ND		0.20	ug/L			06/25/25 14:50	2
Bromoform	ND		0.20	ug/L			06/25/25 14:50	2
Bromomethane	ND		0.60	ug/L			06/25/25 14:50	2
Carbon disulfide	ND		2.0	ug/L			06/25/25 14:50	2
Carbon tetrachloride	ND		0.20	ug/L			06/25/25 14:50	2
Chlorobenzene	ND		0.20	ug/L			06/25/25 14:50	2
Chloroethane	ND		0.40	ug/L			06/25/25 14:50	2
Chloroform	ND		0.20	ug/L			06/25/25 14:50	2
Chloromethane	ND		0.60	ug/L			06/25/25 14:50	2
cis-1,2-Dichloroethene	ND		0.20	ug/L			06/25/25 14:50	2
cis-1,3-Dichloropropene	ND		0.20	ug/L			06/25/25 14:50	2
Dibromomethane	ND		0.20	ug/L			06/25/25 14:50	2
Dichlorodifluoromethane	ND		0.20	ug/L			06/25/25 14:50	2
Ethylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
Hexachlorobutadiene	ND		0.20	ug/L			06/25/25 14:50	2

Eurofins Albuquerque

Client Sample Results

Client: Cottonwood Consulting LLC
 Project/Site: Mudge A #2

Job ID: 885-27099-1

Client Sample ID: SVE

Lab Sample ID: 885-27099-1

Date Collected: 06/18/25 09:45

Matrix: Air

Date Received: 06/19/25 06:45

Sample Container: Tedlar Bag 1L

Method: SW846 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Isopropylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
Methyl-tert-butyl Ether (MTBE)	ND		0.20	ug/L			06/25/25 14:50	2
Methylene Chloride	ND		0.60	ug/L			06/25/25 14:50	2
n-Butylbenzene	ND		0.60	ug/L			06/25/25 14:50	2
N-Propylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
Naphthalene	ND		0.40	ug/L			06/25/25 14:50	2
sec-Butylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
Styrene	ND		0.20	ug/L			06/25/25 14:50	2
tert-Butylbenzene	ND		0.20	ug/L			06/25/25 14:50	2
Tetrachloroethene (PCE)	ND		0.20	ug/L			06/25/25 14:50	2
Toluene	ND		0.20	ug/L			06/25/25 14:50	2
trans-1,2-Dichloroethene	ND		0.20	ug/L			06/25/25 14:50	2
trans-1,3-Dichloropropene	ND		0.20	ug/L			06/25/25 14:50	2
Trichloroethene (TCE)	ND		0.20	ug/L			06/25/25 14:50	2
Trichlorofluoromethane	ND		0.20	ug/L			06/25/25 14:50	2
Vinyl chloride	ND		0.20	ug/L			06/25/25 14:50	2
Xylenes, Total	ND		0.30	ug/L			06/25/25 14:50	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	97		70 - 130		06/25/25 14:50	2
Toluene-d8 (Surr)	100		70 - 130		06/25/25 14:50	2
4-Bromofluorobenzene (Surr)	100		70 - 130		06/25/25 14:50	2
Dibromofluoromethane (Surr)	96		70 - 130		06/25/25 14:50	2

Eurofins Albuquerque

QC Sample Results

Client: Cottonwood Consulting LLC
Project/Site: Mudge A #2

Job ID: 885-27099-1

Method: 8260B - Volatile Organic Compounds (GC/MS)

Lab Sample ID: MB 885-28974/5

Matrix: Air

Analysis Batch: 28974

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1,2-Tetrachloroethane	ND		1.0	ug/L			06/25/25 13:27	1
1,1,1-Trichloroethane	ND		1.0	ug/L			06/25/25 13:27	1
1,1,2,2-Tetrachloroethane	ND		2.0	ug/L			06/25/25 13:27	1
1,1,2-Trichloroethane	ND		1.0	ug/L			06/25/25 13:27	1
1,1-Dichloroethane	ND		1.0	ug/L			06/25/25 13:27	1
1,1-Dichloroethene	ND		1.0	ug/L			06/25/25 13:27	1
1,1-Dichloropropene	ND		1.0	ug/L			06/25/25 13:27	1
1,2,3-Trichlorobenzene	ND		1.0	ug/L			06/25/25 13:27	1
1,2,3-Trichloropropane	ND		2.0	ug/L			06/25/25 13:27	1
1,2,4-Trichlorobenzene	ND		1.0	ug/L			06/25/25 13:27	1
1,2,4-Trimethylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
1,2-Dibromo-3-Chloropropane	ND		2.0	ug/L			06/25/25 13:27	1
1,2-Dibromoethane (EDB)	ND		1.0	ug/L			06/25/25 13:27	1
1,2-Dichlorobenzene	ND		1.0	ug/L			06/25/25 13:27	1
1,2-Dichloroethane (EDC)	ND		1.0	ug/L			06/25/25 13:27	1
1,2-Dichloropropane	ND		1.0	ug/L			06/25/25 13:27	1
1,3,5-Trimethylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
1,3-Dichlorobenzene	ND		1.0	ug/L			06/25/25 13:27	1
1,3-Dichloropropane	ND		1.0	ug/L			06/25/25 13:27	1
1,4-Dichlorobenzene	ND		1.0	ug/L			06/25/25 13:27	1
1-Methylnaphthalene	ND		4.0	ug/L			06/25/25 13:27	1
2,2-Dichloropropane	ND		2.0	ug/L			06/25/25 13:27	1
2-Butanone	ND		10	ug/L			06/25/25 13:27	1
2-Chlorotoluene	ND		1.0	ug/L			06/25/25 13:27	1
2-Hexanone	ND		10	ug/L			06/25/25 13:27	1
2-Methylnaphthalene	ND		4.0	ug/L			06/25/25 13:27	1
4-Chlorotoluene	ND		1.0	ug/L			06/25/25 13:27	1
4-Isopropyltoluene	ND		1.0	ug/L			06/25/25 13:27	1
4-Methyl-2-pentanone	ND		10	ug/L			06/25/25 13:27	1
Acetone	ND		10	ug/L			06/25/25 13:27	1
Benzene	ND		1.0	ug/L			06/25/25 13:27	1
Bromobenzene	ND		1.0	ug/L			06/25/25 13:27	1
Bromodichloromethane	ND		1.0	ug/L			06/25/25 13:27	1
Dibromochloromethane	ND		1.0	ug/L			06/25/25 13:27	1
Bromoform	ND		1.0	ug/L			06/25/25 13:27	1
Bromomethane	ND		3.0	ug/L			06/25/25 13:27	1
Carbon disulfide	ND		10	ug/L			06/25/25 13:27	1
Carbon tetrachloride	ND		1.0	ug/L			06/25/25 13:27	1
Chlorobenzene	ND		1.0	ug/L			06/25/25 13:27	1
Chloroethane	ND		2.0	ug/L			06/25/25 13:27	1
Chloroform	ND		1.0	ug/L			06/25/25 13:27	1
Chloromethane	ND		3.0	ug/L			06/25/25 13:27	1
cis-1,2-Dichloroethene	ND		1.0	ug/L			06/25/25 13:27	1
cis-1,3-Dichloropropene	ND		1.0	ug/L			06/25/25 13:27	1
Dibromomethane	ND		1.0	ug/L			06/25/25 13:27	1
Dichlorodifluoromethane	ND		1.0	ug/L			06/25/25 13:27	1
Ethylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
Hexachlorobutadiene	ND		1.0	ug/L			06/25/25 13:27	1

Eurofins Albuquerque

QC Sample Results

Client: Cottonwood Consulting LLC
 Project/Site: Mudge A #2

Job ID: 885-27099-1

Method: 8260B - Volatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 885-28974/5

Client Sample ID: Method Blank

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 28974

Analyte	MB	MB	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
Isopropylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
Methyl-tert-butyl Ether (MTBE)	ND		1.0	ug/L			06/25/25 13:27	1
Methylene Chloride	ND		3.0	ug/L			06/25/25 13:27	1
n-Butylbenzene	ND		3.0	ug/L			06/25/25 13:27	1
N-Propylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
Naphthalene	ND		2.0	ug/L			06/25/25 13:27	1
sec-Butylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
Styrene	ND		1.0	ug/L			06/25/25 13:27	1
tert-Butylbenzene	ND		1.0	ug/L			06/25/25 13:27	1
Tetrachloroethene (PCE)	ND		1.0	ug/L			06/25/25 13:27	1
Toluene	ND		1.0	ug/L			06/25/25 13:27	1
trans-1,2-Dichloroethene	ND		1.0	ug/L			06/25/25 13:27	1
trans-1,3-Dichloropropene	ND		1.0	ug/L			06/25/25 13:27	1
Trichloroethene (TCE)	ND		1.0	ug/L			06/25/25 13:27	1
Trichlorofluoromethane	ND		1.0	ug/L			06/25/25 13:27	1
Vinyl chloride	ND		1.0	ug/L			06/25/25 13:27	1
Xylenes, Total	ND		1.5	ug/L			06/25/25 13:27	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1,2-Dichloroethane-d4 (Surr)	100		70 - 130		06/25/25 13:27	1
Toluene-d8 (Surr)	98		70 - 130		06/25/25 13:27	1
4-Bromofluorobenzene (Surr)	98		70 - 130		06/25/25 13:27	1
Dibromofluoromethane (Surr)	97		70 - 130		06/25/25 13:27	1

Lab Sample ID: LCS 885-28974/4

Client Sample ID: Lab Control Sample

Matrix: Air

Prep Type: Total/NA

Analysis Batch: 28974

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	20.0	24.1		ug/L		121	70 - 130
Chlorobenzene	20.0	21.1		ug/L		105	70 - 130
Toluene	20.0	20.9		ug/L		104	70 - 130
Trichloroethene (TCE)	20.0	18.5		ug/L		92	70 - 130

Surrogate	LCS	LCS	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	101		70 - 130
Toluene-d8 (Surr)	99		70 - 130
4-Bromofluorobenzene (Surr)	98		70 - 130
Dibromofluoromethane (Surr)	97		70 - 130

Eurofins Albuquerque

QC Association Summary

Client: Cottonwood Consulting LLC
Project/Site: Mudge A #2

Job ID: 885-27099-1

GC/MS VOA

Analysis Batch: 28974

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
885-27099-1	SVE	Total/NA	Air	8260B	
MB 885-28974/5	Method Blank	Total/NA	Air	8260B	
LCS 885-28974/4	Lab Control Sample	Total/NA	Air	8260B	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Lab Chronicle

Client: Cottonwood Consulting LLC
Project/Site: Mudge A #2

Job ID: 885-27099-1

Client Sample ID: SVE

Lab Sample ID: 885-27099-1

Date Collected: 06/18/25 09:45

Matrix: Air


Date Received: 06/19/25 06:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260B		2	28974	JP	EET ALB	06/25/25 14:50

Laboratory References:

= , 1120 South 27th Street, Billings, MT 59101, TEL (406)252-6325

EET ALB = Eurofins Albuquerque, 4901 Hawkins NE, Albuquerque, NM 87109, TEL (505)345-3975



Accreditation/Certification Summary

Client: Cottonwood Consulting LLC
 Project/Site: Mudge A #2

Job ID: 885-27099-1

Laboratory: Eurofins Albuquerque

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New Mexico	State	NM9425, NM0901	02-27-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Cottonwood Consulting LLC
 Project/Site: Mudge A #2

Job ID: 885-27099-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total

Oregon	NELAP	NM100001	02-26-26
--------	-------	----------	----------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	1,1,1,2-Tetrachloroethane
8260B		Air	1,1,1-Trichloroethane
8260B		Air	1,1,2,2-Tetrachloroethane
8260B		Air	1,1,2-Trichloroethane
8260B		Air	1,1-Dichloroethane
8260B		Air	1,1-Dichloroethene
8260B		Air	1,1-Dichloropropene
8260B		Air	1,2,3-Trichlorobenzene
8260B		Air	1,2,3-Trichloropropane
8260B		Air	1,2,4-Trichlorobenzene
8260B		Air	1,2,4-Trimethylbenzene
8260B		Air	1,2-Dibromo-3-Chloropropane
8260B		Air	1,2-Dibromoethane (EDB)
8260B		Air	1,2-Dichlorobenzene
8260B		Air	1,2-Dichloroethane (EDC)
8260B		Air	1,2-Dichloropropane
8260B		Air	1,3,5-Trimethylbenzene
8260B		Air	1,3-Dichlorobenzene
8260B		Air	1,3-Dichloropropane
8260B		Air	1,4-Dichlorobenzene
8260B		Air	1-Methylnaphthalene
8260B		Air	2,2-Dichloropropane

Eurofins Albuquerque

Accreditation/Certification Summary

Client: Cottonwood Consulting LLC
 Project/Site: Mudge A #2

Job ID: 885-27099-1

Laboratory: Eurofins Albuquerque (Continued)

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
-----------	---------	-----------------------	-----------------

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8260B		Air	2-Butanone
8260B		Air	2-Chlorotoluene
8260B		Air	2-Hexanone
8260B		Air	2-Methylnaphthalene
8260B		Air	4-Chlorotoluene
8260B		Air	4-Isopropyltoluene
8260B		Air	4-Methyl-2-pentanone
8260B		Air	Acetone
8260B		Air	Benzene
8260B		Air	Bromobenzene
8260B		Air	Bromodichloromethane
8260B		Air	Bromoform
8260B		Air	Bromomethane
8260B		Air	Carbon disulfide
8260B		Air	Carbon tetrachloride
8260B		Air	Chlorobenzene
8260B		Air	Chloroethane
8260B		Air	Chloroform
8260B		Air	Chloromethane
8260B		Air	cis-1,2-Dichloroethene
8260B		Air	cis-1,3-Dichloropropene
8260B		Air	Dibromochloromethane
8260B		Air	Dibromomethane
8260B		Air	Dichlorodifluoromethane
8260B		Air	Ethylbenzene
8260B		Air	Hexachlorobutadiene
8260B		Air	Isopropylbenzene
8260B		Air	Methylene Chloride
8260B		Air	Methyl-tert-butyl Ether (MTBE)
8260B		Air	Naphthalene
8260B		Air	n-Butylbenzene
8260B		Air	N-Propylbenzene
8260B		Air	sec-Butylbenzene
8260B		Air	Styrene
8260B		Air	tert-Butylbenzene
8260B		Air	Tetrachloroethene (PCE)
8260B		Air	Toluene
8260B		Air	trans-1,2-Dichloroethene
8260B		Air	trans-1,3-Dichloropropene
8260B		Air	Trichloroethene (TCE)
8260B		Air	Trichlorofluoromethane
8260B		Air	Vinyl chloride
8260B		Air	Xylenes, Total



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

ANALYTICAL SUMMARY REPORT

June 23, 2025

Eurofins TestAmerica - Albuquerque
4901 Hawkins St NE Ste D
Albuquerque, NM 87109-4372

Work Order: B25061898 Quote ID: B15626

Project Name: 88501577, Mudge A #2

Energy Laboratories Inc Billings MT received the following 1 sample for Eurofins TestAmerica - Albuquerque on 6/20/2025 for analysis.

Lab ID	Client Sample ID	Collect Date	Receive Date	Matrix	Test
B25061898-001	SVE (885-27099-1)	06/18/25 9:45	06/20/25	Air	Air Correction Calculations Appearance and Comments Calculated Properties GPM @ std cond./1000 cu. ft., moist. Free Natural Gas Analysis Specific Gravity @ 60/60

The analyses presented in this report were performed by Energy Laboratories, Inc., 1120 So. 27th Street, Billings, MT 59101, unless otherwise noted. Any exceptions or problems with the analyses are noted in the report package. Any issues encountered during sample receipt are documented in the Work Order Receipt Checklist.

The results as reported relate only to the item(s) submitted for testing. This report shall be used or copied only in its entirety. Energy Laboratories, Inc. is not responsible for the consequences arising from the use of a partial report.

Energy Laboratories, Inc. verifies the reported results for the analysis has been technically reviewed and approved for release.

If you have any questions regarding these test results, please contact your Project Manager.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

LABORATORY ANALYTICAL REPORT

Prepared by Billings, MT Branch

Client: Eurofins TestAmerica - Albuquerque
Project: 88501577, Mudge A #2
Lab ID: B25061898-001
Client Sample ID: SVE (885-27099-1)

Report Date: 06/23/25
Collection Date: 06/18/25 09:45
Date Received: 06/20/25
Matrix: Air

Analyses	Result	Units	Qualifiers	RL	MCL/ QCL	Method	Analysis Date / By
GAS CHROMATOGRAPHY ANALYSIS REPORT							
Oxygen	22.04	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Nitrogen	77.90	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Carbon Dioxide	0.06	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Hydrogen Sulfide	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Methane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Ethane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Propane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Isobutane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
n-Butane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Isopentane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
n-Pentane	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Hexanes plus	<0.01	Mol %		0.01		GPA 2261-13	06/23/25 09:51 / jrj
Propane	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
Isobutane	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
n-Butane	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
Isopentane	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
n-Pentane	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
Hexanes plus	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
GPM Total	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj
GPM Pentanes plus	< 0.001	gpm		0.001		GPA 2261-13	06/23/25 09:51 / jrj

CALCULATED PROPERTIES

Gross BTU per cu ft @ Std Cond. (HHV)	ND			1		GPA 2261-13	06/23/25 09:51 / jrj
Net BTU per cu ft @ std cond. (LHV)	ND			1		GPA 2261-13	06/23/25 09:51 / jrj
Pseudo-critical Pressure, psia	546			1		GPA 2261-13	06/23/25 09:51 / jrj
Pseudo-critical Temperature, deg R	239			1		GPA 2261-13	06/23/25 09:51 / jrj
Specific Gravity @ 60/60F	0.998			0.001		D3588-81	06/23/25 09:51 / jrj
Air, %	100.71			0.01		GPA 2261-13	06/23/25 09:51 / jrj
- The analysis was not corrected for air.							

COMMENTS

-
- BTU, GPM, and specific gravity are corrected for deviation from ideal gas behavior.
- GPM = gallons of liquid at standard conditions per 1000 cu. ft. of moisture free gas @ standard conditions.
- To convert BTU to a water-saturated basis @ standard conditions, multiply by 0.9825.
- Standard conditions: 60 F & 14.73 psi on a dry basis.

Report Definitions: RL - Analyte Reporting Limit
QCL - Quality Control Limit

MCL - Maximum Contaminant Level
ND - Not detected at the Reporting Limit (RL)



Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

QA/QC Summary Report

Prepared by Billings, MT Branch

Work Order: B25061898

Report Date: 06/23/25

Analyte	Count	Result	Units	RL	%REC	Low Limit	High Limit	RPD	RPDLimit	Qual
Method: GPA 2261-13								Batch: R444612		
Lab ID: B25061899-001ADUP	12 Sample Duplicate					Run: GC7890_250623A		06/23/25 11:30		
Oxygen		21.9	Mol %	0.01				0.3	20	
Nitrogen		77.9	Mol %	0.01				0.1	20	
Carbon Dioxide		0.24	Mol %	0.01				0.0	20	
Hydrogen Sulfide		<0.01	Mol %	0.01					20	
Methane		<0.01	Mol %	0.01					20	
Ethane		<0.01	Mol %	0.01					20	
Propane		<0.01	Mol %	0.01					20	
Isobutane		<0.01	Mol %	0.01					20	
n-Butane		<0.01	Mol %	0.01					20	
Isopentane		<0.01	Mol %	0.01					20	
n-Pentane		<0.01	Mol %	0.01					20	
Hexanes plus		<0.01	Mol %	0.01					20	

Qualifiers:

RL - Analyte Reporting Limit

ND - Not detected at the Reporting Limit (RL)





Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

Work Order Receipt Checklist

Eurofins TestAmerica - Albuquerque

B25061898

Login completed by: Natasha L. Anthony

Date Received: 6/20/2025

Reviewed by: dharris

Received by: ET

Reviewed Date: 6/23/2025

Carrier name: FedEx NDA

Shipping container/cooler in good condition?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all shipping container(s)/cooler(s)?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	Not Present <input type="checkbox"/>
Custody seals intact on all sample bottles?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Present <input checked="" type="checkbox"/>
Chain of custody present?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody signed when relinquished and received?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Chain of custody agrees with sample labels?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Samples in proper container/bottle?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sample containers intact?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Sufficient sample volume for indicated test?	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
All samples received within holding time? (Exclude analyses that are considered field parameters such as pH, DO, Res Cl, Sulfite, Ferrous Iron, etc.)	Yes <input checked="" type="checkbox"/>	No <input type="checkbox"/>	
Temp Blank received in all shipping container(s)/cooler(s)?	Yes <input type="checkbox"/>	No <input checked="" type="checkbox"/>	Not Applicable <input type="checkbox"/>
Container/Temp Blank temperature:	17.6°C No Ice		
Containers requiring zero headspace have no headspace or bubble that is <6mm (1/4").	Yes <input type="checkbox"/>	No <input type="checkbox"/>	No VOA vials submitted <input checked="" type="checkbox"/>
Water - pH acceptable upon receipt?	Yes <input type="checkbox"/>	No <input type="checkbox"/>	Not Applicable <input checked="" type="checkbox"/>

Standard Reporting Procedures:

Lab measurement of analytes considered field parameters that require analysis within 15 minutes of sampling such as pH, Dissolved Oxygen and Residual Chlorine, are qualified as being analyzed outside of recommended holding time.

Solid/soil samples are reported on a wet weight basis (as received) unless specifically indicated. If moisture corrected, data units are typically noted as –dry. For agricultural and mining soil parameters/characteristics, all samples are dried and ground prior to sample analysis.

The reference date for Radon analysis is the sample collection date. The reference date for all other Radiochemical analyses is the analysis date. Radiochemical precision results represent a 2-sigma Total Measurement Uncertainty.

For methods that require zero headspace or require preservation check at the time of analysis due to potential interference, the pH is verified at analysis. Nonconforming sample pH is documented as part of the analysis and included in the sample analysis comments.

Trip Blanks and/or Blind Duplicate samples are assigned the earliest collection time for the associated requested analysis in order to evaluate the holding time unless specifically indicated.

Contact and Corrective Action Comments:

None





Trust our People. Trust our Data.
www.energylab.com

Billings, MT 406.252.6325 • Casper, WY 307.235.0515
Gillette, WY 307.686.7175 • Helena, MT 406.442.0711

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Laboratory Certifications and Accreditations

Current certificates are available at www.energylab.com website:

	Agency	Number
Billings, MT  	Alaska	17-023
	California	3087
	Colorado	MT00005
	Department of Defense (DoD)/ISO17025	ADE-2588
	Florida (Primary NELAP)	E87668
	Idaho	MT00005
	Louisiana	05079
	Montana	CERT0044
	Nebraska	NE-OS-13-04
	Nevada	NV-C24-00250
	North Dakota	R-007
	National Radon Proficiency	109383-RMP
	Oregon	4184
	South Dakota	ARSD 74:04:07
	Texas	TX-C24-00302
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00170
Washington	C1039	
Casper, WY 	Alaska	20-006
	California	3021
	Colorado	WY00002
	Florida (Primary NELAP)	E87641
	Idaho	WY00002
	Louisiana	05083
	Montana	CERT0002
	Nebraska	NE-OS-08-04
	Nevada	NV-C24-00245
	North Dakota	R-125
	Oregon	WY200001
	South Dakota	WY00002
	Texas	T104704181-23-21
	US EPA Region VIII	WY00002
	USNRC License	49-26846-01
Washington	C1012	
Gillette, WY	US EPA Region VIII	WY00006
Helena, MT	Colorado	MT00945
	Montana	CERT0079
	Nevada	NV-C24-00119
	US EPA Region VIII	Reciprocal
	USDA Soil Permit	P330-20-00090

Eurofins Albuquerque
4901 Hawkins NE
Albuquerque, NM 87109
Phone: 505-345-3975 Fax: 505-345-4107

Chain of Custody Record



Environment Testing



Client Information (Sub Contract Lab)		Sampler: N/A		Lab PM: Cason, Cheyenne		Carrier Tracking No(s): N/A		COC No: 885-5407-1	
Company: Energy Laboratories, Inc.		Phone: N/A		E-Mail: cheyenne.cason@eurofins.com		State of Origin: New Mexico		Page: Page 1 of 1	
Address: 1120 South 27th Street,		Due Date Requested: 6/26/2025		Accreditations Required (See note): NELAP - Oregon; State - New Mexico		Job #: 885-27099-1		Preservation Codes:	
City: Billings		TAT Requested (days): N/A		Analysis Requested		Total Number of Containers		Other: N/A	
State/Zip: MT, 59101		PO #: N/A		Perform MS/MSD (Yes or No)		SUB - GPA-226195 - Natural Gases O2, CO2		Special Instructions/Note: See Attached Instructions	
Phone: 406-252-6325(Tel)		WO #: N/A		Field Filtered Sample (Yes or No)		X		1	
Email: N/A		Project #: 88501577		Sample Date		Sample Time		Sample Type (C=Comp, G=grab) Preservation Code	
Project Name: Mudge A #2		SSOW#: N/A		6/18/25		09:45 Mountain		G Air	
Site: N/A		Matrix (W=water, S=solid, O=soil, BT=Tissue, A=Air)		Sample Date		Sample Time		Sample Type (C=Comp, G=grab) Preservation Code	
Sample Identification - Client ID (Lab ID)		SVE (885-27099-1)		6/18/25		09:45 Mountain		G Air	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/tests/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification
 Unconfirmed
 Deliverable Requested: I, II, III, IV, Other (specify) Primary Deliverable Rank: 2

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:
Relinquished by: <i>[Signature]</i>	6/18/25	1335	Company
Relinquished by:	Date/Time:		Company
Relinquished by:	Date/Time:		Company
Relinquished by:	Date/Time:		Company
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.:		

Received by: *[Signature]* Date: 6/18/25 Time: 1335 Company: *[Signature]*
 Received by: *[Signature]* Date/Time: 9/20/25 10:25 Company: *[Signature]*
 Received by: *[Signature]* Date/Time: 9/20/25 10:25 Company: *[Signature]*
 Cooler Temperature(s) °C and Other Remarks:

Vcr: 10/10/2024



ICOC No:
885-5407

Containers

Count 1
Container Type
Tedlar Bag 1L

Preservative
None

Subcontract Method Instructions

Sample IDs	Method	Method Description	Method Comments
1	SUBCONTRACT	SUB - GPA-226195 - Natural Gases O2, CO2	Fixed Gases - Natural Gases O2, CO2

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Login Sample Receipt Checklist

Client: Cottonwood Consulting LLC

Job Number: 885-27099-1

Login Number: 27099

List Source: Eurofins Albuquerque

List Number: 1

Creator: Casarrubias, Tracy

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	False	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 550385

CONDITIONS

Operator: SIMCOE LLC 1199 Main Ave., Suite 101 Durango, CO 81301	OGRID: 329736
	Action Number: 550385
	Action Type: [REPORT] Alternative Remediation Report (C-141AR)

CONDITIONS

Created By	Condition	Condition Date
michael.buchanan	Mudge A #002 2025 Annual Monitoring Report is accepted for the record. Ensure OCD is notified and pre-approval is granted from OCD for the closure sampling plan in the vadose zone of the release. Provide the OCD with a full sampling plan discussion, site diagram, sampling diagram, sampling points and description when closure sampling is anticipated.	2/20/2026