

# Closure Report

INCIDENT ID# nAB1719928941

## Site Description

|                    |                                 |
|--------------------|---------------------------------|
| Site Name:         | CEDAR CAYON 22 15 FED #34       |
| Company:           | Oxy USA, Inc.                   |
| Legal Description: | U/L A, Section 22, T 24S, R 29E |
| County:            | Eddy County, NM                 |
| GPS Coordinates:   | N 32.2071995,W-103.9670558      |

## Release Data

|                    |                             |
|--------------------|-----------------------------|
| Date of Release:   | 7/8/2017                    |
| Type of Release:   | OIL,PRODUCED WATER          |
| Source of Release: | 4 INCH PRODUCTION FLOW LINE |
| Volume of Release: | 4 BBLS , 31 BBLS            |
| Volume Recovered:  | 15 BBLS                     |

## Remediation Specifications

|                         |   |
|-------------------------|---|
| Remediation Parameters: | OXY excavated the spill area as depicted on the following site diagram. The leak area (shade BLUE on diagram) was excavated to the depth of 1 foot and the leak area (shade GREEN on diagram ) was excavated to the depth of 2 feet .The leaak area (shade PURPLE on diagram ) was excavated to the depth of 3 feet. The leak area (shadeTURQUOISE on diagram) was excavated to the depth of 4 feet . The leak area ( shade YELLOW on diagram ) was excavated to the depth of 6" inches. OXY collected bottom and sidewall confirmation samples every 200 square feet . |
| Remediation Activities: | 8/11/2025-11/13/25  |

|                       |  |  |
|-----------------------|--|--|
| Plan Sent to OCD:     |  |  |
| OCD Approval of Plan: |  |  |
| Plan Sent to BLM:     |  |  |
| BLM Approval of Plan: |  |  |

## Supporting Documentation

|                      |   |  |
|----------------------|---|--|
| C-141, page 6        | signed and included   |  |
| Site Diagram         | Google Earth map with excavation depths & confirmation sample points          |  |
| Pictures             | Remediation photos  |  |
| Lab Summary/Analysis | Confirmation lab summary/analysis report for 9/24/25,9/25/25,9/26/25 ,10/6/25 |  |
| Notifications        | 9/22/2025   |  |

## Request for Closure

Based on the completion of the remediation, OXY requests closure approval from the NMOCD.

Cliff Brunson, President of BBC International Inc.

12/7/2025

**From:** [OCDOnline@state.nm.us](mailto:OCDOnline@state.nm.us)  
**To:** [Sparks, Daniel \(DANOS LLC\)](#)  
**Subject:** [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 507744  
**Date:** Monday, September 22, 2025 6:54:09 AM

---

**WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.**

---

To whom it may concern (c/o Daniel Sparks for OXY USA INC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release (C-141N)*, for incident ID (n#) nAB1719928941.

The sampling event is expected to take place:

**When:** 09/24/2025 @ 09:00

**Where:** A-22-24S-29E 1107 FNL 1022 FEL (32.2071995,-103.9670558)

**Additional Information:** Simon Rendon

**Additional Instructions:** 32.2071995,-103.9670558

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

**New Mexico Energy, Minerals and Natural Resources Department**  
1220 South St. Francis Drive  
Santa Fe, NM 87505

**From:** [OCDOnline@state.nm.us](mailto:OCDOnline@state.nm.us)  
**To:** [Sparks, Daniel \(DANOS LLC\)](#)  
**Subject:** [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 507748  
**Date:** Monday, September 22, 2025 6:57:37 AM

---

**WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.**

---

To whom it may concern (c/o Daniel Sparks for OXY USA INC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAB1719928941.

The sampling event is expected to take place:

**When:** 09/25/2025 @ 09:00

**Where:** A-22-24S-29E 1107 FNL 1022 FEL (32.2071995,-103.9670558)

**Additional Information:** Simon Rendon

**Additional Instructions:** 32.2071995, -103.9670558

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

**New Mexico Energy, Minerals and Natural Resources Department**  
1220 South St. Francis Drive  
Santa Fe, NM 87505

**From:** [OCDOnline@state.nm.us](mailto:OCDOnline@state.nm.us)  
**To:** [Sparks, Daniel \(DANOS LLC\)](#)  
**Subject:** [EXTERNAL] The Oil Conservation Division (OCD) has accepted the application, Application ID: 507749  
**Date:** Monday, September 22, 2025 6:59:33 AM

---

**WARNING - This message is from an EXTERNAL SENDER - be CAUTIOUS, particularly with links and attachments.**

---

To whom it may concern (c/o Daniel Sparks for OXY USA INC),

The OCD has received the submitted *Notification for (Final) Sampling of a Release* (C-141N), for incident ID (n#) nAB1719928941.

The sampling event is expected to take place:

**When:** 09/26/2025 @ 09:00

**Where:** A-22-24S-29E 1107 FNL 1022 FEL (32.2071995,-103.9670558)

**Additional Information:** Simon Rendon

**Additional Instructions:** 32.2071995, -103.9670558

An OCD representative may be available onsite at the date and time reported. In the absence or presence of an OCD representative, sampling pursuant to 19.15.29.12.D NMAC is required. Sampling must be performed following an approved sampling plan or pursuant to 19.15.29.12.D.(1).(c) NMAC. Should there be a change in the scheduled date and time of the sampling event, then another notification should be resubmitted through OCD permitting as soon as possible.

- **Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.**
- **If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.**









If you have any questions regarding this application, or don't know why you have received this email, please contact us.


**New Mexico Energy, Minerals and Natural Resources Department**  
1220 South St. Francis Drive  
Santa Fe, NM 87505

# OXY,CEADR CANYON 22 15 FEE 0034H

LEAK DATE:7/8/17  
EDDY COUNTY,NM  
ID#NAB179928941

## Legend

-  1' excavation
-  2' excavation
-  3' excavation
-  4' excavation
-  6" excavation
-  BOTTOM CONFIRMATION SAMPLE POINTS
-  LEAK AREA
-  SIDEWALL CONFIRMATION SAMPLE POINT S



Google Earth




80 ft

# OXY,CEADR CANYON 22 15 FEE 0034H

LEAK DATE:7/8/17  
EDDY COUNTY,NM  
ID#NAB179928941

## Legend

- 1' excavation
- 2' excavation
- 3' excavation
- 4' excavation
- 6" excavation
- ◆ BOTTOM CONFIRMATION SAMPLE POINTS
- ◆ LEAK AREA
- ▲ SIDEWALL CONFIRMATION SAMPLE POINT S











Google Earth




# OXY,CEADR CANYON 22 15 FEE 0034H

LEAK DATE:7/8/17  
EDDY COUNTY,NM  
ID#NAB179928941

**Legend**

-  1' excavation
-  2' excavation
-  3' excavation
-  4' excavation
-  6" excavation
-  BOTTOM CONFIRMATION SAMPLE POINTS
-  LEAK AREA
-  SIDEWALL CONFIRMATION SAMPLE POINT S



Google Earth












40 ft

# OXY,CEADR CANYON 22 15 FEE 0034H


LEAK DATE:7/8/17  
EDDY COUNTY,NM  
ID#NAB179928941

## Legend

-  1' excavation
-  2' excavation
-  3' excavation
-  4' excavation
-  6" excavation
-  BOTTOM CONFIRMATION SAMPLE POINTS
-  LEAK AREA
-  SIDEWALL CONFIRMATION SAMPLE POINT S











Google Earth




# OXY,CEADR CANYON 22 15 FEE 0034H

LEAK DATE:7/8/17  
EDDY COUNTY,NM  
ID#NAB179928941

## Legend

-  1' excavation
-  2' excavation
-  3' excavation
-  4' excavation
-  6" excavation
-  BOTTOM CONFIRMATION SAMPLE POINTS
-  LEAK AREA
-  SIDEWALL CONFIRMATION SAMPLE POINT S



Google Earth

40 ft

OXY,CEDAR CANYON 22 15 FEE #004H (7/8/174) SAMPLING DATES 9/24/25,9/25/25,9/26/25)

BOTTOM CONFIRMATION SAMPLE POINTS

|          |             |              |
|----------|-------------|--------------|
| BS 1@3'  | N 32.201392 | W-103.977651 |
| BS 2@3'  | N 32.201415 | W-103.977634 |
| BS 3@1'  | N 32.201428 | W-103.977634 |
| BS 4@1'  | N 32.201461 | W-103.977638 |
| BS 5@2'  | N 32.201484 | W-103.977601 |
| BS 6@2'  | N 32.201511 | W-103.977629 |
| BS 7@6"  | N 32.201540 | W-103.977643 |
| BS 8@6"  | N 32.201613 | W-103.977637 |
| BS 9@4'  | N 32.201535 | W-103.977595 |
| BS 10@4' | N 32.201521 | W-103.977551 |
| BS 11@4' | N 32.201512 | W-103.977518 |
| BS 12@6" | N 32.201554 | W-103.977563 |
| BS 13@2' | N 32.201479 | W-103.977465 |
| BS 14@2' | N 32.201442 | W-103.977407 |
| BS 15@3' | N 32.201391 | W-103.977350 |
| BS 16@3' | N 32.201353 | W-103.977307 |
| BS 17@1' | N 32.201318 | W-103.977263 |
| BS 18@1' | N 32.201280 | W-103.977219 |

SIDEWALL CONFIRMATION SAMPLE POINTS

|          |             |              |
|----------|-------------|--------------|
| SW 1@3'  | N 32.201419 | W-103.977640 |
| SW 2@3'  | N 32.201401 | W-103.977625 |
| SW 3@3'  | N 32.201378 | W-103.977660 |
| SW 4@3'  | N 32.201412 | W-103.977662 |
| SW 5@1'  | N 32.201459 | W-103.977669 |
| SW 6@1'  | N 32.201437 | W-103.977605 |
| SW 7@2'  | N 32.201471 | W-103.977624 |
| SW 8@2'  | N 32.201481 | W-103.977580 |
| SW 9@2'  | N 32.201494 | W-103.977646 |
| SW 10@2' | N 32.201519 | W-103.977637 |
| SW 11@6" | N 32.201557 | W-103.977666 |
| SW 12@6" | N 32.201636 | W-103.977635 |
| SW 13@6" | N 32.201584 | W-103.977643 |
| SW 14@4' | N 32.201531 | W-103.977616 |
| SW 15@4' | N 32.201511 | W-103.977593 |

|          |             |              |
|----------|-------------|--------------|
| SW 16@4' | N 32.201543 | W-103.977565 |
| SW 17@4' | N 32.201503 | W-103.977531 |
| SW 18@4' | N 32.201517 | W-103.977517 |
| SW 19@4' | N 32.201502 | W-103.977495 |
| SW 20@6" | N 32.201568 | W-103.977562 |
| SW 21@6" | N 32.201547 | W-103.977545 |
| SW 22@2' | N 32.201504 | W-103.977481 |
| SW 23@2' | N 32.201477 | W-103.977473 |
| SW 24@2' | N 32.201457 | W-103.977414 |
| SW 25@2' | N 32.201417 | W-103.977387 |
| SW 26@3' | N 32.201413 | W-103.977375 |
| SW 27@3' | N 32.201385 | W-103.977327 |
| SW 28@3' | N 32.201359 | W-103.977328 |
| SW 29@3' | N 32.201334 | W-103.977285 |
| SW 30@1' | N 32.201333 | W-103.977265 |
| SW 31@1' | N 32.201297 | W-103.977265 |
| SW 32@1' | N 32.201262 | W-103.977187 |



# National Flood Hazard Layer FIRMette



103°58'58"W 32°12'20"N



## Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

- SPECIAL FLOOD HAZARD AREAS**
    - Without Base Flood Elevation (BFE) Zone A, V, A99
    - With BFE or Depth Zone AE, AO, AH, VE, AR
    - Regulatory Floodway
  - OTHER AREAS OF FLOOD HAZARD**
    - 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X
    - Future Conditions 1% Annual Chance Flood Hazard Zone X
    - Area with Reduced Flood Risk due to Levee. See Notes. Zone X
    - Area with Flood Risk due to Levee Zone D
  - OTHER AREAS**
    - NO SCREEN Area of Minimal Flood Hazard Zone X
    - Effective LOMRs
    - Area of Undetermined Flood Hazard Zone D
  - GENERAL STRUCTURES**
    - Channel, Culvert, or Storm Sewer
    - Levee, Dike, or Floodwall
  - OTHER FEATURES**
    - Cross Sections with 1% Annual Chance Water Surface Elevation
    - Coastal Transect
    - Base Flood Elevation Line (BFE)
    - Limit of Study
    - Jurisdiction Boundary
    - Coastal Transect Baseline
    - Profile Baseline
    - Hydrographic Feature
  - MAP PANELS**
    - Digital Data Available
    - No Digital Data Available
    - Unmapped
- The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.



1:6,000

103°58'21"W 32°11'50"N

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards



The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 12/2/2025 at 7:21 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

# OXY, CEDAR CANYON 22 15 FEE 0034H

LEAK DATE: 7/8/17  
EDDY COUNTY, NM  
ID#nAB179928941

## Legend

-  Leak Area
-  Medium





OXY, CEDAR CANYON 22 15 FEE 0034H



December 2, 2025


**Wetlands**

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland

- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond


- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.




12/2/2025, 12:11:19 PM

- OSE Points of Diversion
- OSE Streams



# OXY, CEDAR CANYON 22 15 FEE #34H (7/8/17) 0.1 MILES OR 511.4 FT TO WATER POD




12/2/2025, 12:02:54 PM

- OSE Points of Diversion
- OSE Streams

WELL DEPTH 110 FT

WATER DEPTH N/A





# WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

[www.ose.state.nm.us](http://www.ose.state.nm.us)

|   |   |                           |                 |                    |  |                       |
|---|---|---------------------------|-----------------|--------------------|--|-----------------------|
| <b>1. GENERAL AND WELL LOCATION</b>   | OSE POD NO. (WELL NO.)<br>POD 1 ( SB-1)   |                           | WELL TAG ID NO. |                    | OSE FILE NO(S)<br>C 04617                  |                       |
|   | WELL OWNER NAME(S)<br>OXY USA INC         |                           |                 |                    | PHONE (OPTIONAL)<br>575-390-2828           |                       |
|   | WELL OWNER MAILING ADDRESS<br>PO BOX 4294 |                           |                 |                    | CITY<br>HOUSTON                            | STATE ZIP<br>TX 77210 |
|   | WELL LOCATION (FROM GPS)                  | DEGREES<br>LATITUDE<br>32 | MINUTES<br>12   | SECONDS<br>1.692 N | * ACCURACY REQUIRED: ONE TENTH OF A SECOND |                       |
|   |   | LONGITUDE<br>-103         | 58              | 43.9962 W          | * DATUM REQUIRED: WGS 84                   |                       |
| DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE<br>NW 1/4 OF SW OF S22, T24S R29E |   |                           |                 |                    |  |                       |

|   |   |                             |   |  |  |  |                                |                    |
|---|---|-----------------------------|---|--|--|--|--------------------------------|--------------------|
| <b>2. DRILLING &amp; CASING INFORMATION</b> | LICENSE NO.<br>WD-1184  |                             | NAME OF LICENSED DRILLER<br>RUSSELL SOUTHERLAND |  |  | NAME OF WELL DRILLING COMPANY<br>WEST TEXAS WATER WELL SERVICE |                                |                    |
|   | DRILLING STARTED<br>5/31/2022   | DRILLING ENDED<br>5/31/2022 | DEPTH OF COMPLETED WELL (FT)<br>110             | BORE HOLE DEPTH (FT)   | DEPTH WATER FIRST ENCOUNTERED (FT)             |  |                                |                    |
|   | COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)                           |                             |   |  |  | STATIC WATER LEVEL IN COMPLETED WELL (FT)<br>N/A               |                                |                    |
|   | DRILLING FLUID: <input checked="" type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:   |                             |   |  |  |  |                                |                    |
|   | DRILLING METHOD: <input checked="" type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input type="checkbox"/> OTHER - SPECIFY: |                             |   |  |  |  |                                |                    |
|   | DEPTH (feet bgl)  |                             | BORE HOLE DIAM (inches)                         | CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen) | CASING CONNECTION TYPE (add coupling diameter) | CASING INSIDE DIAM. (inches)                                   | CASING WALL THICKNESS (inches) | SLOT SIZE (inches) |
|   | FROM  | TO                          |   |  |  |  |                                |                    |
|   |   |                             |   | NO CASING IN HOLE  |  |  |                                |                    |
|   |   |                             |   |  |  |  |                                |                    |
|   |   |                             |   |  |  |  |                                |                    |
|   |   |                             |   |  |  |  |                                |                    |
|   |   |                             |   |  |  |  |                                |                    |
|   |   |                             |   |  |  |  |                                |                    |

|                            |                  |    |                          |   |                     |                     |
|----------------------------|------------------|----|--------------------------|---|---------------------|---------------------|
| <b>3. ANNULAR MATERIAL</b> | DEPTH (feet bgl) |    | BORE HOLE DIAM. (inches) | LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL | AMOUNT (cubic feet) | METHOD OF PLACEMENT |
|                            | FROM             | TO |                          |   |                     |                     |
|                            |                  |    |                          | N/A   |                     |                     |
|                            |                  |    |                          |   |                     |                     |
|                            |                  |    |                          |   |                     |                     |
|                            |                  |    |                          |   |                     |                     |

FOR OSE INTERNAL USE

|                                      |                            |  |                       |
|--------------------------------------|----------------------------|--|-----------------------|
| FILE NO. <b>C-4617-POD1 (SB-1)</b>   | POD NO. <b>1 (SB-1)</b>    | WR-20 WELL RECORD & LOG (Version 04/30/19) | TRN NO. <b>725746</b> |
| LOCATION <b>Expt 24. 29. 22. 313</b> | WELL TAG ID NO. <b>---</b> | PAGE 1 OF 2                                |                       |



Mike A. Hamman, P.E.  
State Engineer



Roswell Office  
1900 WEST SECOND STREET  
ROSWELL, NM 88201

**STATE OF NEW MEXICO  
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 725746  
File Nbr: C 04617  
Well File Nbr: C 04617 POD1

Jun. 28, 2022

WADE DITTRICH  
OXY USA INC  
PO BOX 4294  
HOUSTON, TX 77210

Greetings:

The above numbered permit was issued in your name on 05/13/2022.

The Well Record was received in this office on 06/28/2022, stating that it had been completed on 05/31/2022, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 05/13/2023.

If you have any questions, please feel free to contact us.

Sincerely,

A handwritten signature in blue ink, appearing to read "Maret Amaral".

Maret Amaral  
(575) 622-6521

drywell



Mike A. Hamman, P.E.  
State Engineer

Roswell Office  
1900 WEST SECOND STREET  
ROSWELL, NM 88201

**STATE OF NEW MEXICO  
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 725746  
File Nbr: C 04617  
Well File Nbr: C 04617 POD1

Jun. 28, 2022

BEAUX JENNINGS  
ENSOLUM LLC  
601 N MARIENFELD ST ; STE 400  
MIDLAND, TX 79701

Greetings:

The above numbered permit was issued in your name on 05/13/2022.

The Well Record was received in this office on 06/28/2022, stating that it had been completed on 05/31/2022, and was a dry well. The well is to be plugged according to 19.27.4.30 NMAC.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 05/13/2023.

If you have any questions, please feel free to contact us.

Sincerely,


A handwritten signature in blue ink, appearing to read "Maret Amaral".

Maret Amaral  
(575) 622-6521

drywell



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)





OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)





OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)





OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)





OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)




OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)




OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)



OXY, CEDAR CANYON 22 15 FEE 0034H (7/8/17)





PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

---

October 02, 2025

Cliff Brunson  
BBC International, Inc.  
P.O. Box 805  
Hobbs, NM 88241

RE: CEDAR CANYON 22 15 FEE #34H

Enclosed are the results of analyses for samples received by the laboratory on 09/29/25 15:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (\*). For a complete list of accredited analytes and matrices visit the TCEQ website at [www.tceq.texas.gov/field/qa/lab\\_accred\\_certif.html](http://www.tceq.texas.gov/field/qa/lab_accred_certif.html).

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

|                  |                              |
|------------------|------------------------------|
| Method EPA 552.2 | Haloacetic Acids (HAA-5)     |
| Method EPA 524.2 | Total Trihalomethanes (TTHM) |
| Method EPA 524.4 | Regulated VOCs (V1, V2, V3)  |

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

A handwritten signature in black ink that reads "Celey D. Keene".

Celey D. Keene  
Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 1 @ 3' (H256095-01)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 1.56  |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 0.182 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.75 | 87.5       | 2.00          | 1.25  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.10 | 85.0       | 6.00          | 1.49  |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 90.7 % 70.4-141

| Chloride, SM4500Cl-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 416 | 104        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 95.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.3 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 2 @ 3' (H256095-02)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 1.56  |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 0.182 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.75 | 87.5       | 2.00          | 1.25  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.10 | 85.0       | 6.00          | 1.49  |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 91.8 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 416 | 104        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 96.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 3 @ 1' (H256095-03)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 1.56  |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 0.182 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.75 | 87.5       | 2.00          | 1.25  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.10 | 85.0       | 6.00          | 1.49  |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 90.6 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 416 | 104        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 97.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 4 @ 1' (H256095-04)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 1.56  |           |  |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 0.182 |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.75 | 87.5       | 2.00          | 1.25  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.10 | 85.0       | 6.00          | 1.49  |           |  |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 90.9 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |  |

Surrogate: 1-Chlorooctane 89.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.3 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 5 @ 2' (H256095-05)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 1.56  |           |  |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 90.1       | 2.00          | 0.182 |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.75 | 87.5       | 2.00          | 1.25  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.10 | 85.0       | 6.00          | 1.49  |           |  |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 91.1 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | 16.0   | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |  |

Surrogate: 1-Chlorooctane 97.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 6 @ 2' (H256095-06)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 96.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.3 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 7 @ 6" (H256095-07)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 94.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 8 @ 6" (H256095-08)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 90.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 9 @ 4' (H256095-09)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 96.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 10 @ 4' (H256095-10)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 117 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 98.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 11 @ 4' (H256095-11)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |  |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |  |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |  |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |  |

Surrogate: 1-Chlorooctane 104 % 52.4-130

Surrogate: 1-Chlorooctadecane 102 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 12 @ 6" (H256095-12)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 48.0   | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |       |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|-------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD   | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 214 | 107        | 200           | 0.216 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 221 | 110        | 200           | 1.99  |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |       |           |

Surrogate: 1-Chlorooctane 98.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 97.2 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 13 @ 2' (H256095-13)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 91.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.5 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 14 @ 2' (H256095-14)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 99.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 15 @ 3' (H256095-15)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 90.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 16 @ 3' (H256095-16)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 103 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 17 @ 1' (H256095-17)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: BOTTOM SAMPLE 18 @ 1' (H256095-18)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 116 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 94.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 1 @ 3' (H256095-19)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 86.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/24/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 2 @ 3' (H256095-20)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 95.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 93.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 3 @ 3' (H256095-21)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 115 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 86.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 81.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 4 @ 3' (H256095-22)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 97.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.7 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 5 @ 1' (H256095-23)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 113 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 89.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 83.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 6 @ 1' (H256095-24)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 114 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 87.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 7 @ 2' (H256095-25)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.80 | 89.8       | 2.00          | 6.67 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.6       | 2.00          | 4.28 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.82 | 91.2       | 2.00          | 2.15 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.65 | 94.2       | 6.00          | 1.77 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 118 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 91.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.5 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 8 @ 2' (H256095-26)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 | QR-03     |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  | QR-03     |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 | QR-03     |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 98.4 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 9 @ 2' (H256095-27)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.7 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 10 @ 2' (H256095-28)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 96.5 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 96.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 11 @ 6" (H256095-29)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 98.2 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 93.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 87.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 12 @ 6" (H256095-30)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 83.8 % 52.4-130

Surrogate: 1-Chlorooctadecane 77.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 13 @ 6" (H256095-31)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 94.0 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 97.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.2 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 14 @ 4' (H256095-32)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 100 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 208 | 104        | 200           | 3.74 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 227 | 114        | 200           | 6.10 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 85.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 79.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 15 @ 4' (H256095-33)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |  |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|--|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |  |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |  |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |  |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |  |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |  |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |  |

Surrogate: 4-Bromofluorobenzene (PID) 99.1 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |  |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |  |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |  |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|--|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |  |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |  |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |  |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |  |

Surrogate: 1-Chlorooctane 85.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 16 @ 4' (H256095-34)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 96.4 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 87.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 85.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 17 @ 4' (H256095-35)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 99.7 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 91.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 88.7 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 18 @ 4' (H256095-36)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 99.6 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.1 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 19 @ 4' (H256095-37)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 99.2 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 99.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 98.5 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 20 @ 6" (H256095-38)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 81.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 80.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 21 @ 6" (H256095-39)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 96.7 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 98.2 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 22 @ 2' (H256095-40)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 98.3 % 52.4-130

Surrogate: 1-Chlorooctadecane 96.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 23 @ 2' (H256095-41)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 95.4 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.6 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 24 @ 2' (H256095-42)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 98.5 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 93.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 94.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/25/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 25 @ 2' (H256095-43)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 104 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: KH |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 400 | 100        | 400           | 11.3 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 76.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 75.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 26 @ 3' (H256095-44)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 91.0 % 52.4-130

Surrogate: 1-Chlorooctadecane 90.8 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 27 @ 3' (H256095-45)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |       |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|-------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD   | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.91 | 95.7       | 2.00          | 0.532 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.74 | 86.9       | 2.00          | 0.160 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 1.76 | 88.1       | 2.00          | 1.01  |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.45 | 90.8       | 6.00          | 0.128 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |       |           |

Surrogate: 4-Bromofluorobenzene (PID) 101 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.1 % 52.4-130

Surrogate: 1-Chlorooctadecane 99.3 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 28 @ 3' (H256095-46)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.5       | 2.00          | 4.42 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.94 | 97.2       | 2.00          | 3.70 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 2.06 | 103        | 2.00          | 3.09 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.84 | 97.3       | 6.00          | 2.97 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 108 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | 16.0   | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 89.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 89.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 29 @ 3' (H256095-47)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.5       | 2.00          | 4.42 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.94 | 97.2       | 2.00          | 3.70 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 2.06 | 103        | 2.00          | 3.09 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.84 | 97.3       | 6.00          | 2.97 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.7 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.3 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 30 @ 1' (H256095-48)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.5       | 2.00          | 4.42 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.94 | 97.2       | 2.00          | 3.70 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 2.06 | 103        | 2.00          | 3.09 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.84 | 97.3       | 6.00          | 2.97 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 95.9 % 52.4-130

Surrogate: 1-Chlorooctadecane 95.9 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 31 @ 1' (H256095-49)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.5       | 2.00          | 4.42 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.94 | 97.2       | 2.00          | 3.70 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 2.06 | 103        | 2.00          | 3.09 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.84 | 97.3       | 6.00          | 2.97 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 92.5 % 52.4-130

Surrogate: 1-Chlorooctadecane 92.0 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

**Analytical Results For:**

BBC International, Inc.  
 Cliff Brunson  
 P.O. Box 805  
 Hobbs NM, 88241  
 Fax To: (575) 397-0397

|                   |                             |                     |                |
|-------------------|-----------------------------|---------------------|----------------|
| Received:         | 09/29/2025                  | Sampling Date:      | 09/26/2025     |
| Reported:         | 10/02/2025                  | Sampling Type:      | Soil           |
| Project Name:     | CEDAR CANYON 22 15 FEE #34H | Sampling Condition: | Cool & Intact  |
| Project Number:   | (7/8/17)                    | Sample Received By: | Tamara Oldaker |
| Project Location: | OXY - EDDY COUNTY, NM       |                     |                |

**Sample ID: SIDEWALL 32 @ 1' (H256095-50)**

| BTEX 8021B     |        | mg/kg           |            | Analyzed By: JH |      |            |               |      |           |
|----------------|--------|-----------------|------------|-----------------|------|------------|---------------|------|-----------|
| Analyte        | Result | Reporting Limit | Analyzed   | Method Blank    | BS   | % Recovery | True Value QC | RPD  | Qualifier |
| Benzene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.83 | 91.5       | 2.00          | 4.42 |           |
| Toluene*       | <0.050 | 0.050           | 09/30/2025 | ND              | 1.94 | 97.2       | 2.00          | 3.70 |           |
| Ethylbenzene*  | <0.050 | 0.050           | 09/30/2025 | ND              | 2.06 | 103        | 2.00          | 3.09 |           |
| Total Xylenes* | <0.150 | 0.150           | 09/30/2025 | ND              | 5.84 | 97.3       | 6.00          | 2.97 |           |
| Total BTEX     | <0.300 | 0.300           | 09/30/2025 | ND              |      |            |               |      |           |

Surrogate: 4-Bromofluorobenzene (PID) 110 % 70.4-141

| Chloride, SM4500CI-B |        | mg/kg           |            | Analyzed By: HM |     |            |               |      |           |
|----------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte              | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| Chloride             | <16.0  | 16.0            | 09/30/2025 | ND              | 432 | 108        | 400           | 0.00 |           |

| TPH 8015M        |        | mg/kg           |            | Analyzed By: MS |     |            |               |      |           |
|------------------|--------|-----------------|------------|-----------------|-----|------------|---------------|------|-----------|
| Analyte          | Result | Reporting Limit | Analyzed   | Method Blank    | BS  | % Recovery | True Value QC | RPD  | Qualifier |
| GRO C6-C10*      | <10.0  | 10.0            | 09/30/2025 | ND              | 206 | 103        | 200           | 3.28 |           |
| DRO >C10-C28*    | <10.0  | 10.0            | 09/30/2025 | ND              | 217 | 108        | 200           | 3.06 |           |
| EXT DRO >C28-C36 | <10.0  | 10.0            | 09/30/2025 | ND              |     |            |               |      |           |

Surrogate: 1-Chlorooctane 83.6 % 52.4-130

Surrogate: 1-Chlorooctadecane 82.4 % 39.9-141

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

- QR-03 The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCS/D recovery and/or RPD values.
ND Analyte NOT DETECTED at or above the reporting limit
RPD Relative Percent Difference
\*\* Samples not received at proper temperature of 6°C or below.
\*\*\* Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

\*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager



**CARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: **BBC International, Inc.**  
 Project Manager: **Cliff Brunson**  
 Address: **P.O. Box 805**  
 City: **Hobbs**  
 Phone #: **575-397-6388**  
 Project #: **575-397-0397**

State: **NM** Zip: **88241**  
 Project Owner: **Oxy**  
 Project Name: **CEDAR CANYON 22 15 FEE 34H (7/8/17)**  
 Project Location: **New Mexico**

**BILL TO**  
 P.O. #: **Oxy**  
 Company: **Oxy**  
 Attn:   
 Address:   
 City:   
 State:  Zip:   
 Phone #:   
 Fax #:

Project Name: **CEDAR CANYON 22 15 FEE 34H (7/8/17)**  
 Project Location: **New Mexico**  
 Sampler Name: **SIMON RENDON**  
 FOR LAB USE ONLY

| Lab I.D. | Sample I.D.         | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX      |            |      |     | PRESERV |         | DATE    | TIME    | Chloride | BTEX | TPHEX |
|----------|---------------------|-------------------|--------------|-------------|------------|------|-----|---------|---------|---------|---------|----------|------|-------|
|          |                     |                   |              | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE  | OTHER : |         |         |          |      |       |
|          | BOTTOM SAMPLE 1@3'  |                   |              |             |            |      |     |         |         | 9/24/25 | 9:30AM  | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 2@3'  |                   |              |             |            |      |     |         |         | 9/24/25 | 9:46AM  | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 3@1'  |                   |              |             |            |      |     |         |         | 9/24/25 | 10:12AM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 4@1'  |                   |              |             |            |      |     |         |         | 9/24/25 | 10:29AM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 5@2'  |                   |              |             |            |      |     |         |         | 9/24/25 | 10:51AM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 6@2'  |                   |              |             |            |      |     |         |         | 9/24/25 | 11:12AM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 7@6"  |                   |              |             |            |      |     |         |         | 9/24/25 | 11:30AM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 8@6"  |                   |              |             |            |      |     |         |         | 9/24/25 | 11:48AM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 9@4'  |                   |              |             |            |      |     |         |         | 9/24/25 | 12:45PM | ✓        | ✓    | ✓     |
|          | BOTTOM SAMPLE 10@4' |                   |              |             |            |      |     |         |         | 9/24/25 | 1:07PM  | ✓        | ✓    | ✓     |

**PLEASE NOTE:** Under no circumstances shall we be held responsible for any claims arising from negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claims are based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]*  
 Date: **9/29/25**  
 Time: **1:520**

Received By: *[Signature]*  
 Date: **9/29/25**  
 Time: **1:520**

Delivered By: (Circle One) **CE**  
 UPS - Bus - Other: **33C/3.6C**

Sample Condition: **Intact**  
 Cool: **Yes**  
 Checked By: *[Signature]*

Phone Result:  Yes  No  
 Fax Result:  Yes  No  
 Add'l Phone #: **505-393-4015**  
 Add'l Fax #: **505-393-4015**

REMARKS: *[Handwritten notes]*



**CARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476  
 Project Manager: Cliff Brunson

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Address: P.O. Box 805  
 City: Hobbs  
 Phone #: 575-397-6388 State: NM zip: 88241  
 Project #: Fax #: 575-397-0397  
 Project Name: CEDAR CANYON 22 15 FEE 34H (7/8/17)  
 Project Location: New Mexico  
 Project Owner: Oxy  
 Sample Name: SIMON RENDON  
 FOR LAB USE ONLY

**BILL TO**  
 P.O. #: Company: Oxy  
 Attn: Address:  
 City: State: Zip:  
 Phone #: Fax #:

| Lab I.D. | Sample I.D.         | (G)RAB OR (C)OMP.                   | # CONTAINERS | MATRIX | PRESERV | SAMPLING | DATE    | TIME   | ANALYSIS REQUEST |
|----------|---------------------|-------------------------------------|--------------|--------|---------|----------|---------|--------|------------------|
| 11       | BOTTOM SAMPLE 11@4' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 1:23PM | chloride         |
| 12       | BOTTOM SAMPLE 12@6" | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 1:37PM | BTEX             |
| 13       | BOTTOM SAMPLE 13@2' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 1:52PM | TPHEXT           |
| 14       | BOTTOM SAMPLE 14@2' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 2:12PM |                  |
| 15       | BOTTOM SAMPLE 15@3' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 2:27PM |                  |
| 16       | BOTTOM SAMPLE 16@3' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 2:45PM |                  |
| 17       | BOTTOM SAMPLE 17@1' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 3:00PM |                  |
| 18       | BOTTOM SAMPLE 18@1' | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 3:14PM |                  |
| 19       | SIDEWALL 1@3'       | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 3:32PM |                  |
| 20       | SIDEWALL 2@3'       | <input checked="" type="checkbox"/> |              | SOIL   |         |          | 9/24/25 | 3:47PM |                  |

Relinquished By: *[Signature]*  
 Date: 9/29/25  
 Time: 1:520

Received By: *[Signature]*  
 Date: 9/29/25  
 Time: 1:520

Delivered By: (Circle One)  
 Sampler - UPS - Bus - Other: *CE-10,33 #440*  
 Sample Condition:  Intact  
 Cool:  Yes  No  
 CHECKED BY: *[Signature]*  
 (Initials)

PLEASE NOTE: *Handwritten note: Abstracs*  
 analyses All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.



**CARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: BBC International, Inc.  
 Project Manager: Cliff Brunson  
 Address: P. O. Box 805  
 City: Hobbs  
 Phone #: 575-397-6388  
 Project #: [blank]  
 Project Name: CEDAR CANYON 22 15 FEE 34H (7/8/17)  
 Project Location: New Mexico  
 Sampler Name: SIMON RENDON

State: NM Zip: 88241  
 Attn: [blank]  
 Address: [blank]  
 City: [blank]  
 State: [blank] Zip: [blank]  
 Phone #: [blank]  
 Fax #: [blank]

P.O. #: [blank]  
 Company: Oxy  
 Matrix: [blank]  
 Preserv: [blank]  
 Sampling: [blank]

FOR LAB USE ONLY

| Lab I.D. | Sample I.D.    | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX | PRESERV | SAMPLING | DATE    | TIME    | ANALYSIS REQUEST |
|----------|----------------|-------------------|--------------|--------|---------|----------|---------|---------|------------------|
|          | SIDEWALL 3@3'  |                   |              |        |         |          | 9/25/25 | 9:16AM  | Chloride         |
|          | SIDEWALL 4@3'  |                   |              |        |         |          | 9/25/25 | 9:32AM  | BIEX             |
|          | SIDEWALL 5@1'  |                   |              |        |         |          | 9/25/25 | 9:49AM  | TPHEXT           |
|          | SIDEWALL 6@1'  |                   |              |        |         |          | 9/25/25 | 10:10AM |                  |
|          | SIDEWALL 7@2'  |                   |              |        |         |          | 9/25/25 | 10:23AM |                  |
|          | SIDEWALL 8@2'  |                   |              |        |         |          | 9/25/25 | 10:36AM |                  |
|          | SIDEWALL 9@2'  |                   |              |        |         |          | 9/25/25 | 10:51AM |                  |
|          | SIDEWALL 10@2' |                   |              |        |         |          | 9/25/25 | 11:09AM |                  |
|          | SIDEWALL 11@6" |                   |              |        |         |          | 9/25/25 | 11:26AM |                  |
|          | SIDEWALL 12@6" |                   |              |        |         |          | 9/25/25 | 11:42AM |                  |

**PLEASE NOTE:** Laboratory and Diagnostic Certificate Study **does not** constitute a warranty for any claim arising whether based in contract or tort. It shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the analysis. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client. Its subcontractors, affiliates or successors acting out of or related to the performance of services hereunder for Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: [Signature]  
 Date: 9-29-25  
 Time: 1520  
 Received By: [Signature]  
 Date: [blank]  
 Time: [blank]

Delivered By: (Circle One)  
 Sampler - UPS - Bus - Other: [blank]  
 Sample Condition: Cool Intact  
 Yes  No   
 Checked By: [Signature] (Initials)  
 Phone Result:  Yes  No  
 Fax Result:  Yes  No  
 Add'l Phone #: [blank]  
 Add'l Fax #: [blank]

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



**CARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: BBC International, Inc.  
 Project Manager: Cliff Brunson  
 Address: P.O. Box 805  
 City: Hobbs  
 Phone #: 575-397-6388 State: NM Zip: 88241  
 Project #: Fax #: 575-397-0397  
 Project Name: CEDAR CANYON 22 15 FEE 34H (7/8/17)  
 Project Location: New Mexico  
 Project Owner: Oxy  
 Sampler Name: SIMON RENDON  
 P.O. #: Company: Oxy  
 Attn: Address:  
 City: State: Zip:  
 Phone #: Fax #:

| Lab I.D. | Sample I.D.    | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX      |            |      |     |        |         |            | DATE    | TIME     | ANALYSIS REQUEST |
|----------|----------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|---------|----------|------------------|
|          |                |                   |              | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER : | ACID/BASE: |         |          |                  |
|          | SIDEWALL 13@6" |                   |              |             |            |      |     |        |         | 9/25/25    | 11:56AM | Chloride |                  |
|          | SIDEWALL 14@4' |                   |              |             |            |      |     |        |         | 9/25/25    | 12:47PM | BTEX     |                  |
|          | SIDEWALL 15@4' |                   |              |             |            |      |     |        |         | 9/25/25    | 1:12PM  | TPHEXT   |                  |
|          | SIDEWALL 16@4' |                   |              |             |            |      |     |        |         | 9/25/25    | 1:29PM  |          |                  |
|          | SIDEWALL 17@4' |                   |              |             |            |      |     |        |         | 9/25/25    | 1:45PM  |          |                  |
|          | SIDEWALL 18@4' |                   |              |             |            |      |     |        |         | 9/25/25    | 1:58PM  |          |                  |
|          | SIDEWALL 19@4' |                   |              |             |            |      |     |        |         | 9/25/25    | 2:15PM  |          |                  |
|          | SIDEWALL 20@6" |                   |              |             |            |      |     |        |         | 9/25/25    | 2:34PM  |          |                  |
|          | SIDEWALL 21@6" |                   |              |             |            |      |     |        |         | 9/25/25    | 2:47PM  |          |                  |
|          | SIDEWALL 22@2' |                   |              |             |            |      |     |        |         | 9/25/25    | 3:05PM  |          |                  |

PLEASE NOTE: Lowry and Company Cardinal Laboratories is not responsible for any claims arising from the use of this form. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for accidents or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates, or successors arising out of or related to the performance of services rendered by Cardinal. Repetition of similar such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: *9/25/25* Time: *1:52*  
 Received By: *[Signature]* Date: *9/25/25* Time: *3:30*  
 Delivered By: (Circle One) UPS - Bus - Other: *UPS*  
 Sample Condition:  Cool  Intact  
 Checked By: *[Signature]* (Initials)  
 Phone Result:  Yes  No Add'l Phone #:   
 Fax Result:  Yes  No Add'l Fax #:   
 REMARKS:   
 † Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



**CARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: BBC International, Inc.  
 Project Manager: Cliff Brunson  
 Address: P.O. Box 805  
 City: Hobbs  
 State: NM Zip: 88241  
 Phone #: 575-397-6388  
 Fax #: 575-397-0397

**BILL TO**

**ANALYSIS REQUEST**

Project Name: CEDAR CANYON 22 15 FEE 34H (7/8/17)  
 Project Location: New Mexico  
 Project Owner: Oxy  
 Sampler Name: SIMON RENDON  
 FOR LAB USE ONLY

Company #: Oxy  
 Attn:  
 Address:  
 City:  
 State: Zip:  
 Phone #: Fax #:

| Lab I.D. | Sample I.D. | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX      |            |      |     |        |         | PRESERV    |            | SAMPLING |         | DATE   | TIME | Chloride | BTEX | TPHEXT |
|----------|-------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|------------|----------|---------|--------|------|----------|------|--------|
|          |             |                   |              | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER : | ACID/BASE: | ICE / COOL | OTHER :  |         |        |      |          |      |        |
| HS5095   | 41          |                   |              |             |            |      |     |        |         |            |            |          | 9/25/25 | 3:17PM | ✓    | ✓        | ✓    |        |
|          | 42          |                   |              |             |            |      |     |        |         |            |            |          | 9/25/25 | 3:30PM | ✓    | ✓        | ✓    |        |
|          | 43          |                   |              |             |            |      |     |        |         |            |            |          | 9/25/25 | 3:44PM | ✓    | ✓        | ✓    |        |

**PLEASE NOTE:** Liability and Damage: Cardinal Laboratory and its subsidiaries are not liable for any claim arising from the use of the services provided by Cardinal Laboratory and its subsidiaries. In the event that Cardinal Laboratory and its subsidiaries are held liable for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable analysis or succession arising out of or related to the performance of services rendered by Cardinal Laboratory and its subsidiaries.

Relinquished By: [Signature]  
 Date: 9-29-25  
 Time: 1:52pm

Received By: [Signature]  
 Date: 9-29-25  
 Time: 3:36pm

Delivered By: (Circle One)  
 Sampler - UPS - Bus - Other:  UPS

Sample Condition:  
 Cool Intact:  Yes  No  
 Checked By: [Signature]  
 Phone Result:  Yes  No  
 Fax Result:  Yes  No  
 Add'l Phone #: \_\_\_\_\_  
 Add'l Fax #: \_\_\_\_\_

\* Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476



**CARDINAL LABORATORIES**  
 101 East Marland, Hobbs, NM 88240  
 (505) 393-2326 FAX (505) 393-2476

**CHAIN-OF-CUSTODY AND ANALYSIS REQUEST**

Company Name: BBC International, Inc.  
 Project Manager: Cliff Brunson  
 Address: P.O. Box 805  
 City: Hobbs  
 Phone #: 575-397-6388  
 Project #: \_\_\_\_\_  
 Project Name: CEDAR CANYON 22 15 FEE 34H (7/8/17)  
 Project Location: New Mexico  
 Sampler Name: SIMON RENDON

P.O. #: \_\_\_\_\_  
 Company: Oxy  
 Attn: \_\_\_\_\_  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_  
 State: \_\_\_\_\_ Zip: \_\_\_\_\_  
 Phone #: \_\_\_\_\_  
 Fax #: \_\_\_\_\_

**BILL TO**  
**ANALYSIS REQUEST**

| Lab I.D. | Sample I.D.    | (G)RAB OR (C)OMP. | # CONTAINERS | MATRIX      |            |      |     |        |         |            | DATE    | TIME    | Chloride | BTEX | TPHEX |
|----------|----------------|-------------------|--------------|-------------|------------|------|-----|--------|---------|------------|---------|---------|----------|------|-------|
|          |                |                   |              | GROUNDWATER | WASTEWATER | SOIL | OIL | SLUDGE | OTHER : | ACID/BASE: |         |         |          |      |       |
| 441      | SIDEWALL 26@3' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 10:15AM | ✓        | ✓    | ✓     |
| 45       | SIDEWALL 27@3' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 10:33AM | ✓        | ✓    | ✓     |
| 46       | SIDEWALL 28@3' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 10:51AM | ✓        | ✓    | ✓     |
| 47       | SIDEWALL 29@3' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 11:12AM | ✓        | ✓    | ✓     |
| 48       | SIDEWALL 30@1' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 11:30AM | ✓        | ✓    | ✓     |
| 49       | SIDEWALL 31@1' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 11:48AM | ✓        | ✓    | ✓     |
| 50       | SIDEWALL 32@1' |                   | 1            |             |            |      |     |        |         |            | 9/26/25 | 12:10PM | ✓        | ✓    | ✓     |

**PLEASE NOTE:** Liability and Damages: Contractor's liability for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analysis. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the analytical service. In no event shall Cardinal be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors, either total or related to the performance of analytical laboratory for Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By: *[Signature]* Date: 9/26/25 Time: 1:30  
 Received By: *[Signature]* Date: 9/26/25 Time: 1:30  
 Delivered By: (Circle One) *CF 10:30 AM 11/40*  
 Sampler - UPS - Bus - Other: *3:30 / 3:00*  
 Sample Condition:  Cool  Intact  
 Yes  No  
 CHECKED BY: *[Signature]*  
 Phone Result:  Yes  No  
 Fax Result:  Yes  No  
 Add'l Phone #: \_\_\_\_\_  
 Add'l Fax #: \_\_\_\_\_  
 REMARKS: \_\_\_\_\_

† Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS

Action 557950

**QUESTIONS**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|                      |   |
|----------------------|---|
| <b>Prerequisites</b> |   |
| Incident ID (n#)     | nAB1719928941   |
| Incident Name        | NAB1719928941 CEDAR CANYON 22 15 FEDERAL COM #034H @ 30-015-44055 |
| Incident Type        | Produced Water Release  |
| Incident Status      | Remediation Closure Report Received                               |
| Incident Well        | [30-015-44055] CEDAR CANYON 22 15 FEDERAL COM #034H               |

|   |                                      |
|---|--------------------------------------|
| <b>Location of Release Source</b>                     |                                      |
| <i>Please answer all the questions in this group.</i> |                                      |
| Site Name   | CEDAR CANYON 22 15 FEDERAL COM #034H |
| Date Release Discovered                               | 07/08/2017                           |
| Surface Owner   | Federal                              |

|  |                        |
|--|------------------------|
| <b>Incident Details</b>  |                        |
| <i>Please answer all the questions in this group.</i>  |                        |
| Incident Type  | Produced Water Release |
| Did this release result in a fire or is the result of a fire   | No                     |
| Did this release result in any injuries  | No                     |
| Has this release reached or does it have a reasonable probability of reaching a watercourse          | No                     |
| Has this release endangered or does it have a reasonable probability of endangering public health    | No                     |
| Has this release substantially damaged or will it substantially damage property or the environment   | No                     |
| Is this release of a volume that is or may with reasonable probability be detrimental to fresh water | No                     |

|   |   |
|---|---|
| <b>Nature and Volume of Release</b>   |   |
| <i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i> |   |
| Crude Oil Released (bbls) Details   | Cause: Corrosion   Flow Line - Production   Crude Oil   Released: 4 BBL   Recovered: 0 BBL   Lost: 4 BBL.         |
| Produced Water Released (bbls) Details  | Cause: Corrosion   Flow Line - Production   Produced Water   Released: 31 BBL   Recovered: 15 BBL   Lost: 16 BBL. |
| Is the concentration of chloride in the produced water >10,000 mg/l   | Yes   |
| Condensate Released (bbls) Details  | Not answered.   |
| Natural Gas Vented (Mcf) Details  | Not answered.   |
| Natural Gas Flared (Mcf) Details  | Not answered.   |
| Other Released Details  | Not answered.   |
| Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)  | Not answered.   |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 557950

**QUESTIONS (continued)**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|   |  |
|---|--|
| <b>Nature and Volume of Release (continued)</b>   |  |
| Is this a gas only submission (i.e. only significant Mcf values reported)               | <b>No, according to supplied volumes this does not appear to be a "gas only" report.</b>   |
| Was this a major release as defined by Subsection A of 19.15.29.7 NMAC                  | <b>Yes</b>   |
| Reasons why this would be considered a submission for a notification of a major release | <b>From paragraph A. "Major release" determine using:<br/>(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.</b> |

*With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.*

**Initial Response**

*The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.*

|  |                      |
|--|----------------------|
| The source of the release has been stopped   | <b>True</b>          |
| The impacted area has been secured to protect human health and the environment                                     | <b>True</b>          |
| Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices | <b>True</b>          |
| All free liquids and recoverable materials have been removed and managed appropriately                             | <b>True</b>          |
| If all the actions described above have not been undertaken, explain why   | <i>Not answered.</i> |

*Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|  |  |
|--|--|
| I hereby agree and sign off to the above statement | Name: <b>BBC Company</b><br>Email: <b>Office@bbcinternational.com</b><br>Date: <b>02/25/2026</b> |
|--|--|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 3

Action 557950

**QUESTIONS (continued)**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

|  |                                |
|--|--------------------------------|
| What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs) | Between 75 and 100 (ft.)       |
| What method was used to determine the depth to ground water  | NM OSE iWaters Database Search |
| Did this release impact groundwater or surface water   | No                             |
| <b>What is the minimum distance, between the closest lateral extents of the release and the following surface areas:</b>   |                                |
| A continuously flowing watercourse or any other significant watercourse  | Between 1000 (ft.) and ½ (mi.) |
| Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)  | Between 1 and 5 (mi.)          |
| An occupied permanent residence, school, hospital, institution, or church  | Greater than 5 (mi.)           |
| A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes  | Between 1 and 5 (mi.)          |
| Any other fresh water well or spring   | Between 1 and 5 (mi.)          |
| Incorporated municipal boundaries or a defined municipal fresh water well field  | Between 1 and 5 (mi.)          |
| A wetland  | Between 1 and 5 (mi.)          |
| A subsurface mine  | Between 1 and 5 (mi.)          |
| An (non-karst) unstable area   | Between 1 and 5 (mi.)          |
| Categorize the risk of this well / site being in a karst geology   | Medium                         |
| A 100-year floodplain  | Between 1000 (ft.) and ½ (mi.) |
| Did the release impact areas not on an exploration, development, production, or storage site                               | No                             |

**Remediation Plan**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

|  |     |
|--|-----|
| Requesting a remediation plan approval with this submission  | Yes |
| <i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i> |     |
| Have the lateral and vertical extents of contamination been fully delineated   | Yes |
| Was this release entirely contained within a lined containment area  | No  |

**Soil Contamination Sampling:** (Provide the highest observable value for each, in milligrams per kilograms.)

|   |     |
|---|-----|
| Chloride (EPA 300.0 or SM4500 Cl B)         | 48  |
| TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M) | 10  |
| GRO+DRO (EPA SW-846 Method 8015M)           | 10  |
| BTEX (EPA SW-846 Method 8021B or 8260B)     | 0.3 |
| Benzene (EPA SW-846 Method 8021B or 8260B)  | 0.5 |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

|   |            |
|---|------------|
| On what estimated date will the remediation commence                        | 08/11/2025 |
| On what date will (or did) the final sampling or liner inspection occur     | 09/26/2025 |
| On what date will (or was) the remediation complete(d)                      | 11/13/2025 |
| What is the estimated surface area (in square feet) that will be reclaimed  | 0          |
| What is the estimated volume (in cubic yards) that will be reclaimed        | 0          |
| What is the estimated surface area (in square feet) that will be remediated | 2519       |
| What is the estimated volume (in cubic yards) that will be remediated       | 336        |

*These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.*

*The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.*

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 4

Action 557950

**QUESTIONS (continued)**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |
|  |   |

**QUESTIONS**

**Remediation Plan (continued)**

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

**This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:**

(Select all answers below that apply.)

|   |  |
|---|--|
| (Ex Situ) Excavation and <b>off-site</b> disposal (i.e. dig and haul, hydrovac, etc.) | Yes  |
| Which OCD approved facility will be used for <b>off-site</b> disposal                 | <a href="#">fEEM0112342028 LEA LAND LANDFILL</a> |
| <b>OR</b> which OCD approved well (API) will be used for <b>off-site</b> disposal     | Not answered.                                    |
| <b>OR</b> is the <b>off-site</b> disposal site, to be used, out-of-state              | Not answered.                                    |
| <b>OR</b> is the <b>off-site</b> disposal site, to be used, an NMED facility          | Not answered.                                    |
| (Ex Situ) Excavation and <b>on-site</b> remediation (i.e. On-Site Land Farms)         | Not answered.                                    |
| (In Situ) Soil Vapor Extraction   | Not answered.                                    |
| (In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)     | Not answered.                                    |
| (In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)                    | Not answered.                                    |
| (In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)              | Not answered.                                    |
| Ground Water Abatement pursuant to 19.15.30 NMAC                                      | Not answered.                                    |
| OTHER (Non-listed remedial process)   | Not answered.                                    |

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

|  |  |
|--|--|
| I hereby agree and sign off to the above statement | Name: BBC Company<br>Email: <a href="mailto:Office@bbcinternational.com">Office@bbcinternational.com</a><br>Date: 02/25/2026 |
|--|--|

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 5

Action 557950

**QUESTIONS (continued)**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|   |    |
|---|----|
| <b>Deferral Requests Only</b>   |    |
| <i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i> |    |
| Requesting a deferral of the remediation closure due date with the approval of this submission  | No |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 6

Action 557950

**QUESTIONS (continued)**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

| <b>Sampling Event Information</b>   |                   |
|---|-------------------|
| Last sampling notification (C-141N) recorded  | <b>507749</b>     |
| Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC | <b>09/26/2025</b> |
| What was the (estimated) number of samples that were to be gathered                             | <b>56</b>         |
| What was the sampling surface area in square feet   | <b>2519</b>       |

**Remediation Closure Request**

*Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.*

|  |   |
|--|---|
| Requesting a remediation closure approval with this submission   | Yes   |
| Have the lateral and vertical extents of contamination been fully delineated   | Yes   |
| Was this release entirely contained within a lined containment area  | No  |
| All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion   | Yes   |
| What was the total surface area (in square feet) remediated  | 2519  |
| What was the total volume (cubic yards) remediated   | 336   |
| All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene | Yes   |
| What was the total surface area (in square feet) reclaimed   | 0   |
| What was the total volume (in cubic yards) reclaimed   | 0   |
| Summarize any additional remediation activities not included by answers (above)  | OXY excavated the spill area as depicted on the following site diagram. The leak area (shade BLUE on diagram) was excavated to the depth of 1 foot and the leak area (shade GREEN on diagram) was excavated to the depth of 2 feet. The leak area (shade PURPLE on diagram) was excavated to the depth of 3 feet. The leak area (shade TURQUOISE on diagram) was excavated to the depth of 4 feet. The leak area (shade YELLOW on diagram) was excavated to the depth of 6" inches. OXY collected bottom and sidewall confirmation samples every 200 square feet. |

*The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.*

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

|  |   |
|--|---|
| I hereby agree and sign off to the above statement | Name: BBC Company<br>Email: Office@bbcinternational.com<br>Date: 02/25/2026 |
|--|---|

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

QUESTIONS, Page 7

Action 557950

**QUESTIONS (continued)**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**QUESTIONS**

|  |    |
|--|----|
| <b>Reclamation Report</b>  |    |
| <i>Only answer the questions in this group if all reclamation steps have been completed.</i> |    |
| Requesting a reclamation approval with this submission                                       | No |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 557950

**CONDITIONS**

|  |   |
|--|---|
| Operator:<br>OXY USA INC<br>P.O. Box 4294<br>Houston, TX 772104294 | OGRID:<br>16696   |
|  | Action Number:<br>557950  |
|  | Action Type:<br>[C-141] Remediation Closure Request C-141 (C-141-v-Closure) |

**CONDITIONS**

| Created By       | Condition  | Condition Date |
|------------------|--|----------------|
| michael.buchanan | Remediation closure is approved for this historic release.   | 3/11/2026      |
| michael.buchanan | The reclamation report will need to include: Executive Summary of the reclamation activities; Scaled Site Map including sampling locations; Analytical results including, but not limited to, results showing that any remaining impacts meet the reclamation standards and results to prove the backfill is non-waste containing; At least one (1) representative 5-point composite sample will need to be collected from the backfill material that will be used for the reclamation of the top four feet of the excavation. The OCD reserves the right to request additional sampling if needed; pictures of the backfilled areas showing that the area is back, as nearly as practical, to the original condition or the final land use and maintain those areas to control dust and minimize erosion to the extent practical; pictures of the top layer, which is either the background thickness of topsoil or one foot of suitable material to establish vegetation at the site, whichever is greater; and a revegetation plan. | 3/11/2026      |
| michael.buchanan | A reclamation report will not be accepted until reclamation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.  | 3/11/2026      |
| michael.buchanan | All revegetation activities will need to be documented and included in the revegetation report. The revegetation report will need to include: An executive summary of the revegetation activities including: Seed mix, Method of seeding, dates of when the release area was reseeded, information pertinent to inspections, information about any amendments added to the soil, information on how the vegetative cover established meets the life-form ratio of plus or minus fifty percent of pre-disturbance levels and a total percent plant cover of at least seventy percent of pre-disturbance levels, excluding noxious weeds per 19.15.29.13 D.(3) NMAC, and any additional information; a scaled Site Map including area that was revegetated in square feet; and pictures of the revegetated areas during reseeding activities, inspections, and final pictures when revegetation is achieved.   | 3/11/2026      |
| michael.buchanan | A revegetation report will not be accepted until revegetation of the release area, including areas reasonably needed for production or drilling activities, is complete and meet the requirements of 19.15.29.13 NMAC. Areas not reasonably needed for production or drilling activities will still need to be reclaimed and revegetated as early as practicable.  | 3/11/2026      |
| michael.buchanan | Per 19.15.29.13 E. NMAC, if a reclamation and revegetation report has been submitted to the surface owner, it may be used if the requirements of the surface owner provide equal or better protection of freshwater, human health, and the environment. A copy of the approval of the reclamation and revegetation report from the surface owner and a copy of the approved reclamation and revegetation report will need to be submitted to the OCD via the Permitting website.   | 3/11/2026      |