



Certificate of Analysis

Number: 6030-25030656-001A

Artesia Laboratory
 200 E Main St.
 Artesia, NM 88210
 Phone 575-746-3481

Chandler Montgomery
 Occidental Petroleum
 1502 W Commerce Dr.
 Carlsbad, NM 88220

Field:	PERMIAN_RESOURCES	Report Date:	04/07/2025
Station Name:	Lost Tank 5 CPF Production 2	Sampled By:	Scot
Station Number:	118611	Sample Of:	Gas
Station Location:	OP-DELNE-BT011	Sample Type:	Spot
Sample Point:	Meter	Sample Conditions:	105.3 psig, @ 100.5 °F Ambient: 66 °F
Property ID:	FMP/LSE N/A	Sample Date:	03/28/2025 08:27
Formation:	NEW_MEXICO	Received Date:	03/31/2025
County:		Login Date:	03/31/2025
Well Name:	CTB	Effective Date:	04/01/2025
Type of Sample :	Spot-Cylinder	Flow Rate:	18646 MSCFD
Sampling Company :	OXY	Sampling Method:	
Heat Trace Used:	N/A	Heating Method:	
Sampling Method:	Purge and Fill	Method:	GPA-2261M
Last Inst. Cal.:	03/31/2025 0:00 AM	Cylinder No:	9999-005161
Analyzed:	04/03/2025 11:24:27 by CDW	Instrument:	70142339 (Inficon GC-MicroFusion)

Analytical Data

Components	Un-normalized Mol %	Mol. %	Wt. %	GPM at 14.73 psia
Hydrogen Sulfide	0.0000	0.0003	0.0004	
Nitrogen	1.6592	1.6393	1.9223	
Carbon Dioxide	0.1423	0.1406	0.2590	
Methane	70.8415	69.9905	47.0021	
Ethane	14.1849	14.0145	17.6402	3.765
Propane	7.7047	7.6122	14.0512	2.107
Iso-Butane	1.0015	0.9895	2.4075	0.325
n-Butane	2.7979	2.7643	6.7257	0.875
Iso-Pentane	0.6647	0.6567	1.9834	0.241
n-Pentane	0.8089	0.7992	2.4137	0.291
Hexanes	0.6459	0.6381	2.3019	0.264
Heptanes	0.5758	0.5689	2.3863	0.264
Octanes	0.1583	0.1564	0.7479	0.080
Nonanes Plus	0.0298	0.0295	0.1584	0.017
	<u>101.2154</u>	<u>100.0000</u>	<u>100.0000</u>	<u>8.229</u>

Calculated Physical Properties	Total	C9+
Calculated Molecular Weight	23.89	128.26
Compressibility Factor	0.9952	
Relative Density Real Gas	0.8285	4.4283

GPA 2172 Calculation:

Calculated Gross BTU per ft³ @ 14.73 psia & 60°F

Real Gas Dry BTU	1410.6	7012.5
Water Sat. Gas Base BTU	1386.7	6890.4
Ideal, Gross HV - Dry at 14.73 psia	1403.8	6978.9
Ideal, Gross HV - Wet	1379.4	6854.3

Comments: H2S Field Content: 2.5 ppm

Mostaq Ahamed

Hydrocarbon Laboratory Manager

Quality Assurance: The above analyses are performed in accordance with ASTM, UOP, GPA guidelines for quality assurance, unless otherwise stated. The test results apply to the sample as received.



UPSET FLARING EVENT SPECIFIC JUSTIFICATIONS FORM

Facility Id# fAPP2410600153

Operator: OXY USA, Inc.

Facility: Lost Tank 5 CPF

Flare Date: 04/05/2026

Duration of Event: 30 Minutes

MCF Flared: 80

Start Time: 09:45 AM

End Time: 10:15 AM

Cause: Emergency Flare > Automation Equipment Malfunction > Production Separator > Dump Valve Hung Open

Method of Flared Gas Measurement: Gas Flare Meter

1. Reason why this event was beyond Operator's control:

This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond OXY's sphere of influence and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventive maintenance practices. OXY engages in respectable and effective facility operation practices while maintaining a continuous preventative maintenance program for its equipment. During this incident, a dump valve remained open on a production separator, resulting in gas being directed to the VRT. The automatic transfer of gas to the VRT increased the vent gas flow rate, which subsequently overloaded the VRUs and triggered a flare when system pressure surpassed the predetermined setpoints. OXY took all possible measures to manage and reduce emissions to the greatest extent.

2. Steps Taken to limit duration and magnitude of venting or flaring:

It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond OXY's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has 98% combustion efficiency to lessen emissions as much as possible. Internal OXY procedures ensure that upon unexpected flaring, production technicians are instructed to assess the issue as soon as possible in order to take prompt corrective action and minimize emissions. During this incident, a dump valve remained open on a production separator, resulting in gas being directed to the VRT. The automatic transfer of gas to the VRT increased the vent gas flow rate, which subsequently overloaded the VRUs and triggered a flare when system pressure surpassed the predetermined setpoints. Upon initiation of flaring, OXY technicians promptly undertook corrective measures to repair the dump valve on the production separator and successfully restored it to service without subsequent complications. OXY's field and operations teams diligently oversee the facility and field pressure to swiftly identify any deviations from standard operational parameters. OXY flares excess gas strictly as a critical safety protocol, prioritizing the protection of operational integrity, equipment reliability, and the well-being of field personnel. OXY took all possible measures to manage and reduce emissions to the greatest extent.

3. Corrective Actions taken to eliminate the cause and reoccurrence of venting or flaring:

OXY has a limited scope for implementing corrective actions to prevent the root causes and future occurrences of equipment malfunctions. Although equipment designs and operational procedures may vary, the nature of equipment operations remains inherently dynamic; minor alarms can emerge abruptly and are often reasonably unforeseeable and unexpected, potentially leading to malfunctions and venting incidents. OXY consistently strives to operate all equipment in accordance with best practices, thereby minimizing emissions and reducing the frequency of emission events. OXY is dedicated to reducing emissions to the greatest extent feasible and strives to ensure that all operational equipment is restored to normal functioning and operates at peak efficiency.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

DEFINITIONS

Action 577830

DEFINITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 577830
	Action Type: [C-129] Venting and/or Flaring (C-129)

DEFINITIONS

For the sake of brevity and completeness, please allow for the following in all groups of questions and for the rest of this application:

- this application's operator, hereinafter "this operator";
- venting and/or flaring, hereinafter "vent or flare";
- any notification or report(s) of the C-129 form family, hereinafter "any C-129 forms";
- the statements in (and/or attached to) this, hereinafter "the statements in this";
- and the past tense will be used in lieu of mixed past/present tense questions and statements.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 577830

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 577830
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Prerequisites	
<i>Any messages presented in this section, will prevent submission of this application. Please resolve these issues before continuing with the rest of the questions.</i>	
Incident Well	Unavailable.
Incident Facility	[fAPP2410600153] Lost Tank 5 Tankless CPF

Determination of Reporting Requirements	
<i>Answer all questions that apply. The Reason(s) statements are calculated based on your answers and may provide additional guidance.</i>	
Was this vent or flare caused by an emergency or malfunction	Yes
Did this vent or flare last eight hours or more cumulatively within any 24-hour period from a single event	No
Is this considered a submission for a vent or flare event	Yes, minor venting and/or flaring of natural gas.
<i>An operator shall file a form C-141 instead of a form C-129 for a release that, includes liquid during venting and/or flaring that is or may be a major or minor release under 19.15.29.7 NMAC.</i>	
Was there at least 50 MCF of natural gas vented and/or flared during this event	Yes
Did this vent or flare result in the release of ANY liquids (not fully and/or completely flared) that reached (or has a chance of reaching) the ground, a surface, a watercourse, or otherwise, with reasonable probability, endanger public health, the environment or fresh water	No
Was the vent or flare within an incorporated municipal boundary or within 300 feet from an occupied permanent residence, school, hospital, institution or church in existence	No

Equipment Involved	
Primary Equipment Involved	Other (Specify)
Additional details for Equipment Involved. Please specify	Emergency Flare > Automation Equipment Malfunction > Production Separator > Dump Valve Hung Open

Representative Compositional Analysis of Vented or Flared Natural Gas	
<i>Please provide the mole percent for the percentage questions in this group.</i>	
Methane (CH4) percentage	70
Nitrogen (N2) percentage, if greater than one percent	2
Hydrogen Sulfide (H2S) PPM, rounded up	3
Carbon Dioxide (CO2) percentage, if greater than one percent	0
Oxygen (O2) percentage, if greater than one percent	0
<i>If you are venting and/or flaring because of Pipeline Specification, please provide the required specifications for each gas.</i>	
Methane (CH4) percentage quality requirement	Not answered.
Nitrogen (N2) percentage quality requirement	Not answered.
Hydrogen Sulfide (H2S) PPM quality requirement	Not answered.
Carbon Dioxide (CO2) percentage quality requirement	Not answered.
Oxygen (O2) percentage quality requirement	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 577830

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 577830
	Action Type: [C-129] Venting and/or Flaring (C-129)

QUESTIONS

Date(s) and Time(s)	
Date vent or flare was discovered or commenced	04/05/2026
Time vent or flare was discovered or commenced	09:45 AM
Time vent or flare was terminated	10:15 AM
Cumulative hours during this event	1

Measured or Estimated Volume of Vented or Flared Natural Gas	
Natural Gas Vented (Mcf) Details	<i>Not answered.</i>
Natural Gas Flared (Mcf) Details	Cause: Equipment Failure Separator Natural Gas Flared Released: 80 Mcf Recovered: 0 Mcf Lost: 80 Mcf.
Other Released Details	<i>Not answered.</i>
Additional details for Measured or Estimated Volume(s). Please specify	Gas Flare Meter
Is this a gas only submission (i.e. only significant Mcf values reported)	Yes, according to supplied volumes this appears to be a "gas only" report.

Venting or Flaring Resulting from Downstream Activity	
Was this vent or flare a result of downstream activity	No
Was notification of downstream activity received by this operator	<i>Not answered.</i>
Downstream OGRID that should have notified this operator	<i>Not answered.</i>
Date notified of downstream activity requiring this vent or flare	<i>Not answered.</i>
Time notified of downstream activity requiring this vent or flare	<i>Not answered.</i>

Steps and Actions to Prevent Waste	
For this event, this operator could not have reasonably anticipated the current event and it was beyond this operator's control.	True
Please explain reason for why this event was beyond this operator's control	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond OXY's sphere of influence and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventive maintenance practices.
Steps taken to limit the duration and magnitude of vent or flare	It is OXY's policy to route its stranded gas to a flare during an unforeseen and unavoidable emergency or malfunction, that is beyond OXY's control to avoid, prevent or foresee, to minimize emissions as much as possible as part of the overall steps taken to limit duration and magnitude of flaring. The flare at this facility has 98% combustion efficiency to lessen emissions as much as possible. Internal OXY procedures ensure that upon unexpected flaring, production technicians are instructed to assess the issue as soon as possible in order to take prompt corrective action and minimize emissions.
Corrective actions taken to eliminate the cause and reoccurrence of vent or flare	This emissions event was caused by the unforeseen, unexpected, sudden, and unavoidable breakdown of equipment or process that was beyond OXY's sphere of influence and did not stem from activity that could have been foreseen and avoided, and could not have been avoided by good design, operation, and preventive maintenance practices.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 577830

ACKNOWLEDGMENTS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 577830
	Action Type: [C-129] Venting and/or Flaring (C-129)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit a <i>Venting and/or Flaring</i> (C-129) report on behalf of this operator and understand that this report can be a complete C-129 submission per 19.15.27.8 and 19.15.28.8 NMAC.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to this operator) to track any C-129 forms, pursuant to 19.15.27.7 and 19.15.28.8 NMAC and understand that this submission meets the notification requirements of Paragraph (1) of Subsection G and F respectively.
<input checked="" type="checkbox"/>	I hereby certify the statements in this report are true and correct to the best of my knowledge and acknowledge that any false statement may be subject to civil and criminal penalties under the Oil and Gas Act.
<input checked="" type="checkbox"/>	I acknowledge that the acceptance of any C-129 forms by the OCD does not relieve this operator of liability should their operations have failed to adequately investigate, report, and remediate contamination that poses a threat to groundwater, surface water, human health, or the environment.
<input checked="" type="checkbox"/>	I acknowledge that OCD acceptance of any C-129 forms does not relieve this operator of responsibility for compliance with any other applicable federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 577830

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 577830
	Action Type: [C-129] Venting and/or Flaring (C-129)

CONDITIONS

Created By	Condition	Condition Date
marialuna2	If the information provided in this report requires an amendment, submit a [C-129] Amend Venting and/or Flaring Incident (C-129A), utilizing your incident number from this event.	4/21/2026