



# ENSOLUM

Environmental, Engineering and  
Hydrogeologic Consultants

## Modified Stage 2 Abatement Plan

Property:

**Florance Gas Com J No. 16A  
Harvest Four Corners, LLC  
San Juan County, New Mexico**

**API # 30-045-21790  
Incident # NCS1629854256  
Remediation Permit Number 3RP-364**

February 3, 2026  
Ensolum Project No. 07B2002007

Prepared for:

**New Mexico Oil Conservation Division - District III  
New Mexico Energy, Minerals, and Natural Resources Department  
1000 Rio Brazos Road  
Aztec, New Mexico 87410**

Prepared by:  
**Ensolum, LLC  
848 East 2<sup>nd</sup> Ave  
Durango, CO 81301**

**TABLE OF CONTENTS**

**TABLE OF CONTENTS**

**1.0 BACKGROUND..... 1**

**2.0 SITE DESCRIPTION..... 2**

    2.1 SITE GROUNDWATER CLEANUP STANDARDS.....3

**3.0 REMEDIATION SYSTEM DESCRIPTION ..... 3**

**4.0 DPE SYSTEM OPERATIONS AND MONITORING..... 4**

    4.1 VAPOR RECOVERY .....4

    4.2 LIQUID RECOVERY .....4

    4.3 CONCRETE TRAP/SECONDARY SEEP MONITORING .....4

**5.0 GROUNDWATER MONITORING..... 4**

    5.1 GROUNDWATER GAUGING.....5

    5.2 GROUNDWATER SAMPLING.....5

    5.3 2025 GROUNDWATER ANALYTICAL RESULTS.....5

    5.4 GROUNDWATER ANALYTICAL RESULTS SUMMARY .....6

**6.0 GROUNDWATER REMEDIATION AND PROPOSED ABATEMENT PLAN..... 6**

    6.1 PUBLIC NOTICE.....7

    6.2 RECLAMATION.....9

**7.0 REPORTING..... 9**

**APPENDICES**

**Figures**

Figure 1 Site Location Map

Figure 2 Remediation System Layout

Figure 3 Groundwater Potentiometric Map March 2025

Figure 4 Groundwater Potentiometric Map June 2025

Figure 5 Groundwater Potentiometric Map August 2025

Figure 6 Groundwater Potentiometric Map December 2025

Figure 7 Groundwater Analytical Results Map March 2025

Figure 8 Groundwater Analytical Results Map June 2025

Figure 9 Groundwater Analytical Results Map December 2025

**Tables**

Table 1 Groundwater Sampling Schedule

Table 2 Groundwater Elevations

Table 3 Groundwater Analytical Results

**Appendices**

Appendix A Agency Correspondence

Appendix B Agency Correspondence – MW-14 Delineation

Appendix C NMOCD Approved *Quarterly Remediation System Operation and Monitoring Report*, April 30, 2020

Appendix D NMOCD Approved *2022 Third Quarter – Remediation System Operation and Monitoring Report*, October 27, 2022

Appendix E June 2018 Groundwater Analytical Results (Reproduced from *2018 Groundwater and Remediation Update Report* (LT Environmental, 2018))

## Modified Stage 2 Abatement Plan

### Incident # NCS1629854256 Remediation Permit Number 3RP-364

Ensolum, LLC (Ensolum), on behalf of Harvest Four Corners, LLC (Harvest), presents this *Stage 2 Abatement Plan*, proposing continued active remediation and groundwater monitoring at the Florance Gas Com J No. 16A (Site; Remediation Permit Number 3RP-364, Incident # NCS1629854256). This report was prepared in response to the conditions of approval provided by the New Mexico Oil Conservation Division (NMOCD) regarding the *2025 Q1/Q2 Semi-Annual Remediation System Operation and Monitoring Report*. The report was approved with conditions on September 29, 2025, and required that a *Stage 2 Abatement Plan* be submitted in accordance with New Mexico Administrative Code (NMAC) section 19.15.30. The *Stage 2 Abatement Plan* was submitted on November 28, 2025. This Modified Stage 2 Abatement Plan has been updated to address the NMOCD reasons for denial sent December 2, 2025. The request to extend the deadline for the *Modified Stage 2 Abatement Plan* was approved and extended to February 4, 2026. Agency correspondence is included in Appendix A.

#### 1.0 BACKGROUND

Detailed background information on this Site is included in various reports available in the NMOCD online database. A brief summary of the historical background is included below:

- **April 30, 1999** – NMOCD records indicate that both Amoco Production Company (Amoco) and Williams Field Services, LLC (Williams) had unlined pits at this location for disposal of oilfield wastes. NMOCD conducted a site inspection and identified light non-aqueous phase liquid (LNAPL) and water seeping out of the top of a bedrock contact approximately 300 feet from the well pad.
- **November 9, 2015** - Williams submitted a *Site Investigation Work Plan*.
- **October 6, 2016** - NMOCD issued review of prior investigation information submitted by both Williams and BP America Production Company (BP, formerly Amoco) along with NMOCD requirements for site remedial action.
- **As of December 12, 2016** - Williams had excavated and treated approximately 22,100 cubic yards of soil and applied approximately 6,000 gallons of a 3% Micro-Blaze® to the open excavation and completed backfill. Williams subsequently prepared a *Remediation Work Plan* to address the remaining impacts.
- **January 04, 2017, through April 6, 2017** - BP excavated and treated soil in their area of responsibility (north side of well pad).
- **November 2017** - Continuing to excavate the hillside was not a viable remediation option. Therefore, Williams submitted a *Remediation Work Plan* that proposed installing a Dual-Phase Extraction (DPE) system to simultaneously remove both LNAPL and vapor-phase contaminants from the subsurface by extracting groundwater and vapors through wells, thereby addressing both free product and dissolved contamination. Information regarding the DPE remediation system is described in the *Remedial Assessment Report* submitted by Aptim Environmental & Infrastructure, Inc. in November 2017.
- **January 26, 2018** - NMOCD provided conditions of approval for Williams' proposed remediation system.

- **February 20, 2018** – NMOCD approved the Proposed Remediation Plan with the condition that William's request for MW-14 to be considered delineated "so long as groundwater conditions do not deteriorate significantly" (Appendix B).
- **May 4, 2018** - system installation activities were completed and system operation was initiated.
- **October 1, 2018** - Harvest assumed operation of the assets associated with the location from Williams and has continued site remediation activities since.
- **June 24, 2020** – NMOCD approved the request to reduce sampling frequency from quarterly sampling to the schedule detailed in the *Quarterly Remediation System Operation and Monitoring Report* summarizing Site activities during Q1 2020 (Appendix C).
- **May 10, 2024** – NMOCD approves request to transition from quarterly reporting to semiannual reporting, as detailed in the *2022 Fourth Quarter – Remediation System Operation and Monitoring Report* (Appendix D).

Quarterly or semi-annual reports have been submitted to the NMOCD between 2018 and 2025, and include the following:

- A summary of remediation activities;
- The system runtime summary (90% runtime required);
- The hydrocarbon vapor mass removal and liquid recovery from the remediation system;
- Amount of liquid captured from the concrete trap/secondary seep tank;
- Quarterly gas sample analytical results; and
- Groundwater monitoring and analytical results.

Previous reports submitted to the NMOCD can be found in the online database.

## 2.0 SITE DESCRIPTION

The Site is located in Unit P, Section 6, Township 30 North, Range 9 West in San Juan County, New Mexico (Figure 1). The Site is located on the southeastern end of Florance GCJ #16A (30-045-21790) active natural gas well pad, operated by Simcoe LLC (Formerly BP). The remediation system footprint consists of two small buildings housing the DPE system infrastructure, an above ground storage tank, and 38 wells and associated subsurface piping. A natural spring and two seeps (east and west) have been observed on the southwest hillside at the Site. Piping has been installed to the east seep and west seep to collect liquids and gather in a concrete trap collection sump.

The site is located on a south sloping ridge consisting primarily of sandstone with a dendritic drainage pattern. Bedrock is encountered at or near the surface. The bedrock consists of eolian deposited sands and silt. The bedrock is characterized by alternating layers of brown to tan, siltstone and sandstone ranging from silt-fine sand to coarse sand varying in the degree of cementation with frequent poorly cemented to unconsolidated lenses. The formation changes in color to grayish brown, gray, and dark gray with depth particularly in areas impacted by hydrocarbons.

Two distinctive lithologic units were observed at or below the water table. These included unconsolidated sand and basal sandy siltstone lenses. Water was first observed in a relatively thin sand lens consisting of unconsolidated medium to coarse sand. The sand lens was underlain by a bluish grey shale/siltstone unit. The two units were often separated by a brown to gray sandy siltstone.

There are five New Mexico Office of the State Engineer (NMOSE) permitted wells and/or United States Geological Survey (USGS) groundwater wells within 1 mile of the Site (Figure 1). The five

NMOSE wells within 1 mile of the Site do not have well records other than the permit applications, and are listed below:

- SJ-04260-POD3
- SJ-04260-POD4
- SJ-04260-POD5
- SJ-04260-POD6
- Quigley Water Well No. 1

Depth to groundwater at the Site ranges from 14.98 feet below top of casing (BTOC) to 45.34 feet BTOC. The Site is composed of 38 groundwater monitoring wells and remediation system wells, listed in Table 1. Groundwater flow is to the southeast. The hydraulic conductivity of the formation is dependent on the distribution of fines and degree of cementation of the lithologic units. As observed during sampling, groundwater recharge is generally slow, and the observed water column is generally less than three to four feet thick.

## 2.1 Site Groundwater Cleanup Standards

Per Title 19, Chapter 15, Part 30, Section 10 (19.15.30.10) of the New Mexico Administrative Code (NMAC), Modification of Abatement Standards, the abatement standards in effect at the time of the NMOCD approved *Remedial Assessment Report*, dated November 16, 2017, and approved by the NMOCD on January 26, 2018, apply for the duration of the abatement action at this Site. Therefore, the following standards are presented for the constituents of concern (COCs) at the Site:

- Benzene: 10 µg/L
- Toluene: 750 µg/L
- Ethylbenzene: 750 µg/L
- Total Xylenes: 620 µg/L

Annual and semi-annual groundwater monitoring reports submitted to the NMOCD starting in the third quarter of 2020 through the second quarter of 2025, listed the groundwater abatement standards of 5 micrograms per liter (µg/L) benzene, 1,000 µg/L toluene, 700 µg/L ethylbenzene, and 620 µg/L total xylenes, which were updated in 20.6.2.3103 NMAC in December 2018; however, the 2018 updated standards do not apply to this Site in accordance with 19.15.30.10 NMAC, and the applicable abatement standards in place at the time of the Work Plan approval should be applied for the duration of remediation activities at this Site.

## 3.0 REMEDIATION SYSTEM DESCRIPTION

The remediation system at the Site includes a DPE system which uses one high vacuum rotary claw blower to apply vacuum to remediation wells that are connected to the blower via 1-inch stingers and subsurface piping, with one stinger connected via aboveground piping. The extracted air, petroleum vapors, and fluids enter a vapor/liquid separator or “knock out” tank. Air and petroleum vapors are passed through the high vacuum extraction blower and discharged to the atmosphere via an exhaust stack. Separated liquid, which includes LNAPL and potentially impacted groundwater, is pumped to an aboveground storage tank for storage and offsite disposal. Extraction from the remediation wells is cycled through four zones, with four to six remediation wells per zone. The system layout is depicted on Figure 2. Reports summarizing remediation system operation for the previous quarters of system operation have been consistently submitted to the NMOCD by Harvest and are available in the online database.

## 4.0 DPE SYSTEM OPERATIONS AND MONITORING

Regular bi-weekly to monthly system operations and maintenance activities have been performed at the Site. Measurable LNAPL has not been observed at the Site since December 2024. Remediation efforts in 2025 have been focused between two subsets of wells in Zone 2 and Zone 4 to address the remaining dissolved phase hydrocarbon impacted groundwater. The first subset of wells is composed of: SB01, SB08, SB18, SB19, MW-12, and MW-15. The second subset of wells is composed of: SB05, SB07, SB08, SB09, MW-15, and MW-3R. The DPE system will continue to target these remediation wells while vapor and groundwater analytical results are monitored to track efficacy of the DPE system on remediating dissolved phase hydrocarbons in groundwater. The system and targeted zones will continue to be adjusted depending on groundwater analytical results, and if any residual LNAPL is observed.

### 4.1 Vapor Recovery

The DPE remediation system went online in May 2018 and has been active since that time with a cumulative overall runtime of 91% since startup. The calculated total mass of benzene, toluene ethylbenzene, and total xylenes (BTEX) removed, and the total mass of gasoline range organics (GRO) removed to date are 3,667 pounds (lbs) and 57,479 lbs, respectively. Previous years data was provided in quarterly and semi-annual reports submitted to the NMOCD and is available in the online database.

### 4.2 Liquid Recovery

Total liquid recovery volumes are measured using a totalizing flow metering device. Between system startup on May 4, 2018, and December 2, 2025, approximately 391,686 gallons of liquid have been recovered. The impacted groundwater and recovered LNAPL are emulsified and homogeneously commingled enough during extraction that product thickness is unmeasurable in the liquid recovery tank. Therefore, the estimated volume of LNAPL recovered is not reported.

### 4.3 Concrete Trap/Secondary Seep Monitoring

The concrete trap collection sump and collection tank connected to the east and west seep areas and collection piping are examined for fluid recovery during regularly scheduled operations and maintenance (O&M) visits. Approximately 200 gallons of water are consistently observed in the seep collection tank, likely from precipitation events and stormwater runoff in the concrete trap at the east seep collection piping. Due to the nature of the closed system in which liquids are piped directly from the seeps to the collection tank, any liquids originating from the seeps are unable to be sampled. Observations to the collection tank level over the years indicate that since installation of the DPE system, the seeps are no longer active. The water currently in the collection tank will be removed and monitoring of the seep tank level will continue to occur during scheduled O&M visits to observe any accumulation of fluid in the tank. If any fluid accumulates in the tank, indicating that the seeps are currently active, a sample of the liquid will be collected from the individual seep pipes if possible and analyzed for BTEX. The sump level will continue to be monitored, and the sump will be emptied for offsite disposal as needed.

## 5.0 GROUNDWATER MONITORING

Williams established the COC at this Site based on the source of contamination, which was an unlined pit associated with a natural gas production well. BTEX are the most relevant and mobile group of compounds associated with hydrocarbon impacts and therefore, have been used to evaluate groundwater impacts at the Site. BTEX will continue to be the COC requiring ongoing monitoring and remediation consideration at this site.

Groundwater gauging is conducted quarterly at all 38 groundwater and remediation wells.

### 5.1 Groundwater Gauging

All monitoring and remediation wells are gauged for depth to LNAPL, if present, and depth to groundwater on a quarterly basis using an oil/water interface probe. In 2025, no LNAPL was detected in any of the monitoring or remediation wells. Measurable LNAPL decreased through 2024, and has not been detected at the Site since December 2024. In June 2018, eight remediation wells contained measurable LNAPL with thickness ranging from 0.03 feet to 0.33 feet. Historical LNAPL thickness and groundwater analytical results are included in Appendix E as (Figure 6- June 2018 Groundwater Analytical Results, reproduced from 2018 Groundwater and Remediation Update Report (LT Environmental, 2018)). Groundwater elevations and flow direction from the quarterly 2025 gauging events are depicted on Figures 3 through 6. The estimated groundwater flow direction is consistently towards the southeast. Groundwater elevations and historic LNAPL thicknesses are summarized in Table 2.

### 5.2 Groundwater Sampling

Monitoring wells are purged until a total of three casing volumes have been removed, the well purges dry, or field parameters (temperature, pH, electric conductivity) stabilize indicating groundwater is representative of aquifer conditions. Once each monitoring well is purged, groundwater samples are collected by filling three 40-milliliter (mL) glass vials. The laboratory-supplied vials are filled and capped with no headspace to prevent degradation of the sample. Samples are labeled with the date and time of collection, monitoring well name, project name, sample collector's name, and parameters to be analyzed. Samples are immediately sealed, packed on ice, and submitted to an accredited laboratory for analysis of BTEX by United States Environmental Protection Agency (EPA) Method 8021B.

### 5.3 2025 Groundwater Analytical Results

During the March 2025, sitewide sampling event, a total of 30 monitoring and remediation wells were sampled, eight wells did not contain sufficient water volume to sample. No remediation or monitoring wells contained measurable LNAPL, and 10 remediation and monitoring wells contained BTEX concentrations that exceeded the New Mexico Water Quality Control Commission (NMWQCC) standards. A total of 19 of the monitoring and remediation wells sampled were in compliance with NMWQCC standards for BTEX. A total of 11 monitoring and remediation wells (SB01, SB05, SB07, SB11, SB12, SB19, MW-3R, MW-10, MW-12, MW-13, and MW-15), exceeded NMWQCC standards for benzene and/or total xylenes. Groundwater analytical results from the March sampling event are summarized in Table 3 and depicted on Figure 7.

Following the significant reduction of LNAPL across the Site, the DPE system is being focused to address the remaining dissolved phase hydrocarbon impacts. An additional sampling event was conducted in June 2025 to monitor the effectiveness of the DPE system on remediating the remaining dissolved-phase constituents surrounding the remediation wells as there is limited data on the dissolved-phase BTEX concentrations at remediation wells that historically contained measurable LNAPL. Remediation wells targeted by the DPE system, that contained sufficient water volume, were sampled to evaluate BTEX concentration trends in June 2025. A total of five remediation wells were sampled during the June 2025 monitoring event and all five sampled remediation wells exceeded NMWQCC standards for benzene, two of the sampled wells exceeded NMWQCC standards for total xylenes, and one of the sampled wells exceeded

NMWQCC standards for toluene. Groundwater analytical results from the June sampling event are summarized in Table 3 and depicted on Figure 8.

Per the approved first quarter 2020, *Quarterly Remediation System Operation and Monitoring Report*, remediation and monitoring wells from the semi-annual sampling list (MW18, MW22, MW24, and SB19) were sampled and submitted to Eurofins for analysis of BTEX by EPA method 8021B on December 2, 2025. Three of the wells sampled (MW18, MW22, MW24) were in compliance with the New Mexico Water Quality Control Commission (NMWQCC) standards for BTEX. One remediation well (SB19) exceeded NMWQCC standards for benzene and total xylenes with concentrations of 230 micrograms per liter ( $\mu\text{g/L}$ ) and 810  $\mu\text{g/L}$ , respectively. Groundwater analytical results from the December sampling event are summarized in Table 3 and depicted on Figure 9.

Groundwater data collected between 2020 and 2025 indicate that BTEX concentrations have been trending downward in DPE extraction wells SB05, SB11, MW-10, and MW-13; however, a subset of extraction wells (SB01, SB07, SB19) exhibit stable or slightly increasing BTEX concentration trends. All three wells are currently connected to the DPE system as part of either Zone 2 or Zone 4 and period vacuum extraction is ongoing at these locations.

#### 5.4 Groundwater Analytical Results Summary

The area of the impacted groundwater plume has been reduced following DPE system startup. In June of 2018, eight remediation wells contained measurable LNAPL, and 10 remediation and monitoring wells contained BTEX concentrations that exceeded NMWQCC standards. In March 2025, no wells contained measurable LNAPL and only 11 wells exceeded NMWQCC standards. Figure 5 compares the estimated area of dissolved phase groundwater impacts in June 2018, and the estimated area of dissolved phase groundwater impacts in March and June 2025.

In addition to the area of impact decreasing, the groundwater data collected between 2020 and 2025 indicate that BTEX concentrations have been trending downward in all monitoring and remediation wells with the exception of three DPE extraction wells (SB01, SB07, SB19) that exhibit stable or slightly increasing BTEX concentration trends. All three wells are currently connected to the DPE system as part of either Zone 2 or Zone 4 and periodic vacuum extraction is ongoing at these locations.

## 6.0 GROUNDWATER REMEDIATION AND PROPOSED ABATEMENT PLAN

The DPE remediation system has successfully removed all measurable LNAPL from groundwater and is currently being focused on the remediation of dissolved phase hydrocarbons remaining at the Site. Harvest proposes to continue groundwater monitoring to track the effectiveness of the DPE system's ability to mitigate the remaining dissolved phase hydrocarbon impacts to groundwater by doing the following:

- Monthly system operation and maintenance visits, including cycling between remediation wells and/or zones as needed.
- At least one influent air extraction sample will be collected per quarter and analyzed for full 8260 VOCs, TPH, carbon dioxide, and oxygen.
- When influent air samples are not collected, a photoionization detector (PID) will be used to estimate vapor exhaust concentrations.
- Groundwater and LNAPL will be gauged in all monitoring and remediation wells on a quarterly basis, to track any resurgence of LNAPL.

- Based on the groundwater data collected between 2017 and 2025, groundwater will be sampled quarterly at down gradient and cross gradient monitoring wells: MW-11, MW-13, MW-14, MW-17, MW-18, MW-19, MW-20, MW-23, and MW-24. The remaining 29 wells are upgradient and in the impacted plume and will be sampled on an annual basis. The sampling schedule is included in Table 1.
  - Groundwater samples will not be collected if the well does not contain sufficient water for sampling, or if measurable LNAPL is observed.
  - Additional groundwater samples may be collected from remediation and monitoring wells as necessary, to monitor BTEX concentrations and DPE system efficacy.

## 6.1 Public Notice

Harvest proposes the following plan to meet the requirements of 19.15.30.15 NMAC for public notice. Upon approval of this abatement plan, Harvest will provide written notice of the Stage 2 Abatement Plan by United State Postal Service Mail to the following:

- Surface owners of record within 1 mile of the perimeter of the identified impacted area as currently defined in the Stage 2 Abatement Plan, including.
  - Bureau of Land Management  
Farmington District Office  
1235 La Plata Highway  
Farmington, NM 87401
  - Parcel: 2053178132198  
David and Lisbeth A. Brown  
390 Road 3000 Aztec, New Mexico 87410
- The County Commission of San Juan County, New Mexico.
- The Office of Natural Resources Trustee for the State of New Mexico.

Please note the release location is not directly within or within 1 mile of any city limits or directly or partially within 1 mile of any tribal boundaries. Harvest understands that the NMOCD may include additional persons who have requested notification, as well as other local, state, or federal governmental agencies upon approval of the Stage 2 Abatement Plan.

Harvest will publish the NMOCD approved notice in the *Tri-City Record*, a newspaper of general circulation in San Juan County, New Mexico, and in the *Albuquerque Journal*, a newspaper of general circulation in the state of New Mexico.

Harvest will issue public notice within 15 days after the NMOCD determines the Stage 2 Abatement Plan is administratively complete. This includes public notice to the newspapers and certified mailings to the appropriate local governments and surface owners identified for distribution. The newspaper publication will run for 1 business day.

Harvest proposes the following language for public notice:

**PUBLIC NOTICE OF STAGE 2 ABATEMENT PLAN FOR GROUNDWATER IMPACTS**  
**Florance Gas Com J No. 16A**  
**San Juan County, New Mexico**

**Notice Date:** [Insert Date of Publication]

**Comment Period:** [Insert 30-day period]

Harvest Four Corners, LLC. (Harvest), announces publication of a Stage 2 Abatement Plan for groundwater impacts identified at the Florance Gas Com J No. 16A (Site) release location at latitude 36.835701 degrees (°) and longitude -107.8163223° in Section 06 of Township 30 North, Range 09 West in San Juan County, New Mexico.

Impacts to soil and groundwater were identified at the Site. Harvest initially excavated the bulk of the impacted soil at the source of the impact. The extent of groundwater impact has been fully delineated with a subsurface investigation. The NMOCD approved a remediation work plan submitted in 2017 to install a dual-phase extraction (DPE) remediation system designed to address impacts to groundwater at the Site, including light non-aqueous phase liquids (LNAPL) and benzene, toluene, ethylbenzene, and total xylenes (BTEX) concentrations exceeding the New Mexico Water Quality Control Commission (NMQCC) standards. The system was installed and has been operating since 2018. The DPE system has been successful at remediating measurable LNAPL at the Site. The system will continue to operate to address dissolved-phase groundwater contamination. Groundwater monitoring will continue until the NMOCD closure criteria are met.

Members of the public may view a copy of the Stage 2 Abatement Plan at the NMOCD's Santa Fe office at 1220 South St Francis Drive, # 3, Santa Fe, New Mexico. Additionally, the Stage 2 Abatement Plan is available for viewing electronically on the NMOCD public database at <http://www.emnrd.state.nm.us/OCD>.

The NMOCD is accepting written comments and requests for consideration if the NMOCD Director receives them within 30 days after the date of publication of this public notice. A person seeking to comment on a stage 2 abatement plan should submit written comments to:

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

The NMOCD shall distribute notice of the submittal of the Stage 2 Abatement Plan with the next division and commission hearing docket following receipt of the plan.

Additional information can be obtained from the Harvest project contact:

Monica Smith  
Harvest Four Corners, LLC  
1755 Arroyo Road  
Bloomfield, New Mexico 87413  
505-632-4625

## 6.2 Reclamation

Following NMOCD approval of closure for Incident # NCS1629854256, Harvest will reclaim the site to restore the area to conditions consistent with the surrounding landscape. The remediation system will be dismantled and removed from the site. All wells will be plugged in accordance with NMOCD standards. The site will be graded and seeded to reestablish the natural surface contours. Reclamation activities will be documented and reported to NMOCD as part of the final closure submittal.

## 7.0 REPORTING

Quarterly SVE system and groundwater monitoring reports were submitted to the NMOCD starting in the second quarter of 2018 through the fourth quarter of 2022 and are available in the NMOCD database. Quarterly reports were submitted for a total of 22 consecutive quarters before reporting requirements were approved to be changed to bi-annual. Updated remediation reports will be prepared and submitted to the NMOCD on a semiannual basis within 15 days following the end of the quarter per the approval provided by the NMOCD in the *2022 Third Quarter – Remediation System Operation and Monitoring Report* (Appendix D).

Remediation reports will contain the following:

- A summary of remediation and monitoring activities during the monitoring period;
- System runtime summary;
- Petroleum hydrocarbon mass removal and fluid recovery from the remediation system;
- DPE volume removal and product recovery;
- Observations of concrete trap/collection tank;
- Quarterly gas sample analysis results; and
- Groundwater monitoring results.

Harvest is continually monitoring the effectiveness of the remediation system at the Site. Once monitoring data demonstrates asymptotic trends or exhibiting diminishing returns, Harvest will assess whether the Site is appropriate for closure or whether an alternative form of remediation should be proposed. If at any point, during implementation of the approved Stage 2 Abatement Plan, it becomes necessary to modify the remediation methods, technologies, or other requirements to achieve the abatement standards, a modified Stage 2 Abatement Plan will be prepared and submitted to the NMOCD for review and approval. The modified plan will describe the rationale for the changes, the proposed alternative methods or technologies, updated schedules, and any adjustments to monitoring or reporting procedures.

Ensolum appreciates the opportunity to submit this report to the NMOCD on behalf of Harvest. If there are any questions or comments regarding this report, please contact the undersigned.

Sincerely,

**Ensolum, LLC**



Reece Hanson  
Project Geologist  
970-210-9803  
[rhanson@ensolum.com](mailto:rhanson@ensolum.com)





Brooke Herb  
Senior Managing Geologist  
970-403-6824  
[bherb@ensolum.com](mailto:bherb@ensolum.com)

cc: Monica Smith, Harvest Four Corners, LLC



## FIGURES






**Site Location Map**

Florance GC J#16A  
 Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W  
 San Juan County, New Mexico

**FIGURE**

**1**




# Remediation System Layout

Florance GC J#16A  
Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W  
San Juan County, New Mexico

FIGURE  
**2**






Default Folder: C:\Users\Greg.Palmer\OneDrive - ENSOLUM, LLC\Desktop\Enscolum GIS1 - Durango\Harvest\Florence GC J#025

### Groundwater Potentiometric Map March 2025

Florance GC J#16A  
Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W  
San Juan County, New Mexico

FIGURE  
**3**




# Groundwater Potentiometric Map June 2025

Florance GC J#16A  
Harvest Four Corners, LLC  
Unit P, Sec 6, T30N, R9W  
San Juan County, New Mexico

FIGURE  
**4**






# Groundwater Potentiometric Map August 2025

Florance GC J#16A  
Harvest Four Corners, LLC  
Unit P, Sec 6, T30N, R9W  
San Juan County, New Mexico

FIGURE  
**5**





Default Folder: C:\Users\Greg\_Palmer\OneDrive - ENSOLUM, LLC\Desktop\Enscolum GIS1 - Durango\Harvest\Florence GC J#025



**ENSOLUM**  
Environmental, Engineering and Hydrogeologic Consultants

## Groundwater Potentiometric Map December 2025

Florance GC J#16A  
Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W  
San Juan County, New Mexico

**FIGURE  
6**




**Groundwater Analytical Results Map**  
**March 2025**

Florance GC J#16A  
 Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W  
 San Juan County, New Mexico

**FIGURE**  
**7**





# Groundwater Analytical Results Map June 2025

Florance GC J#16A  
Harvest Four Corners, LLC  
Unit P, Sec 6, T30N, R9W  
San Juan County, New Mexico

FIGURE  
**8**





**Groundwater Analytical Results Map**  
**December 2025**

Florance GC J#16A  
 Harvest Four Corners, LLC

Unit P, Sec 6, T30N, R9W  
 San Juan County, New Mexico

**FIGURE**  
**9**



# TABLES



**TABLE 1**  
**GROUNDWATER SAMPLING SCHEDULE**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well ID	Sampling Frequency
SB01	Annually
SB03	Annually
SB04	Annually
SB05	Annually
SB06	Annually
SB07	Annually
SB08	Annually
SB09	Annually
SB10	Annually
SB11	Annually
SB12	Annually
SB13	Annually
SB15	Annually
SB16	Annually
SB17	Annually
SB18	Annually
SB19	Annually
MW-3R	Annually
MW-4	Annually
MW-6	Annually
MW-8	Annually
MW-9	Annually
MW-10	Annually
MW-11	Quarterly
MW-12	Annually
MW-13	Quarterly
MW-14	Quarterly
MW-15	Annually
MW-16	Annually
MW-17	Quarterly
MW-18	Quarterly
MW-19	Quarterly
MW-20	Quarterly
MW-21	Annually
MW-22	Annually
MW-23	Quarterly
MW-24	Quarterly
MW-25	Annually



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB01	6,501.96	3/22/2022	31.53	--	--	6,470.43
		6/9/2022	31.24	--	--	6,470.72
		12/14/2022	31.16	--	--	6,470.80
		3/27/2023	31.19	--	--	6,470.77
		6/6/2023	31.11	31.08	0.03	6,470.87
		12/15/2023	30.72	30.70	0.02	6,471.26
		2/8/2024	30.94	30.86	0.08	6,471.08
		6/20/2024	31.29	--	--	6,470.67
		9/10/2024	31.97	--	--	6,469.99
		12/2/2024	32.25	32.20	0.05	6,469.75
		3/16/2025	31.88	--	--	6,470.08
		6/23/2025	32.30	--	--	6,469.66
		8/15/2025	31.79	--	--	6,470.17
		12/2/2025	31.24	--	--	6,470.72
SB03	6,495.01	3/22/2022	23.27	--	--	6,471.74
		6/9/2022	23.24	--	--	6,471.77
		12/14/2022	23.45	--	--	6,471.56
		3/27/2023	22.27	--	--	6,472.74
		6/6/2023	21.27	--	--	6,473.74
		12/15/2023	20.94	--	--	6,474.07
		2/8/2024	21.80	--	--	6,473.21
		6/20/2024	DRY	--	--	DRY
		9/10/2024	21.67	--	--	6,473.34
		12/2/2024	21.91	--	--	6,473.10
		3/16/2025	22.02	--	--	6,472.99
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
		12/2/2025	BURIED	--	--	--



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
<b>SB04</b>	6,499.61	3/22/2022	27.79	--	--	6,471.82
		6/9/2022	27.84	--	--	6,471.77
		12/14/2022	27.05	--	--	6,472.56
		3/27/2023	26.92	--	--	6,472.69
		6/6/2023	26.17	--	--	6,473.44
		12/15/2023	25.96	--	--	6,473.65
		2/8/2024	26.46	--	--	6,473.15
		6/20/2024	26.37	--	--	6,473.24
		9/10/2024	26.20	--	--	6,473.41
		12/2/2024	26.48	--	--	6,473.13
		3/14/2025	26.52	--	--	6,473.09
		6/23/2025	26.87	--	--	6,472.74
		8/15/2025	32.38	--	--	6,467.23
		12/2/2025	26.93	--	--	6,472.68
<b>SB05</b>	6,498.76	3/22/2022	24.71	--	--	6,474.05
		6/9/2022	25.28	--	--	6,473.48
		12/14/2022	24.98	--	--	6,473.78
		3/27/2023	24.12	--	--	6,474.64
		6/6/2023	24.60	--	--	6,474.16
		12/15/2023	24.21	--	--	6,474.55
		2/8/2024	24.75	--	--	6,474.01
		6/20/2024	23.08	--	--	6,475.68
		9/10/2024	23.38	--	--	6,475.38
		12/2/2024	24.83	--	--	6,473.93
		3/14/2025	25.28	--	--	6,473.48
		6/23/2025	24.81	--	--	6,473.95
		8/15/2025	Obstructed	--	--	--
		12/2/2025	BURIED	--	--	--



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB06	6,496.12	3/22/2022	25.10	--	--	6,471.02
		6/9/2022	24.17	--	--	6,471.95
		12/14/2022	24.68	--	--	6,471.44
		3/27/2023	24.59	--	--	6,471.53
		6/6/2023	23.60	--	--	6,472.52
		12/15/2023	23.19	--	--	6,472.93
		2/8/2024	24.10	--	--	6,472.02
		6/20/2024	24.40	--	--	6,471.72
		9/10/2024	24.28	--	--	6,471.84
		12/2/2024	24.22	--	--	6,471.90
		3/14/2025	24.54	--	--	6,471.58
		6/23/2025	25.20	--	--	6,470.92
		8/15/2025	25.34	--	--	6,470.78
		12/2/2025	24.72	--	--	6,471.40
SB07	6,500.29	3/22/2022	29.64	--	--	6,470.65
		6/9/2022	29.87	--	--	6,470.42
		12/14/2022	DRY	--	--	DRY
		3/27/2023	29.64	--	--	6,470.65
		6/6/2023	29.21	--	--	6,471.08
		12/15/2023	28.90	--	--	6,471.39
		2/8/2024	27.17	--	--	6,473.12
		6/20/2024	29.21	--	--	6,471.08
		9/10/2024	30.16	--	--	6,470.13
		12/2/2024	DRY	--	--	DRY
		3/14/2025	30.35	--	--	6,469.94
		6/23/2025	30.59	--	--	6,469.70
		8/15/2025	28.00	--	--	6,472.29
		12/2/2025	29.94	--	--	6,470.35



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB08	6,502.25	3/22/2022	30.62	--	--	6,471.63
		6/9/2022	31.08	--	--	6,471.17
		12/14/2022	DRY	--	--	DRY
		3/27/2023	30.56	--	--	6,471.69
		6/6/2023	30.36	30.34	0.02	6,471.89
		12/15/2023	29.97	--	--	6,472.28
		2/8/2024	30.54	--	--	6,471.71
		6/20/2024	30.61	--	--	6,471.64
		9/10/2024	31.36	--	--	6,470.89
		12/2/2024	31.76	--	--	6,470.49
		3/14/2025	31.32	--	--	6,470.93
		6/23/2025	DRY	--	--	DRY
		8/15/2025	37.13	--	--	6,465.12
		12/2/2025	31.59	--	--	6,470.66
SB09	6,504.18	3/22/2022	32.62	--	--	6,471.56
		6/9/2022	33.28	--	--	6,470.90
		12/14/2022	DRY	--	--	DRY
		3/27/2023	32.68	--	--	6,471.50
		6/6/2023	32.54	--	--	6,471.64
		12/15/2023	32.09	--	--	6,472.09
		2/8/2024	32.68	--	--	6,471.50
		6/20/2024	32.44	--	--	6,471.74
		9/10/2024	32.98	--	--	6,471.20
		12/2/2024	DRY	--	--	DRY
		3/14/2025	33.43	--	--	6,470.75
		6/23/2025	33.86	--	--	6,470.32
		8/15/2025	32.35	--	--	6,471.83
		12/2/2025	33.51	--	--	6,470.67



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB10	6,506.04	3/22/2022	DRY	--	--	DRY
		6/9/2022	DRY	--	--	DRY
		12/14/2022	DRY	--	--	DRY
		3/27/2023	DRY	--	--	DRY
		6/6/2023	DRY	--	--	DRY
		12/15/2023	DRY	--	--	DRY
		2/8/2024	DRY	--	--	DRY
		6/20/2024	DRY	--	--	DRY
		9/10/2024	33.01	--	--	6,473.03
		12/2/2024	DRY	--	--	DRY
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
12/2/2025	DRY	--	--	DRY		
SB11	6,505.61	3/22/2022	32.16	--	--	6,473.45
		6/9/2022	37.80	--	--	6,467.81
		12/14/2022	32.32	--	--	6,473.29
		3/27/2023	32.25	--	--	6,473.36
		6/6/2023	32.41	--	--	6,473.20
		12/15/2023	32.03	--	--	6,473.58
		2/8/2024	32.01	--	--	6,473.60
		6/20/2024	32.35	--	--	6,473.26
		9/10/2024	31.95	--	--	6,473.66
		12/2/2024	32.03	--	--	6,473.58
		3/16/2025	31.90	--	--	6,473.71
		6/23/2025	32.13	--	--	6,473.48
		8/15/2025	32.30	--	--	6,473.31
12/2/2025	32.27	--	--	6,473.34		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB12	6,508.42	3/22/2022	DRY	--	--	DRY
		6/9/2022	DRY	--	--	DRY
		12/14/2022	35.19	--	--	6,473.23
		3/27/2023	34.94	--	--	6,473.48
		6/6/2023	35.41	--	--	6,473.01
		12/15/2023	35.00	--	--	6,473.42
		2/8/2024	34.68	--	--	6,473.74
		6/20/2024	35.03	--	--	6,473.39
		9/10/2024	34.80	--	--	6,473.62
		12/2/2024	34.68	--	--	6,473.74
		3/14/2025	34.72	--	--	6,473.70
		6/23/2025	35.10	--	--	6,473.32
		8/15/2025	34.97	--	--	6,473.45
12/2/2025	35.07	--	--	6,473.35		
SB13	6,504.89	3/22/2022	34.96	--	--	6,469.93
		6/9/2022	35.22	--	--	6,469.67
		12/14/2022	34.74	--	--	6,470.15
		3/27/2023	NM	--	--	NM
		6/6/2023	34.48	--	--	6,470.41
		12/15/2023	34.03	--	--	6,470.86
		2/8/2024	34.20	--	--	6,470.69
		6/20/2024	34.36	--	--	6,470.53
		9/10/2024	34.35	--	--	6,470.54
		12/2/2024	34.37	--	--	6,470.52
		3/14/2025	34.22	--	--	6,470.67
		6/23/2025	34.41	--	--	6,470.48
		8/15/2025	34.54	--	--	6,470.35
12/2/2025	34.59	--	--	6,470.30		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB15	6,494.31	3/22/2022	21.72	--	--	6,472.59
		6/9/2022	21.65	--	--	6,472.66
		12/14/2022	20.98	--	--	6,473.33
		3/27/2023	20.88	--	--	6,473.43
		6/6/2023	19.84	--	--	6,474.47
		12/15/2023	19.58	--	--	6,474.73
		2/8/2024	20.42	--	--	6,473.89
		6/20/2024	20.31	--	--	6,474.00
		9/10/2024	20.31	--	--	6,474.00
		12/2/2024	20.47	--	--	6,473.84
		3/14/2025	20.61	--	--	6,473.70
		6/23/2025	20.86	--	--	6,473.45
		8/15/2025	DRY	--	--	DRY
12/2/2025	BURIED	--	--	--		
SB16	6,492.07	3/22/2022	22.30	--	--	6,469.77
		6/9/2022	20.23	--	--	6,471.84
		12/14/2022	19.47	--	--	6,472.60
		3/27/2023	19.24	--	--	6,472.83
		6/6/2023	17.93	--	--	6,474.14
		12/15/2023	17.44	--	--	6,474.63
		2/8/2024	18.90	--	--	6,473.17
		6/20/2024	18.59	--	--	6,473.48
		9/10/2024	18.75	--	--	6,473.32
		12/2/2024	18.92	--	--	6,473.15
		3/14/2025	19.12	--	--	6,472.95
		6/23/2025	19.36	--	--	6,472.71
		8/15/2025	19.52	--	--	6,472.55
12/2/2025	19.39	--	--	6,472.68		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB17	6,492.57	3/22/2022	DRY	--	--	DRY
		6/9/2022	DRY	--	--	DRY
		12/14/2022	DRY	--	--	DRY
		3/27/2023	DRY	--	--	DRY
		6/6/2023	DRY	--	--	DRY
		12/15/2023	DRY	--	--	DRY
		2/8/2024	21.56	--	--	6471.01
		6/20/2024	DRY	--	--	DRY
		9/10/2024	DRY	--	--	DRY
		12/2/2024	DRY	--	--	DRY
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
12/2/2025	DRY	--	--	DRY		
SB18	6,506.38	3/22/2022	34.56	--	--	6,471.82
		6/9/2022	DRY	--	--	DRY
		12/14/2022	37.33	37.18	0.15	6,465.65
		3/27/2023	38.59	--	--	6,467.79
		6/6/2023	36.53	36.50	0.03	6,466.35
		12/15/2023	36.05	--	--	6,470.33
		2/8/2024	36.52	--	--	6,469.86
		6/20/2024	36.09	--	--	6,470.29
		9/10/2024	36.15	--	--	6,470.23
		12/2/2024	35.84	--	--	6,470.54
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
12/2/2025	DRY	--	--	DRY		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
SB19	6,503.99	3/22/2022	35.69	--	--	6,468.30
		6/9/2022	30.32	--	--	6,473.67
		12/14/2022	35.91	--	--	6,468.08
		3/27/2023	36.00	--	--	6,467.99
		6/6/2023	36.06	--	--	6,467.93
		12/15/2023	DRY	--	--	DRY
		2/8/2024	35.46	--	--	6,468.53
		6/20/2024	35.20	--	--	6,468.79
		9/10/2024	35.32	--	--	6,468.67
		12/2/2024	35.12	--	--	6,468.87
		3/16/2025	35.32	--	--	6,468.67
		6/23/2025	35.30	--	--	6,468.69
		8/15/2025	35.42	--	--	6,468.57
12/2/2025	36.24	--	--	6,467.75		
MW-3R	6,502.86	3/22/2022	30.24	--	--	6,472.62
		6/9/2022	31.11	31.09	0.02	6,471.77
		12/14/2022	30.68	--	--	6,472.18
		3/27/2023	29.94	--	--	6,472.92
		6/6/2023	30.39	--	--	6,472.47
		12/15/2023	30.29	--	--	6,472.57
		2/8/2024	25.82	--	--	6,477.04
		6/20/2024	30.22	--	--	6,472.64
		9/10/2024	30.15	--	--	6,472.71
		12/2/2024	31.71	--	--	6,471.15
		3/14/2025	30.66	--	--	6,472.20
		6/23/2025	31.54	--	--	6,471.32
		8/15/2025	30.84	--	--	6,472.02
12/2/2025	31.03	--	--	6,471.83		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-4*	--	3/22/2022	35.55	--	--	--
		6/9/2022	34.82	--	--	--
		12/14/2022	34.88	--	--	--
		3/27/2023	35.26	--	--	--
		6/6/2023	35.04	--	--	--
		12/15/2023	34.46	--	--	--
		2/8/2024	NM	--	--	--
		6/20/2024	DRY	--	--	DRY
		9/10/2024	DRY	--	--	DRY
		12/2/2024	DRY	--	--	DRY
		3/14/2025	DRY	--	--	DRY
		6/23/2025	DRY	--	--	DRY
		8/15/2025	DRY	--	--	DRY
12/2/2025	DRY	--	--	DRY		
MW-6*	--	3/22/2022	33.44	--	--	--
		6/9/2022	32.96	--	--	--
		12/14/2022	32.49	--	--	--
		3/27/2023	32.43	--	--	--
		6/6/2023	32.36	--	--	--
		12/15/2023	32.32	--	--	--
		2/8/2024	31.95	--	--	--
		6/20/2024	32.24	--	--	--
		9/10/2024	31.80	--	--	--
		12/2/2024	31.86	--	--	--
		3/14/2025	31.98	--	--	--
		6/23/2025	32.25	--	--	--
		8/15/2025	DRY	--	--	DRY
12/2/2025	32.23	--	--	--		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-8*	--	3/22/2022	36.20	--	--	--
		6/9/2022	36.34	--	--	--
		12/14/2022	35.85	--	--	--
		3/27/2023	35.82	--	--	--
		6/6/2023	35.56	--	--	--
		12/15/2023	35.49	--	--	--
		2/8/2024	34.95	--	--	--
		6/20/2024	DRY	--	--	--
		9/10/2024	35.20	--	--	--
		12/2/2024	35.02	--	--	--
		3/14/2025	35.22	--	--	--
		6/23/2025	35.39	--	--	--
		8/15/2025	35.41	--	--	--
12/2/2025	35.43	--	--	--		
MW-9*	--	3/22/2022	45.34	--	--	--
		6/9/2022	45.29	--	--	--
		12/14/2022	45.31	--	--	--
		3/27/2023	45.31	--	--	--
		6/6/2023	45.34	--	--	--
		12/15/2023	DRY	--	--	--
		2/8/2024	NM	--	--	--
		6/20/2024	DRY	--	--	--
		9/10/2024	45.01	--	--	--
		12/2/2024	45.04	--	--	--
		3/14/2025	45.07	--	--	--
		6/23/2025	45.34	--	--	--
		8/15/2025	45.31	--	--	--
12/2/2025	45.32	--	--	--		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-10*	--	3/22/2022	23.38	--	--	--
		6/9/2022	24.10	--	--	--
		12/14/2022	22.92	--	--	--
		3/27/2023	23.49	--	--	--
		6/6/2023	22.06	--	--	--
		12/15/2023	21.94	--	--	--
		2/8/2024	22.25	--	--	--
		6/20/2024	22.67	--	--	--
		9/10/2024	22.60	--	--	--
		12/2/2024	22.93	--	--	--
		3/14/2025	22.88	--	--	--
		6/23/2025	23.12	--	--	--
		8/15/2025	23.19	--	--	--
12/2/2025	22.90	--	--	--		
MW-11	6,492.85	3/22/2022	25.98	--	--	6,466.87
		6/9/2022	26.79	--	--	6,466.06
		12/14/2022	26.55	--	--	6,466.30
		3/27/2023	26.66	--	--	6,466.19
		6/6/2023	25.41	--	--	6,467.44
		12/15/2023	25.34	--	--	6,467.51
		2/8/2024	25.82	--	--	6,467.03
		6/20/2024	26.10	--	--	6,466.75
		9/10/2024	26.05	--	--	6,466.80
		12/2/2024	26.24	--	--	6,466.61
		3/14/2025	26.36	--	--	6,466.49
		6/23/2025	DRY	--	--	DRY
		8/15/2025	26.64	--	--	6,466.21
12/2/2025	26.37	--	--	6,466.48		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-12	6,503.57	3/22/2022	34.86	33.72	1.14	6,469.62
		6/9/2022	34.41	33.46	0.95	6,469.92
		12/14/2022	34.45	33.86	0.59	6,469.59
		3/27/2023	33.98	33.82	0.16	6,469.72
		6/6/2023	33.88	32.98	0.90	6,470.41
		12/15/2023	32.32	32.20	0.12	6,471.35
		2/8/2024	33.37	32.95	0.42	6,470.54
		6/20/2024	DRY	--	--	DRY
		9/10/2024	34.31	--	--	6,469.26
		12/2/2024	36.64	--	--	6,466.93
		3/16/2025	36.22	--	--	6,467.35
		6/23/2025	DRY	--	--	DRY
		8/15/2025	36.65	--	--	6,466.92
		12/2/2025	35.76	--	--	6,467.81
MW-13	6,490.03	3/22/2022	24.67	--	--	6,465.36
		6/9/2022	24.43	--	--	6,465.60
		12/14/2022	24.39	--	--	6,465.64
		3/27/2023	24.40	--	--	6,465.63
		6/6/2023	23.05	--	--	6,466.98
		12/15/2023	22.84	--	--	6,467.19
		2/8/2024	23.54	--	--	6,466.49
		6/20/2024	26.43	--	--	6,463.60
		9/10/2024	24.24	--	--	6,465.79
		12/2/2024	24.19	--	--	6,465.84
		3/15/2025	24.28	--	--	6,465.75
		6/23/2025	DRY	--	--	DRY
		8/15/2025	24.61	--	--	6,465.42
		12/2/2025	24.08	--	--	6,465.95



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-14	6,476.22	3/22/2022	14.98	--	--	6,461.24
		6/9/2022	15.14	--	--	6,461.08
		12/14/2022	15.65	--	--	6,460.57
		3/27/2023	13.29	--	--	6,462.93
		6/6/2023	13.75	--	--	6,462.47
		12/15/2023	15.55	--	--	6,460.67
		2/8/2024	15.18	--	--	6,461.04
		6/20/2024	14.56	--	--	6,461.66
		9/10/2024	15.11	--	--	6,461.11
		12/2/2024	15.36	--	--	6,460.86
		3/14/2025	15.77	--	--	6,460.45
		6/23/2025	15.85	--	--	6,460.37
		8/15/2025	16.04	--	--	6,460.18
12/2/2025	15.61	--	--	6,460.61		
MW-15	6,478.37	3/22/2022	16.31	16.22	0.09	6,462.13
		6/9/2022	16.49	16.32	0.17	6,462.02
		12/14/2022	16.32	--	--	6,462.05
		3/27/2023	15.21	--	--	6,463.16
		6/6/2023	DRY	--	--	DRY
		12/15/2023	16.08	--	--	6,462.29
		2/8/2024	16.40	--	--	6,461.97
		6/20/2024	DRY	--	--	DRY
		9/10/2024	16.30	--	--	6,462.07
		12/2/2024	16.57	16.44	0.13	6,461.90
		3/14/2025	16.52	--	--	6,461.85
		6/23/2025	16.98	--	--	6,461.39
		8/15/2025	16.48	--	--	6,461.89
12/2/2025	16.55	--	--	6,461.82		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-16	6,487.57	3/22/2022	22.73	--	--	6,464.84
		6/9/2022	22.73	--	--	6,464.84
		12/14/2022	22.74	--	--	6,464.83
		3/27/2023	22.75	--	--	6,464.82
		6/6/2023	DRY	--	--	DRY
		12/15/2023	23.69	--	--	6,463.88
		2/8/2024	22.71	--	--	6,464.86
		6/20/2024	DRY	--	--	DRY
		9/10/2024	22.70	--	--	6,464.87
		12/2/2024	DRY	--	--	DRY
		3/14/2025	22.82	--	--	6,464.75
		6/23/2025	23.00	--	--	6,464.57
		8/15/2025	23.01	--	--	6,464.56
12/2/2025	23.00	--	--	6,464.57		
MW-17	6,483.30	3/22/2022	22.29	--	--	6,461.01
		6/9/2022	22.35	--	--	6,460.95
		12/14/2022	22.42	--	--	6,460.88
		3/27/2023	22.54	--	--	6,460.76
		6/6/2023	22.54	--	--	6,460.76
		12/15/2023	22.51	--	--	6,460.79
		2/8/2024	22.61	--	--	6,460.69
		6/20/2024	22.65	--	--	6,460.65
		9/10/2024	22.58	--	--	6,460.72
		12/2/2024	22.67	--	--	6,460.63
		3/14/2025	22.78	--	--	6,460.52
		6/23/2025	22.86	--	--	6,460.44
		8/15/2025	22.85	--	--	6,460.45
12/2/2025	22.90	--	--	6,460.40		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-18	6,485.22	3/22/2022	24.37	--	--	6,460.85
		6/9/2022	24.44	--	--	6,460.78
		12/14/2022	24.29	--	--	6,460.93
		3/27/2023	25.03	--	--	6,460.19
		6/6/2023	25.14	--	--	6,460.08
		12/15/2023	24.39	--	--	6,460.83
		2/8/2024	24.87	--	--	6,460.35
		6/20/2024	25.17	--	--	6,460.05
		9/10/2024	24.43	--	--	6,460.79
		12/2/2024	24.48	--	--	6,460.74
		3/14/2025	25.40	--	--	6,459.82
		6/23/2025	24.82	--	--	6,460.40
		8/15/2025	24.87	--	--	6,460.35
12/2/2025	24.67	--	--	6,460.55		
MW-19	6,492.35	3/22/2022	31.54	--	--	6,460.81
		6/9/2022	32.79	--	--	6,459.56
		12/14/2022	31.60	--	--	6,460.75
		3/27/2023	31.71	--	--	6,460.64
		6/6/2023	32.20	--	--	6,460.15
		12/15/2023	32.09	--	--	6,460.26
		2/8/2024	31.96	--	--	6,460.39
		6/20/2024	32.61	--	--	6,459.74
		9/10/2024	32.02	--	--	6,460.33
		12/2/2024	31.96	--	--	6,460.39
		3/14/2025	31.81	--	--	6,460.54
		6/23/2025	33.00	--	--	6,459.35
		8/15/2025	33.90	--	--	6,458.45
12/2/2025	32.09	--	--	6,460.26		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-20	6,493.38	3/22/2022	29.53	--	--	6,463.85
		6/9/2022	29.73	--	--	6,463.65
		12/14/2022	29.56	--	--	6,463.82
		3/27/2023	29.94	--	--	6,463.44
		6/6/2023	30.51	--	--	6,462.87
		12/15/2023	29.50	--	--	6,463.88
		2/8/2024	29.54	--	--	6,463.84
		6/20/2024	30.24	--	--	6,463.14
		9/10/2024	29.49	--	--	6,463.89
		12/2/2024	29.50	--	--	6,463.88
		3/14/2025	30.03	--	--	6,463.35
		6/23/2025	31.30	--	--	6,462.08
		8/15/2025	30.51	--	--	6,462.87
12/2/2025	30.54	--	--	6,462.84		
MW-21	6,508.15	3/22/2022	37.52	--	--	6,470.63
		6/9/2022	37.50	--	--	6,470.65
		12/14/2022	37.24	--	--	6,470.91
		3/27/2023	37.26	--	--	6,470.89
		6/6/2023	36.88	--	--	6,471.27
		12/15/2023	37.00	--	--	6,471.15
		2/8/2024	36.89	--	--	6,471.26
		6/20/2024	36.96	--	--	6,471.19
		9/10/2024	37.02	--	--	6,471.13
		12/2/2024	37.01	--	--	6,471.14
		3/14/2025	37.08	--	--	6,471.07
		6/23/2025	37.25	--	--	6,470.90
		8/15/2025	37.27	--	--	6,470.88
12/2/2025	37.25	--	--	6,470.90		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-22	6,497.15	3/22/2022	30.77	--	--	6,466.38
		6/9/2022	30.86	--	--	6,466.29
		12/14/2022	30.62	--	--	6,466.53
		3/27/2023	30.65	--	--	6,466.50
		6/6/2023	30.55	--	--	6,466.60
		12/15/2023	30.55	--	--	6,466.60
		2/8/2024	30.43	--	--	6,466.72
		6/20/2024	30.37	--	--	6,466.78
		9/10/2024	30.35	--	--	6,466.80
		12/2/2024	30.34	--	--	6,466.81
		3/14/2025	30.28	--	--	6,466.87
		6/23/2025	30.30	--	--	6,466.85
		8/15/2025	30.38	--	--	6,466.77
12/2/2025	31.33	--	--	6,465.82		
MW-23	6,505.95	3/22/2022	37.10	--	--	6,468.85
		6/9/2022	38.21	--	--	6,467.74
		12/14/2022	37.75	--	--	6,468.20
		3/27/2023	37.83	--	--	6,468.12
		6/6/2023	37.64	--	--	6,468.31
		12/15/2023	37.62	--	--	6,468.33
		2/8/2024	37.34	--	--	6,468.61
		6/20/2024	37.56	--	--	6,468.39
		9/10/2024	37.44	--	--	6,468.51
		12/2/2024	37.28	--	--	6,468.67
		3/13/2025	37.30	--	--	6,468.65
		6/23/2025	37.40	--	--	6,468.55
		8/15/2025	37.39	--	--	6,468.56
12/2/2025	37.49	--	--	6,468.46		



<b>TABLE 2</b> <b>GROUNDWATER ELEVATIONS</b> Florance GC J 16A Harvest Four Corners, LLC San Juan County, New Mexico						
Well Identification	Top of Casing Elevation (feet amsl)	Date	Depth to Groundwater (feet BTOC)	Depth to Product (feet BTOC)	Product Thickness (feet)	Groundwater Elevation (feet amsl)
MW-24	6,490.71	3/22/2022	29.81	--	--	6,460.90
		6/9/2022	29.93	--	--	6,460.78
		12/14/2022	30.00	--	--	6,460.71
		3/27/2023	30.12	--	--	6,460.59
		6/6/2023	30.16	--	--	6,460.55
		12/15/2023	30.21	--	--	6,460.50
		2/8/2024	30.20	--	--	6,460.51
		6/20/2024	30.28	--	--	6,460.43
		9/10/2024	30.32	--	--	6,460.39
		12/2/2024	30.35	--	--	6,460.36
		3/14/2025	30.36	--	--	6,460.35
		6/23/2025	30.45	--	--	6,460.26
		8/15/2025	30.45	--	--	6,460.26
12/2/2025	30.45	--	--	6,460.26		
MW-25	6,507.65	3/22/2022	35.69	--	--	6,471.96
		6/9/2022	35.15	--	--	6,472.50
		12/14/2022	34.78	--	--	6,472.87
		3/27/2023	35.09	--	--	6,472.56
		6/6/2023	34.98	--	--	6,472.67
		12/15/2023	35.02	--	--	6,472.63
		2/8/2024	35.07	--	--	6,472.58
		6/20/2024	35.17	--	--	6,472.48
		9/10/2024	35.24	--	--	6,472.41
		12/2/2024	35.23	--	--	6,472.42
		3/13/2025	35.23	--	--	6,472.42
		6/23/2025	34.38	--	--	6,473.27
		8/15/2025	35.39	--	--	6,472.26
12/2/2025	35.42	--	--	6,472.23		

**Notes:**

amsl: above mean sea level

BTOC: below top of casing

--: indicates no GWEL or PSH measured

Groundwater elevation is adjusted using a density correction factor of 0.8 when product is present



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB01</b>	6/14/2017	12,000	1,200	270	2,400
	10/20/2017	15,000	2,600	470	4,600
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/4/2020	NS-LNAPL			
	9/17/2020	NS-LNAPL			
	6/6/2023	NS-LNAPL			
	12/15/2023	NS-LNAPL			
	3/16/2025	3,100	28	290	3,700
6/24/2025	3,300	59	160	4,400	
<b>SB03</b>	6/15/2017	3,200	5,000	390	3,800
	10/21/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	62	69	54	690
	12/6/2019	44	25	42	530
	3/6/2020	41	22	35	390
	6/4/2020	32	8.1	69	720
	9/18/2020	6.8	<5.0	14	170
	6/7/2023	<2.0	<2.0	3.6	22
	3/16/2025	<1.0	<1.0	13	5.8
<b>SB04</b>	6/15/2017	NS-LNAPL			
	10/15/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB04</b>	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	<5.0	<5.0	19	57
	9/19/2019	<1.0	<1.0	2.5	3.8
	12/6/2019	1.1	<1.0	16	31
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	<1.0	<1.0	11	63
	6/10/2022	2.1	4.4	14	49
	6/7/2023	<1.0	<1.0	3.2	5.3
	3/14/2025	<1.0	<1.0	<1.0	<2.0
<b>SB05</b>	6/15/2017	<b>16,000</b>	<b>16,000</b>	310	<b>3,600</b>
	10/21/2017	<b>15,000</b>	<b>20,000</b>	350	<b>4,100</b>
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/20/2019	<b>360</b>	670	77	<b>3,100</b>
	12/6/2019	NS			
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	<b>460</b>	60	<10	380
	6/7/2023	<b>930</b>	<b>780</b>	45	<b>2,700</b>
	3/14/2025	<b>340</b>	<20	20	450
6/24/2025	<b>41</b>	6.8	<2.0	23	
<b>SB06</b>	6/16/2017	<b>210</b>	230	11	110
	10/20/2017	<b>810</b>	110	27	150
	6/20/2018	NS			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS			
	4/8/2019	NS			



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB06</b>	6/14/2019	4,400	1,500	190	2,900
	9/20/2019	3,330	1,100	130	1,200
	12/6/2019	NS			
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	NS-LNAPL			
	6/7/2023	8.7	<5.0	91	610
	3/14/2025	4.7	<1.0	25	45
<b>SB07</b>	6/16/2017	14,000	15,000	670	7,600
	10/20/2017	11,000	12,000	<500	5,000
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS			
	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS			
	3/14/2025	810	<5.0	46	880
6/24/2025	1,200	<5.0	43	210	
<b>SB08</b>	6/16/2017	15,000	15,000	690	7,000
	10/21/2017	9,500	6,900	370	4,500
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS			



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB08</b>	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS-LNAPL			
	3/14/2025	NS-DRY			
<b>SB09</b>	6/16/2017	11,000	9,700	430	3,900
	10/21/2017	11,000	12,000	370	5,100
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/4/2020	NS			
	9/17/2020	NS			
	6/6/2023	NS			
	3/14/2025	NS-DRY			
<b>SB10</b>	6/16/2017	11,000	9,000	590	4,300
	10/20/2017	NS-LNAPL			
	6/20/2018	NS-DRY			
	9/17/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/13/2019	NS-DRY			
	9/19/2019	NS-DRY			
	12/6/2019	NS-DRY			
	3/6/2020	NS-DRY			
	6/4/2020	NS-DRY			
	9/17/2020	NS-DRY			
	6/6/2023	NS-DRY			
	3/14/2025	NS-DRY			



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)	
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>	
<b>SB11</b>	6/16/2017	13,000	20,000	750	6,500	
	10/21/2017	5,200	6,100	<500	3,400	
	6/20/2018	NS				
	9/18/2019	NS				
	12/20/2018	NS				
	4/8/2019	NS				
	6/14/2019	1,200	7.1	94	760	
	9/20/2019	490	8.5	30	230	
	12/6/2019	NS				
	3/6/2020	NS				
	6/4/2020	NS				
	9/17/2020	NS				
	6/7/2023	1,400	<10	130	770	
	3/16/2025	74	<1.0	4.1	<2.0	
	6/24/2025	100	<1.0	5.0	<2.0	
<b>SB12</b>	6/16/2017	NS-LNAPL				
	10/18/2017	NS-LNAPL				
	6/20/2018	NS-LNAPL				
	9/18/2018	NS-LNAPL				
	12/20/2018	NS-LNAPL				
	4/8/2019	NS-LNAPL				
	6/13/2019	NS-LNAPL				
	9/19/2019	NS-DRY				
	12/6/2019	NS				
	3/6/2020	NS				
	6/4/2020	NS				
	9/17/2020	NS				
	6/6/2023	NS - Insufficient amount of water to sample				
	3/14/2025	73	<2.0	41	300	
<b>SB13</b>	6/16/2017	150	86	9.3	52	
	10/23/2017	220	<5.0	6.4	12	
	6/22/2018	40	9.5	2.1	83	
	9/18/2018	11	2.9	<1.0	7.1	



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB13</b>	12/21/2018	16	44	8	170
	4/8/2019	NS-LNAPL			
	6/14/2019	1.5	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	1.8	<1.0	<1.0	2.9
	6/5/2020	<1.0	<1.0	<1.0	<2.0
	9/18/2020	2.0	<1.0	<1.0	<1.5
	6/7/2023	<1.0	<1.0	<1.0	<1.5
	3/14/2025	<1.0	<1.0	<1.0	3.7
<b>SB15</b>	6/13/2017	<1.0	<1.0	<1.0	<1.5
	10/20/2017	3.3	3.5	<1.0	2.6
	6/20/2018	NS-DRY			
	9/17/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	NS			
	6/4/2020	NS			
	9/18/2020	NS - Insufficient amount of water to sample			
	6/7/2023	<1.0	<1.0	<1.0	<1.5
	6/20/2024	<1.0	<1.0	<1.0	<2.0
3/14/2025	<1.0	<1.0	<1.0	<2.0	
<b>SB16</b>	6/13/2017	<1.0	<1.0	<1.0	<1.5
	10/20/2017	20	18	1.4	17
	6/22/2018	13	1.1	<1.0	10
	9/18/2018	3.3	<1.0	<1.0	<1.5
	12/20/2018	<1.0	<1.0	<1.0	2.2
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB16</b>	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/10/2022	<1.0	<1.0	<1.0	<2.0
	6/7/2023	<1.0	<1.0	<1.0	<1.5
	6/20/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
<b>SB17</b>	6/13/2017	<b>11</b>	3.5	<1.0	<1.5
	10/20/2017	NS-DRY			
	6/20/2018	NS-DRY			
	9/18/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/13/2019	NS-DRY			
	12/6/2019	NS-DRY			
	3/6/2020	NS-DRY			
	6/4/2020	NS-DRY			
	9/18/2020	NS-DRY			
	6/6/2023	NS-DRY			
3/14/2025	NS-DRY				
<b>SB18</b>	6/15/2017	NS-LNAPL			
	10/18/2017	NS-LNAPL			
	6/20/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/5/2020	<b>7,400</b>	<b>9,100</b>	<b>760</b>	<b>9,800</b>
	9/18/2020	NS - Insufficient amount of water to sample			



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>SB18</b>	6/6/2023	NS-LNAPL			
	3/14/2025	NS-DRY			
<b>SB19</b>	6/14/2017	10,000	7,400	330	3,300
	10/20/2017	10,000	6,100	400	3,500
	6/22/2018	9,800	7,500	380	5,000
	9/19/2018	6,100	4,700	150	2,900
	12/20/2018	7,200	1,300	270	3,800
	4/8/2019	5,600	4,000	300	4,700
	6/14/2019	5,200	2,100	250	3,600
	9/20/2019	5,600	1,800	190	3,100
	12/5/2019	4,200	1,700	120	2,500
	3/6/2020	3,900	2,800	100	3,000
	6/4/2020	NS			
	9/18/2020	NS - Insufficient amount of water to sample			
	12/15/2022	NS - Insufficient amount of water to sample			
	6/6/2023	NS - Insufficient amount of water to sample			
	6/20/2024	57	80	2.6	160
	12/2/2024	770	1,100	75	1,400
	3/16/2025	270	32	<20	570
6/24/2025	860	1,400	43	1,900	
12/2/2025	230	83	74	810	
<b>MW-1</b>	Destroyed during excavation/remediation activities				
<b>MW-2</b>	Destroyed during excavation/remediation activities				
<b>MW-3R</b>	6/16/2017	15,000	14,000	530	5,500
	10/21/2017	11,000	11,000	460	5,000
	6/22/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/5/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-3R</b>	6/4/2020	NS-LNAPL			
	9/18/2020	NS-LNAPL			
	6/7/2023	1,500	<100	170	1,600
	3/14/2025	1,300	<100	200	850
<b>MW-4</b>	6/15/2017	6.6	9.5	<1.0	8.7
	10/23/2017	1.8	2.3	<1.0	<1.5
	6/22/2018	1.2	1.6	<1.0	3.0
	9/17/2018	NS			
	12/20/2019	NS			
	4/8/2019	NS			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	NS			
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	<1.0	<1.0	2.8	<2.0
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	1.1	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
3/14/2025	NS-DRY				
<b>MW-5</b>	Destroyed during excavation/remediation activities				
<b>MW-6</b>	6/15/2017	9.5	17	2.3	18
	10/23/2017	1.9	2.0	<1.0	<1.5
	6/22/2018	89	15	150	1,600
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	<10	<10	15	830
	6/13/2019	13	7.5	<5.0	1,100
	9/19/2019	<5.0	<5.0	<5.0	570
	12/6/2019	5.8	<5.0	<5.0	320
	3/6/2020	<1.0	<1.0	1.2	110
	6/5/2020	<1.0	2.7	66	170
	9/18/2020	<1.0	1.1	1.7	180



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-6</b>	6/7/2023	<1.0	<1.0	<1.0	12
	3/14/2025	<1.0	<1.0	4.3	8.9
<b>MW-7</b>	Destroyed during excavation/remediation activities				
<b>MW-8</b>	6/15/2017	5.1	4.3	2.6	6.4
	10/23/2017	2.6	1.1	1.1	<1.5
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/7/2023	<1.0	<1.0	<1.0	<2.0
3/14/2025	<1.0	<1.0	<1.0	<2.0	
<b>MW-9</b>	6/15/2017	<b>28</b>	46	4.3	42
	10/23/2017	1.4	1.7	<1.0	<1.5
	6/20/2018	NS			
	9/18/2018	NS			
	12/20/2018	NS			
	4/8/2019	NS			
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	NS			
	12/6/2019	<1.0	<1.0	<1.0	<2.0
	3/6/2020	<1.0	<1.0	<1.0	<1.5
	6/4/2020	<1.0	<1.0	<1.0	<2.0
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/6/2023	NS - Insufficient amount of water to sample			
3/14/2025	NS - Insufficient amount of water to sample				



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-10</b>	6/14/2017	<b>13,000</b>	<b>8,800</b>	510	<b>2,900</b>
	10/23/2017	NS-LNAPL			
	6/21/2018	<b>8,600</b>	<b>2,400</b>	260	<b>2,000</b>
	9/18/2018	<b>4,000</b>	<b>2,300</b>	140	<b>3,000</b>
	12/20/2018	<b>960</b>	180	24	170
	4/8/2019	<b>520</b>	<5.0	14	83
	6/14/2019	<b>420</b>	<10	19	130
	9/20/2019	<b>990</b>	<10	92	65
	12/6/2019	<b>500</b>	<10	81	<b>780</b>
	3/6/2020	<b>210</b>	<10	<10	220
	6/4/2020	<b>370</b>	46	86	<b>880</b>
	9/18/2020	<b>380</b>	<5.0	120	28
	6/7/2023	3.0	<1.0	<1.0	<2.0
	3/14/2025	<b>17</b>	<1.0	1.1	<2.0
<b>MW-11</b>	6/13/2017	<b>36</b>	7.6	2.7	11
	10/20/2017	<b>28</b>	6.8	2.4	9.5
	6/21/2018	4.2	6.4	2.2	21
	9/18/2018	<1.0	<1.0	<1.0	<1.5
	12/20/2018	1.2	10	11	34
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	5.4	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	6/20/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-12</b>	6/14/2017	14,000	11,000	460	5,400
	10/20/2017	11,000	9,900	310	4,400
	6/22/2018	NS-LNAPL			
	9/18/2018	NS-LNAPL			
	12/20/2018	NS-LNAPL			
	4/8/2019	NS-LNAPL			
	6/13/2019	NS-LNAPL			
	9/19/2019	NS-LNAPL			
	12/6/2019	NS-LNAPL			
	3/6/2020	NS-LNAPL			
	6/4/2020	NS-LNAPL			
	9/17/2020	NS-LNAPL			
	6/6/2023	NS-LNAPL			
	12/15/2023	NS-LNAPL			
3/16/2025	89	5.7	3.9	140	
<b>MW-13</b>	6/13/2017	76	8.0	33	27
	10/20/2017	1,300	1,700	150	1,200
	6/21/2018	1,300	810	100	850
	9/18/2018	2,100	120	<20	580
	12/20/2018	1,900	140	150	580
	4/8/2019	2,000	<20	200	480
	6/14/2019	740	21	96	200
	9/20/2019	500	110	55	180
	12/5/2019	1,400	34	200	730
	3/5/2020	1,200	<20	210	700
	6/4/2020	1,100	<20	160	460
	9/17/2020	1,500	<20	260	890
	6/6/2023	8	<1.0	1.3	<2.0
	3/14/2025	9.6	<1.0	15	74



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-14</b>	12/21/2018	<1.0	<1.0	1.4	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	1.4	<1.0	4.5	<2.0
	12/5/2019	1.5	<1.0	2.4	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/17/2020	<1.0	<1.0	<1.0	<2.0
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/10/2022	1.9	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	6/21/2024	<b>18</b>	<1.0	<1.0	<2.0
	3/14/2025	1.9	<1.0	<1.0	<2.0
<b>MW-15</b>	6/14/2017	<b>11,000</b>	<b>11,000</b>	<b>840</b>	<b>5,500</b>
	10/19/2017	<b>13,000</b>	<b>15,000</b>	<b>810</b>	<b>8,900</b>
	6/21/2018	<b>12,000</b>	<b>14,000</b>	<b>940</b>	<b>9,200</b>
	9/18/2018	<b>9,400</b>	<b>12,000</b>	660	<b>7,900</b>
	12/21/2018	<b>8,000</b>	<b>10,000</b>	<b>780</b>	<b>8,400</b>
	4/8/2019	NS-LNAPL			
	6/13/2019	<b>8,100</b>	<b>14,000</b>	<b>960</b>	<b>11,000</b>
	9/19/2019	<b>9,700</b>	<b>14,000</b>	<b>840</b>	<b>10,000</b>
	12/5/2019	NS-LNAPL			
	3/5/2020	<b>8,200</b>	<b>9,900</b>	<b>750</b>	<b>8,700</b>
	6/4/2020	<b>8,600</b>	<b>10,000</b>	<b>800</b>	<b>9,600</b>
	9/17/2020	NS-LNAPL			
	6/6/2023	NS-DRY			
	3/14/2025	<b>160</b>	<20	<20	<b>870</b>



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-16</b>	6/14/2017	NS-DRY			
	10/20/2017	NS-DRY			
	6/20/2018	NS-DRY			
	9/17/2018	NS-DRY			
	12/20/2018	NS-DRY			
	4/8/2019	NS-DRY			
	6/13/2019	NS-DRY			
	9/19/2019	NS-DRY			
	12/5/2019	NS-DRY			
	3/5/2020	NS-DRY			
	6/4/2020	NS-DRY			
	9/17/2020	NS - Insufficient amount of water to sample			
	6/6/2023	NS-DRY			
3/14/2025	<2.0	<2.0	<2.0	<4.0	
<b>MW-17</b>	10/19/2017	<1.0	1.4	<1.0	2.2
	6/20/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	NS			
	6/4/2020	NS			
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	6/2/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	6/21/2024	<1.0	<1.0	<1.0	<2.0
3/14/2025	<1.0	<1.0	<1.0	<2.0	



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-18</b>	10/19/2017	1.1	1.5	<1.0	1.7
	6/20/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	1.2	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/26/2020	<1.0	<1.0	<1.0	<1.5
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/17/2020	<1.0	<1.0	<1.0	<2.0
	12/9/2021	<1.0	<1.0	<1.0	<2.0
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	12/15/2022	NS - Insufficient amount of water to sample			
	6/6/2023	<1.0	<1.0	<1.0	<2.0
	12/15/2023	<1.0	<1.0	<1.0	<2.0
	12/2/2024	<1.0	<1.0	<1.0	<2.0
3/14/2025	NS - Insufficient amount of water to sample				
12/2/2025	<1.0	<1.0	<1.0	<2.0	
<b>MW-19</b>	10/18/2017	500	<1.0	<1.0	1.7
	6/20/2018	1,400	3.0	1.3	70
	9/19/2018	1,100	1,600	590	6,100
	12/20/2018	NS-LNAPL			
	4/8/2019	1,400	950	490	5,100
	6/13/2019	740	520	240	3,400
	9/19/2019	NS-LNAPL			
	12/5/2019	NS-LNAPL			
	3/5/2020	NS-LNAPL			
	6/4/2020	NS-LNAPL			
	9/17/2020	NS-LNAPL			
	6/6/2023	13	<5.0	14	71
	3/14/2025	<1.0	<1.0	<1.0	<2.0



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-20</b>	10/18/2017	<1.0	<1.0	<1.0	<1.5
	6/20/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/4/2020	<1.0	<1.0	<1.0	<2.0
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/17/2020	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<2.0	<2.0	<2.0	<3.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
<b>MW-21</b>	10/18/2017	<b>940</b>	340	180	<b>2,000</b>
	6/22/2018	<b>660</b>	120	89	540
	9/19/2018	<b>320</b>	28	120	110
	12/21/2018	<b>75</b>	<1.0	52	14
	4/8/2019	5.2	<1.0	2.7	5.3
	6/14/2019	2.6	<1.0	5.5	2.6
	9/19/2019	8.7	<1.0	7.5	<2.0
	12/5/2019	4.2	<1.0	2.6	<2.0
	3/5/2020	7.4	<1.0	11	10
	6/4/2020	9.6	<1.0	23	21
	9/17/2020	5.6	<1.0	6.6	<1.5
	12/18/2020	4.1	1.5	5.6	2.6
	6/6/2023	<1.0	<1.0	<1.0	<1.5
	3/14/2025	<1.0	<1.0	<1.0	<2.0



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-22</b>	10/18/2017	6.1	5.5	<1.0	6.4
	6/22/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/26/2020	<1.0	<1.0	<1.0	<1.5
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/9/2021	<1.0	<1.0	<1.0	<1.5
	6/9/2022	<1.0	<1.0	<1.0	<2.0
	12/15/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<2.0	<2.0	<2.0	<3.0
	12/15/2023	<2.0	<2.0	<2.0	<4.0
	6/21/2024	<1.0	<1.0	<1.0	<2.0
	12/2/2024	<1.0	<1.0	<1.0	<2.0
3/14/2025	<2.0	<2.0	<2.0	<4.0	
12/2/2025	<1.0	<1.0	<1.0	<2.0	



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-23</b>	10/18/2017	<5.0	<5.0	<5.0	<7.5
	6/22/2018	<1.0	<1.0	<1.0	<1.5
	9/17/2018	<b>44</b>	<1.0	<1.0	<1.5
	12/20/2018	<b>65</b>	<1.0	<1.0	<2.0
	4/8/2019	<b>30</b>	<1.0	<1.0	<1.5
	6/23/2019	NS-DRY			
	9/19/2019	6.0	<1.0	<1.0	3.1
	12/5/2019	5.3	<1.0	<1.0	<2.0
	3/5/2020	2.8	<1.0	<1.0	<1.5
	6/4/2020	1.8	<1.0	<1.0	<2.0
	9/17/2020	2.2	<1.0	<1.0	<1.5
	12/18/2020	1.5	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	<1.0	<1.5
	3/13/2025	<1.0	<1.0	<1.0	<2.0
<b>MW-24</b>	9/17/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/13/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	4.0	<2.0
	3/5/2020	<1.0	<1.0	1.2	<1.5
	6/26/2020	<1.0	<1.0	5.3	<1.5
	9/17/2020	1.1	<1.0	5.9	<1.5
	12/17/2020	1.4	<1.0	5.9	<2.0
	12/9/2021	1.2	<1.0	1.4	<1.5
	6/9/2022	<1.0	<1.0	1.5	<2.0
	12/15/2022	<1.0	<1.0	<1.0	<2.0
	6/6/2023	<1.0	<1.0	1.0	<1.5
	12/15/2023	<1.0	<1.0	<1.0	<2.0
	6/21/2024	<1.0	<1.0	<1.0	<2.0
	12/2/2024	<1.0	<1.0	<1.0	<2.0
	3/14/2025	<1.0	<1.0	<1.0	<2.0
12/2/2025	<1.0	<1.0	<1.0	<2.0	



**TABLE 3**  
**GROUNDWATER ANALYTICAL RESULTS**  
 Florance GCJ #16A  
 Harvest Four Corners, LLC  
 San Juan County, New Mexico

Well Identification	Sample Date	Benzene (µg/L)	Toluene (µg/L)	Ethylbenzene (µg/L)	Total Xylenes (µg/L)
<b>NMWQCC Standards</b>		<b>10</b>	<b>750</b>	<b>750</b>	<b>620</b>
<b>MW-25</b>	9/19/2018	<1.0	<1.0	<1.0	<1.5
	12/21/2018	<1.0	<1.0	<1.0	<2.0
	4/8/2019	<1.0	<1.0	<1.0	<1.5
	6/14/2019	<1.0	<1.0	<1.0	<2.0
	9/19/2019	<1.0	<1.0	<1.0	<2.0
	12/5/2019	<1.0	<1.0	<1.0	<2.0
	3/5/2020	<1.0	<1.0	<1.0	<1.5
	6/4/2020	<1.0	<1.0	<1.0	<2.0
	9/17/2020	<1.0	<1.0	<1.0	<1.5
	12/18/2020	<1.0	<1.0	<1.0	<2.0
	6/7/2023	<2.0	<2.0	<2.0	<3.0
3/13/2025	<2.0	<2.0	<2.0	<4.0	

**Notes:**

*LNAPL - light non-aqueous phase liquid*

*µg/L - micrograms per Liter*

*NMWQCC - New Mexico Water Quality Control Commission*

*NS - not sampled*

*< - indicates result is less than laboratory reporting detection limit*

*Concentrations in **bold** and shaded exceed applicable New Mexico Water Quality Control Commission Standards*



## APPENDIX A

### AGENCY CORRESPONDENCE

---

**From:** [Smith, Shanna, EMNRD](#)  
**To:** [Reece Hanson](#)  
**Cc:** [Brooke Herb](#)  
**Subject:** RE: [EXTERNAL] NCS1629854256\_Florance GC J#16A\_Modified Stage 2 Abatement Plan Extension Request  
**Date:** Wednesday, December 31, 2025 9:56:51 AM  
**Attachments:** [image001.png](#)  
[image002.png](#)  
[image003.png](#)

---

[\*\*EXTERNAL EMAIL\*\*]

Good Morning!

Your 30-day extension is approved for the Florance GC J#16A Stage 2 Abatement Plan. The extension deadline date will be February 4, 2026. Let me know if you have any questions.

Regards,

**Shanna Smith** • Senior Environmental Scientist  
Environmental Bureau Projects Group  
EMNRD - Oil Conservation Division  
1625 N. French Dr | Hobbs, NM 88240  
575.263.4507 [Shanna.Smith@emnrd.nm.gov](mailto:Shanna.Smith@emnrd.nm.gov)  
<http://www.emnrd.state.nm.us/OCD/>

Effective 12/1/2024: OCD has updated guidance on karst potential occurrence zones. This notice can be found at: <https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/> under “2024 OCD ANNOUNCEMENTS AND NOTIFICATIONS”.

The Digital C-141 guidance documents can be found at <https://www.emnrd.nm.gov/ocd/ocd-announcements-and-notifications/> or <https://www.emnrd.nm.gov/ocd/ocd-forms/>.

---

**From:** Reece Hanson <rhanson@ensolum.com>  
**Sent:** Wednesday, December 31, 2025 9:51 AM  
**To:** Smith, Shanna, EMNRD <Shanna.Smith@emnrd.nm.gov>  
**Cc:** Brooke Herb <bherb@ensolum.com>  
**Subject:** [EXTERNAL] NCS1629854256\_Florance GC J#16A\_Modified Stage 2 Abatement Plan Extension Request

---

You don't often get email from [rhanson@ensolum.com](mailto:rhanson@ensolum.com). [Learn why this is important](#)

**CAUTION:** This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Shanna,

On behalf of Harvest Midstream Company, we are submitting this extension request for the Florance GC J#16A Modified Stage 2 Abatement Plan reporting deadline.

We request a 30-day extension to the reporting deadline of January 5, 2026, with a new reporting deadline of February 4, 2026.

Please let us know if you have any questions.

Thanks,



**Reece Hanson**

Project Geologist

970-210-9803

**Ensolum, LLC**

**in f X**



## APPENDIX B

### AGENCY CORRESPONDENCE – MW-14 DELINEATION

---

State of New Mexico  
Energy, Minerals and Natural Resources Department

**Susana Martinez**  
Governor

**Ken McQueen**  
Cabinet Secretary

**Matthias Sayer**  
Deputy Cabinet Secretary

**Heather Riley**, Division Director  
**Oil Conservation Division**



**New Mexico Oil Conservation Division approval and conditions listed below are made in accordance with OCD Rule 19.15.5.11**

February 20, 2018

Re: Florance Gas Com J16A – Conditions of Approval for Proposed Remediation Plan

Dear Mr. Galer,

In response to the letter New Mexico Oil Conservation Division (OCD) received from the Williams Four Corners LLC (Williams) dated February 8, 2018.

**Williams Response:** It is Williams position that the groundwater impacts beneath BP’s operations are from their sources and thus their responsibility. As presented in the Remedial Assessment Report, the investigation data show the groundwater flow is to the southeast and therefore it’s more likely that benzene impacts observed in MW-21 are migrating southeast contributing to the benzene plume beneath Williams operations. Soil and groundwater data collected to date do not support the idea that Williams sources are responsible for the impacts in MW-21. Please provide additional clarification for this condition.

Williams requests that the OCD allow MW-14 to be the southernmost point of compliance. Benzene concentrations during the June 2017 and October 2017 monitoring events were 11 ug/L and 12 ug/L, which only slightly exceeds the 10 ug/L cleanup standard. Further delineation will be difficult due to topography, cause additional surface damage, and require a lengthy BLM approval process.

**OCD Response:**

- OCD approves Williams request for MW-14 to be considered delineated so long as groundwater conditions do not deteriorate significantly.
- Williams will delineate further in areas MW-19 and 21 as previously approved.

If you have any questions please feel free to contact me at your leisure.

  
\_\_\_\_\_  
NMOCD Approved by Signature

February 20, 2018  
Date



## APPENDIX C

*NMOCD APPROVED QUARTERLY REMEDIATION  
SYSTEM OPERATION AND MONITORING REPORT  
April 30, 2020*

1Q 2020  
SVE  
Report

**From:** [Smith, Cory, EMNRD](#)  
**To:** [Monica Smith](#)  
**Cc:** [Daniel Burns](#); "[Brooke Herb](#)"  
**Subject:** RE: Florance GCJ 16A - 1st Quarter 2020 Report  
**Date:** Wednesday, June 24, 2020 9:46:32 AM  
**Attachments:** [image003.png](#)  
[image005.png](#)  
[image007.png](#)

---

Monica,

OCD approves the reduced sampling frequency requested in 1Q 2020 Report.

Please keep in mind that prior to approval of closure wells that had elevated samples above regulated concentration will need to have 8 consecutive quarters of clean samples to be considered for closure.

The quarterly report will be scanned into the online incident# NCS1629854256

Thank you,

Cory Smith  
Environmental Specialist  
Oil Conservation Division  
Energy, Minerals, & Natural Resources  
1000 Rio Brazos, Aztec, NM 87410  
(505)334-6178 ext 115  
[cory.smith@state.nm.us](mailto:cory.smith@state.nm.us)

---

**From:** Brooke Herb <bherb@ltenv.com>  
**Sent:** Thursday, April 30, 2020 10:10 AM  
**To:** Smith, Cory, EMNRD <Cory.Smith@state.nm.us>  
**Cc:** Monica Smith <msmith@harvestmidstream.com>; Daniel Burns <dburns@ltenv.com>  
**Subject:** [EXT] Florance GCJ 16A - 1st Quarter 2020 Report

Cory,

Attached is the 1<sup>st</sup> quarter 2020 remediation update report for the Florance GC J16A.

As we discussed via email at the beginning of March, the runtime for Q1 was below 90% due to repairs needed on the liquids transfer pump in January and one of the blowers breaking down. The transfer pump was repaired in late January and the system has been running since with some shutdowns to deal with the blower and the sampling events. We expect to meet 90% runtime in the 2<sup>nd</sup> quarter.

Thank you,  
Brooke



Brooke Herb  
Project Geologist/ Four Corners Office Manager  
970.403.6824 *cell*  
970.385.1096 *direct*  
848 East Second Avenue Durango, CO 81301  
[www.ltenv.com](http://www.ltenv.com)



Think before you print. [Click for our email disclosure.](#)



## APPENDIX D

NMOCD APPROVED 2022 *THIRD QUARTER –  
REMEDATION SYSTEM OPERATION AND  
MONITORING REPORT*  
October 27, 2022

---



1. Continue as stated within section 6.0 (includes 6.1 & 6.2) of report.
2. Submit fourth quarter 2022 report by January 31, 2023.
3. OCD grants Harvest bi-annual reporting starting with 1st half of 2023.
4. Submit first bi-annual report by July 31, 2023.

**2022 Third Quarter – Remediation System Operation and Monitoring Report**

Property:

**Florance Gas Com J No. 16A  
Harvest Four Corners, LLC  
San Juan County, New Mexico**

**API # 30-045-21790  
Incident # NCS1629854256  
Remediation Permit Number 3RP-364**

October 27, 2022  
Ensolum Project No. 07B2002007

Prepared for:

**New Mexico Oil Conservation Division - District III  
New Mexico Energy, Minerals, and Natural Resources Department  
1000 Rio Brazos Road  
Aztec, New Mexico 87410**


Prepared by:  
**Ensolum, LLC  
776 East 2<sup>nd</sup> Ave  
Durango, CO 81301**



## APPENDIX E

JUNE 2018 GROUNDWATER ANALYTICAL RESULTS  
REPRODUCED FROM 2018 GROUNDWATER AND  
REMEDATION UPDATE REPORT,  
LT ENVIRONMENTAL

---



**LEGEND**

- NATURAL SPRING
  - EAST SEEP PIPE INLET
  - WEST SEEP PIPE INLET
  - MONITORING WELL
  - DESTROYED MONITORING WELL
  - REMEDIATION/MONITORING WELL
  - WELLHEAD
  - ESTIMATED GROUNDWATER FLOW DIRECTION
  - IMPACTED
  - CLEAN
  - FLOWLINE
  - EAST SEEP PIPE
  - WEST SEEP PIPE
  - BENZENE IMPACTS TO GROUNDWATER
  - DASHED WHERE INFERRED
  - ACCESS ROAD
  - ARCH SITE BOUNDARY
- INFERRED PRODUCT THICKNESS (FEET)**
- 0.01-0.10
  - 0.11-0.20
  - 0.21-0.40




IMAGE COURTESY OF ESRI



**FIGURE 6**  
**JUNE 2018 GROUNDWATER ANALYTICAL RESULTS**  
**FLORANCE GC J#16A**  
**UNIT P SEC 6 T30N R9W**  
**SAN JUAN COUNTY, NEW MEXICO**  
**HARVEST FOUR CORNERS, LLC**



**PUBLIC NOTICE OF STAGE 2 ABATEMENT PLAN FOR GROUNDWATER IMPACTS**

*Received by OCD: 2/3/2026 1:37:33 PM*

Florance Gas Com J No. 16A

San Juan County, New Mexico

Notice Date: February 25, 2026

*Page 76 of 79*

**Comment Period:** February 25, 2026, through March 27, 2026

Harvest Four Corners, LLC. (Harvest), announces publication of a Stage 2 Abatement Plan for groundwater impacts identified at the Florance Gas Com J No. 16A (Site) release location at latitude 36.835701 degrees (°) and longitude -107.8163223° in Section 06 of Township 30 North, Range 09 West in San Juan County, New Mexico.

Impacts to soil and groundwater were identified at the Site. Harvest initially excavated the bulk of the impacted soil at the source of the impact. The extent of groundwater impact has been fully delineated with a subsurface investigation. The NMOCD approved a remediation work plan submitted in 2017 to install a dual-phase extraction (DPE) remediation system designed to address impacts to groundwater at the Site, including light non-aqueous phase liquids (LNAPL) and benzene, toluene, ethylbenzene, and total xylenes (BTEX) concentrations exceeding the New Mexico Water Quality Control Commission (NMQCC) standards. The system was installed and has been operating since 2018. The DPE system has been successful at remediating measurable LNAPL at the Site. The system will continue to operate to address dissolved-phase groundwater contamination. Groundwater monitoring will continue until the NMOCD closure criteria are met.

Members of the public may view a copy of the Stage 2 Abatement Plan at the NMOCD's Santa Fe office at 1220 South St Francis Drive, # 3, Santa Fe, New Mexico. Additionally, the Stage 2 Abatement Plan is available for viewing electronically on the NMOCD public database at <http://www.emnrd.state.nm.us/OCD>.

The NMOCD is accepting written comments and requests for consideration if the NMOCD Director receives them within 30 days after the date of publication of this public notice. A person seeking to comment on a stage 2 abatement plan should submit written comments to:

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

The NMOCD shall distribute notice of the submittal of the Stage 2 Abatement Plan with the next division and commission hearing docket following receipt of the plan.

Additional information can be obtained from the Harvest project contact:

Monica Smith  
Harvest Four Corners, LLC  
1755 Arroyo Road  
Santa Fe, New Mexico 87505  
505-632-4625

*Released to Imaging: 4/29/2026 11:59:40 AM*

# PUBLIC NOTICE OF STAGE 2 ABATEMENT PLAN FOR GROUNDWATER IMPACTS

Florance Gas Com J No. 16A San Juan County, New Mexico

**Notice Date:** February 25, 2026

**Comment Period:** February 25, 2026, through March 27, 2026

Harvest Four Corners, LLC. (Harvest), announces publication of a Stage 2 Abatement Plan for groundwater impacts identified at the Florance Gas Com J No. 16A (Site) release location at latitude 36.835701 degrees (°) and longitude -107.8163223° in Section 06 of Township 30 North, Range 09 West in San Juan County, New Mexico.

Impacts to soil and groundwater were identified at the Site. Harvest initially excavated the bulk of the impacted soil at the source of the impact. The extent of groundwater impact has been fully delineated with a subsurface investigation. The NMOCD approved a remediation work plan submitted in 2017 to install a dual-phase extraction (DPE) remediation system designed to address impacts to groundwater at the Site, including light non-aqueous phase liquids (LNAPL) and benzene, toluene, ethylbenzene, and total xylenes (BTEX) concentrations exceeding the New Mexico Water Quality Control Commission (NMQCC) standards. The system was installed and has been operating since 2018. The DPE system has been successful at remediating measurable LNAPL at the Site. The system will continue to operate to address dissolved-phase groundwater contamination. Groundwater monitoring will continue until the NMOCD closure criteria are met.

Members of the public may view a copy of the Stage 2 Abatement Plan at the NMOCD's Santa Fe office at 1220 South St Francis Drive, # 3, Santa Fe, New Mexico. Additionally, the Stage 2 Abatement Plan is available for viewing electronically on the NMOCD public database at <http://www.emnrd.state.nm.us/OCD>.

The NMOCD is accepting written comments and requests for consideration if the NMOCD Director receives them within 30 days after the date of publication of this public notice. A person seeking to comment on a stage 2 abatement plan should submit written comments to:

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

The NMOCD shall distribute notice of the submittal of the Stage 2 Abatement Plan with the next division and commission hearing docket following receipt of the plan.

Additional information can be obtained from the Harvest project contact:

Monica Smith  
Harvest Four Corners, LLC  
1755 Arroyo Road

Bloomfield, New Mexico 87413

505-632-4625

**PUBLIC NOTICE OF STAGE 2 ABATEMENT PLAN FOR GROUNDWATER IMPACTS  
Florance Gas Com J No. 16A  
San Juan County, New Mexico**

**Notice Date:** February 25, 2026

**Comment Period:** February 25, 2026, through March 27, 2026

Harvest Four Corners, LLC. (Harvest), announces publication of a Stage 2 Abatement Plan for groundwater impacts identified at the Florance Gas Com J No. 16A (Site) release location at latitude 36.835701 degrees (°) and longitude -107.8163223° in Section 06 of Township 30 North, Range 09 West in San Juan County, New Mexico.

Impacts to soil and groundwater were identified at the Site. Harvest initially excavated the bulk of the impacted soil at the source of the impact. The extent of groundwater impact has been fully delineated with a subsurface investigation. The NMOCD approved a remediation work plan submitted in 2017 to install a dual-phase extraction (DPE) remediation system designed to address impacts to groundwater at the Site, including light non-aqueous phase liquids (LNAPL) and benzene, toluene, ethylbenzene, and total xylenes (BTEX) concentrations exceeding the New Mexico Water Quality Control Commission (NMQCC) standards. The system was installed and has been operating since 2018. The DPE system has been successful at remediating measurable LNAPL at the Site. The system will continue to operate to address dissolved-phase groundwater contamination. Groundwater monitoring will continue until the NMOCD closure criteria are met.

Members of the public may view a copy of the Stage 2 Abatement Plan at the NMOCD's Santa Fe office at 1220 South St Francis Drive, # 3, Santa Fe, New Mexico. Additionally, the Stage 2 Abatement Plan is available for viewing electronically on the NMOCD public database at <http://www.emnrd.state.nm.us/OCD>.

The NMOCD is accepting written comments and requests for consideration if the NMOCD Director receives them within 30 days after the date of publication of this public notice. A person seeking to comment on a stage 2 abatement plan should submit written comments to:

New Mexico Energy, Minerals, and Natural Resources Department  
1220 South St. Francis Drive  
Santa Fe, New Mexico 87505

The NMOCD shall distribute notice of the submittal of the Stage 2 Abatement Plan with the next division and commission hearing docket following receipt of the plan.

Additional information can be obtained from the Harvest project contact:

Monica Smith  
Harvest Four Corners, LLC  
1755 Arroyo Road  
Bloomfield, New Mexico 87413  
505-632-4625

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oecd/contact-us>

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS

Action 549780

**CONDITIONS**

Operator: Harvest Four Corners, LLC 1755 Arroyo Dr Bloomfield, NM 87413	OGRID: 373888
	Action Number: 549780
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

**CONDITIONS**

Created By	Condition	Condition Date
shanna.smith	Transition to submitting quarterly monitoring and sampling reports. Due to COC's downgradient - transition site wells to quarterly monitoring and sampling. Monitor wells MW-14, MW-18, MW-19, MW-24, MW-17, MW-3R, MW-10, MW-13, MW-15, MW-16, MW-12, MW-23, SB10, SB18, SB01, SB12, SB05, SB06, SB11, SB09, SB07, SB08, SB17, SB19. Operator may request to reduce sampling frequency based upon future results.	2/11/2026
shanna.smith	Clarify site monitor wells have been analyzed for PAH 8270D, chlorides and TDS. If there is no historic analysis, sample wells, accordingly.	3/4/2026
shanna.smith	Continue to sample one influent air sample per quarter and analyze for full 8260 VOCs, TPH, carbon dioxide, and oxygen.	3/4/2026
shanna.smith	Include a summary of system runtime in quarterly reports.	3/4/2026
shanna.smith	Continue monthly DPE system operations and maintenance. Modifications shall be performed during scheduled times.	3/4/2026
shanna.smith	After 6 months, the DPE system's effectiveness will be analyzed and modified accordingly.	3/4/2026
csmith	Operator Will Evaluate Remediation, and provide OCD an Updated Abatement schedule for completion in the 2026 AGWMR	4/27/2026