


0.18 ac * 325,851 ac/ft * 0.35 ft deep * 0.1 in/ft AWC = 2,100 gal /42 BBL = 50 BBL



Plant-available water holding capacities of various textured soil.

Soil Texture	Plant-Available Water Holding Capacity (inches of water per foot of soil)
Very coarse sands	0.4 - 0.75
Coarse sands, fine sands, loamy sands	0.75 - 1.25
Sandy loams, fine sandy loams	1.25 - 1.75
Very fine sandy loams, loams, silt loams	1.50 - 2.30
Clay loams, silty clay loams, sandy clay loams	1.75 - 2.50
Sandy clays, silty clays, clays	1.60 - 2.50

³Adapted from: Schwankl, L.J. and T. Prichard. 2009. University of California Drought Management Web Site. <http://UCManageDrought.ucdavis.edu>. Viewed Aug. 13, 2009.



Remediation Plan

Electra

Lea County, NM

Unit I, Section 30 T21S R33E

Latitude 32.44758 N, Longitude -103.60407 W

NMOCD Incident # nAPP2525849052

Select Water Solutions, LLC

1502 E Greene St

Carlsbad, NM 88220

April 2026

A handwritten signature in black ink, appearing to read 'Timsan Bricker', written over a horizontal line.

Timsan Bricker

Manager - Environmental

tbricker@selectwater.com

A handwritten signature in black ink, appearing to read 'Halie Butler', written over a horizontal line.

Halie Butler

Director - Environmental

hbutler@selectwater.com



Table of Contents

Background	3
NMOCD Site Classification	3
Delineation	4
Remediation Activities	4
Restoration, Reclamation, and Re-Vegetation	5
Distribution	5
Figures	6
Figure 1 – Topographic Map	
Figure 2 – NMOSE POD Locations Map	
Figure 3 – Spill Path Map	
Figure 4 – Delineation Sample Map	
Tables	7
Table 1 – Summary of Soil Sample Lab Analytical Results - Delineation	
Attachments	11
Attachment I – KARST, Wetland, and USFWS Maps	
Attachment II – Soils Map	
Attachment III – Cultural Clearance	
Attachment IV – NMOCD and BLM Correspondence	
Attachment V – Site Photographs	
Attachment VI – DTGW Data	
Attachment VII – Lab Analytical Reports	



Background:

The site is located in Unit Letter I (SW4NE4), Section 30, Township 21 South, Range 33 East, approximately twenty-six miles west of Eunice, in Lea County, New Mexico. The site is located on state land managed by the New Mexico State Land Office. Topographic Map, OSE POD Locations Map, and USGS Well Locations Map are included as Figure 1, Figure 2, and Figure 3, respectively.

The release occurred on an active layflat water line; Latitude 32.44758 North, Longitude - 103.60407 West. The Initial NMOCD Form C-141 indicated that on September 14, 2025, approximately 50 BBL of produced water were released due to a blow out on the water line. A crew was dispatched to the release site and the line was repaired. Previously submitted pages of the NMOCD Form C-141 are available on the NMOCD Imaging System.

NMOCD Site Classification:

A search of the New Mexico Office of the State Engineer (NMOSE) and United States Geological Survey (USGS) groundwater databases was completed in effort to determine the horizontal distance to known water sources within a half mile radius of the Release Site. Depth to groundwater was determined to be greater than 105ft using information from livestock watering well POD CP-01882, approximately 0.4 miles away from the site.

The site was delineated and further remediated to the NMOCD Closure Criteria shown below. Utilizing this information, the NMOCD Closure Criteria for the Site were determined as follows:

Table 1 NMOCD Closure Criteria:

>100 feet	Chloride***	EPA 300.0 or SM4500 C1 B	20,000 mg/kg
	TPH (GRO+DRO+MRO)	EPA SW-846 Method 8015M	2,500 mg/kg
	GRO+DRO	EPA SW-846 Method 8015M	1,000 mg/kg
	BTEX	EPA SW-846 Method 8021B or 8260B	50 mg/kg
	Benzene	EPA SW-846 Method 8021B or 8260B	10 mg/kg

**Delineation:**

On September 14, 2025, Select Water Solutions, LLC conducted an initial site assessment consisting of photographing and mapping the release area. The spill remained mostly on the caliche work area, while a very small portion ran out into the pasture near to the road. Select Water Solutions, LLC then returned to the area on March 9, 2026 to complete delineation. Surface samples were taken in 6 locations, and samples S5 and S6 were advanced to one foot BGS before reaching delineation. Samples S1-S4 will be advanced once excavation begins due to hand-auger and soil probe refusal, and the area being sensitive with underground utilities. Extensive hydrovac work will have to be completed before samples can be continued below the surface.

During delineation activities, sample test trenches were advanced in the release area in effort to determine the vertical extent of contamination. These sample locations are identified by S designation. In addition, sample test trenches were advanced along the outside edges of the release area in effort to determine the horizontal extent of contamination. These sample locations are identified by S designation. During the advancement of the test trenches, soil samples were collected and field screened for the presence of chloride concentrations utilizing a Hach Quantab® chloride test kit.

Xenco reported benzene, BTEX, TPH, and chloride concentrations in sample locations S1-S4 to be above NMOCD closure criteria on the surface for chlorides and TPH. The laboratory analysis demonstrates that the areas of S5 and S6 are delineated at one foot BGS for all constituents.

Remediation Activites:

Select plans to employ a 3rd party contractor to remove all contaminated materials and replace with locally sourced like material. It is estimated that only the top 6"-1ft BGS will need to be removed, due to the hardpack nature of the caliche and the delineation data in S5 and S6. That area will be approximately 4287 square feet and 160 cubic yards.

The excavated materials will be hauled to Lea Land Landfill and local backfill material will be sampled and submitted for laboratory analysis before placement. The entire excavation will be confirmation sampled every 200 square feet and sent to lab for analysis on all constituents.



Restoration, Reclamation, and Re-Vegetation:

Once analytical results confirm that contaminated soils have been successfully remediated, the excavated area will be backfilled and contoured to achieve erosion control and preserve surface water flow. The affected area will be reseeded with an approved seed mixture and will be monitored for restoration of 75% of initial ground coverage according to NMOCD standards. All areas not reasonably needed for production will be restored to pre-existing conditions.


Distribution:

New Mexico Energy, Minerals, and Natural Resources Department
Oil Conservation Division, District 2
811 S. First St
Artesia, NM 88210


NMSLO
1001 S Atkinson Ave
Roswell, NM 88203



Figures



TOPO




New Mexico State Land Office

Disclaimer:
The New Mexico State Land Office assumes no responsibility or liability for, or in connection with the accuracy, reliability or use of the information provided herein with respect to State Land Office data or data from other sources.

Data pertaining to New Mexico State Trust Lands are provisional and subject to revision, and do not constitute an official record of title. Official records may be reviewed at the New Mexico State Land Office in Santa Fe, New Mexico.

Released to Imaging: 6/4/2026 4:34:44 PM
Map Created: 3/24/2026

● User drawn points







FIGURE 2
ELECTRA – POD LOCATION MAP
 Select Water
 LEA CO, NM
 GPS: 32.44758, -103.60407

- Legend**
- Spill location
 - POD CP-01882 Location

Drafted: TB
 03/24/2026





<p>FIGURE 1 ELECTRA – DELINEATION SAMPLE MAP Select Water LEA CO, NM GPS: 32.44758, -103.60407</p>	<p>Legend ● Delineation sample point ■ 1.5 ft excavation</p>	<p>Drafted: TB 03/24/2026</p> 
--	---	---



Tables




Table 1
Summary of Soil Sample Laboratory Analytical Results- Delineation
Select Water
Electra
NMOCD Inc# nAPP2525849052

ELECTRA - 9/14/2025 - Delineation						
SAMPLE ID	DATE	DEPTH	BTEX	DRO+GRO	TPH	CHLORIDE
S1	3/9/2026	0	ND	58.6	58.6	6190
S2	3/9/2026	0	ND	165	165	335
S3	3/9/2026	0	ND	ND	ND	1030
S4	3/9/2026	0	ND	111	111	41200
S5	3/9/2026	0	ND	1974	1974	197
	3/9/2026	1	ND	78.5	78.5	55.3
S6	3/9/2026	0	ND	ND	ND	1430
	3/9/2026	1	ND	ND	ND	61.3
HZ1	3/9/2026	0-1	ND	ND	ND	ND
HZ2	3/9/2026	0-1	ND	ND	ND	32.4
HZ3	3/9/2026	0-1	ND	ND	ND	ND
HZ4	3/9/2026	0-1	ND	ND	ND	ND
HZ5	3/9/2026	0-1	ND	ND	ND	25.5
HZ6	3/9/2026	0-1	ND	81.8	81.8	55.4
HZ7	3/9/2026	0-1	ND	ND	ND	21.8
HZ8	3/9/2026	0-1	ND	61.3	61.3	353
HZ9	3/9/2026	0-1	ND	ND	ND	58.3



Attachment I
KARST, Wetland, and USFWS Maps



KARST, Surface Ownership

0 0.75 1.5 3 mi











New Mexico State Land Office


Disclaimer:
The New Mexico State Land Office assumes no responsibility or liability for, or in connection with the accuracy, reliability or use of the information provided herein with respect to State Land Office data or data from other sources.

Data pertaining to New Mexico State Trust Lands are provisional and subject to revision, and do not constitute an official record of title. Official records may be reviewed at the New Mexico State Land Office in Santa Fe, New Mexico.

Released to Imaging: 6/4/2026 4:34:44 PM
Map Created: 3/24/2026

-  User drawn points
-  New Mexico State Trust Lands
-  Subsurface Estate
-  Surface Estate
-  Both Estates

- Karst_Potential_NM Potential
-  Critical
 -  High
 -  Medium





WETLANDS INVENTORY



U.S. Fish and Wildlife Service, National Standards and Support Team, wetlands_team@fws.gov


March 24, 2026

Wetlands



- Estuarine and Marine Deepwater
- Freshwater Emergent Wetland
- Estuarine and Marine Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine


This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

LPC CHAT Map



3/24/2026

-  CHAT 3: modeled available/potential LPC habitat
-  CHAT 4: modeled LPC non-habitat




Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Western Association of Fish and



Attachment II

Soils Map

Soil Map—Lea County, New Mexico (ELECTRA)



Map Scale: 1:62,100 if printed on A landscape (11" x 8.5") sheet.




Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84




Soil Map—Lea County, New Mexico
(ELECTRA)


MAP LEGEND

Area of Interest (AOI)

 Area of Interest (AOI)




















Soils







 Soil Map Unit Polygons

 Soil Map Unit Lines


 Soil Map Unit Points

Special Point Features






-  Blowout
-  Borrow Pit
-  Clay Spot
-  Closed Depression
-  Gravel Pit
-  Gravelly Spot
-  Landfill
-  Lava Flow
-  Marsh or swamp
-  Mine or Quarry
-  Miscellaneous Water
-  Perennial Water
-  Rock Outcrop
-  Saline Spot
-  Sandy Spot
-  Severely Eroded Spot
-  Sinkhole
-  Slide or Slip
-  Sodic Spot

-  Spoil Area
-  Stony Spot
-  Very Stony Spot
-  Wet Spot
-  Other
-  Special Line Features


Water Features

 Streams and Canals

Transportation

-  Rails
-  Interstate Highways
-  US Routes
-  Major Roads
-  Local Roads

Background

 Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:20,000.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:
Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 22, Sep 9, 2025

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Feb 7, 2020—May 12, 2020

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BE	Berino-Cacique loamy fine sands association	445.7	3.0%
BH	Berino-Cacique association, hummocky	106.6	0.7%
JA	Jal association	154.5	1.0%
KM	Kermit soils and Dune land, 0 to 12 percent slopes	4,807.6	32.1%
KO	Kimbrough gravelly loam, dry, 0 to 3 percent slopes	79.1	0.5%
LP	Largo-Pajarito complex, rarely flooded	25.9	0.2%
MN	Ratliff-Wink fine sandy loams	559.6	3.7%
MW	Mobeetie-Potter association, 1 to 15 percent slopes	236.4	1.6%
PT	Pyote loamy fine sand	757.8	5.1%
PU	Pyote and Maljamar fine sands	5,143.4	34.4%
PY	Pyote soils and Dune land	1,444.9	9.7%
SA	Sharvana loamy fine sand, dry	38.5	0.3%
SE	Simona fine sandy loam, 0 to 3 percent slopes	441.9	3.0%
SR	Simona-Upton association	321.1	2.1%
TF	Tonuco loamy fine sand, 0 to 3 percent slopes	322.9	2.2%
WK	Wink loamy fine sand	75.8	0.5%
Totals for Area of Interest		14,962.8	100.0%

Lea County, New Mexico

KM—Kermit soils and Dune land, 0 to 12 percent slopes

Map Unit Setting

National map unit symbol: dmpx
Landscape: Sandhills
Elevation: 3,000 to 4,400 feet
Mean annual precipitation: 10 to 15 inches
Mean annual air temperature: 60 to 62 degrees F
Frost-free period: 190 to 205 days
Farmland classification: Not prime farmland

Map Unit Composition

Kermit and similar soils: 46 percent
Dune land: 44 percent
Minor components: 10 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Kermit

Setting

Landscape: Sandhills
Landform: Dunes
Landform position (two-dimensional): Shoulder, backslope, footslope
Landform position (three-dimensional): Side slope
Down-slope shape: Concave, convex, linear
Across-slope shape: Convex
Parent material: Calcareous sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 8 inches: fine sand
C - 8 to 60 inches: fine sand

Properties and qualities

Slope: 5 to 12 percent
Depth to restrictive feature: More than 80 inches
Drainage class: Excessively drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): Very high (20.00 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum content: 3 percent
Gypsum, maximum content: 1 percent
Maximum salinity: Nonsaline to very slightly saline (0.0 to 2.0 mmhos/cm)
Sodium adsorption ratio, maximum: 2.0

Map Unit Description: Kermit soils and Dune land, 0 to 12 percent slopes---Lea County, New Mexico

ELECTRA

Available water supply, 0 to 60 inches: Low (about 3.1 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7e

Hydrologic Soil Group: A

Ecological site: R070BC022NM - Sandhills

Hydric soil rating: No

Description of Dune Land

Setting

Landscape: Sandhills

Landform: Dunes

Landform position (two-dimensional): Shoulder, backslope, footslope

Landform position (three-dimensional): Side slope

Down-slope shape: Concave, convex, linear

Across-slope shape: Convex

Parent material: Sandy eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 6 inches: fine sand

C - 6 to 60 inches: fine sand

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 8

Hydrologic Soil Group: A

Hydric soil rating: No

Minor Components

Palomas

Percent of map unit: 3 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Pyote

Percent of map unit: 3 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Wink

Percent of map unit: 2 percent

Ecological site: R070BD003NM - Loamy Sand

Hydric soil rating: No

Maljamar

Percent of map unit: 2 percent

Ecological site: R070BD003NM - Loamy Sand

Map Unit Description: Kermit soils and Dune land, 0 to 12 percent slopes---Lea County, New Mexico

ELECTRA

Hydric soil rating: No

Data Source Information

Soil Survey Area: Lea County, New Mexico
Survey Area Data: Version 22, Sep 9, 2025



Attachment III
Cultural Clearance



Stephanie Garcia Richard
COMMISSIONER

State of New Mexico
Commissioner of Public Lands

310 OLD SANTA FE TRAIL
P.O. BOX 1148
SANTA FE, NEW MEXICO 87504-1148

COMMISSIONER'S OFFICE

Phone (505) 827-5760

Fax (505) 827-5766

www.nmstatelands.org

MEMORANDUM

TO: **Select Water Solutions, LLC**

FROM: **Carlyn Stewart, Trust Land Archaeologist**
(505) 365-3800
cstewart@nmslo.gov

SUBJECT: **Select Water Solutions LLC**
Remediation for: Electra
T21S R33E S30 N.M.P.M. Lea County

REFERENCE: **NMSLO Cultural Properties Protection Rule (19.2.24 NMAC)**

DATE: **5/5/2026**

Thank you for your submission relating to the Proponent's proposed remediation activities at Electra. An archaeological survey of the entire area of potential effect has been completed (NMCRIS Activity No. 142772, 145290, 147726) and no cultural properties were identified. Pursuant to NMSLO 19.2.24.8 (C) NMAC, remediation may proceed.

If any cultural materials are inadvertently encountered during surface disturbance, work must cease within 50 feet and the NMSLO Cultural Resources Office must be notified immediately by emailing (CROinfo@slo.state.nm.us). Please reach out if you have questions or need additional clarification.



Attachment IV
NMOCD and NMSLO Correspondence

Timsan Bricker

From: OCDOnline@state.nm.us
Sent: Monday, September 15, 2025 1:38 PM
To: Timsan Bricker
Subject: The Oil Conservation Division (OCD) has accepted the application, Application ID: 505937

External Email: Use caution with links & attachments. The sender of this email is emnrd.ocdonline@emnrd.nm.gov

To whom it may concern (c/o Timsan Bricker for SELECT WATER SOLUTIONS, LLC),

The OCD has accepted the submitted *Notification of a release* (NOR), for incident ID (n#) nAPP2525849052, with the following conditions:

- **When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.**

Please reference nAPP2525849052, on all subsequent C-141 submissions and communications regarding the remediation of this release.

NOTE: As of December 2019, NMOCD has discontinued the use of the “RP” number.

If you have any questions regarding this application, or don't know why you have received this email, please contact us.

ocd.enviro@state.nm.us

New Mexico Energy, Minerals and Natural Resources Department
1220 South St. Francis Drive
Santa Fe, NM 87505

Timsan Bricker

From: SLO Spills <spills@nmslo.gov>
Sent: Friday, September 19, 2025 1:52 PM
To: Timsan Bricker; SLO Spills
Subject: Spill Notification Receipt - Select Water Solutions - ELECTRA - nAPP2525849052

External Email: Use caution with links & attachments. The sender of this email is **spills@nmslo.gov**

RE: Select Water Solutions; Electra; R37645, ADVANCE ENERGY PARTNERS HAT MESA, LLC
Incident #: nAPP2525849052
ROE #: NA
Notification Received: 9/19/25

Thank you for notifying the NMSLO Environmental Compliance Office (ECO) of the incident or release noted in the subject line above and the potential impact to State Trust Land (STL). Once the release is stopped and contained, your cooperation in completing the subsequent remediation tasks is appreciated:

1. Identify compliance requirements for the Cultural Properties Protection (CPP) Rule (19.2.24 NMAC).
2. Using the Biological Compliance Resources below, identify any biologically sensitive areas and the avoidance, minimization, or mitigation measures appropriate for such areas.
3. Apply for a Right of Entry (ROE) for Remediation via Commercial Resources Division (CRD) if any part of the remediation occurs off of the active lease; the responsible party is not an authorized operator on the active lease; or if the remediation work is being conducted on an expired lease. A Site Delineation Plan and Reclamation Workplan are required for the ROE application.
4. If the Remediation Closure Report is not submitted within 90 days of discovery of the release, a Site Delineation Plan must be submitted to eco@nmslo.gov for review and approval. If delineation and remediation happen concurrently, a Remediation Workplan must be submitted to eco@nmslo.gov in place of a Site Delineation Plan.
5. Subsequent Workplans and Reports that must be submitted to ECO include:
 - **Remediation Workplan;**
 - **Reclamation Workplan; or**
 - **Combined Remediation and Reclamation Workplan;**
 - **Remediation Closure Report; or**
 - **Combined Remediation Closure Report and Reclamation Activities Report;**
 - **Reclamation Activities Report; and**
 - **Final Reclamation Report**

Instructions on the required content of each Workplan and Report can be found at the following website:
<https://www.nmstatelands.org/resources/forms-and-applications/>

SAMPLING NOTIFICATIONS

Written notification of the confirmation sampling event must be submitted to ECO a minimum of two (2) business days before the sampling event, or as directed by ECO. Please submit notifications to eco@nmslo.gov

with the subject line as follows: **(Sampling Notification) Company-Location Name (API/Incident #)-Date of Incident.**

LINER INSPECTION NOTIFICATIONS

Written notification of the liner inspection event must be submitted to ECO a minimum of two (2) business days before the inspection event, or as directed by ECO. Please submit notifications to eco@nmslo.gov with the subject line as follows: **(Liner Inspection Notification) Company-Location Name (API/Incident #)-Date of Incident.**

NMSLO RESOURCES

RIGHT OF ENTRY FORMS AND RIGHTS OF WAY FORMS: <https://www.nmstatelands.org/resources/forms-and-applications/>

ECO GUIDANCE DOCUMENTS: Environmental Compliance Office:
<https://www.nmstatelands.org/resources/forms-and-applications/>

LEASE STATUS MAP: <https://mapservice.nmstatelands.org/LandStatus/>

OIL & GAS MANUAL: <https://www.nmstatelands.org/wp-content/uploads/2023/07/Oil-and-Gas-Manual-2023-WEB.pdf>

LEASE SEARCH: <https://secure.slo.state.nm.us/Applications/SLOConnect/>

CULTURAL PROPERTIES PROTECTION RULE (19.2.24 NMAC)

A. As soon as possible, when a new release or damage occurs on STL, contact a Cultural Resource Consultant who will:

1. Conduct an Archaeological Records Management System (ARMS) review to determine if any known cultural properties have been previously identified within the remediation area and if the area has been surveyed for cultural resources.
2. Advise as to whether an archaeological monitor should be present during initial containment activities and subsequent remediation efforts.
3. Advise as to whether a full cultural properties survey will be required after containment and before full remediation.

B. A list of cultural resource consultants permitted to conduct work on state lands is maintained here: <https://www.nmhistoricpreservation.org/documents/consultants.html>

C. To learn more about NMSLO's Cultural Properties Protection Rule visit: <https://www.nmstatelands.org/divisions/cultural-resources-office/culturalproperties/> . The Cultural Resources Office can be contacted by email at croinfo@nmslo.gov or 505-827-5781.

BIOLOGICAL COMPLIANCE & REPORTING

Utilize the resources below to determine if the site activities are occurring in a sensitive or restricted area. ECO recommends consulting with a qualified third-party biologist for evaluation of potential impacts to threatened, endangered, and sensitive wildlife and plant species, environmentally sensitive areas, surface waters, and sensitive soils before conducting remediation and reclamation activities.

BIOLOGICAL COMPLIANCE RESOURCES

Critical Habitat Assessment Tool (CHAT): <https://nmchat.org/data-download.html>

New Mexico State Land Office Land Status Map <https://mapservice.nmstatelands.org/LandStatus>

U.S. Fish and Wildlife Services Information for Planning and Consultation: <https://ipac.ecosphere.fws.gov/>

BISON-M database: <https://bison-m.org/>

New Mexico Department of Game and Fish Environmental Review Tool (ERT): <https://nmert.org/content/map>

Open Enviro Map Wetlands: <https://gis.web.env.nm.gov/oem/?map=wetlands>

BLM NM Plant Wildlife Habitat GIS Layer:

https://gis.blm.gov/nmargis/rest/services/Wildlife/BLM_NM_Plant_Wildlife_Habitat/MapServer

BLM Statewide Spatial Data (<https://gbp-blm-egis.hub.arcgis.com/pages/newmexico>)

Open Enviro Map Wetlands (<https://gis.web.env.nm.gov/oem/?map=wetlands>)



Environmental Compliance Office

New Mexico State Land Office

eco@nmslo.gov

nmstatelands.org




.....
CONFIDENTIALITY NOTICE - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

From: Timsan Bricker <TBricker@selectwater.com>
Sent: Friday, September 19, 2025 8:55 AM
To: SLO Spills <spills@nmslo.gov>
Subject: [EXTERNAL] Re: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

Good grief, I'm now realizing I attached the wrong c-141. Here is the correct one and it should all match! So sorry!

TIMSAN BRICKER
Manager - Environmental
1502 E Greene St | Carlsbad, NM 88220
M: 575-200-7551
tbricker@selectwater.com



From: SLO Spills <spills@nmslo.gov>
Sent: Friday, September 19, 2025 9:46:31 AM

To: Timsan Bricker <TBricker@selectwater.com>; SLO Spills <spills@nmslo.gov>

Subject: RE: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

External Email: Use caution with links & attachments. The sender of this email is **spills@nmslo.gov**

I understand. Could you please double check that we are talking about the same incident? **nAPP2524650097**

This incident was submitted to OCD on 9/3, so it seems that the 9/1 spill date is more likely.

From: Timsan Bricker <TBricker@selectwater.com>

Sent: Friday, September 19, 2025 8:41 AM

To: SLO Spills <spills@nmslo.gov>

Subject: [EXTERNAL] Re: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

It was indeed September 14. Apologies for that! Too many things going on at once.

TIMSAN BRICKER

Manager - Environmental

1502 E Greene St | Carlsbad, NM 88220

M: 575-200-7551

tbricker@selectwater.com



From: SLO Spills <spills@nmslo.gov>

Sent: Friday, September 19, 2025 9:36:48 AM

To: Timsan Bricker <TBricker@selectwater.com>; SLO Spills <spills@nmslo.gov>

Subject: RE: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

You don't often get email from spills@nmslo.gov. [Learn why this is important](#)

External Email: Use caution with links & attachments. The sender of this email is **spills@nmslo.gov**

Hi Timsan, please confirm the date of spill. The notice below states September 14, but the C-141 states this was discovered Sept. 1.

Thanks,
Liz

From: Timsan Bricker <TBricker@selectwater.com>

Sent: Thursday, September 18, 2025 5:20 PM

To: SLO Spills <spills@nmslo.gov>

Subject: [EXTERNAL] Re: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

32.44759, -103.60414

thanks!

TIMSAN BRICKER

Manager - Environmental

1502 E Greene St | Carlsbad, NM 88220

M: 575-200-7551

tbricker@selectwater.com



From: SLO Spills <spills@nmslo.gov>
Sent: Thursday, September 18, 2025 5:11:03 PM
To: Timsan Bricker <TBricker@selectwater.com>; SLO Spills <spills@nmslo.gov>
Subject: RE: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

You don't often get email from spills@nmslo.gov. [Learn why this is important](#)

External Email: Use caution with links & attachments. The sender of this email is **spills@nmslo.gov**

Timsan, would you please confirm the exact lat/longs for this spill? The ones provided are not on State Trust Land.

Thanks,
Liz

From: Timsan Bricker <TBricker@selectwater.com>
Sent: Monday, September 15, 2025 2:41 PM
To: SLO Spills <spills@nmslo.gov>
Subject: [EXTERNAL] RE: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

Updated spill calculation for the spill below, 310 BBL was from a former spill and not updated to reflect this current spill.
Thank you,

Timsan Bricker
Manager - Environmental
1502 E Greene St | Carlsbad, NM 88220
M: 575.200.7551
tbricker@selectwater.com



From: Timsan Bricker
Sent: Monday, September 15, 2025 2:00 PM
To: SLO Spills <spills@slo.state.nm.us>
Subject: PRODUCED WATER RELEASE - 9/15/2025 - ELECTRA

Good afternoon,
This email is to notify NMSLO of a produced water release that occurred on NMSLO land on September 14, 2025 at approximately 6:30 pm. A layflat hose separated during water transfer and spilled approximately 50 BBL onto ROW and nearby pasture. 40 BBL were recovered via vac truck and line repairs were made immediately. Attached are the spill path .kmz, photos, and initial C-141 form. The spill has been reported to NMOCD.
Please reach out if you have any questions.
Thank you!

Timsan Bricker

Manager - Environmental

1502 E Greene St | Carlsbad, NM 88220

M: 575.200.7551

tbricker@selectwater.com





Attachment V
Site Photographs









Attachment VI

DTGW DATA



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NO. (WELL NO.) POD1 (TW-1)		WELL TAG ID NO. n/a		OSE FILE NO(S). CP-1882		
	WELL OWNER NAME(S) Advanced Energy Partners				PHONE (OPTIONAL) 832.672.4700		
	WELL OWNER MAILING ADDRESS 11490 Westheimer Rd. Stuit 950				CITY Houston	STATE TX	ZIP 77077
	WELL LOCATION (FROM GPS)	LATITUDE	DEGREES 32	MINUTES 27	SECONDS 7.70	N	
	LONGITUDE	103	36	17.7	W		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE SE SE NE Sec. 30 T21S R33E							

2. DRILLING & CASING INFORMATION	LICENSE NO. 1249	NAME OF LICENSED DRILLER Jackie D. Atkins			NAME OF WELL DRILLING COMPANY Atkins Engineering Associates, Inc.			
	DRILLING STARTED 10/06/2021	DRILLING ENDED 10/07/2021	DEPTH OF COMPLETED WELL (FT) temporary well material	BORE HOLE DEPTH (FT) 106	DEPTH WATER FIRST ENCOUNTERED (FT) n/a			
	COMPLETED WELL IS: <input type="checkbox"/> ARTESIAN <input checked="" type="checkbox"/> DRY HOLE <input type="checkbox"/> SHALLOW (UNCONFINED)				STATIC WATER LEVEL IN COMPLETED WELL (FT) n/a			
	DRILLING FLUID: <input type="checkbox"/> AIR <input type="checkbox"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input type="checkbox"/> ROTARY <input type="checkbox"/> HAMMER <input type="checkbox"/> CABLE TOOL <input checked="" type="checkbox"/> OTHER - SPECIFY: Hollow Stem Auger							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE (add coupling diameter)	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
0	106	±6.5	Boring- HSA	-	-	-	-	

3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT
	FROM	TO				

FOR OSE INTERNAL USE		WR-20 WELL RECORD & LOG (Version 06/30/17)			
FILE NO.	CP-1882	POD NO.	1	TRN NO.	1099678
LOCATION	21S. 33E. 30.242		WELL TAG ID NO.	PAGE 1 OF 2	



Attachment VII
Lab Analytical Results

Report to:
Timsan Bricker



envirotech

Practical Solutions for a Better Tomorrow

Analytical Report

Select Water Solutions, LLC

Project Name: ELECTRA

Work Order: E603104

Job Number: 24019-0001

Received: 3/11/2026

Revision: 1

Report Reviewed By:

Walter Hinchman
Laboratory Director
3/17/26

5796 U.S. Hwy 64
Farmington, NM 87401

Phone: (505) 632-1881
Envirotech-inc.com



Envirotech Inc. certifies the test results meet all requirements of TNI unless noted otherwise.
Statement of Data Authenticity: Envirotech Inc, attests the data reported has not been altered in any way.
Partial or incomplete reproduction of this report is prohibited, unless approved by Envirotech Inc.
Envirotech Inc, holds the Utah TNI certification NM00979 for data reported.
Envirotech Inc, holds the Texas TNI certification T104704557 for data reported.



Date Reported: 3/17/26

Timsan Bricker
PO Box 1715
Gainesville, TX 76241

Project Name: ELECTRA
Workorder: E603104
Date Received: 3/11/2026 8:00:00AM

Timsan Bricker,

Thank you for choosing Envirotech, Inc. as your analytical testing laboratory for the sample(s) received on, 3/11/2026 8:00:00AM, under the Project Name: ELECTRA.

The analytical test results summarized in this report with the Project Name: ELECTRA apply to the individual samples collected, identified and submitted bearing the project name on the enclosed chain-of-custody. Subcontracted sample analyses not conducted by Envirotech, Inc., are attached in full as issued by the subcontract laboratory.

Please review the Chain-of-Custody (COC) and Sample Receipt Checklist (SRC) for any issues regarding sample receipt temperature, containers, preservation etc. To best understand your test results, review the entire report summarizing your sample data and the associated quality control batch data.

All reported data in this analytical report were analyzed according to the referenced method(s) and are in compliance with the latest NELAC/TNI standards, unless otherwise noted. Samples or analytical quality control parameters not meeting specific QC criteria are qualified with a data flag. Data flag definitions are located in the Notes and Definitions section of this analytical report.

If you have any questions concerning this report, please feel free to contact Envirotech, Inc.

Respectfully,

Walter Hinchman
Laboratory Director
Office: 505-632-1881
Cell: 775-287-1762
whinchman@envirotech-inc.com

Raina Schwanz
Laboratory Administrator
Office: 505-632-1881
rainaschwanz@envirotech-inc.com

Field Offices:

Southern New Mexico Area

Lynn Jarboe
Laboratory Technical Representative
Office: 505-421-LABS(5227)
Cell: 505-320-4759
ljjarboe@envirotech-inc.com

Michelle Gonzales
Client Representative
Office: 505-421-LABS(5227)
Cell: 505-947-8222
mgonzales@envirotech-inc.com

Envirotech Web Address: www.envirotech-inc.com

Table of Contents

Title Page	1
Cover Page	2
Table of Contents	3
Sample Summary	5
Sample Data	6
S1-SURFACE	6
S2-SURFACE	7
S3-SURFACE	8
S4-SURFACE	9
S5-SURFACE	10
S5-1'	11
S6-SURFACE	12
S6-1'	13
HZ1	14
HZ2	15
HZ3	16
HZ4	17
HZ5	18
HZ6	19
HZ7	20
HZ8	21
HZ9	22
QC Summary Data	23
QC - Volatile Organics by EPA 8021B	23
QC - Nonhalogenated Organics by EPA 8015D - GRO	24

Table of Contents (continued)

QC - Nonhalogenated Organics by EPA 8015D - DRO/ORO	25
QC - Anions by EPA 300.0/9056A	26
Definitions and Notes	27
Chain of Custody etc.	28

Sample Summary

Select Water Solutions, LLC
 PO Box 1715
 Gainesville TX, 76241

Project Name: ELECTRA
 Project Number: 24019-0001
 Project Manager: Timsan Bricker

Reported:
 03/17/26 08:22

Client Sample ID	Lab Sample ID	Matrix	Sampled	Received	Container
S1-SURFACE	E603104-01A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S2-SURFACE	E603104-02A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S3-SURFACE	E603104-03A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S4-SURFACE	E603104-04A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S5-SURFACE	E603104-05A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S5-1'	E603104-06A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S6-SURFACE	E603104-07A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
S6-1'	E603104-08A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ1	E603104-09A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ2	E603104-10A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ3	E603104-11A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ4	E603104-12A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ5	E603104-13A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ6	E603104-14A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ7	E603104-15A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ8	E603104-16A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.
HZ9	E603104-17A	Soil	03/09/26	03/11/26	Glass Jar, 2 oz.



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S1-SURFACE

E603104-01

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/12/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/12/26	
Toluene	ND	0.0250	1	03/12/26	03/12/26	
o-Xylene	ND	0.0250	1	03/12/26	03/12/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/12/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/12/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		101 %	70-130	03/12/26	03/12/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/12/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.5 %	70-130	03/12/26	03/12/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	58.6	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		94.0 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	6190	100	5	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S2-SURFACE

E603104-02

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.4 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	165	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		88.4 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	335	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S3-SURFACE

E603104-03

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.7 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		89.4 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	1030	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S4-SURFACE

E603104-04

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.4 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	111	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		88.8 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	41200	2000	100	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S5-SURFACE

E603104-05

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		100 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.8 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	1890	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	83.5	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		88.4 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	197	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S5-1'

E603104-06

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		103 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		95.6 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	78.5	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		86.2 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	55.3	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S6-SURFACE

E603104-07

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		103 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		96.9 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>						
		89.4 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	1430	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

S6-1'

E603104-08

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		96.3 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>						
		87.4 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	61.3	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ1

E603104-09

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		97.4 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>						
		86.7 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	ND	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ2

E603104-10

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.4 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		88.9 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	32.4	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ3

E603104-11

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		96.6 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>		87.4 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	ND	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ4

E603104-12

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/12/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/12/26	
Toluene	ND	0.0250	1	03/12/26	03/12/26	
o-Xylene	ND	0.0250	1	03/12/26	03/12/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/12/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/12/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		104 %	70-130	03/12/26	03/12/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/12/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		98.2 %	70-130	03/12/26	03/12/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/13/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/13/26	
<i>Surrogate: n-Nonane</i>						
		88.7 %	61-141	03/13/26	03/13/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	ND	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ5

E603104-13

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.5 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/14/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/14/26	
<i>Surrogate: n-Nonane</i>		86.7 %	61-141	03/13/26	03/14/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	25.5	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ6

E603104-14

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>						
		105 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO						
	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>						
		97.2 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO						
	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	81.8	25.0	1	03/13/26	03/14/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/14/26	
<i>Surrogate: n-Nonane</i>						
		85.8 %	61-141	03/13/26	03/14/26	
Anions by EPA 300.0/9056A						
	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	55.4	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ7

E603104-15

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		104 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.3 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/14/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/14/26	
<i>Surrogate: n-Nonane</i>		92.4 %	61-141	03/13/26	03/14/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	21.8	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ8

E603104-16

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.0 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	61.3	25.0	1	03/13/26	03/14/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/14/26	
<i>Surrogate: n-Nonane</i>		86.8 %	61-141	03/13/26	03/14/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	353	20.0	1	03/13/26	03/14/26	



Sample Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

HZ9

E603104-17

Analyte	Result	Reporting Limit	Dilution	Prepared	Analyzed	Notes
Volatile Organics by EPA 8021B	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Benzene	ND	0.0250	1	03/12/26	03/13/26	
Ethylbenzene	ND	0.0250	1	03/12/26	03/13/26	
Toluene	ND	0.0250	1	03/12/26	03/13/26	
o-Xylene	ND	0.0250	1	03/12/26	03/13/26	
p,m-Xylene	ND	0.0500	1	03/12/26	03/13/26	
Total Xylenes	ND	0.0250	1	03/12/26	03/13/26	
<i>Surrogate: 4-Bromochlorobenzene-PID</i>		105 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - GRO	mg/kg	mg/kg		Analyst: BA		Batch: 2611133
Gasoline Range Organics (C6-C10)	ND	20.0	1	03/12/26	03/13/26	
<i>Surrogate: 1-Chloro-4-fluorobenzene-FID</i>		97.0 %	70-130	03/12/26	03/13/26	
Nonhalogenated Organics by EPA 8015D - DRO/ORO	mg/kg	mg/kg		Analyst: KH		Batch: 2611154
Diesel Range Organics (C10-C28)	ND	25.0	1	03/13/26	03/14/26	
Oil Range Organics (C28-C36)	ND	50.0	1	03/13/26	03/14/26	
<i>Surrogate: n-Nonane</i>		86.4 %	61-141	03/13/26	03/14/26	
Anions by EPA 300.0/9056A	mg/kg	mg/kg		Analyst: IY		Batch: 2611166
Chloride	58.3	20.0	1	03/13/26	03/14/26	



QC Summary Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	----------------------------------

Volatile Organics by EPA 8021B

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec % %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	---------------	--------------------	----------	-------------------	-------

Blank (2611133-BLK1)

Prepared: 03/12/26 Analyzed: 03/12/26

Benzene	ND	0.0250							
Ethylbenzene	ND	0.0250							
Toluene	ND	0.0250							
o-Xylene	ND	0.0250							
p,m-Xylene	ND	0.0500							
Total Xylenes	ND	0.0250							
Surrogate: 4-Bromochlorobenzene-PID	7.97		8.00		99.6	70-130			

LCS (2611133-BS1)

Prepared: 03/12/26 Analyzed: 03/12/26

Benzene	4.94	0.0250	5.00		98.9	70-130			
Ethylbenzene	4.94	0.0250	5.00		98.7	70-130			
Toluene	5.02	0.0250	5.00		100	70-130			
o-Xylene	5.05	0.0250	5.00		101	70-130			
p,m-Xylene	10.1	0.0500	10.0		101	70-130			
Total Xylenes	15.1	0.0250	15.0		101	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.01		8.00		100	70-130			

Matrix Spike (2611133-MS1)

Source: E603104-12

Prepared: 03/12/26 Analyzed: 03/12/26

Benzene	4.85	0.0250	5.00	ND	97.0	70-130			
Ethylbenzene	4.85	0.0250	5.00	ND	96.9	70-130			
Toluene	4.92	0.0250	5.00	ND	98.5	70-130			
o-Xylene	4.96	0.0250	5.00	ND	99.2	70-130			
p,m-Xylene	9.88	0.0500	10.0	ND	98.8	70-130			
Total Xylenes	14.8	0.0250	15.0	ND	98.9	70-130			
Surrogate: 4-Bromochlorobenzene-PID	8.12		8.00		101	70-130			

Matrix Spike Dup (2611133-MSD1)

Source: E603104-12

Prepared: 03/12/26 Analyzed: 03/12/26

Benzene	5.04	0.0250	5.00	ND	101	70-130	3.91	27	
Ethylbenzene	5.04	0.0250	5.00	ND	101	70-130	3.92	26	
Toluene	5.12	0.0250	5.00	ND	102	70-130	3.83	20	
o-Xylene	5.18	0.0250	5.00	ND	103	70-130	4.27	25	
p,m-Xylene	10.3	0.0500	10.0	ND	103	70-130	3.89	23	
Total Xylenes	15.4	0.0250	15.0	ND	103	70-130	4.02	26	
Surrogate: 4-Bromochlorobenzene-PID	8.26		8.00		103	70-130			



QC Summary Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

Nonhalogenated Organics by EPA 8015D - GRO

Analyst: BA

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2611133-BLK1)

Prepared: 03/12/26 Analyzed: 03/12/26

Gasoline Range Organics (C6-C10)	ND	20.0							
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.70		8.00		96.3	70-130			

LCS (2611133-BS2)

Prepared: 03/12/26 Analyzed: 03/12/26

Gasoline Range Organics (C6-C10)	59.8	20.0	50.0		120	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.92		8.00		99.0	70-130			

Matrix Spike (2611133-MS2)

Source: E603104-12

Prepared: 03/12/26 Analyzed: 03/12/26

Gasoline Range Organics (C6-C10)	54.5	20.0	50.0	ND	109	70-130			
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.95		8.00		99.4	70-130			

Matrix Spike Dup (2611133-MSD2)

Source: E603104-12

Prepared: 03/12/26 Analyzed: 03/12/26

Gasoline Range Organics (C6-C10)	53.5	20.0	50.0	ND	107	70-130	1.83	20	
Surrogate: 1-Chloro-4-fluorobenzene-FID	7.89		8.00		98.6	70-130			



QC Summary Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

Nonhalogenated Organics by EPA 8015D - DRO/ORO

Analyst: KH

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2611154-BLK1)

Prepared: 03/13/26 Analyzed: 03/13/26

Diesel Range Organics (C10-C28)	ND	25.0							
Oil Range Organics (C28-C36)	ND	50.0							
Surrogate: n-Nonane	44.8		50.0		89.7	61-141			

LCS (2611154-BS1)

Prepared: 03/13/26 Analyzed: 03/13/26

Diesel Range Organics (C10-C28)	238	25.0	250		95.3	66-144			
Surrogate: n-Nonane	43.6		50.0		87.2	61-141			

Matrix Spike (2611154-MS1)

Source: E603104-14

Prepared: 03/13/26 Analyzed: 03/13/26

Diesel Range Organics (C10-C28)	312	25.0	250	81.8	92.2	56-156			
Surrogate: n-Nonane	42.2		50.0		84.4	61-141			

Matrix Spike Dup (2611154-MSD1)

Source: E603104-14

Prepared: 03/13/26 Analyzed: 03/13/26

Diesel Range Organics (C10-C28)	317	25.0	250	81.8	94.0	56-156	1.46	20	
Surrogate: n-Nonane	43.0		50.0		86.0	61-141			



QC Summary Data

Select Water Solutions, LLC PO Box 1715 Gainesville TX, 76241	Project Name: ELECTRA Project Number: 24019-0001 Project Manager: Timsan Bricker	Reported: 3/17/2026 8:22:09AM
---	--	---

Anions by EPA 300.0/9056A

Analyst: IY

Analyte	Result mg/kg	Reporting Limit mg/kg	Spike Level mg/kg	Source Result mg/kg	Rec %	Rec Limits %	RPD %	RPD Limit %	Notes
---------	-----------------	-----------------------------	-------------------------	---------------------------	----------	--------------------	----------	-------------------	-------

Blank (2611166-BLK1)

Prepared: 03/13/26 Analyzed: 03/14/26

Chloride ND 20.0

LCS (2611166-BS1)

Prepared: 03/13/26 Analyzed: 03/14/26

Chloride 255 20.0 250 102 90-110

Matrix Spike (2611166-MS1)

Source: E603104-09

Prepared: 03/13/26 Analyzed: 03/14/26

Chloride 261 20.0 250 ND 104 80-120

Matrix Spike Dup (2611166-MSD1)

Source: E603104-09

Prepared: 03/13/26 Analyzed: 03/14/26

Chloride 261 20.0 250 ND 105 80-120 0.123 20

QC Summary Report Comment:

Calculations are based off of the raw (non-rounded) data. However, for reporting purposes all QC data is rounded to three significant figures. Therefore, hand calculated values may differ slightly.



Definitions and Notes

Select Water Solutions, LLC	Project Name:	ELECTRA	
PO Box 1715	Project Number:	24019-0001	Reported:
Gainesville TX, 76241	Project Manager:	Timsan Bricker	03/17/26 08:22

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

RPD Relative Percent Difference

DNI Did Not Ignite

DNR Did not react with the addition of acid or base.

Note (1): Methods marked with ** are non-accredited methods.

Note (2): Soil data is reported on an "as received" weight basis, unless reported otherwise.



Chain of Custody

Client Information				Invoice Information				Lab Use Only				TAT				State				
Client: Select _____				Company: _____				Lab WO# EL03104		Job Number 24019.0001		1D	2D	3D	Std	NM	CO	UT	TX	
Project Name: ELECTRA				Address: _____											X					
Project Manager: Timsan Bricker				City, State, Zip: _____																
Address: 1502 E Greene St				Phone: _____																
City, State, Zip: Carlsbad, NM 88220				Email: _____																
Phone: 5752007551				Miscellaneous: _____																
Email: tbricker@selectwater.com																				

Sample Information							Analysis and Method								EPA Program								
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA	Compliance	Y	or	N	PWSID #	Remarks
9:00	3/9/2026	S	1	S1 - SURFACE		1	X	X		X													2.9
9:05	3/9/2026	S	1	S2 - SURFACE		2	X	X		X													1.4
9:20	3/9/2026	S	1	S3 - SURFACE		3	X	X		X													1.4
9:25	3/9/2026	S	1	S4 - SURFACE		4	X	X		X													1.2
9:30	3/9/2026	S	1	S5 - SURFACE		5	X	X		X													1.7
9:35	3/9/2026	S	1	S5 - 1'		6	X	X		X													1.9
9:40	3/9/2026	S	1	S6 - SURFACE		7	X	X		X													0.6
9:45	3/9/2026	S	1	S6 - 1'		8	X	X		X													1.9
9:50	3/9/2026	S	1	HZ1		9	X	X		X													1.4
9:55	3/9/2026	S	1	HZ2		10	X	X		X													1.7

Additional Instructions:

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Sampled by: TIMSAN BRICKER

Relinquished by: (Signature) <i>Timsan Bricker</i>	Date 3/10/26	Time 1330	Received by: (Signature) <i>Marissa Gonzales</i>	Date 3-10-26	Time 1330	Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days.
Relinquished by: (Signature) <i>Marissa Gonzales</i>	Date 3-10-26	Time 1415	Received by: (Signature) <i>Nathan Gonzalez</i>	Date 3-10-26	Time 1415	
Relinquished by: (Signature) <i>Nathan Gonzalez</i>	Date 3-10-26	Time 1820	Received by: (Signature) <i>Johnny Archuleta</i>	Date 3-10-26	Time 1820	
Relinquished by: (Signature) <i>Johnny Archuleta</i>	Date 3-10-26	Time 2215	Received by: (Signature) <i>Cathy Mars</i>	Date 3-11-26	Time 800	

Sample Matrix: S - Soil, Sd - Solid, Sg - Sludge, A - Aqueous, O - Other _____ Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA _____

Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Released to Imaging: 6/4/2026 4:34:44 PM

Page 28 of 30

Received by OCD: 5/20/2026 11:12:52 AM

Page 69 of 78



Chain of Custody

Client Information				Invoice Information				Lab Use Only				TAT				State			
Client: Select _____				Company: _____				Lab WO#		Job Number		1D	2D	3D	Std	NM	CO	UT	TX
Project Name: ELECTRA				Address: _____				E103104		24019.0001					X	X			
Project Manager: Timsan Bricker				City, State, Zip: _____															
Address: 1502 E Greene St				Phone: _____															
City, State, Zip: Carlsbad, NM 88220				Email: _____															
Phone: 5752007551				Miscellaneous: _____															
Email: tbricker@selectwater.com																			

Sample Information											Analysis and Method								EPA Program			Remarks
Time Sampled	Date Sampled	Matrix	No. of Containers	Sample ID	Field Filter	Lab Number	DRO/DRO by 8015	GRO/DRO by 8015	BTEX by 8021	VOC by 8260	Chloride 300.0	BGDOC - NM	TCEQ 1005 - TX	RCRA 8 Metals	SDWA	CWA	RCRA					
10:00	3/9/2026	S	1	HZ3		11	X	X		X								1.1				
10:05	3/9/2026	S	1	HZ4		12	X	X		X								1.1				
10:10	3/9/2026	S	1	HZ5		13	X	X		X								1.0				
10:15	3/9/2026	S	1	HZ6		14	X	X		X								2.5				
10:20	3/9/2026	S	1	HZ7		15	X	X		X								1.4				
10:25	3/9/2026	S	1	HZ8		16	X	X		X								3.4				
10:30	3/9/2026	S	1	HZ9		17	X	X		X								1.8				

Additional Instructions:

I, (field sampler), attest to the validity and authenticity of this sample. I am aware that tampering with or intentionally mislabeling the sample location, date or time of collection is considered fraud and may be grounds for legal action.

Sampled by: TIMSAN BRICKER				Received by: (Signature) _____				Date: 3-10-26 Time: 1330				Samples requiring thermal preservation must be received on ice the day they are sampled or received packed in ice at an avg temp above 0 but less than 6 °C on subsequent days. Received on ice: <input checked="" type="radio"/> Y / <input type="radio"/> N Lab Use Only T1 _____ T2 _____ T3 _____ AVG Temp °C _____			
Relinquished by: (Signature) <i>Timsan Bricker</i>				Received by: (Signature) <i>Marissa Gonzalez</i>				Date: 3-10-26 Time: 1415							
Relinquished by: (Signature) <i>Marissa Gonzalez</i>				Received by: (Signature) <i>Nathan Gonzalez</i>				Date: 3-10-26 Time: 1820							
Relinquished by: (Signature) <i>Nathan Gonzalez</i>				Received by: (Signature) <i>Johnny Archuleta</i>				Date: 3-11-26 Time: 800							
Relinquished by: (Signature) <i>Johnny Archuleta</i>				Received by: (Signature) <i>Cathy Mann</i>				Date: 3-10-26 Time: 2215				Container Type: g - glass, p - poly/plastic, ag - amber glass, v - VOA			

Note: Samples are discarded 14 days after results are reported unless other arrangements are made. Hazardous samples will be returned to client or disposed of at the client expense. The report for the analysis of the above samples is applicable only to those samples received by the laboratory with this COC. The liability of the laboratory is limited to the amount paid for on the report.

Released to Imaging: 6/4/2026 4:34:44 PM

Page 29 of 30

Received by OCD: 5/20/2026 11:12:52 AM

Page 70 of 78



Envirotech Analytical Laboratory

Printed: 3/11/2026 9:41:40AM

Sample Receipt Checklist (SRC)

Instructions: Please take note of any NO checkmarks.

If we receive no response concerning these items within 24 hours of the date of this notice, all the samples will be analyzed as requested.

Client: Select Water Solutions, LLC	Date Received: 03/11/26 08:00	Work Order ID: E603104
Phone: (940) 668-1818	Date Logged In: 03/10/26 15:20	Logged In By: Caitlin Mars
Email: tbricker@selectwater.com	Due Date: 03/17/26 17:00 (4 day TAT)	

Chain of Custody (COC)

- 1. Does the sample ID match the COC? Yes
- 2. Does the number of samples per sampling site location match the COC? Yes
- 3. Were samples dropped off by client or carrier? Yes
- 4. Was the COC complete, i.e., signatures, dates/times, requested analyses? Yes
- 5. Were all samples received within holding time? Yes

Carrier: courier

Note: Analysis, such as pH which should be conducted in the field, i.e, 15 minute hold time, are not included in this discussion.

Comments/Resolution

Sample Turn Around Time (TAT)

- 6. Did the COC indicate standard TAT, or Expedited TAT? Yes

Sample Cooler

- 7. Was a sample cooler received? Yes
- 8. If yes, was cooler received in good condition? Yes
- 9. Was the sample(s) received intact, i.e., not broken? Yes
- 10. Were custody/security seals present? No
- 11. If yes, were custody/security seals intact? NA
- 12. Was the sample received on ice? Yes

Note: Thermal preservation is not required, if samples are received within 15 minutes of sampling

- 13. See COC for individual sample temps. Samples outside of 0°C-6°C will be recorded in comments.

Sample Container

- 14. Are aqueous VOC samples present? No
- 15. Are VOC samples collected in VOA Vials? NA
- 16. Is the head space less than 6-8 mm (pea sized or less)? NA
- 17. Was a trip blank (TB) included for VOC analyses? NA
- 18. Are non-VOC samples collected in the correct containers? Yes
- 19. Is the appropriate volume/weight or number of sample containers collected? Yes

Field Label

- 20. Were field sample labels filled out with the minimum information:
 - Sample ID? Yes
 - Date/Time Collected? Yes
 - Collectors name? Yes

Sample Preservation

- 21. Does the COC or field labels indicate the samples were preserved? No
- 22. Are sample(s) correctly preserved? NA
- 24. Is lab filtration required and/or requested for dissolved metals? No

Multiphase Sample Matrix

- 26. Does the sample have more than one phase, i.e., multiphase? No
- 27. If yes, does the COC specify which phase(s) is to be analyzed? NA

Subcontract Laboratory

- 28. Are samples required to get sent to a subcontract laboratory? No
- 29. Was a subcontract laboratory specified by the client and if so who? NA Subcontract Lab: NA

Client Instruction

L-CM
R-NS

Signature of client authorizing changes to the COC or sample disposition.

Date



envirotech Inc.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 587027

QUESTIONS

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2525849052
Incident Name	NAPP2525849052 ELECTRA @ I-30-21S-33E
Incident Type	Produced Water Release
Incident Status	Remediation Plan Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	ELECTRA
Date Release Discovered	09/14/2025
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Cause: Equipment Failure Pipeline (Any) Produced Water Released: 50 BBL Recovered: 40 BBL Lost: 10 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Not answered.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 587027

QUESTIONS (continued)

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	Yes
Reasons why this would be considered a submission for a notification of a major release	From paragraph A. "Major release" determine using: (1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Timsan Bricker Title: ENV Coordinator Email: tbricker@selectwater.com Date: 05/20/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 587027

QUESTIONS (continued)

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1000 (ft.) and ½ (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	41200
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	1974
GRO+DRO (EPA SW-846 Method 8015M)	1974
BTEX (EPA SW-846 Method 8021B or 8260B)	0
Benzene (EPA SW-846 Method 8021B or 8260B)	0

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	06/20/2026
On what date will (or did) the final sampling or liner inspection occur	06/30/2026
On what date will (or was) the remediation complete(d)	07/15/2026
What is the estimated surface area (in square feet) that will be reclaimed	4287
What is the estimated volume (in cubic yards) that will be reclaimed	160
What is the estimated surface area (in square feet) that will be remediated	4287
What is the estimated volume (in cubic yards) that will be remediated	160

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 587027

QUESTIONS (continued)

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Remediation Plan (continued)

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:

(Select all answers below that apply.)

(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Not answered.
OR is the off-site disposal site, to be used, an NMED facility	Not answered.
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	Not answered.
(In Situ) Soil Vapor Extraction	Not answered.
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	Not answered.
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	Not answered.
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	Not answered.
Ground Water Abatement pursuant to 19.15.30 NMAC	Not answered.
OTHER (Non-listed remedial process)	Not answered.

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Timsan Bricker Title: ENV Coordinator Email: tbricker@selectwater.com Date: 05/20/2026
--	---

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 587027

QUESTIONS (continued)

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 587027

QUESTIONS (continued)

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	{Unavailable.}

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 587027

CONDITIONS

Operator: SELECT WATER SOLUTIONS, LLC 719 E Forest Ct Ln Mustang, OK 73064	OGRID: 289068
	Action Number: 587027
	Action Type: [C-141] Site Char./Remediation Plan C-141 (C-141-v-Plan)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	The Remediation Plan is Conditionally Approved. All samples must be analyzed for all constituents listed in Table I of 19.15.29.12 NMAC. Floor confirmation samples should be delineated/excavated to meet closure criteria standards for site assessment/characterization/proven depth to water determination. Sidewall samples should be delineated/excavated to 600 mg/kg for chlorides and 100 mg/kg for TPH to define the edge of the release. Confirmation samples should be collected every 200 ft2. All off pad areas must meet reclamation standards set forth in the OCD Spill Rule. The work will need to occur in 90 days after the work plan has been reviewed.	6/4/2026