

STRAWBERRY BOOSTER STATION

Remediation Summary & Closure Report

NMOCD Incident No. nAPP2604750695
UL "P", Sec. 16, T19S, R31E
32.65527°, -103.869468°
Eddy County, New Mexico

May 18, 2026



PREPARED ON BEHALF OF

DCP Operating Company, LP
139 W. HWY 62/180
Hobbs, New Mexico 882240



PREPARED BY

Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240





May 18, 2026

DCP Operating Company, LP
139 W US Hwy 62/180
Hobbs, NM 88240

Attn: Mr. Raymond Smalts
Email: raymond.a.smalts@p66.com

Re: Remediation Summary & Closure Report
Strawberry Booster Station (2/13/2026)
UL "P", Section 16, Township 19 South, Range 31 East
Eddy County, New Mexico
NMOCD Incident No. nAPP2604750695
Tasman Project No. 9219

Dear Mr. Smalts,

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the above referenced site. Site assessment and remediation activities were executed in accordance with the New Mexico Oil Conservation Division (NMOCD) regulations concerning the remediation of releases of natural gas condensate to the environment.

Tasman conducted initial assessment activities, identifying an approximately 894 square foot area, that had been impacted by the release. Heavy equipment was used to remove approximately 240 cubic yards of impacted material from the release area. Based on laboratory analytical results from soil samples collected during confirmation sampling activities, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels and in accordance with NMOCD standards. Additional project details are provided in the attached summary report.

Tasman appreciates the opportunity to provide environmental services to DCP Operating Company, LP. Should you have any questions or require additional information, please do not hesitate to contact the undersigned.

Sincerely,
Tasman, Inc.

Travis Casey
Project Manager
tcasey@tasman-geo.com

Kyle Norman
SW Regional Manager
knorman@tasman-geo.com



TABLE OF CONTENTS

1.0 INTRODUCTION 1

 1.1 Site Description 1

 1.2 Release Detail and Initial Response 1

2.0 SITE CHARACTERISTICS 1

 2.1 Depth to Groundwater 1

 2.2 Karst Potential & Subsurface Mines 2

 2.3 Distance to Nearest Potable Water Well 2

 2.4 Distance to Nearest Surface Water 2

 2.5 100-year Floodplain 2

 2.6 Residence, School, Hospital, or Institution 3

 2.7 Proximity to Sensitive Receptors and Site Characteristics Summary 3

3.0 REMEDIATION ACTION LEVELS 3

 3.1 Reclamation Levels 4

4.0 SOIL SAMPLING PROCEDURES 4

 4.1 Soil Sampling Procedures for Laboratory Analysis 4

 4.2 Soil Analytical Methods 4

5.0 SUMMARY OF REMEDIAL ACTIVITIES 4

 5.1 Remedial Activities 4

 5.2 Confirmation Data Evaluation 5

6.0 RESTORATION AND RECLAMATION 5

7.0 SITE CLOSURE REQUEST 6

Figures

- Figure 1 – Site Location & Groundwater Map
- Figure 2 – Karst Potential & Subsurface Mine Map
- Figure 3 – Surface Water Map
- Figure 4 – FEMA FIRMetete Map
- Figure 5 – Excavation Overview Map

Tables

- Table 1 – Soil Sample Analytical Summary – Confirmation Soil Samples

Appendix A – NMOCD Notifications

Appendix B – Depth to Groundwater Information

Appendix C – Photographic Log

Appendix D – Certified Laboratory Analytical Reports



1.0 INTRODUCTION

Tasman, Inc. (Tasman) is pleased to submit this Remediation Summary and Closure Report for the Strawberry Booster Station (site) on behalf of DCP Operating Company, LP (DCP), documenting the results of field activities conducted in response to a release of natural gas condensate to environmental media.

1.1 Site Description

The site is located in Unit Letter “P” of Section 16, Township 19 South, Range 31 East in Eddy County, New Mexico. The release occurred from the Strawberry Booster Station dump line. The release occurred on New Mexico State Land (NMSLO). A site location map can be found attached as Figure 1.

1.2 Release Detail and Initial Response

On February 13, 2026, the Strawberry Booster Station dump line was discovered by DCP personnel to have failed due to human error. On February 16, 2026, DCP provided notice of release to the NMOCD portal as well as a notice of liner inspection. The release resulted in the loss of approximately 10 barrels (bbls) of condensate within a lined containment. DCP personnel shut in the pipeline to isolate the release. The line was later repaired and returned to service. A total of 10 bbls of condensate were recovered. A copy of NMOCD notifications are provided in Appendix A.

On February 19, 2026, Tasman conducted liner inspection and found that the integrity of the liner had failed with multiple rips/tears at the base and sidewalls of the line containment area. Tasman notified DCP personnel of liner failure and recommended delineation and remediation of lined containment area.

2.0 SITE CHARACTERISTICS

2.1 Depth to Groundwater

Tasman reviewed available depth to groundwater information available through the New Mexico Office of the State Engineer (NMOSE) and the United States Geologic Survey (USGS) for registered water wells within a half-mile radius of the site. No water well within a half-mile radius with groundwater depth was available. The nearest well with available groundwater level data is located 0.72 miles southeast of the site, identified as CP 01554 POD1. Depth to groundwater was



measured at greater than 400 feet below ground surface (bgs) in 2015.

The Site Location & Groundwater Map included as Figure 1 illustrates the location of the registered water wells within the vicinity of the site, and a summary of depth to groundwater information is provided as Appendix B.

2.2 Karst Potential & Subsurface Mines

Tasman utilized the publicly available karst potential map published by the Bureau of Land Management (BLM) Carlsbad Field Office (CFO) to determine the potential for encountering karst formations beneath the site. Review of the BLM CFO karst potential map indicates that the site is located in an area of low potential to encounter karstic features.

Tasman utilized the USGS Mineral Resources database to determine that there are no subsurface mines beneath or in the vicinity of the site.

Areas of karst potential and subsurface mine locations are illustrated on Figure 2.

2.3 Distance to Nearest Potable Water Well

The nearest potable water well is assumed to be CP 01554 POD1, located 0.72 miles from the site. Tasman did not visually confirm the presence or use of the well. The location of CP 01554 POD1 is shown on the attached Figure 1.

2.4 Distance to Nearest Surface Water

Tasman reviewed aerial imagery and the National Wetland Inventory Map, published by the U.S. Fish and Wildlife Service, for wetlands and surface water in the vicinity of the site. The nearest wetland, riverine, is located approximately 0.09 miles northeast of the site. The nearest significant surface water was identified as Hackberry Lake, located 2.17 miles from the site. The location of the nearest wetland and surface water body can be seen on Figures 1 and 3.

2.5 100-year Floodplain

Review of flood map data published by the Federal Emergency Management Agency (FEMA) indicates the site is not located within a 100-year floodplain. A copy of the FEMA FIRMetete Map can be found attached as Figure 4.



2.6 Residence, School, Hospital, or Institution

Review of aerial imagery did not show that the site is within 300 feet of an occupied permanent residence, school, hospital, or institution.

2.7 Proximity to Sensitive Receptors and Site Characteristics Summary

The table below denotes if the site is located within the minimum allowable distance from a sensitive receptor, as defined in New Mexico Administrative Code (NMAC) 19.15.29.

Site Characteristics Summary		
Approximate depth to groundwater:	>400 ft bgs	
Within an area of high karst potential?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of any continuously flowing of significant watercourse?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 200 ft. of any lakebed, sinkhole, or playa lake?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of an occupied permanent residence, school, hospital, or institution?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 500 ft. of a spring or private, domestic fresh water well?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 1,000 ft. of any fresh water well?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within the incorporated municipal boundaries or within a municipal well field?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within 300 ft. of a wetland?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within the area overlying a subsurface mine?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within an unstable area?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No
Within a 100-year floodplain?	<input type="checkbox"/> Yes	<input checked="" type="checkbox"/> No

3.0 REMEDIATION ACTION LEVELS

NMOCD assessment and cleanup levels for hydrocarbon and produced water releases are based on depth to groundwater and proximity to sensitive receptors as established in NMAC 19.15.29. Based on the site characteristics provided in Section 2.0, Action Levels for a site with a depth to groundwater between 0 and 50 feet were utilized; these Action Levels are as follows:

Constituent	Remediation Action Level
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
TPH (GRO+DRO)	N/A mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

TPH – total petroleum hydrocarbons
DRO – diesel range organics
BTEX – benzene, toluene, ethylbenzene, total xylenes

GRO – gasoline range organics
MRO – motor/lube oil range organics
mg/kg – milligrams per kilogram



3.1 Reclamation Levels

NMAC 19.15.29.13(D) codifies, and the *Procedures for Implementation of the Spill Rule*, dated September 6, 2019, clarifies that the top four feet of the remediated area should be non-waste containing. Therefore, the NMOCD Reclamation Standards are applied to the top four feet of any area impacted by a release that is not located within an active production facility. NMOCD Reclamation Standards are as follows:

Constituent	Reclamation Standard
Chloride	600 mg/kg
TPH (GRO+DRO+MRO)	100 mg/kg
BTEX	50 mg/kg
Benzene	10 mg/kg

4.0 SOIL SAMPLING PROCEDURES

4.1 Soil Sampling Procedures for Laboratory Analysis

The collection of soil samples for laboratory analysis was conducted in accordance with NMOCD criteria and generally approved industry standards. Collected soil samples were placed in laboratory provided containers, properly labeled, and preserved on ice pending delivery under a chain of custody form to Cardinal Laboratory in Hobbs, New Mexico.

4.2 Soil Analytical Methods

Each soil sample was analyzed using Environmental Protection Agency (EPA) methods or other NMOCD-approved methods. Laboratory analytical methods are as follows:

- Chloride – EPA Method 300.
- Total Petroleum Hydrocarbons (TPH) – gasoline, diesel, and motor/lube oil range organics (GRO+DRO+MRO) – EPA Method 8015.
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX) – EPA Method 8021B.

5.0 SUMMARY OF REMEDIAL ACTIVITIES

5.1 Remedial Activities

From March 24 to April 17, 2026, Tasman utilized heavy equipment to excavate impacted soil from within the release margins. Excavated material was stockpiled on-site atop a polyethylene



liner pending transportation to an NMOCD approved disposal facility.

The remedial final excavations measured approximately 36 feet long by 22 feet wide ranging from 4.5 to 6 feet bgs. A total of 240 cubic yards of excavated material was exported to Lea Land, LLC Landfill.

Copies of solid manifests are available upon request and a photographic log is provided as Appendix C.

5.2 Confirmation Data Evaluation

Tasman provided two 48-hour mobilization notices to the NMOCD Portal (Appendix A). March 30 and April 17, 2026. Tasman mobilized to the site to collect confirmation soil samples from the 4.5 to 6 ft bgs remedial excavation areas. A total of six confirmation soil samples were collected from the excavation. Each confirmation soil sample was collected as a five-point composite representing approximately 200 square feet (ft²) or less of excavation base or sidewall area.

Concentrations of total TPH were detected above NMOCD Action Levels in FL-2 at 4 feet bgs (791 milligrams per kilogram [mg/kg]) and FL-4 at 4 feet bgs (126 mg/kg). Each of these areas were addressed by further excavation. Additional samples were collected in each of these areas, which did not exhibit concentrations of total TPH above laboratory detection limits.

Concentrations of chlorides, benzene, and total BTEX did not exceed applicable NMOCD Action Levels throughout confirmation soil samples.

A summary of soil analytical results is provided as Table 1 and certified laboratory analytical reports are provided in Appendix D. The attached Figure 5 illustrates excavation extents and confirmation sample locations.

6.0 RESTORATION AND RECLAMATION


Areas affected by the release and associated remediation activities were backfilled with non-waste containing “like” material and contoured to the surrounding topography. On March 22, 2026, Tasman returned to the site to collect one backfill sample from the imported material. Laboratory results showed that the sample did not exhibit concentrations greater than Action Levels.



7.0 SITE CLOSURE REQUEST

Based on laboratory analytical results from soil samples collected during the confirmation sampling events, impacted soil within the release area has been remediated below the applicable NMOCD Action Levels in accordance with NMAC 19.15.29. As such, Tasman, on behalf of DCP, respectfully requests that the site be granted closure.

Figures



DATE:	May 2026
DESIGNED BY:	C. Flores
DRAWN BY:	C. Flores




Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240

DCP Operating Company, LP
Strawberry BS - nAPP2604750695
UL "P", Sec. 16, T19S, R31E
Eddy County, New Mexico

Site Location & Groundwater
Map

Figure
1



DATE: February 2026
 DESIGNED BY: C. Flores
 DRAWN BY: C. Flores




Tasman, Inc.
 2620 W. Marland Blvd.
 Hobbs, NM 88240

DCP Operating Company, LP
Strawberry BS - nAPP2604750695
 UL "P", Sec. 16, T19S, R31E
 Eddy County, New Mexico

Karst Potential & Subsurface
 Mine Map

Figure
 2



Source: Esri, Vantor, Earthstar Geographics, and the GIS User Community

DATE:	February 2026
DESIGNED BY:	C. Flores
DRAWN BY:	C. Flores



Tasman, Inc.
 2620 W. Marland Blvd.
 Hobbs, NM 88240

DCP Operating Company, LP
Strawberry BS - nAPP2604750695
 UL "P", Sec. 16, T19S, R31E
 Eddy County, New Mexico



Surface Water Map

Figure
3

National Flood Hazard Layer FIRMette



103°52'29"W 32°39'34"N



1:6,000

103°51'51"W 32°39'4"N

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS		Without Base Flood Elevation (BFE) Zone A, V, A99
		With BFE or Depth Zone AE, AO, AH, VE, AR
		Regulatory Floodway
OTHER AREAS OF FLOOD HAZARD		0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile
		Future Conditions 1% Annual Chance Flood Hazard Zone X
		Area with Reduced Flood Risk due to Levee. See Notes. Zone X
		Area with Flood Risk due to Levee
OTHER AREAS		NO SCREEN Area of Minimal Flood Hazard Zone X
		Effective LOMRs
OTHER AREAS		Area of Undetermined Flood Hazard Zone D
GENERAL STRUCTURES		Channel, Culvert, or Storm Sewer
		Levee, Dike, or Floodwall
OTHER FEATURES		20.2 Cross Sections with 1% Annual Chance Water Surface Elevation
		17.5 Water Surface Elevation
		Coastal Transect
		Base Flood Elevation Line (BFE)
		Limit of Study
		Jurisdiction Boundary
OTHER FEATURES		Coastal Transect Baseline
		Profile Baseline
		Hydrographic Feature
MAP PANELS		Digital Data Available
		No Digital Data Available
		Unmapped

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on **2/17/2026 at 8:06 PM** and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 6/5/2026 5:06:05 PM

Revised by OCD: 5/28/2026 12:26:55 PM

Page 14 of 88



Legend

- Sample Point
- ▭ Excavation @ 4.5 ft bgs (392 sq ft)
- ▭ Excavation @ 6 ft bgs (400 sq ft)

Notes:


ft bgs = feet below ground surface
sq = square

* The five-point composite sample represents all four sidewalls of the excavation extent

0 9.5 19
ft.

Imagery Source: Google Earth 2017

DATE:	May 2026
DESIGNED BY:	C. Flores
DRAWN BY:	C. Flores



Tasman, Inc.
2620 W. Marland Blvd.
Hobbs, NM 88240

DCP Operating Company, LP
Strawberry BS - nAPP2604750695
UL "P", Sec. 16, T19S, R31E
Eddy County, New Mexico

Excavation Overview Map

Figure 5

Table

TABLE 1
SOIL ANALYTICAL SUMMARY - CONFIRMATION SOIL SAMPLES
DCP Operating Company, LP
Strawberry Booster Station nAPP2604750695

Sample ID	Sample Depth (bgs)	Sample Date	Soil Status	PID (ppm)	Field Chloride (mg/kg)	Benzene (mg/kg)	Total BTEX ¹ (mg/kg)	TPH ² (mg/kg)				Chloride ³ (mg/kg)
								GRO	DRO	MRO	TOTAL	
Confirmation Soil Samples												
FL-1	6'	3/30/2026	In-Situ	---	---	<0.00140	<0.00229	<14.5	21.5 J	21.4 J	42.9 J	57.7
FL-2	4'	3/30/2026	Excavated	---	---	<0.00139	0.0470	<14.6	715	76.2	791	36.3
	4.5'	4/17/2026	In-Situ	---	---	<0.00139	<0.00228	<14.5	<15.1	<15.1	<15.1	98.6
FL-3	6'	3/30/2026	In-Situ	---	---	<0.00141	<0.00231	<14.6	<15.2	<15.2	<15.2	20.1
FL-4	4'	3/30/2026	Excavated	---	---	<0.00140	<0.00230	<14.5	63.1	63.1	126	88.4
	4.5'	4/17/2026	In-Situ	---	---	<0.00140	<0.00230	<14.5	<15.1	<15.1	<15.1	92.8
W-1	---	3/30/2026	In-Situ	---	---	<0.00139	<0.00228	<14.5	<15.1	20.1 J	20.1 J	10.3
W-2	---	3/30/2026	In-Situ	---	---	<0.00138	<0.00227	<14.5	<15.1	<15.1	<15.1	15.7
NMOCOD Action Levels⁴				N/A	N/A	10	50	N/A			100	600

Notes:

- 1. BTEX = Benzene, toluene, ethylbenzene, and total xylenes by EPA method 8021B
- 2. TPH = Total petroleum hydrocarbons analyzed by method EPA 8015M (GRO/DRO/MRO)
- 3. Chloride - Analyzed by EPA method SM4500
- 4. New Mexico Oil Conservation Division (NMOCD) Remediation and Delineation Standards (NMAC 19.15.29.12(N))
- PPM = Parts per Million
- Mg/Kg = Milligrams per Kilograms
- N/A = Not applicable
- Bold** values denote concentrations above laboratory MDL
- Red** values denote concentrations above NMOCOD Action Levels

- BGS = Below ground surface
- GRO = Gasoline range organics
- DRO = Diesel range organics
- MRO = Motor/lube oil range organics
- PID = Photoionization detector
- = Sample was not analyzed for this analyte
- J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value
- <MDL = The analyte was not detected above the laboratory reported detection limit (MDL)

Appendix A – NMOCD Notifications

OCD Permitting

Home Searches Incidents Incident Details

nAPP2604750695 Strawberry BS

General Incident Information

Well:
 Facility:
 Operator: [\[36785\]](#) DCP OPERATING COMPANY, LP
 Status: Active
 Stage: Initial C-141 Received, Pending OCD Review
 Type: Release Other

Severity:

Incident Location: P-16-19S-31E 0 FNL 0 FEL
 Lat/Long: [32.655271,-103.869468 NAD83](#)
 District: Artesia
 Surface Owner: State

County: Eddy (15)

Severity Indicators

Resulted In Fire:
 Endangered Public Health:
 Fresh Water Contamination:

Resulted In Injury:
 Will or Has Reached Watercourse:
 Property Or Environmental Damage:

Notes

Source of Referral: Industry Rep

Action / Escalation:

Department Use Only

Reviewer: Nelson Velez

Contact Details

Contact Name:

Contact Title:

Event Dates

Date of Discovery: 02/13/2026

Initial C-141 Report Due: 3/2/2026

Remediation Closure Report Due: 05/14/2026

Incident Dates

19.15.29 NMAC - RELEASES

Type	Action	Received	Denied	Approved
Liner Inspection Notice	[554429]	02/16/2026		02/16/2026
Initial C-141 Report	[554411]	02/16/2026		
Notification	[554371]	02/16/2026		02/16/2026

19.15.30 NMAC - REMEDIATION

Type	Action	Received	Denied	Approved
------	--------	----------	--------	----------

- Quick
- Gene
- Mater
- Event
- Order
- Action
- Asso
- Facilit
- Incide
- New
- New f
- New I
- New (
- New f
- New \

Incident Materials

Cause	Source	Material	Volume				Units
			Unk.	Released	Recovered	Lost	
Human Error	Other (Specify)	Condensate	<input type="checkbox"/>	10	10	0	BBL
The concentration of dissolved chloride in the produced water >10,000 mg/l: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No							
Cause of Release OR Additional Details provided for materials released: Truck was unloading condensate and forgot to close the bleeder valve and also did not close the main valve 100%. This caused a slow leak. The block valve was closed fully as well as the bleed valve to stop the leak. The spill was contained in a lined berm.							

Incident Events

Date	Detail
02/16/2026	The (02/16/2026, C-141L) application [554429] was assigned to this incident.
02/16/2026	An application [554411] was submitted to OCD for review. It was submitted, indicating that it was an: [C-141] Application for administrative approval of a release notification and corrective action The operator was emailed confirmation of this event.
02/16/2026	The (02/16/2026, C-141) application [554411] was assigned to this incident.
02/16/2026	The (02/16/2026, NOR) application [554371] was assigned to this incident.
02/16/2026	New incident created by the operator, upon the submission of notification of release.
02/13/2026	Release discovered by the operator.

Incident Severity

Major release as defined by 19.15.29.7(A) NMAC?
 Yes No

Incident Corrective Actions

Initial Response

- The source of the release has been stopped.
- The impacted area has been secured to protect human health and the environment.
- Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices.
- All free liquids and recoverable materials have been removed and managed appropriately.

If all the actions described above have not been undertaken, explain why:

No site characterization data was found for this incident.

[Searches](#) [Operator Data](#) [Submissions](#) [Administration](#)

No reclamation report data was found for this incident.

No re-vegetation report data was found for this incident.

Orders

No Orders Found

New Mexico Energy, Minerals and Natural Resources Department | Copyright 2012
1220 South St. Francis Drive | Santa Fe, NM 87505 | P: (505) 476-3200 | F: (505) 476-3220

[EMNRD Home](#) [OCD Main Page](#) [OCD Rules](#) [Help](#)

OCD Permitting

Home Operator Data Action Status Action Search Results Action Status Item Details

[NOTIFY] Notification Of Liner Inspection (C-141L) Application

Submission Information

Submission ID:	554429	Districts:	Artesia
Operator:	[36785] DCP OPERATING COMPANY, LP	Counties:	Eddy
Description:	DCP OPERATING COMPANY, LP [36785] , Strawberry BS , nAPP2604750695		
Status:	Approved		
Status Date:	02/16/2026		
References (0):			

Foms

This application type does not have attachments.

Questions

Prerequisites

Incident ID (n#)	nAPP2604750695
Incident Name	NAPP2604750695 STRAWBERRY BS @ P-16-19S-31E
Incident Type	Release Other
Incident Status	Initial C-141 Received

Location of Release Source

Site Name	Strawberry BS
Date Release Discovered	02/13/2026
Surface Owner	State

Liner Inspection Event Information

Please answer all the questions in this group.

What is the liner inspection surface area in square feet	2,800
Have all the impacted materials been removed from the liner	Yes
Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	02/19/2026
Time liner inspection will commence	10:00 AM
Please provide any information necessary for observers to liner inspection	Kyle Norman 575-318-5017
Please provide any information necessary for navigation to liner inspection site	GPS: 32.655271, -103.869468

Comments

No comments found for this submission.

Conditions

Summary: *knorman (2/16/2026)*, Failure to notify the OCD of liner inspections including any changes in date/time per the requirements of 19.15.29.11.A(5)(a)(ii) NMAC, may result in the inspection not being accepted.

Reasons

No reasons found for this submission.

Fees

No fees found for this submission.

[Go Back](#)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 575752

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 575752
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2604750695
Incident Name	NAPP2604750695 STRAWBERRY BS @ P-16-19S-31E
Incident Type	Release Other
Incident Status	Initial C-141 Approved

Location of Release Source	
Site Name	Strawberry BS
Date Release Discovered	02/13/2026
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	400
What is the estimated number of samples that will be gathered	3
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	04/17/2026
Time sampling will commence	10:30 AM
Please provide any information necessary for observers to contact samplers	Travis Casey C: 575-689-5949
Please provide any information necessary for navigation to sampling site	GPS: 32.655271, -103.869468

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 575752

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 575752
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	4/15/2026
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	4/15/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 566937

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 566937
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2604750695
Incident Name	NAPP2604750695 STRAWBERRY BS @ P-16-19S-31E
Incident Type	Release Other
Incident Status	Initial C-141 Approved

Location of Release Source	
Site Name	Strawberry BS
Date Release Discovered	02/13/2026
Surface Owner	State

Sampling Event General Information	
<i>Please answer all the questions in this group.</i>	
What is the sampling surface area in square feet	1,100
What is the estimated number of samples that will be gathered	10
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	03/30/2026
Time sampling will commence	09:00 AM
Please provide any information necessary for observers to contact samplers	Travis Casey C: 575-689-5949
Please provide any information necessary for navigation to sampling site	32.655271, -103.869468

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 566937

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 566937
	Action Type: [NOTIFY] Notification Of Sampling (C-141N)

CONDITIONS

Created By	Condition	Condition Date
knorman	Failure to notify the OCD of sampling events including any changes in date/time per the requirements of 19.15.29.12.D.(1).(a) NMAC, may result in the remediation closure samples not being accepted.	3/26/2026
knorman	If confirmation sampling is going to take place over multiple days, individual C-141N applications must be submitted for each sampling date. Date ranges are not currently accepted on the C-141N application.	3/26/2026

Appendix B – Depth to Groundwater Information



WELL RECORD & LOG

OFFICE OF THE STATE ENGINEER

www.ose.state.nm.us

1. GENERAL AND WELL LOCATION	OSE POD NUMBER (WELL NUMBER) CP-01554 POD-1			OSE FILE NUMBER(S)				
	WELL OWNER NAME(S) Central Valley Electric COOP, Philip R McKee			PHONE (OPTIONAL)				
	WELL OWNER MAILING ADDRESS 1505 N 13th St.			CITY Artesia	STATE NM	ZIP 88210		
	WELL LOCATION (FROM GPS)	DEGREES LATITUDE 32	MINUTES 39	SECONDS 9.45	N	* ACCURACY REQUIRED: ONE TENTH OF A SECOND		
		LONGITUDE 103	51	26.28	W	* DATUM REQUIRED: WGS 84		
DESCRIPTION RELATING WELL LOCATION TO STREET ADDRESS AND COMMON LANDMARKS - PLSS (SECTION, TOWNSHIP, RANGE) WHERE AVAILABLE								
2. DRILLING & CASING INFORMATION	LICENSE NUMBER WD-1632	NAME OF LICENSED DRILLER Caleb Curry			NAME OF WELL DRILLING COMPANY Hopper Pump & Drilling Inc.			
	DRILLING STARTED 9/22/2015	DRILLING ENDED 9/23/2015	DEPTH OF COMPLETED WELL (FT) 400	BORE HOLE DEPTH (FT) 400	DEPTH WATER FIRST ENCOUNTERED (FT)			
	COMPLETED WELL IS: <input type="radio"/> ARTESIAN <input checked="" type="radio"/> DRY HOLE <input type="radio"/> SHALLOW (UNCONFINED)					STATIC WATER LEVEL IN COMPLETED WELL (FT)		
	DRILLING FLUID: <input checked="" type="radio"/> AIR <input type="radio"/> MUD ADDITIVES - SPECIFY:							
	DRILLING METHOD: <input type="radio"/> ROTARY <input type="radio"/> HAMMER <input type="radio"/> CABLE TOOL <input type="radio"/> OTHER - SPECIFY:							
	DEPTH (feet bgl)		BORE HOLE DIAM (inches)	CASING MATERIAL AND/OR GRADE (include each casing string, and note sections of screen)	CASING CONNECTION TYPE	CASING INSIDE DIAM. (inches)	CASING WALL THICKNESS (inches)	SLOT SIZE (inches)
	FROM	TO						
3. ANNULAR MATERIAL	DEPTH (feet bgl)		BORE HOLE DIAM. (inches)	LIST ANNULAR SEAL MATERIAL AND GRAVEL PACK SIZE-RANGE BY INTERVAL	AMOUNT (cubic feet)	METHOD OF PLACEMENT		
	FROM	TO						
	0	40	8	3/8 bentonite chip				
	40	400	8	Natural Fill				

FOR OSE INTERNAL USE			WR-20 WELL RECORD & LOG (Version 06/08/2012)		
FILE NUMBER	CP-1554	POD NUMBER	1	TRN NUMBER	575704
LOCATION	Cathodi C	19S.31E.22.122			PAGE 1 OF 2

Tom Blaine, P.E.
State Engineer



Roswell Office
1900 WEST SECOND STREET
ROSWELL, NM 88201

**STATE OF NEW MEXICO
OFFICE OF THE STATE ENGINEER**

Trn Nbr: 575706
File Nbr: CP 01554
Well File Nbr: CP 01554 POD1

Oct. 06, 2015

CALEB CURRY
ALAN HOPPER
1002 W PINE LODGE
ROSWELL, NM 88201

Greetings:

The above numbered permit was issued in your name on 09/11/2015.

The Well Record was received in this office on 10/05/2015, stating that it had been completed on 09/23/2015, and was a dry well. The well is to be plugged or capped or otherwise maintained in a manner satisfactory to the State Engineer.

Please note that another well can be drilled under this permit if the well is completed and the well log filed on or before 09/30/2016.

If you have any questions, please feel free to contact us.

Sincerely,

A handwritten signature in black ink, appearing to read "Yolanda Mendiola".

Yolanda Mendiola
(575) 622-6521

drywell

Appendix C – Photographic Log

DCP Operating Company, LP

2/19/2026



DCP Operating Company, LP

3.25.2026



DCP Operating Company, LP

3.31.2026



Appendix D – Certified Laboratory Analytical Reports



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Norman
 Tasman Geosciences Inc
 2620 W. Marland Blvd.
 Hobbs, New Mexico 88240

Generated 3/31/2026 4:19:17 PM

JOB DESCRIPTION

9219 Strawberry booster
 9219

JOB NUMBER

880-70230-1

Eurofins Midland
 1211 W. Florida Ave
 Midland TX 79701



Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
3/31/2026 4:19:17 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Laboratory Job ID: 880-70230-1
SDG: 9219

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	11
QC Sample Results	12
QC Association Summary	16
Lab Chronicle	18
Certification Summary	20
Method Summary	21
Sample Summary	22
Chain of Custody	23
Receipt Checklists	24

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
SDG: 9219

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Tasman Geosciences Inc
Project: 9219 Strawberry booster

Job ID: 880-70230-1

Job ID: 880-70230-1

Eurofins Midland

Job Narrative 880-70230-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 3/30/2026 11:26 AM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 5.1°C.

GC VOA

Method 8021B: The matrix spike (MS) recoveries for preparation batch 880-136353 and analytical batch 880-136345 were outside control limits. Non-homogeneity is suspected because the associated laboratory control sample (LCS) recovery was within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland



Client Sample Results

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry boosterJob ID: 880-70230-1
SDG: 9219

Client Sample ID: W - 1

Lab Sample ID: 880-70230-1

Date Collected: 03/30/26 09:05

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 0

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U F1	0.00200	0.00139	mg/Kg		03/31/26 08:46	03/31/26 12:04	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		03/31/26 08:46	03/31/26 12:04	1
Ethylbenzene	<0.00109	U F1	0.00200	0.00109	mg/Kg		03/31/26 08:46	03/31/26 12:04	1
m-Xylene & p-Xylene	<0.00228	U F1	0.00399	0.00228	mg/Kg		03/31/26 08:46	03/31/26 12:04	1
o-Xylene	<0.00158	U F1	0.00200	0.00158	mg/Kg		03/31/26 08:46	03/31/26 12:04	1
Xylenes, Total	<0.00228	U F1	0.00399	0.00228	mg/Kg		03/31/26 08:46	03/31/26 12:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	03/31/26 08:46	03/31/26 12:04	1
1,4-Difluorobenzene (Surr)	100		70 - 130	03/31/26 08:46	03/31/26 12:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			03/31/26 12:04	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	20.1	J	50.1	15.1	mg/Kg			03/31/26 09:28	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		03/30/26 15:36	03/31/26 09:28	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.1	15.1	mg/Kg		03/30/26 15:36	03/31/26 09:28	1
Oil Range Organics (Over C28-C36)	20.1	J	50.1	15.1	mg/Kg		03/30/26 15:36	03/31/26 09:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	92		70 - 130	03/30/26 15:36	03/31/26 09:28	1
o-Terphenyl	91		70 - 130	03/30/26 15:36	03/31/26 09:28	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.3		9.94	0.393	mg/Kg			03/31/26 09:41	1

Client Sample ID: FL - 1

Lab Sample ID: 880-70230-2

Date Collected: 03/30/26 09:10

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		03/31/26 08:46	03/31/26 12:24	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		03/31/26 08:46	03/31/26 12:24	1
Ethylbenzene	<0.00109	U	0.00201	0.00109	mg/Kg		03/31/26 08:46	03/31/26 12:24	1
m-Xylene & p-Xylene	<0.00229	U	0.00402	0.00229	mg/Kg		03/31/26 08:46	03/31/26 12:24	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		03/31/26 08:46	03/31/26 12:24	1
Xylenes, Total	<0.00229	U	0.00402	0.00229	mg/Kg		03/31/26 08:46	03/31/26 12:24	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Client Sample ID: FL - 1

Lab Sample ID: 880-70230-2

Date Collected: 03/30/26 09:10

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 6'

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	03/31/26 08:46	03/31/26 12:24	1
1,4-Difluorobenzene (Surr)	98		70 - 130	03/31/26 08:46	03/31/26 12:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00229	U	0.00402	0.00229	mg/Kg			03/31/26 12:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	42.9	J	50.1	15.1	mg/Kg			03/31/26 10:13	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		03/30/26 15:36	03/31/26 10:13	1
Diesel Range Organics (Over C10-C28)	21.5	J	50.1	15.1	mg/Kg		03/30/26 15:36	03/31/26 10:13	1
Oil Range Organics (Over C28-C36)	21.4	J	50.1	15.1	mg/Kg		03/30/26 15:36	03/31/26 10:13	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130	03/30/26 15:36	03/31/26 10:13	1
o-Terphenyl	86		70 - 130	03/30/26 15:36	03/31/26 10:13	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	57.7		10.0	0.395	mg/Kg			03/31/26 09:46	1

Client Sample ID: FL - 3

Lab Sample ID: 880-70230-3

Date Collected: 03/30/26 09:13

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 6'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00141	U	0.00202	0.00141	mg/Kg		03/31/26 08:46	03/31/26 12:45	1
Toluene	<0.00202	U	0.00202	0.00202	mg/Kg		03/31/26 08:46	03/31/26 12:45	1
Ethylbenzene	<0.00110	U	0.00202	0.00110	mg/Kg		03/31/26 08:46	03/31/26 12:45	1
m-Xylene & p-Xylene	<0.00231	U	0.00404	0.00231	mg/Kg		03/31/26 08:46	03/31/26 12:45	1
o-Xylene	<0.00160	U	0.00202	0.00160	mg/Kg		03/31/26 08:46	03/31/26 12:45	1
Xylenes, Total	<0.00231	U	0.00404	0.00231	mg/Kg		03/31/26 08:46	03/31/26 12:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	03/31/26 08:46	03/31/26 12:45	1
1,4-Difluorobenzene (Surr)	97		70 - 130	03/31/26 08:46	03/31/26 12:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00231	U	0.00404	0.00231	mg/Kg			03/31/26 12:45	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Client Sample ID: FL - 3

Lab Sample ID: 880-70230-3

Date Collected: 03/30/26 09:13

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 6'

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.2	U	50.1	15.2	mg/Kg			03/31/26 10:29	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.6	U	50.1	14.6	mg/Kg		03/30/26 15:36	03/31/26 10:29	1
Diesel Range Organics (Over C10-C28)	<15.2	U	50.1	15.2	mg/Kg		03/30/26 15:36	03/31/26 10:29	1
Oil Range Organics (Over C28-C36)	<15.2	U	50.1	15.2	mg/Kg		03/30/26 15:36	03/31/26 10:29	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130	03/30/26 15:36	03/31/26 10:29	1
o-Terphenyl	83		70 - 130	03/30/26 15:36	03/31/26 10:29	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	20.1		10.0	0.397	mg/Kg			03/31/26 09:52	1

Client Sample ID: W - 2

Lab Sample ID: 880-70230-4

Date Collected: 03/30/26 09:16

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 0

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00138	U	0.00199	0.00138	mg/Kg		03/31/26 08:46	03/31/26 13:05	1
Toluene	<0.00199	U	0.00199	0.00199	mg/Kg		03/31/26 08:46	03/31/26 13:05	1
Ethylbenzene	<0.00108	U	0.00199	0.00108	mg/Kg		03/31/26 08:46	03/31/26 13:05	1
m-Xylene & p-Xylene	<0.00227	U	0.00398	0.00227	mg/Kg		03/31/26 08:46	03/31/26 13:05	1
o-Xylene	<0.00157	U	0.00199	0.00157	mg/Kg		03/31/26 08:46	03/31/26 13:05	1
Xylenes, Total	<0.00227	U	0.00398	0.00227	mg/Kg		03/31/26 08:46	03/31/26 13:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	93		70 - 130	03/31/26 08:46	03/31/26 13:05	1
1,4-Difluorobenzene (Surr)	96		70 - 130	03/31/26 08:46	03/31/26 13:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00227	U	0.00398	0.00227	mg/Kg			03/31/26 13:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.1	15.1	mg/Kg			03/31/26 10:44	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		03/30/26 15:48	03/31/26 10:44	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.1	15.1	mg/Kg		03/30/26 15:48	03/31/26 10:44	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.1	15.1	mg/Kg		03/30/26 15:48	03/31/26 10:44	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Client Sample ID: W - 2

Lab Sample ID: 880-70230-4

Date Collected: 03/30/26 09:16

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 0

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130	03/30/26 15:48	03/31/26 10:44	1
o-Terphenyl	105		70 - 130	03/30/26 15:48	03/31/26 10:44	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	15.7		9.96	0.393	mg/Kg			03/31/26 09:57	1

Client Sample ID: FL - 2

Lab Sample ID: 880-70230-5

Date Collected: 03/30/26 09:19

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		03/31/26 08:46	03/31/26 13:26	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		03/31/26 08:46	03/31/26 13:26	1
Ethylbenzene	0.00450		0.00200	0.00109	mg/Kg		03/31/26 08:46	03/31/26 13:26	1
m-Xylene & p-Xylene	0.0265		0.00399	0.00228	mg/Kg		03/31/26 08:46	03/31/26 13:26	1
o-Xylene	0.0160		0.00200	0.00158	mg/Kg		03/31/26 08:46	03/31/26 13:26	1
Xylenes, Total	0.0425		0.00399	0.00228	mg/Kg		03/31/26 08:46	03/31/26 13:26	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	95		70 - 130	03/31/26 08:46	03/31/26 13:26	1
1,4-Difluorobenzene (Surr)	94		70 - 130	03/31/26 08:46	03/31/26 13:26	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.0470		0.00399	0.00228	mg/Kg			03/31/26 13:26	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	791		50.2	15.2	mg/Kg			03/31/26 11:00	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.6	U	50.2	14.6	mg/Kg		03/30/26 15:48	03/31/26 11:00	1
Diesel Range Organics (Over C10-C28)	715		50.2	15.2	mg/Kg		03/30/26 15:48	03/31/26 11:00	1
Oil Range Organics (Over C28-C36)	76.2		50.2	15.2	mg/Kg		03/30/26 15:48	03/31/26 11:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	107		70 - 130	03/30/26 15:48	03/31/26 11:00	1
o-Terphenyl	116		70 - 130	03/30/26 15:48	03/31/26 11:00	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	36.3		9.98	0.394	mg/Kg			03/31/26 10:02	1

Eurofins Midland

Client Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Client Sample ID: FL - 4

Lab Sample ID: 880-70230-6

Date Collected: 03/30/26 09:22

Matrix: Solid

Date Received: 03/30/26 11:26

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		03/31/26 08:46	03/31/26 13:46	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		03/31/26 08:46	03/31/26 13:46	1
Ethylbenzene	<0.00110	U	0.00201	0.00110	mg/Kg		03/31/26 08:46	03/31/26 13:46	1
m-Xylene & p-Xylene	<0.00230	U	0.00402	0.00230	mg/Kg		03/31/26 08:46	03/31/26 13:46	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		03/31/26 08:46	03/31/26 13:46	1
Xylenes, Total	<0.00230	U	0.00402	0.00230	mg/Kg		03/31/26 08:46	03/31/26 13:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	94		70 - 130	03/31/26 08:46	03/31/26 13:46	1
1,4-Difluorobenzene (Surr)	94		70 - 130	03/31/26 08:46	03/31/26 13:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00230	U	0.00402	0.00230	mg/Kg			03/31/26 13:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	126		50.1	15.1	mg/Kg			03/31/26 11:15	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.1	14.5	mg/Kg		03/30/26 15:48	03/31/26 11:15	1
Diesel Range Organics (Over C10-C28)	63.1		50.1	15.1	mg/Kg		03/30/26 15:48	03/31/26 11:15	1
Oil Range Organics (Over C28-C36)	63.1		50.1	15.1	mg/Kg		03/30/26 15:48	03/31/26 11:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	103		70 - 130	03/30/26 15:48	03/31/26 11:15	1
o-Terphenyl	104		70 - 130	03/30/26 15:48	03/31/26 11:15	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	88.4		10.0	0.395	mg/Kg			03/31/26 10:18	1

Surrogate Summary

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-70230-1	W - 1	94	100
880-70230-1 MS	W - 1	95	100
880-70230-1 MSD	W - 1	97	102
880-70230-2	FL - 1	101	98
880-70230-3	FL - 3	94	97
880-70230-4	W - 2	93	96
880-70230-5	FL - 2	95	94
880-70230-6	FL - 4	94	94
LCS 880-136353/1-A	Lab Control Sample	93	97
LCSD 880-136353/2-A	Lab Control Sample Dup	90	101
MB 880-136353/5-A	Method Blank	90	97

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)
 DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-70230-1	W - 1	92	91
880-70230-1 MS	W - 1	125	99
880-70230-1 MSD	W - 1	95	101
880-70230-2	FL - 1	87	86
880-70230-3	FL - 3	80	83
880-70230-4	W - 2	100	105
880-70230-5	FL - 2	107	116
880-70230-6	FL - 4	103	104
LCS 880-136317/2-A	Lab Control Sample	99	102
LCSD 880-136317/3-A	Lab Control Sample Dup	103	104
MB 880-136317/1-A	Method Blank	101	97

Surrogate Legend

1CO = 1-Chlorooctane
 OTPH = o-Terphenyl

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-136353/5-A
 Matrix: Solid
 Analysis Batch: 136345

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 136353

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		03/31/26 08:46	03/31/26 11:42	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		03/31/26 08:46	03/31/26 11:42	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		03/31/26 08:46	03/31/26 11:42	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		03/31/26 08:46	03/31/26 11:42	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		03/31/26 08:46	03/31/26 11:42	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		03/31/26 08:46	03/31/26 11:42	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	90		70 - 130	03/31/26 08:46	03/31/26 11:42	1
1,4-Difluorobenzene (Surr)	97		70 - 130	03/31/26 08:46	03/31/26 11:42	1

Lab Sample ID: LCS 880-136353/1-A
 Matrix: Solid
 Analysis Batch: 136345

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 136353

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.08999		mg/Kg		90	70 - 130
Toluene	0.100	0.1018		mg/Kg		102	70 - 130
Ethylbenzene	0.100	0.09634		mg/Kg		96	70 - 130
m-Xylene & p-Xylene	0.200	0.1920		mg/Kg		96	70 - 130
o-Xylene	0.100	0.08955		mg/Kg		90	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	93		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: LCSD 880-136353/2-A
 Matrix: Solid
 Analysis Batch: 136345

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 136353

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.09450		mg/Kg		94	70 - 130	5	35
Toluene	0.100	0.1005		mg/Kg		100	70 - 130	1	35
Ethylbenzene	0.100	0.09369		mg/Kg		94	70 - 130	3	35
m-Xylene & p-Xylene	0.200	0.1845		mg/Kg		92	70 - 130	4	35
o-Xylene	0.100	0.08676		mg/Kg		87	70 - 130	3	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	90		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: 880-70230-1 MS
 Matrix: Solid
 Analysis Batch: 136345

Client Sample ID: W - 1
 Prep Type: Total/NA
 Prep Batch: 136353

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00139	U F1	0.100	0.06838	F1	mg/Kg		68	70 - 130
Toluene	<0.00200	U	0.100	0.07470		mg/Kg		75	70 - 130

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-70230-1 MS
 Matrix: Solid
 Analysis Batch: 136345

Client Sample ID: W - 1
 Prep Type: Total/NA
 Prep Batch: 136353

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00109	U F1	0.100	0.06938	F1	mg/Kg		69	70 - 130
m-Xylene & p-Xylene	<0.00228	U F1	0.200	0.1365	F1	mg/Kg		68	70 - 130
o-Xylene	<0.00158	U F1	0.100	0.06548	F1	mg/Kg		65	70 - 130

Surrogate	MS %Recovery	MS Qualifier	MS Limits
4-Bromofluorobenzene (Surr)	95		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-70230-1 MSD
 Matrix: Solid
 Analysis Batch: 136345

Client Sample ID: W - 1
 Prep Type: Total/NA
 Prep Batch: 136353

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00139	U F1	0.100	0.08979		mg/Kg		90	70 - 130	27	35
Toluene	<0.00200	U	0.100	0.09614		mg/Kg		96	70 - 130	25	35
Ethylbenzene	<0.00109	U F1	0.100	0.08831		mg/Kg		88	70 - 130	24	35
m-Xylene & p-Xylene	<0.00228	U F1	0.200	0.1737		mg/Kg		87	70 - 130	24	35
o-Xylene	<0.00158	U F1	0.100	0.08242		mg/Kg		82	70 - 130	23	35

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
4-Bromofluorobenzene (Surr)	97		70 - 130
1,4-Difluorobenzene (Surr)	102		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-136317/1-A
 Matrix: Solid
 Analysis Batch: 136358

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 136317

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		03/30/26 15:36	03/31/26 04:42	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		03/30/26 15:36	03/31/26 04:42	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg		03/30/26 15:36	03/31/26 04:42	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	101		70 - 130	03/30/26 15:36	03/31/26 04:42	1
o-Terphenyl	97		70 - 130	03/30/26 15:36	03/31/26 04:42	1

Lab Sample ID: LCS 880-136317/2-A
 Matrix: Solid
 Analysis Batch: 136358

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 136317

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1091		mg/Kg		109	70 - 130
Diesel Range Organics (Over C10-C28)	1000	924.2		mg/Kg		92	70 - 130

Eurofins Midland

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-136317/2-A
Matrix: Solid
Analysis Batch: 136358

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 136317

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	99		70 - 130
o-Terphenyl	102		70 - 130

Lab Sample ID: LCSD 880-136317/3-A
Matrix: Solid
Analysis Batch: 136358

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA
Prep Batch: 136317

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	1000	1133		mg/Kg		113	70 - 130	4		20
Diesel Range Organics (Over C10-C28)	1000	948.4		mg/Kg		95	70 - 130	3		20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	103		70 - 130
o-Terphenyl	104		70 - 130

Lab Sample ID: 880-70230-1 MS
Matrix: Solid
Analysis Batch: 136358

Client Sample ID: W - 1
Prep Type: Total/NA
Prep Batch: 136317

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec	
				Result	Qualifier				Limits	RPD
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	1000	984.4		mg/Kg		98	70 - 130	
Diesel Range Organics (Over C10-C28)	<15.1	U	1000	762.1		mg/Kg		76	70 - 130	

Surrogate	MS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	125		70 - 130
o-Terphenyl	99		70 - 130

Lab Sample ID: 880-70230-1 MSD
Matrix: Solid
Analysis Batch: 136358

Client Sample ID: W - 1
Prep Type: Total/NA
Prep Batch: 136317

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD		Unit	D	%Rec	%Rec		RPD	Limit
				Result	Qualifier				Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	1000	960.3		mg/Kg		96	70 - 130	2		20
Diesel Range Organics (Over C10-C28)	<15.1	U	1000	823.3		mg/Kg		82	70 - 130	8		20

Surrogate	MSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	95		70 - 130
o-Terphenyl	101		70 - 130

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-136313/1-A
 Matrix: Solid
 Analysis Batch: 136339

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<0.395	U	10.0	0.395	mg/Kg			03/31/26 08:33	1

Lab Sample ID: LCS 880-136313/2-A
 Matrix: Solid
 Analysis Batch: 136339

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	232.3		mg/Kg		93	90 - 110

Lab Sample ID: LCSD 880-136313/3-A
 Matrix: Solid
 Analysis Batch: 136339

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	234.7		mg/Kg		94	90 - 110	1	20

Lab Sample ID: 880-70230-5 MS
 Matrix: Solid
 Analysis Batch: 136339

Client Sample ID: FL - 2
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	36.3		250	271.3		mg/Kg		94	90 - 110

Lab Sample ID: 880-70230-5 MSD
 Matrix: Solid
 Analysis Batch: 136339

Client Sample ID: FL - 2
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	36.3		250	272.3		mg/Kg		95	90 - 110	0	20

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
SDG: 9219

GC VOA

Analysis Batch: 136345

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Total/NA	Solid	8021B	136353
880-70230-2	FL - 1	Total/NA	Solid	8021B	136353
880-70230-3	FL - 3	Total/NA	Solid	8021B	136353
880-70230-4	W - 2	Total/NA	Solid	8021B	136353
880-70230-5	FL - 2	Total/NA	Solid	8021B	136353
880-70230-6	FL - 4	Total/NA	Solid	8021B	136353
MB 880-136353/5-A	Method Blank	Total/NA	Solid	8021B	136353
LCS 880-136353/1-A	Lab Control Sample	Total/NA	Solid	8021B	136353
LCSD 880-136353/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	136353
880-70230-1 MS	W - 1	Total/NA	Solid	8021B	136353
880-70230-1 MSD	W - 1	Total/NA	Solid	8021B	136353

Prep Batch: 136353

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Total/NA	Solid	5035	
880-70230-2	FL - 1	Total/NA	Solid	5035	
880-70230-3	FL - 3	Total/NA	Solid	5035	
880-70230-4	W - 2	Total/NA	Solid	5035	
880-70230-5	FL - 2	Total/NA	Solid	5035	
880-70230-6	FL - 4	Total/NA	Solid	5035	
MB 880-136353/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-136353/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-136353/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-70230-1 MS	W - 1	Total/NA	Solid	5035	
880-70230-1 MSD	W - 1	Total/NA	Solid	5035	

Analysis Batch: 136462

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Total/NA	Solid	Total BTEX	
880-70230-2	FL - 1	Total/NA	Solid	Total BTEX	
880-70230-3	FL - 3	Total/NA	Solid	Total BTEX	
880-70230-4	W - 2	Total/NA	Solid	Total BTEX	
880-70230-5	FL - 2	Total/NA	Solid	Total BTEX	
880-70230-6	FL - 4	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 136317

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Total/NA	Solid	8015NM Prep	
880-70230-2	FL - 1	Total/NA	Solid	8015NM Prep	
880-70230-3	FL - 3	Total/NA	Solid	8015NM Prep	
880-70230-4	W - 2	Total/NA	Solid	8015NM Prep	
880-70230-5	FL - 2	Total/NA	Solid	8015NM Prep	
880-70230-6	FL - 4	Total/NA	Solid	8015NM Prep	
MB 880-136317/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-136317/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-136317/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-70230-1 MS	W - 1	Total/NA	Solid	8015NM Prep	
880-70230-1 MSD	W - 1	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
SDG: 9219

GC Semi VOA

Analysis Batch: 136358

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Total/NA	Solid	8015B NM	136317
880-70230-2	FL - 1	Total/NA	Solid	8015B NM	136317
880-70230-3	FL - 3	Total/NA	Solid	8015B NM	136317
880-70230-4	W - 2	Total/NA	Solid	8015B NM	136317
880-70230-5	FL - 2	Total/NA	Solid	8015B NM	136317
880-70230-6	FL - 4	Total/NA	Solid	8015B NM	136317
MB 880-136317/1-A	Method Blank	Total/NA	Solid	8015B NM	136317
LCS 880-136317/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	136317
LCSD 880-136317/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	136317
880-70230-1 MS	W - 1	Total/NA	Solid	8015B NM	136317
880-70230-1 MSD	W - 1	Total/NA	Solid	8015B NM	136317

Analysis Batch: 136440

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Total/NA	Solid	8015 NM	
880-70230-2	FL - 1	Total/NA	Solid	8015 NM	
880-70230-3	FL - 3	Total/NA	Solid	8015 NM	
880-70230-4	W - 2	Total/NA	Solid	8015 NM	
880-70230-5	FL - 2	Total/NA	Solid	8015 NM	
880-70230-6	FL - 4	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 136313

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Soluble	Solid	DI Leach	
880-70230-2	FL - 1	Soluble	Solid	DI Leach	
880-70230-3	FL - 3	Soluble	Solid	DI Leach	
880-70230-4	W - 2	Soluble	Solid	DI Leach	
880-70230-5	FL - 2	Soluble	Solid	DI Leach	
880-70230-6	FL - 4	Soluble	Solid	DI Leach	
MB 880-136313/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-136313/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-136313/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-70230-5 MS	FL - 2	Soluble	Solid	DI Leach	
880-70230-5 MSD	FL - 2	Soluble	Solid	DI Leach	

Analysis Batch: 136339

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70230-1	W - 1	Soluble	Solid	300.0	136313
880-70230-2	FL - 1	Soluble	Solid	300.0	136313
880-70230-3	FL - 3	Soluble	Solid	300.0	136313
880-70230-4	W - 2	Soluble	Solid	300.0	136313
880-70230-5	FL - 2	Soluble	Solid	300.0	136313
880-70230-6	FL - 4	Soluble	Solid	300.0	136313
MB 880-136313/1-A	Method Blank	Soluble	Solid	300.0	136313
LCS 880-136313/2-A	Lab Control Sample	Soluble	Solid	300.0	136313
LCSD 880-136313/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	136313
880-70230-5 MS	FL - 2	Soluble	Solid	300.0	136313
880-70230-5 MSD	FL - 2	Soluble	Solid	300.0	136313

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Client Sample ID: W - 1

Lab Sample ID: 880-70230-1

Date Collected: 03/30/26 09:05

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	136353	03/31/26 08:46	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	136345	03/31/26 12:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			136462	03/31/26 12:04	MNR	EET MID
Total/NA	Analysis	8015 NM		1			136440	03/31/26 09:28	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	136317	03/30/26 15:36	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	136358	03/31/26 09:28	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	136313	03/30/26 14:50	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	136339	03/31/26 09:41	CS	EET MID

Client Sample ID: FL - 1

Lab Sample ID: 880-70230-2

Date Collected: 03/30/26 09:10

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	136353	03/31/26 08:46	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	136345	03/31/26 12:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			136462	03/31/26 12:24	MNR	EET MID
Total/NA	Analysis	8015 NM		1			136440	03/31/26 10:13	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	136317	03/30/26 15:36	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	136358	03/31/26 10:13	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	136313	03/30/26 14:50	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	136339	03/31/26 09:46	CS	EET MID

Client Sample ID: FL - 3

Lab Sample ID: 880-70230-3

Date Collected: 03/30/26 09:13

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	136353	03/31/26 08:46	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	136345	03/31/26 12:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			136462	03/31/26 12:45	MNR	EET MID
Total/NA	Analysis	8015 NM		1			136440	03/31/26 10:29	SA	EET MID
Total/NA	Prep	8015NM Prep			9.98 g	10.00 mL	136317	03/30/26 15:36	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	136358	03/31/26 10:29	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	136313	03/30/26 14:50	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	136339	03/31/26 09:52	CS	EET MID

Client Sample ID: W - 2

Lab Sample ID: 880-70230-4

Date Collected: 03/30/26 09:16

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	136353	03/31/26 08:46	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	136345	03/31/26 13:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			136462	03/31/26 13:05	MNR	EET MID

Eurofins Midland

Lab Chronicle

Client: Tasman Geosciences Inc
 Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
 SDG: 9219

Client Sample ID: W - 2

Lab Sample ID: 880-70230-4

Date Collected: 03/30/26 09:16

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			136440	03/31/26 10:44	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	136317	03/30/26 15:48	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	136358	03/31/26 10:44	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	136313	03/30/26 14:50	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	136339	03/31/26 09:57	CS	EET MID

Client Sample ID: FL - 2

Lab Sample ID: 880-70230-5

Date Collected: 03/30/26 09:19

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	136353	03/31/26 08:46	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	136345	03/31/26 13:26	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			136462	03/31/26 13:26	MNR	EET MID
Total/NA	Analysis	8015 NM		1			136440	03/31/26 11:00	SA	EET MID
Total/NA	Prep	8015NM Prep			9.97 g	10.00 mL	136317	03/30/26 15:48	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	136358	03/31/26 11:00	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	136313	03/30/26 14:50	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	136339	03/31/26 10:02	CS	EET MID

Client Sample ID: FL - 4

Lab Sample ID: 880-70230-6

Date Collected: 03/30/26 09:22

Matrix: Solid

Date Received: 03/30/26 11:26

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	136353	03/31/26 08:46	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	136345	03/31/26 13:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			136462	03/31/26 13:46	MNR	EET MID
Total/NA	Analysis	8015 NM		1			136440	03/31/26 11:15	SA	EET MID
Total/NA	Prep	8015NM Prep			9.99 g	10.00 mL	136317	03/30/26 15:48	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	136358	03/31/26 11:15	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	136313	03/30/26 14:50	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	136339	03/31/26 10:18	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
SDG: 9219

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
SDG: 9219

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



Sample Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 Strawberry booster

Job ID: 880-70230-1
SDG: 9219

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-70230-1	W - 1	Solid	03/30/26 09:05	03/30/26 11:26	0
880-70230-2	FL - 1	Solid	03/30/26 09:10	03/30/26 11:26	6'
880-70230-3	FL - 3	Solid	03/30/26 09:13	03/30/26 11:26	6'
880-70230-4	W - 2	Solid	03/30/26 09:16	03/30/26 11:26	0
880-70230-5	FL - 2	Solid	03/30/26 09:19	03/30/26 11:26	4'
880-70230-6	FL - 4	Solid	03/30/26 09:22	03/30/26 11:26	4'

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing Xenco

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



880-70230 Chain of Custody

www.xenco.com Page of

Project Manager:	Kyle Norman	Bill to: (if different)	
Company Name:	Tasman, Inc.	Company Name:	
Address:	2620 W. Marland Blvd	Address:	
City, State ZIP:	Hobbs, New Mexico 88240	City, State ZIP:	
Phone:	575-318-5017	Email:	NMData@tasman-geo.com; Albert.L.Hyman@p66.com

Work Order Comments	
Program: UST/PST	<input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Superfund <input type="checkbox"/>
State of Project:	
Reporting: Level II	<input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables: EDD	<input type="checkbox"/> ADaPT <input type="checkbox"/> Other:

Project Name:		Turn Around		ANALYSIS REQUEST										Preservative Codes								
Project Number:		Due Date:		Pres. Code											None: NO DI Water: H ₂ O							
Project Location:		TAT starts the day received by the lab, if received by 4:30pm		Parameters											Cool: Cool MeOH: Me							
Sampler's Name:		PO #:													HCL: HC HNO ₃ : HN							
SAMPLE RECEIPT		Temp Blank:	Wet Ice:												H ₂ SO ₄ : H ₂ NaOH: Na							
Samples Received Intact:		Thermometer ID:													H ₃ PO ₄ : HP							
Cooler Custody Seals:		Correction Factor:													NaHSO ₄ : NABIS							
Sample Custody Seals:		Temperature Reading:												Na ₂ S ₂ O ₅ : NaSO ₃								
Total Containers:		Corrected Temperature:												Zn Acetate+NaOH: Zn								
														NaOH+Ascorbic Acid: SAPC								
Sample Identification		Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	BTEX (EPA Method 8021B)	Chlorides (EPA Method 300)	TPH (EPA Method 8015M Extended)	Hold											Sample Comments
W-1		S	03/02/2026	0905	-	C	1	X	X	X												
FL-1				0910	6ft																	
FL-3				0913	6ft																	
W-2				0916	-																	
FL-2				0919	4ft																	
FL-4				0922	4ft																	

Total 200.7 / 6010 200.8 / 6020:	8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1		3-30-26 1126	2		
3			4		
5			6		

Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 880-70230-1

SDG Number: 9219

Login Number: 70230

List Number: 1

Creator: Neeld, Linsey

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

ANALYTICAL REPORT

PREPARED FOR

Attn: Kyle Norman
 Tasman Geosciences Inc
 2620 W. Marland Blvd.
 Hobbs, New Mexico 88240

Generated 4/20/2026 3:58:14 PM

JOB DESCRIPTION

9219 STRAWBERRY BOOSTER
 9219

JOB NUMBER

890-9804-1

Eurofins Carlsbad
 1089 N Canal St.
 Carlsbad NM 88220



Eurofins Carlsbad

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/20/2026 3:58:14 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Client: Tasman Geosciences Inc
Project/Site: 9219 STRAWBERRY BOOSTER

Laboratory Job ID: 890-9804-1
SDG: 9219

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	8
QC Sample Results	9
QC Association Summary	13
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Chain of Custody	19
Receipt Checklists	21

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Definitions/Glossary

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Qualifiers

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Tasman Geosciences Inc
Project: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1

Job ID: 890-9804-1

Eurofins Carlsbad

Job Narrative 890-9804-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/17/2026 3:54 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 4.0°C.

GC VOA

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: Surrogate recovery for the following sample was outside control limits: (MB 880-138114/1-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Carlsbad



Client Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Client Sample ID: FL 2

Lab Sample ID: 890-9804-1

Date Collected: 04/17/26 14:38

Matrix: Solid

Date Received: 04/17/26 15:54

Sample Depth: 4.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		04/18/26 13:36	04/18/26 22:10	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		04/18/26 13:36	04/18/26 22:10	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		04/18/26 13:36	04/18/26 22:10	1
m-Xylene & p-Xylene	<0.00228	U	0.00399	0.00228	mg/Kg		04/18/26 13:36	04/18/26 22:10	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		04/18/26 13:36	04/18/26 22:10	1
Xylenes, Total	<0.00228	U	0.00399	0.00228	mg/Kg		04/18/26 13:36	04/18/26 22:10	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	04/18/26 13:36	04/18/26 22:10	1
1,4-Difluorobenzene (Surr)	98		70 - 130	04/18/26 13:36	04/18/26 22:10	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00228	U	0.00399	0.00228	mg/Kg			04/18/26 22:10	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	50.0	15.1	mg/Kg			04/20/26 14:30	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		04/17/26 10:14	04/20/26 14:30	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		04/17/26 10:14	04/20/26 14:30	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg		04/17/26 10:14	04/20/26 14:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130	04/17/26 10:14	04/20/26 14:30	1
o-Terphenyl	93		70 - 130	04/17/26 10:14	04/20/26 14:30	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	98.6		9.96	0.393	mg/Kg			04/20/26 09:55	1

Client Sample ID: FL 4

Lab Sample ID: 890-9804-2

Date Collected: 04/17/26 12:30

Matrix: Solid

Date Received: 04/17/26 15:54

Sample Depth: 4.5

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00140	U	0.00201	0.00140	mg/Kg		04/18/26 13:36	04/18/26 22:30	1
Toluene	<0.00201	U	0.00201	0.00201	mg/Kg		04/18/26 13:36	04/18/26 22:30	1
Ethylbenzene	<0.00110	U	0.00201	0.00110	mg/Kg		04/18/26 13:36	04/18/26 22:30	1
m-Xylene & p-Xylene	<0.00230	U	0.00402	0.00230	mg/Kg		04/18/26 13:36	04/18/26 22:30	1
o-Xylene	<0.00159	U	0.00201	0.00159	mg/Kg		04/18/26 13:36	04/18/26 22:30	1
Xylenes, Total	<0.00230	U	0.00402	0.00230	mg/Kg		04/18/26 13:36	04/18/26 22:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130	04/18/26 13:36	04/18/26 22:30	1

Eurofins Carlsbad

Client Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Client Sample ID: FL 4

Lab Sample ID: 890-9804-2

Date Collected: 04/17/26 12:30

Matrix: Solid

Date Received: 04/17/26 15:54

Sample Depth: 4.5

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	101		70 - 130	04/18/26 13:36	04/18/26 22:30	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00230	U	0.00402	0.00230	mg/Kg			04/18/26 22:30	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<15.1	U	49.9	15.1	mg/Kg			04/20/26 14:45	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	49.9	14.5	mg/Kg		04/17/26 10:14	04/20/26 14:45	1
Diesel Range Organics (Over C10-C28)	<15.1	U	49.9	15.1	mg/Kg		04/17/26 10:14	04/20/26 14:45	1
Oil Range Organics (Over C28-C36)	<15.1	U	49.9	15.1	mg/Kg		04/17/26 10:14	04/20/26 14:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130	04/17/26 10:14	04/20/26 14:45	1
o-Terphenyl	81		70 - 130	04/17/26 10:14	04/20/26 14:45	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	92.8		10.1	0.398	mg/Kg			04/20/26 10:10	1

Surrogate Summary

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	BFB1	DFBZ1
		(70-130)	(70-130)
890-9804-1	FL 2	107	98
890-9804-1 MS	FL 2	104	100
890-9804-1 MSD	FL 2	103	109
890-9804-2	FL 4	107	101
LCS 880-137853/1-A	Lab Control Sample	102	99
LCSD 880-137853/2-A	Lab Control Sample Dup	96	96
MB 880-137853/5-A	Method Blank	101	98

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	1CO1	OTPH1
		(70-130)	(70-130)
890-9804-1	FL 2	87	93
890-9804-2	FL 4	76	81
LCS 880-138114/2-A	Lab Control Sample	71	74
LCSD 880-138114/3-A	Lab Control Sample Dup	70	74
MB 880-138114/1-A	Method Blank	48 S1-	51 S1-

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-137853/5-A
 Matrix: Solid
 Analysis Batch: 138212

Client Sample ID: Method Blank
 Prep Type: Total/NA
 Prep Batch: 137853

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00139	U	0.00200	0.00139	mg/Kg		04/15/26 13:36	04/18/26 21:48	1
Toluene	<0.00200	U	0.00200	0.00200	mg/Kg		04/15/26 13:36	04/18/26 21:48	1
Ethylbenzene	<0.00109	U	0.00200	0.00109	mg/Kg		04/15/26 13:36	04/18/26 21:48	1
m-Xylene & p-Xylene	<0.00229	U	0.00400	0.00229	mg/Kg		04/15/26 13:36	04/18/26 21:48	1
o-Xylene	<0.00158	U	0.00200	0.00158	mg/Kg		04/15/26 13:36	04/18/26 21:48	1
Xylenes, Total	<0.00229	U	0.00400	0.00229	mg/Kg		04/15/26 13:36	04/18/26 21:48	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	04/15/26 13:36	04/18/26 21:48	1
1,4-Difluorobenzene (Surr)	98		70 - 130	04/15/26 13:36	04/18/26 21:48	1

Lab Sample ID: LCS 880-137853/1-A
 Matrix: Solid
 Analysis Batch: 138212

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 137853

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1134		mg/Kg		113	70 - 130
Toluene	0.100	0.1117		mg/Kg		112	70 - 130
Ethylbenzene	0.100	0.1086		mg/Kg		109	70 - 130
m-Xylene & p-Xylene	0.200	0.2207		mg/Kg		110	70 - 130
o-Xylene	0.100	0.1098		mg/Kg		110	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	102		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: LCSD 880-137853/2-A
 Matrix: Solid
 Analysis Batch: 138212

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 137853

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	Limit
Benzene	0.100	0.1086		mg/Kg		109	70 - 130	4	35
Toluene	0.100	0.1074		mg/Kg		107	70 - 130	4	35
Ethylbenzene	0.100	0.1032		mg/Kg		103	70 - 130	5	35
m-Xylene & p-Xylene	0.200	0.2082		mg/Kg		104	70 - 130	6	35
o-Xylene	0.100	0.1036		mg/Kg		104	70 - 130	6	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: 890-9804-1 MS
 Matrix: Solid
 Analysis Batch: 138212

Client Sample ID: FL 2
 Prep Type: Total/NA
 Prep Batch: 137853

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00139	U	0.100	0.09784		mg/Kg		98	70 - 130
Toluene	<0.00200	U	0.100	0.09688		mg/Kg		97	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-9804-1 MS
Matrix: Solid
Analysis Batch: 138212

Client Sample ID: FL 2
Prep Type: Total/NA
Prep Batch: 137853

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec
	Result	Qualifier		Result	Qualifier				
Ethylbenzene	<0.00109	U	0.100	0.09372		mg/Kg		94	70 - 130
m-Xylene & p-Xylene	<0.00228	U	0.200	0.1951		mg/Kg		98	70 - 130
o-Xylene	<0.00158	U	0.100	0.09966		mg/Kg		100	70 - 130

Surrogate	MS	MS	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 890-9804-1 MSD
Matrix: Solid
Analysis Batch: 138212

Client Sample ID: FL 2
Prep Type: Total/NA
Prep Batch: 137853

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec	RPD	Limit
	Result	Qualifier		Result	Qualifier						
Benzene	<0.00139	U	0.100	0.09980		mg/Kg		100	70 - 130	2	35
Toluene	<0.00200	U	0.100	0.09900		mg/Kg		99	70 - 130	2	35
Ethylbenzene	<0.00109	U	0.100	0.09460		mg/Kg		95	70 - 130	1	35
m-Xylene & p-Xylene	<0.00228	U	0.200	0.1995		mg/Kg		100	70 - 130	2	35
o-Xylene	<0.00158	U	0.100	0.09856		mg/Kg		99	70 - 130	1	35

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	103		70 - 130
1,4-Difluorobenzene (Surr)	109		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-138114/1-A
Matrix: Solid
Analysis Batch: 138288

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 138114

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Gasoline Range Organics (GRO)-C6-C10	<14.5	U	50.0	14.5	mg/Kg		04/17/26 10:14	04/20/26 09:19	1
Diesel Range Organics (Over C10-C28)	<15.1	U	50.0	15.1	mg/Kg		04/17/26 10:14	04/20/26 09:19	1
Oil Range Organics (Over C28-C36)	<15.1	U	50.0	15.1	mg/Kg		04/17/26 10:14	04/20/26 09:19	1

Surrogate	MB	MB	Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
1-Chlorooctane	48	S1-	70 - 130	04/17/26 10:14	04/20/26 09:19	1
o-Terphenyl	51	S1-	70 - 130	04/17/26 10:14	04/20/26 09:19	1

Lab Sample ID: LCS 880-138114/2-A
Matrix: Solid
Analysis Batch: 138288

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 138114

Analyte	Spike	LCS	LCS	Unit	D	%Rec	%Rec
Gasoline Range Organics (GRO)-C6-C10	1000	782.1		mg/Kg		78	70 - 130
Diesel Range Organics (Over C10-C28)	1000	1042		mg/Kg		104	70 - 130

Eurofins Carlsbad

QC Sample Results

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-138114/2-A
 Matrix: Solid
 Analysis Batch: 138288

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA
 Prep Batch: 138114

Surrogate	LCS		Limits
	%Recovery	Qualifier	
1-Chlorooctane	71		70 - 130
o-Terphenyl	74		70 - 130

Lab Sample ID: LCSD 880-138114/3-A
 Matrix: Solid
 Analysis Batch: 138288

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA
 Prep Batch: 138114

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
Gasoline Range Organics (GRO)-C6-C10	1000	727.3		mg/Kg		73	70 - 130	7	7	20
Diesel Range Organics (Over C10-C28)	1000	973.4		mg/Kg		97	70 - 130	7	7	20

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
1-Chlorooctane	70		70 - 130
o-Terphenyl	74		70 - 130

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-138274/1-A
 Matrix: Solid
 Analysis Batch: 138277

Client Sample ID: Method Blank
 Prep Type: Soluble

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	<0.395	U	10.0	0.395	mg/Kg			04/20/26 09:41	1

Lab Sample ID: LCS 880-138274/2-A
 Matrix: Solid
 Analysis Batch: 138277

Client Sample ID: Lab Control Sample
 Prep Type: Soluble

Analyte	Spike Added	LCS		Unit	D	%Rec	%Rec	
		Result	Qualifier				Limits	RPD
Chloride	250	246.8		mg/Kg		99	90 - 110	

Lab Sample ID: LCSD 880-138274/3-A
 Matrix: Solid
 Analysis Batch: 138277

Client Sample ID: Lab Control Sample Dup
 Prep Type: Soluble

Analyte	Spike Added	LCSD		Unit	D	%Rec	%Rec		RPD	Limit
		Result	Qualifier				Limits	RPD		
Chloride	250	250.1		mg/Kg		100	90 - 110	1	1	20

Lab Sample ID: 890-9804-1 MS
 Matrix: Solid
 Analysis Batch: 138277

Client Sample ID: FL 2
 Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS		Unit	D	%Rec	%Rec	
				Result	Qualifier				Limits	RPD
Chloride	98.6		249	345.9		mg/Kg		99	90 - 110	

Eurofins Carlsbad

QC Sample Results

Client: Tasman Geosciences Inc
Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
SDG: 9219

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: 890-9804-1 MSD
Matrix: Solid
Analysis Batch: 138277

Client Sample ID: FL 2
Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	98.6		249	349.3		mg/Kg		101	90 - 110	1	20

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

QC Association Summary

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

GC VOA

Prep Batch: 137853

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Total/NA	Solid	5035	
890-9804-2	FL 4	Total/NA	Solid	5035	
MB 880-137853/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-137853/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-137853/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-9804-1 MS	FL 2	Total/NA	Solid	5035	
890-9804-1 MSD	FL 2	Total/NA	Solid	5035	

Analysis Batch: 138212

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Total/NA	Solid	8021B	137853
890-9804-2	FL 4	Total/NA	Solid	8021B	137853
MB 880-137853/5-A	Method Blank	Total/NA	Solid	8021B	137853
LCS 880-137853/1-A	Lab Control Sample	Total/NA	Solid	8021B	137853
LCSD 880-137853/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	137853
890-9804-1 MS	FL 2	Total/NA	Solid	8021B	137853
890-9804-1 MSD	FL 2	Total/NA	Solid	8021B	137853

Analysis Batch: 138298

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Total/NA	Solid	Total BTEX	
890-9804-2	FL 4	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 138114

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Total/NA	Solid	8015NM Prep	
890-9804-2	FL 4	Total/NA	Solid	8015NM Prep	
MB 880-138114/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-138114/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-138114/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	

Analysis Batch: 138288

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Total/NA	Solid	8015B NM	138114
890-9804-2	FL 4	Total/NA	Solid	8015B NM	138114
MB 880-138114/1-A	Method Blank	Total/NA	Solid	8015B NM	138114
LCS 880-138114/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	138114
LCSD 880-138114/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	138114

Analysis Batch: 138359

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Total/NA	Solid	8015 NM	
890-9804-2	FL 4	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 138274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Soluble	Solid	DI Leach	
890-9804-2	FL 4	Soluble	Solid	DI Leach	

Eurofins Carlsbad

QC Association Summary

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

HPLC/IC (Continued)

Leach Batch: 138274 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-138274/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-138274/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-138274/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
890-9804-1 MS	FL 2	Soluble	Solid	DI Leach	
890-9804-1 MSD	FL 2	Soluble	Solid	DI Leach	

Analysis Batch: 138277

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
890-9804-1	FL 2	Soluble	Solid	300.0	138274
890-9804-2	FL 4	Soluble	Solid	300.0	138274
MB 880-138274/1-A	Method Blank	Soluble	Solid	300.0	138274
LCS 880-138274/2-A	Lab Control Sample	Soluble	Solid	300.0	138274
LCSD 880-138274/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	138274
890-9804-1 MS	FL 2	Soluble	Solid	300.0	138274
890-9804-1 MSD	FL 2	Soluble	Solid	300.0	138274

Lab Chronicle

Client: Tasman Geosciences Inc
 Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
 SDG: 9219

Client Sample ID: FL 2

Lab Sample ID: 890-9804-1

Date Collected: 04/17/26 14:38

Matrix: Solid

Date Received: 04/17/26 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	137853	04/18/26 13:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138212	04/18/26 22:10	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138298	04/18/26 22:10	SA	EET MID
Total/NA	Analysis	8015 NM		1			138359	04/20/26 14:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	138114	04/17/26 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138288	04/20/26 14:30	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	138274	04/20/26 09:00	SI	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138277	04/20/26 09:55	CS	EET MID

Client Sample ID: FL 4

Lab Sample ID: 890-9804-2

Date Collected: 04/17/26 12:30

Matrix: Solid

Date Received: 04/17/26 15:54

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	137853	04/18/26 13:36	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138212	04/18/26 22:30	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138298	04/18/26 22:30	SA	EET MID
Total/NA	Analysis	8015 NM		1			138359	04/20/26 14:45	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	138114	04/17/26 10:14	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138288	04/20/26 14:45	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	138274	04/20/26 09:00	SI	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138277	04/20/26 10:10	CS	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
SDG: 9219

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Method Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
SDG: 9219

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440



Sample Summary

Client: Tasman Geosciences Inc
Project/Site: 9219 STRAWBERRY BOOSTER

Job ID: 890-9804-1
SDG: 9219

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
890-9804-1	FL 2	Solid	04/17/26 14:38	04/17/26 15:54	4.5
890-9804-2	FL 4	Solid	04/17/26 12:30	04/17/26 15:54	4.5

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14



Environment Testing Xenco

Chain of Custody

Houston, TX (281) 240-4200, Dallas, TX (214) 902-0300
Midland, TX (432) 704-5440, San Antonio, TX (210) 509-3334
EL Paso, TX (915) 585-3443, Lubbock, TX (806) 794-1296
Hobbs, NM (575) 392-7550, Carlsbad, NM (575) 988-3199



Wor

890-9804 Chain of Custody

www.xenco.com Page _____ of _____

Project Manager:	Kyle Norman	Bill to: (if different)	
Company Name:	Tasman, Inc.	Company Name:	
Address:	2620 W. Marland Blvd	Address:	
City, State ZIP:	Hobbs, New Mexico 88240	City, State ZIP:	
Phone:	575-318-5017	Email:	NMDData@tasman-geo.com; Albert.L.Hyman@p66.com

Work Order Comments	
Program:	UST/PST <input type="checkbox"/> PRP <input type="checkbox"/> Brownfields <input type="checkbox"/> RC <input type="checkbox"/> Superfund <input type="checkbox"/>
State of Project:	
Reporting:	Level II <input type="checkbox"/> Level III <input type="checkbox"/> PST/UST <input type="checkbox"/> TRRP <input type="checkbox"/> Level IV <input type="checkbox"/>
Deliverables:	EDD <input type="checkbox"/> ADaPT <input type="checkbox"/> Other:

Project Name:		9219 Strawberry booster Turn Around		ANALYSIS REQUEST										Preservative Codes									
Project Number:	9219	<input type="checkbox"/> Routine	<input checked="" type="checkbox"/> Rush	Pres. Code													None: NO	DI Water: H ₂ O					
Project Location:		Due Date:	24hr	Parameters	BTEX (EPA Method 8021B)	Chlorides (EPA Method 300)	TPH (EPA Method 8015M Extended)	Hold											Cool: Cool	MeOH: Me			
Sampler's Name:	Sarachuehlong	TAT starts the day received by the lab, if received by 4:30pm																	HCL: HC	HNO ₃ : HN			
PO #:	N/A																		H ₂ SO ₄ : H ₂	NaOH: Na			
SAMPLE RECEIPT		Temp Blank:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>						Wet Ice:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No												H ₃ PO ₄ : HP	
Samples Received Intact:	Yes <input checked="" type="checkbox"/> No <input type="checkbox"/>	Thermometer ID:	TNR007																NaHSO ₄ : NABIS				
Cooler Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Correction Factor:	0.2												Na ₂ S ₂ O ₃ : NaSO ₃								
Sample Custody Seals:	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	Temperature Reading:	4.2												Zn Acetate+NaOH: Zn								
Total Containers:		Corrected Temperature:	4.0												NaOH+Ascorbic Acid: SAPC								
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Grab/Comp	# of Cont	BTEX	Chlorides	TPH	Hold											Sample Comments		
FL2	S	04/17/26	1438	4.5	C	1	X	X	X														
FL4	↓	↓	1230	↓	C	↓	↓	↓	↓														

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO₂ Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U Hg: 1631 / 245.1 / 7470 / 7471

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Eurofins Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Eurofins Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Eurofins Xenco. A minimum charge of \$85.00 will be applied to each project and a charge of \$5 for each sample submitted to Eurofins Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		15:54 4/17			

Revised Date: 08/25/2020 Rev. 2020.2



Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 890-9804-1

SDG Number: 9219

Login Number: 9804

List Number: 1

Creator: Lopez, Abraham

List Source: Eurofins Carlsbad

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	N/A	Refer to Job Narrative for details.
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Login Sample Receipt Checklist

Client: Tasman Geosciences Inc

Job Number: 890-9804-1

SDG Number: 9219

Login Number: 9804

List Number: 2

Creator: Laing, Edmundo

List Source: Eurofins Midland
List Creation: 04/19/26 03:38 PM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	N/A	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 588488

QUESTIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 588488
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2604750695
Incident Name	NAPP2604750695 STRAWBERRY BS @ P-16-19S-31E
Incident Type	Release Other
Incident Status	Remediation Closure Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Strawberry BS
Date Release Discovered	02/13/2026
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Human Error Other (Specify) Condensate Released: 10 BBL Recovered: 10 BBL Lost: 0 BBL.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Truck was unloading condensate and forgot to close the bleeder valve and also did not close the main valve 100%. This caused a slow leak. The block valve was closed fully as well as the bleed valve to stop the leak. The spill was contained in a lined berm.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 588488

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 588488
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Ray Smalts Title: Sr Environmental Eng/Spec Email: raymond.a.smalts@p66.com Date: 05/27/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 588488

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 588488
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 500 and 1000 (ft.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Greater than 5 (mi.)
A subsurface mine	Between 1 and 5 (mi.)
An (non-karst) unstable area	Between 1 and 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	Yes
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	03/24/2026
On what date will (or did) the final sampling or liner inspection occur	04/17/2026
On what date will (or was) the remediation complete(d)	04/22/2026
What is the estimated surface area (in square feet) that will be remediated	792
What is the estimated volume (in cubic yards) that will be remediated	240

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 588488

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 588488
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
Is (or was) there affected material present needing to be removed	Yes
Is (or was) there a power wash of the lined containment area (to be) performed	Not answered.
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Ray Smalts Title: Sr Environmental Eng/Spec Email: raymond.a.smalts@p66.com Date: 05/27/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 588488

QUESTIONS (continued)

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 588488
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Liner Inspection Information	
Last liner inspection notification (C-141L) recorded	554429
Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	02/19/2026
Was all the impacted materials removed from the liner	Yes
What was the liner inspection surface area in square feet	2800

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	Yes
What was the total surface area (in square feet) remediated	792
What was the total volume (cubic yards) remediated	240
Summarize any additional remediation activities not included by answers (above)	N/A

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Ray Smalts Title: Sr Environmental Eng/Spec Email: raymond.a.smalts@p66.com Date: 05/27/2026
--	---

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 588488

CONDITIONS

Operator: DCP OPERATING COMPANY, LP 2331 Citywest Blvd Houston, TX 77042	OGRID: 36785
	Action Number: 588488
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
nvez	None	6/5/2026