



CLOSURE REQUEST REPORT

North Brushy Draw 6-inch Pipeline

Eddy County, New Mexico

Incident Number nAPP2528638858

Prepared for:

Delaware Basin Midstream, LLC

Carlsbad • Houston • Midland • San Antonio • Lubbock • Hobbs • Lafayette



SYNOPSIS

Etech Environmental & Safety Solutions, Inc. (Etech), on behalf of Delaware Basin Midstream, LLC (DBM), presents the following Closure Request Report (CRR) detailing excavation activities and subsequent soil sampling activities associated with an inadvertent reportable release of condensate at the North Brushy Draw 6-inch Pipeline (Site). Based on laboratory analytical results for final confirmation soil samples, DBM believes corrective actions have removed residual impacts to soil in accordance with the applicable Site Closure Criteria and requests No Further Action (NFA) until abandonment of the Site.

SITE LOCATION AND RELEASE BACKGROUND

The Site is located in Unit L, Section 36, Township 25 South, Range 29 East, in Eddy County, New Mexico (32.08327, -103.94485) and is associated with oil and gas exploration and production operations on State Land managed by the New Mexico State Land Office (NMSLO) as shown on **Figure 1** in **Appendix A**.

On October 7, 2025, corrosion of an underground pipeline caused approximately 67 thousand cubic feet (MCF) of natural gas to be vented into the atmosphere and 8 barrels (bbls) of condensate to be released onto a Right of Way (ROW). Vacuum trucks were immediately dispatched and recovered 6 bbls of free-standing fluids from the ROW and immediately impacted soil was excavated via heavy equipment to repair the pipeline. DBM notified the NMSLO and New Mexico Oil Conservation Division (NMOCD) via email on October 13, 2025, and reported the release on a Corrective Action Form C-141 (Form C-141), which was received by the NMOCD October 13, 2025, and subsequently assigned Incident Number nAPP2528638858. The observed release extent will be hereafter referred to as the Area of Concern (AOC).

A Site Characterization and Remediation Plan was prepared and submitted to the NMOCD on March 6, 2026, and was assigned application # 560669. The plan was conditionally approved by the NMOCD on March 30, 2026. The following conditions were given with the approval:

"1) Any base or wall that is exposed during excavation is required to have confirmation samples collected pursuant to 19.15.29 NMAC. 2) Confirmation soil samples must consist of five-point composite samples from the side wall and base and individual grab samples from any wet or discolored areas, representing a surface area of no more than 200 ft². 3) Initial photos attached are not clear. Provide clear geotagged photos of the excavations. Submit a remediation closure report to OCD by 6/29/2026."

All remediation summaries and NMOCD correspondence can be referenced under the [OCD Permitting Files](#).

SITE CHARACTERIZATION AND CLOSURE CRITERIA

Etech characterized the Site according to Table I, Closure Criteria for Soils Impacted by a Release, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC) considering depth to groundwater and the proximity to:

- Any continuously flowing watercourse or any other significant watercourse;
- Any lakebed, sinkhole or playa lake (measured from the ordinary high-water mark);
- An occupied permanent residence, school, hospital, institution or church;
- A spring or a private, domestic fresh water well used by less than five households for domestic or stock watering purposes;
- Any freshwater well or spring;
- Incorporated municipal boundaries or a defined municipal fresh water well field covered under a municipal ordinance;
- A wetland;
- A subsurface mine;



- An unstable area (i.e. high karst potential); and
- A 100-year floodplain.

A boring advanced by Talon LPE on December 8, 2020, at the North Brushy Draw Federal 35 #010H for WPX Energy Permian, LLC is located approximately 0.46 miles southwest of the Site (**Figure 1A** in **Appendix A**). Using a truck-mounted drill rig equipped with air rotary, the soil boring was advanced to a total depth of 105 feet below ground surface (bgs). No fluids were observed during the drilling process or after a 72-hour observation period. Following the observation period, the borehole was plugged and abandoned in accordance with applicable NMOSE regulations. The boring log is provided in **Appendix B**.

The Site is located within a designated low karst potential area, and all other potential receptors are not within the established buffers defined in NMAC 19.15.29.12. Receptor details from the site characterization are included in **Figure 1A**, **Figure 1B**, and **Figure 1C** in **Appendix A**.

Based on the results from the desktop review, specifically the estimated depth to groundwater, DBM proposes the following Closure Criteria:

Constituents of Concern (COCs)	Laboratory Analytical Method	Closure Criteria [†]
Chloride	Environmental Protection Agency (EPA) 300.0	20,000 milligrams per kilogram (mg/kg)
TPH (Total Petroleum Hydrocarbon)	EPA 8015 M/D	2,500 mg/kg
Gasoline Range Organics (GRO) + Diesel Range Organics (DRO)	EPA 8015 M/D	1,000 mg/kg
Benzene	EPA 8021B	10 mg/kg
Benzene, Toluene, Ethylbenzene, Total Xylenes (BTEX)	EPA 8021B	50 mg/kg

[†]The reclamation concentration requirements of 600 mg/kg chloride and 100 mg/kg TPH apply to the top 4 feet of areas to be immediately reclaimed following remediation pursuant to NMAC 19.15.17.13.

CULTURAL PROPERTIES PROTECTION RULE

Per the requirements set forth by the NMSLO Cultural Properties Protection (CPP) Rule (NMAC 19.2.24), Etech, on behalf of DBM, consulted with Lone Mountain Archaeological Services, Inc. (Lone Mountain) to perform an intensive pedestrian survey on the Area of Potential Effect (APE) on the NMSLO-managed land. Lone Mountain concluded that surveys have already been conducted for the APE and no additional survey(s) is necessary. A copy of the New Mexico Cultural Resources Information System (NMCRIS) Cultural Resources Cover Sheet is included in **Appendix C**.

BIOLOGICAL SENSITIVE AREAS

A desktop review indicated that a Special Status Plant Species (SSPS) survey was warranted for the Site. Topographic was retained to conduct the assessment consultation, and it was determined that a formal SSPS survey was required to adequately characterize the potential presence of special status plants within the APE. The SSPS survey did not identify any species of concern. The Species Status Plant Species Survey Results are included in **Appendix C**.



SITE ASSESSMENT AND DELINEATION SOIL SAMPLING ACTIVITIES

On October 20, 2025, Etech conducted delineation activities to investigate the presence of residual soil impacts associated with the AOC. Nine (9) delineation Auger Holes (Auger Hole 1 through Auger Hole 9) were advanced via hand auger within and around the AOC. Reported sample depths associated with Auger Hole 1 through Auger Hole 3 are referenced to the excavation floor (i.e., collected within the excavation) rather than measured from the original ground surface.

Auger Holes 1-3: Depth Reference Conversion
(Reported depths measured from excavation base; excavation depth ~4 ft)

Depth reported on COC (ft)	True depth from ground surface (ft bgs)
0-0.25	4-4.25
1	5
2	6
3	7
4	8

The delineation soil sample locations are shown in **Figure 2** in **Appendix A**. Photographic documentation of delineation activities is included in **Appendix D**.

Delineation soil samples were placed directly into lab-provided pre-cleaned glass jars, packaged with minimal void space, labeled, and immediately placed on ice. The soil samples were transported under strict chain-of-custody procedures to Eurofins Scientific (Eurofins) in Midland, Texas, for analysis of COCs.

DELINEATION LABORATORY ANALYTICAL RESULTS

Laboratory analytical results for soil samples surrounding the AOC were compliant with the Site Closure Criteria and/or reclamation standard. Laboratory analytical results for soil samples within the AOC indicated that TPH-DRO + TPH-GRO concentrations exceed the Site Closure Criteria up to 5 feet bgs. Laboratory analytical results are summarized in **Table 1** included in **Appendix E**. The executed chain-of-custody form and laboratory reports are provided in **Appendix F**.

EXCAVATION SOIL SAMPLING ACTIVITIES

On April 8, 2026, Etech conducted excavation activities based on delineation data and further driven by field screening as previously described. Confirmation excavation soil samples were collected at a sampling frequency of 200 square feet from the excavation floor and sidewalls. The confirmation excavation composite soil samples were comprised of five equivalent aliquots homogenized in a 1-gallon, resealable plastic bag. The soil samples were then placed into lab provided pre-cleaned glass jars, packaged with minimal void space, labeled, and immediately placed on ice. The soil samples were transported under strict chain-of-custody procedures to Eurofins in Midland, Texas, for analysis of COCs. The locations of the confirmation soil samples were mapped with a handheld Global Positioning System (GPS) unit and are shown in **Figure 3** in **Appendix A**. Photographic documentation during excavation activities is included in **Appendix D**.

CONFIRMATION LABORATORY ANALYTICAL RESULTS

Laboratory analytical results indicated COC concentrations from all the final confirmation soil samples were below the applicable Site Closure Criteria. Laboratory analytical results are summarized in **Table 2** as **Appendix E**, and the complete laboratory reports with chain-of-custody documentation are included as **Appendix F**.



Restoration & Reclamation Activities

On May 6, 2026, the stockpile impacted soil was loaded into transports and sent to R360 Red Bluff in Loving County, Texas for disposal under approved waste manifest. The excavated area was backfilled with like-sourced material to surface grade. Photographic documentation following restoration activities is included in **Appendix D**.

On May 19, 2026, the Site was revegetated by seeding with the NMSLO Sandy seed mixture, applied utilizing a drill seed attachment for a skid steer, in accordance with NMSLO requirements for restoration of disturbed State Trust Land.

CLOSURE REQUEST

Based on laboratory analytical results for final confirmation excavation soil samples, DBM believes residual soil impacts associated with the inadvertent release have been delineated, excavated, and removed from the Site. DBM believes the initial response efforts and completed remedial actions have met the requirements set forth in NMAC guidelines and to be protective of human health, the environment, and groundwater. As such, NFA appears warranted at this time and this CRR associated with Incident Number nAPP2528638858 should be respectfully considered for Closure by the NMOCD.

If you have any questions or comments, please do not hesitate to contact Blake Estep at (432) 894-6038 or blake@etechenv.com.

Sincerely,
Etech Environmental and Safety Solutions, Inc.

Blake Estep
Senior Project Manager


cc: Matthew Green, Delaware Basin Midstream, LLC
New Mexico Oil Conservation Division
New Mexico State Land Office


Appendices:

Appendix A	Figure 1: Site Map Figure 1A: Site Characterization Map – Groundwater Figure 1B: Site Characterization Map – Surficial Receptors Figure 1C: Site Characterization Map – Karst Potential Figure 2: Delineation Soil Samples Figure 3: Confirmation Soil Samples
Appendix B	Referenced Well Record
Appendix C	Cultural Resources Cover Sheet & Species Status Plant Species Survey Results
Appendix D	Photographic Log
Appendix E	Tables
Appendix F	Laboratory Analytical Reports & Chain-of-Custody Documentation

APPENDIX A

Figures










FIGURE 1B
**Site Characterization Map
 Surficial Receptors**

Delaware Basin Midstream LLC
 North Brushy Draw 6-Inch Pipeline
 Unit L Sec 36 T25S R29E
 Eddy County, New Mexico

eTECH









FIGURE 2

Delineation Soil Sample Locations

Delaware Basin Midstream LLC
North Brushy Draw 6-Inch Pipeline
Unit L Sec 36 T25S R29E
Eddy County, New Mexico






FIGURE 3

Excavation Soil Sample Locations

Delaware Basin Midstream LLC
 North Brushy Draw 6-Inch Pipeline
 Unit L Sec 36 T25S R29E
 Eddy County, New Mexico



0 12.5 25 Feet

APPENDIX B

Referenced Well Records

P.O. Box 62228 Midland • TX • 79711 • Tel: 432-563-2200 • Fax: 432-563-2213



 HRL COMPLIANCE SOLUTIONS							BORING LOG/MONITORING WELL COMPLETION DIAGRAM						
							Boring/Well Number:		Location:				
							MW-1		North Brushy Federal 35 # 010H				
							Date:		Client:				
							12/8/2020		WPX Energy				
Drilling Method:			Sampling Method:				Logged By:		Drilled By:				
Air Rotary			None				J. Linn, PG		Talon LPE				
Gravel Pack Type:			Gravel Pack Depth Interval:				Seal Type:		Seal Depth Interval:		Latitude:		
10/20 Sand			3 Bags				None		None		32.079909		
Casing Type:		Diameter:		Depth Interval:			Boring Total Depth (ft. BGS):			Longitude:			
PVC		2-inch		0-100 feet bgs			105			-103.951386			
Screen Type:		Slot:		Diameter:		Depth Interval:		Well Total Depth (ft. BGS):			Depth to Water (ft. BTWC):		
PVC		0.010-inch		2-inch		100 - 105 ft		105			> 105		
DTW Date:													
12/16/2020													
Depth Interval (ft)	Recovery (ft)	Plasticity	Moisture	Odor	Staining	PID (ppm)	USCS	Sample ID	Lithology/Remarks			Well Completion	
0	NM	L	D	N	N	NM	CE	NS	Buff to pale pink caliche				
5													
10													
15													
20	NM	L	D	N	N	NM	SM	NS	Tan to pale red silty sand				
25													
30													
35													
40													
45													
50	NM	M	M	N	N	NM	ML	NS	Tan to pale red sandy silt with minor medium sand				
55													
60	NM	H	M	N	N	NM	CL	NS	Tan clay with minor gravel				
65													
70													
75	NM	L	D	N	N	NM	SP	NS	Pale red poorly graded fine sand with minor silt				
80													
85	NM	H	D/SLM	N	N	NM	CL	NS	Grey sandy lean clay with minor medium sand and minor angular gravel				
90													
95													
100	NM	M/H	M	N	N	NM	CL	NS	Brown with orange sandy lean clay with minor medium sand and angular gravel - TD Boring: 105'				

APPENDIX C

Cultural Resources Cover Sheet & Species Status Plant Species Survey Results

P.O. Box 62228 Midland • TX • 79711 • Tel: 432-563-2200 • Fax: 432-563-2213





NMSLO Cultural Resources Cover Sheet

ARMS Inspection/Review

To: Cultural Resources Office, New Mexico State Land Office, Santa Fe, New Mexico

Re: Proposed "Brushy Draw Gas Pipeline Release Remediation"

ARMS Inspection/Review ID: A-20251205-001218

Proposed Project Details

Permitted Cultural Consultant Name: Lone Mountain Archaeological Services, Inc.

Permitted Cultural Consultant Phone Number: (505) 881 - 0011

Permitted Cultural Consultant Email Address: tcordua@lone-mtn.com

E-tech Environmental has contracted Lone Mountain Archaeological Services, Inc. to conduct an ARMS Inspection/Review for a proposed project "Brushy Draw Gas Pipeline Release Remediation" located on New Mexico State Trust Lands in T25S R29E S36 in Eddy county. The Lead Agency for this project is NMSLO.

The ARMS Inspection/Records Review associated with this project has been conducted per the pre-field requirements of 4.10.15.9 NMAC on 12/05/2025.

The review was conducted for the Area of Potential Effect (APE) and 500 meters surrounding the APE. Information regarding the review results can be found in the uploaded Table 1-Cultural Surveys within 500 meters of proposed project and Table 2-Cultural Resources within 500 meters of proposed project.

Results-Recommendation

Twelve surveys were conducted within the last ten years and four sites are located within the search parameters. LA 178934 is approximately 26 m east of the proposed project area and will not be impacted by the undertaking. NMCRIS 139186 and NMCRIS 151160 thoroughly cover the remediation location, therefore no further studies are recommended.

NMSLO Administrative Use Only:

NMSLO Lease Number: _____

Lease Analyst: _____



TECHNICAL MEMORANDUM

eTech Environmental & Safety Solutions, Inc. Brushy Draw Site Sampling Project Eddy County, New Mexico

Special Status Plant Species Survey Results

Date: March 30, 2026
Prepared For: New Mexico State Land Office
Prepared By: Topographic Co. (Topographic) – Jason Voight, PWS

Introduction:

eTech Environmental & Safety Solutions, Inc. (eTech) retained Topographic Co. to conduct a field survey of the area surrounding a reported pipeline break, with a focus on identifying the presence or absence of sensitive plant species. Target species included Scheer's beehive cactus (*Coryphantha robustispina* ssp. *scheeri*) and Tharp's bluestar (*Amsonia tharpii*). The survey also documented general site conditions and vegetation within the area.

The area of evaluation (AOE) is located approximately 12 miles southeast of Malaga, New Mexico in Eddy County. A general location map is provided as **Figure A-1 in Attachment A**.

Topographic staff contacted Ms. Jillian (Jill) Sessums, biologist with the New Mexico State Land Office (NMSLO) on March 4, 2026, to determine if a Special Status Plant Species (SSPS) survey would need to be performed. Ms. Sessums conveyed that a Scheer's beehive cactus (*Coryphantha robustispina* ssp. *Scherri*) and a Tharp's bluestar (*Amsonia tharpii*) survey would need to be completed. She also requested that Topographic note any burrows or nests observed.

Survey Methodology:

eTech obtained permission to access the site from the NMSLO and contracted with Topographic to perform the SSPS survey for the Scheer's beehive cactus and the Tharp's bluestar. Prior to the site assessment, habitat requirements for Scheer's beehive cactus and Tharp's bluestar were reviewed. Additionally, the following background datasets were utilized to facilitate the SSPS survey:

Aerial Imagery – the U.S. Department of Agriculture's National Agriculture Imagery Program's 2024 aerial imagery, **Figure A-2, Attachment A**, was reviewed to determine land uses in the AOE. Land uses include vegetation associated with the Chihuahuan desert, oil and gas operations and right of ways, and access roads.

Topography – the U.S. Geological Survey Topographic quadrangle map – Ross Ranch, included as **Figure A-3, Attachment A**, was reviewed to determine topography and topographical land features in



TECHNICAL MEMORANDUM

the AOE. The topography is gently undulating with elevations varying from +/- 3,030 to 3,050 feet mean sea level.

Surface Soils – Three soil types are located within the Assessment Area, as mapped by the Soil Survey of Eddy County, Texas (NRCS Web Soil Survey), and are listed in the following table. The mapped soil units within the AOE and surrounding area are illustrated on **Figure A-4** in **Attachment A**.

Soil Symbol	Soil Name
BB	<i>Berino complex, 0 to 3 percent slopes, eroded</i>
TF	<i>Tonuco loamy fine sand, 0 to 3 percent slopes</i>
US	<i>Upton-Simona complex, 1 to 15 percent slopes, eroded</i>

The survey methodology consisted of buffering the site location by 200 meters to determine the AOE. Within the AOE, transects were spaced in a north/south orientation 10 meters apart, as shown on **Figure A-5** in **Attachment A**, to provide transect locations in case of a documented occurrence. The SSPS survey protocol calls for 20 meter transects to be performed in the field. The AOE and survey transects were uploaded to specialized software for use in the field to facilitate a meander search method survey approach.

Results:

A site investigation was carried out on March 6, 2026 by Topographic scientists, Jason Voight and Evan Abboud. The site investigation compared the site conditions observed during the field survey with the habitat requirements for the Scheer's beehive cactus and Tharp's bluestar. A meander search method was utilized by initially walking the predefined 10 meter transect in a north/south orientation to determine the general species composition within the AOE, then walking every other 10 meter transect once the species composition was established. A map showing the location of the field recorded meander search method transects is included as **Figure A-6** in **Attachment A**. Representative photographs recorded during the site investigation are included in **Attachment B** with a photograph location map included as **Figure B-1**.

Based on the habitat assessment and field survey results, no Scheer's beehive cacti or Tharp's bluestar were observed within the AOE. The following plant species were observed within the AOE.

- Grassland Croton (*Croton texensis*)
- Thicksepal cryptantha (*Cryptantha crassiseppala*)
- Desert willowgrass (*Chloris virgata*)
- Black grama (*Bouteloua eriopoda*)
- Cenchrus sandbur (*Cenchrus spinifex*)
- Lehmann lovegrass (*Eragrostis lehmanniana*)
- Hooded windmill grass (*Chloris cucullata*)
- Black-spined prickly pear (*Opuntia macrocentra*)
- Spiny greasebush (*Glossopetalon spinescens*)
- Hairy five-eyes (*Chamaesaracha villosa*)
- Catclaw mimosa (*Mimosa aculeaticarpa*)
- Pricklyleaf dogweed (*Thymophylla acerosa*)
- Woolly tidestromia (*Tidestromia lanuginosa*)



TECHNICAL MEMORANDUM

- Wright's beebrush (*Aloysia wrightii*)
- False buffalograss (*Munroa squarrosa*)
- Wild rue (*Peganum harmala*)
- Mexican feathergrass (*Nassella tenuissima*)
- Mesa dropseed (*Sporobolus flexuosus*)
- Fendler's bladderpod (*Lesquerella fendleri*)
- Silverleaf nightshade (*Solanum elaeagnifolium*)
- Twoleaf senna (*Senna roemeriana*)
- Four-wing saltbush (*Atriplex canescens*)
- Creosotebush (*Larrea tridentata*)
- Little buckthorn (*Rhamnus serrata*)
- Plains bristlegrass (*Setaria leucopila*)
- Sticky snakeweed (*Gutierrezia microcephala*)
- Mesquite (*Prosopis spp.*)
- Annual buckwheat (*Eriogonum gypsophilum*)
- Lotebush (*Ziziphus obtusifolia*)
- Winged pigweed (*Cycloloma atriplicifolium*)
- Bush muhly (*Muhlenbergia porteri*)
- Iodinebush (*Allenrolfea occidentalis*)
- Touristplant (*Dimorphocarpa wislizeni*)
- Hoary sandmat (*Euphorbia lata*)
- Plains yucca (*Yucca glauca*)
- Soaptree yucca (*Yucca elata*)

The following is a Habitat Suitability Determination Table for the Scheer's beehive cactus and Tharp's bluestar.

**Habitat Suitability Determination Table
Special Status Plant Species Screening**

Species	Federal / State / BLM Status	Habitat Requirements	Habitat Present in the Study Area	Determination
Scheer's Beehive Cactus (<i>Coryphantha robustispina</i> ssp. <i>Scherri</i>)	BLM Sensitive / New Mexico Endangered	Occurs in desert scrub vegetation communities on calcareous or gypsum soils, often on rocky slopes or well-drained soils.	Desert scrub habitat is present; however, no individuals were observed during the field survey. Disturbance within the AOE has diminished overall habitat suitability, and has rendered portions of the AOE unsuitable for the cactus.	Habitat marginally suitable; species not observed during survey.
Tharp's bluestar (<i>Amsonia tharpaii</i>)	BLM Sensitive / New Mexico Endangered	Occurs on gypsum or calcareous soils in desert grassland and shrubland communities, often in open, sparsely vegetated areas on flats, gentle slopes, and along drainages.	Desert scrub habitat with suitable soil conditions may be present within portions of the AOE; however, no individuals were observed during the field survey. Disturbance within the AOE has reduced habitat quality and continuity, and portions of the area are not conducive to supporting the species.	Habitat marginally suitable; species not observed during survey.



TECHNICAL MEMORANDUM

Small burrows were observed within the AOE, consisting primarily of lizard and rodent burrows. The only reptile species observed was the Common Side-blotched Lizard (*Uta stansburiana*). No nests were identified during the survey; however, a covey a Scaled Quail (*Callipepla squamata*) was flushed during the field effort.

My signature certifies to the best of my knowledge the responses provided herein accurately reflect the requisite information pertaining to the Special Status Plant Species Survey for the AOE.

Jason Voight, PWS

817-480-4730

Print Name

Telephone



Jason.Voight@Topographic.com

Signature

Email Address

ATTACHMENT A

FIGURES



Legend

 Area of Evaluation

FIGURE 1 OF 6

2 1 0 Miles


FIGURE A-1
GENERAL LOCATION MAP
EDDY COUNTY, NEW MEXICO

BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFETY SOLUTIONS, INC.
SSPS SURVEY PLAN

TOPOGRAPHIC
 LOYALTY INNOVATION LEGACY

481 WINS COTT ROAD
 SUITE 200
 BENBROOK, TEXAS 76126
 PHONE: (817) 744-7512
 FAX: (817) 744-7554

DATE: 03/31/2026



Legend

 Area of Evaluation



FIGURE 2 OF 6

1,000 500 0 Feet



FIGURE A-2 U.S. GEOLOGICAL SURVEY TOPOGRAPHIC MAP ROSS RANCH, NEW MEXICO QUADRANGLE EDDY COUNTY, NEW MEXICO

BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFETY SOLUTIONS, INC.
SSPS SURVEY PLAN



481 WINS COTT ROAD
SUITE 200
BENBROOK, TEXAS 76126
PHONE: (817) 744-7512
FAX: (817) 744-7554

DATE: 03/31/2026

Path: S:\ENVIRONMENTAL\TECH_ENVIRONMENTAL_SAFETY_SOLUTIONS_INC\BRUSHY_DRAW_SSPTS_STUDY2-0_WORK_PRODUCT\2-2_GIS_CAD\Pro\Brushy Draw Spill\Brushy Draw Spill.aprx


**Legend** Area of Evaluation

FIGURE 3 OF 6

300 150 0 Feet



FIGURE A-3
U.S. DEPARTMENT OF AGRICULTURE
2024 NATIONAL AERIAL IMAGERY PROGRAM MAP
EDDY COUNTY, NEW MEXICO


BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFETY SOLUTIONS, INC.
SSPTS SURVEY PLAN



481 WINSOTT ROAD
SUITE 200
BENBROOK, TEXAS 76126
PHONE: (817) 744-7512
FAX: (817) 744-7554

DATE: 03/31/2026

Path: S:\ENVIRONMENTAL\TECH_ENVIRONMENTAL_SAFETY_SOLUTIONS_INC\BRUSHY_DRAW_SSPS_STUDY2-0_WORK_PRODUCT\2-2_GIS_CAD\Pro\Brushy Draw Spill\Brushy Draw Spill.aprx

**Legend**

	Area of Evaluation		PA
	Mapped Soil Units		TF
	BB		US



FIGURE 4 OF 6

300 150 0 Feet

FIGURE A-4
NATURAL RESOURCE CONSERVATION SERVICE
MAPPED SOIL UNITS
EDDY COUNTY, NEW MEXICO


BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFETY SOLUTIONS, INC.
SSPS SURVEY PLAN



481 WINSOTT ROAD
 SUITE 200
 BENBROOK, TEXAS 76126
 PHONE: (817) 744-7512
 FAX: (817) 744-7554

DATE: 03/31/2026

Path: S:\ENVIRONMENTAL\ETECH_ENVIRONMENTAL_SAFETY_SOLUTIONS_INC\BRUSHY_DRAW_SSPTS_STUDY2-0_WORK_PRODUCT\2-2_GIS_CAD\Pro\Brushy Draw Spill\Brushy Draw Spill.aprx



Legend

- Survey Transects
- Brushy Draw Remediation Area
- Area of Evaluation



FIGURE 5 OF 6

300 150 0 Feet

FIGURE A-5 SURVEY METHODOLOGY EDDY COUNTY, NEW MEXICO


BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFETY SOLUTIONS, INC.
SSPS SURVEY PLAN



481 WINSOTT ROAD
SUITE 200
BENBROOK, TEXAS 76126
PHONE: (817) 744-7512
FAX: (817) 744-7554

DATE: 03/31/2026

Path: S:\ENVIRONMENTAL\TECH_ENVIRONMENTAL_SAFETY_SOLUTIONS_INC\BRUSHY_DRAW_SSPTS_STUDY2-0_WORK_PRODUCT\2-2_GIS_CAD\Pro\Brushy Draw Spill\Brushy Draw Spill.aprx

**Legend**

-  Performed on the Ground Survey Transects
-  Survey Transects
-  Area of Evaluation



FIGURE 6 OF 6

300 150 0 Feet

**FIGURE A-6
SURVEY RESULTS
EDDY COUNTY, NEW MEXICO****BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFETY SOLUTIONS, INC.
SSPS SURVEY PLAN****481 WINSOTT ROAD
SUITE 200
BENBROOK, TEXAS 76126
PHONE: (817) 744-7512
FAX: (817) 744-7554****DATE: 03/31/2026**

ATTACHMENT B
REPRESENTATIVE PHOTOGRAPHS

Path: S:\ENVIRONMENTAL\TECH_ENVIRONMENTAL_SAFETY_SOLUTIONS_INC\BRUSHY_DRAW_SSPTS_STUDY2-0_WORK_PRODUCT\2-2_GIS_CAD\Pro\Brushy Draw Spill\Brushy Draw Spill.aprx




FIGURE 1 OF 1

300 150 0 Feet

FIGURE B-1
REPRESENTATIVE PHOTOGRAPHS
EDDY COUNTY, NEW MEXICO

BRUSHY DRAW 6 LP GAS PIPELINE REMEDIATION PROJECT
eTECH ENVIRONMENTAL & SAFTEY SOLUTIONS, INC.
SSPS SURVEY PLAN



481 WINSOTT ROAD
SUITE 200
BENBROOK, TEXAS 76126
PHONE: (817) 744-7512
FAX: (817) 744-7554

DATE: 03/31/2026

PHOTOGRAPHS RECORDED DURING THE ON-SITE INVESTIGATION



P1. Typical vegetation observed in the survey area.



P2. Typical habitat observed in the survey area.

APPENDIX D

Photographic Log

Tables

P.O. Box 62228 Midland • TX • 79711 • Tel: 432-563-2200 • Fax: 432-563-2213



North Brushy Draw 6-inch Pipeline

NMOCD # nAPP2528638858

Photographic Documentation



View of the site during the initial site assessment.



View of the site during the initial site assessment.

North Brushy Draw 6-inch Pipeline
NMOCD # nAPP2528638858



View of the site during the initial site assessment.



View of the site following further excavation activities.

North Brushy Draw 6-inch Pipeline
NMOCD # nAPP2528638858



View of the site following excavation activities.



View of the site following excavation activities.

North Brushy Draw 6-inch Pipeline
NMOCD # nAPP2528638858



View of the site following backfill activities.



View of the site following backfill activities.

North Brushy Draw 6-inch Pipeline
NMOCD # nAPP2528638858



View of the site following seeding activities.



View of the site following seeding activities.

APPENDIX E

Tables



Table 1
SOIL SAMPLE ANALYTICAL RESULTS
 Delaware Basin Midstream, LLC
 North Brushy Draw 6-Inch Pipeline
 Eddy County, New Mexico

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	DRO+GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	20,000
Delineation Soil Samples - Incident Number nAPP2528638858										
Auger Hole 1	10/20/2025	0-0.25'	<0.00200	<0.00399	<50.0	278	<50.0	278	278	1,470
Auger Hole 1	10/20/2025	1	<0.00201	<0.00402	<49.8	387	<49.8	387	387	929
Auger Hole 1	10/20/2025	2	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	263
Auger Hole 1	10/20/2025	3	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	108
Auger Hole 1	10/20/2025	4	<0.00200	<0.00399	<49.9	<49.9	<49.9	<49.9	<49.9	135
Auger Hole 2	10/20/2025	0-0.25'	<0.00201	<0.00402	<50.0	2,690	420	2,690	3,110	19,000
Auger Hole 2	10/20/2025	1	<0.00202	<0.00403	<49.9	<49.9	86.6	<49.9	86.6	6,060
Auger Hole 2	10/20/2025	2	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	4,660
Auger Hole 2	10/20/2025	3	<0.00201	<0.00402	<49.8	200	<49.8	<49.8	200	7,930
Auger Hole 2	10/20/2025	4	<0.00202	<0.00403	<50.0	76.0	<50.0	76.0	76.0	7,150
Auger Hole 3	10/20/2025	0-0.25'	<0.00199	<0.00398	<49.9	<49.9	<49.9	<49.9	<49.9	2,700
Auger Hole 3	10/20/2025	1	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	2,190
Auger Hole 3	10/20/2025	2	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	959
Auger Hole 3	10/20/2025	3	<0.00198	<0.00396	<49.7	<49.7	<49.7	<49.7	<49.7	329
Auger Hole 3	10/20/2025	4	0.0824	0.438	<50.0	<50.0	<50.0	<50.0	<50.0	1,830
Auger Hole 4*	10/20/2025	0-0.25'	<0.00200	<0.00399	<49.9	<49.9	<49.9	<49.9	<49.9	89.5
Auger Hole 4*	10/20/2025	1	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	118
Auger Hole 4*	10/20/2025	2	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	112
Auger Hole 4*	10/20/2025	3	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	101
Auger Hole 4	10/20/2025	4	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	102
Auger Hole 5*	10/20/2025	0-0.25'	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	99.6
Auger Hole 5*	10/20/2025	1	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	109
Auger Hole 5*	10/20/2025	2	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	100
Auger Hole 5*	10/20/2025	3	<0.00199	<0.00398	<49.9	<49.9	<49.9	<49.9	<49.9	90.7
Auger Hole 5	10/20/2025	4	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	128
Auger Hole 6*	10/20/2025	0-0.25'	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	73.4
Auger Hole 6*	10/20/2025	1	<0.00202	<0.00403	<50.0	<50.0	<50.0	<50.0	<50.0	109
Auger Hole 6*	10/20/2025	2	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	106
Auger Hole 6*	10/20/2025	3	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	93.8
Auger Hole 6	10/20/2025	4	<0.00202	<0.00403	<50.0	<50.0	<50.0	<50.0	<50.0	112



Table 1
SOIL SAMPLE ANALYTICAL RESULTS
Delaware Basin Midstream, LLC
North Brushy Draw 6-Inch Pipeline
Eddy County, New Mexico

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	DRO+GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	20,000
Auger Hole 7*	10/20/2025	0-0.25'	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	112
Auger Hole 7*	10/20/2025	1	<0.00200	<0.00399	<49.9	<49.9	<49.9	<49.9	<49.9	102
Auger Hole 7*	10/20/2025	2	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	119
Auger Hole 7*	10/20/2025	3	<0.00198	<0.00396	<49.8	<49.8	<49.8	<49.8	<49.8	114
Auger Hole 7	10/20/2025	4	<0.00200	<0.00400	<50.0	<50.0	<50.0	<50.0	<50.0	105
Auger Hole 8*	10/20/2025	0-0.25'	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	134
Auger Hole 8*	10/20/2025	1	<0.00201	<0.00398	<49.9	<49.9	<49.9	<49.9	<49.9	128
Auger Hole 8*	10/20/2025	2	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	107
Auger Hole 8*	10/20/2025	3	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	126
Auger Hole 8	10/20/2025	4	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	131
Auger Hole 9*	10/20/2025	0-0.25'	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	122
Auger Hole 9*	10/20/2025	1	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	116
Auger Hole 9*	10/20/2025	2	<0.00201	<0.00402	<49.8	<49.8	<49.8	<49.8	<49.8	106
Auger Hole 9*	10/20/2025	3	<0.00199	<0.00398	<49.9	<49.9	<49.9	<49.9	<49.9	111
Auger Hole 9	10/20/2025	4	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	119

Notes:

bgs: below ground surface

mg/kg: milligrams per kilogram

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon

NMOCD: New Mexico Oil Conservation Division

NMAC: New Mexico Administrative Code

Text in "grey" represents excavated soil samples

Concentrations in **bold** exceed the NMOCD Table I Closure Criteria and/or Reclamation Standard¹ for Soils Impacted by a Release

* * * The reclamation concentration requirements of 600 mg/kg chloride and 100 mg/kg TPH apply to the top 4 feet of areas to be immediately reclaimed following

remediation pursuant to NMAC 19.15.17.13.

"I" Reported in inches in the laboratory reports



Table 2
SOIL SAMPLE ANALYTICAL RESULTS
Delaware Basin Midstream, LLC
North Brushy Draw 6-Inch Pipeline
Eddy County, New Mexico

Sample I.D.	Sample Date	Sample Depth (feet bgs)	Benzene (mg/kg)	Total BTEX (mg/kg)	TPH GRO (mg/kg)	TPH DRO (mg/kg)	TPH ORO (mg/kg)	DRO+GRO (mg/kg)	Total TPH (mg/kg)	Chloride (mg/kg)
NMOCD Table I Closure Criteria for Soils Impacted by a Release (NMAC 19.15.29)			10	50	NE	NE	NE	1,000	2,500	20,000
Confirmation Soil Samples - Incident Number nAPP2528638858										
Bottom Hole 1	4/8/26	6	<0.00200	<0.00399	<49.9	<49.9	<49.9	<49.9	<49.9	1,490
Bottom Hole 2	4/8/26	9	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	2,210
Bottom Hole 3	4/8/26	9	<0.00202	<0.00404	<49.8	248	<49.8	248	248	4,180
Bottom Hole 4	4/8/26	9	<0.00199	<0.00398	<50.0	181	<50.0	181	181	1,940
Bottom Hole 5	4/8/26	6	<0.00200	<0.00399	<49.8	803	<49.8	803	803	2,970
Bottom Hole 6	4/8/26	6	<0.00201	<0.00402	<49.9	<49.9	<49.9	<49.9	<49.9	486
Bottom Hole 7	4/8/26	9	<0.00202	<0.00404	<50.0	<50.0	<50.0	<50.0	<50.0	1,940
Bottom Hole 8	4/8/26	9	<0.00200	<0.00401	<50.0	66.6	<50.0	66.6	66.6	2,380
Bottom Hole 9	4/8/26	9	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	1,880
Bottom Hole 10	4/8/26	6	<0.00200	<0.00399	<49.8	<49.8	<49.8	<49.8	<49.8	2,130
North Sidewall	4/8/26	0-9	<0.00201	<0.00402	<50.0	<50.0	<50.0	<50.0	<50.0	<10.0
South Sidewall	4/8/26	0-9	<0.00202	<0.00404	<50.0	<50.0	<50.0	<50.0	<50.0	101
East Sidewall 1	4/8/26	0-9	<0.00199	<0.00398	<50.0	<50.0	<50.0	<50.0	<50.0	10.8
East Sidewall 2	4/8/26	0-9	<0.00200	<0.00400	<49.9	<49.9	<49.9	<49.9	<49.9	46.9
West Sidewall 1	4/8/26	0-9	<0.00200	<0.00399	<50.0	<50.0	<50.0	<50.0	<50.0	32.4
West Sidewall 2	4/8/26	0-9	<0.00198	<0.00396	<50.0	<50.0	<50.0	<50.0	<50.0	277

Notes:

bgs: below ground surface

mg/kg: milligrams per kilogram

BTEX: Benzene, Toluene, Ethylbenzene, and Xylenes

GRO: Gasoline Range Organics

DRO: Diesel Range Organics

ORO: Oil Range Organics

TPH: Total Petroleum Hydrocarbon

NMOCD: New Mexico Oil Conservation Division

NMAC: New Mexico Administrative Code

Text in "grey" represents excavated soil samples

Concentrations in **bold** exceed the NMOCD Table I Closure Criteria and/or Reclamation Standard¹ for Soils Impacted by a Release

* * * The reclamation concentration requirements of 600 mg/kg chloride and 100 mg/kg TPH apply to the top 4 feet of areas to be immediately reclaimed following remediation pursuant to NMAC 19.15.17.13.

"I" Reported in inches in the laboratory reports

APPENDIX F

Laboratory Analytical Reports & Chain-of-Custody Documentation



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

14

ANALYTICAL REPORT

PREPARED FOR

Attn: Blake Estep
Etech Environmental & Safety Solutions
PO BOX 62228
Midland, Texas 79711

Generated 10/29/2025 3:23:56 PM

JOB DESCRIPTION

Brushy Draw 6" Line LP Gas Pipeline
23133

JOB NUMBER

880-64149-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
10/29/2025 3:23:56 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Laboratory Job ID: 880-64149-1
SDG: 23133

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Surrogate Summary	43
QC Sample Results	46
QC Association Summary	61
Lab Chronicle	72
Certification Summary	86
Method Summary	87
Sample Summary	88
Chain of Custody	89
Receipt Checklists	94

1
2
3
4
5
6
7
8
9
10
11
12
13
14

Definitions/Glossary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Qualifiers

GC VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
S1-	Surrogate recovery exceeds control limits, low biased.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Etech Environmental & Safety Solutions
Project: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1

Job ID: 880-64149-1

Eurofins Midland

Job Narrative 880-64149-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 10/22/2025 4:55 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 2.0°C.

GC VOA

Method 8021B: The matrix spike (MS) recoveries for preparation batch 880-121904 and analytical batch 880-121944 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: Auger Hole 1 (880-64149-3), Auger Hole 1 (880-64149-4), Auger Hole 1 (880-64149-5), Auger Hole 2 (880-64149-7), Auger Hole 2 (880-64149-10), Auger Hole 3 (880-64149-11), Auger Hole 3 (880-64149-13), Auger Hole 3 (880-64149-15), Auger Hole 4 (880-64149-16), Auger Hole 4 (880-64149-17), Auger Hole 4 (880-64149-18), Auger Hole 4 (880-64149-20), (CCV 880-121944/51) and (880-64149-A-1-D MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-121907 and analytical batch 880-122038 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-122036 and analytical batch 880-122025 was outside the upper control limits.

Method 8021B: The laboratory control sample (LCS) associated with preparation batch 880-122036 and analytical batch 880-122025 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8021B: Surrogate recovery for the following samples were outside control limits: Auger Hole 5 (880-64149-21), Auger Hole 5 (880-64149-22), Auger Hole 5 (880-64149-23), Auger Hole 5 (880-64149-24), Auger Hole 5 (880-64149-25), Auger Hole 6 (880-64149-26), Auger Hole 6 (880-64149-27), Auger Hole 6 (880-64149-29), Auger Hole 6 (880-64149-30), (CCV 880-122026/20), (LCS 880-121906/1-A), (LCSD 880-121906/2-A), (880-64149-A-21-C MS) and (880-64149-A-21-D MSD). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8021B: The surrogate recovery for the blank associated with preparation batch 880-121906 and analytical batch 880-122026 was outside the control limits.

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-121906 and analytical batch 880-122026 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 8021B: Surrogate recovery for the following samples were outside control limits: Auger Hole 7 (880-64149-31), Auger Hole 7 (880-64149-32), Auger Hole 7 (880-64149-33), Auger Hole 7 (880-64149-34), Auger Hole 7 (880-64149-35), Auger Hole 8

Eurofins Midland

Case Narrative

Client: Etech Environmental & Safety Solutions
Project: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1

Job ID: 880-64149-1 (Continued)

Eurofins Midland

(880-64149-36), Auger Hole 8 (880-64149-37), Auger Hole 8 (880-64149-38), Auger Hole 8 (880-64149-39), Auger Hole 8 (880-64149-40) and (CCV 880-122026/33). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Auger Hole 6 (880-64149-30), Auger Hole 8 (880-64149-38) and Auger Hole 9 (880-64149-45). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Auger Hole 3 (880-64149-14), Auger Hole 4 (880-64149-16), Auger Hole 4 (880-64149-18), Auger Hole 5 (880-64149-21), Auger Hole 6 (880-64149-28), Auger Hole 7 (880-64149-33), Auger Hole 7 (880-64149-34), Auger Hole 7 (880-64149-35), Auger Hole 8 (880-64149-37), Auger Hole 8 (880-64149-39), Auger Hole 8 (880-64149-40), Auger Hole 9 (880-64149-41), Auger Hole 9 (880-64149-42), Auger Hole 9 (880-64149-43) and Auger Hole 9 (880-64149-44). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following samples were outside control limits: Auger Hole 3 (880-64149-13), Auger Hole 3 (880-64149-15) and Auger Hole 4 (880-64149-17). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: (LCSD 880-121868/3-A). Evidence of matrix interference is present; therefore, re-extraction and/or re-analysis was not performed.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside control limits: Auger Hole 2 (880-64149-10). Evidence of matrix interferences is not obvious.

Method 8015MOD_NM: Surrogate recovery for the following sample was outside the upper control limit: Auger Hole 3 (880-64149-11). This sample did not contain any target analytes; therefore, re-extraction and/or re-analysis was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300_ORGFM_28D - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-121874 and analytical batch 880-121924 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

Method 300_ORGFM_28D - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-121873 and analytical batch 880-121923 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-1

Date Collected: 10/20/25 08:30

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:41	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:41	1
Ethylbenzene	<0.00200	U F1	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:41	1
m-Xylene & p-Xylene	<0.00399	U F1	0.00399		mg/Kg		10/23/25 14:03	10/24/25 22:41	1
o-Xylene	<0.00200	U F1	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:41	1
Xylenes, Total	<0.00399	U F1	0.00399		mg/Kg		10/23/25 14:03	10/24/25 22:41	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	10/23/25 14:03	10/24/25 22:41	1
1,4-Difluorobenzene (Surr)	81		70 - 130	10/23/25 14:03	10/24/25 22:41	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/24/25 22:41	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	278		50.0		mg/Kg			10/29/25 07:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 07:53	1
Diesel Range Organics (Over C10-C28)	278		50.0		mg/Kg		10/23/25 08:21	10/29/25 07:53	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 07:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130	10/23/25 08:21	10/29/25 07:53	1
o-Terphenyl	100		70 - 130	10/23/25 08:21	10/29/25 07:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1470		9.94		mg/Kg			10/23/25 17:15	1

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-2

Date Collected: 10/20/25 08:33

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:02	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:02	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:02	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/24/25 23:02	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:02	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/24/25 23:02	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130	10/23/25 14:03	10/24/25 23:02	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-2

Date Collected: 10/20/25 08:33

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	71		70 - 130	10/23/25 14:03	10/24/25 23:02	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/24/25 23:02	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	387		49.8		mg/Kg			10/29/25 08:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 08:21	10/29/25 08:08	1
Diesel Range Organics (Over C10-C28)	387		49.8		mg/Kg		10/23/25 08:21	10/29/25 08:08	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 08:21	10/29/25 08:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				10/23/25 08:21	10/29/25 08:08	1
o-Terphenyl	102		70 - 130				10/23/25 08:21	10/29/25 08:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	929		9.96		mg/Kg			10/23/25 17:21	1

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-3

Date Collected: 10/20/25 08:36

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:22	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:22	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:22	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/24/25 23:22	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/24/25 23:22	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/24/25 23:22	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	10/23/25 14:03	10/24/25 23:22	1
1,4-Difluorobenzene (Surr)	66	S1-	70 - 130	10/23/25 14:03	10/24/25 23:22	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/24/25 23:22	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 08:23	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-3

Date Collected: 10/20/25 08:36

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 08:23	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 08:23	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 08:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				10/23/25 08:21	10/29/25 08:23	1
o-Terphenyl	93		70 - 130				10/23/25 08:21	10/29/25 08:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	263		10.0		mg/Kg			10/23/25 17:26	1

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-4

Date Collected: 10/20/25 08:39

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/24/25 23:42	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/24/25 23:42	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/24/25 23:42	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:03	10/24/25 23:42	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/24/25 23:42	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:03	10/24/25 23:42	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130				10/23/25 14:03	10/24/25 23:42	1
1,4-Difluorobenzene (Surr)	65	S1-	70 - 130				10/23/25 14:03	10/24/25 23:42	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/24/25 23:42	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 08:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 08:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 08:38	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 08:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	84		70 - 130				10/23/25 08:21	10/29/25 08:38	1
o-Terphenyl	91		70 - 130				10/23/25 08:21	10/29/25 08:38	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-4

Date Collected: 10/20/25 08:39

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	108		10.1		mg/Kg			10/23/25 17:41	1

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-5

Date Collected: 10/20/25 08:42

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 00:03	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 00:03	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 00:03	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 00:03	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 00:03	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 00:03	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	97		70 - 130				10/23/25 14:03	10/25/25 00:03	1
1,4-Difluorobenzene (Surr)	63	S1-	70 - 130				10/23/25 14:03	10/25/25 00:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/25/25 00:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 08:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 08:53	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 08:53	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 08:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130				10/23/25 08:21	10/29/25 08:53	1
o-Terphenyl	93		70 - 130				10/23/25 08:21	10/29/25 08:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	135		10.0		mg/Kg			10/23/25 17:47	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-6

Date Collected: 10/20/25 08:45

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 00:23	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 00:23	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 00:23	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 00:23	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 00:23	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 00:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	10/23/25 14:03	10/25/25 00:23	1
1,4-Difluorobenzene (Surr)	72		70 - 130	10/23/25 14:03	10/25/25 00:23	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/25/25 00:23	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	3110		50.0		mg/Kg			10/29/25 09:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 09:08	1
Diesel Range Organics (Over C10-C28)	2690		50.0		mg/Kg		10/23/25 08:21	10/29/25 09:08	1
Oil Range Organics (Over C28-C36)	420		50.0		mg/Kg		10/23/25 08:21	10/29/25 09:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130	10/23/25 08:21	10/29/25 09:08	1
o-Terphenyl	124		70 - 130	10/23/25 08:21	10/29/25 09:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	19000		202		mg/Kg			10/23/25 18:02	20

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-7

Date Collected: 10/20/25 08:48

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 00:43	1
Toluene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 00:43	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 00:43	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		10/23/25 14:03	10/25/25 00:43	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 00:43	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		10/23/25 14:03	10/25/25 00:43	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-7

Date Collected: 10/20/25 08:48

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	98		70 - 130	10/23/25 14:03	10/25/25 00:43	1
1,4-Difluorobenzene (Surr)	68	S1-	70 - 130	10/23/25 14:03	10/25/25 00:43	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			10/25/25 00:43	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	86.6		49.9		mg/Kg			10/29/25 09:23	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 09:23	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 08:21	10/29/25 09:23	1
Oil Range Organics (Over C28-C36)	86.6		49.9		mg/Kg		10/23/25 08:21	10/29/25 09:23	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130	10/23/25 08:21	10/29/25 09:23	1
o-Terphenyl	93		70 - 130	10/23/25 08:21	10/29/25 09:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	6060		99.6		mg/Kg			10/23/25 18:08	10

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-8

Date Collected: 10/20/25 08:51

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 01:04	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 01:04	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 01:04	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 01:04	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 01:04	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 01:04	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				10/23/25 14:03	10/25/25 01:04	1
1,4-Difluorobenzene (Surr)	71		70 - 130				10/23/25 14:03	10/25/25 01:04	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/25/25 01:04	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-8

Date Collected: 10/20/25 08:51

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 09:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 09:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 09:38	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 09:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130				10/23/25 08:21	10/29/25 09:38	1
o-Terphenyl	88		70 - 130				10/23/25 08:21	10/29/25 09:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4660		49.6		mg/Kg			10/23/25 18:13	5

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-9

Date Collected: 10/20/25 08:54

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 01:24	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 01:24	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 01:24	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 01:24	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 01:24	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 01:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				10/23/25 14:03	10/25/25 01:24	1
1,4-Difluorobenzene (Surr)	73		70 - 130				10/23/25 14:03	10/25/25 01:24	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/25/25 01:24	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	200		49.8		mg/Kg			10/29/25 09:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 08:21	10/29/25 09:53	1
Diesel Range Organics (Over C10-C28)	200		49.8		mg/Kg		10/23/25 08:21	10/29/25 09:53	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 08:21	10/29/25 09:53	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-9

Date Collected: 10/20/25 08:54

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	80		70 - 130	10/23/25 08:21	10/29/25 09:53	1
o-Terphenyl	93		70 - 130	10/23/25 08:21	10/29/25 09:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7930		100		mg/Kg			10/23/25 18:18	10

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-10

Date Collected: 10/20/25 08:57

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 01:45	1
Toluene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 01:45	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 01:45	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		10/23/25 14:03	10/25/25 01:45	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:03	10/25/25 01:45	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		10/23/25 14:03	10/25/25 01:45	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	10/23/25 14:03	10/25/25 01:45	1
1,4-Difluorobenzene (Surr)	69	S1-	70 - 130	10/23/25 14:03	10/25/25 01:45	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			10/25/25 01:45	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	76.0		50.0		mg/Kg			10/28/25 20:54	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 20:54	1
Diesel Range Organics (Over C10-C28)	76.0		50.0		mg/Kg		10/23/25 09:54	10/28/25 20:54	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 20:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130	10/23/25 09:54	10/28/25 20:54	1
o-Terphenyl	132	S1+	70 - 130	10/23/25 09:54	10/28/25 20:54	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	7150		100		mg/Kg			10/23/25 18:23	10

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-11

Date Collected: 10/20/25 09:00

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 03:18	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 03:18	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 03:18	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:03	10/25/25 03:18	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 03:18	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:03	10/25/25 03:18	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130	10/23/25 14:03	10/25/25 03:18	1
1,4-Difluorobenzene (Surr)	64	S1-	70 - 130	10/23/25 14:03	10/25/25 03:18	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/25/25 03:18	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/28/25 21:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/28/25 21:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/28/25 21:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/28/25 21:39	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130	10/23/25 09:54	10/28/25 21:39	1
o-Terphenyl	134	S1+	70 - 130	10/23/25 09:54	10/28/25 21:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2700		50.4		mg/Kg			10/23/25 18:29	5

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-12

Date Collected: 10/20/25 09:03

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 03:38	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 03:38	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 03:38	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 03:38	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 03:38	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 03:38	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	10/23/25 14:03	10/25/25 03:38	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-12

Date Collected: 10/20/25 09:03

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	71		70 - 130	10/23/25 14:03	10/25/25 03:38	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/25/25 03:38	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/28/25 21:54	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 21:54	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 21:54	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 21:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				10/23/25 09:54	10/28/25 21:54	1
o-Terphenyl	130		70 - 130				10/23/25 09:54	10/28/25 21:54	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2190		50.2		mg/Kg			10/23/25 18:34	5

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-13

Date Collected: 10/20/25 09:06

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 03:58	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 03:58	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 03:58	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 03:58	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 03:58	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 03:58	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	10/23/25 14:03	10/25/25 03:58	1
1,4-Difluorobenzene (Surr)	65	S1-	70 - 130	10/23/25 14:03	10/25/25 03:58	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/25/25 03:58	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/28/25 22:09	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-13

Date Collected: 10/20/25 09:06

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/28/25 22:09	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/28/25 22:09	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/28/25 22:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	131	S1+	70 - 130				10/23/25 09:54	10/28/25 22:09	1
o-Terphenyl	142	S1+	70 - 130				10/23/25 09:54	10/28/25 22:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	959	F1	10.0		mg/Kg			10/23/25 19:16	1

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-14

Date Collected: 10/20/25 09:09

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:03	10/25/25 04:19	1
Toluene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:03	10/25/25 04:19	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:03	10/25/25 04:19	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		10/23/25 14:03	10/25/25 04:19	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:03	10/25/25 04:19	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		10/23/25 14:03	10/25/25 04:19	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130				10/23/25 14:03	10/25/25 04:19	1
1,4-Difluorobenzene (Surr)	72		70 - 130				10/23/25 14:03	10/25/25 04:19	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			10/25/25 04:19	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.7	U	49.7		mg/Kg			10/28/25 22:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.7	U	49.7		mg/Kg		10/23/25 09:54	10/28/25 22:24	1
Diesel Range Organics (Over C10-C28)	<49.7	U	49.7		mg/Kg		10/23/25 09:54	10/28/25 22:24	1
Oil Range Organics (Over C28-C36)	<49.7	U	49.7		mg/Kg		10/23/25 09:54	10/28/25 22:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				10/23/25 09:54	10/28/25 22:24	1
o-Terphenyl	131	S1+	70 - 130				10/23/25 09:54	10/28/25 22:24	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-14

Date Collected: 10/20/25 09:09

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	329		10.1		mg/Kg			10/23/25 19:32	1

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-15

Date Collected: 10/20/25 09:12

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	0.0824		0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:39	1
Toluene	0.0463		0.0400		mg/Kg		10/23/25 14:03	10/27/25 16:20	20
Ethylbenzene	0.0346		0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:39	1
m-Xylene & p-Xylene	0.212		0.00400		mg/Kg		10/23/25 14:03	10/25/25 04:39	1
o-Xylene	0.0622		0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:39	1
Xylenes, Total	0.274		0.00400		mg/Kg		10/23/25 14:03	10/25/25 04:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	182	S1+	70 - 130				10/23/25 14:03	10/25/25 04:39	1
1,4-Difluorobenzene (Surr)	89		70 - 130				10/23/25 14:03	10/25/25 04:39	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	0.438		0.00400		mg/Kg			10/27/25 16:20	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/28/25 22:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 22:40	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 22:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 22:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	142	S1+	70 - 130				10/23/25 09:54	10/28/25 22:40	1
o-Terphenyl	156	S1+	70 - 130				10/23/25 09:54	10/28/25 22:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1830		50.2		mg/Kg			10/23/25 19:37	5

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-16

Date Collected: 10/20/25 09:15

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:59	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:59	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:59	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 04:59	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 04:59	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 04:59	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	109		70 - 130	10/23/25 14:03	10/25/25 04:59	1
1,4-Difluorobenzene (Surr)	64	S1-	70 - 130	10/23/25 14:03	10/25/25 04:59	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/25/25 04:59	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/28/25 22:54	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/28/25 22:54	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/28/25 22:54	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/28/25 22:54	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	125		70 - 130	10/23/25 09:54	10/28/25 22:54	1
o-Terphenyl	134	S1+	70 - 130	10/23/25 09:54	10/28/25 22:54	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	89.5		9.96		mg/Kg			10/23/25 19:42	1

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-17

Date Collected: 10/20/25 09:18

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 05:20	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 05:20	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 05:20	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 05:20	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 05:20	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 05:20	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	10/23/25 14:03	10/25/25 05:20	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-17

Date Collected: 10/20/25 09:18

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	65	S1-	70 - 130	10/23/25 14:03	10/25/25 05:20	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/25/25 05:20	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/28/25 23:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/28/25 23:10	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/28/25 23:10	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/28/25 23:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	144	S1+	70 - 130				10/23/25 09:54	10/28/25 23:10	1
o-Terphenyl	153	S1+	70 - 130				10/23/25 09:54	10/28/25 23:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	118		9.98		mg/Kg			10/23/25 19:47	1

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-18

Date Collected: 10/20/25 09:21

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 05:40	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 05:40	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 05:40	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:03	10/25/25 05:40	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:03	10/25/25 05:40	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:03	10/25/25 05:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	10/23/25 14:03	10/25/25 05:40	1
1,4-Difluorobenzene (Surr)	65	S1-	70 - 130	10/23/25 14:03	10/25/25 05:40	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/25/25 05:40	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/28/25 23:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-18

Date Collected: 10/20/25 09:21

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 23:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 23:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 23:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				10/23/25 09:54	10/28/25 23:25	1
o-Terphenyl	138	S1+	70 - 130				10/23/25 09:54	10/28/25 23:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	112		9.92		mg/Kg			10/23/25 20:03	1

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-19

Date Collected: 10/20/25 09:24

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 06:01	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 06:01	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 06:01	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 06:01	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/25/25 06:01	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:03	10/25/25 06:01	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130				10/23/25 14:03	10/25/25 06:01	1
1,4-Difluorobenzene (Surr)	72		70 - 130				10/23/25 14:03	10/25/25 06:01	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/25/25 06:01	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/28/25 23:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 23:40	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 23:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/28/25 23:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				10/23/25 09:54	10/28/25 23:40	1
o-Terphenyl	129		70 - 130				10/23/25 09:54	10/28/25 23:40	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-19

Date Collected: 10/20/25 09:24

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	101		9.96		mg/Kg			10/23/25 20:08	1

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-20

Date Collected: 10/20/25 09:27

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 06:21	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 06:21	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 06:21	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 06:21	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:03	10/25/25 06:21	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:03	10/25/25 06:21	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	105		70 - 130				10/23/25 14:03	10/25/25 06:21	1
1,4-Difluorobenzene (Surr)	62	S1-	70 - 130				10/23/25 14:03	10/25/25 06:21	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/25/25 06:21	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 00:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 00:10	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 00:10	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 00:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130				10/23/25 09:54	10/29/25 00:10	1
o-Terphenyl	130		70 - 130				10/23/25 09:54	10/29/25 00:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	102		9.94		mg/Kg			10/23/25 20:14	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-21

Date Collected: 10/20/25 09:30

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1 F2	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:34	1
Toluene	<0.00200	U F1 F2	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:34	1
Ethylbenzene	<0.00200	U F1 F2	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:34	1
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.00399		mg/Kg		10/23/25 14:05	10/27/25 13:34	1
o-Xylene	<0.00200	U F1 F2	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:34	1
Xylenes, Total	<0.00399	U F1 F2	0.00399		mg/Kg		10/23/25 14:05	10/27/25 13:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	43	S1-	70 - 130	10/23/25 14:05	10/27/25 13:34	1
1,4-Difluorobenzene (Surr)	98		70 - 130	10/23/25 14:05	10/27/25 13:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 13:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 00:25	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 00:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 00:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 00:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	128		70 - 130	10/23/25 09:54	10/29/25 00:25	1
o-Terphenyl	134	S1+	70 - 130	10/23/25 09:54	10/29/25 00:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	99.6		10.0		mg/Kg			10/23/25 20:19	1

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-22

Date Collected: 10/20/25 09:33

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 13:55	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 13:55	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 13:55	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 13:55	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 13:55	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 13:55	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	42	S1-	70 - 130	10/23/25 14:05	10/27/25 13:55	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-22

Date Collected: 10/20/25 09:33

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	107		70 - 130	10/23/25 14:05	10/27/25 13:55	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 13:55	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/29/25 00:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/29/25 00:40	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/29/25 00:40	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/29/25 00:40	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	121		70 - 130				10/23/25 09:54	10/29/25 00:40	1
o-Terphenyl	126		70 - 130				10/23/25 09:54	10/29/25 00:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	109		10.1		mg/Kg			10/23/25 20:24	1

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-23

Date Collected: 10/20/25 09:36

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 14:15	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 14:15	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 14:15	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 14:15	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 14:15	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 14:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	47	S1-	70 - 130	10/23/25 14:05	10/27/25 14:15	1
1,4-Difluorobenzene (Surr)	126		70 - 130	10/23/25 14:05	10/27/25 14:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 14:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/29/25 00:55	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-23

Date Collected: 10/20/25 09:36

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/29/25 00:55	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/29/25 00:55	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:54	10/29/25 00:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				10/23/25 09:54	10/29/25 00:55	1
o-Terphenyl	127		70 - 130				10/23/25 09:54	10/29/25 00:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	100		10.0		mg/Kg			10/23/25 20:29	1

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-24

Date Collected: 10/20/25 09:39

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 14:35	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 14:35	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 14:35	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:05	10/27/25 14:35	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 14:35	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:05	10/27/25 14:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	36	S1-	70 - 130				10/23/25 14:05	10/27/25 14:35	1
1,4-Difluorobenzene (Surr)	86		70 - 130				10/23/25 14:05	10/27/25 14:35	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/27/25 14:35	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 01:10	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 01:10	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 01:10	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 01:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	114		70 - 130				10/23/25 09:54	10/29/25 01:10	1
o-Terphenyl	126		70 - 130				10/23/25 09:54	10/29/25 01:10	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-24

Date Collected: 10/20/25 09:39

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	90.7		10.0		mg/Kg			10/23/25 20:45	1

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-25

Date Collected: 10/20/25 09:42

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 14:56	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 14:56	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 14:56	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 14:56	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 14:56	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 14:56	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	35	S1-	70 - 130				10/23/25 14:05	10/27/25 14:56	1
1,4-Difluorobenzene (Surr)	88		70 - 130				10/23/25 14:05	10/27/25 14:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 14:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 01:25	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130				10/23/25 09:54	10/29/25 01:25	1
o-Terphenyl	130		70 - 130				10/23/25 09:54	10/29/25 01:25	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	128		10.1		mg/Kg			10/23/25 20:50	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-26

Date Collected: 10/20/25 09:45

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:16	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:16	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:16	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 15:16	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:16	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 15:16	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	35	S1-	70 - 130	10/23/25 14:05	10/27/25 15:16	1
1,4-Difluorobenzene (Surr)	84		70 - 130	10/23/25 14:05	10/27/25 15:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 15:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 01:40	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:40	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:40	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130	10/23/25 09:54	10/29/25 01:40	1
o-Terphenyl	130		70 - 130	10/23/25 09:54	10/29/25 01:40	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73.4		9.94		mg/Kg			10/23/25 21:06	1

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-27

Date Collected: 10/20/25 09:48

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 15:36	1
Toluene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 15:36	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 15:36	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		10/23/25 14:05	10/27/25 15:36	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 15:36	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		10/23/25 14:05	10/27/25 15:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	18	S1-	70 - 130	10/23/25 14:05	10/27/25 15:36	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-27

Date Collected: 10/20/25 09:48

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	112		70 - 130	10/23/25 14:05	10/27/25 15:36	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			10/27/25 15:36	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 01:55	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:55	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:55	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 01:55	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	105		70 - 130				10/23/25 09:54	10/29/25 01:55	1
o-Terphenyl	118		70 - 130				10/23/25 09:54	10/29/25 01:55	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	109		9.98		mg/Kg			10/23/25 21:11	1

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-28

Date Collected: 10/20/25 09:51

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/28/25 09:01	10/28/25 18:03	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/28/25 09:01	10/28/25 18:03	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/28/25 09:01	10/28/25 18:03	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/28/25 09:01	10/28/25 18:03	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/28/25 09:01	10/28/25 18:03	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/28/25 09:01	10/28/25 18:03	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130	10/28/25 09:01	10/28/25 18:03	1
1,4-Difluorobenzene (Surr)	95		70 - 130	10/28/25 09:01	10/28/25 18:03	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/28/25 18:03	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 02:10	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-28

Date Collected: 10/20/25 09:51

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 02:10	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 02:10	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:54	10/29/25 02:10	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				10/23/25 09:54	10/29/25 02:10	1
o-Terphenyl	135	S1+	70 - 130				10/23/25 09:54	10/29/25 02:10	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	106		10.0		mg/Kg			10/23/25 21:17	1

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-29

Date Collected: 10/20/25 09:54

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:57	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:57	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:57	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 15:57	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 15:57	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 15:57	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	34	S1-	70 - 130				10/23/25 14:05	10/27/25 15:57	1
1,4-Difluorobenzene (Surr)	129		70 - 130				10/23/25 14:05	10/27/25 15:57	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 15:57	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 02:25	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 02:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 02:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:54	10/29/25 02:25	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	122		70 - 130				10/23/25 09:54	10/29/25 02:25	1
o-Terphenyl	129		70 - 130				10/23/25 09:54	10/29/25 02:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-29

Date Collected: 10/20/25 09:54

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	93.8		9.90		mg/Kg			10/23/25 21:22	1

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-30

Date Collected: 10/20/25 10:42

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 16:17	1
Toluene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 16:17	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 16:17	1
m-Xylene & p-Xylene	<0.00403	U	0.00403		mg/Kg		10/23/25 14:05	10/27/25 16:17	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		10/23/25 14:05	10/27/25 16:17	1
Xylenes, Total	<0.00403	U	0.00403		mg/Kg		10/23/25 14:05	10/27/25 16:17	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	38	S1-	70 - 130				10/23/25 14:05	10/27/25 16:17	1
1,4-Difluorobenzene (Surr)	90		70 - 130				10/23/25 14:05	10/27/25 16:17	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00403	U	0.00403		mg/Kg			10/27/25 16:17	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 04:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 04:24	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 04:24	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 04:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	236	S1+	70 - 130				10/23/25 09:56	10/29/25 04:24	1
o-Terphenyl	259	S1+	70 - 130				10/23/25 09:56	10/29/25 04:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	112		9.96		mg/Kg			10/23/25 21:27	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-31

Date Collected: 10/20/25 09:57

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 18:11	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 18:11	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 18:11	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:05	10/27/25 18:11	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 18:11	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:05	10/27/25 18:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	76		70 - 130	10/23/25 14:05	10/27/25 18:11	1
1,4-Difluorobenzene (Surr)	161	S1+	70 - 130	10/23/25 14:05	10/27/25 18:11	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/27/25 18:11	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 05:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 05:09	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 05:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 05:09	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	116		70 - 130	10/23/25 09:56	10/29/25 05:09	1
o-Terphenyl	130		70 - 130	10/23/25 09:56	10/29/25 05:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	112		9.92		mg/Kg			10/23/25 21:32	1

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-32

Date Collected: 10/20/25 10:00

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 18:32	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 18:32	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 18:32	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 18:32	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 18:32	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 18:32	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	77		70 - 130	10/23/25 14:05	10/27/25 18:32	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-32

Date Collected: 10/20/25 10:00

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	156	S1+	70 - 130	10/23/25 14:05	10/27/25 18:32	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 18:32	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 05:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 05:24	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 05:24	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 05:24	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				10/23/25 09:56	10/29/25 05:24	1
o-Terphenyl	130		70 - 130				10/23/25 09:56	10/29/25 05:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	102		9.94		mg/Kg			10/23/25 21:38	1

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-33

Date Collected: 10/20/25 10:03

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 18:52	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 18:52	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 18:52	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 18:52	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 18:52	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 18:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	76		70 - 130	10/23/25 14:05	10/27/25 18:52	1
1,4-Difluorobenzene (Surr)	165	S1+	70 - 130	10/23/25 14:05	10/27/25 18:52	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 18:52	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 05:39	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-33

Date Collected: 10/20/25 10:03

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 05:39	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 05:39	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 05:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				10/23/25 09:56	10/29/25 05:39	1
o-Terphenyl	144	S1+	70 - 130				10/23/25 09:56	10/29/25 05:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	119		9.96		mg/Kg			10/23/25 21:43	1

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-34

Date Collected: 10/20/25 10:06

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:05	10/27/25 19:13	1
Toluene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:05	10/27/25 19:13	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:05	10/27/25 19:13	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		10/23/25 14:05	10/27/25 19:13	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		10/23/25 14:05	10/27/25 19:13	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		10/23/25 14:05	10/27/25 19:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	41	S1-	70 - 130				10/23/25 14:05	10/27/25 19:13	1
1,4-Difluorobenzene (Surr)	94		70 - 130				10/23/25 14:05	10/27/25 19:13	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			10/27/25 19:13	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/29/25 05:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 05:53	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 05:53	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 05:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	118		70 - 130				10/23/25 09:56	10/29/25 05:53	1
o-Terphenyl	135	S1+	70 - 130				10/23/25 09:56	10/29/25 05:53	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-34

Date Collected: 10/20/25 10:06

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	114		9.92		mg/Kg			10/23/25 22:01	1

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-35

Date Collected: 10/20/25 10:09

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:33	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:33	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:33	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/23/25 14:05	10/27/25 19:33	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:33	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/23/25 14:05	10/27/25 19:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	78		70 - 130				10/23/25 14:05	10/27/25 19:33	1
1,4-Difluorobenzene (Surr)	164	S1+	70 - 130				10/23/25 14:05	10/27/25 19:33	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			10/27/25 19:33	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 06:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 06:09	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 06:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 06:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				10/23/25 09:56	10/29/25 06:09	1
o-Terphenyl	137	S1+	70 - 130				10/23/25 09:56	10/29/25 06:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	105		9.94		mg/Kg			10/23/25 22:07	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-36

Date Collected: 10/20/25 10:12

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:53	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:53	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:53	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 19:53	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 19:53	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 19:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	52	S1-	70 - 130	10/23/25 14:05	10/27/25 19:53	1
1,4-Difluorobenzene (Surr)	117		70 - 130	10/23/25 14:05	10/27/25 19:53	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 19:53	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 06:24	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 06:24	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 06:24	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 06:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	115		70 - 130	10/23/25 09:56	10/29/25 06:24	1
o-Terphenyl	130		70 - 130	10/23/25 09:56	10/29/25 06:24	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	134		9.96		mg/Kg			10/23/25 22:12	1

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-37

Date Collected: 10/20/25 10:15

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 20:14	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 20:14	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 20:14	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 20:14	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 20:14	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 20:14	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	50	S1-	70 - 130	10/23/25 14:05	10/27/25 20:14	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-37

Date Collected: 10/20/25 10:15

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	123		70 - 130	10/23/25 14:05	10/27/25 20:14	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 20:14	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/29/25 06:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 06:38	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 06:38	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 06:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				10/23/25 09:56	10/29/25 06:38	1
o-Terphenyl	141	S1+	70 - 130				10/23/25 09:56	10/29/25 06:38	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	128		9.92		mg/Kg			10/23/25 22:18	1

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-38

Date Collected: 10/20/25 10:18

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 20:34	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 20:34	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 20:34	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:05	10/27/25 20:34	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:05	10/27/25 20:34	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:05	10/27/25 20:34	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	47	S1-	70 - 130	10/23/25 14:05	10/27/25 20:34	1
1,4-Difluorobenzene (Surr)	126		70 - 130	10/23/25 14:05	10/27/25 20:34	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/27/25 20:34	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 06:54	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-38

Date Collected: 10/20/25 10:18

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 06:54	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 06:54	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 06:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	240	S1+	70 - 130				10/23/25 09:56	10/29/25 06:54	1
o-Terphenyl	269	S1+	70 - 130				10/23/25 09:56	10/29/25 06:54	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	107		9.94		mg/Kg			10/23/25 22:36	1

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-39

Date Collected: 10/20/25 10:21

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 20:54	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 20:54	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 20:54	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 20:54	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 20:54	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:05	10/27/25 20:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	41	S1-	70 - 130				10/23/25 14:05	10/27/25 20:54	1
1,4-Difluorobenzene (Surr)	100		70 - 130				10/23/25 14:05	10/27/25 20:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 20:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 07:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 07:09	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 07:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 07:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				10/23/25 09:56	10/29/25 07:09	1
o-Terphenyl	142	S1+	70 - 130				10/23/25 09:56	10/29/25 07:09	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-39

Date Collected: 10/20/25 10:21

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	126		10.0		mg/Kg			10/23/25 22:42	1

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-40

Date Collected: 10/20/25 10:24

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 21:15	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 21:15	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 21:15	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 21:15	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:05	10/27/25 21:15	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:05	10/27/25 21:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	32	S1-	70 - 130				10/23/25 14:05	10/27/25 21:15	1
1,4-Difluorobenzene (Surr)	121		70 - 130				10/23/25 14:05	10/27/25 21:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 21:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 07:39	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 07:39	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 07:39	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 07:39	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	117		70 - 130				10/23/25 09:56	10/29/25 07:39	1
o-Terphenyl	135	S1+	70 - 130				10/23/25 09:56	10/29/25 07:39	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	131		10.0		mg/Kg			10/23/25 22:48	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-41

Date Collected: 10/20/25 10:27

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 0-3"

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F2 F1	0.00200		mg/Kg		10/23/25 14:07	10/27/25 13:15	1
Toluene	<0.00200	U F2 F1	0.00200		mg/Kg		10/23/25 14:07	10/27/25 13:15	1
Ethylbenzene	<0.00200	U F2 F1	0.00200		mg/Kg		10/23/25 14:07	10/27/25 13:15	1
m-Xylene & p-Xylene	<0.00399	U F2 F1	0.00399		mg/Kg		10/23/25 14:07	10/27/25 13:15	1
o-Xylene	<0.00200	U F2 F1	0.00200		mg/Kg		10/23/25 14:07	10/27/25 13:15	1
Xylenes, Total	<0.00399	U F2 F1	0.00399		mg/Kg		10/23/25 14:07	10/27/25 13:15	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	10/23/25 14:07	10/27/25 13:15	1
1,4-Difluorobenzene (Surr)	94		70 - 130	10/23/25 14:07	10/27/25 13:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 13:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 07:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 07:53	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 07:53	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 07:53	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	119		70 - 130	10/23/25 09:56	10/29/25 07:53	1
o-Terphenyl	134	S1+	70 - 130	10/23/25 09:56	10/29/25 07:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	122		10.1		mg/Kg			10/23/25 22:54	1

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-42

Date Collected: 10/20/25 10:30

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:36	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:36	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:36	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:07	10/27/25 13:36	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:36	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:07	10/27/25 13:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	108		70 - 130	10/23/25 14:07	10/27/25 13:36	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-42

Date Collected: 10/20/25 10:30

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 1'

Method: SW846 8021B - Volatile Organic Compounds (GC) (Continued)

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,4-Difluorobenzene (Surr)	93		70 - 130	10/23/25 14:07	10/27/25 13:36	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 13:36	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 08:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 08:08	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 08:08	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 08:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	124		70 - 130				10/23/25 09:56	10/29/25 08:08	1
o-Terphenyl	140	S1+	70 - 130				10/23/25 09:56	10/29/25 08:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	116		10.0		mg/Kg			10/23/25 22:59	1

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-43

Date Collected: 10/20/25 10:33

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:56	1
Toluene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:56	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:56	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		10/23/25 14:07	10/27/25 13:56	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		10/23/25 14:07	10/27/25 13:56	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		10/23/25 14:07	10/27/25 13:56	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	92		70 - 130	10/23/25 14:07	10/27/25 13:56	1
1,4-Difluorobenzene (Surr)	87		70 - 130	10/23/25 14:07	10/27/25 13:56	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			10/27/25 13:56	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			10/29/25 08:23	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-43

Date Collected: 10/20/25 10:33

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 2'

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 08:23	1
Diesel Range Organics (Over C10-C28)	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 08:23	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		10/23/25 09:56	10/29/25 08:23	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	120		70 - 130				10/23/25 09:56	10/29/25 08:23	1
o-Terphenyl	141	S1+	70 - 130				10/23/25 09:56	10/29/25 08:23	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	106	F1	10.1		mg/Kg			10/23/25 23:05	1

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-44

Date Collected: 10/20/25 10:36

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:07	10/27/25 14:16	1
Toluene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:07	10/27/25 14:16	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:07	10/27/25 14:16	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		10/23/25 14:07	10/27/25 14:16	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		10/23/25 14:07	10/27/25 14:16	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		10/23/25 14:07	10/27/25 14:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	102		70 - 130				10/23/25 14:07	10/27/25 14:16	1
1,4-Difluorobenzene (Surr)	97		70 - 130				10/23/25 14:07	10/27/25 14:16	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			10/27/25 14:16	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			10/29/25 08:38	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 08:38	1
Diesel Range Organics (Over C10-C28)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 08:38	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		10/23/25 09:56	10/29/25 08:38	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	123		70 - 130				10/23/25 09:56	10/29/25 08:38	1
o-Terphenyl	141	S1+	70 - 130				10/23/25 09:56	10/29/25 08:38	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-44

Date Collected: 10/20/25 10:36

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 3'

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	111		10.1		mg/Kg			10/23/25 23:23	1

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-45

Date Collected: 10/20/25 10:39

Matrix: Solid

Date Received: 10/22/25 16:55

Sample Depth: 4'

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 14:37	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 14:37	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 14:37	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		10/23/25 14:07	10/27/25 14:37	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 14:37	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		10/23/25 14:07	10/27/25 14:37	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	107		70 - 130				10/23/25 14:07	10/27/25 14:37	1
1,4-Difluorobenzene (Surr)	100		70 - 130				10/23/25 14:07	10/27/25 14:37	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			10/27/25 14:37	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			10/29/25 08:53	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 08:53	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 08:53	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 08:53	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	134	S1+	70 - 130				10/23/25 09:56	10/29/25 08:53	1
o-Terphenyl	144	S1+	70 - 130				10/23/25 09:56	10/29/25 08:53	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	119		9.96		mg/Kg			10/23/25 23:29	1

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-64149-1	Auger Hole 1	116	81
880-64149-1 MS	Auger Hole 1	119	94
880-64149-1 MSD	Auger Hole 1	164 S1+	89
880-64149-2	Auger Hole 1	111	71
880-64149-3	Auger Hole 1	98	66 S1-
880-64149-4	Auger Hole 1	98	65 S1-
880-64149-5	Auger Hole 1	97	63 S1-
880-64149-6	Auger Hole 2	104	72
880-64149-7	Auger Hole 2	98	68 S1-
880-64149-8	Auger Hole 2	107	71
880-64149-9	Auger Hole 2	111	73
880-64149-10	Auger Hole 2	112	69 S1-
880-64149-11	Auger Hole 3	112	64 S1-
880-64149-12	Auger Hole 3	109	71
880-64149-13	Auger Hole 3	109	65 S1-
880-64149-14	Auger Hole 3	116	72
880-64149-15	Auger Hole 3	182 S1+	89
880-64149-16	Auger Hole 4	109	64 S1-
880-64149-17	Auger Hole 4	116	65 S1-
880-64149-18	Auger Hole 4	108	65 S1-
880-64149-19	Auger Hole 4	113	72
880-64149-20	Auger Hole 4	105	62 S1-
880-64149-21	Auger Hole 5	43 S1-	98
880-64149-21 MS	Auger Hole 5	66 S1-	150 S1+
880-64149-21 MSD	Auger Hole 5	35 S1-	79
880-64149-22	Auger Hole 5	42 S1-	107
880-64149-23	Auger Hole 5	47 S1-	126
880-64149-24	Auger Hole 5	36 S1-	86
880-64149-25	Auger Hole 5	35 S1-	88
880-64149-26	Auger Hole 6	35 S1-	84
880-64149-27	Auger Hole 6	18 S1-	112
880-64149-28	Auger Hole 6	102	95
880-64149-29	Auger Hole 6	34 S1-	129
880-64149-30	Auger Hole 6	38 S1-	90
880-64149-31	Auger Hole 7	76	161 S1+
880-64149-32	Auger Hole 7	77	156 S1+
880-64149-33	Auger Hole 7	76	165 S1+
880-64149-34	Auger Hole 7	41 S1-	94
880-64149-35	Auger Hole 7	78	164 S1+
880-64149-36	Auger Hole 8	52 S1-	117
880-64149-37	Auger Hole 8	50 S1-	123
880-64149-38	Auger Hole 8	47 S1-	126
880-64149-39	Auger Hole 8	41 S1-	100
880-64149-40	Auger Hole 8	32 S1-	121
880-64149-41	Auger Hole 9	108	94
880-64149-41 MS	Auger Hole 9	104	103
880-64149-41 MSD	Auger Hole 9	110	97
880-64149-42	Auger Hole 9	108	93
880-64149-43	Auger Hole 9	92	87

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	BFB1 (70-130)	DFBZ1 (70-130)
880-64149-44	Auger Hole 9	102	97
880-64149-45	Auger Hole 9	107	100
890-8976-A-1-C MS	Matrix Spike	107	104
890-8976-A-1-D MSD	Matrix Spike Duplicate	107	101
LCS 880-121904/1-A	Lab Control Sample	115	72
LCS 880-121906/1-A	Lab Control Sample	76	141 S1+
LCS 880-121907/1-A	Lab Control Sample	105	103
LCS 880-122036/1-A	Lab Control Sample	121	98
LCS 880-122192/1-A	Lab Control Sample	100	101
LCSD 880-121904/2-A	Lab Control Sample Dup	130	78
LCSD 880-121906/2-A	Lab Control Sample Dup	64 S1-	147 S1+
LCSD 880-121907/2-A	Lab Control Sample Dup	100	97
LCSD 880-122036/2-A	Lab Control Sample Dup	118	98
LCSD 880-122192/2-A	Lab Control Sample Dup	100	99
MB 880-121785/5-A	Method Blank	85	72
MB 880-121904/5-A	Method Blank	99	71
MB 880-121906/5-A	Method Blank	50 S1-	114
MB 880-121907/5-A	Method Blank	101	91
MB 880-122036/5-A	Method Blank	166 S1+	96
MB 880-122192/5-A	Method Blank	101	91

Surrogate Legend

BFB = 4-Bromofluorobenzene (Surr)

DFBZ = 1,4-Difluorobenzene (Surr)

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-64149-1	Auger Hole 1	83	100
880-64149-2	Auger Hole 1	83	102
880-64149-3	Auger Hole 1	83	93
880-64149-4	Auger Hole 1	84	91
880-64149-5	Auger Hole 1	85	93
880-64149-6	Auger Hole 2	78	124
880-64149-7	Auger Hole 2	82	93
880-64149-8	Auger Hole 2	80	88
880-64149-9	Auger Hole 2	80	93
880-64149-10	Auger Hole 2	117	132 S1+
880-64149-10 MS	Auger Hole 2	106	127
880-64149-10 MSD	Auger Hole 2	107	123
880-64149-11	Auger Hole 3	121	134 S1+
880-64149-12	Auger Hole 3	114	130
880-64149-13	Auger Hole 3	131 S1+	142 S1+
880-64149-14	Auger Hole 3	118	131 S1+
880-64149-15	Auger Hole 3	142 S1+	156 S1+
880-64149-16	Auger Hole 4	125	134 S1+
880-64149-17	Auger Hole 4	144 S1+	153 S1+
880-64149-18	Auger Hole 4	123	138 S1+

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
 Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
 SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-64149-19	Auger Hole 4	118	129
880-64149-20	Auger Hole 4	115	130
880-64149-21	Auger Hole 5	128	134 S1+
880-64149-22	Auger Hole 5	121	126
880-64149-23	Auger Hole 5	120	127
880-64149-24	Auger Hole 5	114	126
880-64149-25	Auger Hole 5	116	130
880-64149-26	Auger Hole 6	123	130
880-64149-27	Auger Hole 6	105	118
880-64149-28	Auger Hole 6	120	135 S1+
880-64149-29	Auger Hole 6	122	129
880-64149-30	Auger Hole 6	236 S1+	259 S1+
880-64149-30 MS	Auger Hole 6	108	126
880-64149-30 MSD	Auger Hole 6	112	127
880-64149-31	Auger Hole 7	116	130
880-64149-32	Auger Hole 7	120	130
880-64149-33	Auger Hole 7	123	144 S1+
880-64149-34	Auger Hole 7	118	135 S1+
880-64149-35	Auger Hole 7	123	137 S1+
880-64149-36	Auger Hole 8	115	130
880-64149-37	Auger Hole 8	120	141 S1+
880-64149-38	Auger Hole 8	240 S1+	269 S1+
880-64149-39	Auger Hole 8	120	142 S1+
880-64149-40	Auger Hole 8	117	135 S1+
880-64149-41	Auger Hole 9	119	134 S1+
880-64149-42	Auger Hole 9	124	140 S1+
880-64149-43	Auger Hole 9	120	141 S1+
880-64149-44	Auger Hole 9	123	141 S1+
880-64149-45	Auger Hole 9	134 S1+	144 S1+
890-8975-A-23-B MS	Matrix Spike	94	91
890-8975-A-23-C MSD	Matrix Spike Duplicate	78	90
LCS 880-121845/2-A	Lab Control Sample	80	94
LCS 880-121868/2-A	Lab Control Sample	110	130
LCS 880-121869/2-A	Lab Control Sample	105	124
LCSD 880-121845/3-A	Lab Control Sample Dup	81	96
LCSD 880-121868/3-A	Lab Control Sample Dup	107	134 S1+
LCSD 880-121869/3-A	Lab Control Sample Dup	105	122
MB 880-121845/1-A	Method Blank	78	85
MB 880-121868/1-A	Method Blank	100	110
MB 880-121869/1-A	Method Blank	99	112

Surrogate Legend

1CO = 1-Chlorooctane

OTPH = o-Terphenyl

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-121785/5-A

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121785

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/22/25 12:09	10/24/25 11:26	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/22/25 12:09	10/24/25 11:26	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/22/25 12:09	10/24/25 11:26	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/22/25 12:09	10/24/25 11:26	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/22/25 12:09	10/24/25 11:26	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/22/25 12:09	10/24/25 11:26	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	85		70 - 130	10/22/25 12:09	10/24/25 11:26	1
1,4-Difluorobenzene (Surr)	72		70 - 130	10/22/25 12:09	10/24/25 11:26	1

Lab Sample ID: MB 880-121904/5-A

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121904

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:20	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:20	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:20	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/23/25 14:03	10/24/25 22:20	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:03	10/24/25 22:20	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/23/25 14:03	10/24/25 22:20	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	10/23/25 14:03	10/24/25 22:20	1
1,4-Difluorobenzene (Surr)	71		70 - 130	10/23/25 14:03	10/24/25 22:20	1

Lab Sample ID: LCS 880-121904/1-A

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121904

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.07565		mg/Kg		76	70 - 130
Toluene	0.100	0.08759		mg/Kg		88	70 - 130
Ethylbenzene	0.100	0.09767		mg/Kg		98	70 - 130
m-Xylene & p-Xylene	0.200	0.1998		mg/Kg		100	70 - 130
o-Xylene	0.100	0.09871		mg/Kg		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	115		70 - 130
1,4-Difluorobenzene (Surr)	72		70 - 130

Lab Sample ID: LCSD 880-121904/2-A

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121904

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.07928		mg/Kg		79	70 - 130	5	35

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCSD 880-121904/2-A

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121904

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
							Limits	RPD		
Toluene	0.100	0.08973		mg/Kg		90	70 - 130	2		35
Ethylbenzene	0.100	0.09913		mg/Kg		99	70 - 130	1		35
m-Xylene & p-Xylene	0.200	0.2057		mg/Kg		103	70 - 130	3		35
o-Xylene	0.100	0.1016		mg/Kg		102	70 - 130	3		35

Surrogate	LCSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	130		70 - 130
1,4-Difluorobenzene (Surr)	78		70 - 130

Lab Sample ID: 880-64149-1 MS

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Auger Hole 1

Prep Type: Total/NA

Prep Batch: 121904

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec	
									Limits	RPD
Benzene	<0.00200	U	0.100	0.07241		mg/Kg		72	70 - 130	
Toluene	<0.00200	U	0.100	0.07047		mg/Kg		70	70 - 130	
Ethylbenzene	<0.00200	U F1	0.100	0.06717	F1	mg/Kg		67	70 - 130	
m-Xylene & p-Xylene	<0.00399	U F1	0.200	0.1363	F1	mg/Kg		68	70 - 130	
o-Xylene	<0.00200	U F1	0.100	0.06415	F1	mg/Kg		64	70 - 130	

Surrogate	MS		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	119		70 - 130
1,4-Difluorobenzene (Surr)	94		70 - 130

Lab Sample ID: 880-64149-1 MSD

Matrix: Solid

Analysis Batch: 121944

Client Sample ID: Auger Hole 1

Prep Type: Total/NA

Prep Batch: 121904

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec		RPD	Limit
									Limits	RPD		
Benzene	<0.00200	U	0.100	0.07188		mg/Kg		72	70 - 130	1		35
Toluene	<0.00200	U	0.100	0.07726		mg/Kg		77	70 - 130	9		35
Ethylbenzene	<0.00200	U F1	0.100	0.07266		mg/Kg		73	70 - 130	8		35
m-Xylene & p-Xylene	<0.00399	U F1	0.200	0.1542		mg/Kg		77	70 - 130	12		35
o-Xylene	<0.00200	U F1	0.100	0.07306		mg/Kg		73	70 - 130	13		35

Surrogate	MSD		Limits
	%Recovery	Qualifier	
4-Bromofluorobenzene (Surr)	164	S1+	70 - 130
1,4-Difluorobenzene (Surr)	89		70 - 130

Lab Sample ID: MB 880-121906/5-A

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121906

Analyte	MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:13	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:13	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:13	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/23/25 14:05	10/27/25 13:13	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-121906/5-A

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121906

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:05	10/27/25 13:13	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/23/25 14:05	10/27/25 13:13	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	50	S1-	70 - 130				10/23/25 14:05	10/27/25 13:13	1
1,4-Difluorobenzene (Surr)	114		70 - 130				10/23/25 14:05	10/27/25 13:13	1

Lab Sample ID: LCS 880-121906/1-A

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121906

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1027		mg/Kg		103	70 - 130
Toluene	0.100	0.08141		mg/Kg		81	70 - 130
Ethylbenzene	0.100	0.08189		mg/Kg		82	70 - 130
m-Xylene & p-Xylene	0.200	0.1638		mg/Kg		82	70 - 130
o-Xylene	0.100	0.08270		mg/Kg		83	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
4-Bromofluorobenzene (Surr)	76		70 - 130				
1,4-Difluorobenzene (Surr)	141	S1+	70 - 130				

Lab Sample ID: LCSD 880-121906/2-A

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121906

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.07716		mg/Kg		77	70 - 130	28	35
Toluene	0.100	0.08407		mg/Kg		84	70 - 130	3	35
Ethylbenzene	0.100	0.09384		mg/Kg		94	70 - 130	14	35
m-Xylene & p-Xylene	0.200	0.1955		mg/Kg		98	70 - 130	18	35
o-Xylene	0.100	0.09543		mg/Kg		95	70 - 130	14	35
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
4-Bromofluorobenzene (Surr)	64	S1-	70 - 130						
1,4-Difluorobenzene (Surr)	147	S1+	70 - 130						

Lab Sample ID: 880-64149-21 MS

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Auger Hole 5

Prep Type: Total/NA

Prep Batch: 121906

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U F1 F2	0.100	0.04544	F1	mg/Kg		45	70 - 130
Toluene	<0.00200	U F1 F2	0.100	0.05011	F1	mg/Kg		50	70 - 130
Ethylbenzene	<0.00200	U F1 F2	0.100	0.05795	F1	mg/Kg		58	70 - 130
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.1257	F1	mg/Kg		63	70 - 130
o-Xylene	<0.00200	U F1 F2	0.100	0.06510	F1	mg/Kg		65	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-64149-21 MS

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Auger Hole 5

Prep Type: Total/NA

Prep Batch: 121906

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	66	S1-	70 - 130
1,4-Difluorobenzene (Surr)	150	S1+	70 - 130

Lab Sample ID: 880-64149-21 MSD

Matrix: Solid

Analysis Batch: 122026

Client Sample ID: Auger Hole 5

Prep Type: Total/NA

Prep Batch: 121906

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U F1 F2	0.100	0.01284	F1 F2	mg/Kg		13	70 - 130	112	35
Toluene	<0.00200	U F1 F2	0.100	0.01392	F1 F2	mg/Kg		14	70 - 130	113	35
Ethylbenzene	<0.00200	U F1 F2	0.100	0.01536	F1 F2	mg/Kg		15	70 - 130	116	35
m-Xylene & p-Xylene	<0.00399	U F1 F2	0.200	0.02526	F1 F2	mg/Kg		13	70 - 130	133	35
o-Xylene	<0.00200	U F1 F2	0.100	0.02046	F1 F2	mg/Kg		20	70 - 130	104	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	35	S1-	70 - 130
1,4-Difluorobenzene (Surr)	79		70 - 130

Lab Sample ID: MB 880-121907/5-A

Matrix: Solid

Analysis Batch: 122038

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121907

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 12:53	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 12:53	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 12:53	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/23/25 14:07	10/27/25 12:53	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/23/25 14:07	10/27/25 12:53	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/23/25 14:07	10/27/25 12:53	1

	MB	MB				
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	10/23/25 14:07	10/27/25 12:53	1
1,4-Difluorobenzene (Surr)	91		70 - 130	10/23/25 14:07	10/27/25 12:53	1

Lab Sample ID: LCS 880-121907/1-A

Matrix: Solid

Analysis Batch: 122038

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121907

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1096		mg/Kg		110	70 - 130
Toluene	0.100	0.09945		mg/Kg		99	70 - 130
Ethylbenzene	0.100	0.1032		mg/Kg		103	70 - 130
m-Xylene & p-Xylene	0.200	0.2117		mg/Kg		106	70 - 130
o-Xylene	0.100	0.1024		mg/Kg		102	70 - 130

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: LCS 880-121907/1-A

Matrix: Solid

Analysis Batch: 122038

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121907

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: LCSD 880-121907/2-A

Matrix: Solid

Analysis Batch: 122038

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121907

	LCS	LCS									
Analyte	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit		
Benzene	0.100	0.1072		mg/Kg		107	70 - 130	2	35		
Toluene	0.100	0.09779		mg/Kg		98	70 - 130	2	35		
Ethylbenzene	0.100	0.1008		mg/Kg		101	70 - 130	2	35		
m-Xylene & p-Xylene	0.200	0.2057		mg/Kg		103	70 - 130	3	35		
o-Xylene	0.100	0.09966		mg/Kg		100	70 - 130	3	35		

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: 880-64149-41 MS

Matrix: Solid

Analysis Batch: 122038

Client Sample ID: Auger Hole 9

Prep Type: Total/NA

Prep Batch: 121907

	Sample	Sample	Spike	MS	MS						
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.00200	U F2 F1	0.100	0.03022	F1	mg/Kg		30	70 - 130		
Toluene	<0.00200	U F2 F1	0.100	0.02683	F1	mg/Kg		27	70 - 130		
Ethylbenzene	<0.00200	U F2 F1	0.100	0.03045	F1	mg/Kg		30	70 - 130		
m-Xylene & p-Xylene	<0.00399	U F2 F1	0.200	0.06539	F1	mg/Kg		33	70 - 130		
o-Xylene	<0.00200	U F2 F1	0.100	0.03686	F1	mg/Kg		37	70 - 130		

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	104		70 - 130
1,4-Difluorobenzene (Surr)	103		70 - 130

Lab Sample ID: 880-64149-41 MSD

Matrix: Solid

Analysis Batch: 122038

Client Sample ID: Auger Hole 9

Prep Type: Total/NA

Prep Batch: 121907

	Sample	Sample	Spike	MSD	MSD						
Analyte	Result	Qualifier	Added	Result	Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Benzene	<0.00200	U F2 F1	0.100	0.007150	F2 F1	mg/Kg		7	70 - 130	123	35
Toluene	<0.00200	U F2 F1	0.100	0.006686	F2 F1	mg/Kg		7	70 - 130	120	35
Ethylbenzene	<0.00200	U F2 F1	0.100	0.007719	F2 F1	mg/Kg		8	70 - 130	119	35
m-Xylene & p-Xylene	<0.00399	U F2 F1	0.200	0.01703	F2 F1	mg/Kg		9	70 - 130	117	35
o-Xylene	<0.00200	U F2 F1	0.100	0.01209	F2 F1	mg/Kg		12	70 - 130	101	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-122036/5-A

Matrix: Solid

Analysis Batch: 122025

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 122036

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/27/25 08:41	10/27/25 12:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/27/25 08:41	10/27/25 12:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/27/25 08:41	10/27/25 12:43	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/27/25 08:41	10/27/25 12:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/27/25 08:41	10/27/25 12:43	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/27/25 08:41	10/27/25 12:43	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	166	S1+	70 - 130	10/27/25 08:41	10/27/25 12:43	1
1,4-Difluorobenzene (Surr)	96		70 - 130	10/27/25 08:41	10/27/25 12:43	1

Lab Sample ID: LCS 880-122036/1-A

Matrix: Solid

Analysis Batch: 122025

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 122036

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1334	*+	mg/Kg		133	70 - 130
Toluene	0.100	0.1125		mg/Kg		112	70 - 130
Ethylbenzene	0.100	0.1171		mg/Kg		117	70 - 130
m-Xylene & p-Xylene	0.200	0.2402		mg/Kg		120	70 - 130
o-Xylene	0.100	0.1200		mg/Kg		120	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	121		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: LCSD 880-122036/2-A

Matrix: Solid

Analysis Batch: 122025

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 122036

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1372	*+	mg/Kg		137	70 - 130	3	35
Toluene	0.100	0.1148		mg/Kg		115	70 - 130	2	35
Ethylbenzene	0.100	0.1184		mg/Kg		118	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.2424		mg/Kg		121	70 - 130	1	35
o-Xylene	0.100	0.1204		mg/Kg		120	70 - 130	0	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	118		70 - 130
1,4-Difluorobenzene (Surr)	98		70 - 130

Lab Sample ID: MB 880-122192/5-A

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 122192

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		10/28/25 09:01	10/28/25 11:45	1
Toluene	<0.00200	U	0.00200		mg/Kg		10/28/25 09:01	10/28/25 11:45	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-122192/5-A

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 122192

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		10/28/25 09:01	10/28/25 11:45	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		10/28/25 09:01	10/28/25 11:45	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		10/28/25 09:01	10/28/25 11:45	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		10/28/25 09:01	10/28/25 11:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130	10/28/25 09:01	10/28/25 11:45	1
1,4-Difluorobenzene (Surr)	91		70 - 130	10/28/25 09:01	10/28/25 11:45	1

Lab Sample ID: LCS 880-122192/1-A

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 122192

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1053		mg/Kg		105	70 - 130
Toluene	0.100	0.09675		mg/Kg		97	70 - 130
Ethylbenzene	0.100	0.09998		mg/Kg		100	70 - 130
m-Xylene & p-Xylene	0.200	0.2038		mg/Kg		102	70 - 130
o-Xylene	0.100	0.09885		mg/Kg		99	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	101		70 - 130

Lab Sample ID: LCSD 880-122192/2-A

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 122192

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1064		mg/Kg		106	70 - 130	1	35
Toluene	0.100	0.09775		mg/Kg		98	70 - 130	1	35
Ethylbenzene	0.100	0.1018		mg/Kg		102	70 - 130	2	35
m-Xylene & p-Xylene	0.200	0.2074		mg/Kg		104	70 - 130	2	35
o-Xylene	0.100	0.1011		mg/Kg		101	70 - 130	2	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	100		70 - 130
1,4-Difluorobenzene (Surr)	99		70 - 130

Lab Sample ID: 890-8976-A-1-C MS

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 122192

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.1066		mg/Kg		107	70 - 130
Toluene	<0.00200	U	0.100	0.09697		mg/Kg		97	70 - 130
Ethylbenzene	<0.00200	U	0.100	0.1005		mg/Kg		101	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2067		mg/Kg		103	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 890-8976-A-1-C MS

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 122192

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
o-Xylene	<0.00200	U	0.100	0.1003		mg/Kg		100	70 - 130
Surrogate	MS %Recovery	MS Qualifier	Limits						
4-Bromofluorobenzene (Surr)	107		70 - 130						
1,4-Difluorobenzene (Surr)	104		70 - 130						

Lab Sample ID: 890-8976-A-1-D MSD

Matrix: Solid

Analysis Batch: 122187

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 122192

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.1029		mg/Kg		103	70 - 130	3	35
Toluene	<0.00200	U	0.100	0.09436		mg/Kg		94	70 - 130	3	35
Ethylbenzene	<0.00200	U	0.100	0.09748		mg/Kg		97	70 - 130	3	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1989		mg/Kg		99	70 - 130	4	35
o-Xylene	<0.00200	U	0.100	0.09691		mg/Kg		97	70 - 130	3	35
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
4-Bromofluorobenzene (Surr)	107		70 - 130								
1,4-Difluorobenzene (Surr)	101		70 - 130								

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-121845/1-A

Matrix: Solid

Analysis Batch: 122237

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121845

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 03:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 03:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 08:21	10/29/25 03:25	1
Surrogate	MB %Recovery	MB Qualifier	Limits						
1-Chlorooctane	78		70 - 130						
o-Terphenyl	85		70 - 130						

Lab Sample ID: LCS 880-121845/2-A

Matrix: Solid

Analysis Batch: 122237

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121845

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1008		mg/Kg		101	70 - 130
Diesel Range Organics (Over C10-C28)	1000	960.6		mg/Kg		96	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCS 880-121845/2-A

Matrix: Solid

Analysis Batch: 122237

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121845

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	80		70 - 130
o-Terphenyl	94		70 - 130

Lab Sample ID: LCSD 880-121845/3-A

Matrix: Solid

Analysis Batch: 122237

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121845

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1027		mg/Kg		103	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	1000	969.7		mg/Kg		97	70 - 130	1	20

	LCSD	LCSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	81		70 - 130
o-Terphenyl	96		70 - 130

Lab Sample ID: 890-8975-A-23-B MS

Matrix: Solid

Analysis Batch: 122237

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 121845

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	846.3		mg/Kg		83	70 - 130
Diesel Range Organics (Over C10-C28)	<49.9	U	999	843.7		mg/Kg		84	70 - 130

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	94		70 - 130
o-Terphenyl	91		70 - 130

Lab Sample ID: 890-8975-A-23-C MSD

Matrix: Solid

Analysis Batch: 122237

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 121845

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U	999	853.8		mg/Kg		84	70 - 130	1	20
Diesel Range Organics (Over C10-C28)	<49.9	U	999	910.5		mg/Kg		91	70 - 130	8	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	78		70 - 130
o-Terphenyl	90		70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: MB 880-121868/1-A

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121868

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:53	10/28/25 19:38	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:53	10/28/25 19:38	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:53	10/28/25 19:38	1
Surrogate	MB %Recovery	MB Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	100		70 - 130				10/23/25 09:53	10/28/25 19:38	1
o-Terphenyl	110		70 - 130				10/23/25 09:53	10/28/25 19:38	1

Lab Sample ID: LCS 880-121868/2-A

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121868

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1183		mg/Kg		118	70 - 130
Diesel Range Organics (Over C10-C28)	1000	927.5		mg/Kg		93	70 - 130
Surrogate	LCS %Recovery	LCS Qualifier	Limits				
1-Chlorooctane	110		70 - 130				
o-Terphenyl	130		70 - 130				

Lab Sample ID: LCSD 880-121868/3-A

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121868

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1149		mg/Kg		115	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	1000	917.5		mg/Kg		92	70 - 130	1	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	107		70 - 130						
o-Terphenyl	134	S1+	70 - 130						

Lab Sample ID: 880-64149-10 MS

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Auger Hole 2

Prep Type: Total/NA

Prep Batch: 121868

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	999	840.4		mg/Kg		84	70 - 130
Diesel Range Organics (Over C10-C28)	76.0		999	832.8		mg/Kg		76	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: 880-64149-10 MS

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Auger Hole 2

Prep Type: Total/NA

Prep Batch: 121868

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	106		70 - 130
o-Terphenyl	127		70 - 130

Lab Sample ID: 880-64149-10 MSD

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Auger Hole 2

Prep Type: Total/NA

Prep Batch: 121868

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	999	862.1		mg/Kg		86	70 - 130	3	20
Diesel Range Organics (Over C10-C28)	76.0		999	824.1		mg/Kg		75	70 - 130	1	20

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	107		70 - 130
o-Terphenyl	123		70 - 130

Lab Sample ID: MB 880-121869/1-A

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 121869

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 03:25	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 03:25	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		10/23/25 09:56	10/29/25 03:25	1

	MB	MB							
Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac			
1-Chlorooctane	99		70 - 130	10/23/25 09:56	10/29/25 03:25	1			
o-Terphenyl	112		70 - 130	10/23/25 09:56	10/29/25 03:25	1			

Lab Sample ID: LCS 880-121869/2-A

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 121869

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	1156		mg/Kg		116	70 - 130
Diesel Range Organics (Over C10-C28)	1000	929.1		mg/Kg		93	70 - 130

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	105		70 - 130
o-Terphenyl	124		70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-121869/3-A

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 121869

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	1160		mg/Kg		116	70 - 130	0	20
Diesel Range Organics (Over C10-C28)	1000	928.7		mg/Kg		93	70 - 130	0	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	105		70 - 130						
o-Terphenyl	122		70 - 130						

Lab Sample ID: 880-64149-30 MS

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Auger Hole 6

Prep Type: Total/NA

Prep Batch: 121869

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	997	896.3		mg/Kg		90	70 - 130		
Diesel Range Organics (Over C10-C28)	<50.0	U	997	885.1		mg/Kg		89	70 - 130		
Surrogate	MS %Recovery	MS Qualifier	Limits								
1-Chlorooctane	108		70 - 130								
o-Terphenyl	126		70 - 130								

Lab Sample ID: 880-64149-30 MSD

Matrix: Solid

Analysis Batch: 122240

Client Sample ID: Auger Hole 6

Prep Type: Total/NA

Prep Batch: 121869

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	997	948.9		mg/Kg		95	70 - 130	6	20
Diesel Range Organics (Over C10-C28)	<50.0	U	997	849.5		mg/Kg		85	70 - 130	4	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	112		70 - 130								
o-Terphenyl	127		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-121872/1-A

Matrix: Solid

Analysis Batch: 121902

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			10/23/25 15:57	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-121872/2-A

Matrix: Solid

Analysis Batch: 121902

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	237.2		mg/Kg		95	90 - 110

Lab Sample ID: LCSD 880-121872/3-A

Matrix: Solid

Analysis Batch: 121902

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	238.0		mg/Kg		95	90 - 110	0	20

Lab Sample ID: 880-64149-3 MS

Matrix: Solid

Analysis Batch: 121902

Client Sample ID: Auger Hole 1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	263		250	504.8		mg/Kg		97	90 - 110

Lab Sample ID: 880-64149-3 MSD

Matrix: Solid

Analysis Batch: 121902

Client Sample ID: Auger Hole 1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	263		250	506.9		mg/Kg		97	90 - 110	0	20

Lab Sample ID: MB 880-121873/1-A

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			10/23/25 19:00	1

Lab Sample ID: LCS 880-121873/2-A

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	233.8		mg/Kg		94	90 - 110

Lab Sample ID: LCSD 880-121873/3-A

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	235.4		mg/Kg		94	90 - 110	1	20

Lab Sample ID: 880-64149-13 MS

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Auger Hole 3

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	959	F1	251	1172	F1	mg/Kg		85	90 - 110

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-64149-13 MSD

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Auger Hole 3

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	959	F1	251	1173	F1	mg/Kg		85	90 - 110	0	20

Lab Sample ID: 880-64149-23 MS

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Auger Hole 5

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	100		251	355.2		mg/Kg		102	90 - 110		

Lab Sample ID: 880-64149-23 MSD

Matrix: Solid

Analysis Batch: 121923

Client Sample ID: Auger Hole 5

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	100		251	356.8		mg/Kg		102	90 - 110	0	20

Lab Sample ID: MB 880-121874/1-A

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			10/23/25 21:26	1

Lab Sample ID: LCS 880-121874/2-A

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	250	249.7		mg/Kg		100	90 - 110		

Lab Sample ID: LCSD 880-121874/3-A

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	256.8		mg/Kg		103	90 - 110	3	20

Lab Sample ID: 880-64149-33 MS

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Auger Hole 7

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
Chloride	119		249	378.1		mg/Kg		104	90 - 110		

Lab Sample ID: 880-64149-33 MSD

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Auger Hole 7

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	119		249	394.3		mg/Kg		110	90 - 110	4	20

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-64149-43 MS

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Auger Hole 9

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	106	F1	252	410.5	F1	mg/Kg	-	121	90 - 110

Lab Sample ID: 880-64149-43 MSD

Matrix: Solid

Analysis Batch: 121924

Client Sample ID: Auger Hole 9

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	106	F1	252	379.0		mg/Kg	-	108	90 - 110	8	20

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC VOA

Prep Batch: 121785

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-121785/5-A	Method Blank	Total/NA	Solid	5035	

Prep Batch: 121904

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Total/NA	Solid	5035	
880-64149-2	Auger Hole 1	Total/NA	Solid	5035	
880-64149-3	Auger Hole 1	Total/NA	Solid	5035	
880-64149-4	Auger Hole 1	Total/NA	Solid	5035	
880-64149-5	Auger Hole 1	Total/NA	Solid	5035	
880-64149-6	Auger Hole 2	Total/NA	Solid	5035	
880-64149-7	Auger Hole 2	Total/NA	Solid	5035	
880-64149-8	Auger Hole 2	Total/NA	Solid	5035	
880-64149-9	Auger Hole 2	Total/NA	Solid	5035	
880-64149-10	Auger Hole 2	Total/NA	Solid	5035	
880-64149-11	Auger Hole 3	Total/NA	Solid	5035	
880-64149-12	Auger Hole 3	Total/NA	Solid	5035	
880-64149-13	Auger Hole 3	Total/NA	Solid	5035	
880-64149-14	Auger Hole 3	Total/NA	Solid	5035	
880-64149-15	Auger Hole 3	Total/NA	Solid	5035	
880-64149-16	Auger Hole 4	Total/NA	Solid	5035	
880-64149-17	Auger Hole 4	Total/NA	Solid	5035	
880-64149-18	Auger Hole 4	Total/NA	Solid	5035	
880-64149-19	Auger Hole 4	Total/NA	Solid	5035	
880-64149-20	Auger Hole 4	Total/NA	Solid	5035	
MB 880-121904/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-121904/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-121904/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-64149-1 MS	Auger Hole 1	Total/NA	Solid	5035	
880-64149-1 MSD	Auger Hole 1	Total/NA	Solid	5035	

Prep Batch: 121906

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-21	Auger Hole 5	Total/NA	Solid	5035	
880-64149-22	Auger Hole 5	Total/NA	Solid	5035	
880-64149-23	Auger Hole 5	Total/NA	Solid	5035	
880-64149-24	Auger Hole 5	Total/NA	Solid	5035	
880-64149-25	Auger Hole 5	Total/NA	Solid	5035	
880-64149-26	Auger Hole 6	Total/NA	Solid	5035	
880-64149-27	Auger Hole 6	Total/NA	Solid	5035	
880-64149-29	Auger Hole 6	Total/NA	Solid	5035	
880-64149-30	Auger Hole 6	Total/NA	Solid	5035	
880-64149-31	Auger Hole 7	Total/NA	Solid	5035	
880-64149-32	Auger Hole 7	Total/NA	Solid	5035	
880-64149-33	Auger Hole 7	Total/NA	Solid	5035	
880-64149-34	Auger Hole 7	Total/NA	Solid	5035	
880-64149-35	Auger Hole 7	Total/NA	Solid	5035	
880-64149-36	Auger Hole 8	Total/NA	Solid	5035	
880-64149-37	Auger Hole 8	Total/NA	Solid	5035	
880-64149-38	Auger Hole 8	Total/NA	Solid	5035	
880-64149-39	Auger Hole 8	Total/NA	Solid	5035	
880-64149-40	Auger Hole 8	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC VOA (Continued)

Prep Batch: 121906 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-121906/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-121906/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-121906/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-64149-21 MS	Auger Hole 5	Total/NA	Solid	5035	
880-64149-21 MSD	Auger Hole 5	Total/NA	Solid	5035	

Prep Batch: 121907

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-41	Auger Hole 9	Total/NA	Solid	5035	
880-64149-42	Auger Hole 9	Total/NA	Solid	5035	
880-64149-43	Auger Hole 9	Total/NA	Solid	5035	
880-64149-44	Auger Hole 9	Total/NA	Solid	5035	
880-64149-45	Auger Hole 9	Total/NA	Solid	5035	
MB 880-121907/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-121907/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-121907/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-64149-41 MS	Auger Hole 9	Total/NA	Solid	5035	
880-64149-41 MSD	Auger Hole 9	Total/NA	Solid	5035	

Analysis Batch: 121944

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Total/NA	Solid	8021B	121904
880-64149-2	Auger Hole 1	Total/NA	Solid	8021B	121904
880-64149-3	Auger Hole 1	Total/NA	Solid	8021B	121904
880-64149-4	Auger Hole 1	Total/NA	Solid	8021B	121904
880-64149-5	Auger Hole 1	Total/NA	Solid	8021B	121904
880-64149-6	Auger Hole 2	Total/NA	Solid	8021B	121904
880-64149-7	Auger Hole 2	Total/NA	Solid	8021B	121904
880-64149-8	Auger Hole 2	Total/NA	Solid	8021B	121904
880-64149-9	Auger Hole 2	Total/NA	Solid	8021B	121904
880-64149-10	Auger Hole 2	Total/NA	Solid	8021B	121904
880-64149-11	Auger Hole 3	Total/NA	Solid	8021B	121904
880-64149-12	Auger Hole 3	Total/NA	Solid	8021B	121904
880-64149-13	Auger Hole 3	Total/NA	Solid	8021B	121904
880-64149-14	Auger Hole 3	Total/NA	Solid	8021B	121904
880-64149-15	Auger Hole 3	Total/NA	Solid	8021B	121904
880-64149-16	Auger Hole 4	Total/NA	Solid	8021B	121904
880-64149-17	Auger Hole 4	Total/NA	Solid	8021B	121904
880-64149-18	Auger Hole 4	Total/NA	Solid	8021B	121904
880-64149-19	Auger Hole 4	Total/NA	Solid	8021B	121904
880-64149-20	Auger Hole 4	Total/NA	Solid	8021B	121904
MB 880-121785/5-A	Method Blank	Total/NA	Solid	8021B	121785
MB 880-121904/5-A	Method Blank	Total/NA	Solid	8021B	121904
LCS 880-121904/1-A	Lab Control Sample	Total/NA	Solid	8021B	121904
LCSD 880-121904/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	121904
880-64149-1 MS	Auger Hole 1	Total/NA	Solid	8021B	121904
880-64149-1 MSD	Auger Hole 1	Total/NA	Solid	8021B	121904

Analysis Batch: 122025

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-15	Auger Hole 3	Total/NA	Solid	8021B	121904

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC VOA (Continued)

Analysis Batch: 122025 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-122036/5-A	Method Blank	Total/NA	Solid	8021B	122036
LCS 880-122036/1-A	Lab Control Sample	Total/NA	Solid	8021B	122036
LCSD 880-122036/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	122036

Analysis Batch: 122026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-21	Auger Hole 5	Total/NA	Solid	8021B	121906
880-64149-22	Auger Hole 5	Total/NA	Solid	8021B	121906
880-64149-23	Auger Hole 5	Total/NA	Solid	8021B	121906
880-64149-24	Auger Hole 5	Total/NA	Solid	8021B	121906
880-64149-25	Auger Hole 5	Total/NA	Solid	8021B	121906
880-64149-26	Auger Hole 6	Total/NA	Solid	8021B	121906
880-64149-27	Auger Hole 6	Total/NA	Solid	8021B	121906
880-64149-29	Auger Hole 6	Total/NA	Solid	8021B	121906
880-64149-30	Auger Hole 6	Total/NA	Solid	8021B	121906
880-64149-31	Auger Hole 7	Total/NA	Solid	8021B	121906
880-64149-32	Auger Hole 7	Total/NA	Solid	8021B	121906
880-64149-33	Auger Hole 7	Total/NA	Solid	8021B	121906
880-64149-34	Auger Hole 7	Total/NA	Solid	8021B	121906
880-64149-35	Auger Hole 7	Total/NA	Solid	8021B	121906
880-64149-36	Auger Hole 8	Total/NA	Solid	8021B	121906
880-64149-37	Auger Hole 8	Total/NA	Solid	8021B	121906
880-64149-38	Auger Hole 8	Total/NA	Solid	8021B	121906
880-64149-39	Auger Hole 8	Total/NA	Solid	8021B	121906
880-64149-40	Auger Hole 8	Total/NA	Solid	8021B	121906
MB 880-121906/5-A	Method Blank	Total/NA	Solid	8021B	121906
LCS 880-121906/1-A	Lab Control Sample	Total/NA	Solid	8021B	121906
LCSD 880-121906/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	121906
880-64149-21 MS	Auger Hole 5	Total/NA	Solid	8021B	121906
880-64149-21 MSD	Auger Hole 5	Total/NA	Solid	8021B	121906

Prep Batch: 122036

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-122036/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-122036/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-122036/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	

Analysis Batch: 122038

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-41	Auger Hole 9	Total/NA	Solid	8021B	121907
880-64149-42	Auger Hole 9	Total/NA	Solid	8021B	121907
880-64149-43	Auger Hole 9	Total/NA	Solid	8021B	121907
880-64149-44	Auger Hole 9	Total/NA	Solid	8021B	121907
880-64149-45	Auger Hole 9	Total/NA	Solid	8021B	121907
MB 880-121907/5-A	Method Blank	Total/NA	Solid	8021B	121907
LCS 880-121907/1-A	Lab Control Sample	Total/NA	Solid	8021B	121907
LCSD 880-121907/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	121907
880-64149-41 MS	Auger Hole 9	Total/NA	Solid	8021B	121907
880-64149-41 MSD	Auger Hole 9	Total/NA	Solid	8021B	121907

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC VOA

Analysis Batch: 122178

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Total/NA	Solid	Total BTEX	
880-64149-2	Auger Hole 1	Total/NA	Solid	Total BTEX	
880-64149-3	Auger Hole 1	Total/NA	Solid	Total BTEX	
880-64149-4	Auger Hole 1	Total/NA	Solid	Total BTEX	
880-64149-5	Auger Hole 1	Total/NA	Solid	Total BTEX	
880-64149-6	Auger Hole 2	Total/NA	Solid	Total BTEX	
880-64149-7	Auger Hole 2	Total/NA	Solid	Total BTEX	
880-64149-8	Auger Hole 2	Total/NA	Solid	Total BTEX	
880-64149-9	Auger Hole 2	Total/NA	Solid	Total BTEX	
880-64149-10	Auger Hole 2	Total/NA	Solid	Total BTEX	
880-64149-11	Auger Hole 3	Total/NA	Solid	Total BTEX	
880-64149-12	Auger Hole 3	Total/NA	Solid	Total BTEX	
880-64149-13	Auger Hole 3	Total/NA	Solid	Total BTEX	
880-64149-14	Auger Hole 3	Total/NA	Solid	Total BTEX	
880-64149-15	Auger Hole 3	Total/NA	Solid	Total BTEX	
880-64149-16	Auger Hole 4	Total/NA	Solid	Total BTEX	
880-64149-17	Auger Hole 4	Total/NA	Solid	Total BTEX	
880-64149-18	Auger Hole 4	Total/NA	Solid	Total BTEX	
880-64149-19	Auger Hole 4	Total/NA	Solid	Total BTEX	
880-64149-20	Auger Hole 4	Total/NA	Solid	Total BTEX	
880-64149-21	Auger Hole 5	Total/NA	Solid	Total BTEX	
880-64149-22	Auger Hole 5	Total/NA	Solid	Total BTEX	
880-64149-23	Auger Hole 5	Total/NA	Solid	Total BTEX	
880-64149-24	Auger Hole 5	Total/NA	Solid	Total BTEX	
880-64149-25	Auger Hole 5	Total/NA	Solid	Total BTEX	
880-64149-26	Auger Hole 6	Total/NA	Solid	Total BTEX	
880-64149-27	Auger Hole 6	Total/NA	Solid	Total BTEX	
880-64149-28	Auger Hole 6	Total/NA	Solid	Total BTEX	
880-64149-29	Auger Hole 6	Total/NA	Solid	Total BTEX	
880-64149-30	Auger Hole 6	Total/NA	Solid	Total BTEX	
880-64149-31	Auger Hole 7	Total/NA	Solid	Total BTEX	
880-64149-32	Auger Hole 7	Total/NA	Solid	Total BTEX	
880-64149-33	Auger Hole 7	Total/NA	Solid	Total BTEX	
880-64149-34	Auger Hole 7	Total/NA	Solid	Total BTEX	
880-64149-35	Auger Hole 7	Total/NA	Solid	Total BTEX	
880-64149-36	Auger Hole 8	Total/NA	Solid	Total BTEX	
880-64149-37	Auger Hole 8	Total/NA	Solid	Total BTEX	
880-64149-38	Auger Hole 8	Total/NA	Solid	Total BTEX	
880-64149-39	Auger Hole 8	Total/NA	Solid	Total BTEX	
880-64149-40	Auger Hole 8	Total/NA	Solid	Total BTEX	
880-64149-41	Auger Hole 9	Total/NA	Solid	Total BTEX	
880-64149-42	Auger Hole 9	Total/NA	Solid	Total BTEX	
880-64149-43	Auger Hole 9	Total/NA	Solid	Total BTEX	
880-64149-44	Auger Hole 9	Total/NA	Solid	Total BTEX	
880-64149-45	Auger Hole 9	Total/NA	Solid	Total BTEX	

Analysis Batch: 122187

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-28	Auger Hole 6	Total/NA	Solid	8021B	122192
MB 880-122192/5-A	Method Blank	Total/NA	Solid	8021B	122192
LCS 880-122192/1-A	Lab Control Sample	Total/NA	Solid	8021B	122192

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC VOA (Continued)

Analysis Batch: 122187 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSD 880-122192/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	122192
890-8976-A-1-C MS	Matrix Spike	Total/NA	Solid	8021B	122192
890-8976-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	8021B	122192

Prep Batch: 122192

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-28	Auger Hole 6	Total/NA	Solid	5035	
MB 880-122192/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-122192/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-122192/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
890-8976-A-1-C MS	Matrix Spike	Total/NA	Solid	5035	
890-8976-A-1-D MSD	Matrix Spike Duplicate	Total/NA	Solid	5035	

GC Semi VOA

Prep Batch: 121845

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Total/NA	Solid	8015NM Prep	
880-64149-2	Auger Hole 1	Total/NA	Solid	8015NM Prep	
880-64149-3	Auger Hole 1	Total/NA	Solid	8015NM Prep	
880-64149-4	Auger Hole 1	Total/NA	Solid	8015NM Prep	
880-64149-5	Auger Hole 1	Total/NA	Solid	8015NM Prep	
880-64149-6	Auger Hole 2	Total/NA	Solid	8015NM Prep	
880-64149-7	Auger Hole 2	Total/NA	Solid	8015NM Prep	
880-64149-8	Auger Hole 2	Total/NA	Solid	8015NM Prep	
880-64149-9	Auger Hole 2	Total/NA	Solid	8015NM Prep	
MB 880-121845/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-121845/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-121845/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
890-8975-A-23-B MS	Matrix Spike	Total/NA	Solid	8015NM Prep	
890-8975-A-23-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015NM Prep	

Prep Batch: 121868

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-10	Auger Hole 2	Total/NA	Solid	8015NM Prep	
880-64149-11	Auger Hole 3	Total/NA	Solid	8015NM Prep	
880-64149-12	Auger Hole 3	Total/NA	Solid	8015NM Prep	
880-64149-13	Auger Hole 3	Total/NA	Solid	8015NM Prep	
880-64149-14	Auger Hole 3	Total/NA	Solid	8015NM Prep	
880-64149-15	Auger Hole 3	Total/NA	Solid	8015NM Prep	
880-64149-16	Auger Hole 4	Total/NA	Solid	8015NM Prep	
880-64149-17	Auger Hole 4	Total/NA	Solid	8015NM Prep	
880-64149-18	Auger Hole 4	Total/NA	Solid	8015NM Prep	
880-64149-19	Auger Hole 4	Total/NA	Solid	8015NM Prep	
880-64149-20	Auger Hole 4	Total/NA	Solid	8015NM Prep	
880-64149-21	Auger Hole 5	Total/NA	Solid	8015NM Prep	
880-64149-22	Auger Hole 5	Total/NA	Solid	8015NM Prep	
880-64149-23	Auger Hole 5	Total/NA	Solid	8015NM Prep	
880-64149-24	Auger Hole 5	Total/NA	Solid	8015NM Prep	
880-64149-25	Auger Hole 5	Total/NA	Solid	8015NM Prep	
880-64149-26	Auger Hole 6	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC Semi VOA (Continued)

Prep Batch: 121868 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-27	Auger Hole 6	Total/NA	Solid	8015NM Prep	
880-64149-28	Auger Hole 6	Total/NA	Solid	8015NM Prep	
880-64149-29	Auger Hole 6	Total/NA	Solid	8015NM Prep	
MB 880-121868/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-121868/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-121868/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-64149-10 MS	Auger Hole 2	Total/NA	Solid	8015NM Prep	
880-64149-10 MSD	Auger Hole 2	Total/NA	Solid	8015NM Prep	

Prep Batch: 121869

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-30	Auger Hole 6	Total/NA	Solid	8015NM Prep	
880-64149-31	Auger Hole 7	Total/NA	Solid	8015NM Prep	
880-64149-32	Auger Hole 7	Total/NA	Solid	8015NM Prep	
880-64149-33	Auger Hole 7	Total/NA	Solid	8015NM Prep	
880-64149-34	Auger Hole 7	Total/NA	Solid	8015NM Prep	
880-64149-35	Auger Hole 7	Total/NA	Solid	8015NM Prep	
880-64149-36	Auger Hole 8	Total/NA	Solid	8015NM Prep	
880-64149-37	Auger Hole 8	Total/NA	Solid	8015NM Prep	
880-64149-38	Auger Hole 8	Total/NA	Solid	8015NM Prep	
880-64149-39	Auger Hole 8	Total/NA	Solid	8015NM Prep	
880-64149-40	Auger Hole 8	Total/NA	Solid	8015NM Prep	
880-64149-41	Auger Hole 9	Total/NA	Solid	8015NM Prep	
880-64149-42	Auger Hole 9	Total/NA	Solid	8015NM Prep	
880-64149-43	Auger Hole 9	Total/NA	Solid	8015NM Prep	
880-64149-44	Auger Hole 9	Total/NA	Solid	8015NM Prep	
880-64149-45	Auger Hole 9	Total/NA	Solid	8015NM Prep	
MB 880-121869/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-121869/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-121869/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-64149-30 MS	Auger Hole 6	Total/NA	Solid	8015NM Prep	
880-64149-30 MSD	Auger Hole 6	Total/NA	Solid	8015NM Prep	

Analysis Batch: 122237

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Total/NA	Solid	8015B NM	121845
880-64149-2	Auger Hole 1	Total/NA	Solid	8015B NM	121845
880-64149-3	Auger Hole 1	Total/NA	Solid	8015B NM	121845
880-64149-4	Auger Hole 1	Total/NA	Solid	8015B NM	121845
880-64149-5	Auger Hole 1	Total/NA	Solid	8015B NM	121845
880-64149-6	Auger Hole 2	Total/NA	Solid	8015B NM	121845
880-64149-7	Auger Hole 2	Total/NA	Solid	8015B NM	121845
880-64149-8	Auger Hole 2	Total/NA	Solid	8015B NM	121845
880-64149-9	Auger Hole 2	Total/NA	Solid	8015B NM	121845
MB 880-121845/1-A	Method Blank	Total/NA	Solid	8015B NM	121845
LCS 880-121845/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	121845
LCSD 880-121845/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	121845
890-8975-A-23-B MS	Matrix Spike	Total/NA	Solid	8015B NM	121845
890-8975-A-23-C MSD	Matrix Spike Duplicate	Total/NA	Solid	8015B NM	121845

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC Semi VOA

Analysis Batch: 122240

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-10	Auger Hole 2	Total/NA	Solid	8015B NM	121868
880-64149-11	Auger Hole 3	Total/NA	Solid	8015B NM	121868
880-64149-12	Auger Hole 3	Total/NA	Solid	8015B NM	121868
880-64149-13	Auger Hole 3	Total/NA	Solid	8015B NM	121868
880-64149-14	Auger Hole 3	Total/NA	Solid	8015B NM	121868
880-64149-15	Auger Hole 3	Total/NA	Solid	8015B NM	121868
880-64149-16	Auger Hole 4	Total/NA	Solid	8015B NM	121868
880-64149-17	Auger Hole 4	Total/NA	Solid	8015B NM	121868
880-64149-18	Auger Hole 4	Total/NA	Solid	8015B NM	121868
880-64149-19	Auger Hole 4	Total/NA	Solid	8015B NM	121868
880-64149-20	Auger Hole 4	Total/NA	Solid	8015B NM	121868
880-64149-21	Auger Hole 5	Total/NA	Solid	8015B NM	121868
880-64149-22	Auger Hole 5	Total/NA	Solid	8015B NM	121868
880-64149-23	Auger Hole 5	Total/NA	Solid	8015B NM	121868
880-64149-24	Auger Hole 5	Total/NA	Solid	8015B NM	121868
880-64149-25	Auger Hole 5	Total/NA	Solid	8015B NM	121868
880-64149-26	Auger Hole 6	Total/NA	Solid	8015B NM	121868
880-64149-27	Auger Hole 6	Total/NA	Solid	8015B NM	121868
880-64149-28	Auger Hole 6	Total/NA	Solid	8015B NM	121868
880-64149-29	Auger Hole 6	Total/NA	Solid	8015B NM	121868
880-64149-30	Auger Hole 6	Total/NA	Solid	8015B NM	121869
880-64149-31	Auger Hole 7	Total/NA	Solid	8015B NM	121869
880-64149-32	Auger Hole 7	Total/NA	Solid	8015B NM	121869
880-64149-33	Auger Hole 7	Total/NA	Solid	8015B NM	121869
880-64149-34	Auger Hole 7	Total/NA	Solid	8015B NM	121869
880-64149-35	Auger Hole 7	Total/NA	Solid	8015B NM	121869
880-64149-36	Auger Hole 8	Total/NA	Solid	8015B NM	121869
880-64149-37	Auger Hole 8	Total/NA	Solid	8015B NM	121869
880-64149-38	Auger Hole 8	Total/NA	Solid	8015B NM	121869
880-64149-39	Auger Hole 8	Total/NA	Solid	8015B NM	121869
880-64149-40	Auger Hole 8	Total/NA	Solid	8015B NM	121869
880-64149-41	Auger Hole 9	Total/NA	Solid	8015B NM	121869
880-64149-42	Auger Hole 9	Total/NA	Solid	8015B NM	121869
880-64149-43	Auger Hole 9	Total/NA	Solid	8015B NM	121869
880-64149-44	Auger Hole 9	Total/NA	Solid	8015B NM	121869
880-64149-45	Auger Hole 9	Total/NA	Solid	8015B NM	121869
MB 880-121868/1-A	Method Blank	Total/NA	Solid	8015B NM	121868
MB 880-121869/1-A	Method Blank	Total/NA	Solid	8015B NM	121869
LCS 880-121868/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	121868
LCS 880-121869/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	121869
LCSD 880-121868/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	121868
LCSD 880-121869/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	121869
880-64149-10 MS	Auger Hole 2	Total/NA	Solid	8015B NM	121868
880-64149-10 MSD	Auger Hole 2	Total/NA	Solid	8015B NM	121868
880-64149-30 MS	Auger Hole 6	Total/NA	Solid	8015B NM	121869
880-64149-30 MSD	Auger Hole 6	Total/NA	Solid	8015B NM	121869

Analysis Batch: 122346

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Total/NA	Solid	8015 NM	
880-64149-2	Auger Hole 1	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

GC Semi VOA (Continued)

Analysis Batch: 122346 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-3	Auger Hole 1	Total/NA	Solid	8015 NM	
880-64149-4	Auger Hole 1	Total/NA	Solid	8015 NM	
880-64149-5	Auger Hole 1	Total/NA	Solid	8015 NM	
880-64149-6	Auger Hole 2	Total/NA	Solid	8015 NM	
880-64149-7	Auger Hole 2	Total/NA	Solid	8015 NM	
880-64149-8	Auger Hole 2	Total/NA	Solid	8015 NM	
880-64149-9	Auger Hole 2	Total/NA	Solid	8015 NM	
880-64149-10	Auger Hole 2	Total/NA	Solid	8015 NM	
880-64149-11	Auger Hole 3	Total/NA	Solid	8015 NM	
880-64149-12	Auger Hole 3	Total/NA	Solid	8015 NM	
880-64149-13	Auger Hole 3	Total/NA	Solid	8015 NM	
880-64149-14	Auger Hole 3	Total/NA	Solid	8015 NM	
880-64149-15	Auger Hole 3	Total/NA	Solid	8015 NM	
880-64149-16	Auger Hole 4	Total/NA	Solid	8015 NM	
880-64149-17	Auger Hole 4	Total/NA	Solid	8015 NM	
880-64149-18	Auger Hole 4	Total/NA	Solid	8015 NM	
880-64149-19	Auger Hole 4	Total/NA	Solid	8015 NM	
880-64149-20	Auger Hole 4	Total/NA	Solid	8015 NM	
880-64149-21	Auger Hole 5	Total/NA	Solid	8015 NM	
880-64149-22	Auger Hole 5	Total/NA	Solid	8015 NM	
880-64149-23	Auger Hole 5	Total/NA	Solid	8015 NM	
880-64149-24	Auger Hole 5	Total/NA	Solid	8015 NM	
880-64149-25	Auger Hole 5	Total/NA	Solid	8015 NM	
880-64149-26	Auger Hole 6	Total/NA	Solid	8015 NM	
880-64149-27	Auger Hole 6	Total/NA	Solid	8015 NM	
880-64149-28	Auger Hole 6	Total/NA	Solid	8015 NM	
880-64149-29	Auger Hole 6	Total/NA	Solid	8015 NM	
880-64149-30	Auger Hole 6	Total/NA	Solid	8015 NM	
880-64149-31	Auger Hole 7	Total/NA	Solid	8015 NM	
880-64149-32	Auger Hole 7	Total/NA	Solid	8015 NM	
880-64149-33	Auger Hole 7	Total/NA	Solid	8015 NM	
880-64149-34	Auger Hole 7	Total/NA	Solid	8015 NM	
880-64149-35	Auger Hole 7	Total/NA	Solid	8015 NM	
880-64149-36	Auger Hole 8	Total/NA	Solid	8015 NM	
880-64149-37	Auger Hole 8	Total/NA	Solid	8015 NM	
880-64149-38	Auger Hole 8	Total/NA	Solid	8015 NM	
880-64149-39	Auger Hole 8	Total/NA	Solid	8015 NM	
880-64149-40	Auger Hole 8	Total/NA	Solid	8015 NM	
880-64149-41	Auger Hole 9	Total/NA	Solid	8015 NM	
880-64149-42	Auger Hole 9	Total/NA	Solid	8015 NM	
880-64149-43	Auger Hole 9	Total/NA	Solid	8015 NM	
880-64149-44	Auger Hole 9	Total/NA	Solid	8015 NM	
880-64149-45	Auger Hole 9	Total/NA	Solid	8015 NM	

HPLC/IC

Leach Batch: 121872

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Soluble	Solid	DI Leach	
880-64149-2	Auger Hole 1	Soluble	Solid	DI Leach	
880-64149-3	Auger Hole 1	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

HPLC/IC (Continued)

Leach Batch: 121872 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-4	Auger Hole 1	Soluble	Solid	DI Leach	
880-64149-5	Auger Hole 1	Soluble	Solid	DI Leach	
880-64149-6	Auger Hole 2	Soluble	Solid	DI Leach	
880-64149-7	Auger Hole 2	Soluble	Solid	DI Leach	
880-64149-8	Auger Hole 2	Soluble	Solid	DI Leach	
880-64149-9	Auger Hole 2	Soluble	Solid	DI Leach	
880-64149-10	Auger Hole 2	Soluble	Solid	DI Leach	
880-64149-11	Auger Hole 3	Soluble	Solid	DI Leach	
880-64149-12	Auger Hole 3	Soluble	Solid	DI Leach	
MB 880-121872/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-121872/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-121872/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-64149-3 MS	Auger Hole 1	Soluble	Solid	DI Leach	
880-64149-3 MSD	Auger Hole 1	Soluble	Solid	DI Leach	

Leach Batch: 121873

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-13	Auger Hole 3	Soluble	Solid	DI Leach	
880-64149-14	Auger Hole 3	Soluble	Solid	DI Leach	
880-64149-15	Auger Hole 3	Soluble	Solid	DI Leach	
880-64149-16	Auger Hole 4	Soluble	Solid	DI Leach	
880-64149-17	Auger Hole 4	Soluble	Solid	DI Leach	
880-64149-18	Auger Hole 4	Soluble	Solid	DI Leach	
880-64149-19	Auger Hole 4	Soluble	Solid	DI Leach	
880-64149-20	Auger Hole 4	Soluble	Solid	DI Leach	
880-64149-21	Auger Hole 5	Soluble	Solid	DI Leach	
880-64149-22	Auger Hole 5	Soluble	Solid	DI Leach	
880-64149-23	Auger Hole 5	Soluble	Solid	DI Leach	
880-64149-24	Auger Hole 5	Soluble	Solid	DI Leach	
880-64149-25	Auger Hole 5	Soluble	Solid	DI Leach	
880-64149-26	Auger Hole 6	Soluble	Solid	DI Leach	
880-64149-27	Auger Hole 6	Soluble	Solid	DI Leach	
880-64149-28	Auger Hole 6	Soluble	Solid	DI Leach	
880-64149-29	Auger Hole 6	Soluble	Solid	DI Leach	
880-64149-30	Auger Hole 6	Soluble	Solid	DI Leach	
880-64149-31	Auger Hole 7	Soluble	Solid	DI Leach	
880-64149-32	Auger Hole 7	Soluble	Solid	DI Leach	
MB 880-121873/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-121873/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-121873/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-64149-13 MS	Auger Hole 3	Soluble	Solid	DI Leach	
880-64149-13 MSD	Auger Hole 3	Soluble	Solid	DI Leach	
880-64149-23 MS	Auger Hole 5	Soluble	Solid	DI Leach	
880-64149-23 MSD	Auger Hole 5	Soluble	Solid	DI Leach	

Leach Batch: 121874

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-33	Auger Hole 7	Soluble	Solid	DI Leach	
880-64149-34	Auger Hole 7	Soluble	Solid	DI Leach	
880-64149-35	Auger Hole 7	Soluble	Solid	DI Leach	
880-64149-36	Auger Hole 8	Soluble	Solid	DI Leach	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

HPLC/IC (Continued)

Leach Batch: 121874 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-37	Auger Hole 8	Soluble	Solid	DI Leach	
880-64149-38	Auger Hole 8	Soluble	Solid	DI Leach	
880-64149-39	Auger Hole 8	Soluble	Solid	DI Leach	
880-64149-40	Auger Hole 8	Soluble	Solid	DI Leach	
880-64149-41	Auger Hole 9	Soluble	Solid	DI Leach	
880-64149-42	Auger Hole 9	Soluble	Solid	DI Leach	
880-64149-43	Auger Hole 9	Soluble	Solid	DI Leach	
880-64149-44	Auger Hole 9	Soluble	Solid	DI Leach	
880-64149-45	Auger Hole 9	Soluble	Solid	DI Leach	
MB 880-121874/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-121874/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-121874/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-64149-33 MS	Auger Hole 7	Soluble	Solid	DI Leach	
880-64149-33 MSD	Auger Hole 7	Soluble	Solid	DI Leach	
880-64149-43 MS	Auger Hole 9	Soluble	Solid	DI Leach	
880-64149-43 MSD	Auger Hole 9	Soluble	Solid	DI Leach	

Analysis Batch: 121902

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-1	Auger Hole 1	Soluble	Solid	300.0	121872
880-64149-2	Auger Hole 1	Soluble	Solid	300.0	121872
880-64149-3	Auger Hole 1	Soluble	Solid	300.0	121872
880-64149-4	Auger Hole 1	Soluble	Solid	300.0	121872
880-64149-5	Auger Hole 1	Soluble	Solid	300.0	121872
880-64149-6	Auger Hole 2	Soluble	Solid	300.0	121872
880-64149-7	Auger Hole 2	Soluble	Solid	300.0	121872
880-64149-8	Auger Hole 2	Soluble	Solid	300.0	121872
880-64149-9	Auger Hole 2	Soluble	Solid	300.0	121872
880-64149-10	Auger Hole 2	Soluble	Solid	300.0	121872
880-64149-11	Auger Hole 3	Soluble	Solid	300.0	121872
880-64149-12	Auger Hole 3	Soluble	Solid	300.0	121872
MB 880-121872/1-A	Method Blank	Soluble	Solid	300.0	121872
LCS 880-121872/2-A	Lab Control Sample	Soluble	Solid	300.0	121872
LCSD 880-121872/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	121872
880-64149-3 MS	Auger Hole 1	Soluble	Solid	300.0	121872
880-64149-3 MSD	Auger Hole 1	Soluble	Solid	300.0	121872

Analysis Batch: 121923

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-13	Auger Hole 3	Soluble	Solid	300.0	121873
880-64149-14	Auger Hole 3	Soluble	Solid	300.0	121873
880-64149-15	Auger Hole 3	Soluble	Solid	300.0	121873
880-64149-16	Auger Hole 4	Soluble	Solid	300.0	121873
880-64149-17	Auger Hole 4	Soluble	Solid	300.0	121873
880-64149-18	Auger Hole 4	Soluble	Solid	300.0	121873
880-64149-19	Auger Hole 4	Soluble	Solid	300.0	121873
880-64149-20	Auger Hole 4	Soluble	Solid	300.0	121873
880-64149-21	Auger Hole 5	Soluble	Solid	300.0	121873
880-64149-22	Auger Hole 5	Soluble	Solid	300.0	121873
880-64149-23	Auger Hole 5	Soluble	Solid	300.0	121873
880-64149-24	Auger Hole 5	Soluble	Solid	300.0	121873

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

HPLC/IC (Continued)

Analysis Batch: 121923 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-25	Auger Hole 5	Soluble	Solid	300.0	121873
880-64149-26	Auger Hole 6	Soluble	Solid	300.0	121873
880-64149-27	Auger Hole 6	Soluble	Solid	300.0	121873
880-64149-28	Auger Hole 6	Soluble	Solid	300.0	121873
880-64149-29	Auger Hole 6	Soluble	Solid	300.0	121873
880-64149-30	Auger Hole 6	Soluble	Solid	300.0	121873
880-64149-31	Auger Hole 7	Soluble	Solid	300.0	121873
880-64149-32	Auger Hole 7	Soluble	Solid	300.0	121873
MB 880-121873/1-A	Method Blank	Soluble	Solid	300.0	121873
LCS 880-121873/2-A	Lab Control Sample	Soluble	Solid	300.0	121873
LCSD 880-121873/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	121873
880-64149-13 MS	Auger Hole 3	Soluble	Solid	300.0	121873
880-64149-13 MSD	Auger Hole 3	Soluble	Solid	300.0	121873
880-64149-23 MS	Auger Hole 5	Soluble	Solid	300.0	121873
880-64149-23 MSD	Auger Hole 5	Soluble	Solid	300.0	121873

Analysis Batch: 121924

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-64149-33	Auger Hole 7	Soluble	Solid	300.0	121874
880-64149-34	Auger Hole 7	Soluble	Solid	300.0	121874
880-64149-35	Auger Hole 7	Soluble	Solid	300.0	121874
880-64149-36	Auger Hole 8	Soluble	Solid	300.0	121874
880-64149-37	Auger Hole 8	Soluble	Solid	300.0	121874
880-64149-38	Auger Hole 8	Soluble	Solid	300.0	121874
880-64149-39	Auger Hole 8	Soluble	Solid	300.0	121874
880-64149-40	Auger Hole 8	Soluble	Solid	300.0	121874
880-64149-41	Auger Hole 9	Soluble	Solid	300.0	121874
880-64149-42	Auger Hole 9	Soluble	Solid	300.0	121874
880-64149-43	Auger Hole 9	Soluble	Solid	300.0	121874
880-64149-44	Auger Hole 9	Soluble	Solid	300.0	121874
880-64149-45	Auger Hole 9	Soluble	Solid	300.0	121874
MB 880-121874/1-A	Method Blank	Soluble	Solid	300.0	121874
LCS 880-121874/2-A	Lab Control Sample	Soluble	Solid	300.0	121874
LCSD 880-121874/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	121874
880-64149-33 MS	Auger Hole 7	Soluble	Solid	300.0	121874
880-64149-33 MSD	Auger Hole 7	Soluble	Solid	300.0	121874
880-64149-43 MS	Auger Hole 9	Soluble	Solid	300.0	121874
880-64149-43 MSD	Auger Hole 9	Soluble	Solid	300.0	121874

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 1**Lab Sample ID: 880-64149-1****Date Collected: 10/20/25 08:30****Matrix: Solid****Date Received: 10/22/25 16:55**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/24/25 22:41	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/24/25 22:41	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 07:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 07:53	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		1			121902	10/23/25 17:15	CS	EET MID

Client Sample ID: Auger Hole 1**Lab Sample ID: 880-64149-2****Date Collected: 10/20/25 08:33****Matrix: Solid****Date Received: 10/22/25 16:55**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/24/25 23:02	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/24/25 23:02	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 08:08	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		1			121902	10/23/25 17:21	CS	EET MID

Client Sample ID: Auger Hole 1**Lab Sample ID: 880-64149-3****Date Collected: 10/20/25 08:36****Matrix: Solid****Date Received: 10/22/25 16:55**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/24/25 23:22	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/24/25 23:22	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:23	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 08:23	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		1			121902	10/23/25 17:26	CS	EET MID

Client Sample ID: Auger Hole 1**Lab Sample ID: 880-64149-4****Date Collected: 10/20/25 08:39****Matrix: Solid****Date Received: 10/22/25 16:55**

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/24/25 23:42	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/24/25 23:42	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-4

Date Collected: 10/20/25 08:39

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 08:38	FC	EET MID
Soluble	Leach	DI Leach			4.97 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		1			121902	10/23/25 17:41	CS	EET MID

Client Sample ID: Auger Hole 1

Lab Sample ID: 880-64149-5

Date Collected: 10/20/25 08:42

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 00:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 00:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 08:53	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		1			121902	10/23/25 17:47	CS	EET MID

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-6

Date Collected: 10/20/25 08:45

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 00:23	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 00:23	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 09:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 09:08	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		20			121902	10/23/25 18:02	CS	EET MID

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-7

Date Collected: 10/20/25 08:48

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 00:43	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 00:43	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 09:23	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 09:23	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-7

Date Collected: 10/20/25 08:48

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		10			121902	10/23/25 18:08	CS	EET MID

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-8

Date Collected: 10/20/25 08:51

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 01:04	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 01:04	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 09:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 09:38	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		5			121902	10/23/25 18:13	CS	EET MID

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-9

Date Collected: 10/20/25 08:54

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 01:24	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 01:24	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 09:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121845	10/23/25 08:21	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122237	10/29/25 09:53	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		10			121902	10/23/25 18:18	CS	EET MID

Client Sample ID: Auger Hole 2

Lab Sample ID: 880-64149-10

Date Collected: 10/20/25 08:57

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 01:45	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 01:45	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 20:54	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 20:54	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		10			121902	10/23/25 18:23	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-11

Date Collected: 10/20/25 09:00

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 03:18	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 03:18	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 21:39	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 21:39	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		5			121902	10/23/25 18:29	CS	EET MID

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-12

Date Collected: 10/20/25 09:03

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 03:38	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 03:38	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 21:54	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 21:54	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	121872	10/23/25 10:06	SA	EET MID
Soluble	Analysis	300.0		5			121902	10/23/25 18:34	CS	EET MID

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-13

Date Collected: 10/20/25 09:06

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 03:58	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 03:58	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 22:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 22:09	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 19:16	CS	EET MID

Client Sample ID: Auger Hole 3

Lab Sample ID: 880-64149-14

Date Collected: 10/20/25 09:09

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 04:19	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 04:19	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 3

Date Collected: 10/20/25 09:09

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-14

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			122346	10/28/25 22:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.06 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 22:24	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 19:32	CS	EET MID

Client Sample ID: Auger Hole 3

Date Collected: 10/20/25 09:12

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-15

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 04:39	MNR	EET MID
Total/NA	Prep	5035			5.00 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		20	5 mL	5 mL	122025	10/27/25 16:20	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 16:20	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 22:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 22:40	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		5			121923	10/23/25 19:37	CS	EET MID

Client Sample ID: Auger Hole 4

Date Collected: 10/20/25 09:15

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-16

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 04:59	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 04:59	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 22:54	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 22:54	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 19:42	CS	EET MID

Client Sample ID: Auger Hole 4

Date Collected: 10/20/25 09:18

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-17

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 05:20	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 05:20	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 23:10	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-17

Date Collected: 10/20/25 09:18

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 23:10	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 19:47	CS	EET MID

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-18

Date Collected: 10/20/25 09:21

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 05:40	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 05:40	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 23:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 23:25	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:03	CS	EET MID

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-19

Date Collected: 10/20/25 09:24

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 06:01	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 06:01	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/28/25 23:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/28/25 23:40	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:08	CS	EET MID

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-20

Date Collected: 10/20/25 09:27

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	121904	10/23/25 14:03	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	121944	10/25/25 06:21	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/25/25 06:21	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 00:10	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 00:10	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 4

Lab Sample ID: 880-64149-20

Date Collected: 10/20/25 09:27

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.03 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:14	CS	EET MID

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-21

Date Collected: 10/20/25 09:30

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 13:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 13:34	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 00:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 00:25	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:19	CS	EET MID

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-22

Date Collected: 10/20/25 09:33

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 13:55	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 13:55	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 00:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 00:40	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:24	CS	EET MID

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-23

Date Collected: 10/20/25 09:36

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 14:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 14:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 00:55	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 00:55	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:29	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-24

Date Collected: 10/20/25 09:39

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 14:35	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 14:35	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 01:10	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 01:10	FC	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:45	CS	EET MID

Client Sample ID: Auger Hole 5

Lab Sample ID: 880-64149-25

Date Collected: 10/20/25 09:42

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 14:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 14:56	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 01:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 01:25	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 20:50	CS	EET MID

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-26

Date Collected: 10/20/25 09:45

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 15:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 15:16	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 01:40	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 01:40	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:06	CS	EET MID

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-27

Date Collected: 10/20/25 09:48

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 15:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 15:36	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 6

Date Collected: 10/20/25 09:48

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-27

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			122346	10/29/25 01:55	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 01:55	FC	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:11	CS	EET MID

Client Sample ID: Auger Hole 6

Date Collected: 10/20/25 09:51

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-28

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	122192	10/28/25 09:01	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122187	10/28/25 18:03	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/28/25 18:03	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 02:10	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 02:10	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:17	CS	EET MID

Client Sample ID: Auger Hole 6

Date Collected: 10/20/25 09:54

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-29

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 15:57	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 15:57	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 02:25	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121868	10/23/25 09:54	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 02:25	FC	EET MID
Soluble	Leach	DI Leach			5.05 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:22	CS	EET MID

Client Sample ID: Auger Hole 6

Date Collected: 10/20/25 10:42

Date Received: 10/22/25 16:55

Lab Sample ID: 880-64149-30

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.96 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 16:17	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 16:17	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 04:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 04:24	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 6

Lab Sample ID: 880-64149-30

Date Collected: 10/20/25 10:42

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			5.02 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:27	CS	EET MID

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-31

Date Collected: 10/20/25 09:57

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 18:11	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 18:11	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 05:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 05:09	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:32	CS	EET MID

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-32

Date Collected: 10/20/25 10:00

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 18:32	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 18:32	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 05:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 05:24	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	121873	10/23/25 10:08	SA	EET MID
Soluble	Analysis	300.0		1			121923	10/23/25 21:38	CS	EET MID

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-33

Date Collected: 10/20/25 10:03

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 18:52	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 18:52	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 05:39	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 05:39	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 21:43	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-34

Date Collected: 10/20/25 10:06

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 19:13	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 19:13	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 05:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 05:53	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:01	CS	EET MID

Client Sample ID: Auger Hole 7

Lab Sample ID: 880-64149-35

Date Collected: 10/20/25 10:09

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 19:33	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 19:33	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 06:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 06:09	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:07	CS	EET MID

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-36

Date Collected: 10/20/25 10:12

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 19:53	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 19:53	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 06:24	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 06:24	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:12	CS	EET MID

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-37

Date Collected: 10/20/25 10:15

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 20:14	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 20:14	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-37

Date Collected: 10/20/25 10:15

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			122346	10/29/25 06:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 06:38	FC	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:18	CS	EET MID

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-38

Date Collected: 10/20/25 10:18

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 20:34	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 20:34	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 06:54	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 06:54	FC	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:36	CS	EET MID

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-39

Date Collected: 10/20/25 10:21

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 20:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 20:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 07:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 07:09	FC	EET MID
Soluble	Leach	DI Leach			5.00 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:42	CS	EET MID

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-40

Date Collected: 10/20/25 10:24

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.97 g	5 mL	121906	10/23/25 14:05	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122026	10/27/25 21:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 21:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 07:39	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 07:39	FC	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 8

Lab Sample ID: 880-64149-40

Date Collected: 10/20/25 10:24

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.98 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:48	CS	EET MID

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-41

Date Collected: 10/20/25 10:27

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121907	10/23/25 14:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122038	10/27/25 13:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 13:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 07:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 07:53	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:54	CS	EET MID

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-42

Date Collected: 10/20/25 10:30

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121907	10/23/25 14:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122038	10/27/25 13:36	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 13:36	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 08:08	FC	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 22:59	CS	EET MID

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-43

Date Collected: 10/20/25 10:33

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	121907	10/23/25 14:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122038	10/27/25 13:56	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 13:56	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:23	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 08:23	FC	EET MID
Soluble	Leach	DI Leach			4.96 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 23:05	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-44

Date Collected: 10/20/25 10:36

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	121907	10/23/25 14:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122038	10/27/25 14:16	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 14:16	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:38	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 08:38	FC	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 23:23	CS	EET MID

Client Sample ID: Auger Hole 9

Lab Sample ID: 880-64149-45

Date Collected: 10/20/25 10:39

Matrix: Solid

Date Received: 10/22/25 16:55

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	121907	10/23/25 14:07	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	122038	10/27/25 14:37	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			122178	10/27/25 14:37	SA	EET MID
Total/NA	Analysis	8015 NM		1			122346	10/29/25 08:53	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10 mL	121869	10/23/25 09:56	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	122240	10/29/25 08:53	FC	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	121874	10/23/25 10:12	SA	EET MID
Soluble	Analysis	300.0		1			121924	10/23/25 23:29	CS	EET MID

Laboratory References:
EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Accreditation/Certification Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6" Line LP Gas Pipeline

Job ID: 880-64149-1
SDG: 23133

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Depth
880-64149-1	Auger Hole 1	Solid	10/20/25 08:30	10/22/25 16:55	0-3"
880-64149-2	Auger Hole 1	Solid	10/20/25 08:33	10/22/25 16:55	1'
880-64149-3	Auger Hole 1	Solid	10/20/25 08:36	10/22/25 16:55	2'
880-64149-4	Auger Hole 1	Solid	10/20/25 08:39	10/22/25 16:55	3'
880-64149-5	Auger Hole 1	Solid	10/20/25 08:42	10/22/25 16:55	4'
880-64149-6	Auger Hole 2	Solid	10/20/25 08:45	10/22/25 16:55	0-3"
880-64149-7	Auger Hole 2	Solid	10/20/25 08:48	10/22/25 16:55	1'
880-64149-8	Auger Hole 2	Solid	10/20/25 08:51	10/22/25 16:55	2'
880-64149-9	Auger Hole 2	Solid	10/20/25 08:54	10/22/25 16:55	3'
880-64149-10	Auger Hole 2	Solid	10/20/25 08:57	10/22/25 16:55	4'
880-64149-11	Auger Hole 3	Solid	10/20/25 09:00	10/22/25 16:55	0-3"
880-64149-12	Auger Hole 3	Solid	10/20/25 09:03	10/22/25 16:55	1'
880-64149-13	Auger Hole 3	Solid	10/20/25 09:06	10/22/25 16:55	2'
880-64149-14	Auger Hole 3	Solid	10/20/25 09:09	10/22/25 16:55	3'
880-64149-15	Auger Hole 3	Solid	10/20/25 09:12	10/22/25 16:55	4'
880-64149-16	Auger Hole 4	Solid	10/20/25 09:15	10/22/25 16:55	0-3"
880-64149-17	Auger Hole 4	Solid	10/20/25 09:18	10/22/25 16:55	1'
880-64149-18	Auger Hole 4	Solid	10/20/25 09:21	10/22/25 16:55	2'
880-64149-19	Auger Hole 4	Solid	10/20/25 09:24	10/22/25 16:55	3'
880-64149-20	Auger Hole 4	Solid	10/20/25 09:27	10/22/25 16:55	4'
880-64149-21	Auger Hole 5	Solid	10/20/25 09:30	10/22/25 16:55	0-3"
880-64149-22	Auger Hole 5	Solid	10/20/25 09:33	10/22/25 16:55	1'
880-64149-23	Auger Hole 5	Solid	10/20/25 09:36	10/22/25 16:55	2'
880-64149-24	Auger Hole 5	Solid	10/20/25 09:39	10/22/25 16:55	3'
880-64149-25	Auger Hole 5	Solid	10/20/25 09:42	10/22/25 16:55	4'
880-64149-26	Auger Hole 6	Solid	10/20/25 09:45	10/22/25 16:55	0-3"
880-64149-27	Auger Hole 6	Solid	10/20/25 09:48	10/22/25 16:55	1'
880-64149-28	Auger Hole 6	Solid	10/20/25 09:51	10/22/25 16:55	2'
880-64149-29	Auger Hole 6	Solid	10/20/25 09:54	10/22/25 16:55	3'
880-64149-30	Auger Hole 6	Solid	10/20/25 10:42	10/22/25 16:55	4'
880-64149-31	Auger Hole 7	Solid	10/20/25 09:57	10/22/25 16:55	0-3"
880-64149-32	Auger Hole 7	Solid	10/20/25 10:00	10/22/25 16:55	1'
880-64149-33	Auger Hole 7	Solid	10/20/25 10:03	10/22/25 16:55	2'
880-64149-34	Auger Hole 7	Solid	10/20/25 10:06	10/22/25 16:55	3'
880-64149-35	Auger Hole 7	Solid	10/20/25 10:09	10/22/25 16:55	4'
880-64149-36	Auger Hole 8	Solid	10/20/25 10:12	10/22/25 16:55	0-3"
880-64149-37	Auger Hole 8	Solid	10/20/25 10:15	10/22/25 16:55	1'
880-64149-38	Auger Hole 8	Solid	10/20/25 10:18	10/22/25 16:55	2'
880-64149-39	Auger Hole 8	Solid	10/20/25 10:21	10/22/25 16:55	3'
880-64149-40	Auger Hole 8	Solid	10/20/25 10:24	10/22/25 16:55	4'
880-64149-41	Auger Hole 9	Solid	10/20/25 10:27	10/22/25 16:55	0-3"
880-64149-42	Auger Hole 9	Solid	10/20/25 10:30	10/22/25 16:55	1'
880-64149-43	Auger Hole 9	Solid	10/20/25 10:33	10/22/25 16:55	2'
880-64149-44	Auger Hole 9	Solid	10/20/25 10:36	10/22/25 16:55	3'
880-64149-45	Auger Hole 9	Solid	10/20/25 10:39	10/22/25 16:55	4'

Eurofins Midland



Chain of Custody

Work Order No: PAT

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915)585-3443 Lubbock, TX (806)794-1296

Hobbs,NM (575-392-7550) Phoenix,AZ (480-355-0900) Atlanta,GA (770-449-8800) Tampa,FL (813-620-2000)

www.xenco.com Page 1 of 5

Project Manager:	Blake Estep		Bill to: (if different)	
Company Name:	Etech Environmental		Company Name:	
Address:	13000 West CR 100		Address:	
City, State ZIP:	Midland, TX 79711		City, State ZIP:	
Phone:	(432)563-2200	Email:	Blake@etechenv.com	

Work Order Comments	
Program:	UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐
State of Project:	
Reporting:	Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐
Deliverables:	EDD ☐ ADaPT ☐ Other:

Project Name:	Brushy Draw 6" Line LP Gas Pipeline	Turn Around	ANALYSIS REQUEST												Work Order Notes	
Project Number:	23133	Routine ☒														Bill etech Distribute to WES
P.O. Number:	23133	Rush:														
Sampler's Name:		Due Date:														

SAMPLE RECEIPT	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Temperature (°C):	2.1/2.0	Thermometer ID:		
Received Intact:	Yes ☒ No ☐	TKS		
Cooler Custody Seals:	Yes ☐ No ☒ (N/A)	Correction Factor:	-1	
Sample Custody Seals:	Yes ☐ No ☒ (N/A)	Total Containers:		

[illegible]

Total	200.7 / 6010	200.8 / 6020:	8RCRA	13PPM	Texas	11	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Se	Ag	SiO2	Na	Sr	Ti	Sn	U	V	Zn	
<i>Circle Method(s) and Metal(s) to be analyzed</i>			TCLP / SPLP 6010:		8RCRA		Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Mn	Mo	Ni	Se	Ag	Ti	U													1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
1				2	
3				4	
5				6	

Revised Date 051418 Rev. 2018.1

Age Group	Number of People
1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
10	10
11	11
12	12
13	13
14	14



Chain of Custody

Work Order No: PAT

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296

Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com Page 2 of 5

Project Manager:	Blake Estep	Bill to: (if different)	
Company Name:	Etech Environmental	Company Name:	
Address:	13000 West CR 100	Address:	
City, State ZIP:	Midland, TX 79711	City, State ZIP:	
Phone:	(432)563-2200	Email:	Blake@etechenv.com

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project:	
Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	
Deliverables: EDD ☐ ADaPT ☐ Other: ☐	

Project Name:		Brushy Draw 6" Line LP Gas Pipeline		Turn Around		ANALYSIS REQUEST														Work Order Notes						
Project Number:		23133		Routine ☒																Bill etech Distribute to WES						
P.O. Number:		23133		Rush:																						
Sampler's Name:				Due Date:																						
SAMPLE RECEIPT		Temp Blank:		Yes No		Wet Ice:		Yes No																Sample Comments		
Temperature (°C):				Thermometer ID																						
Received Intact:		Yes No																								
Cooler Custody Seals:		Yes No N/A		Correction Factor:																						
Sample Custody Seals:		Yes No N/A		Total Containers:																						
Sample Identification		Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Grab or Composite	Chloride (E300)	TPH (8015M)	BTEX(8021B)																
Auger Hole 3		S	10/20/2025	9:00	0-3"	1	Grab	X	X	X																
Auger Hole 3		S	10/20/2025	9:03	1'	1	Grab	X	X	X																
Auger Hole 3		S	10/20/2025	9:06	2'	1	Grab	X	X	X																
Auger Hole 3		S	10/20/2025	9:09	3'	1	Grab	X	X	X																
Auger Hole 3		S	10/20/2025	9:12	4'	1	Grab	X	X	X																
Auger Hole 4		S	10/20/2025	9:15	0-3"	1	Grab	X	X	X																
Auger Hole 4		S	10/20/2025	9:18	1'	1	Grab	X	X	X																
Auger Hole 4		S	10/20/2025	9:21	2'	1	Grab	X	X	X																
Auger Hole 4		S	10/20/2025	9:24	3'	1	Grab	X	X	X																
Auger Hole 4		S	10/20/2025	9:27	4'	1	Grab	X	X	X																

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
1		2		10/22/25 1055		3		4			
3		4				5		6			
5		6									

Revised Date 051418 Rev. 2018.1



Chain of Custody

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296

Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

Work Order No: PAT

www.xenco.com Page 3 of 5

Project Manager:	Blake Estep	Bill to: (if different)	
Company Name:	Etech Environmental	Company Name:	
Address:	13000 West CR 100	Address:	
City, State ZIP:	Midland, TX 79711	City, State ZIP:	
Phone:	(432)563-2200	Email:	Blake@etechenv.com

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project:	
Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	
Deliverables: EDD ☐ ADaPT ☐ Other:	

Project Name:		Brushy Draw 6" Line LP Gas Pipeline		Turn Around		ANALYSIS REQUEST														Work Order Notes						
Project Number:		23133		Routine																Bill etech Distribute to WES						
P.O. Number:		23133		Rush:																						
Sampler's Name:				Due Date:																						
SAMPLE RECEIPT		Temp Blank:		Yes No		Wet Ice:		Yes No																Sample Comments		
Temperature (°C):				Thermometer ID																						
Received Intact:		Yes No																								
Cooler Custody Seals:		Yes No N/A		Correction Factor:																						
Sample Custody Seals:		Yes No N/A		Total Containers:																						
Sample Identification		Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	Grab or Composite	Chloride (E300)	TPH (8015M)	BTEX(8021B)																
Auger Hole 5		S	10/20/2025	9:30	0-3"	1	Grab	X	X	X																
Auger Hole 5		S	10/20/2025	9:33	1'	1	Grab	X	X	X																
Auger Hole 5		S	10/20/2025	9:36	2'	1	Grab	X	X	X																
Auger Hole 5		S	10/20/2025	9:39	3'	1	Grab	X	X	X																
Auger Hole 5		S	10/20/2025	9:42	4'	1	Grab	X	X	X																
Auger Hole 6		S	10/20/2025	9:45	0-3"	1	Grab	X	X	X																
Auger Hole 6		S	10/20/2025	9:48	1'	1	Grab	X	X	X																
Auger Hole 6		S	10/20/2025	9:51	2'	1	Grab	X	X	X																
Auger Hole 6		S	10/20/2025	9:54	3'	1	Grab	X	X	X																
Auger Hole 6		S	10/20/2025	10:42	4'	1	Grab	X	X	X																

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)		Received by: (Signature)		Date/Time		Relinquished by: (Signature)		Received by: (Signature)		Date/Time	
1		2		10/29/2025		3		4			
3		4				5		6			
5		6									

Revised Date 051418 Rev. 2018.1



Chain of Custody

Work Order No: PAT

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432-704-5440) EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296

Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com Page 4 of 5

Project Manager:	Blake Estep	Bill to: (if different)	
Company Name:	Etech Environmental	Company Name:	
Address:	13000 West CR 100	Address:	
City, State ZIP:	Midland, TX 79711	City, State ZIP:	
Phone:	(432)563-2200	Email:	Blake@etechenv.com

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐ State of Project: Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐ Deliverables: EDD ☐ ADaPT ☐ Other:	

Project Name:	Brushy Draw 6" Line LP Gas Pipeline		Turn Around	ANALYSIS REQUEST																Work Order Notes																																									
Project Number:	23133		Routine																	Bill etech Distribute to WES																																									
P.O. Number:	23133		Rush:																																																										
Sampler's Name:			Due Date:																																																										
<table border="1"> <tr> <th colspan="2">SAMPLE RECEIPT</th> <th>Temp Blank:</th> <th>Yes</th> <th>No</th> <th>Wet Ice:</th> <th>Yes</th> <th>No</th> </tr> <tr> <td colspan="2">Temperature (°C):</td> <td colspan="6">Thermometer ID</td> </tr> <tr> <td colspan="2">Received Intact:</td> <td>Yes</td> <td>No</td> <td colspan="4"></td> </tr> <tr> <td colspan="2">Cooler Custody Seals:</td> <td>Yes</td> <td>No</td> <td>N/A</td> <td colspan="3">Correction Factor:</td> </tr> <tr> <td colspan="2">Sample Custody Seals:</td> <td>Yes</td> <td>No</td> <td>N/A</td> <td colspan="3">Total Containers:</td> </tr> </table>				SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No	Temperature (°C):		Thermometer ID						Received Intact:		Yes	No					Cooler Custody Seals:		Yes	No	N/A	Correction Factor:			Sample Custody Seals:		Yes	No	N/A	Total Containers:			Number of Containers Grab or Composite Chloride (E300) TPH (8015M) BTEX(8021B)																	Sample Comments
SAMPLE RECEIPT		Temp Blank:	Yes	No	Wet Ice:	Yes	No																																																						
Temperature (°C):		Thermometer ID																																																											
Received Intact:		Yes	No																																																										
Cooler Custody Seals:		Yes	No	N/A	Correction Factor:																																																								
Sample Custody Seals:		Yes	No	N/A	Total Containers:																																																								
Sample Identification	Matrix	Date Sampled	Time Sampled	Depth																																																									
Auger Hole 7	S	10/20/2025	9:57	0-3"	1	Grab	X	X	X																																																				
Auger Hole 7	S	10/20/2025	10:00	1'	1	Grab	X	X	X																																																				
Auger Hole 7	S	10/20/2025	10:03	2'	1	Grab	X	X	X																																																				
Auger Hole 7	S	10/20/2025	10:06	3'	1	Grab	X	X	X																																																				
Auger Hole 7	S	10/20/2025	10:09	4'	1	Grab	X	X	X																																																				
Auger Hole 8	S	10/20/2025	10:12	0-3"	1	Grab	X	X	X																																																				
Auger Hole 8	S	10/20/2025	10:15	1'	1	Grab	X	X	X																																																				
Auger Hole 8	S	10/20/2025	10:18	2'	1	Grab	X	X	X																																																				
Auger Hole 8	S	10/20/2025	10:21	3'	1	Grab	X	X	X																																																				
Auger Hole 8	S	10/20/2025	10:24	4'	1	Grab	X	X	X																																																				

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			2		
3			4		
5			6		

Revised Date 051418 Rev. 2018.1



Chain of Custody

Work Order No: PAT

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334

Midland, TX (432) 704-5440 EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296

Hobbs,NM (575-392-7550) Phoenix,AZ (480-355-0900) Atlanta,GA (770-449-8800) Tampa,FL (813-620-2000)

www.xenco.com Page 5 of 5

Project Manager:	Blake Estep		Bill to: (if different)	
Company Name:	Etech Environmental		Company Name:	
Address:	13000 West CR 100		Address:	
City, State ZIP:	Midland, TX 79711		City, State ZIP:	
Phone:	(432)563-2200	Email:	Blake@etechenv.com	

Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐	
State of Project:	
Reporting: Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐	
Deliverables: EDD ☐ ADaPT ☐ Other:	

[illegible]

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed		TCLP / SPLP 6010:	8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 		11/21/23 1054	2		
3			4		
5			6		

Revised Date 051418 Rev. 2018.1

Login Sample Receipt Checklist

Client: Etech Environmental & Safety Solutions

Job Number: 880-64149-1

SDG Number: 23133

Login Number: 64149

List Number: 1

Creator: Kramer, Jessica

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Environment Testing

1

2

3

4

5

6

7

8

9

10

11

12

13

ANALYTICAL REPORT

PREPARED FOR

Attn: Blake Estep
Etech Environmental & Safety Solutions
PO BOX 62228
Midland, Texas 79711

Generated 4/21/2026 12:33:22 PM

JOB DESCRIPTION

Brushy Draw 6-inch
23133

JOB NUMBER

880-70977-1

Eurofins Midland
1211 W. Florida Ave
Midland TX 79701

Eurofins Midland

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

Analytical test results meet all requirements of the associated regulatory program (i.e., NELAC (TNI), DoD, and ISO 17025) unless otherwise noted under the individual analysis.

Authorization



Generated
4/21/2026 12:33:22 PM

Authorized for release by
Jessica Kramer, Project Manager
Jessica.Kramer@et.eurofinsus.com
(432)704-5440

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Laboratory Job ID: 880-70977-1
SDG: 23133

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Surrogate Summary	18
QC Sample Results	20
QC Association Summary	27
Lab Chronicle	32
Certification Summary	37
Method Summary	38
Sample Summary	39
Receipt Checklists	40



Definitions/Glossary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Qualifiers

GC VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
U	Indicates the analyte was analyzed for but not detected.

GC Semi VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.
*1	LCS/LCSD RPD exceeds control limits.
S1-	Surrogate recovery exceeds control limits, low biased.
U	Indicates the analyte was analyzed for but not detected.

HPLC/IC

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
E	Result exceeded calibration range.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Eurofins Midland

Case Narrative

Client: Etech Environmental & Safety Solutions
Project: Brushy Draw 6-inch

Job ID: 880-70977-1

Job ID: 880-70977-1

Eurofins Midland

Job Narrative 880-70977-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt

The samples were received on 4/14/2026 4:10 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 3.6°C.

GC VOA

Method 8021B: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-137852 and analytical batch 880-138204 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Diesel Range Organics

Method 8015B NM: The laboratory control sample (LCS) associated with preparation batch 880-138030 and analytical batch 880-138385 was outside acceptance criteria. Re-extraction and/or re-analysis could not be performed; therefore, the data have been reported. The batch matrix spike/matrix spike duplicate (MS/MSD) was within acceptance limits and may be used to evaluate matrix performance.

Method 8015B NM: The continuing calibration verification (CCV) associated with batch 880-138385 recovered below the lower control limit for Diesel Range Organics (Over C10-C28). An acceptable CCV was ran within the 12 hour window, therefore the data has been qualified and reported. The associated sample is:(CCV 880-138385/109).

Method 8015B NM: Surrogate recovery for the following samples were outside control limits: (LCS 880-138030/2-A) and (MB 880-138030/1-A). Evidence of matrix interferences is not obvious.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

HPLC/IC

Method 300.0 - Soluble: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for preparation batch 880-137911 and analytical batch 880-138027 were outside control limits for one or more analytes. See QC Sample Results for detail. Sample matrix interference and/or non-homogeneity are suspected because the associated laboratory control sample (LCS) recovery is within acceptance limits.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-1

Lab Sample ID: 880-70977-1

Date Collected: 04/08/26 12:00

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U F1	0.00200		mg/Kg		04/15/26 13:34	04/19/26 20:05	1
Toluene	<0.00200	U F1	0.00200		mg/Kg		04/15/26 13:34	04/19/26 20:05	1
Ethylbenzene	<0.00200	U F1	0.00200		mg/Kg		04/15/26 13:34	04/19/26 20:05	1
m-Xylene & p-Xylene	<0.00399	U F2 F1	0.00399		mg/Kg		04/15/26 13:34	04/19/26 20:05	1
o-Xylene	<0.00200	U F1	0.00200		mg/Kg		04/15/26 13:34	04/19/26 20:05	1
Xylenes, Total	<0.00399	U F2 F1	0.00399		mg/Kg		04/15/26 13:34	04/19/26 20:05	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	128		70 - 130	04/15/26 13:34	04/19/26 20:05	1
1,4-Difluorobenzene (Surr)	99		70 - 130	04/15/26 13:34	04/19/26 20:05	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			04/19/26 20:05	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			04/20/26 20:06	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/20/26 20:06	1
Diesel Range Organics (Over C10-C28)	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/20/26 20:06	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		04/16/26 14:57	04/20/26 20:06	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	104		70 - 130	04/16/26 14:57	04/20/26 20:06	1
o-Terphenyl	118		70 - 130	04/16/26 14:57	04/20/26 20:06	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1490		9.94		mg/Kg			04/17/26 17:13	1

Client Sample ID: Bottom Hole-2

Lab Sample ID: 880-70977-2

Date Collected: 04/08/26 12:02

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 20:25	1
Toluene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 20:25	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 20:25	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		04/15/26 13:34	04/19/26 20:25	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 20:25	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		04/15/26 13:34	04/19/26 20:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	113		70 - 130	04/15/26 13:34	04/19/26 20:25	1
1,4-Difluorobenzene (Surr)	101		70 - 130	04/15/26 13:34	04/19/26 20:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-2

Lab Sample ID: 880-70977-2

Date Collected: 04/08/26 12:02

Matrix: Solid

Date Received: 04/14/26 16:10

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			04/19/26 20:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			04/20/26 21:07	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/20/26 21:07	1
Diesel Range Organics (Over C10-C28)	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/20/26 21:07	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		04/16/26 14:57	04/20/26 21:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				04/16/26 14:57	04/20/26 21:07	1
o-Terphenyl	100		70 - 130				04/16/26 14:57	04/20/26 21:07	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2210		49.6		mg/Kg			04/17/26 17:28	5

Client Sample ID: Bottom Hole-3

Lab Sample ID: 880-70977-3

Date Collected: 04/08/26 12:04

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 20:46	1
Toluene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 20:46	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 20:46	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		04/15/26 13:34	04/19/26 20:46	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 20:46	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		04/15/26 13:34	04/19/26 20:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	117		70 - 130				04/15/26 13:34	04/19/26 20:46	1
1,4-Difluorobenzene (Surr)	100		70 - 130				04/15/26 13:34	04/19/26 20:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			04/19/26 20:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	249		49.8		mg/Kg			04/20/26 21:27	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *- *1	49.8		mg/Kg		04/16/26 14:57	04/20/26 21:27	1
Diesel Range Organics (Over C10-C28)	249	*- *1	49.8		mg/Kg		04/16/26 14:57	04/20/26 21:27	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-3

Lab Sample ID: 880-70977-3

Date Collected: 04/08/26 12:04

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		04/16/26 14:57	04/20/26 21:27	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	77		70 - 130				04/16/26 14:57	04/20/26 21:27	1
o-Terphenyl	80		70 - 130				04/16/26 14:57	04/20/26 21:27	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	4180		49.9		mg/Kg			04/17/26 17:34	5

Client Sample ID: Bottom Hole-4

Lab Sample ID: 880-70977-4

Date Collected: 04/08/26 12:06

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 21:06	1
Toluene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 21:06	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 21:06	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		04/15/26 13:34	04/19/26 21:06	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 21:06	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		04/15/26 13:34	04/19/26 21:06	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				04/15/26 13:34	04/19/26 21:06	1
1,4-Difluorobenzene (Surr)	101		70 - 130				04/15/26 13:34	04/19/26 21:06	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			04/19/26 21:06	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	181		50.0		mg/Kg			04/20/26 21:47	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 21:47	1
Diesel Range Organics (Over C10-C28)	181	*- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 21:47	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 21:47	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130				04/16/26 14:57	04/20/26 21:47	1
o-Terphenyl	89		70 - 130				04/16/26 14:57	04/20/26 21:47	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1940		49.6		mg/Kg			04/17/26 17:49	5

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-5

Lab Sample ID: 880-70977-5

Date Collected: 04/08/26 12:08

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 21:27	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 21:27	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 21:27	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		04/15/26 13:34	04/19/26 21:27	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 21:27	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		04/15/26 13:34	04/19/26 21:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	116		70 - 130	04/15/26 13:34	04/19/26 21:27	1
1,4-Difluorobenzene (Surr)	103		70 - 130	04/15/26 13:34	04/19/26 21:27	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			04/19/26 21:27	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	803		49.8		mg/Kg			04/20/26 22:08	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *- *1	49.8		mg/Kg		04/16/26 14:57	04/20/26 22:08	1
Diesel Range Organics (Over C10-C28)	803	*- *1	49.8		mg/Kg		04/16/26 14:57	04/20/26 22:08	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		04/16/26 14:57	04/20/26 22:08	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	76		70 - 130	04/16/26 14:57	04/20/26 22:08	1
o-Terphenyl	82		70 - 130	04/16/26 14:57	04/20/26 22:08	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2970		50.2		mg/Kg			04/17/26 17:54	5

Client Sample ID: Bottom Hole-6

Lab Sample ID: 880-70977-6

Date Collected: 04/08/26 12:10

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 21:47	1
Toluene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 21:47	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 21:47	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		04/15/26 13:34	04/19/26 21:47	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		04/15/26 13:34	04/19/26 21:47	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		04/15/26 13:34	04/19/26 21:47	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	118		70 - 130	04/15/26 13:34	04/19/26 21:47	1
1,4-Difluorobenzene (Surr)	100		70 - 130	04/15/26 13:34	04/19/26 21:47	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-6

Lab Sample ID: 880-70977-6

Date Collected: 04/08/26 12:10

Matrix: Solid

Date Received: 04/14/26 16:10

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			04/19/26 21:47	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			04/20/26 22:28	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/20/26 22:28	1
Diesel Range Organics (Over C10-C28)	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/20/26 22:28	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		04/16/26 14:57	04/20/26 22:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				04/16/26 14:57	04/20/26 22:28	1
o-Terphenyl	86		70 - 130				04/16/26 14:57	04/20/26 22:28	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	486		10.1		mg/Kg			04/17/26 18:00	1

Client Sample ID: Bottom Hole-7

Lab Sample ID: 880-70977-7

Date Collected: 04/08/26 12:12

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 22:08	1
Toluene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 22:08	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 22:08	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		04/15/26 13:34	04/19/26 22:08	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		04/15/26 13:34	04/19/26 22:08	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		04/15/26 13:34	04/19/26 22:08	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	112		70 - 130				04/15/26 13:34	04/19/26 22:08	1
1,4-Difluorobenzene (Surr)	100		70 - 130				04/15/26 13:34	04/19/26 22:08	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			04/19/26 22:08	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/20/26 22:48	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 22:48	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 22:48	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-7

Lab Sample ID: 880-70977-7

Date Collected: 04/08/26 12:12

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 22:48	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				04/16/26 14:57	04/20/26 22:48	1
o-Terphenyl	101		70 - 130				04/16/26 14:57	04/20/26 22:48	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1940		50.4		mg/Kg			04/17/26 18:05	5

Client Sample ID: Bottom Hole-8

Lab Sample ID: 880-70977-8

Date Collected: 04/08/26 12:14

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 22:28	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 22:28	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 22:28	1
m-Xylene & p-Xylene	<0.00401	U	0.00401		mg/Kg		04/15/26 13:34	04/19/26 22:28	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 22:28	1
Xylenes, Total	<0.00401	U	0.00401		mg/Kg		04/15/26 13:34	04/19/26 22:28	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				04/15/26 13:34	04/19/26 22:28	1
1,4-Difluorobenzene (Surr)	102		70 - 130				04/15/26 13:34	04/19/26 22:28	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00401	U	0.00401		mg/Kg			04/19/26 22:28	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	66.6		50.0		mg/Kg			04/20/26 23:09	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 23:09	1
Diesel Range Organics (Over C10-C28)	66.6	*- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 23:09	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 23:09	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	87		70 - 130				04/16/26 14:57	04/20/26 23:09	1
o-Terphenyl	90		70 - 130				04/16/26 14:57	04/20/26 23:09	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2380		49.8		mg/Kg			04/18/26 11:00	5

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-9

Lab Sample ID: 880-70977-9

Date Collected: 04/08/26 12:16

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 22:48	1
Toluene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 22:48	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 22:48	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		04/15/26 13:34	04/19/26 22:48	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		04/15/26 13:34	04/19/26 22:48	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		04/15/26 13:34	04/19/26 22:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	115		70 - 130	04/15/26 13:34	04/19/26 22:48	1
1,4-Difluorobenzene (Surr)	101		70 - 130	04/15/26 13:34	04/19/26 22:48	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			04/19/26 22:48	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/20/26 23:30	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 23:30	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/20/26 23:30	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 23:30	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	88		70 - 130	04/16/26 14:57	04/20/26 23:30	1
o-Terphenyl	89		70 - 130	04/16/26 14:57	04/20/26 23:30	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1880		49.6		mg/Kg			04/18/26 11:06	5

Client Sample ID: Bottom Hole-10

Lab Sample ID: 880-70977-10

Date Collected: 04/08/26 12:18

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:25	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:25	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:25	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		04/19/26 14:44	04/20/26 11:25	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:25	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		04/19/26 14:44	04/20/26 11:25	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130	04/19/26 14:44	04/20/26 11:25	1
1,4-Difluorobenzene (Surr)	96		70 - 130	04/19/26 14:44	04/20/26 11:25	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-10

Lab Sample ID: 880-70977-10

Date Collected: 04/08/26 12:18

Matrix: Solid

Date Received: 04/14/26 16:10

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			04/20/26 11:25	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.8	U	49.8		mg/Kg			04/20/26 23:50	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.8	U *- *1	49.8		mg/Kg		04/16/26 14:57	04/20/26 23:50	1
Diesel Range Organics (Over C10-C28)	<49.8	U *- *1	49.8		mg/Kg		04/16/26 14:57	04/20/26 23:50	1
Oil Range Organics (Over C28-C36)	<49.8	U	49.8		mg/Kg		04/16/26 14:57	04/20/26 23:50	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	78		70 - 130				04/16/26 14:57	04/20/26 23:50	1
o-Terphenyl	80		70 - 130				04/16/26 14:57	04/20/26 23:50	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	2130		49.9		mg/Kg			04/17/26 18:21	5

Client Sample ID: North Side Wall

Lab Sample ID: 880-70977-11

Date Collected: 04/08/26 12:20

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00201	U	0.00201		mg/Kg		04/19/26 14:44	04/20/26 11:46	1
Toluene	<0.00201	U	0.00201		mg/Kg		04/19/26 14:44	04/20/26 11:46	1
Ethylbenzene	<0.00201	U	0.00201		mg/Kg		04/19/26 14:44	04/20/26 11:46	1
m-Xylene & p-Xylene	<0.00402	U	0.00402		mg/Kg		04/19/26 14:44	04/20/26 11:46	1
o-Xylene	<0.00201	U	0.00201		mg/Kg		04/19/26 14:44	04/20/26 11:46	1
Xylenes, Total	<0.00402	U	0.00402		mg/Kg		04/19/26 14:44	04/20/26 11:46	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	101		70 - 130				04/19/26 14:44	04/20/26 11:46	1
1,4-Difluorobenzene (Surr)	98		70 - 130				04/19/26 14:44	04/20/26 11:46	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00402	U	0.00402		mg/Kg			04/20/26 11:46	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/21/26 00:31	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 00:31	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 00:31	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: North Side Wall

Lab Sample ID: 880-70977-11

Date Collected: 04/08/26 12:20

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/21/26 00:31	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130				04/16/26 14:57	04/21/26 00:31	1
o-Terphenyl	89		70 - 130				04/16/26 14:57	04/21/26 00:31	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			04/17/26 22:58	1

Client Sample ID: South Side Wall

Lab Sample ID: 880-70977-12

Date Collected: 04/08/26 12:22

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00202	U	0.00202		mg/Kg		04/19/26 14:44	04/20/26 12:07	1
Toluene	<0.00202	U	0.00202		mg/Kg		04/19/26 14:44	04/20/26 12:07	1
Ethylbenzene	<0.00202	U	0.00202		mg/Kg		04/19/26 14:44	04/20/26 12:07	1
m-Xylene & p-Xylene	<0.00404	U	0.00404		mg/Kg		04/19/26 14:44	04/20/26 12:07	1
o-Xylene	<0.00202	U	0.00202		mg/Kg		04/19/26 14:44	04/20/26 12:07	1
Xylenes, Total	<0.00404	U	0.00404		mg/Kg		04/19/26 14:44	04/20/26 12:07	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	111		70 - 130				04/19/26 14:44	04/20/26 12:07	1
1,4-Difluorobenzene (Surr)	103		70 - 130				04/19/26 14:44	04/20/26 12:07	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00404	U	0.00404		mg/Kg			04/20/26 12:07	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/21/26 00:51	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 00:51	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 00:51	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/21/26 00:51	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	91		70 - 130				04/16/26 14:57	04/21/26 00:51	1
o-Terphenyl	95		70 - 130				04/16/26 14:57	04/21/26 00:51	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	101		10.0		mg/Kg			04/17/26 23:13	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: East Side Wall-1

Lab Sample ID: 880-70977-13

Date Collected: 04/08/26 12:24

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00199	U	0.00199		mg/Kg		04/19/26 14:44	04/20/26 12:27	1
Toluene	<0.00199	U	0.00199		mg/Kg		04/19/26 14:44	04/20/26 12:27	1
Ethylbenzene	<0.00199	U	0.00199		mg/Kg		04/19/26 14:44	04/20/26 12:27	1
m-Xylene & p-Xylene	<0.00398	U	0.00398		mg/Kg		04/19/26 14:44	04/20/26 12:27	1
o-Xylene	<0.00199	U	0.00199		mg/Kg		04/19/26 14:44	04/20/26 12:27	1
Xylenes, Total	<0.00398	U	0.00398		mg/Kg		04/19/26 14:44	04/20/26 12:27	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	104		70 - 130	04/19/26 14:44	04/20/26 12:27	1
1,4-Difluorobenzene (Surr)	99		70 - 130	04/19/26 14:44	04/20/26 12:27	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00398	U	0.00398		mg/Kg			04/20/26 12:27	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/21/26 01:11	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 01:11	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 01:11	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/21/26 01:11	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1-Chlorooctane	85		70 - 130	04/16/26 14:57	04/21/26 01:11	1
o-Terphenyl	90		70 - 130	04/16/26 14:57	04/21/26 01:11	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	10.8		10.1		mg/Kg			04/17/26 23:18	1

Client Sample ID: East Side Wall-2

Lab Sample ID: 880-70977-14

Date Collected: 04/08/26 12:26

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 12:48	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 12:48	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 12:48	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		04/19/26 14:44	04/20/26 12:48	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 12:48	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		04/19/26 14:44	04/20/26 12:48	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	04/19/26 14:44	04/20/26 12:48	1
1,4-Difluorobenzene (Surr)	101		70 - 130	04/19/26 14:44	04/20/26 12:48	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: East Side Wall-2

Lab Sample ID: 880-70977-14

Date Collected: 04/08/26 12:26

Matrix: Solid

Date Received: 04/14/26 16:10

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00400	U	0.00400		mg/Kg			04/20/26 12:48	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<49.9	U	49.9		mg/Kg			04/21/26 01:32	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/21/26 01:32	1
Diesel Range Organics (Over C10-C28)	<49.9	U *- *1	49.9		mg/Kg		04/16/26 14:57	04/21/26 01:32	1
Oil Range Organics (Over C28-C36)	<49.9	U	49.9		mg/Kg		04/16/26 14:57	04/21/26 01:32	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	82		70 - 130				04/16/26 14:57	04/21/26 01:32	1
o-Terphenyl	83		70 - 130				04/16/26 14:57	04/21/26 01:32	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	46.9		9.96		mg/Kg			04/17/26 23:22	1

Client Sample ID: West Side Wall-1

Lab Sample ID: 880-70977-15

Date Collected: 04/08/26 12:28

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 15:54	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 15:54	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 15:54	1
m-Xylene & p-Xylene	<0.00399	U	0.00399		mg/Kg		04/19/26 14:44	04/20/26 15:54	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 15:54	1
Xylenes, Total	<0.00399	U	0.00399		mg/Kg		04/19/26 14:44	04/20/26 15:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	99		70 - 130				04/19/26 14:44	04/20/26 15:54	1
1,4-Difluorobenzene (Surr)	96		70 - 130				04/19/26 14:44	04/20/26 15:54	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00399	U	0.00399		mg/Kg			04/20/26 15:54	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/21/26 01:52	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 01:52	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 01:52	1

Eurofins Midland

Client Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: West Side Wall-1

Lab Sample ID: 880-70977-15

Date Collected: 04/08/26 12:28

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/21/26 01:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	97		70 - 130				04/16/26 14:57	04/21/26 01:52	1
o-Terphenyl	103		70 - 130				04/16/26 14:57	04/21/26 01:52	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	32.4		9.92		mg/Kg			04/17/26 23:27	1

Client Sample ID: West Side Wall-2

Lab Sample ID: 880-70977-16

Date Collected: 04/08/26 12:30

Matrix: Solid

Date Received: 04/14/26 16:10

Method: SW846 8021B - Volatile Organic Compounds (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00198	U	0.00198		mg/Kg		04/19/26 14:44	04/20/26 16:15	1
Toluene	<0.00198	U	0.00198		mg/Kg		04/19/26 14:44	04/20/26 16:15	1
Ethylbenzene	<0.00198	U	0.00198		mg/Kg		04/19/26 14:44	04/20/26 16:15	1
m-Xylene & p-Xylene	<0.00396	U	0.00396		mg/Kg		04/19/26 14:44	04/20/26 16:15	1
o-Xylene	<0.00198	U	0.00198		mg/Kg		04/19/26 14:44	04/20/26 16:15	1
Xylenes, Total	<0.00396	U	0.00396		mg/Kg		04/19/26 14:44	04/20/26 16:15	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130				04/19/26 14:44	04/20/26 16:15	1
1,4-Difluorobenzene (Surr)	100		70 - 130				04/19/26 14:44	04/20/26 16:15	1

Method: TAL SOP Total BTEX - Total BTEX Calculation

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total BTEX	<0.00396	U	0.00396		mg/Kg			04/20/26 16:15	1

Method: SW846 8015 NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total TPH	<50.0	U	50.0		mg/Kg			04/21/26 02:12	1

Method: SW846 8015B NM - Diesel Range Organics (DRO) (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 02:12	1
Diesel Range Organics (Over C10-C28)	<50.0	U *- *1	50.0		mg/Kg		04/16/26 14:57	04/21/26 02:12	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/21/26 02:12	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1-Chlorooctane	83		70 - 130				04/16/26 14:57	04/21/26 02:12	1
o-Terphenyl	88		70 - 130				04/16/26 14:57	04/21/26 02:12	1

Method: EPA 300.0 - Anions, Ion Chromatography - Soluble

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	277		9.92		mg/Kg			04/17/26 23:42	1

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		BFB1 (70-130)	DFBZ1 (70-130)
880-70977-1	Bottom Hole-1	128	99
880-70977-1 MS	Bottom Hole-1	98	92
880-70977-1 MSD	Bottom Hole-1	108	100
880-70977-2	Bottom Hole-2	113	101
880-70977-3	Bottom Hole-3	117	100
880-70977-4	Bottom Hole-4	111	101
880-70977-5	Bottom Hole-5	116	103
880-70977-6	Bottom Hole-6	118	100
880-70977-7	Bottom Hole-7	112	100
880-70977-8	Bottom Hole-8	111	102
880-70977-9	Bottom Hole-9	115	101
880-70977-10	Bottom Hole-10	99	96
880-70977-10 MS	Bottom Hole-10	99	97
880-70977-10 MSD	Bottom Hole-10	96	95
880-70977-11	North Side Wall	101	98
880-70977-12	South Side Wall	111	103
880-70977-13	East Side Wall-1	104	99
880-70977-14	East Side Wall-2	106	101
880-70977-15	West Side Wall-1	99	96
880-70977-16	West Side Wall-2	100	100
LCS 880-137852/1-A	Lab Control Sample	110	100
LCS 880-138235/1-A	Lab Control Sample	98	96
LCSD 880-137852/2-A	Lab Control Sample Dup	107	100
LCSD 880-138235/2-A	Lab Control Sample Dup	105	97
MB 880-137852/5-A	Method Blank	106	94
MB 880-137856/5-A	Method Blank	106	93
MB 880-138235/5-A	Method Blank	100	100
Surrogate Legend			
BFB = 4-Bromofluorobenzene (Surr)			
DFBZ = 1,4-Difluorobenzene (Surr)			

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		1CO1 (70-130)	OTPH1 (70-130)
880-70977-1	Bottom Hole-1	104	118
880-70977-1 MS	Bottom Hole-1	101	105
880-70977-1 MSD	Bottom Hole-1	103	106
880-70977-2	Bottom Hole-2	91	100
880-70977-3	Bottom Hole-3	77	80
880-70977-4	Bottom Hole-4	88	89
880-70977-5	Bottom Hole-5	76	82
880-70977-6	Bottom Hole-6	83	86
880-70977-7	Bottom Hole-7	97	101
880-70977-8	Bottom Hole-8	87	90
880-70977-9	Bottom Hole-9	88	89
880-70977-10	Bottom Hole-10	78	80

Eurofins Midland

Surrogate Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Matrix: Solid

Prep Type: Total/NA

		Percent Surrogate Recovery (Acceptance Limits)	
Lab Sample ID	Client Sample ID	1CO1 (70-130)	OTPH1 (70-130)
880-70977-11	North Side Wall	85	89
880-70977-12	South Side Wall	91	95
880-70977-13	East Side Wall-1	85	90
880-70977-14	East Side Wall-2	82	83
880-70977-15	West Side Wall-1	97	103
880-70977-16	West Side Wall-2	83	88
LCS 880-138030/2-A	Lab Control Sample	67 S1-	66 S1-
LCSD 880-138030/3-A	Lab Control Sample Dup	84	85
MB 880-138030/1-A	Method Blank	65 S1-	72
Surrogate Legend			
1CO = 1-Chlorooctane			
OTPH = o-Terphenyl			

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC)

Lab Sample ID: MB 880-137852/5-A

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 137852

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 19:43	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 19:43	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 19:43	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		04/15/26 13:34	04/19/26 19:43	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:34	04/19/26 19:43	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		04/15/26 13:34	04/19/26 19:43	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	04/15/26 13:34	04/19/26 19:43	1
1,4-Difluorobenzene (Surr)	94		70 - 130	04/15/26 13:34	04/19/26 19:43	1

Lab Sample ID: LCS 880-137852/1-A

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 137852

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.1035		mg/Kg		103	70 - 130
Toluene	0.100	0.09674		mg/Kg		97	70 - 130
Ethylbenzene	0.100	0.1000		mg/Kg		100	70 - 130
m-Xylene & p-Xylene	0.200	0.1957		mg/Kg		98	70 - 130
o-Xylene	0.100	0.09966		mg/Kg		100	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	110		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: LCSD 880-137852/2-A

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 137852

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1023		mg/Kg		102	70 - 130	1	35
Toluene	0.100	0.09537		mg/Kg		95	70 - 130	1	35
Ethylbenzene	0.100	0.09901		mg/Kg		99	70 - 130	1	35
m-Xylene & p-Xylene	0.200	0.1940		mg/Kg		97	70 - 130	1	35
o-Xylene	0.100	0.09929		mg/Kg		99	70 - 130	0	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	107		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: 880-70977-1 MS

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Bottom Hole-1

Prep Type: Total/NA

Prep Batch: 137852

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U F1	0.100	0.06706	F1	mg/Kg		67	70 - 130
Toluene	<0.00200	U F1	0.100	0.04695	F1	mg/Kg		47	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-70977-1 MS

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Bottom Hole-1

Prep Type: Total/NA

Prep Batch: 137852

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Ethylbenzene	<0.00200	U F1	0.100	0.01613	F1	mg/Kg		16	70 - 130
m-Xylene & p-Xylene	<0.00399	U F2 F1	0.200	0.09764	F1	mg/Kg		49	70 - 130
o-Xylene	<0.00200	U F1	0.100	0.06941	F1	mg/Kg		69	70 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	92		70 - 130

Lab Sample ID: 880-70977-1 MSD

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Bottom Hole-1

Prep Type: Total/NA

Prep Batch: 137852

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U F1	0.100	0.07891		mg/Kg		79	70 - 130	16	35
Toluene	<0.00200	U F1	0.100	0.05562	F1	mg/Kg		56	70 - 130	17	35
Ethylbenzene	<0.00200	U F1	0.100	0.01769	F1	mg/Kg		18	70 - 130	9	35
m-Xylene & p-Xylene	<0.00399	U F2 F1	0.200	0.1499	F2	mg/Kg		75	70 - 130	42	35
o-Xylene	<0.00200	U F1	0.100	0.09004		mg/Kg		90	70 - 130	26	35

Surrogate	MSD %Recovery	MSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	108		70 - 130
1,4-Difluorobenzene (Surr)	100		70 - 130

Lab Sample ID: MB 880-137856/5-A

Matrix: Solid

Analysis Batch: 138204

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 137856

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:38	04/19/26 08:45	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:38	04/19/26 08:45	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:38	04/19/26 08:45	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		04/15/26 13:38	04/19/26 08:45	1
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/15/26 13:38	04/19/26 08:45	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		04/15/26 13:38	04/19/26 08:45	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	106		70 - 130	04/15/26 13:38	04/19/26 08:45	1
1,4-Difluorobenzene (Surr)	93		70 - 130	04/15/26 13:38	04/19/26 08:45	1

Lab Sample ID: MB 880-138235/5-A

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 138235

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:04	1
Toluene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:04	1
Ethylbenzene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:04	1
m-Xylene & p-Xylene	<0.00400	U	0.00400		mg/Kg		04/19/26 14:44	04/20/26 11:04	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: MB 880-138235/5-A

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 138235

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
o-Xylene	<0.00200	U	0.00200		mg/Kg		04/19/26 14:44	04/20/26 11:04	1
Xylenes, Total	<0.00400	U	0.00400		mg/Kg		04/19/26 14:44	04/20/26 11:04	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
4-Bromofluorobenzene (Surr)	100		70 - 130	04/19/26 14:44	04/20/26 11:04	1
1,4-Difluorobenzene (Surr)	100		70 - 130	04/19/26 14:44	04/20/26 11:04	1

Lab Sample ID: LCS 880-138235/1-A

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 138235

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	0.100	0.09023		mg/Kg		90	70 - 130
Toluene	0.100	0.09081		mg/Kg		91	70 - 130
Ethylbenzene	0.100	0.08825		mg/Kg		88	70 - 130
m-Xylene & p-Xylene	0.200	0.1783		mg/Kg		89	70 - 130
o-Xylene	0.100	0.09336		mg/Kg		93	70 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
4-Bromofluorobenzene (Surr)	98		70 - 130
1,4-Difluorobenzene (Surr)	96		70 - 130

Lab Sample ID: LCSD 880-138235/2-A

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 138235

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	0.100	0.1073		mg/Kg		107	70 - 130	17	35
Toluene	0.100	0.1078		mg/Kg		108	70 - 130	17	35
Ethylbenzene	0.100	0.1071		mg/Kg		107	70 - 130	19	35
m-Xylene & p-Xylene	0.200	0.2124		mg/Kg		106	70 - 130	17	35
o-Xylene	0.100	0.1088		mg/Kg		109	70 - 130	15	35

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
4-Bromofluorobenzene (Surr)	105		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: 880-70977-10 MS

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Bottom Hole-10

Prep Type: Total/NA

Prep Batch: 138235

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Benzene	<0.00200	U	0.100	0.1080		mg/Kg		108	70 - 130
Toluene	<0.00200	U	0.100	0.1058		mg/Kg		106	70 - 130
Ethylbenzene	<0.00200	U	0.100	0.1045		mg/Kg		104	70 - 130
m-Xylene & p-Xylene	<0.00399	U	0.200	0.2129		mg/Kg		106	70 - 130
o-Xylene	<0.00200	U	0.100	0.1051		mg/Kg		105	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8021B - Volatile Organic Compounds (GC) (Continued)

Lab Sample ID: 880-70977-10 MS

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Bottom Hole-10

Prep Type: Total/NA

Prep Batch: 138235

	MS	MS	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	99		70 - 130
1,4-Difluorobenzene (Surr)	97		70 - 130

Lab Sample ID: 880-70977-10 MSD

Matrix: Solid

Analysis Batch: 138265

Client Sample ID: Bottom Hole-10

Prep Type: Total/NA

Prep Batch: 138235

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Benzene	<0.00200	U	0.100	0.09105		mg/Kg		91	70 - 130	17	35
Toluene	<0.00200	U	0.100	0.09182		mg/Kg		92	70 - 130	14	35
Ethylbenzene	<0.00200	U	0.100	0.08607		mg/Kg		86	70 - 130	19	35
m-Xylene & p-Xylene	<0.00399	U	0.200	0.1737		mg/Kg		87	70 - 130	20	35
o-Xylene	<0.00200	U	0.100	0.08980		mg/Kg		90	70 - 130	16	35

	MSD	MSD	
Surrogate	%Recovery	Qualifier	Limits
4-Bromofluorobenzene (Surr)	96		70 - 130
1,4-Difluorobenzene (Surr)	95		70 - 130

Method: 8015B NM - Diesel Range Organics (DRO) (GC)

Lab Sample ID: MB 880-138030/1-A

Matrix: Solid

Analysis Batch: 138385

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 138030

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Gasoline Range Organics (GRO)-C6-C10	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 14:28	1
Diesel Range Organics (Over C10-C28)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 14:28	1
Oil Range Organics (Over C28-C36)	<50.0	U	50.0		mg/Kg		04/16/26 14:57	04/20/26 14:28	1

	MB	MB					Prepared	Analyzed	Dil Fac
Surrogate	%Recovery	Qualifier	Limits						
1-Chlorooctane	65	S1-	70 - 130				04/16/26 14:57	04/20/26 14:28	1
o-Terphenyl	72		70 - 130				04/16/26 14:57	04/20/26 14:28	1

Lab Sample ID: LCS 880-138030/2-A

Matrix: Solid

Analysis Batch: 138385

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 138030

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Gasoline Range Organics (GRO)-C6-C10	1000	659.8	*-	mg/Kg		66	70 - 130
Diesel Range Organics (Over C10-C28)	1000	686.4	*-	mg/Kg		69	70 - 130

	LCS	LCS	
Surrogate	%Recovery	Qualifier	Limits
1-Chlorooctane	67	S1-	70 - 130
o-Terphenyl	66	S1-	70 - 130

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 8015B NM - Diesel Range Organics (DRO) (GC) (Continued)

Lab Sample ID: LCSD 880-138030/3-A

Matrix: Solid

Analysis Batch: 138385

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 138030

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	1000	828.4	*1	mg/Kg		83	70 - 130	23	20
Diesel Range Organics (Over C10-C28)	1000	895.3	*1	mg/Kg		90	70 - 130	26	20
Surrogate	LCSD %Recovery	LCSD Qualifier	Limits						
1-Chlorooctane	84		70 - 130						
o-Terphenyl	85		70 - 130						

Lab Sample ID: 880-70977-1 MS

Matrix: Solid

Analysis Batch: 138385

Client Sample ID: Bottom Hole-1

Prep Type: Total/NA

Prep Batch: 138030

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *- *1	1000	761.3		mg/Kg		73	70 - 130		
Diesel Range Organics (Over C10-C28)	<49.9	U *- *1	1000	809.3		mg/Kg		78	70 - 130		
Surrogate	MS %Recovery	MS Qualifier	Limits								
1-Chlorooctane	101		70 - 130								
o-Terphenyl	105		70 - 130								

Lab Sample ID: 880-70977-1 MSD

Matrix: Solid

Analysis Batch: 138385

Client Sample ID: Bottom Hole-1

Prep Type: Total/NA

Prep Batch: 138030

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Gasoline Range Organics (GRO)-C6-C10	<49.9	U *- *1	1000	743.7		mg/Kg		72	70 - 130	2	20
Diesel Range Organics (Over C10-C28)	<49.9	U *- *1	1000	801.4		mg/Kg		77	70 - 130	1	20
Surrogate	MSD %Recovery	MSD Qualifier	Limits								
1-Chlorooctane	103		70 - 130								
o-Terphenyl	106		70 - 130								

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: MB 880-137911/1-A

Matrix: Solid

Analysis Batch: 138027

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			04/17/26 14:13	1

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 300.0 - Anions, Ion Chromatography (Continued)

Lab Sample ID: LCS 880-137911/2-A

Matrix: Solid

Analysis Batch: 138027

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	246.2		mg/Kg		98	90 - 110

Lab Sample ID: LCSD 880-137911/3-A

Matrix: Solid

Analysis Batch: 138027

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	246.6		mg/Kg		99	90 - 110	0	20

Lab Sample ID: 880-70977-1 MS

Matrix: Solid

Analysis Batch: 138027

Client Sample ID: Bottom Hole-1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	1490		249	1649	E 4	mg/Kg		64	90 - 110

Lab Sample ID: 880-70977-1 MSD

Matrix: Solid

Analysis Batch: 138027

Client Sample ID: Bottom Hole-1

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	1490		249	1654	E 4	mg/Kg		66	90 - 110	0	20

Lab Sample ID: MB 880-137912/1-A

Matrix: Solid

Analysis Batch: 138028

Client Sample ID: Method Blank

Prep Type: Soluble

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	<10.0	U	10.0		mg/Kg			04/17/26 22:44	1

Lab Sample ID: LCS 880-137912/2-A

Matrix: Solid

Analysis Batch: 138028

Client Sample ID: Lab Control Sample

Prep Type: Soluble

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	250	260.8		mg/Kg		104	90 - 110

Lab Sample ID: LCSD 880-137912/3-A

Matrix: Solid

Analysis Batch: 138028

Client Sample ID: Lab Control Sample Dup

Prep Type: Soluble

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloride	250	265.8		mg/Kg		106	90 - 110	2	20

Lab Sample ID: 880-70977-11 MS

Matrix: Solid

Analysis Batch: 138028

Client Sample ID: North Side Wall

Prep Type: Soluble

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloride	<10.0	U	251	269.9		mg/Kg		104	90 - 110

Eurofins Midland

QC Sample Results

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method: 300.0 - Anions, Ion Chromatography

Lab Sample ID: 880-70977-11 MSD					Client Sample ID: North Side Wall							
Matrix: Solid					Prep Type: Soluble							
Analysis Batch: 138028												
Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit	
Chloride	<10.0	U	251	271.8		mg/Kg	-	105	90 - 110	1	20	

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

GC VOA

Prep Batch: 137852

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Total/NA	Solid	5035	
880-70977-2	Bottom Hole-2	Total/NA	Solid	5035	
880-70977-3	Bottom Hole-3	Total/NA	Solid	5035	
880-70977-4	Bottom Hole-4	Total/NA	Solid	5035	
880-70977-5	Bottom Hole-5	Total/NA	Solid	5035	
880-70977-6	Bottom Hole-6	Total/NA	Solid	5035	
880-70977-7	Bottom Hole-7	Total/NA	Solid	5035	
880-70977-8	Bottom Hole-8	Total/NA	Solid	5035	
880-70977-9	Bottom Hole-9	Total/NA	Solid	5035	
MB 880-137852/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-137852/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-137852/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-70977-1 MS	Bottom Hole-1	Total/NA	Solid	5035	
880-70977-1 MSD	Bottom Hole-1	Total/NA	Solid	5035	

Prep Batch: 137856

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 880-137856/5-A	Method Blank	Total/NA	Solid	5035	

Analysis Batch: 138204

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Total/NA	Solid	8021B	137852
880-70977-2	Bottom Hole-2	Total/NA	Solid	8021B	137852
880-70977-3	Bottom Hole-3	Total/NA	Solid	8021B	137852
880-70977-4	Bottom Hole-4	Total/NA	Solid	8021B	137852
880-70977-5	Bottom Hole-5	Total/NA	Solid	8021B	137852
880-70977-6	Bottom Hole-6	Total/NA	Solid	8021B	137852
880-70977-7	Bottom Hole-7	Total/NA	Solid	8021B	137852
880-70977-8	Bottom Hole-8	Total/NA	Solid	8021B	137852
880-70977-9	Bottom Hole-9	Total/NA	Solid	8021B	137852
MB 880-137852/5-A	Method Blank	Total/NA	Solid	8021B	137852
MB 880-137856/5-A	Method Blank	Total/NA	Solid	8021B	137856
LCS 880-137852/1-A	Lab Control Sample	Total/NA	Solid	8021B	137852
LCSD 880-137852/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	137852
880-70977-1 MS	Bottom Hole-1	Total/NA	Solid	8021B	137852
880-70977-1 MSD	Bottom Hole-1	Total/NA	Solid	8021B	137852

Prep Batch: 138235

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-10	Bottom Hole-10	Total/NA	Solid	5035	
880-70977-11	North Side Wall	Total/NA	Solid	5035	
880-70977-12	South Side Wall	Total/NA	Solid	5035	
880-70977-13	East Side Wall-1	Total/NA	Solid	5035	
880-70977-14	East Side Wall-2	Total/NA	Solid	5035	
880-70977-15	West Side Wall-1	Total/NA	Solid	5035	
880-70977-16	West Side Wall-2	Total/NA	Solid	5035	
MB 880-138235/5-A	Method Blank	Total/NA	Solid	5035	
LCS 880-138235/1-A	Lab Control Sample	Total/NA	Solid	5035	
LCSD 880-138235/2-A	Lab Control Sample Dup	Total/NA	Solid	5035	
880-70977-10 MS	Bottom Hole-10	Total/NA	Solid	5035	
880-70977-10 MSD	Bottom Hole-10	Total/NA	Solid	5035	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

GC VOA

Analysis Batch: 138265

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-10	Bottom Hole-10	Total/NA	Solid	8021B	138235
880-70977-11	North Side Wall	Total/NA	Solid	8021B	138235
880-70977-12	South Side Wall	Total/NA	Solid	8021B	138235
880-70977-13	East Side Wall-1	Total/NA	Solid	8021B	138235
880-70977-14	East Side Wall-2	Total/NA	Solid	8021B	138235
880-70977-15	West Side Wall-1	Total/NA	Solid	8021B	138235
880-70977-16	West Side Wall-2	Total/NA	Solid	8021B	138235
MB 880-138235/5-A	Method Blank	Total/NA	Solid	8021B	138235
LCS 880-138235/1-A	Lab Control Sample	Total/NA	Solid	8021B	138235
LCSD 880-138235/2-A	Lab Control Sample Dup	Total/NA	Solid	8021B	138235
880-70977-10 MS	Bottom Hole-10	Total/NA	Solid	8021B	138235
880-70977-10 MSD	Bottom Hole-10	Total/NA	Solid	8021B	138235

Analysis Batch: 138389

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Total/NA	Solid	Total BTEX	
880-70977-2	Bottom Hole-2	Total/NA	Solid	Total BTEX	
880-70977-3	Bottom Hole-3	Total/NA	Solid	Total BTEX	
880-70977-4	Bottom Hole-4	Total/NA	Solid	Total BTEX	
880-70977-5	Bottom Hole-5	Total/NA	Solid	Total BTEX	
880-70977-6	Bottom Hole-6	Total/NA	Solid	Total BTEX	
880-70977-7	Bottom Hole-7	Total/NA	Solid	Total BTEX	
880-70977-8	Bottom Hole-8	Total/NA	Solid	Total BTEX	
880-70977-9	Bottom Hole-9	Total/NA	Solid	Total BTEX	
880-70977-10	Bottom Hole-10	Total/NA	Solid	Total BTEX	
880-70977-11	North Side Wall	Total/NA	Solid	Total BTEX	
880-70977-12	South Side Wall	Total/NA	Solid	Total BTEX	
880-70977-13	East Side Wall-1	Total/NA	Solid	Total BTEX	
880-70977-14	East Side Wall-2	Total/NA	Solid	Total BTEX	
880-70977-15	West Side Wall-1	Total/NA	Solid	Total BTEX	
880-70977-16	West Side Wall-2	Total/NA	Solid	Total BTEX	

GC Semi VOA

Prep Batch: 138030

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Total/NA	Solid	8015NM Prep	
880-70977-2	Bottom Hole-2	Total/NA	Solid	8015NM Prep	
880-70977-3	Bottom Hole-3	Total/NA	Solid	8015NM Prep	
880-70977-4	Bottom Hole-4	Total/NA	Solid	8015NM Prep	
880-70977-5	Bottom Hole-5	Total/NA	Solid	8015NM Prep	
880-70977-6	Bottom Hole-6	Total/NA	Solid	8015NM Prep	
880-70977-7	Bottom Hole-7	Total/NA	Solid	8015NM Prep	
880-70977-8	Bottom Hole-8	Total/NA	Solid	8015NM Prep	
880-70977-9	Bottom Hole-9	Total/NA	Solid	8015NM Prep	
880-70977-10	Bottom Hole-10	Total/NA	Solid	8015NM Prep	
880-70977-11	North Side Wall	Total/NA	Solid	8015NM Prep	
880-70977-12	South Side Wall	Total/NA	Solid	8015NM Prep	
880-70977-13	East Side Wall-1	Total/NA	Solid	8015NM Prep	
880-70977-14	East Side Wall-2	Total/NA	Solid	8015NM Prep	
880-70977-15	West Side Wall-1	Total/NA	Solid	8015NM Prep	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

GC Semi VOA (Continued)

Prep Batch: 138030 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-16	West Side Wall-2	Total/NA	Solid	8015NM Prep	
MB 880-138030/1-A	Method Blank	Total/NA	Solid	8015NM Prep	
LCS 880-138030/2-A	Lab Control Sample	Total/NA	Solid	8015NM Prep	
LCSD 880-138030/3-A	Lab Control Sample Dup	Total/NA	Solid	8015NM Prep	
880-70977-1 MS	Bottom Hole-1	Total/NA	Solid	8015NM Prep	
880-70977-1 MSD	Bottom Hole-1	Total/NA	Solid	8015NM Prep	

Analysis Batch: 138385

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Total/NA	Solid	8015B NM	138030
880-70977-2	Bottom Hole-2	Total/NA	Solid	8015B NM	138030
880-70977-3	Bottom Hole-3	Total/NA	Solid	8015B NM	138030
880-70977-4	Bottom Hole-4	Total/NA	Solid	8015B NM	138030
880-70977-5	Bottom Hole-5	Total/NA	Solid	8015B NM	138030
880-70977-6	Bottom Hole-6	Total/NA	Solid	8015B NM	138030
880-70977-7	Bottom Hole-7	Total/NA	Solid	8015B NM	138030
880-70977-8	Bottom Hole-8	Total/NA	Solid	8015B NM	138030
880-70977-9	Bottom Hole-9	Total/NA	Solid	8015B NM	138030
880-70977-10	Bottom Hole-10	Total/NA	Solid	8015B NM	138030
880-70977-11	North Side Wall	Total/NA	Solid	8015B NM	138030
880-70977-12	South Side Wall	Total/NA	Solid	8015B NM	138030
880-70977-13	East Side Wall-1	Total/NA	Solid	8015B NM	138030
880-70977-14	East Side Wall-2	Total/NA	Solid	8015B NM	138030
880-70977-15	West Side Wall-1	Total/NA	Solid	8015B NM	138030
880-70977-16	West Side Wall-2	Total/NA	Solid	8015B NM	138030
MB 880-138030/1-A	Method Blank	Total/NA	Solid	8015B NM	138030
LCS 880-138030/2-A	Lab Control Sample	Total/NA	Solid	8015B NM	138030
LCSD 880-138030/3-A	Lab Control Sample Dup	Total/NA	Solid	8015B NM	138030
880-70977-1 MS	Bottom Hole-1	Total/NA	Solid	8015B NM	138030
880-70977-1 MSD	Bottom Hole-1	Total/NA	Solid	8015B NM	138030

Analysis Batch: 138427

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Total/NA	Solid	8015 NM	
880-70977-2	Bottom Hole-2	Total/NA	Solid	8015 NM	
880-70977-3	Bottom Hole-3	Total/NA	Solid	8015 NM	
880-70977-4	Bottom Hole-4	Total/NA	Solid	8015 NM	
880-70977-5	Bottom Hole-5	Total/NA	Solid	8015 NM	
880-70977-6	Bottom Hole-6	Total/NA	Solid	8015 NM	
880-70977-7	Bottom Hole-7	Total/NA	Solid	8015 NM	
880-70977-8	Bottom Hole-8	Total/NA	Solid	8015 NM	
880-70977-9	Bottom Hole-9	Total/NA	Solid	8015 NM	
880-70977-10	Bottom Hole-10	Total/NA	Solid	8015 NM	
880-70977-11	North Side Wall	Total/NA	Solid	8015 NM	
880-70977-12	South Side Wall	Total/NA	Solid	8015 NM	
880-70977-13	East Side Wall-1	Total/NA	Solid	8015 NM	
880-70977-14	East Side Wall-2	Total/NA	Solid	8015 NM	
880-70977-15	West Side Wall-1	Total/NA	Solid	8015 NM	
880-70977-16	West Side Wall-2	Total/NA	Solid	8015 NM	

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

HPLC/IC

Leach Batch: 137911

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Soluble	Solid	DI Leach	
880-70977-2	Bottom Hole-2	Soluble	Solid	DI Leach	
880-70977-3	Bottom Hole-3	Soluble	Solid	DI Leach	
880-70977-4	Bottom Hole-4	Soluble	Solid	DI Leach	
880-70977-5	Bottom Hole-5	Soluble	Solid	DI Leach	
880-70977-6	Bottom Hole-6	Soluble	Solid	DI Leach	
880-70977-7	Bottom Hole-7	Soluble	Solid	DI Leach	
880-70977-8	Bottom Hole-8	Soluble	Solid	DI Leach	
880-70977-9	Bottom Hole-9	Soluble	Solid	DI Leach	
880-70977-10	Bottom Hole-10	Soluble	Solid	DI Leach	
MB 880-137911/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-137911/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-137911/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-70977-1 MS	Bottom Hole-1	Soluble	Solid	DI Leach	
880-70977-1 MSD	Bottom Hole-1	Soluble	Solid	DI Leach	

Leach Batch: 137912

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-11	North Side Wall	Soluble	Solid	DI Leach	
880-70977-12	South Side Wall	Soluble	Solid	DI Leach	
880-70977-13	East Side Wall-1	Soluble	Solid	DI Leach	
880-70977-14	East Side Wall-2	Soluble	Solid	DI Leach	
880-70977-15	West Side Wall-1	Soluble	Solid	DI Leach	
880-70977-16	West Side Wall-2	Soluble	Solid	DI Leach	
MB 880-137912/1-A	Method Blank	Soluble	Solid	DI Leach	
LCS 880-137912/2-A	Lab Control Sample	Soluble	Solid	DI Leach	
LCSD 880-137912/3-A	Lab Control Sample Dup	Soluble	Solid	DI Leach	
880-70977-11 MS	North Side Wall	Soluble	Solid	DI Leach	
880-70977-11 MSD	North Side Wall	Soluble	Solid	DI Leach	

Analysis Batch: 138027

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-1	Bottom Hole-1	Soluble	Solid	300.0	137911
880-70977-2	Bottom Hole-2	Soluble	Solid	300.0	137911
880-70977-3	Bottom Hole-3	Soluble	Solid	300.0	137911
880-70977-4	Bottom Hole-4	Soluble	Solid	300.0	137911
880-70977-5	Bottom Hole-5	Soluble	Solid	300.0	137911
880-70977-6	Bottom Hole-6	Soluble	Solid	300.0	137911
880-70977-7	Bottom Hole-7	Soluble	Solid	300.0	137911
880-70977-8	Bottom Hole-8	Soluble	Solid	300.0	137911
880-70977-9	Bottom Hole-9	Soluble	Solid	300.0	137911
880-70977-10	Bottom Hole-10	Soluble	Solid	300.0	137911
MB 880-137911/1-A	Method Blank	Soluble	Solid	300.0	137911
LCS 880-137911/2-A	Lab Control Sample	Soluble	Solid	300.0	137911
LCSD 880-137911/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	137911
880-70977-1 MS	Bottom Hole-1	Soluble	Solid	300.0	137911
880-70977-1 MSD	Bottom Hole-1	Soluble	Solid	300.0	137911

Analysis Batch: 138028

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-11	North Side Wall	Soluble	Solid	300.0	137912

Eurofins Midland

QC Association Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

HPLC/IC (Continued)

Analysis Batch: 138028 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-70977-12	South Side Wall	Soluble	Solid	300.0	137912
880-70977-13	East Side Wall-1	Soluble	Solid	300.0	137912
880-70977-14	East Side Wall-2	Soluble	Solid	300.0	137912
880-70977-15	West Side Wall-1	Soluble	Solid	300.0	137912
880-70977-16	West Side Wall-2	Soluble	Solid	300.0	137912
MB 880-137912/1-A	Method Blank	Soluble	Solid	300.0	137912
LCS 880-137912/2-A	Lab Control Sample	Soluble	Solid	300.0	137912
LCSD 880-137912/3-A	Lab Control Sample Dup	Soluble	Solid	300.0	137912
880-70977-11 MS	North Side Wall	Soluble	Solid	300.0	137912
880-70977-11 MSD	North Side Wall	Soluble	Solid	300.0	137912

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-1

Lab Sample ID: 880-70977-1

Date Collected: 04/08/26 12:00

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 20:05	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 20:05	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 20:06	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 20:06	SA	EET MID
Soluble	Leach	DI Leach			5.03 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138027	04/17/26 17:13	CS	EET MID

Client Sample ID: Bottom Hole-2

Lab Sample ID: 880-70977-2

Date Collected: 04/08/26 12:02

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 20:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 20:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 21:07	SA	EET MID
Total/NA	Prep	8015NM Prep			10.03 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 21:07	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/17/26 17:28	CS	EET MID

Client Sample ID: Bottom Hole-3

Lab Sample ID: 880-70977-3

Date Collected: 04/08/26 12:04

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 20:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 20:46	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 21:27	SA	EET MID
Total/NA	Prep	8015NM Prep			10.05 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 21:27	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/17/26 17:34	CS	EET MID

Client Sample ID: Bottom Hole-4

Lab Sample ID: 880-70977-4

Date Collected: 04/08/26 12:06

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 21:06	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 21:06	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-4

Lab Sample ID: 880-70977-4

Date Collected: 04/08/26 12:06

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			138427	04/20/26 21:47	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 21:47	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/17/26 17:49	CS	EET MID

Client Sample ID: Bottom Hole-5

Lab Sample ID: 880-70977-5

Date Collected: 04/08/26 12:08

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 21:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 21:27	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 22:08	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 22:08	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/17/26 17:54	CS	EET MID

Client Sample ID: Bottom Hole-6

Lab Sample ID: 880-70977-6

Date Collected: 04/08/26 12:10

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 21:47	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 21:47	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 22:28	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 22:28	SA	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138027	04/17/26 18:00	CS	EET MID

Client Sample ID: Bottom Hole-7

Lab Sample ID: 880-70977-7

Date Collected: 04/08/26 12:12

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 22:08	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 22:08	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 22:48	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 22:48	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: Bottom Hole-7

Lab Sample ID: 880-70977-7

Date Collected: 04/08/26 12:12

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Soluble	Leach	DI Leach			4.96 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/17/26 18:05	CS	EET MID

Client Sample ID: Bottom Hole-8

Lab Sample ID: 880-70977-8

Date Collected: 04/08/26 12:14

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.99 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 22:28	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 22:28	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 23:09	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 23:09	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/18/26 11:00	CS	EET MID

Client Sample ID: Bottom Hole-9

Lab Sample ID: 880-70977-9

Date Collected: 04/08/26 12:16

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	137852	04/15/26 13:34	AA	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138204	04/19/26 22:48	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/19/26 22:48	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 23:30	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 23:30	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/18/26 11:06	CS	EET MID

Client Sample ID: Bottom Hole-10

Lab Sample ID: 880-70977-10

Date Collected: 04/08/26 12:18

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 11:25	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 11:25	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/20/26 23:50	SA	EET MID
Total/NA	Prep	8015NM Prep			10.04 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/20/26 23:50	SA	EET MID
Soluble	Leach	DI Leach			5.01 g	50 mL	137911	04/15/26 16:41	SA	EET MID
Soluble	Analysis	300.0		5	50 mL	50 mL	138027	04/17/26 18:21	CS	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: North Side Wall

Lab Sample ID: 880-70977-11

Date Collected: 04/08/26 12:20

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.98 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 11:46	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 11:46	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/21/26 00:31	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/21/26 00:31	SA	EET MID
Soluble	Leach	DI Leach			4.98 g	50 mL	137912	04/15/26 16:43	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138028	04/17/26 22:58	SMC	EET MID

Client Sample ID: South Side Wall

Lab Sample ID: 880-70977-12

Date Collected: 04/08/26 12:22

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			4.95 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 12:07	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 12:07	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/21/26 00:51	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/21/26 00:51	SA	EET MID
Soluble	Leach	DI Leach			4.99 g	50 mL	137912	04/15/26 16:43	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138028	04/17/26 23:13	SMC	EET MID

Client Sample ID: East Side Wall-1

Lab Sample ID: 880-70977-13

Date Collected: 04/08/26 12:24

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.03 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 12:27	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 12:27	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/21/26 01:11	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/21/26 01:11	SA	EET MID
Soluble	Leach	DI Leach			4.95 g	50 mL	137912	04/15/26 16:43	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138028	04/17/26 23:18	SMC	EET MID

Client Sample ID: East Side Wall-2

Lab Sample ID: 880-70977-14

Date Collected: 04/08/26 12:26

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.00 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 12:48	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 12:48	SA	EET MID

Eurofins Midland

Lab Chronicle

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Client Sample ID: East Side Wall-2

Lab Sample ID: 880-70977-14

Date Collected: 04/08/26 12:26

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8015 NM		1			138427	04/21/26 01:32	SA	EET MID
Total/NA	Prep	8015NM Prep			10.02 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/21/26 01:32	SA	EET MID
Soluble	Leach	DI Leach			5.02 g	50 mL	137912	04/15/26 16:43	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138028	04/17/26 23:22	SMC	EET MID

Client Sample ID: West Side Wall-1

Lab Sample ID: 880-70977-15

Date Collected: 04/08/26 12:28

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.01 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 15:54	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 15:54	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/21/26 01:52	SA	EET MID
Total/NA	Prep	8015NM Prep			10.00 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/21/26 01:52	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	137912	04/15/26 16:43	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138028	04/17/26 23:27	SMC	EET MID

Client Sample ID: West Side Wall-2

Lab Sample ID: 880-70977-16

Date Collected: 04/08/26 12:30

Matrix: Solid

Date Received: 04/14/26 16:10

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	5035			5.05 g	5 mL	138235	04/19/26 14:44	MNR	EET MID
Total/NA	Analysis	8021B		1	5 mL	5 mL	138265	04/20/26 16:15	MNR	EET MID
Total/NA	Analysis	Total BTEX		1			138389	04/20/26 16:15	SA	EET MID
Total/NA	Analysis	8015 NM		1			138427	04/21/26 02:12	SA	EET MID
Total/NA	Prep	8015NM Prep			10.01 g	10.00 mL	138030	04/16/26 14:57	EL	EET MID
Total/NA	Analysis	8015B NM		1	1 uL	1 uL	138385	04/21/26 02:12	SA	EET MID
Soluble	Leach	DI Leach			5.04 g	50 mL	137912	04/15/26 16:43	SA	EET MID
Soluble	Analysis	300.0		1	50 mL	50 mL	138028	04/17/26 23:42	SMC	EET MID

Laboratory References:

EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Eurofins Midland

Accreditation/Certification Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Laboratory: Eurofins Midland

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704400	06-30-26
The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.			
Analysis Method	Prep Method	Matrix	Analyte
8015 NM		Solid	Total TPH
Total BTEX		Solid	Total BTEX

Method Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Method	Method Description	Protocol	Laboratory
8021B	Volatile Organic Compounds (GC)	SW846	EET MID
Total BTEX	Total BTEX Calculation	TAL SOP	EET MID
8015 NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
8015B NM	Diesel Range Organics (DRO) (GC)	SW846	EET MID
300.0	Anions, Ion Chromatography	EPA	EET MID
5035	Closed System Purge and Trap	SW846	EET MID
8015NM Prep	Microextraction	SW846	EET MID
DI Leach	Deionized Water Leaching Procedure	ASTM	EET MID

Protocol References:

- ASTM = ASTM International
- EPA = US Environmental Protection Agency
- SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.
- TAL SOP = TestAmerica Laboratories, Standard Operating Procedure

Laboratory References:

- EET MID = Eurofins Midland, 1211 W. Florida Ave, Midland, TX 79701, TEL (432)704-5440

Sample Summary

Client: Etech Environmental & Safety Solutions
Project/Site: Brushy Draw 6-inch

Job ID: 880-70977-1
SDG: 23133

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
880-70977-1	Bottom Hole-1	Solid	04/08/26 12:00	04/14/26 16:10	Texas
880-70977-2	Bottom Hole-2	Solid	04/08/26 12:02	04/14/26 16:10	Texas
880-70977-3	Bottom Hole-3	Solid	04/08/26 12:04	04/14/26 16:10	Texas
880-70977-4	Bottom Hole-4	Solid	04/08/26 12:06	04/14/26 16:10	Texas
880-70977-5	Bottom Hole-5	Solid	04/08/26 12:08	04/14/26 16:10	Texas
880-70977-6	Bottom Hole-6	Solid	04/08/26 12:10	04/14/26 16:10	Texas
880-70977-7	Bottom Hole-7	Solid	04/08/26 12:12	04/14/26 16:10	Texas
880-70977-8	Bottom Hole-8	Solid	04/08/26 12:14	04/14/26 16:10	Texas
880-70977-9	Bottom Hole-9	Solid	04/08/26 12:16	04/14/26 16:10	Texas
880-70977-10	Bottom Hole-10	Solid	04/08/26 12:18	04/14/26 16:10	Texas
880-70977-11	North Side Wall	Solid	04/08/26 12:20	04/14/26 16:10	Texas
880-70977-12	South Side Wall	Solid	04/08/26 12:22	04/14/26 16:10	Texas
880-70977-13	East Side Wall-1	Solid	04/08/26 12:24	04/14/26 16:10	Texas
880-70977-14	East Side Wall-2	Solid	04/08/26 12:26	04/14/26 16:10	Texas
880-70977-15	West Side Wall-1	Solid	04/08/26 12:28	04/14/26 16:10	Texas
880-70977-16	West Side Wall-2	Solid	04/08/26 12:30	04/14/26 16:10	Texas

Login Sample Receipt Checklist

Client: Etech Environmental & Safety Solutions

Job Number: 880-70977-1

SDG Number: 23133

Login Number: 70977

List Number: 1

Creator: Kramer, Jessica

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 594866

QUESTIONS

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 594866
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2528638858
Incident Name	NAPP2528638858 NORTH BRUSHY DRAW 6-INCH PIPELINE @ L-36-25S-29E
Incident Type	Release Other
Incident Status	Remediation Closure Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	NORTH BRUSHY DRAW 6-INCH PIPELINE
Date Release Discovered	10/07/2025
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Release Other
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Not answered.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Cause: Corrosion Pipeline (Any) Condensate Released: 8 BBL Recovered: 6 BBL Lost: 2 BBL.
Natural Gas Vented (Mcf) Details	Cause: Corrosion Pipeline (Any) Natural Gas Vented Released: 67 MCF Recovered: 0 MCF Lost: 67 MCF.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Notified NMOCD and NMSLO.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 594866

QUESTIONS (continued)

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 594866
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Matthew Green Title: Environmental Advisor Email: Matthew.Green@westernmidstream.com Date: 06/11/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 594866

QUESTIONS (continued)

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID:
	314437
	Action Number:
	594866
Action Type:	
[C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

QUESTIONS**Site Characterization**

Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	NM OSE iWaters Database Search
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 300 and 500 (ft.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 300 and 500 (ft.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Between 1000 (ft.) and ½ (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between ½ and 1 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No

Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)

Chloride (EPA 300.0 or SM4500 Cl B)	19000
TPH (GRO+DRO+MRO) (EPA SW-846 Method 8015M)	3110
GRO+DRO (EPA SW-846 Method 8015M)	2690
BTEX (EPA SW-846 Method 8021B or 8260B)	0.4
Benzene (EPA SW-846 Method 8021B or 8260B)	0.1

Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.

On what estimated date will the remediation commence	03/16/2026
On what date will (or did) the final sampling or liner inspection occur	03/16/2026
On what date will (or was) the remediation complete(d)	06/15/2026
What is the estimated surface area (in square feet) that will be reclaimed	1813
What is the estimated volume (in cubic yards) that will be reclaimed	269
What is the estimated surface area (in square feet) that will be remediated	1813
What is the estimated volume (in cubic yards) that will be remediated	269

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.

The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 594866

QUESTIONS (continued)

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 594866
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
(Ex Situ) Excavation and off-site disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for off-site disposal	Not answered.
OR which OCD approved well (API) will be used for off-site disposal	Not answered.
OR is the off-site disposal site, to be used, out-of-state	Yes
In which state is the disposal taking place	Texas
What is the name of the out-of-state facility	R360 Red Bluff
OR is the off-site disposal site, to be used, an NMED facility	No
(Ex Situ) Excavation and on-site remediation (i.e. On-Site Land Farms)	No
(In Situ) Soil Vapor Extraction	No
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	No
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	No
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	No
Ground Water Abatement pursuant to 19.15.30 NMAC	No
OTHER (Non-listed remedial process)	No
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Matthew Green Title: Environmental Advisor Email: Matthew.Green@westernmidstream.com Date: 06/11/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 5

Action 594866

QUESTIONS (continued)

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 594866
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Deferral Requests Only	
<i>Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.</i>	
Requesting a deferral of the remediation closure due date with the approval of this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 594866

QUESTIONS (continued)

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID:
	314437
	Action Number:
	594866
Action Type:	
[C-141] Remediation Closure Request C-141 (C-141-v-Closure)	

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	570975
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	04/08/2026
What was the (estimated) number of samples that were to be gathered	16
What was the sampling surface area in square feet	1813

Remediation Closure Request

Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.

Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	No
All areas reasonably needed for production or subsequent drilling operations have been stabilized, returned to the sites existing grade, and have a soil cover that prevents ponding of water, minimizing dust and erosion	Yes
What was the total surface area (in square feet) remediated	1813
What was the total volume (cubic yards) remediated	269
All areas not reasonably needed for production or subsequent drilling operations have been reclaimed to contain a minimum of four feet of non-waste contain earthen material with concentrations less than 600 mg/kg chlorides, 100 mg/kg TPH, 50 mg/kg BTEX, and 10 mg/kg Benzene	Yes
What was the total surface area (in square feet) reclaimed	1813
What was the total volume (in cubic yards) reclaimed	269
Summarize any additional remediation activities not included by answers (above)	On April 8, 2026, Etech conducted excavation activities based on delineation data and further driven by field screening as previously described. Laboratory analytical results indicated COC concentrations from all the final confirmation soil samples were below the applicable Site Closure Criteria. On May 6, 2026, the stockpile impacted soil was loaded into transports and sent to R360 Red Bluff in Loving County, Texas for disposal under approved waste manifest. The excavated area was backfilled with like-sourced material to surface grade. On May 19, 2026, the Site was revegetated by seeding with the NMSLO Sandy seed mixture, applied utilizing a drill seed attachment for a skid steer, in accordance with NMSLO requirements for restoration of disturbed State Trust Land.

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Matthew Green Title: Environmental Advisor Email: Matthew.Green@westernmidstream.com Date: 06/11/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 7

Action 594866

QUESTIONS (continued)

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 594866
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Reclamation Report	
Only answer the questions in this group if all reclamation steps have been completed.	
Requesting a reclamation approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 594866

CONDITIONS

Operator: Delaware Basin Midstream LLC 9950 Woodloch Forest Drive The Woodlands, TX 77380	OGRID: 314437
	Action Number: 594866
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scwells	None	6/17/2026