

Length (ft.)	Width (ft.)	Depth (in.)	Soil Spilled-Fluid Saturation	Estimated volume of each area (bbl.)
110.0	20.0	0.50	100.00%	16.317
				0.000
				0.000
				0.000
				0.000
				0.000
				0.000
				0.000
				0.000
				0.000
				0.000

Total Volume Rel



SITE INFORMATION

Closure Report
Magnum Pronto State Com 5H
Incident ID: nAPP2601652797
Lea County, New Mexico
Unit O Sec 32 T19S R32E
32.610417°, -103.787367°

Crude Oil Release
Point of Release: Tank Release
Release Date: 12/31/2025
Volume Released: 16 Barrels of Crude Oil
Volume Recovered: 16 Barrels of Crude Oil

CARMONA RESOURCES



Prepared for:
COG Operating, LLC
600 W Illinois Ave
Midland, Texas 79701

Prepared by:
Carmona Resources, LLC
310 West Wall Street
Suite 500
Midland, Texas 79701

TABLE OF CONTENTS

1.0 SITE INFORMATION AND BACKGROUND

2.0 SITE CHARACTERIZATION AND GROUNDWATER

3.0 NMAC REGULATORY CRITERIA

4.0 LINER INSPECTION ACTIVITIES

5.0 CONCLUSIONS

FIGURES

FIGURE 1 OVERVIEW

FIGURE 2 TOPOGRAPHIC

FIGURES 3 SECONDARY CONTAINMENT

APPENDICES

APPENDIX A PHOTOS

APPENDIX B N.O.R./NMOCD CORRESPONDENCE

APPENDIX C SITE CHARACTERIZATION AND GROUNDWATER

April 22, 2026

New Mexico Oil Conservation Division
1220 South St, Francis Drive
Santa Fe, New Mexico 87505

**Re: Closure Report
Magnum Pronto State Com 5H
COG Operating, LLC
Incident Number: nAPP2601652797
Site Location: Unit O, S32, T19S, R32E
(Lat 32.610417°, Long -103.787367°)
Lea County, New Mexico**

To whom it may concern:

On behalf of COG Operating LLC (COG), Carmona Resources, LLC has prepared this letter to document site activities for Lusk Deep Unit A 32. The site is located at 32.610417°, -103.787367° within Unit O, S32, T19S, R32E, in Lea County, New Mexico (Figures 1 and 2).

1.0 Site Information and Background

Based on the information obtained from the NMOCD, the release was discovered on December 31, 2025, due to a tank release. It resulted in approximately sixteen (16) barrels of crude oil being released, and sixteen (16) barrels of crude oil being recovered. See Figure 3.

2.0 Site Characterization and Groundwater

The site is located within a low karst area. Based on a review of the New Mexico Office of State Engineers and USGS databases, there are no known water source within a 0.50-mile radius of the location. The closest well is located approximately 2 miles Northwest of the site at 32.619995°, -103.819447° and was drilled in 1975. The well has a reported groundwater depth of greater than 661.56 feet below ground surface (ft bgs). A copy of the associated point of diversion is attached in Appendix B.

3.0 Site Characterization and Groundwater

Per the NMOCD regulatory criteria established in 19.15.29.12 NMAC, the following criteria were utilized in assessing the site.

- Benzene: 10 milligrams per kilogram (mg/kg).
- Benzene, toluene, ethylbenzene, and total xylenes (BTEX): 50 mg/kg.
- TPH: 100 mg/kg (GRO + DRO + MRO).
- Chloride: 600 mg/kg.

4.0 Liner Inspection Activities


Before conducting the liner inspection, the NMOCD was notified via the portal on April 15, 2026. A crew previously arrived on site to remove all freestanding fluids and the affected pea gravel was removed. After the plastic liner was thoroughly cleaned, Carmona Resources personnel inspected the liner to assess its structural integrity. On April 20, 2026, Carmona Resources, LLC conducted a liner inspection and confirmed that the liner was intact, with no integrity issues. Refer to the Photolog for details.

5.0 Conclusions

Based on the liner inspection throughout the facility, no further actions are required at the site. If you have any questions regarding this report or need additional information, don't hesitate to contact us at 432-813-6823.

Sincerely,

Carmona Resources, LLC



Conner Moehring
Environmental Manager

FIGURES

CARMONA RESOURCES






OVERVIEW MAP
COG OPERATING, LLC
MAGNUM PRONTO STATE COM 5H
LEA COUNTY, NEW MEXICO
32.610417°, -103.787367°



FIGURE 1



TOPOGRAPHIC MAP
 COG OPERATING, LLC
 LUSK DEEP UNIT A 32 (12.01.25)
 LEA COUNTY, NEW MEXICO
 32.644128, -103.795626



FIGURE 2



SECONDARY CONTAINMENT MAP
COG OPERATING, LLC
LUSK DEEP UNIT A 32 (12.01.25)
LEA COUNTY, NEW MEXICO
32.644128, -103.795626



FIGURE 3

APPENDIX A

CARMONA RESOURCES



PHOTOGRAPHIC LOG


COG Operating, LLC

Photograph No. 1

Facility: Magnum Pronto State Com 5H

County: Lea County, New Mexico

Description:
View of facility sign



Photograph No. 2

Facility: Magnum Pronto State Com 5H

County: Lea County, New Mexico

Description:
View East of cleaned liner. Red outline is the area of the liner inspection.



Photograph No. 3

Facility: Magnum Pronto State Com 5H

County: Lea County, New Mexico

Description:
View Northwest of cleaned liner. Red outline is the area of the liner inspection.



PHOTOGRAPHIC LOG

COG Operating, LLC

Photograph No. 4

Facility: Magnum Pronto State Com 5H

County: Lea County, New Mexico

Description:
View of facility sign




Photograph No. 5

Facility: Magnum Pronto State Com 5H

County: Lea County, New Mexico

Description:
View East of cleaned liner. Red outline is the area of the liner inspection.



APPENDIX B

CARMONA RESOURCES



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 544113

QUESTIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 544113
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	Magnum Pronto State Com 5H
Date Release Discovered	12/31/2025
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Other Tank (Any) Crude Oil Released: 16 BBL Recovered: 16 BBL Lost: 0 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	Not answered.
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Release in lined secondary containment.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS, Page 2

Action 544113

QUESTIONS (continued)

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 544113
	Action Type: [NOTIFY] Notification Of Release (NOR)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph 4 of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 544113

ACKNOWLEDGMENTS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 544113
	Action Type: [NOTIFY] Notification Of Release (NOR)

ACKNOWLEDGMENTS

<input checked="" type="checkbox"/>	I acknowledge that I am authorized to submit notification of a release on behalf of my operator.
<input checked="" type="checkbox"/>	I acknowledge that upon submitting this application, I will be creating a new incident file (assigned to my operator) to track the notification(s) and corrective action(s) for a release, pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I acknowledge that creating a new incident file will require my operator to file subsequent submission(s) of form "C-141, Application for administrative approval of a release notification and corrective action", pursuant to NMAC 19.15.29.
<input checked="" type="checkbox"/>	I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that the acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment.
<input checked="" type="checkbox"/>	I acknowledge the fact that, in addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 544113

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 544113
	Action Type: [NOTIFY] Notification Of Release (NOR)

CONDITIONS

Created By	Condition	Condition Date
jacquih	When submitting future reports regarding this release, please submit the calculations used or specific justification for the volumes reported on the initial C-141.	1/16/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

**State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505**

QUESTIONS

Action 575886

QUESTIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575886
	Action Type: [NOTIFY] Notification Of Liner Inspection (C-141L)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2601652797
Incident Name	NAPP2601652797 MAGNUM PRONTO STATE COM 5H @ O-32-19S-32E
Incident Type	Oil Release
Incident Status	Notification Accepted

Location of Release Source	
Site Name	MAGNUM PRONTO STATE COM 5H
Date Release Discovered	12/31/2025
Surface Owner	State

Liner Inspection Event Information	
<i>Please answer all the questions in this group.</i>	
What is the liner inspection surface area in square feet	1,500
Have all the impacted materials been removed from the liner	Yes
Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	04/20/2026
Time liner inspection will commence	09:00 AM
Please provide any information necessary for observers to liner inspection	Carmona Resources 4328136823
Please provide any information necessary for navigation to liner inspection site	Coordinates on C141

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 575886

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575886
	Action Type: [NOTIFY] Notification Of Liner Inspection (C-141L)

CONDITIONS

Created By	Condition	Condition Date
jacquih	Failure to notify the OCD of liner inspections including any changes in date/time per the requirements of 19.15.29.11.A(5)(a)(ii) NMAC, may result in the inspection not being accepted.	4/15/2026


APPENDIX C

CARMONA RESOURCES



Legend

- 0.50 Mile Radius
- 2.00 Miles
- 2.32 Miles
- Magnum Pronto State Com 5H (12.31.2025)
- USGS Water Well



Low Karst
COP Operating

Legend

-  Low
-  Magnum Pronto State Com 5H (12.31.2025)





New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned, C=the file is closed)

(quarters are smallest to largest)

(meters)

(In feet)

POD Number	Code	Sub basin	County	Q64	Q16	Q4	Sec	Tws	Range	X	Y	Map	Distance	Well Depth	Depth Water	Water Column
CP 00641 POD1		CP	ED		SE	NW	36	19S	31E	610247.0	3609634.0 *		3664	300	130	170
CP 00075	O	CP	LE		NE	SE	34	19S	32E	617502.0	3609301.0		3735	575		

Average Depth to Water: **130 feet**

Minimum Depth: **130 feet**

Maximum Depth: **130 feet**

Record Count: 2

UTM Filters (in meters):

Easting: 613806.00

Northing: 3608759.00

Radius: 4000

* UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Groundwater Geographic Area: New Mexico GO

Click to hide News Bulletins

- Explore the NEW USGS National Water Dashboard interactive map to access real-time water data from over 13,500 stations nationwide.

Groundwater levels for New Mexico

Click to hide state-specific text

Ground water level pages will be decommissioned in early 2026. These gwlevel pages are frozen as of November 18th, 2025. Please find the modernized pages in WDFN that suit you best. Learn more about our modernization plans and timeline and new pages.

Search Results -- 1 sites found

Agency code = usgs
site_no list = 323712103491001

Minimum number of levels = 1
Save file of selected sites to local disk for future upload

USGS 323712103491001 19S.32E.31.114

Lea County, New Mexico
Latitude 32°37'12", Longitude 103°49'10" NAD27
Land-surface elevation 3,497 feet above NAVD88
This well is completed in the Other aquifers (N9999OTHER) national aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1966-09			M 62610		2974.45	NGVD29	1	Z			A
1966-09			M 62611		2976.01	NAVD88	1	Z			A
1966-09			M 72019	520.99			1	Z			A
1967-07			M 62610		2990.31	NGVD29	1	Z			A
1967-07			M 62611		2991.87	NAVD88	1	Z			A
1967-07			M 72019	505.13			1	Z			A
1967-09			M 62610		2986.43	NGVD29	1	Z			A
1967-09			M 62611		2987.99	NAVD88	1	Z			A
1967-09			M 72019	509.01			1	Z			A
1967-11			M 62610		2982.96	NGVD29	1	Z			A
1967-11			M 62611		2984.52	NAVD88	1	Z			A
1967-11			M 72019	512.48			1	Z			A
1968-01			M 62610		2979.75	NGVD29	1	Z			A
1968-01			M 62611		2981.31	NAVD88	1	Z			A
1968-01			M 72019	515.69			1	Z			A
1968-03			M 62610		2976.92	NGVD29	1	Z			A
1968-03			M 62611		2978.48	NAVD88	1	Z			A
1968-03			M 72019	518.52			1	Z			A
1968-05			M 62610		2973.44	NGVD29	1	Z			A
1968-05			M 62611		2975.00	NAVD88	1	Z			A
1968-05			M 72019	522.00			1	Z			A
1968-07			M 62610		2968.86	NGVD29	1	Z			A
1968-07			M 62611		2970.42	NAVD88	1	Z			A
1968-07			M 72019	526.58			1	Z			A
1968-09			M 62610		2965.05	NGVD29	1	Z			A
1968-09			M 62611		2966.61	NAVD88	1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1968-09			M 72019	530.39			1	Z			A
1968-11			M 62610		2961.60	NGVD29	1	Z			A
1968-11			M 62611		2963.16	NAVD88	1	Z			A
1968-11			M 72019	533.84			1	Z			A
1969-01			M 62610		2958.39	NGVD29	1	Z			A
1969-01			M 62611		2959.95	NAVD88	1	Z			A
1969-01			M 72019	537.05			1	Z			A
1969-03			M 62610		2954.31	NGVD29	1	Z			A
1969-03			M 62611		2955.87	NAVD88	1	Z			A
1969-03			M 72019	541.13			1	Z			A
1969-05			M 62610		2950.86	NGVD29	1	Z			A
1969-05			M 62611		2952.42	NAVD88	1	Z			A
1969-05			M 72019	544.58			1	Z			A
1969-07			M 62610		2947.00	NGVD29	1	Z			A
1969-07			M 62611		2948.56	NAVD88	1	Z			A
1969-07			M 72019	548.44			1	Z			A
1969-09			M 62610		2943.31	NGVD29	1	Z			A
1969-09			M 62611		2944.87	NAVD88	1	Z			A
1969-09			M 72019	552.13			1	Z			A
1969-11			M 62610		2940.77	NGVD29	1	Z			A
1969-11			M 62611		2942.33	NAVD88	1	Z			A
1969-11			M 72019	554.67			1	Z			A
1970-01			M 62610		2938.01	NGVD29	1	Z			A
1970-01			M 62611		2939.57	NAVD88	1	Z			A
1970-01			M 72019	557.43			1	Z			A
1970-03			M 62610		2936.13	NGVD29	1	Z			A
1970-03			M 62611		2937.69	NAVD88	1	Z			A
1970-03			M 72019	559.31			1	Z			A
1970-05			M 62610		2932.48	NGVD29	1	Z			A
1970-05			M 62611		2934.04	NAVD88	1	Z			A
1970-05			M 72019	562.96			1	Z			A
1970-07			M 62610		2928.11	NGVD29	1	Z			A
1970-07			M 62611		2929.67	NAVD88	1	Z			A
1970-07			M 72019	567.33			1	Z			A
1970-09			M 62610		2923.92	NGVD29	1	Z			A
1970-09			M 62611		2925.48	NAVD88	1	Z			A
1970-09			M 72019	571.52			1	Z			A
1970-11			M 62610		2921.27	NGVD29	1	Z			A
1970-11			M 62611		2922.83	NAVD88	1	Z			A
1970-11			M 72019	574.17			1	Z			A
1971-01			M 62610		2917.43	NGVD29	1	Z			A
1971-01			M 62611		2918.99	NAVD88	1	Z			A
1971-01			M 72019	578.01			1	Z			A
1971-03			M 62610		2914.32	NGVD29	1	Z			A
1971-03			M 62611		2915.88	NAVD88	1	Z			A
1971-03			M 72019	581.12			1	Z			A
1971-05			M 62610		2908.92	NGVD29	1	Z			A
1971-05			M 62611		2910.48	NAVD88	1	Z			A
1971-05			M 72019	586.52			1	Z			A
1971-07			M 62610		2904.68	NGVD29	1	Z			A
1971-07			M 62611		2906.24	NAVD88	1	Z			A
1971-07			M 72019	590.76			1	Z			A
1971-09			M 62610		2901.09	NGVD29	1	Z			A
1971-09			M 62611		2902.65	NAVD88	1	Z			A
1971-09			M 72019	594.35			1	Z			A
1971-11			M 62610		2898.49	NGVD29	1	Z			A
1971-11			M 62611		2900.05	NAVD88	1	Z			A
1971-11			M 72019	596.95			1	Z			A
1972-01			M 62610		2896.02	NGVD29	1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1972-01			M	62611		2897.58	NAVD88	1	Z		A
1972-01			M	72019	599.42			1	Z		A
1972-03			M	62610		2893.24	NGVD29	1	Z		A
1972-03			M	62611		2894.80	NAVD88	1	Z		A
1972-03			M	72019	602.20			1	Z		A
1972-05			M	62610		2889.97	NGVD29	1	Z		A
1972-05			M	62611		2891.53	NAVD88	1	Z		A
1972-05			M	72019	605.47			1	Z		A
1972-07			M	62610		2886.81	NGVD29	1	Z		A
1972-07			M	62611		2888.37	NAVD88	1	Z		A
1972-07			M	72019	608.63			1	Z		A
1972-09			M	62610		2884.10	NGVD29	1	Z		A
1972-09			M	62611		2885.66	NAVD88	1	Z		A
1972-09			M	72019	611.34			1	Z		A
1972-11			M	62610		2882.57	NGVD29	1	Z		A
1972-11			M	62611		2884.13	NAVD88	1	Z		A
1972-11			M	72019	612.87			1	Z		A
1973-01			M	62610		2880.52	NGVD29	1	Z		A
1973-01			M	62611		2882.08	NAVD88	1	Z		A
1973-01			M	72019	614.92			1	Z		A
1973-03			M	62610		2879.59	NGVD29	1	Z		A
1973-03			M	62611		2881.15	NAVD88	1	Z		A
1973-03			M	72019	615.85			1	Z		A
1973-05			M	62610		2874.74	NGVD29	1	Z		A
1973-05			M	62611		2876.30	NAVD88	1	Z		A
1973-05			M	72019	620.70			1	Z		A
1973-07			M	62610		2871.78	NGVD29	1	Z		A
1973-07			M	62611		2873.34	NAVD88	1	Z		A
1973-07			M	72019	623.66			1	Z		A
1973-09			M	62610		2865.11	NGVD29	1	Z		A
1973-09			M	62611		2866.67	NAVD88	1	Z		A
1973-09			M	72019	630.33			1	Z		A
1973-11			M	62610		2862.56	NGVD29	1	Z		A
1973-11			M	62611		2864.12	NAVD88	1	Z		A
1973-11			M	72019	632.88			1	Z		A
1974-01			M	62610		2859.06	NGVD29	1	Z		A
1974-01			M	62611		2860.62	NAVD88	1	Z		A
1974-01			M	72019	636.38			1	Z		A
1974-03			M	62610		2856.03	NGVD29	1	Z		A
1974-03			M	62611		2857.59	NAVD88	1	Z		A
1974-03			M	72019	639.41			1	Z		A
1974-05			M	62610		2850.30	NGVD29	1	Z		A
1974-05			M	62611		2851.86	NAVD88	1	Z		A
1974-05			M	72019	645.14			1	Z		A
1974-09			M	62610		2844.19	NGVD29	1	Z		A
1974-09			M	62611		2845.75	NAVD88	1	Z		A
1974-09			M	72019	651.25			1	Z		A
1975-03-21			D	62610		2839.65	NGVD29	1	Z		A
1975-03-21			D	62611		2841.21	NAVD88	1	Z		A
1975-03-21			D	72019	655.79			1	Z		A
1975-03-22			D	62610		2839.78	NGVD29	1	Z		A
1975-03-22			D	62611		2841.34	NAVD88	1	Z		A
1975-03-22			D	72019	655.66			1	Z		A
1975-03-23			D	62610		2839.84	NGVD29	1	Z		A
1975-03-23			D	62611		2841.40	NAVD88	1	Z		A
1975-03-23			D	72019	655.60			1	Z		A
1975-03-24			D	62610		2839.59	NGVD29	1	Z		A
1975-03-24			D	62611		2841.15	NAVD88	1	Z		A
1975-03-24			D	72019	655.85			1	Z		A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1975-03-25			D 62610		2839.58	NGVD29	1	Z			A
1975-03-25			D 62611		2841.14	NAVD88	1	Z			A
1975-03-25			D 72019	655.86			1	Z			A
1975-03-26			D 62610		2839.79	NGVD29	1	Z			A
1975-03-26			D 62611		2841.35	NAVD88	1	Z			A
1975-03-26			D 72019	655.65			1	Z			A
1975-03-27			D 62610		2839.74	NGVD29	1	Z			A
1975-03-27			D 62611		2841.30	NAVD88	1	Z			A
1975-03-27			D 72019	655.70			1	Z			A
1975-03-28			D 62610		2839.56	NGVD29	1	Z			A
1975-03-28			D 62611		2841.12	NAVD88	1	Z			A
1975-03-28			D 72019	655.88			1	Z			A
1975-03-29			D 62610		2839.39	NGVD29	1	Z			A
1975-03-29			D 62611		2840.95	NAVD88	1	Z			A
1975-03-29			D 72019	656.05			1	Z			A
1975-03-30			D 62610		2839.34	NGVD29	1	Z			A
1975-03-30			D 62611		2840.90	NAVD88	1	Z			A
1975-03-30			D 72019	656.10			1	Z			A
1975-03-31			D 62610		2839.55	NGVD29	1	Z			A
1975-03-31			D 62611		2841.11	NAVD88	1	Z			A
1975-03-31			D 72019	655.89			1	Z			A
1975-04-01			D 62610		2839.48	NGVD29	1	Z			A
1975-04-01			D 62611		2841.04	NAVD88	1	Z			A
1975-04-01			D 72019	655.96			1	Z			A
1975-04-02			D 62610		2839.30	NGVD29	1	Z			A
1975-04-02			D 62611		2840.86	NAVD88	1	Z			A
1975-04-02			D 72019	656.14			1	Z			A
1975-04-03			D 62610		2839.15	NGVD29	1	Z			A
1975-04-03			D 62611		2840.71	NAVD88	1	Z			A
1975-04-03			D 72019	656.29			1	Z			A
1975-04-04			D 62610		2839.24	NGVD29	1	Z			A
1975-04-04			D 62611		2840.80	NAVD88	1	Z			A
1975-04-04			D 72019	656.20			1	Z			A
1975-04-05			D 62610		2839.19	NGVD29	1	Z			A
1975-04-05			D 62611		2840.75	NAVD88	1	Z			A
1975-04-05			D 72019	656.25			1	Z			A
1975-04-06			D 62610		2839.21	NGVD29	1	Z			A
1975-04-06			D 62611		2840.77	NAVD88	1	Z			A
1975-04-06			D 72019	656.23			1	Z			A
1975-04-07			D 62610		2839.37	NGVD29	1	Z			A
1975-04-07			D 62611		2840.93	NAVD88	1	Z			A
1975-04-07			D 72019	656.07			1	Z			A
1975-04-08			D 62610		2839.16	NGVD29	1	Z			A
1975-04-08			D 62611		2840.72	NAVD88	1	Z			A
1975-04-08			D 72019	656.28			1	Z			A
1975-04-09			D 62610		2838.96	NGVD29	1	Z			A
1975-04-09			D 62611		2840.52	NAVD88	1	Z			A
1975-04-09			D 72019	656.48			1	Z			A
1975-04-10			D 62610		2839.02	NGVD29	1	Z			A
1975-04-10			D 62611		2840.58	NAVD88	1	Z			A
1975-04-10			D 72019	656.42			1	Z			A
1975-04-11			D 62610		2838.81	NGVD29	1	Z			A
1975-04-11			D 62611		2840.37	NAVD88	1	Z			A
1975-04-11			D 72019	656.63			1	Z			A
1975-04-12			D 62610		2838.82	NGVD29	1	Z			A
1975-04-12			D 62611		2840.38	NAVD88	1	Z			A
1975-04-12			D 72019	656.62			1	Z			A
1975-04-13			D 62610		2838.89	NGVD29	1	Z			A
1975-04-13			D 62611		2840.45	NAVD88	1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1975-04-13			D 72019	656.55			1	Z			A
1975-04-14			D 62610		2838.73	NGVD29	1	Z			A
1975-04-14			D 62611		2840.29	NAVD88	1	Z			A
1975-04-14			D 72019	656.71			1	Z			A
1975-04-15			D 62610		2838.69	NGVD29	1	Z			A
1975-04-15			D 62611		2840.25	NAVD88	1	Z			A
1975-04-15			D 72019	656.75			1	Z			A
1975-04-16			D 62610		2838.74	NGVD29	1	Z			A
1975-04-16			D 62611		2840.30	NAVD88	1	Z			A
1975-04-16			D 72019	656.70			1	Z			A
1975-04-17			D 62610		2838.86	NGVD29	1	Z			A
1975-04-17			D 62611		2840.42	NAVD88	1	Z			A
1975-04-17			D 72019	656.58			1	Z			A
1975-04-18			D 62610		2838.82	NGVD29	1	Z			A
1975-04-18			D 62611		2840.38	NAVD88	1	Z			A
1975-04-18			D 72019	656.62			1	Z			A
1975-04-19			D 62610		2838.51	NGVD29	1	Z			A
1975-04-19			D 62611		2840.07	NAVD88	1	Z			A
1975-04-19			D 72019	656.93			1	Z			A
1975-04-20			D 62610		2838.48	NGVD29	1	Z			A
1975-04-20			D 62611		2840.04	NAVD88	1	Z			A
1975-04-20			D 72019	656.96			1	Z			A
1975-04-21			D 62610		2838.39	NGVD29	1	Z			A
1975-04-21			D 62611		2839.95	NAVD88	1	Z			A
1975-04-21			D 72019	657.05			1	Z			A
1975-04-22			D 62610		2838.41	NGVD29	1	Z			A
1975-04-22			D 62611		2839.97	NAVD88	1	Z			A
1975-04-22			D 72019	657.03			1	Z			A
1975-04-23			D 62610		2838.42	NGVD29	1	Z			A
1975-04-23			D 62611		2839.98	NAVD88	1	Z			A
1975-04-23			D 72019	657.02			1	Z			A
1975-04-24			D 62610		2838.40	NGVD29	1	Z			A
1975-04-24			D 62611		2839.96	NAVD88	1	Z			A
1975-04-24			D 72019	657.04			1	Z			A
1975-04-25			D 62610		2838.38	NGVD29	1	Z			A
1975-04-25			D 62611		2839.94	NAVD88	1	Z			A
1975-04-25			D 72019	657.06			1	Z			A
1975-04-26			D 62610		2838.42	NGVD29	1	Z			A
1975-04-26			D 62611		2839.98	NAVD88	1	Z			A
1975-04-26			D 72019	657.02			1	Z			A
1975-04-27			D 62610		2838.41	NGVD29	1	Z			A
1975-04-27			D 62611		2839.97	NAVD88	1	Z			A
1975-04-27			D 72019	657.03			1	Z			A
1975-04-28			D 62610		2838.27	NGVD29	1	Z			A
1975-04-28			D 62611		2839.83	NAVD88	1	Z			A
1975-04-28			D 72019	657.17			1	Z			A
1975-04-29			D 62610		2838.32	NGVD29	1	Z			A
1975-04-29			D 62611		2839.88	NAVD88	1	Z			A
1975-04-29			D 72019	657.12			1	Z			A
1975-04-30			D 62610		2838.12	NGVD29	1	Z			A
1975-04-30			D 62611		2839.68	NAVD88	1	Z			A
1975-04-30			D 72019	657.32			1	Z			A
1975-05-01			D 62610		2838.03	NGVD29	1	Z			A
1975-05-01			D 62611		2839.59	NAVD88	1	Z			A
1975-05-01			D 72019	657.41			1	Z			A
1975-05-02			D 62610		2838.03	NGVD29	1	Z			A
1975-05-02			D 62611		2839.59	NAVD88	1	Z			A
1975-05-02			D 72019	657.41			1	Z			A
1975-05-03			D 62610		2837.93	NGVD29	1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1975-05-03			D 62611		2839.49	NAVD88	1	Z			A
1975-05-03			D 72019	657.51			1	Z			A
1975-05-04			D 62610		2837.98	NGVD29	1	Z			A
1975-05-04			D 62611		2839.54	NAVD88	1	Z			A
1975-05-04			D 72019	657.46			1	Z			A
1975-05-05			D 62610		2838.02	NGVD29	1	Z			A
1975-05-05			D 62611		2839.58	NAVD88	1	Z			A
1975-05-05			D 72019	657.42			1	Z			A
1975-05-06			D 62610		2837.91	NGVD29	1	Z			A
1975-05-06			D 62611		2839.47	NAVD88	1	Z			A
1975-05-06			D 72019	657.53			1	Z			A
1975-05-07			D 62610		2837.85	NGVD29	1	Z			A
1975-05-07			D 62611		2839.41	NAVD88	1	Z			A
1975-05-07			D 72019	657.59			1	Z			A
1975-05-08			D 62610		2837.74	NGVD29	1	Z			A
1975-05-08			D 62611		2839.30	NAVD88	1	Z			A
1975-05-08			D 72019	657.70			1	Z			A
1975-05-09			D 62610		2837.63	NGVD29	1	Z			A
1975-05-09			D 62611		2839.19	NAVD88	1	Z			A
1975-05-09			D 72019	657.81			1	Z			A
1975-05-10			D 62610		2837.56	NGVD29	1	Z			A
1975-05-10			D 62611		2839.12	NAVD88	1	Z			A
1975-05-10			D 72019	657.88			1	Z			A
1975-05-11			D 62610		2837.57	NGVD29	1	Z			A
1975-05-11			D 62611		2839.13	NAVD88	1	Z			A
1975-05-11			D 72019	657.87			1	Z			A
1975-05-12			D 62610		2837.62	NGVD29	1	Z			A
1975-05-12			D 62611		2839.18	NAVD88	1	Z			A
1975-05-12			D 72019	657.82			1	Z			A
1975-05-13			D 62610		2837.62	NGVD29	1	Z			A
1975-05-13			D 62611		2839.18	NAVD88	1	Z			A
1975-05-13			D 72019	657.82			1	Z			A
1975-05-14			D 62610		2837.47	NGVD29	1	Z			A
1975-05-14			D 62611		2839.03	NAVD88	1	Z			A
1975-05-14			D 72019	657.97			1	Z			A
1975-05-15			D 62610		2837.41	NGVD29	1	Z			A
1975-05-15			D 62611		2838.97	NAVD88	1	Z			A
1975-05-15			D 72019	658.03			1	Z			A
1975-05-16			D 62610		2837.42	NGVD29	1	Z			A
1975-05-16			D 62611		2838.98	NAVD88	1	Z			A
1975-05-16			D 72019	658.02			1	Z			A
1975-05-17			D 62610		2837.34	NGVD29	1	Z			A
1975-05-17			D 62611		2838.90	NAVD88	1	Z			A
1975-05-17			D 72019	658.10			1	Z			A
1975-05-18			D 62610		2837.26	NGVD29	1	Z			A
1975-05-18			D 62611		2838.82	NAVD88	1	Z			A
1975-05-18			D 72019	658.18			1	Z			A
1975-05-19			D 62610		2837.27	NGVD29	1	Z			A
1975-05-19			D 62611		2838.83	NAVD88	1	Z			A
1975-05-19			D 72019	658.17			1	Z			A
1975-05-20			D 62610		2837.34	NGVD29	1	Z			A
1975-05-20			D 62611		2838.90	NAVD88	1	Z			A
1975-05-20			D 72019	658.10			1	Z			A
1975-05-21			D 62610		2837.22	NGVD29	1	Z			A
1975-05-21			D 62611		2838.78	NAVD88	1	Z			A
1975-05-21			D 72019	658.22			1	Z			A
1975-05-22			D 62610		2837.21	NGVD29	1	Z			A
1975-05-22			D 62611		2838.77	NAVD88	1	Z			A
1975-05-22			D 72019	658.23			1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1975-05-23			D 62610		2837.02	NGVD29	1	Z			A
1975-05-23			D 62611		2838.58	NAVD88	1	Z			A
1975-05-23			D 72019	658.42			1	Z			A
1975-05-24			D 62610		2837.00	NGVD29	1	Z			A
1975-05-24			D 62611		2838.56	NAVD88	1	Z			A
1975-05-24			D 72019	658.44			1	Z			A
1975-05-25			D 62610		2836.99	NGVD29	1	Z			A
1975-05-25			D 62611		2838.55	NAVD88	1	Z			A
1975-05-25			D 72019	658.45			1	Z			A
1975-05-26			D 62610		2836.81	NGVD29	1	Z			A
1975-05-26			D 62611		2838.37	NAVD88	1	Z			A
1975-05-26			D 72019	658.63			1	Z			A
1975-05-27			D 62610		2836.84	NGVD29	1	Z			A
1975-05-27			D 62611		2838.40	NAVD88	1	Z			A
1975-05-27			D 72019	658.60			1	Z			A
1975-05-28			D 62610		2836.97	NGVD29	1	Z			A
1975-05-28			D 62611		2838.53	NAVD88	1	Z			A
1975-05-28			D 72019	658.47			1	Z			A
1975-05-29			D 62610		2836.89	NGVD29	1	Z			A
1975-05-29			D 62611		2838.45	NAVD88	1	Z			A
1975-05-29			D 72019	658.55			1	Z			A
1975-05-30			D 62610		2836.68	NGVD29	1	Z			A
1975-05-30			D 62611		2838.24	NAVD88	1	Z			A
1975-05-30			D 72019	658.76			1	Z			A
1975-05-31			D 62610		2836.67	NGVD29	1	Z			A
1975-05-31			D 62611		2838.23	NAVD88	1	Z			A
1975-05-31			D 72019	658.77			1	Z			A
1975-06-01			D 62610		2836.61	NGVD29	1	Z			A
1975-06-01			D 62611		2838.17	NAVD88	1	Z			A
1975-06-01			D 72019	658.83			1	Z			A
1975-06-02			D 62610		2836.51	NGVD29	1	Z			A
1975-06-02			D 62611		2838.07	NAVD88	1	Z			A
1975-06-02			D 72019	658.93			1	Z			A
1975-06-03			D 62610		2836.56	NGVD29	1	Z			A
1975-06-03			D 62611		2838.12	NAVD88	1	Z			A
1975-06-03			D 72019	658.88			1	Z			A
1975-06-04			D 62610		2836.55	NGVD29	1	Z			A
1975-06-04			D 62611		2838.11	NAVD88	1	Z			A
1975-06-04			D 72019	658.89			1	Z			A
1975-06-05			D 62610		2836.44	NGVD29	1	Z			A
1975-06-05			D 62611		2838.00	NAVD88	1	Z			A
1975-06-05			D 72019	659.00			1	Z			A
1975-06-06			D 62610		2836.34	NGVD29	1	Z			A
1975-06-06			D 62611		2837.90	NAVD88	1	Z			A
1975-06-06			D 72019	659.10			1	Z			A
1975-06-07			D 62610		2836.31	NGVD29	1	Z			A
1975-06-07			D 62611		2837.87	NAVD88	1	Z			A
1975-06-07			D 72019	659.13			1	Z			A
1975-06-08			D 62610		2836.28	NGVD29	1	Z			A
1975-06-08			D 62611		2837.84	NAVD88	1	Z			A
1975-06-08			D 72019	659.16			1	Z			A
1975-06-09			D 62610		2836.23	NGVD29	1	Z			A
1975-06-09			D 62611		2837.79	NAVD88	1	Z			A
1975-06-09			D 72019	659.21			1	Z			A
1975-06-10			D 62610		2836.09	NGVD29	1	Z			A
1975-06-10			D 62611		2837.65	NAVD88	1	Z			A
1975-06-10			D 72019	659.35			1	Z			A
1975-06-11			D 62610		2835.94	NGVD29	1	Z			A
1975-06-11			D 62611		2837.50	NAVD88	1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1975-06-11			D 72019	659.50			1	Z			A
1975-06-13			D 62610		2835.91	NGVD29	1	Z			A
1975-06-13			D 62611		2837.47	NAVD88	1	Z			A
1975-06-13			D 72019	659.53			1	Z			A
1975-06-14			D 62610		2835.92	NGVD29	1	Z			A
1975-06-14			D 62611		2837.48	NAVD88	1	Z			A
1975-06-14			D 72019	659.52			1	Z			A
1975-06-15			D 62610		2835.83	NGVD29	1	Z			A
1975-06-15			D 62611		2837.39	NAVD88	1	Z			A
1975-06-15			D 72019	659.61			1	Z			A
1975-06-16			D 62610		2835.87	NGVD29	1	Z			A
1975-06-16			D 62611		2837.43	NAVD88	1	Z			A
1975-06-16			D 72019	659.57			1	Z			A
1975-06-17			D 62610		2835.83	NGVD29	1	Z			A
1975-06-17			D 62611		2837.39	NAVD88	1	Z			A
1975-06-17			D 72019	659.61			1	Z			A
1975-06-18			D 62610		2835.77	NGVD29	1	Z			A
1975-06-18			D 62611		2837.33	NAVD88	1	Z			A
1975-06-18			D 72019	659.67			1	Z			A
1975-06-19			D 62610		2835.57	NGVD29	1	Z			A
1975-06-19			D 62611		2837.13	NAVD88	1	Z			A
1975-06-19			D 72019	659.87			1	Z			A
1975-06-20			D 62610		2835.47	NGVD29	1	Z			A
1975-06-20			D 62611		2837.03	NAVD88	1	Z			A
1975-06-20			D 72019	659.97			1	Z			A
1975-06-21			D 62610		2835.43	NGVD29	1	Z			A
1975-06-21			D 62611		2836.99	NAVD88	1	Z			A
1975-06-21			D 72019	660.01			1	Z			A
1975-06-22			D 62610		2835.35	NGVD29	1	Z			A
1975-06-22			D 62611		2836.91	NAVD88	1	Z			A
1975-06-22			D 72019	660.09			1	Z			A
1975-06-23			D 62610		2835.22	NGVD29	1	Z			A
1975-06-23			D 62611		2836.78	NAVD88	1	Z			A
1975-06-23			D 72019	660.22			1	Z			A
1975-06-24			D 62610		2835.12	NGVD29	1	Z			A
1975-06-24			D 62611		2836.68	NAVD88	1	Z			A
1975-06-24			D 72019	660.32			1	Z			A
1975-06-25			D 62610		2835.16	NGVD29	1	Z			A
1975-06-25			D 62611		2836.72	NAVD88	1	Z			A
1975-06-25			D 72019	660.28			1	Z			A
1975-06-26			D 62610		2835.16	NGVD29	1	Z			A
1975-06-26			D 62611		2836.72	NAVD88	1	Z			A
1975-06-26			D 72019	660.28			1	Z			A
1975-06-27			D 62610		2835.08	NGVD29	1	Z			A
1975-06-27			D 62611		2836.64	NAVD88	1	Z			A
1975-06-27			D 72019	660.36			1	Z			A
1975-06-28			D 62610		2835.02	NGVD29	1	Z			A
1975-06-28			D 62611		2836.58	NAVD88	1	Z			A
1975-06-28			D 72019	660.42			1	Z			A
1975-06-29			D 62610		2834.91	NGVD29	1	Z			A
1975-06-29			D 62611		2836.47	NAVD88	1	Z			A
1975-06-29			D 72019	660.53			1	Z			A
1975-06-30			D 62610		2834.79	NGVD29	1	Z			A
1975-06-30			D 62611		2836.35	NAVD88	1	Z			A
1975-06-30			D 72019	660.65			1	Z			A
1975-07-01			D 62610		2834.71	NGVD29	1	Z			A
1975-07-01			D 62611		2836.27	NAVD88	1	Z			A
1975-07-01			D 72019	660.73			1	Z			A
1975-07-02			D 62610		2834.62	NGVD29	1	Z			A

Date	Time	Water-level date-time accuracy	Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	Status	Method of measurement	Measuring agency	Source of measurement	Water-level approval status
1975-07-02		D	62611		2836.18	NAVD88	1	Z			A
1975-07-02		D	72019	660.82			1	Z			A
1975-07-03		D	62610		2834.56	NGVD29	1	Z			A
1975-07-03		D	62611		2836.12	NAVD88	1	Z			A
1975-07-03		D	72019	660.88			1	Z			A
1975-07-04		D	62610		2834.49	NGVD29	1	Z			A
1975-07-04		D	62611		2836.05	NAVD88	1	Z			A
1975-07-04		D	72019	660.95			1	Z			A
1975-07-05		D	62610		2834.50	NGVD29	1	Z			A
1975-07-05		D	62611		2836.06	NAVD88	1	Z			A
1975-07-05		D	72019	660.94			1	Z			A
1975-07-06		D	62610		2834.51	NGVD29	1	Z			A
1975-07-06		D	62611		2836.07	NAVD88	1	Z			A
1975-07-06		D	72019	660.93			1	Z			A
1975-07-07		D	62610		2834.42	NGVD29	1	Z			A
1975-07-07		D	62611		2835.98	NAVD88	1	Z			A
1975-07-07		D	72019	661.02			1	Z			A
1975-07-08		D	62610		2834.31	NGVD29	1	Z			A
1975-07-08		D	62611		2835.87	NAVD88	1	Z			A
1975-07-08		D	72019	661.13			1	Z			A
1975-07-09		D	62610		2834.29	NGVD29	1	Z			A
1975-07-09		D	62611		2835.85	NAVD88	1	Z			A
1975-07-09		D	72019	661.15			1	Z			A
1975-07-10		D	62610		2834.28	NGVD29	1	Z			A
1975-07-10		D	62611		2835.84	NAVD88	1	Z			A
1975-07-10		D	72019	661.16			1	Z			A
1975-07-11		D	62610		2834.23	NGVD29	1	Z			A
1975-07-11		D	62611		2835.79	NAVD88	1	Z			A
1975-07-11		D	72019	661.21			1	Z			A
1975-07-12		D	62610		2834.22	NGVD29	1	Z			A
1975-07-12		D	62611		2835.78	NAVD88	1	Z			A
1975-07-12		D	72019	661.22			1	Z			A
1975-07-13		D	62610		2834.15	NGVD29	1	Z			A
1975-07-13		D	62611		2835.71	NAVD88	1	Z			A
1975-07-13		D	72019	661.29			1	Z			A
1975-07-14		D	62610		2834.10	NGVD29	1	Z			A
1975-07-14		D	62611		2835.66	NAVD88	1	Z			A
1975-07-14		D	72019	661.34			1	Z			A
1975-07-15		D	62610		2833.99	NGVD29	1	Z			A
1975-07-15		D	62611		2835.55	NAVD88	1	Z			A
1975-07-15		D	72019	661.45			1	Z			A
1975-07-16		D	62610		2833.93	NGVD29	1	Z			A
1975-07-16		D	62611		2835.49	NAVD88	1	Z			A
1975-07-16		D	72019	661.51			1	Z			A
1975-07-17		D	62610		2833.88	NGVD29	1	Z			A
1975-07-17		D	62611		2835.44	NAVD88	1	Z			A
1975-07-17		D	72019	661.56			1	Z			A

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Water-level date-time accuracy	M	Date is accurate to the Month
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static

Section	Code	Description
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

[Questions or Comments](#)

[Help](#)

[Data Tips](#)

[Explanation of terms](#)

[Subscribe for system changes](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)

[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels

URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)

Page Last Modified: 2026-02-02 14:24:09 EST

0.37 0.31 nadww02



USGS Home
Contact USGS
Search USGS

National Water Information System: Web Interface

USGS Water Resources

Data Category: Geographic Area:

Click to hide News Bulletins

- Explore the [NEW USGS National Water Dashboard](#) interactive map to access real-time water data from over 13,500 stations nationwide.

Groundwater levels for New Mexico

Click to hide state-specific text

i Ground water level pages will be decommissioned in early 2026. These gwlevel pages are frozen as of November 18th, 2025. Please find the [modernized pages in WDFN](#) that suit you best. Learn more about our [modernization plans and timeline](#) and [new pages](#).

Search Results -- 1 sites found

Agency code = usgs
site_no list =

- 323641103444801

Minimum number of levels = 1
[Save file of selected sites](#) to local disk for future upload

USGS 323641103444801 19S.32E.34.42322

Lea County, New Mexico
Latitude 32°36'53", Longitude 103°44'52" NAD27
Land-surface elevation 3,559.00 feet above NGVD29
The depth of the well is 575 feet below land surface.
This well is completed in the Other aquifers (N9999OTHER) national aquifer.
This well is completed in the Santa Rosa Sandstone (231SNRS) local aquifer.

Output formats

Table of data
Tab-separated data
Graph of data
Reselect period

Date	Time	? Water-level date-time accuracy	? Parameter code	Water level, feet below land surface	Water level, feet above specific vertical datum	Referenced vertical datum	? Status	? Method of measurement	? Measuring agency	? Source of measurement	? Water-level approval status
1965-11-18			D	62610	3295.16	NGVD29	1	Z			A
1965-11-18			D	62611	3296.72	NAVD88	1	Z			A
1965-11-18			D	72019	263.84		1	Z			A
1968-06-27			D	62610	3303.50	NGVD29	1	Z			A
1968-06-27			D	62611	3305.06	NAVD88	1	Z			A
1968-06-27			D	72019	255.50		1	Z			A
1971-01-28			D	62610	3306.73	NGVD29	1	Z			A
1971-01-28			D	62611	3308.29	NAVD88	1	Z			A
1971-01-28			D	72019	252.27		1	Z			A
1976-12-14			D	62610	3311.62	NGVD29	1	Z			A
1976-12-14			D	62611	3313.18	NAVD88	1	Z			A
1976-12-14			D	72019	247.38		1	Z			A
1986-03-27			D	62610	3310.26	NGVD29	1	Z			A
1986-03-27			D	62611	3311.82	NAVD88	1	Z			A
1986-03-27			D	72019	248.74		1	Z			A
1991-05-24			D	62610	3310.46	NGVD29	1	Z			A
1991-05-24			D	62611	3312.02	NAVD88	1	Z			A
1991-05-24			D	72019	248.54		1	Z			A
1996-02-06			D	62610	3312.81	NGVD29	1	S			A
1996-02-06			D	62611	3314.37	NAVD88	1	S			A
1996-02-06			D	72019	246.19		1	S			A

Explanation

Section	Code	Description
Water-level date-time accuracy	D	Date is accurate to the Day
Parameter code	62610	Groundwater level above NGVD 1929, feet
Parameter code	62611	Groundwater level above NAVD 1988, feet
Parameter code	72019	Depth to water level, feet below land surface
Referenced vertical datum	NAVD88	North American Vertical Datum of 1988
Referenced vertical datum	NGVD29	National Geodetic Vertical Datum of 1929
Status	1	Static
Method of measurement	S	Steel-tape measurement.
Method of measurement	Z	Other.
Measuring agency		Not determined
Source of measurement		Not determined
Water-level approval status	A	Approved for publication -- Processing and review completed.

- [Questions or Comments](#)
- [Help](#)
- [Data Tips](#)
- [Explanation of terms](#)
- [Subscribe for system changes](#)

[Accessibility](#) [FOIA](#) [Privacy](#) [Policies and Notices](#)


[U.S. Department of the Interior](#) | [U.S. Geological Survey](#)

Title: Groundwater for New Mexico: Water Levels
URL: <https://nwis.waterdata.usgs.gov/nm/nwis/gwlevels?>



Page Contact Information: [New Mexico Water Data Maintainer](#)
Page Last Modified: 2026-02-02 14:25:50 EST
0.36 0.3 nadww02

Magnum Pronto State Com 5H (12.31.2025)




1/29/2026

USA Flood Hazard Areas


 1% Annual Chance Flood Hazard

World_Hillshade




Esri, NASA, NGA, USGS, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community

Magnum Pronto State Com 5H (12.31.2025)



2/2/2026, 1:13:08 PM

1:144,448




Esri, NASA, NGA, USGS, Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, © OpenStreetMap contributors, and the GIS User Community




U.S. Fish and Wildlife Service
National Wetlands Inventory

Magnum Pronto State Com 5H (12.31.2025)



February 2, 2026

Wetlands

-  Estuarine and Marine Deepwater
-  Freshwater Emergent Wetland
-  Lake
-  Estuarine and Marine Wetland
-  Freshwater Forested/Shrub Wetland
-  Other
-  Freshwater Pond
-  Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 575673

QUESTIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575673
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Prerequisites	
Incident ID (n#)	nAPP2601652797
Incident Name	NAPP2601652797 MAGNUM PRONTO STATE COM 5H @ O-32-19S-32E
Incident Type	Oil Release
Incident Status	Remediation Closure Report Received

Location of Release Source	
<i>Please answer all the questions in this group.</i>	
Site Name	MAGNUM PRONTO STATE COM 5H
Date Release Discovered	12/31/2025
Surface Owner	State

Incident Details	
<i>Please answer all the questions in this group.</i>	
Incident Type	Oil Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
<i>Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.</i>	
Crude Oil Released (bbls) Details	Cause: Other Tank (Any) Crude Oil Released: 16 BBL Recovered: 16 BBL Lost: 0 BBL.
Produced Water Released (bbls) Details	Not answered.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	Not answered.
Natural Gas Vented (Mcf) Details	Not answered.
Natural Gas Flared (Mcf) Details	Not answered.
Other Released Details	Not answered.
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Release in lined secondary containment.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 2

Action 575673

QUESTIONS (continued)

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575673
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	No, according to supplied volumes this does not appear to be a "gas only" report.
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	No
Reasons why this would be considered a submission for a notification of a major release	<i>Unavailable.</i>
<i>With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.</i>	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.

The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	<i>Not answered.</i>

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Jacqui Harris Title: Sr Environment Engineer Email: jacqui.harris@conocophillips.com Date: 05/22/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 3

Action 575673

QUESTIONS (continued)

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575673
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Site Characterization
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	U.S. Geological Survey
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Greater than 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Greater than 5 (mi.)
Any other fresh water well or spring	Greater than 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Between 1 and 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Greater than 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan

Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

Requesting a remediation plan approval with this submission	Yes
<i>Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.</i>	
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	Yes
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
On what estimated date will the remediation commence	04/13/2026
On what date will (or did) the final sampling or liner inspection occur	04/20/2026
On what date will (or was) the remediation complete(d)	04/20/2026
What is the estimated surface area (in square feet) that will be remediated	1500
What is the estimated volume (in cubic yards) that will be remediated	0

These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed. The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 4

Action 575673

QUESTIONS (continued)

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575673
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Remediation Plan (continued)	
<i>Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.</i>	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
<i>(Select all answers below that apply.)</i>	
Is (or was) there affected material present needing to be removed	Yes
Is (or was) there a power wash of the lined containment area (to be) performed	Yes
OTHER (Non-listed remedial process)	Not answered.
<i>Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.</i>	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Jacqui Harris Title: Sr Environment Engineer Email: jacqui.harris@conocophillips.com Date: 06/10/2026
<i>The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.</i>	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS, Page 6

Action 575673

QUESTIONS (continued)

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575673
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

QUESTIONS

Liner Inspection Information	
Last liner inspection notification (C-141L) recorded	575886
Liner inspection date pursuant to Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC	04/20/2026
Was all the impacted materials removed from the liner	Yes
What was the liner inspection surface area in square feet	1500

Remediation Closure Request	
<i>Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.</i>	
Requesting a remediation closure approval with this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	Yes
Was this release entirely contained within a lined containment area	Yes
What was the total surface area (in square feet) remediated	1500
What was the total volume (cubic yards) remediated	0
Summarize any additional remediation activities not included by answers (above)	containment area was power washed and all released fluid was removed from the containment prior to the liner inspection

The responsible party must attach information demonstrating they have complied with all applicable closure requirements and any conditions or directives of the OCD. This demonstration should be in the form of a comprehensive report (in .pdf format) including a scaled site map, sampling diagrams, relevant field notes, photographs of any excavation prior to backfilling, laboratory data including chain of custody documents of final sampling, and a narrative of the remedial activities. Refer to 19.15.29.12 NMAC.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations. The responsible party acknowledges they must substantially restore, reclaim, and re-vegetate the impacted surface area to the conditions that existed prior to the release or their final land use in accordance with 19.15.29.13 NMAC including notification to the OCD when reclamation and re-vegetation are complete.

I hereby agree and sign off to the above statement	Name: Jacqui Harris Title: Sr Environment Engineer Email: jacqui.harris@conocophillips.com Date: 06/10/2026
--	--

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 575673

CONDITIONS

Operator: COG OPERATING LLC 600 W Illinois Ave Midland, TX 79701	OGRID: 229137
	Action Number: 575673
	Action Type: [C-141] Remediation Closure Request C-141 (C-141-v-Closure)

CONDITIONS

Created By	Condition	Condition Date
scott.rodgers	Liner Inspection Report is approved.	6/18/2026