



P.O. Box 1653
Durango, Colorado 81302
(970) 764-7356
www.cottonwoodconsulting.com

February 2, 2026

Jerrid Brann
Simcoe LLC
1199 Main Ave Suite 101
Durango, CO 81301

**RE: Gallegos Canyon Unit #153E
2025 Annual Monitoring Report**

Dear Mr. Brann,

Cottonwood Consulting LLC (Cottonwood) is pleased to provide Simcoe LLC (Simcoe) with the results of the groundwater monitoring conducted at the Gallegos Canyon Unit #153E well site (API 30-045-24292). Details regarding the methodology and associated results are summarized below.

Background

Hydrocarbon impacts to soil and groundwater at the Gallegos Canyon Unit #153E wells were discovered at a dehydrator pit. Eight groundwater monitoring wells were installed, but only three groundwater wells (MW #2A, MW #3R, and MW #7A) are active. Other groundwater wells have been abandoned. In 2018, a plan to install four soil vapor extraction (SVE) points near MW #3A was approved. Simcoe is currently evaluating options for a power source at the site. As soon as a feasible power source is determined, Simcoe will begin SVE operations.

Methodology

Groundwater sampling of MW #3R was conducted on March 25, June 17, September 16 and December 9, 2025. Prior to sample collection, approximately three wellbore volumes were purged from MW #3R with new disposable bailers. The groundwater sample was collected following US EPA SW-846 protocol. The groundwater sample was transferred into laboratory-provided containers with the appropriate preservative, stored in a cooler on ice, and submitted with a complete chain-of-custody to Green Analytical Laboratories (GAL) for analysis of volatile organic compounds by US EPA Method 8260B.

Fluids generated during monitoring well purging were discarded into a tank located on the well site. The tank contents are disposed of through approved New Mexico Oil Conservation Division (NMOCD) operational procedures for removal of produced fluids.

Cottonwood Consulting LLC

Brann, J.
Page 2 of 2

Monitoring Results

Benzene, toluene, ethylbenzene and total xylenes were detected in MW #3R during all sampling events in 2025. Toluene, ethylbenzene and total xylenes were below the New Mexico Water Quality Control Commission (NMWQCC) groundwater standards. Benzene exceeded NMWQCC in the September 16, 2025 sampling event, but was below the standards for all other sampling events in 2025. A groundwater sampling results table is included as Attachment 1 and the GAL groundwater sampling laboratory reports are included as Attachment 2.

Conclusion

Benzene compounds were detected or above the NMWQCC standards in MW #3R during the September 16, 2025 sampling event. There was detection of benzene, toluene, ethylbenzene and total xylenes compounds during all sampling events below the NMWQCC standards. In the future, Simcoe may advance subsurface soil borings to verify closure standards are met. Simcoe will continue to conduct groundwater monitoring and sampling as required and will conduct SVE monitoring following installation of the SVE unit.

Should you have any questions, please do not hesitate to contact me at 970-764-7356. Cottonwood appreciates the opportunity to provide services to Simcoe.

Sincerely,



Kyle Siesser, P.G.
Cottonwood Consulting LLC

Attachments: Attachment 1 – Groundwater Sampling Results
Attachment 2 – GAL Groundwater Sampling Laboratory Report

Cottonwood Consulting LLC



ATTACHMENT 1



**Gallegos Canyon Unit #153E
Groundwater Sampling Results
Simcoe LLC**

Well Name	Sample Date	Depth to Water (ft)	Well Depth (ft)	TDS (mg/L)	Conductivity (umhos)	Free Phase Product (ft)	pH	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)
MW #1A	03/08/96	14.95	20.00	4,460	3,200	-	7.20	ND	0.73	ND	ND
MW #2A	01/12/93	11.50	15.83	4,460	5,700	-	6.60	11.5	12.1	ND	54
MW #2A	05/05/93	10.34	-	-	3,400	-	6.60	14	6.9	10.9	20.1
MW #2A	09/01/93	11.54	-	-	2,800	-	7.10	700	10.4	244	82.9
MW #2A	12/01/93	11.42	-	-	4,800	-	7.00	118	1.6	76	44.7
MW #2A	03/08/94	11.01	-	-	4,600	-	7.20	24.1	8.5	24.5	29.3
MW #2A	06/27/94	11.14	-	-	4,000	-	6.90	350	13.2	126	ND
MW #2A	09/21/94	11.80	-	-	3,500	-	6.90	328.7	13.3	140.8	1.5
MW #2A	12/16/94	11.55	-	-	3,800	-	7.10	6.7	9.6	1.1	8.7
MW #2A	03/15/95	11.15	-	-	4,400	-	6.80	1.7	5	ND	3.8
MW #2A	06/16/95	10.82	-	-	4,000	-	6.90	36.5	5.4	17.6	7.2
MW #2A	09/11/95	11.39	-	-	3,100	-	7.20	239	17	168	35.6
MW #2A	12/08/95	11.44	-	-	3,800	-	6.80	50.2	9.99	10.3	5.84
MW #2A	03/08/96	11.08	-	-	2,700	-	6.70	1.08	ND	2.71	0.87
MW #2A	06/17/96	11.30	-	-	2,700	-	6.90	230	10.2	77.7	32.54
MW #2A	06/25/97	10.52	-	-	2,600	-	6.80	522	6.6	82.6	44.6
MW #2A	06/12/98	10.59	-	-	2,400	-	7.30	125	7.3	22.7	44.7
MW #2A	05/28/99	10.05	-	-	2,700	-	6.80	185	47.8	44.1	73.4
MW #2A	05/26/00	10.10	-	-	3,500	-	7.00	220	ND	96	15
MW #2A	07/28/01	10.87	-	-	3,700	-	7.26	66	ND	24	31
MW #2A	03/11/02	10.80	-	-	4,600	-	6.86	ND	ND	2.1	ND
MW #2A	06/21/02	11.18	-	-	4,700	-	7.63	63	ND	28	29.8
MW #2A	06/30/03	10.74	-	-	2,900	-	6.81	41	5.3	30	36
MW #2A	06/25/04	10.78	-	-	2,900	-	6.81	7.6	ND	3.5	5.5
MW #2A	12/22/04	11.03	-	-	N/A	-	N/A	ND	ND	ND	ND
MW #2A	03/29/05	9.85	-	-	3,100	-	6.73	ND	ND	ND	ND
MW #3A	01/12/93	11.40	16.00	-	6,800	-	7.00	706,000	6,438,000	3,684,000	13,999,000
MW #3A	05/05/93	10.38	-	-	4,900	-	7.00	8,200	2,210	1,070	4,340
MW #3A	09/01/93	11.44	-	-	5,400	-	7.10	8,300	800	660	2,750
MW #3A	12/01/93	11.33	-	-	-	0.02	-	-	-	-	-
MW #3A	03/08/94	11.03	-	-	-	0.03	-	-	-	-	-
MW #3A	06/27/94	-	-	-	-	0.02	-	-	-	-	-
MW #3A	09/21/94	-	-	-	-	0.01	-	-	-	-	-
MW #3A	12/16/94	11.97	-	-	-	0.48	-	-	-	-	-
WP #3B	06/28/95	11.73	15.00	-	6,500	-	7.40	1,947	1,735	434.3	3,150
WP #3B	09/11/95	12.14	-	-	8,400	-	7.80	752	102	427	1,386
WP #3B	12/08/95	12.15	-	-	4,800	-	6.20	772	70	208	2,070
WP #3B	03/08/96	11.78	-	-	4,000	-	6.10	775	156	259	2,480
WP #3B	06/17/96	11.77	-	-	4,800	-	6.40	764	196	184	1,515
WP #3B	06/25/97	11.25	-	-	3,400	-	6.30	1,940	167	143	727
WP #3B	06/12/98	11.22	-	-	3,700	-	6.60	276	68	85.3	458
WP #3B	05/28/99	11.56	-	-	3,900	-	6.50	178	98	50.5	250
MW #3R	06/13/00	10.88	20.00	-	7,600	-	7.00	360	16	720	1,234
MW #3R	07/28/01	11.72	-	-	8,600	-	7.25	520	35	350	757
MW #3R	03/11/02	11.70	-	-	9,700	-	7.14	120	7	110	225
MW #3R	06/21/02	11.90	-	-	8,800	-	7.69	310	ND	300	551
NMWQCC Groundwater Standard							6-9	5	1000	700	620



**Gallegos Canyon Unit #153E
Groundwater Sampling Results
Simcoe LLC**

Well Name	Sample Date	Depth to Water (ft)	Well Depth (ft)	TDS (mg/L)	Conductivity (umhos)	Free Phase Product (ft)	pH	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)
MW #3R	06/30/03	11.39	-	-	5,200	-	7.11	300	ND	76	170
MW #3R	06/25/04	10.51	-	-	5,200	-	7.11	120	ND	44	63
MW #3R	06/27/05	10.78	-	-	6,200	-	7.00	160	12	54	84
MW #3R	06/29/06	11.51	-	-	7,800	-	6.93	470	39	170	180
MW #3R	06/25/07	10.70	-	-	6,000	-	6.94	180	ND	24	24
MW #3R	06/09/08	10.66	-	-	3,300	-	7.24	72	6	9.1	14
MW #3R	08/27/08	11.47	-	-	6,000	-	7.37	58	ND	4.7	9
MW #3R	05/26/09	11.10	-	-	5,200	-	7.50	63	ND	ND	ND
MW #3R	12/28/09	11.70	-	-	5,600	-	7.52	8.3	ND	ND	ND
MW #3R	03/02/10	11.05	-	-	4,400	-	7.53	66	ND	ND	ND
MW #3R	05/10/10	10.57	-	-	4,700	-	7.49	47	ND	ND	ND
MW #3R	07/21/10	11.45	-	-	7,900	-	7.48	38	ND	2.3	6.3
MW #3R	10/21/10	12.18	-	-	6,400	-	7.15	11	ND	1.6	3.3
MW #3R	02/23/11	11.43	-	-	3,600	-	7.45	3.8	ND	ND	2.9
MW #3R	06/01/11	11.33	-	-	8,900	-	7.41	160	10	25	37
MW #3R	09/29/11	12.23	-	-	8,900	-	7.39	47	ND	6.6	12
MW #3R	12/21/11	11.73	-	-	6,400	-	7.78	20	4.3	5.4	6.2
MW #3R	02/10/12	11.56	-	-	6,200	-	7.21	9.7	1.6	2.7	4.8
MW #3R	06/29/12	11.88	-	-	6,500	-	7.31	79	18	19	30
MW #3R	09/27/12	11.80	-	-	3,100	-	7.34	17	2.4	6.2	7.7
MW #3R	11/26/12	11.75	-	-	3,200	-	7.71	8.9	1.5	2.6	4.3
MW #3R	02/27/13	11.35	-	-	5,100	-	7.05	63	13	14	23
MW #3R	05/31/13	11.16	-	6,010	4,300	-	7.30	93	14	14	31
MW #3R	08/28/13	12.10	-	-	2,900	-	7.80	51	6.5	5.3	ND
MW #3R	12/11/13	11.00	-	-	3,100	-	7.45	80	22	15	23
MW #3R	02/27/14	10.78	-	-	4,800	-	7.23	84	20	16	28
MW #3R	05/28/14	10.76	-	-	2,800	-	7.28	110	22	16	41
MW #3R	08/22/14	11.64	-	-	1,800	-	7.37	34	8.5	5.2	14
MW #3R	12/01/14	11.62	-	-	3,100	-	7.36	8.6	5.4	3.0	7.1
MW #3R	03/30/15	10.87	-	-	800	-	6.73	74	28	19	34
MW #3R	05/11/15	12.02	-	-	2,800	-	7.27	54	25	12	19
MW #3R	08/26/15	11.24	-	-	5,200	-	6.88	34	8.4	5.4	9.3
MW #3R	06/22/16	10.30	-	-	4,700	-	6.97	29	9.1	7.4	14
MW #3R	05/26/17	10.14	-	-	5,500	-	6.86	29	16	10	22
MW #3R	06/26/18	11.38	-	-	5,100	-	6.93	22	6.0	5.6	9.2
MW #3R	06/19/19	11.16	-	-	3,100	-	7.32	15	12	12	32
MW #3R	03/03/21	-	-	-	-	-	-	ND	ND	1.8	3.5
MW #3R	03/17/22	11.16	-	-	8,700	-	8.10	ND	ND	ND	ND
MW #3R	06/09/22	11.93	-	-	8,500	-	7.69	2	ND	1	1
MW #3R	09/15/22	12.32	-	-	7,550	-	8.05	5	4	5	8
MW #3R	12/15/22	11.58	-	-	9,020	-	8.30	1	1	1	3
MW #3R	03/10/23	11.76	-	-	9,090	-	8.10	1	0.8	1	5
MW #3R	06/20/23	10.70	-	-	10,830	-	7.34	5	3	2	4
MW #3R	09/20/23	11.67	-	-	7,540	-	8.07	9	24	17	51
MW #3R	12/14/23	11.60	-	-	4,300	-	7.90	2	6	4	12
MW #3R	03/28/24	11.10	-	-	8,050	-	7.96	4	13	8	22
NMWQCC Groundwater Standard							6-9	5	1000	700	620



**Gallegos Canyon Unit #153E
Groundwater Sampling Results
Simcoe LLC**

Well Name	Sample Date	Depth to Water (ft)	Well Depth (ft)	TDS (mg/L)	Conductivity (umhos)	Free Phase Product (ft)	pH	Benzene (ppb)	Toluene (ppb)	Ethylbenzene (ppb)	Total Xylenes (ppb)
MW #3R	06/12/24	11.30	-	-	8,300	-	7.73	13	18	23	80
MW #3R	09/17/24	10.76	-	-	7,750	-	7.75	4	4	4	10
MW #3R	12/10/24	10.68	-	-	1,150	-	8.37	0.8	3	1	5
MW #3R	03/25/25	11.09	-	-	9,680	-	7.68	0.5	1	1	2
MW #3R	06/17/25	11.23	-	-	15,400	-	8.07	3	6	4	10
MW #3R	09/16/25	12.61	-	-	8,900	-	7.56	9	50	26	62
MW #3R	12/09/25	12.14	-	-	7,210	-	7.75	5	2.8	10	28
MW #7A	01/12/93	12.42	16.60	-	12,400	-	7.30	ND	0.5	ND	1.1
MW #7A	05/05/93	10.56	-	-	10,600	-	7.50	ND	ND	ND	0.5
MW #7A	09/01/93	11.90	-	-	10,700	-	7.50	0.2	ND	ND	0.8
MW #7A	03/08/94	11.10	-	-	16,800	-	7.30	ND	ND	ND	ND
MW #7A	06/27/94	11.23	-	-	13,700	-	7.30	ND	ND	ND	ND
MW #7A	09/21/94	12.30	-	-	13,100	-	7.30	0.8	1	ND	2.2
MW #7A	12/16/94	11.69	-	-	9,600	-	7.50	ND	ND	ND	ND
MW #7A	03/15/95	11.21	-	-	18,400	-	7.50	ND	ND	ND	ND
MW #7A	06/16/95	10.88	-	-	12,200	-	7.40	ND	ND	ND	ND
MW #7A	09/11/95	11.64	-	-	11,200	-	7.70	1.1	0.6	0.5	1
MW #7A	12/08/95	11.50	-	-	10,800	-	7.40	ND	ND	ND	ND
MW #7A	03/08/96	11.18	-	-	8,300	-	7.30	ND	ND	ND	ND
MW #7A	06/17/96	11.28	-	-	9,000	-	7.40	ND	ND	ND	ND
MW #7A	07/28/01	10.87	-	-	8,300	-	7.59	ND	ND	ND	ND
MW #11A	03/08/96	12.10	20.17	-	3,100	-	6.90	ND	ND	ND	ND
MW #12A	03/08/96	10.76	19.79	-	2,800	-	7.00	ND	ND	ND	ND
NMWQCC Groundwater Standard							6-9	5	1000	700	620

Notes:

ND - Non Detect

TDS - Total Dissolved Solids

ft - feet

mg/L - milligrams per liter

umhos - microhms

ppb - parts per billion

"- " - Indicates no data

NMWQCC - New Mexico Water Quality Control Commission

Depth to water measured from top of well casing

Bold values exceed NMWQCC Standard



ATTACHMENT 2



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
jeremy.allen@greenanalytical.com

27 January 2026

Kyle Siesser
Cottonwood Consulting
PO Box 1653
Durango, CO 81302
RE: GCU #153E

Enclosed are the results of analyses for samples received by the laboratory on 03/26/25 14:45. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Report Station For Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: TX-C25-00079

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: TX-C25-00101

Table of Contents

Samples in Report	3
Sample Results	4
2503242-01: MW #3R	4
Quality Assurance Results	7
Notes and Definitions	13
Chain of Custody & Attachments	14



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW #3R	2503242-01	Water	03/25/25 13:25	03/26/25 14:45	

Green Analytical Laboratories

A handwritten signature in black ink, reading 'Jeremy D. Allen', is displayed on a light blue rectangular background.

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

MW #3R

2503242-01 (Ground Water)

Sampled Date: 03/25/25 13:25

Sampled By: Kelsey O'brien/Joseph Lafortune

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

1,1,1,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
1,1,1-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
1,1,2,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
1,1,2-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
1,1-Dichloroethane*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
1,1-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
1,1-Dichloropropene*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
1,2,3-Trichlorobenzene*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
1,2,4-Trichlorobenzene*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
1,2,4-Trimethylbenzene*	0.0007	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
1,2-Dibromo-3-chloropropane*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
1,2-Dibromoethane*	<0.0005	0.0005	0.00009	mg/L	1	03/31/25 16:52	8260B		SK
1,2-Dichlorobenzene*	<0.0005	0.0005	0.00007	mg/L	1	03/31/25 16:52	8260B		SK
1,2-Dichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
1,2-Dichloropropane*	<0.0005	0.0005	0.00008	mg/L	1	03/31/25 16:52	8260B		SK
1,3,5-Trimethylbenzene*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
1,3-Dichlorobenzene*	<0.0005	0.0005	0.00005	mg/L	1	03/31/25 16:52	8260B		SK
1,3-Dichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
1,4-Dichlorobenzene	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
1,4-Dioxane	<0.020	0.020	0.020	mg/L	1	03/31/25 16:52	8260B		SK
1,2,3-trichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
2,2-Dichloropropane*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
2-Butanone*	<0.002	0.002	0.002	mg/L	1	03/31/25 16:52	8260B		SK
2-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
2-Hexanone*	<0.001	0.001	0.0003	mg/L	1	03/31/25 16:52	8260B		SK
4-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
4-Methyl-2-pentanone*	<0.001	0.001	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
Acetone*	<0.010	0.010	0.0009	mg/L	1	03/31/25 16:52	8260B		SK

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

MW #3R

2503242-01 (Ground Water)

Sampled Date: 03/25/25 13:25

Sampled By: Kelsey O'brien/Joseph Lafortune

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

Acrolein*	<0.005	0.005	0.001	mg/L	1	03/31/25 16:52	8260B		SK
Acrylonitrile*	<0.002	0.002	0.0008	mg/L	1	03/31/25 16:52	8260B		SK
Benzene*	0.0005	0.0005	0.00005	mg/L	1	03/31/25 16:52	8260B		SK
Bromobenzene*	<0.0005	0.0005	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
Bromochloromethane*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
Bromodichloromethane*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
Bromoform*	<0.0005	0.0005	0.00009	mg/L	1	03/31/25 16:52	8260B		SK
Bromomethane*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Carbon disulfide*	<0.001	0.001	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
Carbon tetrachloride*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
Chlorobenzene*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
Chloroethane*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Chloroform*	<0.0005	0.0005	0.00002	mg/L	1	03/31/25 16:52	8260B		SK
Chloromethane*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
cis-1,2-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
cis-1,3-Dichloropropene*	<0.0005	0.0005	0.00009	mg/L	1	03/31/25 16:52	8260B		SK
Dibromochloromethane*	<0.0005	0.0005	0.00008	mg/L	1	03/31/25 16:52	8260B		SK
Dibromomethane*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
Dichlorodifluoromethane*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Ethylbenzene*	0.001	0.0005	0.00003	mg/L	1	03/31/25 16:52	8260B		SK
Hexachlorobutadiene*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Iodomethane	<0.001	0.001	0.00006	mg/L	1	03/31/25 16:52	8260B		SK
Isopropylbenzene*	<0.0005	0.0005	0.00002	mg/L	1	03/31/25 16:52	8260B		SK
m+p - Xylene*	0.001	0.001	0.00008	mg/L	1	03/31/25 16:52	8260B		SK
Methyl tert-butyl ether	<0.001	0.001	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
Methylene chloride*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Naphthalene*	<0.0005	0.0005	0.00008	mg/L	1	03/31/25 16:52	8260B		SK
n-Butylbenzene*	<0.0005	0.0005	0.00007	mg/L	1	03/31/25 16:52	8260B		SK
n-Propylbenzene*	0.0008	0.0005	0.00005	mg/L	1	03/31/25 16:52	8260B		SK
o-Xylene*	0.001	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
p-Isopropyltoluene*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

MW #3R

2503242-01 (Ground Water)

Sampled Date: 03/25/25 13:25

Sampled By: Kelsey O'brien/Joseph Lafortune

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

sec-Butylbenzene*	<0.0005	0.0005	0.00004	mg/L	1	03/31/25 16:52	8260B		SK
Styrene*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
tert-Butylbenzene*	<0.0005	0.0005	0.00007	mg/L	1	03/31/25 16:52	8260B		SK
Tetrachloroethene*	<0.0005	0.0005	0.00009	mg/L	1	03/31/25 16:52	8260B		SK
Toluene*	0.001	0.0005	0.00008	mg/L	1	03/31/25 16:52	8260B		SK
Total Xylenes*	0.002	0.001	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
trans-1,2-Dichloroethene*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
trans-1,3-Dichloropropene*	<0.0005	0.0005	0.00005	mg/L	1	03/31/25 16:52	8260B		SK
trans-1,4-Dichloro-2-butene	<0.010	0.010	0.0003	mg/L	1	03/31/25 16:52	8260B		SK
Trichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	03/31/25 16:52	8260B		SK
Trichlorofluoromethane*	<0.0005	0.0005	0.0001	mg/L	1	03/31/25 16:52	8260B		SK
Vinyl acetate*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Vinyl chloride*	<0.0005	0.0005	0.0005	mg/L	1	03/31/25 16:52	8260B		SK
Surrogate: 4-Bromofluorobenzene			99.4 %	76.4-114		03/31/25 16:52	8260B		SK
Surrogate: Dibromofluoromethane			102 %	82.4-141		03/31/25 16:52	8260B		SK
Surrogate: Toluene-d8			101 %	87.1-110		03/31/25 16:52	8260B		SK

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

VOLATILES BY GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5033105 - Volatiles

Blank (5033105-BLK1)

Prepared & Analyzed: 03/31/25

1,1,1,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,1-Trichloroethane	ND	0.0005	mg/L
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,2-Trichloroethane	ND	0.0005	mg/L
1,1-Dichloroethane	ND	0.0005	mg/L
1,1-Dichloroethene	ND	0.0005	mg/L
1,1-Dichloropropene	ND	0.0005	mg/L
1,2,3-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trimethylbenzene	ND	0.0005	mg/L
1,2-Dibromo-3-chloropropane	ND	0.0005	mg/L
1,2-Dibromoethane	ND	0.0005	mg/L
1,2-Dichlorobenzene	ND	0.0005	mg/L
1,2-Dichloroethane	ND	0.0005	mg/L
1,2-Dichloropropane	ND	0.0005	mg/L
1,3,5-Trimethylbenzene	ND	0.0005	mg/L
1,3-Dichlorobenzene	ND	0.0005	mg/L
1,3-Dichloropropane	ND	0.0005	mg/L
1,4-Dichlorobenzene	ND	0.0005	mg/L
1,4-Dioxane	ND	0.020	mg/L
1,2,3-trichloropropane	ND	0.0005	mg/L
2,2-Dichloropropane	ND	0.0005	mg/L
2-Butanone	ND	0.002	mg/L
2-Chlorotoluene	ND	0.0005	mg/L
2-Hexanone	ND	0.001	mg/L

Surrogate: 4-Bromofluorobenzene	0.0252		mg/L	0.0250	101	76.4-114
4-Chlorotoluene	ND	0.0005	mg/L			
4-Methyl-2-pentanone	ND	0.001	mg/L			
Acetone	ND	0.010	mg/L			
Acrolein	ND	0.005	mg/L			
Acrylonitrile	ND	0.002	mg/L			
Benzene	ND	0.0005	mg/L			
Bromobenzene	ND	0.0005	mg/L			
Bromochloromethane	ND	0.0005	mg/L			
Bromodichloromethane	ND	0.0005	mg/L			
Bromoform	ND	0.0005	mg/L			

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 5033105 - Volatiles (Continued)

Blank (5033105-BLK1) (Continued)

Prepared & Analyzed: 03/31/25

Bromomethane	ND	0.0005	mg/L							
Carbon disulfide	ND	0.001	mg/L							
Carbon tetrachloride	ND	0.0005	mg/L							
Chlorobenzene	ND	0.0005	mg/L							
Chloroethane	ND	0.0005	mg/L							
Chloroform	ND	0.0005	mg/L							
Chloromethane	ND	0.0005	mg/L							
cis-1,2-Dichloroethene	ND	0.0005	mg/L							
cis-1,3-Dichloropropene	ND	0.0005	mg/L							
Dibromochloromethane	ND	0.0005	mg/L							

Surrogate: Dibromofluoromethane 0.0237 mg/L 0.0250 94.7 82.4-141

Dibromomethane	ND	0.0005	mg/L							
Dichlorodifluoromethane	ND	0.0005	mg/L							
Ethylbenzene	ND	0.0005	mg/L							
Hexachlorobutadiene	ND	0.0005	mg/L							
Iodomethane	ND	0.001	mg/L							
Isopropylbenzene	ND	0.0005	mg/L							
m+p - Xylene	ND	0.001	mg/L							
Methyl tert-butyl ether	ND	0.001	mg/L							
Methylene chloride	ND	0.0005	mg/L							
Naphthalene	ND	0.0005	mg/L							
n-Butylbenzene	ND	0.0005	mg/L							
n-Propylbenzene	ND	0.0005	mg/L							
o-Xylene	ND	0.0005	mg/L							
p-Isopropyltoluene	ND	0.0005	mg/L							
sec-Butylbenzene	ND	0.0005	mg/L							
Styrene	ND	0.0005	mg/L							
tert-Butylbenzene	ND	0.0005	mg/L							
Tetrachloroethene	ND	0.0005	mg/L							
Toluene	ND	0.0005	mg/L							

Surrogate: Toluene-d8 0.0258 mg/L 0.0250 103 87.1-110

Total Xylenes	ND	0.001	mg/L							
trans-1,2-Dichloroethene	ND	0.0005	mg/L							
trans-1,3-Dichloropropene	ND	0.0005	mg/L							
trans-1,4-Dichloro-2-butene	ND	0.010	mg/L							
Trichloroethene	ND	0.0005	mg/L							
Trichlorofluoromethane	ND	0.0005	mg/L							
Vinyl acetate	ND	0.0005	mg/L							
Vinyl chloride	ND	0.0005	mg/L							

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5033105 - Volatiles (Continued)

LCS (5033105-BS1)

Prepared & Analyzed: 03/31/25

1,1,1,2-Tetrachloroethane	0.020	0.0005	mg/L	0.0200		98.0	82.4-120			
1,1,1-Trichloroethane	0.018	0.0005	mg/L	0.0200		92.2	80.7-121			
1,1,2,2-Tetrachloroethane	0.025	0.0005	mg/L	0.0200		124	76.5-121			BS-3
1,1,2-Trichloroethane	0.022	0.0005	mg/L	0.0200		111	81.7-118			
1,1-Dichloroethane	0.016	0.0005	mg/L	0.0200		81.8	74.8-123			
1,1-Dichloroethene	0.018	0.0005	mg/L	0.0200		89.8	53.9-149			
1,1-Dichloropropene	0.020	0.0005	mg/L	0.0200		99.3	85.9-115			
1,2,3-Trichlorobenzene	0.018	0.0005	mg/L	0.0200		91.9	76.1-134			
1,2,4-Trichlorobenzene	0.022	0.0005	mg/L	0.0200		108	72.4-136			
1,2,4-Trimethylbenzene	0.021	0.0005	mg/L	0.0200		107	67.4-138			
1,2-Dibromo-3-chloropropane	0.020	0.0005	mg/L	0.0200		102	71.7-124			
1,2-Dibromoethane	0.021	0.0005	mg/L	0.0200		104	84.9-116			
1,2-Dichlorobenzene	0.021	0.0005	mg/L	0.0200		105	82.5-119			
1,2-Dichloroethane	0.016	0.0005	mg/L	0.0200		81.4	72.5-123			
1,2-Dichloropropane	0.021	0.0005	mg/L	0.0200		106	79.4-117			
1,3,5-Trimethylbenzene	0.021	0.0005	mg/L	0.0200		106	69-137			
1,3-Dichlorobenzene	0.021	0.0005	mg/L	0.0200		104	84.4-120			
1,3-Dichloropropane	0.022	0.0005	mg/L	0.0200		110	82.6-117			
1,4-Dichlorobenzene	0.021	0.0005	mg/L	0.0200		103	81.7-118			
1,4-Dioxane	0.526	0.020	mg/L	0.400		131	-34.6-193			
1,2,3-trichloropropane	0.023	0.0005	mg/L	0.0200		114	44.7-168			
2,2-Dichloropropane	0.019	0.0005	mg/L	0.0200		95.2	62.9-136			
2-Butanone	0.041	0.002	mg/L	0.0400		103	24.1-159			
2-Chlorotoluene	0.022	0.0005	mg/L	0.0200		108	80.2-121			
2-Hexanone	0.056	0.001	mg/L	0.0400		141	56.3-139			BS1
Surrogate: 4-Bromofluorobenzene	0.0259		mg/L	0.0250		104	76.4-114			
4-Chlorotoluene	0.022	0.0005	mg/L	0.0200		109	82.2-125			
4-Methyl-2-pentanone	0.052	0.001	mg/L	0.0400		131	60.7-139			
Acetone	0.048	0.010	mg/L	0.0400		120	39.1-168			
Acrolein	0.147	0.005	mg/L	0.200		73.3	26.6-161			
Acrylonitrile	0.040	0.002	mg/L	0.0400		99.9	64.9-135			
Benzene	0.021	0.0005	mg/L	0.0200		105	69.4-129			
Bromobenzene	0.021	0.0005	mg/L	0.0200		106	83.5-115			
Bromochloromethane	0.021	0.0005	mg/L	0.0200		104	70.7-123			
Bromodichloromethane	0.018	0.0005	mg/L	0.0200		89.5	80.3-119			
Bromoform	0.019	0.0005	mg/L	0.0200		95.4	71.1-141			
Bromomethane	0.018	0.0005	mg/L	0.0200		88.8	55.1-143			
Carbon disulfide	0.046	0.001	mg/L	0.0400		116	53.6-147			
Carbon tetrachloride	0.017	0.0005	mg/L	0.0200		85.3	79.5-125			

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5033105 - Volatiles (Continued)

LCS (5033105-BS1) (Continued)

Prepared & Analyzed: 03/31/25

Chlorobenzene	0.019	0.0005	mg/L	0.0200		96.6	85.1-115			
Chloroethane	0.019	0.0005	mg/L	0.0200		95.2	36.9-159			
Chloroform	0.020	0.0005	mg/L	0.0200		98.1	80.9-119			
Chloromethane	0.018	0.0005	mg/L	0.0200		89.1	54.2-142			
cis-1,2-Dichloroethene	0.021	0.0005	mg/L	0.0200		103	73.8-128			
cis-1,3-Dichloropropene	0.021	0.0005	mg/L	0.0200		103	82.5-122			
Dibromochloromethane	0.019	0.0005	mg/L	0.0200		97.2	83.1-124			
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0245</i>		mg/L	<i>0.0250</i>		<i>97.9</i>	<i>82.4-141</i>			
Dibromomethane	0.019	0.0005	mg/L	0.0200		96.1	77-118			
Dichlorodifluoromethane	0.015	0.0005	mg/L	0.0200		73.8	38.7-147			
Ethylbenzene	0.022	0.0005	mg/L	0.0200		108	70.2-130			
Hexachlorobutadiene	0.020	0.0005	mg/L	0.0200		99.8	78.9-148			
Iodomethane	0.041	0.001	mg/L	0.0400		103	63.5-135			
Isopropylbenzene	0.019	0.0005	mg/L	0.0200		94.5	85-124			
m+p - Xylene	0.043	0.001	mg/L	0.0400		107	71.9-133			
Methyl tert-butyl ether	0.041	0.001	mg/L	0.0400		102	57.7-137			
Methylene chloride	0.016	0.0005	mg/L	0.0200		78.2	49.3-163			
Naphthalene	0.022	0.0005	mg/L	0.0200		108	62.1-141			
n-Butylbenzene	0.023	0.0005	mg/L	0.0200		114	75.4-132			
n-Propylbenzene	0.023	0.0005	mg/L	0.0200		114	79.6-124			
o-Xylene	0.021	0.0005	mg/L	0.0200		107	69.4-132			
p-Isopropyltoluene	0.023	0.0005	mg/L	0.0200		113	79.8-131			
sec-Butylbenzene	0.024	0.0005	mg/L	0.0200		118	77.6-133			
Styrene	0.020	0.0005	mg/L	0.0200		98.2	71.7-128			
tert-Butylbenzene	0.022	0.0005	mg/L	0.0200		111	78.8-128			
Tetrachloroethene	0.019	0.0005	mg/L	0.0200		96.6	74.2-128			
Toluene	0.021	0.0005	mg/L	0.0200		103	68.1-127			
<i>Surrogate: Toluene-d8</i>	<i>0.0259</i>		mg/L	<i>0.0250</i>		<i>103</i>	<i>87.1-110</i>			
Total Xylenes	0.064	0.001	mg/L	0.0600		107	71.6-132			
trans-1,2-Dichloroethene	0.019	0.0005	mg/L	0.0200		94.1	65.2-133			
trans-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		100	84-123			
trans-1,4-Dichloro-2-butene	0.046	0.010	mg/L	0.0400		116	9.3-235			
Trichloroethene	0.020	0.0005	mg/L	0.0200		97.6	79.3-114			
Trichlorofluoromethane	0.017	0.0005	mg/L	0.0200		85.7	28.6-162			
Vinyl acetate	0.023	0.0005	mg/L	0.0200		113	50.9-135			
Vinyl chloride	0.019	0.0005	mg/L	0.0200		94.9	61.6-133			

LCS Dup (5033105-BSD1)

Prepared & Analyzed: 03/31/25

1,1,1,2-Tetrachloroethane	0.019	0.0005	mg/L	0.0200		93.2	82.4-120	5.02	6.88	
---------------------------	-------	--------	------	--------	--	------	----------	------	------	--

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5033105 - Volatiles (Continued)

LCS Dup (5033105-BSD1) (Continued)

Prepared & Analyzed: 03/31/25

1,1,1-Trichloroethane	0.018	0.0005	mg/L	0.0200		90.2	80.7-121	2.30	7.43	
1,1,2,2-Tetrachloroethane	0.026	0.0005	mg/L	0.0200		128	76.5-121	3.37	8.68	BS-3
1,1,2-Trichloroethane	0.021	0.0005	mg/L	0.0200		104	81.7-118	5.67	6.82	
1,1-Dichloroethane	0.018	0.0005	mg/L	0.0200		90.3	74.8-123	9.94	4.3	QR-04
1,1-Dichloroethene	0.016	0.0005	mg/L	0.0200		81.4	53.9-149	9.87	16.5	
1,1-Dichloropropene	0.019	0.0005	mg/L	0.0200		95.2	85.9-115	4.11	5.47	
1,2,3-Trichlorobenzene	0.019	0.0005	mg/L	0.0200		97.0	76.1-134	5.40	43	
1,2,4-Trichlorobenzene	0.020	0.0005	mg/L	0.0200		102	72.4-136	5.73	22.3	
1,2,4-Trimethylbenzene	0.020	0.0005	mg/L	0.0200		99.4	67.4-138	7.41	8.94	
1,2-Dibromo-3-chloropropane	0.024	0.0005	mg/L	0.0200		121	71.7-124	17.7	15.1	QR-04
1,2-Dibromoethane	0.021	0.0005	mg/L	0.0200		103	84.9-116	1.11	5.83	
1,2-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		97.6	82.5-119	7.54	8.72	
1,2-Dichloroethane	0.017	0.0005	mg/L	0.0200		84.0	72.5-123	3.20	8.94	
1,2-Dichloropropane	0.020	0.0005	mg/L	0.0200		101	79.4-117	4.81	5.51	
1,3,5-Trimethylbenzene	0.020	0.0005	mg/L	0.0200		99.7	69-137	6.31	16.5	
1,3-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		98.4	84.4-120	5.10	9	
1,3-Dichloropropane	0.021	0.0005	mg/L	0.0200		104	82.6-117	5.04	6.06	
1,4-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		97.5	81.7-118	5.39	7.71	
1,4-Dioxane	0.534	0.020	mg/L	0.400		133	-34.6-193	1.46	35.2	
1,2,3-trichloropropane	0.023	0.0005	mg/L	0.0200		114	44.7-168	0.658	49.2	
2,2-Dichloropropane	0.017	0.0005	mg/L	0.0200		86.0	62.9-136	10.1	9.62	QR-04
2-Butanone	0.049	0.002	mg/L	0.0400		122	24.1-159	16.3	14.2	QR-04
2-Chlorotoluene	0.020	0.0005	mg/L	0.0200		102	80.2-121	6.04	8.62	
2-Hexanone	0.058	0.001	mg/L	0.0400		145	56.3-139	3.09	7.28	BS-3
Surrogate: 4-Bromofluorobenzene	0.0256		mg/L	0.0250		102	76.4-114			
4-Chlorotoluene	0.020	0.0005	mg/L	0.0200		102	82.2-125	7.06	15.5	
4-Methyl-2-pentanone	0.056	0.001	mg/L	0.0400		139	60.7-139	6.15	7.57	
Acetone	0.056	0.010	mg/L	0.0400		139	39.1-168	15.1	30.5	
Acrolein	0.166	0.005	mg/L	0.200		82.8	26.6-161	12.2	22.4	
Acrylonitrile	0.045	0.002	mg/L	0.0400		114	64.9-135	12.9	7.62	QR-04
Benzene	0.020	0.0005	mg/L	0.0200		97.6	69.4-129	7.21	4.16	QR-04
Bromobenzene	0.020	0.0005	mg/L	0.0200		99.9	83.5-115	5.55	8.41	
Bromochloromethane	0.019	0.0005	mg/L	0.0200		94.9	70.7-123	8.86	5.16	QR-04
Bromodichloromethane	0.018	0.0005	mg/L	0.0200		89.5	80.3-119	0.0559	5.36	
Bromoform	0.018	0.0005	mg/L	0.0200		92.0	71.1-141	3.63	14.1	
Bromomethane	0.018	0.0005	mg/L	0.0200		88.0	55.1-143	0.849	21.5	
Carbon disulfide	0.043	0.001	mg/L	0.0400		108	53.6-147	6.56	20.3	
Carbon tetrachloride	0.016	0.0005	mg/L	0.0200		81.0	79.5-125	5.17	11.4	
Chlorobenzene	0.018	0.0005	mg/L	0.0200		90.8	85.1-115	6.19	5.18	QR-04

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5033105 - Volatiles (Continued)

LCS Dup (5033105-BSD1) (Continued)

Prepared & Analyzed: 03/31/25

Chloroethane	0.018	0.0005	mg/L	0.0200		91.2	36.9-159	4.34	24.1	
Chloroform	0.018	0.0005	mg/L	0.0200		88.3	80.9-119	10.6	5.15	QR-04
Chloromethane	0.019	0.0005	mg/L	0.0200		96.9	54.2-142	8.39	27	
cis-1,2-Dichloroethene	0.019	0.0005	mg/L	0.0200		94.8	73.8-128	8.53	5.73	QR-04
cis-1,3-Dichloropropene	0.019	0.0005	mg/L	0.0200		97.4	82.5-122	5.93	6.09	
Dibromochloromethane	0.018	0.0005	mg/L	0.0200		92.4	83.1-124	5.11	7.24	
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0246</i>		mg/L	<i>0.0250</i>		<i>98.5</i>	<i>82.4-141</i>			
Dibromomethane	0.020	0.0005	mg/L	0.0200		98.0	77-118	1.96	5.75	
Dichlorodifluoromethane	0.014	0.0005	mg/L	0.0200		72.0	38.7-147	2.40	22.6	
Ethylbenzene	0.020	0.0005	mg/L	0.0200		102	70.2-130	5.79	4.83	QR-04
Hexachlorobutadiene	0.019	0.0005	mg/L	0.0200		95.8	78.9-148	4.14	18.4	
Iodomethane	0.041	0.001	mg/L	0.0400		103	63.5-135	0.0486	24.3	
Isopropylbenzene	0.017	0.0005	mg/L	0.0200		87.4	85-124	7.81	6.25	QR-04
m+p - Xylene	0.040	0.001	mg/L	0.0400		101	71.9-133	5.99	5.77	QR-04
Methyl tert-butyl ether	0.044	0.001	mg/L	0.0400		111	57.7-137	7.94	12.8	
Methylene chloride	0.016	0.0005	mg/L	0.0200		82.1	49.3-163	4.93	19.7	
Naphthalene	0.022	0.0005	mg/L	0.0200		112	62.1-141	3.00	33.5	
n-Butylbenzene	0.021	0.0005	mg/L	0.0200		104	75.4-132	8.99	10.1	
n-Propylbenzene	0.021	0.0005	mg/L	0.0200		106	79.6-124	7.56	9.09	
o-Xylene	0.020	0.0005	mg/L	0.0200		98.0	69.4-132	8.41	6.29	QR-04
p-Isopropyltoluene	0.021	0.0005	mg/L	0.0200		107	79.8-131	5.99	9.26	
sec-Butylbenzene	0.022	0.0005	mg/L	0.0200		110	77.6-133	6.50	9.85	
Styrene	0.018	0.0005	mg/L	0.0200		91.2	71.7-128	7.40	7.55	
tert-Butylbenzene	0.021	0.0005	mg/L	0.0200		106	78.8-128	4.81	18.6	
Tetrachloroethene	0.018	0.0005	mg/L	0.0200		89.7	74.2-128	7.36	6.38	QR-04
Toluene	0.019	0.0005	mg/L	0.0200		95.4	68.1-127	7.46	5.67	QR-04
<i>Surrogate: Toluene-d8</i>	<i>0.0254</i>		mg/L	<i>0.0250</i>		<i>102</i>	<i>87.1-110</i>			
Total Xylenes	0.060	0.001	mg/L	0.0600		100	71.6-132	6.79	5.83	QR-04
trans-1,2-Dichloroethene	0.019	0.0005	mg/L	0.0200		95.6	65.2-133	1.58	19.1	
trans-1,3-Dichloropropene	0.019	0.0005	mg/L	0.0200		97.0	84-123	3.35	6.26	
trans-1,4-Dichloro-2-butene	0.026	0.010	mg/L	0.0400		63.8	9.3-235	57.9	92.8	
Trichloroethene	0.019	0.0005	mg/L	0.0200		92.6	79.3-114	5.26	4.92	QR-04
Trichlorofluoromethane	0.017	0.0005	mg/L	0.0200		82.6	28.6-162	3.68	19.8	
Vinyl acetate	0.023	0.0005	mg/L	0.0200		114	50.9-135	0.264	7.84	
Vinyl chloride	0.017	0.0005	mg/L	0.0200		86.6	61.6-133	9.09	23	

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
04/04/25 08:23

Notes and Definitions

QR-04 The RPD for the BS/BSD was outside of historical limits.

BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.

BS1 Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.

RPD Relative Percent Difference

LCS Laboratory Control Sample (Blank Spike)

RL Report Limit

MDL Method Detection Limit

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
(970) 247-4220

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006, R 8.0

Note: Write-Out™ or similar products cannot be used on the Chain of Custody

Company or Client: Cottonwood Consulting LLC						Bill to (if different):								ANALYSIS REQUEST																					
Address: PO Box 1653																																			
City: Durango						State: CO Zip: 81302																													
Phone #: 970-764-7356																																			
Contact Person: Kyle Siesser																																			
Email Report to: ksiesser@cottonwoodconsulting.com																																			
Project Name(optional): GCU #153E						P.O. #:																													
Sampler Name (Print): Kelsey O'Brien / Joseph LaFortune						Rush? ☐ Y ☒ N TAT Needed? ☐																													
Lab I.D. 2503-242 Lab Use Only						Sample Name or Location						Collected						Matrix (check one)						# of containers						EPA Method 8260 (VOCs)					
												Date	Time	GROUNDWATER	SURFACE WATER	WASTEWATER	PRODUCED WATER	DRINKING WATER	SOIL	OTHER:	No preservation	Nitric Acid	Hydrochloric Acid	Sulfuric Acid	Sodium Hydroxide	OTHER:									
1) MW#3R						3/25/25						1325						✓						4						✓					
2)																																			
3)																																			
4)																																			
5)																																			
6)																																			
7)																																			
8)																																			
9)																																			
10)																																			
PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion of the applicable service. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.																																			
Relinquished By: [Signature]						Date: 3/26/25						Received By: [Signature]						Date: 3/26/25						ADDITIONAL REMARKS:											
Relinquished By:						Time: 1445						Received By:						Time: 14:45																	
Relinquished By:						Date:						Received By:						Date:																	
Relinquished By:						Time:						Received By:						Time:																	
Relinquished By:						Date:						Received By:						Date:						Temperature at receipt: 51/42 °C											
Relinquished By:						Time:						Received By:						Time:						Checked by: [Signature]											
Relinquished By:						Date:						Received By:						Date:						On Ice? ☒ Y ☐ N											
Relinquished By:						Time:						Received By:						Time:						Therm. used: [Signature]											



SAMPLE CONDITION RECEIPT FORM

Date/Initials of person examining contents: 3-26-75
CLPLabeled by initials: _____
(if different than above)Client Name: CottonwoodWork Order # 2503-242Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo ☐ Third Party ☐ OtherCustody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ No GAL Cooler #: _____Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ None Cooler Temp: Observed Temp: 51 °C Correction Factor: -1.9 °C Final Temp: 4.2 °C

*Temp should be above freezing 6°C

Compliance: ☐ Yes ☒ No

Chain of Custody Filled Out:	☒ Yes ☐ No	1.
COC Signed when Relinquished and Received:	☒ Yes ☐ No	2.
Sampler Name and Signature on COC: *Required for compliance	☒ Yes ☐ No	3.
Samples arrived within hold time:	☒ Yes ☐ No	4.
Correct Containers Used & Intact:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
pH's acceptable upon receipt, where applicable: *Not including metals bottles	☐ Yes ☐ No ☒ N/A	9.
Dissolved Testing Needed: Field Filtered: ☐ Yes ☐ No	☐ Yes ☒ No	10.
Sample Labels match COC: -Includes Date/Time/ID Matrix: ☒ SL ☐ OT	☒ Yes ☐ No	11.
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	12.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A	
VOA's meet headspace requirement (<6mm bubbles)	☒ Yes ☐ No ☐ N/A	
Non-Conformance(s):	☐ Yes ☒ No	13.

1 vial w/ 76mm bubble.

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
jeremy.allen@greenanalytical.com

30 June 2025

Kyle Siesser
Cottonwood Consulting
PO Box 1653
Durango, CO 81302
RE: GCU #153E

Enclosed are the results of analyses for samples received by the laboratory on 06/17/25 16:50. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is displayed on a light blue rectangular background.

Report Station For Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: TX-C25-00079

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: TX-C25-00101

Table of Contents

Samples in Report	3
Sample Results	4
2506231-01: MW #3R	4
Quality Assurance Results	7
Notes and Definitions	13
Qualifier Summary	14
Chain of Custody & Attachments	16



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW #3R	2506231-01	Water	06/17/25 14:05	06/17/25 16:50	

Green Analytical Laboratories

A handwritten signature in black ink, reading 'Jeremy D. Allen', is displayed on a light blue rectangular background.

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

MW #3R

2506231-01 (Ground Water)

Sampled Date: 06/17/25 14:05

Sampled By: Dylan Songer & Kelsey O'Brien

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

1,1,1,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
1,1,1-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
1,1,2,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
1,1,2-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
1,1-Dichloroethane*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
1,1-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
1,1-Dichloropropene*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
1,2,3-Trichlorobenzene*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
1,2,4-Trichlorobenzene*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
1,2,4-Trimethylbenzene*	0.002	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
1,2-Dibromo-3-chloropropane*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
1,2-Dibromoethane*	<0.0005	0.0005	0.00009	mg/L	1	06/25/25 13:24	8260B		SK
1,2-Dichlorobenzene*	<0.0005	0.0005	0.00007	mg/L	1	06/25/25 13:24	8260B		SK
1,2-Dichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
1,2-Dichloropropane*	<0.0005	0.0005	0.00008	mg/L	1	06/25/25 13:24	8260B		SK
1,3,5-Trimethylbenzene*	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
1,3-Dichlorobenzene*	<0.0005	0.0005	0.00005	mg/L	1	06/25/25 13:24	8260B		SK
1,3-Dichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
1,4-Dichlorobenzene	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
1,4-Dioxane	<0.020	0.020	0.020	mg/L	1	06/25/25 13:24	8260B		SK
1,2,3-trichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
2,2-Dichloropropane*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
2-Butanone*	<0.002	0.002	0.002	mg/L	1	06/25/25 13:24	8260B		SK
2-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
2-Hexanone*	<0.001	0.001	0.0003	mg/L	1	06/25/25 13:24	8260B		SK
4-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
4-Methyl-2-pentanone*	<0.001	0.001	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
Acetone*	<0.010	0.010	0.0009	mg/L	1	06/25/25 13:24	8260B		SK

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

MW #3R

2506231-01 (Ground Water)

Sampled Date: 06/17/25 14:05

Sampled By: Dylan Songer & Kelsey O'Brien

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

Acrolein*	<0.005	0.005	0.001	mg/L	1	06/25/25 13:24	8260B		SK
Acrylonitrile*	<0.002	0.002	0.0008	mg/L	1	06/25/25 13:24	8260B		SK
Benzene*	0.003	0.0005	0.00005	mg/L	1	06/25/25 13:24	8260B		SK
Bromobenzene*	<0.0005	0.0005	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
Bromochloromethane*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
Bromodichloromethane*	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
Bromoform*	<0.0005	0.0005	0.00009	mg/L	1	06/25/25 13:24	8260B		SK
Bromomethane*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Carbon disulfide*	0.002	0.001	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
Carbon tetrachloride*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
Chlorobenzene*	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
Chloroethane*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Chloroform*	<0.0005	0.0005	0.00002	mg/L	1	06/25/25 13:24	8260B		SK
Chloromethane*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
cis-1,2-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
cis-1,3-Dichloropropene*	<0.0005	0.0005	0.00009	mg/L	1	06/25/25 13:24	8260B		SK
Dibromochloromethane*	<0.0005	0.0005	0.00008	mg/L	1	06/25/25 13:24	8260B		SK
Dibromomethane*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
Dichlorodifluoromethane*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Ethylbenzene*	0.004	0.0005	0.00003	mg/L	1	06/25/25 13:24	8260B		SK
Hexachlorobutadiene*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Iodomethane	<0.001	0.001	0.00006	mg/L	1	06/25/25 13:24	8260B		SK
Isopropylbenzene*	0.0009	0.0005	0.00002	mg/L	1	06/25/25 13:24	8260B		SK
m+p - Xylene*	0.005	0.001	0.00008	mg/L	1	06/25/25 13:24	8260B		SK
Methyl tert-butyl ether	<0.001	0.001	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
Methylene chloride*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Naphthalene*	<0.0005	0.0005	0.00008	mg/L	1	06/25/25 13:24	8260B		SK
n-Butylbenzene*	<0.0005	0.0005	0.00007	mg/L	1	06/25/25 13:24	8260B		SK
n-Propylbenzene*	<0.0005	0.0005	0.00005	mg/L	1	06/25/25 13:24	8260B		SK
o-Xylene*	0.005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
p-Isopropyltoluene*	<0.0005	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

MW #3R

2506231-01 (Ground Water)

Sampled Date: 06/17/25 14:05

Sampled By: Dylan Songer & Kelsey O'Brien

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

sec-Butylbenzene*	0.002	0.0005	0.00004	mg/L	1	06/25/25 13:24	8260B		SK
Styrene*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
tert-Butylbenzene*	<0.0005	0.0005	0.00007	mg/L	1	06/25/25 13:24	8260B		SK
Tetrachloroethene*	<0.0005	0.0005	0.00009	mg/L	1	06/25/25 13:24	8260B		SK
Toluene*	0.006	0.0005	0.00008	mg/L	1	06/25/25 13:24	8260B		SK
Total Xylenes*	0.010	0.001	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
trans-1,2-Dichloroethene*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
trans-1,3-Dichloropropene*	<0.0005	0.0005	0.00005	mg/L	1	06/25/25 13:24	8260B		SK
trans-1,4-Dichloro-2-butene	<0.010	0.010	0.0003	mg/L	1	06/25/25 13:24	8260B		SK
Trichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	06/25/25 13:24	8260B		SK
Trichlorofluoromethane*	<0.0005	0.0005	0.0001	mg/L	1	06/25/25 13:24	8260B		SK
Vinyl acetate*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Vinyl chloride*	<0.0005	0.0005	0.0005	mg/L	1	06/25/25 13:24	8260B		SK
Surrogate: 4-Bromofluorobenzene			95.4 %	76.4-114		06/25/25 13:24	8260B		SK
Surrogate: Dibromofluoromethane			97.2 %	82.4-141		06/25/25 13:24	8260B		SK
Surrogate: Toluene-d8			97.7 %	87.1-110		06/25/25 13:24	8260B		SK

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

VOLATILES BY GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5062409 - Volatiles

Blank (5062409-BLK1)

Prepared & Analyzed: 06/24/25

1,1,1,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,1-Trichloroethane	ND	0.0005	mg/L
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,2-Trichloroethane	ND	0.0005	mg/L
1,1-Dichloroethane	ND	0.0005	mg/L
1,1-Dichloroethene	ND	0.0005	mg/L
1,1-Dichloropropene	ND	0.0005	mg/L
1,2,3-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trimethylbenzene	ND	0.0005	mg/L
1,2-Dibromo-3-chloropropane	ND	0.0005	mg/L
1,2-Dibromoethane	ND	0.0005	mg/L
1,2-Dichlorobenzene	ND	0.0005	mg/L
1,2-Dichloroethane	ND	0.0005	mg/L
1,2-Dichloropropane	ND	0.0005	mg/L
1,3,5-Trimethylbenzene	ND	0.0005	mg/L
1,3-Dichlorobenzene	ND	0.0005	mg/L
1,3-Dichloropropane	ND	0.0005	mg/L
1,4-Dichlorobenzene	ND	0.0005	mg/L
1,4-Dioxane	ND	0.020	mg/L
1,2,3-trichloropropane	ND	0.0005	mg/L
2,2-Dichloropropane	ND	0.0005	mg/L
2-Butanone	ND	0.002	mg/L
2-Chlorotoluene	ND	0.0005	mg/L
2-Hexanone	ND	0.001	mg/L

Surrogate: 4-Bromofluorobenzene	0.0488		mg/L	0.0500	97.6	76.4-114
4-Chlorotoluene	ND	0.0005	mg/L			
4-Methyl-2-pentanone	ND	0.001	mg/L			
Acetone	ND	0.010	mg/L			
Acrolein	ND	0.005	mg/L			
Acrylonitrile	ND	0.002	mg/L			
Benzene	ND	0.0005	mg/L			
Bromobenzene	ND	0.0005	mg/L			
Bromochloromethane	ND	0.0005	mg/L			
Bromodichloromethane	ND	0.0005	mg/L			
Bromoform	ND	0.0005	mg/L			

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5062409 - Volatiles (Continued)

Blank (5062409-BLK1) (Continued)

Prepared & Analyzed: 06/24/25

Bromomethane	ND	0.0005	mg/L							
Carbon disulfide	ND	0.001	mg/L							
Carbon tetrachloride	ND	0.0005	mg/L							
Chlorobenzene	ND	0.0005	mg/L							
Chloroethane	ND	0.0005	mg/L							
Chloroform	ND	0.0005	mg/L							
Chloromethane	ND	0.0005	mg/L							
cis-1,2-Dichloroethene	ND	0.0005	mg/L							
cis-1,3-Dichloropropene	ND	0.0005	mg/L							
Dibromochloromethane	ND	0.0005	mg/L							

Surrogate: Dibromofluoromethane 0.0521 mg/L 0.0500 104 82.4-141

Dibromomethane	ND	0.0005	mg/L							
Dichlorodifluoromethane	ND	0.0005	mg/L							
Ethylbenzene	ND	0.0005	mg/L							
Hexachlorobutadiene	ND	0.0005	mg/L							
Iodomethane	ND	0.001	mg/L							
Isopropylbenzene	ND	0.0005	mg/L							
m+p - Xylene	ND	0.001	mg/L							
Methyl tert-butyl ether	ND	0.001	mg/L							
Methylene chloride	ND	0.0005	mg/L							
Naphthalene	ND	0.0005	mg/L							
n-Butylbenzene	ND	0.0005	mg/L							
n-Propylbenzene	ND	0.0005	mg/L							
o-Xylene	ND	0.0005	mg/L							
p-Isopropyltoluene	ND	0.0005	mg/L							
sec-Butylbenzene	ND	0.0005	mg/L							
Styrene	ND	0.0005	mg/L							
tert-Butylbenzene	ND	0.0005	mg/L							
Tetrachloroethene	ND	0.0005	mg/L							
Toluene	ND	0.0005	mg/L							

Surrogate: Toluene-d8 0.0485 mg/L 0.0500 97.0 87.1-110

Total Xylenes	ND	0.001	mg/L							
trans-1,2-Dichloroethene	ND	0.0005	mg/L							
trans-1,3-Dichloropropene	ND	0.0005	mg/L							
trans-1,4-Dichloro-2-butene	ND	0.010	mg/L							
Trichloroethene	ND	0.0005	mg/L							
Trichlorofluoromethane	ND	0.0005	mg/L							
Vinyl acetate	ND	0.0005	mg/L							
Vinyl chloride	ND	0.0005	mg/L							

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5062409 - Volatiles (Continued)

LCS (5062409-BS1)

Prepared & Analyzed: 06/24/25

1,1,1,2-Tetrachloroethane	0.019	0.0005	mg/L	0.0200		92.6	82.4-120			
1,1,1-Trichloroethane	0.018	0.0005	mg/L	0.0200		89.1	80.7-121			
1,1,2,2-Tetrachloroethane	0.016	0.0005	mg/L	0.0200		79.4	76.5-121			
1,1,2-Trichloroethane	0.019	0.0005	mg/L	0.0200		92.6	81.7-118			
1,1-Dichloroethane	0.020	0.0005	mg/L	0.0200		99.4	74.8-123			
1,1-Dichloroethene	0.019	0.0005	mg/L	0.0200		94.8	53.9-149			
1,1-Dichloropropene	0.017	0.0005	mg/L	0.0200		84.6	85.9-115			BS-3
1,2,3-Trichlorobenzene	0.019	0.0005	mg/L	0.0200		96.6	76.1-134			
1,2,4-Trichlorobenzene	0.019	0.0005	mg/L	0.0200		95.4	72.4-136			
1,2,4-Trimethylbenzene	0.016	0.0005	mg/L	0.0200		79.8	67.4-138			
1,2-Dibromo-3-chloropropane	0.013	0.0005	mg/L	0.0200		67.0	71.7-124			BS-3
1,2-Dibromoethane	0.021	0.0005	mg/L	0.0200		106	84.9-116			
1,2-Dichlorobenzene	0.018	0.0005	mg/L	0.0200		89.6	82.5-119			
1,2-Dichloroethane	0.019	0.0005	mg/L	0.0200		93.6	72.5-123			
1,2-Dichloropropane	0.017	0.0005	mg/L	0.0200		84.6	79.4-117			
1,3,5-Trimethylbenzene	0.017	0.0005	mg/L	0.0200		86.0	69-137			
1,3-Dichlorobenzene	0.018	0.0005	mg/L	0.0200		87.6	84.4-120			
1,3-Dichloropropane	0.019	0.0005	mg/L	0.0200		94.0	82.6-117			
1,4-Dichlorobenzene	0.017	0.0005	mg/L	0.0200		86.3	81.7-118			
1,4-Dioxane	0.533	0.020	mg/L	0.400		133	-34.6-193			
1,2,3-trichloropropane	0.017	0.0005	mg/L	0.0200		87.2	44.7-168			
2,2-Dichloropropane	0.019	0.0005	mg/L	0.0200		95.2	62.9-136			
2-Butanone	0.039	0.002	mg/L	0.0400		97.4	24.1-159			
2-Chlorotoluene	0.017	0.0005	mg/L	0.0200		86.6	80.2-121			
2-Hexanone	0.029	0.001	mg/L	0.0400		71.4	56.3-139			
Surrogate: 4-Bromofluorobenzene	0.0501		mg/L	0.0500		100	76.4-114			
4-Chlorotoluene	0.017	0.0005	mg/L	0.0200		86.9	82.2-125			
4-Methyl-2-pentanone	0.032	0.001	mg/L	0.0400		79.3	60.7-139			
Acetone	0.052	0.010	mg/L	0.0400		131	39.1-168			
Acrolein	0.159	0.005	mg/L	0.200		79.3	26.6-161			
Acrylonitrile	0.045	0.002	mg/L	0.0400		114	64.9-135			
Benzene	0.017	0.0005	mg/L	0.0200		85.6	69.4-129			
Bromobenzene	0.018	0.0005	mg/L	0.0200		87.6	83.5-115			
Bromochloromethane	0.020	0.0005	mg/L	0.0200		102	70.7-123			
Bromodichloromethane	0.017	0.0005	mg/L	0.0200		86.1	80.3-119			
Bromoform	0.016	0.0005	mg/L	0.0200		79.4	71.1-141			
Bromomethane	0.018	0.0005	mg/L	0.0200		89.5	55.1-143			
Carbon disulfide	0.036	0.001	mg/L	0.0400		90.0	53.6-147			
Carbon tetrachloride	0.019	0.0005	mg/L	0.0200		93.8	79.5-125			

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5062409 - Volatiles (Continued)

LCS (5062409-BS1) (Continued)

Prepared & Analyzed: 06/24/25

Chlorobenzene	0.017	0.0005	mg/L	0.0200		87.0	85.1-115			
Chloroethane	0.017	0.0005	mg/L	0.0200		87.1	36.9-159			
Chloroform	0.020	0.0005	mg/L	0.0200		100	80.9-119			
Chloromethane	0.017	0.0005	mg/L	0.0200		85.9	54.2-142			
cis-1,2-Dichloroethene	0.019	0.0005	mg/L	0.0200		95.8	73.8-128			
cis-1,3-Dichloropropene	0.017	0.0005	mg/L	0.0200		85.1	82.5-122			
Dibromochloromethane	0.019	0.0005	mg/L	0.0200		94.0	83.1-124			
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0510</i>		mg/L	<i>0.0500</i>		<i>102</i>	<i>82.4-141</i>			
Dibromomethane	0.019	0.0005	mg/L	0.0200		97.0	77-118			
Dichlorodifluoromethane	0.017	0.0005	mg/L	0.0200		84.2	38.7-147			
Ethylbenzene	0.016	0.0005	mg/L	0.0200		78.6	70.2-130			
Hexachlorobutadiene	0.018	0.0005	mg/L	0.0200		91.2	78.9-148			
Iodomethane	0.038	0.001	mg/L	0.0400		93.8	63.5-135			
Isopropylbenzene	0.017	0.0005	mg/L	0.0200		84.2	85-124			BS-3
m+p - Xylene	0.036	0.001	mg/L	0.0400		90.7	71.9-133			
Methyl tert-butyl ether	0.039	0.001	mg/L	0.0400		97.5	57.7-137			
Methylene chloride	0.018	0.0005	mg/L	0.0200		91.6	49.3-163			
Naphthalene	0.017	0.0005	mg/L	0.0200		84.8	62.1-141			
n-Butylbenzene	0.016	0.0005	mg/L	0.0200		79.4	75.4-132			
n-Propylbenzene	0.017	0.0005	mg/L	0.0200		82.8	79.6-124			
o-Xylene	0.018	0.0005	mg/L	0.0200		87.6	69.4-132			
p-Isopropyltoluene	0.016	0.0005	mg/L	0.0200		81.8	79.8-131			
sec-Butylbenzene	0.015	0.0005	mg/L	0.0200		76.2	77.6-133			BS-3
Styrene	0.017	0.0005	mg/L	0.0200		84.3	71.7-128			
tert-Butylbenzene	0.016	0.0005	mg/L	0.0200		79.8	78.8-128			
Tetrachloroethene	0.018	0.0005	mg/L	0.0200		92.4	74.2-128			
Toluene	0.018	0.0005	mg/L	0.0200		89.6	68.1-127			
<i>Surrogate: Toluene-d8</i>	<i>0.0506</i>		mg/L	<i>0.0500</i>		<i>101</i>	<i>87.1-110</i>			
Total Xylenes	0.054	0.001	mg/L	0.0600		89.6	71.6-132			
trans-1,2-Dichloroethene	0.018	0.0005	mg/L	0.0200		89.6	65.2-133			
trans-1,3-Dichloropropene	0.017	0.0005	mg/L	0.0200		84.9	84-123			
trans-1,4-Dichloro-2-butene	0.023	0.010	mg/L	0.0400		57.0	9.3-235			
Trichloroethene	0.019	0.0005	mg/L	0.0200		92.9	79.3-114			
Trichlorofluoromethane	0.016	0.0005	mg/L	0.0200		79.7	28.6-162			
Vinyl acetate	0.018	0.0005	mg/L	0.0200		89.1	50.9-135			
Vinyl chloride	0.016	0.0005	mg/L	0.0200		81.4	61.6-133			

LCS Dup (5062409-BSD1)

Prepared & Analyzed: 06/24/25

1,1,1,2-Tetrachloroethane	0.021	0.0005	mg/L	0.0200		104	82.4-120	12.1	6.88	QR-02
---------------------------	-------	--------	------	--------	--	-----	----------	------	------	-------

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5062409 - Volatiles (Continued)

LCS Dup (5062409-BSD1) (Continued)

Prepared & Analyzed: 06/24/25

1,1,1-Trichloroethane	0.020	0.0005	mg/L	0.0200		98.6	80.7-121	10.1	7.43	QR-02
1,1,2,2-Tetrachloroethane	0.015	0.0005	mg/L	0.0200		77.0	76.5-121	3.07	8.68	
1,1,2-Trichloroethane	0.019	0.0005	mg/L	0.0200		95.6	81.7-118	3.08	6.82	
1,1-Dichloroethane	0.020	0.0005	mg/L	0.0200		101	74.8-123	1.50	4.3	
1,1-Dichloroethene	0.020	0.0005	mg/L	0.0200		100	53.9-149	5.24	16.5	
1,1-Dichloropropene	0.019	0.0005	mg/L	0.0200		93.1	85.9-115	9.51	5.47	QR-02
1,2,3-Trichlorobenzene	0.018	0.0005	mg/L	0.0200		91.5	76.1-134	5.42	43	
1,2,4-Trichlorobenzene	0.019	0.0005	mg/L	0.0200		97.1	72.4-136	1.82	22.3	
1,2,4-Trimethylbenzene	0.017	0.0005	mg/L	0.0200		84.4	67.4-138	5.48	8.94	
1,2-Dibromo-3-chloropropane	0.015	0.0005	mg/L	0.0200		72.8	71.7-124	8.15	15.1	
1,2-Dibromoethane	0.021	0.0005	mg/L	0.0200		104	84.9-116	1.94	5.83	
1,2-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		98.2	82.5-119	9.15	8.72	QR-02
1,2-Dichloroethane	0.020	0.0005	mg/L	0.0200		97.8	72.5-123	4.49	8.94	
1,2-Dichloropropane	0.019	0.0005	mg/L	0.0200		94.3	79.4-117	10.8	5.51	QR-02
1,3,5-Trimethylbenzene	0.018	0.0005	mg/L	0.0200		91.9	69-137	6.69	16.5	
1,3-Dichlorobenzene	0.018	0.0005	mg/L	0.0200		91.2	84.4-120	4.08	9	
1,3-Dichloropropane	0.019	0.0005	mg/L	0.0200		95.3	82.6-117	1.37	6.06	
1,4-Dichlorobenzene	0.019	0.0005	mg/L	0.0200		93.6	81.7-118	8.17	7.71	QR-02
1,4-Dioxane	0.378	0.020	mg/L	0.400		94.5	-34.6-193	34.0	35.2	
1,2,3-trichloropropane	0.018	0.0005	mg/L	0.0200		88.3	44.7-168	1.25	49.2	
2,2-Dichloropropane	0.020	0.0005	mg/L	0.0200		102	62.9-136	6.61	9.62	
2-Butanone	0.038	0.002	mg/L	0.0400		95.3	24.1-159	2.13	14.2	
2-Chlorotoluene	0.019	0.0005	mg/L	0.0200		92.7	80.2-121	6.86	8.62	
2-Hexanone	0.028	0.001	mg/L	0.0400		71.2	56.3-139	0.245	7.28	
Surrogate: 4-Bromofluorobenzene	0.0526		mg/L	0.0500		105	76.4-114			
4-Chlorotoluene	0.018	0.0005	mg/L	0.0200		90.4	82.2-125	4.00	15.5	
4-Methyl-2-pentanone	0.031	0.001	mg/L	0.0400		78.5	60.7-139	0.982	7.57	
Acetone	0.044	0.010	mg/L	0.0400		111	39.1-168	16.3	30.5	
Acrolein	0.136	0.005	mg/L	0.200		67.8	26.6-161	15.6	22.4	
Acrylonitrile	0.045	0.002	mg/L	0.0400		113	64.9-135	0.507	7.62	
Benzene	0.018	0.0005	mg/L	0.0200		90.0	69.4-129	5.07	4.16	QR-02
Bromobenzene	0.019	0.0005	mg/L	0.0200		97.2	83.5-115	10.4	8.41	QR-02
Bromochloromethane	0.022	0.0005	mg/L	0.0200		112	70.7-123	8.64	5.16	QR-02
Bromodichloromethane	0.019	0.0005	mg/L	0.0200		96.4	80.3-119	11.2	5.36	QR-02
Bromoform	0.019	0.0005	mg/L	0.0200		92.8	71.1-141	15.4	14.1	QR-02
Bromomethane	0.019	0.0005	mg/L	0.0200		97.0	55.1-143	7.99	21.5	
Carbon disulfide	0.039	0.001	mg/L	0.0400		97.0	53.6-147	7.46	20.3	
Carbon tetrachloride	0.020	0.0005	mg/L	0.0200		101	79.5-125	7.69	11.4	
Chlorobenzene	0.019	0.0005	mg/L	0.0200		94.5	85.1-115	8.26	5.18	QR-02

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5062409 - Volatiles (Continued)

LCS Dup (5062409-BSD1) (Continued)

Prepared & Analyzed: 06/24/25

Chloroethane	0.019	0.0005	mg/L	0.0200		95.8	36.9-159	9.52	24.1	
Chloroform	0.020	0.0005	mg/L	0.0200		101	80.9-119	1.24	5.15	
Chloromethane	0.019	0.0005	mg/L	0.0200		93.6	54.2-142	8.58	27	
cis-1,2-Dichloroethene	0.021	0.0005	mg/L	0.0200		104	73.8-128	7.77	5.73	QR-02
cis-1,3-Dichloropropene	0.018	0.0005	mg/L	0.0200		92.3	82.5-122	8.12	6.09	QR-02
Dibromochloromethane	0.020	0.0005	mg/L	0.0200		98.0	83.1-124	4.06	7.24	
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0525</i>		mg/L	<i>0.0500</i>		<i>105</i>	<i>82.4-141</i>			
Dibromomethane	0.020	0.0005	mg/L	0.0200		102	77-118	4.68	5.75	
Dichlorodifluoromethane	0.018	0.0005	mg/L	0.0200		88.0	38.7-147	4.53	22.6	
Ethylbenzene	0.018	0.0005	mg/L	0.0200		90.4	70.2-130	14.0	4.83	QR-02
Hexachlorobutadiene	0.017	0.0005	mg/L	0.0200		87.4	78.9-148	4.25	18.4	
Iodomethane	0.039	0.001	mg/L	0.0400		97.3	63.5-135	3.61	24.3	
Isopropylbenzene	0.018	0.0005	mg/L	0.0200		90.4	85-124	7.16	6.25	QR-02
m+p - Xylene	0.040	0.001	mg/L	0.0400		98.8	71.9-133	8.60	5.77	QR-02
Methyl tert-butyl ether	0.041	0.001	mg/L	0.0400		102	57.7-137	4.09	12.8	
Methylene chloride	0.020	0.0005	mg/L	0.0200		97.6	49.3-163	6.24	19.7	
Naphthalene	0.017	0.0005	mg/L	0.0200		82.7	62.1-141	2.51	33.5	
n-Butylbenzene	0.017	0.0005	mg/L	0.0200		85.2	75.4-132	6.93	10.1	
n-Propylbenzene	0.018	0.0005	mg/L	0.0200		88.4	79.6-124	6.55	9.09	
o-Xylene	0.019	0.0005	mg/L	0.0200		94.8	69.4-132	7.95	6.29	QR-02
p-Isopropyltoluene	0.018	0.0005	mg/L	0.0200		88.9	79.8-131	8.32	9.26	
sec-Butylbenzene	0.016	0.0005	mg/L	0.0200		81.4	77.6-133	6.47	9.85	
Styrene	0.019	0.0005	mg/L	0.0200		97.2	71.7-128	14.3	7.55	QR-02
tert-Butylbenzene	0.018	0.0005	mg/L	0.0200		88.0	78.8-128	9.65	18.6	
Tetrachloroethene	0.021	0.0005	mg/L	0.0200		104	74.2-128	12.1	6.38	QR-02
Toluene	0.018	0.0005	mg/L	0.0200		90.7	68.1-127	1.22	5.67	
<i>Surrogate: Toluene-d8</i>	<i>0.0505</i>		mg/L	<i>0.0500</i>		<i>101</i>	<i>87.1-110</i>			
Total Xylenes	0.058	0.001	mg/L	0.0600		97.5	71.6-132	8.39	5.83	QR-02
trans-1,2-Dichloroethene	0.021	0.0005	mg/L	0.0200		103	65.2-133	14.2	19.1	
trans-1,3-Dichloropropene	0.019	0.0005	mg/L	0.0200		95.5	84-123	11.8	6.26	QR-02
trans-1,4-Dichloro-2-butene	0.019	0.010	mg/L	0.0400		46.7	9.3-235	19.9	92.8	
Trichloroethene	0.020	0.0005	mg/L	0.0200		100	79.3-114	7.31	4.92	QR-02
Trichlorofluoromethane	0.018	0.0005	mg/L	0.0200		88.7	28.6-162	10.7	19.8	
Vinyl acetate	0.017	0.0005	mg/L	0.0200		86.4	50.9-135	3.13	7.84	
Vinyl chloride	0.017	0.0005	mg/L	0.0200		87.4	61.6-133	7.11	23	

Green Analytical Laboratories

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

Notes and Definitions

QR-02 The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.

BS-3 Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.

RPD Relative Percent Difference

LCS Laboratory Control Sample (Blank Spike)

RL Report Limit

MDL Method Detection Limit

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

Qualifier Summary

LabNumber	Analysis	Analyte	Qualifier	TextBody
5062409-BS1	Volatile 8260	1,1-Dichloropropene	BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
5062409-BS1	Volatile 8260	1,2-Dibromo-3-chloropropane	BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
5062409-BS1	Volatile 8260	Isopropylbenzene	BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
5062409-BS1	Volatile 8260	sec-Butylbenzene	BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
5062409-BSD1	Volatile 8260	1,1,1,2-Tetrachloroethane	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	1,1,1-Trichloroethane	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	1,1-Dichloropropene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	1,2-Dichlorobenzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	1,2-Dichloropropane	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	1,4-Dichlorobenzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Benzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Bromobenzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Bromochloromethane	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Bromodichloromethane	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
06/30/25 17:31

5062409-BSD1	Volatile 8260	Bromoform	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Chlorobenzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	cis-1,2-Dichloroethene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	cis-1,3-Dichloropropene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Ethylbenzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Isopropylbenzene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	m+p - Xylene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	o-Xylene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Styrene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Tetrachloroethene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Total Xylenes	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	trans-1,3-Dichloropropene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
5062409-BSD1	Volatile 8260	Trichloroethene	QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Report Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
(970) 247-4220

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006, R 8.0

Note: Write-Out™ or similar products cannot be used on the Chain of Custody

Company or Client: Cottonwood Consulting LLC

Address: PO Box 1653

City: Durango

State: CO Zip: 81302

Phone #: 970-764-7356

Contact Person: Kyle Siesser

Email Report to: ksiesser@cottonwoodconsulting.com

Project Name(optional):

GCU #153E

Sampler Name (Print):

Dylan Souger/Kelsey D Brien

Bill to (if different):

ANALYSIS REQUEST

P.O. #:

Rush?

Y ☐ N ☐

TAT Needed?

Collected

Matrix (check one)

of containers

Sample Name or Location

EPA Method 8260B (VOCs)

- GROUNDWATER
- SURFACE WATER
- WASTEWATER
- PRODUCED WATER
- DRINKING WATER
- SOIL
- OTHER:
- No preservation
- Nitric Acid
- Hydrochloric Acid
- Sulfuric Acid
- Sodium Hydroxide
- OTHER:

Lab I.D.
2506-731
Lab Use Only

1) MW #3R

Date: 6/17/25 Time: 1405

✓

4

✓

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion of the applicable service. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:

Date: 6/17/25

Received By:

Date: 6/17/25

ADDITIONAL REMARKS:

Relinquished By:

Date: 6/16/25

Received By:

Date: 6/16/25

Preservative Flushed prior to sampling

Relinquished By:

Date:

Received By:

Date:

Temperature at receipt:

Checked by:

On Ice?

Therm. used:

Time:

Time:

Time:

20.3 °C

CMH

Y

log

* GAL cannot accept verbal changes. Please email changes to receiving@greenanalytical.com
* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable charges.



SAMPLE CONDITION RECEIPT FORM

Date/Initials of person
examining contents: 6.18.25
LPWLabeled by initials: _____
(if different than above)Client Name: CottonwoodWork Order # 2506-231Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo ☐ Third Party ☐ OtherCustody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ No GAL Cooler #: _____Thermometer Used: H 2 Samples on ice, cooling process has begun: ☒ Yes ☐ NoType of Ice: ☒ Wet ☐ Blue ☐ None Cooler Temp: Observed Temp: 20.1 °C Correction Factor: +1.2 °C Final Temp: 20.3 °C

*Temp should be above freezing 6°C

Compliance: ☐ Yes ☒ No

Chain of Custody Filled Out:	☒ Yes ☐ No	1.	
COC Signed when Relinquished and Received:	☒ Yes ☐ No	2.	
Sampler Name and Signature on COC: *Required for compliance	☒ Yes ☐ No	3.	
Samples arrived within hold time:	☒ Yes ☐ No	4.	
Correct Containers Used & Intact:	☒ Yes ☐ No	5.	<u>Preservative Flushed Prior to Sampling</u>
Short Hold Time Analysis (<72hr):	☐ Yes ☒ No	6.	
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.	
Sufficient Volume:	☒ Yes ☐ No	8.	
pH's acceptable upon receipt, where applicable: *Not including metals bottles	☐ Yes ☐ No ☒ N/A	9.	
Dissolved Testing Needed:	☐ Yes ☒ No	10.	
Field Filtered: ☐ Yes ☐ No			
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	11.	
Matrix:	☒ WP ☐ SL ☐ OT		
Trip Blank Present:	☐ Yes ☐ No ☒ N/A	12.	
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☒ N/A		
VOA's meet headspace requirement (<6mm bubbles)	☒ Yes ☐ No ☐ N/A		
Non-Conformance(s):	☐ Yes ☒ No	13.	

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
jeremy.allen@greenanalytical.com

24 September 2025

Kyle Siesser
Cottonwood Consulting
PO Box 1653
Durango, CO 81302
RE: GCU #153E

Enclosed are the results of analyses for samples received by the laboratory on 09/16/25 16:20. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink that reads 'Jeremy D. Allen'. The signature is written in a cursive, flowing style.

Reporting Station For Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: TX-C25-00079

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: TX-C25-00101

Table of Contents

Samples in Report	3
Sample Results	4
2509209-01: MW #3R	4
Quality Assurance Results	7
Notes and Definitions	13
Chain of Custody & Attachments	14



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW #3R	2509209-01	Water	09/16/25 13:25	09/16/25 16:20	

Green Analytical Laboratories

A handwritten signature in black ink, reading 'Jeremy D. Allen', is placed over a light blue rectangular background.

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

MW #3R

2509209-01 (Water)

Sampled Date: 09/16/25 13:25

Sampled By: Kelsey O'Brien/Robert Cochran

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

1,1,1,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,1,1-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,1,2,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,1,2-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,1-Dichloroethane*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,1-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,1-Dichloropropene*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2,3-Trichlorobenzene*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2,4-Trichlorobenzene*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2,4-Trimethylbenzene*	0.015	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2-Dibromo-3-chloropropane*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2-Dibromoethane*	<0.0005	0.0005	0.00009	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2-Dichlorobenzene*	<0.0005	0.0005	0.00007	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2-Dichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2-Dichloropropane*	<0.0005	0.0005	0.00008	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,3,5-Trimethylbenzene*	<0.0005	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,3-Dichlorobenzene*	<0.0005	0.0005	0.00005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,3-Dichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,4-Dichlorobenzene	<0.0005	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,4-Dioxane	<0.020	0.020	0.020	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
1,2,3-trichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
2,2-Dichloropropane*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
2-Butanone*	<0.002	0.002	0.002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
2-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
2-Hexanone*	<0.001	0.001	0.0003	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
4-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
4-Methyl-2-pentanone*	<0.001	0.001	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Acetone*	<0.010	0.010	0.0009	mg/L	1	09/19/25 14:15	8260B	PH-1	SK

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

MW #3R

2509209-01 (Water)

Sampled Date: 09/16/25 13:25

Sampled By: Kelsey O'Brien/Robert Cochran

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

Acrolein*	<0.005	0.005	0.001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Acrylonitrile*	<0.002	0.002	0.0008	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Benzene*	0.009	0.0005	0.00005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Bromobenzene*	<0.0005	0.0005	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Bromochloromethane*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Bromodichloromethane*	<0.0005	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Bromoform*	<0.0005	0.0005	0.00009	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Bromomethane*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Carbon disulfide*	0.001	0.001	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Carbon tetrachloride*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Chlorobenzene*	<0.0005	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Chloroethane*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Chloroform*	<0.0005	0.0005	0.00002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Chloromethane*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
cis-1,2-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
cis-1,3-Dichloropropene*	<0.0005	0.0005	0.00009	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Dibromochloromethane*	<0.0005	0.0005	0.00008	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Dibromomethane*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Dichlorodifluoromethane*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Ethylbenzene*	0.026	0.0005	0.00003	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Hexachlorobutadiene*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Iodomethane	<0.001	0.001	0.00006	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Isopropylbenzene*	0.007	0.0005	0.00002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
m+p - Xylene*	0.037	0.001	0.00008	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Methyl tert-butyl ether	<0.001	0.001	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Methylene chloride*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Naphthalene*	0.001	0.0005	0.00008	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
n-Butylbenzene*	<0.0005	0.0005	0.00007	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
n-Propylbenzene*	0.003	0.0005	0.00005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
o-Xylene*	0.025	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
p-Isopropyltoluene*	0.002	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

MW #3R

2509209-01 (Water)

Sampled Date: 09/16/25 13:25

Sampled By: Kelsey O'Brien/Robert Cochran

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

sec-Butylbenzene*	0.002	0.0005	0.00004	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Styrene*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
tert-Butylbenzene*	0.0008	0.0005	0.00007	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Tetrachloroethene*	<0.0005	0.0005	0.00009	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Toluene*	0.050	0.0005	0.00008	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Total Xylenes*	0.062	0.001	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
trans-1,2-Dichloroethene*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
trans-1,3-Dichloropropene*	<0.0005	0.0005	0.00005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
trans-1,4-Dichloro-2-butene	<0.010	0.010	0.0003	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Trichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Trichlorofluoromethane*	<0.0005	0.0005	0.0001	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Vinyl acetate*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Vinyl chloride*	<0.0005	0.0005	0.0005	mg/L	1	09/19/25 14:15	8260B	PH-1	SK
Surrogate: 4-Bromofluorobenzene			107 %	79.1-111		09/19/25 14:15	8260B	PH-1	SK
Surrogate: Dibromofluoromethane			109 %	82.4-125		09/19/25 14:15	8260B	PH-1	SK
Surrogate: Toluene-d8			95.2 %	82.5-115		09/19/25 14:15	8260B	PH-1	SK

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

VOLATILES BY GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5091911 - Volatiles

Blank (5091911-BLK1)

Prepared & Analyzed: 09/19/25

1,1,1,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,1-Trichloroethane	ND	0.0005	mg/L
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,2-Trichloroethane	ND	0.0005	mg/L
1,1-Dichloroethane	ND	0.0005	mg/L
1,1-Dichloroethene	ND	0.0005	mg/L
1,1-Dichloropropene	ND	0.0005	mg/L
1,2,3-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trimethylbenzene	ND	0.0005	mg/L
1,2-Dibromo-3-chloropropane	ND	0.0005	mg/L
1,2-Dibromoethane	ND	0.0005	mg/L
1,2-Dichlorobenzene	ND	0.0005	mg/L
1,2-Dichloroethane	ND	0.0005	mg/L
1,2-Dichloropropane	ND	0.0005	mg/L
1,3,5-Trimethylbenzene	ND	0.0005	mg/L
1,3-Dichlorobenzene	ND	0.0005	mg/L
1,3-Dichloropropane	ND	0.0005	mg/L
1,4-Dichlorobenzene	ND	0.0005	mg/L
1,4-Dioxane	ND	0.020	mg/L
1,2,3-trichloropropane	ND	0.0005	mg/L
2,2-Dichloropropane	ND	0.0005	mg/L
2-Butanone	ND	0.002	mg/L
2-Chlorotoluene	ND	0.0005	mg/L
2-Hexanone	ND	0.001	mg/L

Surrogate: 4-Bromofluorobenzene	0.0239		mg/L	0.0250	95.5	79.1-111
4-Chlorotoluene	ND	0.0005	mg/L			
4-Methyl-2-pentanone	ND	0.001	mg/L			
Acetone	ND	0.010	mg/L			
Acrolein	ND	0.005	mg/L			
Acrylonitrile	ND	0.002	mg/L			
Benzene	ND	0.0005	mg/L			
Bromobenzene	ND	0.0005	mg/L			
Bromochloromethane	ND	0.0005	mg/L			
Bromodichloromethane	ND	0.0005	mg/L			
Bromoform	ND	0.0005	mg/L			

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5091911 - Volatiles (Continued)

Blank (5091911-BLK1) (Continued)

Prepared & Analyzed: 09/19/25

Bromomethane	ND	0.0005	mg/L							
Carbon disulfide	ND	0.001	mg/L							
Carbon tetrachloride	ND	0.0005	mg/L							
Chlorobenzene	ND	0.0005	mg/L							
Chloroethane	ND	0.0005	mg/L							
Chloroform	ND	0.0005	mg/L							
Chloromethane	ND	0.0005	mg/L							
cis-1,2-Dichloroethene	ND	0.0005	mg/L							
cis-1,3-Dichloropropene	ND	0.0005	mg/L							
Dibromochloromethane	ND	0.0005	mg/L							

Surrogate: Dibromofluoromethane 0.0250 mg/L 0.0250 100 82.4-125

Dibromomethane	ND	0.0005	mg/L							
Dichlorodifluoromethane	ND	0.0005	mg/L							
Ethylbenzene	ND	0.0005	mg/L							
Hexachlorobutadiene	ND	0.0005	mg/L							
Iodomethane	ND	0.001	mg/L							
Isopropylbenzene	ND	0.0005	mg/L							
m+p - Xylene	ND	0.001	mg/L							
Methyl tert-butyl ether	ND	0.001	mg/L							
Methylene chloride	ND	0.0005	mg/L							
Naphthalene	ND	0.0005	mg/L							
n-Butylbenzene	ND	0.0005	mg/L							
n-Propylbenzene	ND	0.0005	mg/L							
o-Xylene	ND	0.0005	mg/L							
p-Isopropyltoluene	ND	0.0005	mg/L							
sec-Butylbenzene	ND	0.0005	mg/L							
Styrene	ND	0.0005	mg/L							
tert-Butylbenzene	ND	0.0005	mg/L							
Tetrachloroethene	ND	0.0005	mg/L							
Toluene	ND	0.0005	mg/L							

Surrogate: Toluene-d8 0.0241 mg/L 0.0250 96.3 82.5-115

Total Xylenes	ND	0.001	mg/L							
trans-1,2-Dichloroethene	ND	0.0005	mg/L							
trans-1,3-Dichloropropene	ND	0.0005	mg/L							
trans-1,4-Dichloro-2-butene	ND	0.010	mg/L							
Trichloroethene	ND	0.0005	mg/L							
Trichlorofluoromethane	ND	0.0005	mg/L							
Vinyl acetate	ND	0.0005	mg/L							
Vinyl chloride	ND	0.0005	mg/L							

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5091911 - Volatiles (Continued)

LCS (5091911-BS1)

Prepared & Analyzed: 09/19/25

1,1,1,2-Tetrachloroethane	0.021	0.0005	mg/L	0.0200		106	83.1-120			
1,1,1-Trichloroethane	0.024	0.0005	mg/L	0.0200		118	50.3-160			
1,1,2,2-Tetrachloroethane	0.014	0.0005	mg/L	0.0200		72.0	48-136			
1,1,2-Trichloroethane	0.015	0.0005	mg/L	0.0200		76.8	73.8-123			
1,1-Dichloroethane	0.018	0.0005	mg/L	0.0200		88.0	72.8-131			
1,1-Dichloroethene	0.021	0.0005	mg/L	0.0200		103	77.6-137			
1,1-Dichloropropene	0.018	0.0005	mg/L	0.0200		91.2	54.5-156			
1,2,3-Trichlorobenzene	0.022	0.0005	mg/L	0.0200		111	66.2-149			
1,2,4-Trichlorobenzene	0.020	0.0005	mg/L	0.0200		102	63.3-150			
1,2,4-Trimethylbenzene	0.022	0.0005	mg/L	0.0200		111	79.1-124			
1,2-Dibromo-3-chloropropane	0.018	0.0005	mg/L	0.0200		88.0	34.9-149			
1,2-Dibromoethane	0.019	0.0005	mg/L	0.0200		95.2	78.5-122			
1,2-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		98.3	84.3-120			
1,2-Dichloroethane	0.021	0.0005	mg/L	0.0200		107	70.4-125			
1,2-Dichloropropane	0.016	0.0005	mg/L	0.0200		78.2	73.3-122			
1,3,5-Trimethylbenzene	0.023	0.0005	mg/L	0.0200		113	77.3-127			
1,3-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		101	84.5-124			
1,3-Dichloropropane	0.017	0.0005	mg/L	0.0200		82.7	76-124			
1,4-Dichlorobenzene	0.019	0.0005	mg/L	0.0200		97.0	83.2-121			
1,4-Dioxane	0.296	0.020	mg/L	0.400		73.9	26-195			
1,2,3-trichloropropane	0.015	0.0005	mg/L	0.0200		73.4	56.5-127			
2,2-Dichloropropane	0.030	0.0005	mg/L	0.0200		150	69.4-132			BS-3
2-Butanone	0.030	0.002	mg/L	0.0400		76.0	40.9-157			
2-Chlorotoluene	0.019	0.0005	mg/L	0.0200		96.0	76.4-123			
2-Hexanone	0.026	0.001	mg/L	0.0400		64.0	15.4-157			
Surrogate: 4-Bromofluorobenzene	0.0267		mg/L	0.0250		107	79.1-111			
4-Chlorotoluene	0.020	0.0005	mg/L	0.0200		99.6	78.7-126			
4-Methyl-2-pentanone	0.027	0.001	mg/L	0.0400		68.0	31.4-146			
Acetone	0.032	0.010	mg/L	0.0400		79.3	49.7-187			
Acrolein	0.160	0.005	mg/L	0.200		80.1	4.88-190			
Acrylonitrile	0.040	0.002	mg/L	0.0400		99.0	52.6-154			
Benzene	0.018	0.0005	mg/L	0.0200		89.8	82.4-116			
Bromobenzene	0.019	0.0005	mg/L	0.0200		97.0	81.5-121			
Bromochloromethane	0.020	0.0005	mg/L	0.0200		98.7	67.4-139			
Bromodichloromethane	0.019	0.0005	mg/L	0.0200		95.7	76.5-119			
Bromoform	0.020	0.0005	mg/L	0.0200		99.1	64.6-130			
Bromomethane	0.019	0.0005	mg/L	0.0200		95.6	63.3-139			
Carbon disulfide	0.036	0.001	mg/L	0.0400		90.6	66.8-157			
Carbon tetrachloride	0.030	0.0005	mg/L	0.0200		152	73.9-135			BS-3

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5091911 - Volatiles (Continued)

LCS (5091911-BS1) (Continued)

Prepared & Analyzed: 09/19/25

Chlorobenzene	0.019	0.0005	mg/L	0.0200		96.1	83.5-117			
Chloroethane	0.018	0.0005	mg/L	0.0200		88.2	67.1-139			
Chloroform	0.019	0.0005	mg/L	0.0200		93.9	72.8-130			
Chloromethane	0.016	0.0005	mg/L	0.0200		79.6	45.8-153			
cis-1,2-Dichloroethene	0.017	0.0005	mg/L	0.0200		85.5	75.7-128			
cis-1,3-Dichloropropene	0.017	0.0005	mg/L	0.0200		87.4	71.6-125			
Dibromochloromethane	0.022	0.0005	mg/L	0.0200		109	78.8-123			
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0252</i>		mg/L	<i>0.0250</i>		<i>101</i>	<i>82.4-125</i>			
Dibromomethane	0.018	0.0005	mg/L	0.0200		87.8	77.8-119			
Dichlorodifluoromethane	0.024	0.0005	mg/L	0.0200		122	46.1-158			
Ethylbenzene	0.020	0.0005	mg/L	0.0200		102	77.9-123			
Hexachlorobutadiene	0.023	0.0005	mg/L	0.0200		117	55.5-185			
Iodomethane	0.039	0.001	mg/L	0.0400		96.4	74-137			
Isopropylbenzene	0.019	0.0005	mg/L	0.0200		97.2	77.6-125			
m+p - Xylene	0.039	0.001	mg/L	0.0400		97.6	76.6-128			
Methyl tert-butyl ether	0.038	0.001	mg/L	0.0400		96.2	73.6-131			
Methylene chloride	0.019	0.0005	mg/L	0.0200		94.0	75.1-138			
Naphthalene	0.018	0.0005	mg/L	0.0200		89.5	55.4-142			
n-Butylbenzene	0.021	0.0005	mg/L	0.0200		106	72.8-143			
n-Propylbenzene	0.019	0.0005	mg/L	0.0200		97.0	79.8-127			
o-Xylene	0.018	0.0005	mg/L	0.0200		91.8	72.3-124			
p-Isopropyltoluene	0.021	0.0005	mg/L	0.0200		107	72-135			
sec-Butylbenzene	0.020	0.0005	mg/L	0.0200		102	78.6-130			
Styrene	0.019	0.0005	mg/L	0.0200		94.2	78.9-119			
tert-Butylbenzene	0.023	0.0005	mg/L	0.0200		115	79.8-126			
Tetrachloroethene	0.021	0.0005	mg/L	0.0200		104	76.9-130			
Toluene	0.018	0.0005	mg/L	0.0200		92.4	76.3-120			
<i>Surrogate: Toluene-d8</i>	<i>0.0243</i>		mg/L	<i>0.0250</i>		<i>97.3</i>	<i>82.5-115</i>			
Total Xylenes	0.057	0.001	mg/L	0.0600		95.7	75.9-126			
trans-1,2-Dichloroethene	0.019	0.0005	mg/L	0.0200		95.2	78.3-134			
trans-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		102	74.4-126			
trans-1,4-Dichloro-2-butene	0.062	0.010	mg/L	0.0400		156	7.48-201			
Trichloroethene	0.018	0.0005	mg/L	0.0200		89.7	77.5-118			
Trichlorofluoromethane	0.025	0.0005	mg/L	0.0200		127	63.7-149			
Vinyl acetate	0.049	0.0005	mg/L	0.0200		244	19.3-171			BS-3
Vinyl chloride	0.019	0.0005	mg/L	0.0200		93.8	64.9-141			

LCS Dup (5091911-BSD1)

Prepared & Analyzed: 09/19/25

1,1,1,2-Tetrachloroethane	0.021	0.0005	mg/L	0.0200		104	83.1-120	1.62	6.88	
---------------------------	-------	--------	------	--------	--	-----	----------	------	------	--

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

**VOLATILES BY GC/MS - Quality Control
(Continued)**

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5091911 - Volatiles (Continued)

LCS Dup (5091911-BSD1) (Continued)

Prepared & Analyzed: 09/19/25

1,1,1-Trichloroethane	0.023	0.0005	mg/L	0.0200		117	50.3-160	1.40	7.43	
1,1,2,2-Tetrachloroethane	0.015	0.0005	mg/L	0.0200		76.6	48-136	6.06	8.68	
1,1,2-Trichloroethane	0.017	0.0005	mg/L	0.0200		84.2	73.8-123	9.13	6.82	QR-02
1,1-Dichloroethane	0.018	0.0005	mg/L	0.0200		88.9	72.8-131	1.02	4.3	
1,1-Dichloroethene	0.020	0.0005	mg/L	0.0200		101	77.6-137	1.27	16.5	
1,1-Dichloropropene	0.019	0.0005	mg/L	0.0200		97.2	54.5-156	6.48	5.47	QR-02
1,2,3-Trichlorobenzene	0.023	0.0005	mg/L	0.0200		115	66.2-149	3.93	43	
1,2,4-Trichlorobenzene	0.021	0.0005	mg/L	0.0200		103	63.3-150	0.730	22.3	
1,2,4-Trimethylbenzene	0.023	0.0005	mg/L	0.0200		116	79.1-124	4.44	8.94	
1,2-Dibromo-3-chloropropane	0.019	0.0005	mg/L	0.0200		94.8	34.9-149	7.44	15.1	
1,2-Dibromoethane	0.020	0.0005	mg/L	0.0200		101	78.5-122	5.86	5.83	QR-02
1,2-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		102	84.3-120	3.55	8.72	
1,2-Dichloroethane	0.022	0.0005	mg/L	0.0200		110	70.4-125	2.78	8.94	
1,2-Dichloropropane	0.016	0.0005	mg/L	0.0200		80.4	73.3-122	2.84	5.51	
1,3,5-Trimethylbenzene	0.023	0.0005	mg/L	0.0200		117	77.3-127	3.45	16.5	
1,3-Dichlorobenzene	0.022	0.0005	mg/L	0.0200		109	84.5-124	7.85	9	
1,3-Dichloropropane	0.017	0.0005	mg/L	0.0200		83.2	76-124	0.603	6.06	
1,4-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		102	83.2-121	5.32	7.71	
1,4-Dioxane	0.317	0.020	mg/L	0.400		79.2	26-195	6.94	35.2	
1,2,3-trichloropropane	0.015	0.0005	mg/L	0.0200		75.6	56.5-127	3.09	49.2	
2,2-Dichloropropane	0.029	0.0005	mg/L	0.0200		146	69.4-132	2.69	9.62	BS-3
2-Butanone	0.020	0.002	mg/L	0.0400		49.9	40.9-157	41.5	14.2	QR-02
2-Chlorotoluene	0.020	0.0005	mg/L	0.0200		102	76.4-123	5.96	8.62	
2-Hexanone	0.026	0.001	mg/L	0.0400		65.3	15.4-157	1.97	7.28	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.0260</i>		mg/L	<i>0.0250</i>		<i>104</i>	<i>79.1-111</i>			
4-Chlorotoluene	0.021	0.0005	mg/L	0.0200		105	78.7-126	5.19	15.5	
4-Methyl-2-pentanone	0.031	0.001	mg/L	0.0400		76.5	31.4-146	11.8	7.57	QR-02
Acetone	0.034	0.010	mg/L	0.0400		84.0	49.7-187	5.76	30.5	
Acrolein	0.165	0.005	mg/L	0.200		82.4	4.88-190	2.75	22.4	
Acrylonitrile	0.040	0.002	mg/L	0.0400		101	52.6-154	1.93	7.62	
Benzene	0.018	0.0005	mg/L	0.0200		90.8	82.4-116	1.05	4.16	
Bromobenzene	0.020	0.0005	mg/L	0.0200		102	81.5-121	4.88	8.41	
Bromochloromethane	0.020	0.0005	mg/L	0.0200		98.1	67.4-139	0.661	5.16	
Bromodichloromethane	0.020	0.0005	mg/L	0.0200		100	76.5-119	4.44	5.36	
Bromoform	0.021	0.0005	mg/L	0.0200		104	64.6-130	4.49	14.1	
Bromomethane	0.019	0.0005	mg/L	0.0200		97.3	63.3-139	1.81	21.5	
Carbon disulfide	0.037	0.001	mg/L	0.0400		92.4	66.8-157	2.00	20.3	
Carbon tetrachloride	0.028	0.0005	mg/L	0.0200		139	73.9-135	9.02	11.4	BS-3
Chlorobenzene	0.019	0.0005	mg/L	0.0200		97.0	83.5-117	0.932	5.18	

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5091911 - Volatiles (Continued)

LCS Dup (5091911-BSD1) (Continued)

Prepared & Analyzed: 09/19/25

Chloroethane	0.017	0.0005	mg/L	0.0200		86.0	67.1-139	2.53	24.1	
Chloroform	0.019	0.0005	mg/L	0.0200		94.9	72.8-130	1.06	5.15	
Chloromethane	0.016	0.0005	mg/L	0.0200		81.5	45.8-153	2.42	27	
cis-1,2-Dichloroethene	0.018	0.0005	mg/L	0.0200		90.0	75.7-128	5.13	5.73	
cis-1,3-Dichloropropene	0.017	0.0005	mg/L	0.0200		86.4	71.6-125	1.21	6.09	
Dibromochloromethane	0.023	0.0005	mg/L	0.0200		116	78.8-123	6.22	7.24	
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0262</i>		mg/L	<i>0.0250</i>		<i>105</i>	<i>82.4-125</i>			
Dibromomethane	0.018	0.0005	mg/L	0.0200		91.8	77.8-119	4.40	5.75	
Dichlorodifluoromethane	0.024	0.0005	mg/L	0.0200		121	46.1-158	1.07	22.6	
Ethylbenzene	0.021	0.0005	mg/L	0.0200		104	77.9-123	1.90	4.83	
Hexachlorobutadiene	0.026	0.0005	mg/L	0.0200		128	55.5-185	9.25	18.4	
Iodomethane	0.039	0.001	mg/L	0.0400		97.7	74-137	1.37	24.3	
Isopropylbenzene	0.020	0.0005	mg/L	0.0200		101	77.6-125	3.69	6.25	
m+p - Xylene	0.040	0.001	mg/L	0.0400		99.8	76.6-128	2.20	5.77	
Methyl tert-butyl ether	0.040	0.001	mg/L	0.0400		99.8	73.6-131	3.62	12.8	
Methylene chloride	0.018	0.0005	mg/L	0.0200		91.7	75.1-138	2.42	19.7	
Naphthalene	0.019	0.0005	mg/L	0.0200		93.6	55.4-142	4.43	33.5	
n-Butylbenzene	0.022	0.0005	mg/L	0.0200		108	72.8-143	1.87	10.1	
n-Propylbenzene	0.020	0.0005	mg/L	0.0200		99.3	79.8-127	2.29	9.09	
o-Xylene	0.019	0.0005	mg/L	0.0200		93.4	72.3-124	1.73	6.29	
p-Isopropyltoluene	0.022	0.0005	mg/L	0.0200		110	72-135	3.14	9.26	
sec-Butylbenzene	0.021	0.0005	mg/L	0.0200		104	78.6-130	2.52	9.85	
Styrene	0.019	0.0005	mg/L	0.0200		96.2	78.9-119	2.15	7.55	
tert-Butylbenzene	0.023	0.0005	mg/L	0.0200		116	79.8-126	1.13	18.6	
Tetrachloroethene	0.023	0.0005	mg/L	0.0200		113	76.9-130	8.24	6.38	QR-02
Toluene	0.019	0.0005	mg/L	0.0200		95.8	76.3-120	3.67	5.67	
<i>Surrogate: Toluene-d8</i>	<i>0.0246</i>		mg/L	<i>0.0250</i>		<i>98.3</i>	<i>82.5-115</i>			
Total Xylenes	0.059	0.001	mg/L	0.0600		97.6	75.9-126	2.05	5.83	
trans-1,2-Dichloroethene	0.019	0.0005	mg/L	0.0200		97.0	78.3-134	1.82	19.1	
trans-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		100	74.4-126	1.58	6.26	
trans-1,4-Dichloro-2-butene	0.059	0.010	mg/L	0.0400		147	7.48-201	6.21	92.8	
Trichloroethene	0.018	0.0005	mg/L	0.0200		92.2	77.5-118	2.69	4.92	
Trichlorofluoromethane	0.026	0.0005	mg/L	0.0200		128	63.7-149	0.353	19.8	
Vinyl acetate	0.047	0.0005	mg/L	0.0200		234	19.3-171	3.95	7.84	BS-3
Vinyl chloride	0.019	0.0005	mg/L	0.0200		92.7	64.9-141	1.13	23	

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
09/24/25 09:08

Notes and Definitions

QR-02	The RPD result exceeded the QC control limits; however, both percent recoveries were acceptable. Sample results for the QC batch were accepted based on percent recoveries and completeness of QC data.
PH-1	Insufficient preservative to reduce the sample pH to less than 2. Sample was analyzed within 7 days recommended for volatile analysis without preservative.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis *Results reported on as received basis unless designated as dry.
RPD	Relative Percent Difference
LCS	Laboratory Control Sample (Blank Spike)
RL	Report Limit
MDL	Method Detection Limit

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



75 Suttle Street
Durango, CO 81303
(970) 247-4220

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST
FORM-006, R 8.0

Note: Write-Out™ or similar products cannot be used on the Chain of Custody

Company or Client: Cottonwood Consulting LLC

Address: PO Box 1653

City: Durango

State: CO Zip: 81302

Phone #: 970-764-7356

Contact Person: Kyle Siesser

Email Report to: ksiesser@cottonwoodconsulting.com

Project Name(optional):

GCU #153E

Sampler Name (Print): Kelsey O'Brien / Robert Cochran

Lab I.D.

7304-204
Lab Use Only

Sample Name or Location

01

MW #3R

Date

Time

9/16/15

1325

GROUNDWATER

SURFACE WATER

WASTEWATER

PRODUCED WATER

DRINKING WATER

SOIL

OTHER:

No preservation

Nitric Acid

Hydrochloric Acid

Sulfuric Acid

Sodium Hydroxide

OTHER:

4

✓

EPA Method 8260 (VOCs)

Collected

Matrix (check one)

of containers

P.O. #:

Rush?

TAT Needed?

Bill to (if different):

ANALYSIS REQUEST

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion of the applicable service. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

ADDITIONAL REMARKS:

Preservative flushed can vas's and
quins

Date: 9/16/15

Received By:

Date: 9/16/15

Time: 1620

Received By:

Date: 9/16/15

Time: 1620

Date: 9/16/15

Received By:

Date: 9/16/15

Time: 1620

Received By:

Date: 9/16/15

Time: 1620

Date: 9/16/15

Received By:

Date: 9/16/15

Time: 1620

Received By:

Date: 9/16/15

Time: 1620

Date: 9/16/15

Received By:

Date: 9/16/15

Time: 1620

Received By:

Date: 9/16/15

Time: 1620

* GAL cannot accept verbal changes. Please email changes to receiving@greenanalytical.com
* Chain of Custody must be signed in "Relinquished By:" as an acceptance of services and all applicable changes.

Page 1 of 1



SAMPLE CONDITION RECEIPT FORM

 Date/Initials of examining contents: cmw

Table of Contents

 Labeled by initials: _____
 (if different than above)
Client Name: Cottonwood ConsultingWork Order # 2509-209
 Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo ☐ Third Party ☐ Other

 Custody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ No GAL Cooler #: _____

 Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

 Type of Ice: ☒ Wet ☐ Blue ☐ None Cooler Temp: Observed Temp: 19.8 °C Correction Factor: 0 °C Final Temp: 19.8 °C

* Temp should be above freezing 6°C

Compliance: ☐ Yes ☒ No

Chain of Custody Filled Out:	☒ Yes ☐ No	1.
COC Signed when Relinquished and Received:	☒ Yes ☐ No	2.
Sampler Name and Signature on COC: *Required for compliance	☒ Yes ☐ No	3.
Samples arrived within hold time: (Excluding pH)	☒ Yes ☐ No	4.
Correct Containers Used & Intact:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): (Excluding pH)	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
pH's acceptable upon receipt, where applicable: *Not including metals bottles	☐ Yes ☐ No ☒ N/A	9.
Dissolved Testing Needed:	☐ Yes ☒ No	10.
Field Filtered: ☐ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	11.
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	12.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	
VOA's meet headspace requirement (<6mm bubbles)	☐ Yes ☐ No ☐ N/A	
Non-Conformance(s):	☐ Yes ☒ No	13.

Client Notification/Resolution:

Person Contacted: _____

Date/Time: _____

Comments/Resolution: _____



75 Suttle Street
Durango, CO 81303
970.247.4220 Phone
jeremy.allen@greenanalytical.com

26 December 2025

Kyle Siesser
Cottonwood Consulting
PO Box 1653
Durango, CO 81302
RE: GCU #153E

Enclosed are the results of analyses for samples received by the laboratory on 12/09/25 16:05. The data to follow was performed, in whole or in part, by Green Analytical Laboratories. Any data that was performed by a subcontract laboratory is included within the GAL report, or with an additional report attached.

If you need any further assistance, please feel free to contact me.

Sincerely,

A handwritten signature in blue ink, reading 'Jeremy D. Allen', is displayed on a light blue rectangular background.

Reporting Station For Jeremy D Allen
Laboratory Director

All accredited analytes contained in this report are denoted by an asterisk (*). For a complete list of accredited analytes please do not hesitate to contact us via any of the contact information contained in this report. All of our certifications can be viewed at <http://greenanalytical.com/certifications/>

Green Analytical Laboratories is NELAP accredited through the Texas Commission on Environmental Quality. Accreditation applies to drinking water and non-potable water matrices for trace metals and a variety of inorganic parameters. Green Analytical Laboratories is also accredited through the Colorado Department of Public Health and Environment and EPA region 8 for trace metals, Cyanide, Fluoride, Nitrate, and Nitrite in drinking water. TNI Certificate Number: TX-C25-00079

Our affiliate laboratory, Cardinal Laboratories, is also NELAP accredited through the Texas Commission on Environmental Quality for a variety of organic constituents in drinking water, non-potable water and solid matrices. Cardinal is also accredited for regulated VOCs, TTHM, and HAA-5 in drinking water through the Colorado Department of Public Health and Environment and EPA region 8. TNI Certificate Number: TX-C25-00101

Table of Contents

Samples in Report	3
Sample Results	4
2512111-01: MW #3R	4
Quality Assurance Results	7
Notes and Definitions	13
Chain of Custody & Attachments	14



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received	Notes
MW #3R	2512111-01	Water	12/09/25 14:10	12/09/25 16:05	

Green Analytical Laboratories

A handwritten signature in black ink, reading 'Jeremy D. Allen', is displayed on a light blue rectangular background.

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

MW #3R

2512111-01 (Water)

Sampled Date: 12/09/25 14:10

Sampled By: Kelsey O'brien

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

1,1,1,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,1,1-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,1,2,2-Tetrachloroethane*	<0.0005	0.0005	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,1,2-Trichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,1-Dichloroethane*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,1-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,1-Dichloropropene*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2,3-Trichlorobenzene*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2,4-Trichlorobenzene*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2,4-Trimethylbenzene*	0.005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2-Dibromo-3-chloropropane*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2-Dibromoethane*	<0.0005	0.0005	0.00009	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2-Dichlorobenzene*	<0.0005	0.0005	0.00007	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2-Dichloroethane*	<0.0005	0.0005	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2-Dichloropropane*	<0.0005	0.0005	0.00008	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,3,5-Trimethylbenzene*	<0.0005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,3-Dichlorobenzene*	<0.0005	0.0005	0.00005	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,3-Dichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,4-Dichlorobenzene	<0.0005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,4-Dioxane	<0.020	0.020	0.020	mg/L	1	12/18/25 18:59	8260B	PH	SK
1,2,3-trichloropropane*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
2,2-Dichloropropane*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
2-Butanone*	<0.002	0.002	0.002	mg/L	1	12/18/25 18:59	8260B	PH	SK
2-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
2-Hexanone*	<0.001	0.001	0.0003	mg/L	1	12/18/25 18:59	8260B	PH	SK
4-Chlorotoluene*	<0.0005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
4-Methyl-2-pentanone*	<0.001	0.001	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
Acetone*	<0.010	0.010	0.0009	mg/L	1	12/18/25 18:59	8260B	PH	SK

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

MW #3R

2512111-01 (Water)

Sampled Date: 12/09/25 14:10

Sampled By: Kelsey O'brien

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

Acrolein*	<0.005	0.005	0.001	mg/L	1	12/18/25 18:59	8260B	PH	SK
Acrylonitrile*	<0.002	0.002	0.0008	mg/L	1	12/18/25 18:59	8260B	PH	SK
Benzene*	0.005	0.0005	0.00005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Bromobenzene*	<0.0005	0.0005	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
Bromochloromethane*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
Bromodichloromethane*	<0.0005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
Bromoform*	<0.0005	0.0005	0.00009	mg/L	1	12/18/25 18:59	8260B	PH	SK
Bromomethane*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Carbon disulfide*	0.011	0.001	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
Carbon tetrachloride*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
Chlorobenzene*	<0.0005	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
Chloroethane*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Chloroform*	<0.0005	0.0005	0.00002	mg/L	1	12/18/25 18:59	8260B	PH	SK
Chloromethane*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
cis-1,2-Dichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
cis-1,3-Dichloropropene*	<0.0005	0.0005	0.00009	mg/L	1	12/18/25 18:59	8260B	PH	SK
Dibromochloromethane*	<0.0005	0.0005	0.00008	mg/L	1	12/18/25 18:59	8260B	PH	SK
Dibromomethane*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
Dichlorodifluoromethane*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Ethylbenzene*	0.010	0.0005	0.00003	mg/L	1	12/18/25 18:59	8260B	PH	SK
Hexachlorobutadiene*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Iodomethane	<0.001	0.001	0.00006	mg/L	1	12/18/25 18:59	8260B	PH	SK
Isopropylbenzene*	0.005	0.0005	0.00002	mg/L	1	12/18/25 18:59	8260B	PH	SK
m+p - Xylene*	0.015	0.001	0.00008	mg/L	1	12/18/25 18:59	8260B	PH	SK
Methyl tert-butyl ether	<0.001	0.001	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
Methylene chloride*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Naphthalene*	0.0006	0.0005	0.00008	mg/L	1	12/18/25 18:59	8260B	PH	SK
n-Butylbenzene*	<0.0005	0.0005	0.00007	mg/L	1	12/18/25 18:59	8260B	PH	SK
n-Propylbenzene*	0.001	0.0005	0.00005	mg/L	1	12/18/25 18:59	8260B	PH	SK
o-Xylene*	0.013	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
p-Isopropyltoluene*	0.001	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

MW #3R

2512111-01 (Water)

Sampled Date: 12/09/25 14:10

Sampled By: Kelsey O'brien

Analyte	Result	RL	MDL	Units	Dilution	Analyzed	Method	Notes	Analyst
---------	--------	----	-----	-------	----------	----------	--------	-------	---------

Subcontracted -- Cardinal Laboratories 101 East Marland Hobbs, NM 88240

VOLATILES BY GC/MS

sec-Butylbenzene*	0.001	0.0005	0.00004	mg/L	1	12/18/25 18:59	8260B	PH	SK
Styrene*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
tert-Butylbenzene*	0.0008	0.0005	0.00007	mg/L	1	12/18/25 18:59	8260B	PH	SK
Tetrachloroethene*	<0.0005	0.0005	0.00009	mg/L	1	12/18/25 18:59	8260B	PH	SK
Toluene*	0.028	0.0005	0.00008	mg/L	1	12/18/25 18:59	8260B	PH	SK
Total Xylenes*	0.028	0.001	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
trans-1,2-Dichloroethene*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
trans-1,3-Dichloropropene*	<0.0005	0.0005	0.00005	mg/L	1	12/18/25 18:59	8260B	PH	SK
trans-1,4-Dichloro-2-butene	<0.010	0.010	0.0003	mg/L	1	12/18/25 18:59	8260B	PH	SK
Trichloroethene*	<0.0005	0.0005	0.0002	mg/L	1	12/18/25 18:59	8260B	PH	SK
Trichlorofluoromethane*	<0.0005	0.0005	0.0001	mg/L	1	12/18/25 18:59	8260B	PH	SK
Vinyl acetate*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Vinyl chloride*	<0.0005	0.0005	0.0005	mg/L	1	12/18/25 18:59	8260B	PH	SK
Surrogate: 4-Bromofluorobenzene			99.5 %	79.1-111		12/18/25 18:59	8260B	PH	SK
Surrogate: Dibromofluoromethane			112 %	82.4-125		12/18/25 18:59	8260B	PH	SK
Surrogate: Toluene-d8			101 %	82.5-115		12/18/25 18:59	8260B	PH	SK

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

VOLATILES BY GC/MS - Quality Control

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5121702 - Volatiles

Blank (5121702-BLK1)

Prepared: 12/17/25 Analyzed: 12/18/25

1,1,1,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,1-Trichloroethane	ND	0.0005	mg/L
1,1,2,2-Tetrachloroethane	ND	0.0005	mg/L
1,1,2-Trichloroethane	ND	0.0005	mg/L
1,1-Dichloroethane	ND	0.0005	mg/L
1,1-Dichloroethene	ND	0.0005	mg/L
1,1-Dichloropropene	ND	0.0005	mg/L
1,2,3-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trichlorobenzene	ND	0.0005	mg/L
1,2,4-Trimethylbenzene	ND	0.0005	mg/L
1,2-Dibromo-3-chloropropane	ND	0.0005	mg/L
1,2-Dibromoethane	ND	0.0005	mg/L
1,2-Dichlorobenzene	ND	0.0005	mg/L
1,2-Dichloroethane	ND	0.0005	mg/L
1,2-Dichloropropane	ND	0.0005	mg/L
1,3,5-Trimethylbenzene	ND	0.0005	mg/L
1,3-Dichlorobenzene	ND	0.0005	mg/L
1,3-Dichloropropane	ND	0.0005	mg/L
1,4-Dichlorobenzene	ND	0.0005	mg/L
1,4-Dioxane	ND	0.020	mg/L
1,2,3-trichloropropane	ND	0.0005	mg/L
2,2-Dichloropropane	ND	0.0005	mg/L
2-Butanone	ND	0.002	mg/L
2-Chlorotoluene	ND	0.0005	mg/L
2-Hexanone	ND	0.001	mg/L

Surrogate: 4-Bromofluorobenzene	0.0453		mg/L	0.0500	90.6	79.1-111
4-Chlorotoluene	ND	0.0005	mg/L			
4-Methyl-2-pentanone	ND	0.001	mg/L			
Acetone	ND	0.010	mg/L			
Acrolein	ND	0.005	mg/L			
Acrylonitrile	ND	0.002	mg/L			
Benzene	ND	0.0005	mg/L			
Bromobenzene	ND	0.0005	mg/L			
Bromochloromethane	ND	0.0005	mg/L			
Bromodichloromethane	ND	0.0005	mg/L			
Bromoform	ND	0.0005	mg/L			

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5121702 - Volatiles (Continued)

Blank (5121702-BLK1) (Continued)

Prepared: 12/17/25 Analyzed: 12/18/25

Bromomethane	ND	0.0005	mg/L							
Carbon disulfide	ND	0.001	mg/L							
Carbon tetrachloride	ND	0.0005	mg/L							
Chlorobenzene	ND	0.0005	mg/L							
Chloroethane	ND	0.0005	mg/L							
Chloroform	ND	0.0005	mg/L							
Chloromethane	ND	0.0005	mg/L							
cis-1,2-Dichloroethene	ND	0.0005	mg/L							
cis-1,3-Dichloropropene	ND	0.0005	mg/L							
Dibromochloromethane	ND	0.0005	mg/L							
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0527</i>		mg/L	<i>0.0500</i>		<i>105</i>	<i>82.4-125</i>			
Dibromomethane	ND	0.0005	mg/L							
Dichlorodifluoromethane	ND	0.0005	mg/L							
Ethylbenzene	ND	0.0005	mg/L							
Hexachlorobutadiene	ND	0.0005	mg/L							
Iodomethane	ND	0.001	mg/L							
Isopropylbenzene	ND	0.0005	mg/L							
m+p - Xylene	ND	0.001	mg/L							
Methyl tert-butyl ether	ND	0.001	mg/L							
Methylene chloride	ND	0.0005	mg/L							
Naphthalene	ND	0.0005	mg/L							
n-Butylbenzene	ND	0.0005	mg/L							
n-Propylbenzene	ND	0.0005	mg/L							
o-Xylene	ND	0.0005	mg/L							
p-Isopropyltoluene	ND	0.0005	mg/L							
sec-Butylbenzene	ND	0.0005	mg/L							
Styrene	ND	0.0005	mg/L							
tert-Butylbenzene	ND	0.0005	mg/L							
Tetrachloroethene	ND	0.0005	mg/L							
Toluene	ND	0.0005	mg/L							
<i>Surrogate: Toluene-d8</i>	<i>0.0543</i>		mg/L	<i>0.0500</i>		<i>109</i>	<i>82.5-115</i>			
Total Xylenes	ND	0.001	mg/L							
trans-1,2-Dichloroethene	ND	0.0005	mg/L							
trans-1,3-Dichloropropene	ND	0.0005	mg/L							
trans-1,4-Dichloro-2-butene	ND	0.010	mg/L							
Trichloroethene	ND	0.0005	mg/L							
Trichlorofluoromethane	ND	0.0005	mg/L							
Vinyl acetate	ND	0.0005	mg/L							
Vinyl chloride	ND	0.0005	mg/L							

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	--------------------	-------	----------------	------------------	------	----------------	-----	--------------	-------

Batch 5121702 - Volatiles (Continued)

LCS (5121702-BS1)

Prepared: 12/17/25 Analyzed: 12/18/25

1,1,1,2-Tetrachloroethane	0.022	0.0005	mg/L	0.0200		108	83.1-120			
1,1,1-Trichloroethane	0.021	0.0005	mg/L	0.0200		103	50.3-160			
1,1,2,2-Tetrachloroethane	0.019	0.0005	mg/L	0.0200		93.0	48-136			
1,1,2-Trichloroethane	0.021	0.0005	mg/L	0.0200		104	73.8-123			
1,1-Dichloroethane	0.021	0.0005	mg/L	0.0200		105	72.8-131			
1,1-Dichloroethene	0.020	0.0005	mg/L	0.0200		102	77.6-137			
1,1-Dichloropropene	0.020	0.0005	mg/L	0.0200		101	54.5-156			
1,2,3-Trichlorobenzene	0.019	0.0005	mg/L	0.0200		95.5	66.2-149			
1,2,4-Trichlorobenzene	0.018	0.0005	mg/L	0.0200		89.8	63.3-150			
1,2,4-Trimethylbenzene	0.018	0.0005	mg/L	0.0200		90.8	79.1-124			
1,2-Dibromo-3-chloropropane	0.020	0.0005	mg/L	0.0200		98.7	34.9-149			
1,2-Dibromoethane	0.020	0.0005	mg/L	0.0200		100	78.5-122			
1,2-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		100	84.3-120			
1,2-Dichloroethane	0.017	0.0005	mg/L	0.0200		87.4	70.4-125			
1,2-Dichloropropane	0.019	0.0005	mg/L	0.0200		94.8	73.3-122			
1,3,5-Trimethylbenzene	0.020	0.0005	mg/L	0.0200		99.0	77.3-127			
1,3-Dichlorobenzene	0.021	0.0005	mg/L	0.0200		103	84.5-124			
1,3-Dichloropropane	0.020	0.0005	mg/L	0.0200		97.6	76-124			
1,4-Dichlorobenzene	0.019	0.0005	mg/L	0.0200		95.4	83.2-121			
1,4-Dioxane	0.386	0.020	mg/L	0.400		96.6	26-195			
1,2,3-trichloropropane	0.019	0.0005	mg/L	0.0200		96.7	56.5-127			
2,2-Dichloropropane	0.022	0.0005	mg/L	0.0200		111	69.4-132			
2-Butanone	0.037	0.002	mg/L	0.0400		91.3	40.9-157			
2-Chlorotoluene	0.019	0.0005	mg/L	0.0200		95.8	76.4-123			
2-Hexanone	0.032	0.001	mg/L	0.0400		80.6	15.4-157			

Surrogate: 4-Bromofluorobenzene	0.0515		mg/L	0.0500		103	79.1-111			
4-Chlorotoluene	0.018	0.0005	mg/L	0.0200		91.8	78.7-126			
4-Methyl-2-pentanone	0.034	0.001	mg/L	0.0400		84.8	31.4-146			
Acetone	0.038	0.010	mg/L	0.0400		95.5	49.7-187			
Acrolein	0.538	0.005	mg/L	0.200		269	4.88-190			BS1
Acrylonitrile	0.040	0.002	mg/L	0.0400		99.2	52.6-154			
Benzene	0.019	0.0005	mg/L	0.0200		94.0	82.4-116			
Bromobenzene	0.020	0.0005	mg/L	0.0200		101	81.5-121			
Bromochloromethane	0.020	0.0005	mg/L	0.0200		101	67.4-139			
Bromodichloromethane	0.020	0.0005	mg/L	0.0200		98.9	76.5-119			
Bromoform	0.020	0.0005	mg/L	0.0200		101	64.6-130			
Bromomethane	0.020	0.0005	mg/L	0.0200		97.6	63.3-139			
Carbon disulfide	0.038	0.001	mg/L	0.0400		96.1	66.8-157			
Carbon tetrachloride	0.023	0.0005	mg/L	0.0200		113	73.9-135			

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5121702 - Volatiles (Continued)

LCS (5121702-BS1) (Continued)

Prepared: 12/17/25 Analyzed: 12/18/25

Chlorobenzene	0.020	0.0005	mg/L	0.0200		101	83.5-117			
Chloroethane	0.019	0.0005	mg/L	0.0200		92.8	67.1-139			
Chloroform	0.021	0.0005	mg/L	0.0200		103	72.8-130			
Chloromethane	0.019	0.0005	mg/L	0.0200		93.0	45.8-153			
cis-1,2-Dichloroethene	0.021	0.0005	mg/L	0.0200		107	75.7-128			
cis-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		101	71.6-125			
Dibromochloromethane	0.021	0.0005	mg/L	0.0200		104	78.8-123			
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0497</i>		mg/L	<i>0.0500</i>		<i>99.3</i>	<i>82.4-125</i>			
Dibromomethane	0.020	0.0005	mg/L	0.0200		98.5	77.8-119			
Dichlorodifluoromethane	0.017	0.0005	mg/L	0.0200		87.4	46.1-158			
Ethylbenzene	0.020	0.0005	mg/L	0.0200		101	77.9-123			
Hexachlorobutadiene	0.018	0.0005	mg/L	0.0200		92.1	55.5-185			
Iodomethane	0.043	0.001	mg/L	0.0400		107	74-137			
Isopropylbenzene	0.020	0.0005	mg/L	0.0200		97.6	77.6-125			
m+p - Xylene	0.040	0.001	mg/L	0.0400		98.8	76.6-128			
Methyl tert-butyl ether	0.042	0.001	mg/L	0.0400		104	73.6-131			
Methylene chloride	0.021	0.0005	mg/L	0.0200		105	75.1-138			
Naphthalene	0.017	0.0005	mg/L	0.0200		86.0	55.4-142			
n-Butylbenzene	0.018	0.0005	mg/L	0.0200		89.2	72.8-143			
n-Propylbenzene	0.019	0.0005	mg/L	0.0200		93.7	79.8-127			
o-Xylene	0.018	0.0005	mg/L	0.0200		91.4	72.3-124			
p-Isopropyltoluene	0.019	0.0005	mg/L	0.0200		94.5	72-135			
sec-Butylbenzene	0.019	0.0005	mg/L	0.0200		94.8	78.6-130			
Styrene	0.020	0.0005	mg/L	0.0200		101	78.9-119			
tert-Butylbenzene	0.019	0.0005	mg/L	0.0200		96.6	79.8-126			
Tetrachloroethene	0.022	0.0005	mg/L	0.0200		108	76.9-130			
Toluene	0.020	0.0005	mg/L	0.0200		102	76.3-120			
<i>Surrogate: Toluene-d8</i>	<i>0.0530</i>		mg/L	<i>0.0500</i>		<i>106</i>	<i>82.5-115</i>			
Total Xylenes	0.058	0.001	mg/L	0.0600		96.4	75.9-126			
trans-1,2-Dichloroethene	0.021	0.0005	mg/L	0.0200		105	78.3-134			
trans-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		99.2	74.4-126			
trans-1,4-Dichloro-2-butene	0.035	0.010	mg/L	0.0400		86.8	7.48-201			
Trichloroethene	0.020	0.0005	mg/L	0.0200		99.4	77.5-118			
Trichlorofluoromethane	0.018	0.0005	mg/L	0.0200		90.3	63.7-149			
Vinyl acetate	0.019	0.0005	mg/L	0.0200		97.2	19.3-171			
Vinyl chloride	0.019	0.0005	mg/L	0.0200		93.0	64.9-141			

LCS Dup (5121702-BSD1)

Prepared: 12/17/25 Analyzed: 12/18/25

1,1,1,2-Tetrachloroethane	0.021	0.0005	mg/L	0.0200		105	83.1-120	2.54	6.88	
---------------------------	-------	--------	------	--------	--	-----	----------	------	------	--

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5121702 - Volatiles (Continued)

LCS Dup (5121702-BSD1) (Continued)

Prepared: 12/17/25 Analyzed: 12/18/25

1,1,1-Trichloroethane	0.020	0.0005	mg/L	0.0200		101	50.3-160	2.55	7.43	
1,1,2,2-Tetrachloroethane	0.018	0.0005	mg/L	0.0200		91.8	48-136	1.30	8.68	
1,1,2-Trichloroethane	0.021	0.0005	mg/L	0.0200		103	73.8-123	0.434	6.82	
1,1-Dichloroethane	0.020	0.0005	mg/L	0.0200		102	72.8-131	3.25	4.3	
1,1-Dichloroethene	0.019	0.0005	mg/L	0.0200		97.1	77.6-137	4.43	16.5	
1,1-Dichloropropene	0.020	0.0005	mg/L	0.0200		99.8	54.5-156	1.34	5.47	
1,2,3-Trichlorobenzene	0.020	0.0005	mg/L	0.0200		99.2	66.2-149	3.80	43	
1,2,4-Trichlorobenzene	0.019	0.0005	mg/L	0.0200		93.6	63.3-150	4.14	22.3	
1,2,4-Trimethylbenzene	0.018	0.0005	mg/L	0.0200		89.2	79.1-124	1.78	8.94	
1,2-Dibromo-3-chloropropane	0.019	0.0005	mg/L	0.0200		95.7	34.9-149	3.14	15.1	
1,2-Dibromoethane	0.020	0.0005	mg/L	0.0200		98.5	78.5-122	2.01	5.83	
1,2-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		98.0	84.3-120	2.27	8.72	
1,2-Dichloroethane	0.018	0.0005	mg/L	0.0200		87.5	70.4-125	0.172	8.94	
1,2-Dichloropropane	0.018	0.0005	mg/L	0.0200		92.0	73.3-122	2.94	5.51	
1,3,5-Trimethylbenzene	0.019	0.0005	mg/L	0.0200		95.7	77.3-127	3.34	16.5	
1,3-Dichlorobenzene	0.020	0.0005	mg/L	0.0200		100	84.5-124	2.61	9	
1,3-Dichloropropane	0.019	0.0005	mg/L	0.0200		96.4	76-124	1.19	6.06	
1,4-Dichlorobenzene	0.019	0.0005	mg/L	0.0200		94.6	83.2-121	0.790	7.71	
1,4-Dioxane	0.316	0.020	mg/L	0.400		78.9	26-195	20.1	35.2	
1,2,3-trichloropropane	0.019	0.0005	mg/L	0.0200		94.5	56.5-127	2.35	49.2	
2,2-Dichloropropane	0.021	0.0005	mg/L	0.0200		107	69.4-132	3.21	9.62	
2-Butanone	0.034	0.002	mg/L	0.0400		85.8	40.9-157	6.21	14.2	
2-Chlorotoluene	0.019	0.0005	mg/L	0.0200		97.2	76.4-123	1.40	8.62	
2-Hexanone	0.031	0.001	mg/L	0.0400		77.0	15.4-157	4.57	7.28	
<i>Surrogate: 4-Bromofluorobenzene</i>	<i>0.0511</i>		mg/L	<i>0.0500</i>		<i>102</i>	<i>79.1-111</i>			
4-Chlorotoluene	0.017	0.0005	mg/L	0.0200		86.2	78.7-126	6.18	15.5	
4-Methyl-2-pentanone	0.033	0.001	mg/L	0.0400		83.4	31.4-146	1.66	7.57	
Acetone	0.031	0.010	mg/L	0.0400		78.1	49.7-187	20.0	30.5	
Acrolein	0.467	0.005	mg/L	0.200		233	4.88-190	14.1	22.4	BS1
Acrylonitrile	0.037	0.002	mg/L	0.0400		91.9	52.6-154	7.64	7.62	QR-04
Benzene	0.019	0.0005	mg/L	0.0200		93.6	82.4-116	0.426	4.16	
Bromobenzene	0.020	0.0005	mg/L	0.0200		101	81.5-121	0.0493	8.41	
Bromochloromethane	0.020	0.0005	mg/L	0.0200		97.7	67.4-139	3.07	5.16	
Bromodichloromethane	0.019	0.0005	mg/L	0.0200		96.4	76.5-119	2.56	5.36	
Bromoform	0.019	0.0005	mg/L	0.0200		96.4	64.6-130	4.46	14.1	
Bromomethane	0.020	0.0005	mg/L	0.0200		102	63.3-139	4.60	21.5	
Carbon disulfide	0.036	0.001	mg/L	0.0400		91.1	66.8-157	5.31	20.3	
Carbon tetrachloride	0.022	0.0005	mg/L	0.0200		112	73.9-135	0.621	11.4	
Chlorobenzene	0.020	0.0005	mg/L	0.0200		99.0	83.5-117	2.05	5.18	

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

VOLATILES BY GC/MS - Quality Control (Continued)

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
---------	--------	-----------------	-------	-------------	---------------	------	-------------	-----	-----------	-------

Batch 5121702 - Volatiles (Continued)

LCS Dup (5121702-BSD1) (Continued)

Prepared: 12/17/25 Analyzed: 12/18/25

Chloroethane	0.018	0.0005	mg/L	0.0200		91.9	67.1-139	0.975	24.1	
Chloroform	0.020	0.0005	mg/L	0.0200		102	72.8-130	1.03	5.15	
Chloromethane	0.019	0.0005	mg/L	0.0200		92.9	45.8-153	0.108	27	
cis-1,2-Dichloroethene	0.021	0.0005	mg/L	0.0200		104	75.7-128	3.17	5.73	
cis-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		97.9	71.6-125	3.22	6.09	
Dibromochloromethane	0.020	0.0005	mg/L	0.0200		101	78.8-123	3.06	7.24	
<i>Surrogate: Dibromofluoromethane</i>	<i>0.0506</i>		mg/L	<i>0.0500</i>		<i>101</i>	<i>82.4-125</i>			
Dibromomethane	0.019	0.0005	mg/L	0.0200		97.2	77.8-119	1.28	5.75	
Dichlorodifluoromethane	0.018	0.0005	mg/L	0.0200		87.9	46.1-158	0.628	22.6	
Ethylbenzene	0.020	0.0005	mg/L	0.0200		98.8	77.9-123	2.60	4.83	
Hexachlorobutadiene	0.018	0.0005	mg/L	0.0200		92.3	55.5-185	0.217	18.4	
Iodomethane	0.041	0.001	mg/L	0.0400		102	74-137	4.96	24.3	
Isopropylbenzene	0.019	0.0005	mg/L	0.0200		95.0	77.6-125	2.75	6.25	
m+p - Xylene	0.039	0.001	mg/L	0.0400		96.4	76.6-128	2.46	5.77	
Methyl tert-butyl ether	0.040	0.001	mg/L	0.0400		100	73.6-131	3.79	12.8	
Methylene chloride	0.020	0.0005	mg/L	0.0200		102	75.1-138	2.81	19.7	
Naphthalene	0.018	0.0005	mg/L	0.0200		91.0	55.4-142	5.65	33.5	
n-Butylbenzene	0.018	0.0005	mg/L	0.0200		88.8	72.8-143	0.449	10.1	
n-Propylbenzene	0.018	0.0005	mg/L	0.0200		91.6	79.8-127	2.27	9.09	
o-Xylene	0.018	0.0005	mg/L	0.0200		90.0	72.3-124	1.54	6.29	
p-Isopropyltoluene	0.018	0.0005	mg/L	0.0200		92.5	72-135	2.09	9.26	
sec-Butylbenzene	0.018	0.0005	mg/L	0.0200		92.5	78.6-130	2.46	9.85	
Styrene	0.019	0.0005	mg/L	0.0200		97.4	78.9-119	3.48	7.55	
tert-Butylbenzene	0.019	0.0005	mg/L	0.0200		93.9	79.8-126	2.83	18.6	
Tetrachloroethene	0.021	0.0005	mg/L	0.0200		105	76.9-130	2.85	6.38	
Toluene	0.020	0.0005	mg/L	0.0200		99.2	76.3-120	2.93	5.67	
<i>Surrogate: Toluene-d8</i>	<i>0.0524</i>		mg/L	<i>0.0500</i>		<i>105</i>	<i>82.5-115</i>			
Total Xylenes	0.057	0.001	mg/L	0.0600		94.3	75.9-126	2.17	5.83	
trans-1,2-Dichloroethene	0.020	0.0005	mg/L	0.0200		99.6	78.3-134	4.85	19.1	
trans-1,3-Dichloropropene	0.020	0.0005	mg/L	0.0200		99.3	74.4-126	0.0504	6.26	
trans-1,4-Dichloro-2-butene	0.032	0.010	mg/L	0.0400		79.2	7.48-201	9.13	92.8	
Trichloroethene	0.020	0.0005	mg/L	0.0200		98.6	77.5-118	0.758	4.92	
Trichlorofluoromethane	0.018	0.0005	mg/L	0.0200		90.6	63.7-149	0.332	19.8	
Vinyl acetate	0.018	0.0005	mg/L	0.0200		90.2	19.3-171	7.36	7.84	
Vinyl chloride	0.018	0.0005	mg/L	0.0200		91.6	64.9-141	1.57	23	

Green Analytical Laboratories

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



Cottonwood Consulting
PO Box 1653
Durango CO, 81302

Project: VOC 8260
Project Name / Number: GCU #153E
Project Manager: Kyle Siesser

Reported:
12/26/25 09:20

Notes and Definitions

QR-04 The RPD for the BS/BSD was outside of historical limits.

PH Insufficient preservative to reduce the sample pH to less than 2. Sample was analyzed within 14 days of sampling, but beyond the 7 days recommended for volatile analysis without preservative.

BS1 Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.

DET Analyte DETECTED

ND Analyte NOT DETECTED at or above the reporting limit

NR Not Reported

dry Sample results reported on a dry weight basis
*Results reported on as received basis unless designated as dry.

RPD Relative Percent Difference

LCS Laboratory Control Sample (Blank Spike)

RL Report Limit

MDL Method Detection Limit

Green Analytical Laboratories

A handwritten signature in blue ink that reads 'Jeremy D. Allen'.

Reporting Station For Jeremy D Allen, Laboratory Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety. In no event shall Green Analytical Laboratories be liable for incidental or consequential damages. GALs liability, and clients exclusive remedy for any claim arising, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever, shall be deemed waived unless made in writing and received within thirty days after completion of the applicable service.



**75 Suttle Street
Durango, CO 81303
(970) 247-4220**

CHAIN-OF-CUSTODY AND ANALYSIS REPORT
FORM-006, R 8.0

Note: Wile-Out™ or similar products cannot be used on the Chain of Custody

Company or Client: Cottonwood Consulting LLC

Address: PO Box 1653

City: Durango State: CO Zip: 81302

Phone #: 970-764

Contact Person: Kyle Siesser

Email Report to: ksiesser@cottonwoodconsulting.com

Project Name(optional):

GCU #153E

Sampler Name (Print): Kelsey O'Brien

Lab I.D. 2512-1111 Lab Use Only	Sample Name or Location	Collected		Matrix (check one)							# of containers						
		Date	Time	GROUNDWATER	SURFACE WATER	WASTEWATER	PRODUCED WATER	DRINKING WATER	SOIL	OTHER:	No preservation	Nitric Acid	Hydrochloric Acid	Sulfuric Acid	Sodium Hydroxide	OTHER:	
01	1) MW #3R	12/9/25	1410										4				
	2)																
	3)																
	4)																
	5)																
	6)																
	7)																
	8)																
	9)																
	10)																

PLEASE NOTE: GALL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims, including those for negligence and cost, shall be barred by the statute of limitations.

PLEASE NOTE: GAL's liability and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by GAL within 30 days after completion of the applicable service. In no event shall GAL be liable for incidental or consequential damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by GAL, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Relinquished By:

Date: 12/19/25

Received By:

Date: 12-9-20

ADDITIONAL REMARKS

Relinquished By:

Date:

Received By:

Date:

Sa

Reinquished By:

Date:

Received By:

Date:

Temperature at receipt

Checked by:

On Ice?

Therm. used

Pre-sensitive flushed prior to
Sampling


 Date/Initials c. 12-10-25
 examining contents:

 Labeled by initials: _____
 (if different than above)

SAMPLE CONDITION RECEIPT FORM

Client Name: CottonwoodWork Order # 2512-111
 Courier: ☐ Fed Ex ☐ UPS ☐ USPS ☒ Client ☐ Kangaroo ☐ Third Party ☐ Other

 Custody Seals on Box/Cooler Present: ☐ Yes ☒ No Seals Intact: ☐ Yes ☐ No GAL Cooler #: _____

 Thermometer Used: #2 Samples on ice, cooling process has begun: ☒ Yes ☐ No

 Type of Ice: ☒ Wet ☐ Blue ☐ None Cooler Temp: _____ °C Observed Temp: 13.0 °C Correction Factor: 0 °C Final Temp: 13.0 °C

 Temp: _____ °C *Temp should be above freezing 6°C, if multiple
 Temp: _____ °C readings are taken the lowest temp is the final
 Temp: _____ °C temp recorded.
Compliance: ☐ Yes ☒ No

Chain of Custody Filled Out:	☒ Yes ☐ No	1.
COC Signed when Relinquished and Received:	☒ Yes ☐ No	2.
Sampler Name and Signature on COC: *Required for compliance	☒ Yes ☐ No	3.
Samples arrived within hold time: (Excluding pH)	☒ Yes ☐ No	4.
Correct Containers Used & Intact:	☒ Yes ☐ No	5.
Short Hold Time Analysis (<72hr): (Excluding pH)	☐ Yes ☒ No	6.
Rush Turn Around Time Requested:	☐ Yes ☒ No	7.
Sufficient Volume:	☒ Yes ☐ No	8.
pH's acceptable upon receipt, where applicable: *Not including metals bottles	☐ Yes ☐ No ☒ N/A	9.
Dissolved Testing Needed:	☐ Yes ☒ No	10.
Field Filtered: ☐ Yes ☐ No		
Sample Labels match COC: -Includes Date/Time/ID	☒ Yes ☐ No	11.
Matrix:	☒ WT ☐ SL ☐ OT	
Trip Blank Present:	☐ Yes ☐ No ☐ N/A	12.
Trip Blank Custody Seals Present:	☐ Yes ☐ No ☐ N/A	
VOA's meet headspace requirement (<6mm bubbles)	☒ Yes ☐ No ☐ N/A	
Non-Conformance(s):	☐ Yes ☒ No	13.

Client Notification/Resolution:

Person Contacted: _____ Date/Time: _____

 Comments/Resolution: * Preservative Flushed prior to sampling

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 550346

CONDITIONS

Operator: SIMCOE LLC 1199 Main Ave., Suite 101 Durango, CO 81301	OGRID: 329736
	Action Number: 550346
	Action Type: [UF-GWA] Ground Water Abatement (GROUND WATER ABATEMENT)

CONDITIONS

Created By	Condition	Condition Date
amaxwell	Report accepted for record.	6/18/2026