Site Characterization and Deferral Request
Gold NC 29 CTB
nAPP2523751217 & nAPP2530734932
32.272665, -103.802841
K-29-23S-31E
Eddy County, New Mexico

Introduction

Standard Safety and Supply (Standard) on behalf of OXY USA INC. (Oxy) is pleased to submit this Site Characterization and Deferral Request. Based on the Notification of Release (nAPP2523751217) the spill was discovered on August 25th, 2025, and was attributed to equipment failure. There was an approximate net loss of two (2) barrels (bbl) of crude oil and two (2) bbl of produced water. During remedial activities there was an additional spill from the facility. Based on the Notification of Release (nAPP2530734932), the spill was discovered on November 2nd, 2025, and was attributed to equipment failure. There was an approximate net loss of ten (10) bbl of produced water. Attachment B: Figure 1 depicts the Site with respect to the nearest town and Figure 2 depicts the topographic features in the area.

Site Characterization

Based on a site characterization desktop review the area is within a Low Karst area. Furthermore, there are no receptors [significant watercourse, lakebed, playa, sinkhole, an occupied residence, school, hospital, institution, church, freshwater spring for domestic or stock watering purposes, other fresh water well/spring, municipal water boundary, wetland, subsurface mine, and/or an unstable area] within the specified distance set forth in the New Mexico Administrative Code 19.15.29.12. The groundwater is estimated to be between fifty-one (51) to one hundred (100) ft below ground surface (bgs). However, since there are no known water wells within the specified half (0.5) mile radius, the following closure criteria will be utilized.

NMAC Closure Criteria Remediation and Reclamation (NMAC 19.15.29.12 & 19.15.29.13)					
depths in feet (ft)	Benzene	BTEX	TPH (GRO-DRO)	TPH (GRO-DRO-MRO)	Chloride
0-Max depth (ft)	10 mg/kg	50mg/kg	---*	100 mg/kg	600 mg/kg
* Value must not exceed TPH (GRP-DRO-MRO) value					

The documentation used to characterize the site can be found in the report under Attachment C: Site Characterization.

Initial Assessment

On September 16, 2025, Standard performed an initial assessment to characterize impacts. Nine (9) horizontal sample points (H-1 to H-9) were collected at surface (0) depth to half a foot (0.5) ft bgs. Six (6) vertical samples points (V-1 to V-6) were collected from surface (0) to two (2) ft bgs in one (1) ft intervals. Soil samples were placed into lab provided containers, onto ice then transported to Eurofins in Carlsbad, New Mexico, for the analysis of benzene, toluene, ethylbenzene, and xylenes (BTEX 8021B), Total Petroleum Hydrocarbons (TPH 8015M) and chloride (SM4500 Cl-B). Proper chain-of-custody was followed during the collection and delivery of the samples to the laboratory. Analytical results indicated that horizontal delineation was achieved, however vertical delineation was not achieved due to TPH impacts identified at the deepest sample interval.

On September 30, 2025, Standard returned to the site to continue with vertical delineation efforts. One (1) vertical sample point (V-3) was re-installed starting at two (2) ft bgs and collected at one (1) ft intervals. Soil samples were submitted to Cardinal for the analysis of BTEX, TPH, and chloride. Analytical results indicated that vertical delineation was achieved.

The delineation data can be found in this report under Attachment A: Table 1 Delineation Assessment Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody.

The delineation sample locations are located under Attachment B: Figure 3 Delineation Assessment Map while photographs of the impacted area are under Attachment D: Photographic Log.

Remedial Action Activities and Confirmation Sampling

Oxy contracted Standard to begin remedial action activities at the Site on October 23, 2025, to remove the impacted soils identified in previous delineation efforts.

On December 5th, 2025, Standard was onsite to perform a confirmation sampling event where eighty (80) base samples (CS-1 to CS-80), nineteen (19) sidewall samples (SW-1 to SW-19) were collected. Analytical results indicated that chloride and TPH impacts were still present at the site.

On January 22nd, 2026, after further excavation an additional eleven (11) sidewall samples (SW-10, SW-12, SW-14, SW-21, SW-25, SW-26, SW-27, SW-30, SW-31, SW-32, and SW-33) and thirteen (13) base samples (CS-5, CS-36, CS-46, CS-47, CS-50, CS-52, CS-53, CS-55, CS-56, CS-58, CS-71, CS-78, CS-80) were recollected and one (1) additional base sample (CS-81) was collected. Analytical results indicated that all samples were below NMOCD closure criteria.

On February 6th, 2026, after further excavation and horizontal expansion of sidewalls, five (5) additional sidewalls were collected (SW-20, SW-23, SW-24, SW-28, SW-29); eleven (11) base samples (CS-2, CS-3, CS-9, CS-10, CS-16, CS-17, CS-18, CS-27, CS-28, CS-31, and CS-32) were recollected and seven (7) additional base samples (CS-82 through CS-88) were collected. Analytical results indicated that all samples were below NMOCD closure criteria.

Soil samples were jarred in lab provided containers, placed on ice then transported under proper chain-of-custody to Cardinal Laboratories in Hobbs, New Mexico for the analysis of BTEX, TPH, and chloride. Analytical results indicated that all final samples were below closure criteria for the Site.

Soil samples were collected as a five-point composite and represented an area no greater than 200 square feet. There was an estimated fourteen hundred and sixty-nine (1,469) cubic yards of impacted material that was excavated and transported off to the closest approved disposal facility.

After all confirmation and deferral samples were collected and the liner in the secondary containment was repaired and pressure-washed, Standard performed a liner inspection on May 29th, 2026. The liner was clear of any fluids, staining or contaminants. The liner integrity was intact and had no rips, tears, cracks, holes, or other forms of unrepaired damage. During previous liner inspections, liner damage was observed on March 25th, 2026, and subsequently repaired. Standing rainwater was observed during inspections conducted on May 13th, 2026, and May 26th, 2026. Photographs taken during the liner inspections can be found under Attachment D: Photographic Log.

The confirmation sampling data can be found in this report under Attachment A: Table 2 Confirmation Sampling Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-

Custody. The confirmation sample locations are located under Attachment B: Figure 4 Confirmation Sampling Map while photographs of the excavation area and inspected secondary lined containment are under Attachment D: Photographic Log.

Deferral Request

On February 26th, 2026, February 27th, 2026, and March 9th, 2026, three (3) vertical delineation sample points (i.e., D-1 through D-3) were installed with a hand auger in areas inaccessible for further excavation to accurately calculate the cubic yardage of remaining contaminants. All vertical samples were fully delineated. The deferral sampling data can be found in this report under Attachment A: Table 3 Deferral Samples Analytical Data Table and the lab report and chain of custody can be found under Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody.

On behalf of the operator, Standard respectfully requests for deferral of remediation within the direct vicinity of production and storage equipment including tank batteries and associated flowlines. The contamination is fully delineated vertically and horizontally in sample points D-1 through D-3 at depths between surface (0) and four (4) ft bgs and does not cause an imminent risk to human health, the environment, or ground water. The remaining affected soil is completely confined to the areas where remediation would cause significant deconstruction of the facility. The deferral sample locations are located under Attachment B: Figure 5 Deferral Map while photographs of the deferral areas are under Attachment D: Photographic Log.

The remaining soil impacts consisting of approximately three (3,000) square feet and three hundred and eighty-nine (389) cubic yards will be addressed during the facility decommissioning phase in accordance with 19.15.29.12 and 19.15.29.13 NMAC, once the site is no longer being used for oil and gas operations. A closure report detailing the final remediation and reclamation efforts and following confirmation sampling activities will be submitted to NMOCD upon the completion of the future work.

Closing

If you have any questions regarding the Site Characterization and Deferral Request [nAPP2523751217 & nAPP2530734932] – Gold NC 29 CTB please contact us at the following:

Address: 2524 Trunk St, Odessa TX 79761
Contact: 254-266-5456

Attachments

- Attachment A: Analytical Data Tables
    1. Table 1: Delineation Assessment Analytical Data Table
    2. Table 2: Confirmation Assessment Analytical Data Table
    3. Table 3: Deferral Samples Analytical Data Table
- Attachment B: Figures
    1. Site Location Map
    2. Topographic Map
    3. Delineation Assessment Map
    4. Confirmation Sampling Map
    5. Deferral Map
- Attachment C: Site Characterization
    1. OCD Well map and Karst Potential
    2. OSE POD
    3. Open Environment Wetlands
    4. Wetlands Inventory
    5. National Flood Hazard Layer
- Attachment D: Photographic Log
- Attachment E: Laboratory Analytical Method Documentation with Chain-of-Custody

ATTACHMENT A: ANALYTICAL DATA TABLES

Table 1: Delineation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
H-1	0-0.5	9/16/2025	192	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-2	0-0.5	9/16/2025	192	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-3	0-0.5	9/16/2025	112	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-4	0-0.5	9/16/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-5	0-0.5	9/16/2025	160	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-6	0-0.5	9/16/2025	96.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-7	0-0.5	9/16/2025	64.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-8	0-0.5	9/16/2025	80.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
H-9	0-0.5	9/16/2025	96.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-1	0-0.5	9/16/2025	8,480	14,577	477	12,300	12,777	1,800	<0.050	<0.050	0.284	3.91	4.19
	1	9/16/2025	48.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-2	0-0.5	9/16/2025	8,240	7,367	976	5,480	6,456	911	<0.100	2.55	4.57	34.3	41.4
	1	9/16/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-3	0-0.5	9/16/2025	2,080	7,867	927	5,940	6,867	1,000	<0.200	1.06	3.28	32.0	36.3
	1	9/16/2025	144	106	<10.0	72.1	72.1	34.2	<0.050	<0.050	<0.050	<0.150	<0.300
	2	9/30/2025	592	215	<10.0	179	179	36.2	<0.050	<0.050	<0.050	<0.150	<0.300
	3	9/30/2025	32.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-4	0-0.5	9/16/2025	14,400	743	17.2	610	627	116	<0.050	<0.050	0.053	<0.150	<0.300
	1	9/16/2025	4,320	184	<10.0	144	144	39.6	<0.050	<0.050	<0.050	<0.150	<0.300
	2	9/16/2025	144	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-5	0-0.5	9/16/2025	13,200	10.1	<10.0	10.1	10.1	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	9/16/2025	176	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
V-6	0-0.5	9/16/2025	12,600	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1	9/16/2025	160	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6. ** Indicates that total value must be equal to or less than total TPH
7. *** Indicates that total value must be equal to or less than GRO+DRO total
8. **** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample
11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
SW-1	0-1	12/5/2025	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-2	0-1	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-3	0-1	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-4	0-1	12/5/2025	**848**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-5	0-3	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-6	0-3	12/5/2025	**416**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-7	0-3	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-8	0-3	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-9	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-10	1-4	12/5/2025	**288**	**428**	<10.0	**352**	**352**	**76.0**	<0.050	<0.050	<0.050	<0.150	<0.300
	2-4	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-11	0-1	12/5/2025	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-12	0-1	12/5/2025	**3,000**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	0-1	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-13	0-1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-14	0-1	12/5/2025	**848**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	0-2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-15	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-16	0-1	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-17	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-18	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-19	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-20	2-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-21	2-3	1/22/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-23	2-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-24	2-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-25	1-2	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-26	0-2	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-27	0-2	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-28	1-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-29	1-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-30	2-3	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-31	2-3	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-32	2-3	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-33	2-3	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-1	1	12/5/2025	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-2	1	12/5/2025	**640**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-3	1	12/5/2025	**1,200**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-4	1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-5	1	12/5/2025	**2,880**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-6	1	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-7	1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-8	1	12/5/2025	**224**	**19.5**	<10.0	**19.5**	**19.5**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-9	1	12/5/2025	**1,880**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-10	1	12/5/2025	**656**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-11	1	12/5/2025	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-12	1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-13	1	12/5/2025	**352**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-14	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-15	1	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-16	1	12/5/2025	**1,640**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-17	1	12/5/2025	**2,040**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-18	1	12/5/2025	**1,730**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-19	1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-20	1	12/5/2025	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-21	1	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-22	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-23	1	12/5/2025	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-24	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-25	1	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-26	1	12/5/2025	**64.0**	**23.0**	<10.0	**11.1**	**11.1**	**11.9**	<0.050	<0.050	<0.050	<0.150	<0.300
CS-27	1	12/5/2025	**368**	**124.8**	<10.0	**99.1**	**99.1**	**25.7**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-28	1	12/5/2025	**256**	**183.2**	<10.0	**141.0**	**141.0**	**42.2**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-29	1	12/5/2025	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-30	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-31	1	12/5/2025	**240**	**124.8**	<10.0	**97.5**	**97.5**	**27.3**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-32	1	12/5/2025	**256**	**295.0**	<10.0	**230.0**	**230.0**	**65.0**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-33	1	12/5/2025	**240**	**77.7**	<10.0	**58.2**	**58.2**	**19.5**	<0.050	<0.050	<0.050	<0.150	<0.300

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-34	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-35	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-36	1	12/5/2025	**288**	**339.4**	<10.0	**266.0**	**266.0**	**73.4**	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-37	3	12/5/2025	**96.0**	**42.8**	<10.0	**30.2**	**30.2**	**12.6**	<0.050	<0.050	<0.050	<0.150	<0.300
CS-38	3	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-39	3	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-40	3	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-41	3	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-42	3	12/5/2025	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-43	3	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-44	3	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-45	1	12/5/2025	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-46	1	12/5/2025	**5,280**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-47	1	12/5/2025	**848**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-48	1	12/5/2025	**416**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-49	1	12/5/2025	**320**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-50	1	12/5/2025	**1,730**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-51	1	12/5/2025	**560**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-52	1	12/5/2025	**10,800**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-53	1	12/5/2025	**3,920**	**135.5**	<10.0	**109.0**	**109.0**	**26.5**	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-54	1	12/5/2025	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-55	1	12/5/2025	**9,400**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-56	1	12/5/2025	**3,920**	**11.0**	<10.0	**11.0**	**11.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-57	1	12/5/2025	**400**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-58	1	12/5/2025	**2,480**	**83.3**	<10.0	**70.8**	**70.8**	**12.5**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-59	1	12/5/2025	**272**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-60	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-61	1	12/5/2025	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-62	1	12/5/2025	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-63	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-64	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-65	1	12/5/2025	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-66	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-67	1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-68	1	12/5/2025	**480**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-69	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-70	1	12/5/2025	**304**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-71	1	12/5/2025	**4,440**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-72	1	12/5/2025	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-73	1	12/5/2025	**368**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-74	1	12/5/2025	**320**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-75	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-76	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-77	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-78	1	12/5/2025	**1,600**	**35.7**	<10.0	**35.7**	**35.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-79	1	12/5/2025	**512**	**19.4**	<10.0	**19.4**	**19.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-80	1	12/5/2025	**800**	**18.0**	<10.0	**18.0**	**18.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-81	2	1/22/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-82	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-83	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-84	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-85	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-86	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-87	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-88	4	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6.** Indicates that total value must be equal to or less than total TPH
7.*** Indicates that total value must be equal to or less than GRO+DRO total
8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample

11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

Table 3: Deferral Samples Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
D-1	0-0.5'	2/26/2026	**112**	**85.9**	<10.0	**85.9**	**85.9**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	1'	2/27/2026	**784**	**23.0**	<10.0	**23.0**	**23.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2'	2/27/2026	**176**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3'	2/27/2026	**1,020**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4'	2/27/2026	**208**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
D-2	0-0.5'	2/26/2026	**640**	**8,583**	**716**	**7,000**	**7,716**	**867**	**0.335**	**3.95**	**4.85**	**10.2**	**19.4**
	1'	2/27/2026	**1,780**	**2,065**	**265**	**1,580**	**1,845**	**220**	**0.181**	**0.847**	**0.482**	**8.99**	**10.5**
	2'	2/27/2026	**144**	**6,896**	**2,260**	**4,170**	**6,430**	**466**	**3.54**	**18.6**	**15.0**	**112**	**149**
	3'	2/27/2026	**176**	**23.7**	<10.0	**23.7**	**23.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4'	2/27/2026	**384**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
D-3	0-0.5'	2/26/2026	**336**	**4,628**	**241**	**3,840**	**4,081**	**547**	<0.050	**0.711**	**0.817**	**8.43**	**9.96**
	1'	2/27/2026	**2,160**	**5,166**	**965**	**3,740**	**4,705**	**461**	**1.56**	**15.9**	**6.18**	**51.2**	**74.9**
	2'	2/27/2026	**912**	**267.8**	**44.5**	**205**	**249.5**	**18.3**	<0.050	**0.665**	**0.564**	**5.64**	**6.87**
	3'	2/27/2026	**624**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	4'	2/27/2026	**624**	**143.1**	**32.1**	**111**	**143.1**	<10.0	<0.050	**0.262**	**0.169**	**1.72**	**2.15**
	5'	3/9/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6.** Indicates that total value must be equal to or less than total TPH
7.*** Indicates that total value must be equal to or less than GRO+DRO total
8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample
11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

ATTACHMENT B: FIGURES



STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

Figure 1. (Site Location Map)
Release Date: 8/25/2025
Eddy County, New Mexico

10/10/2025

N

Coordinates: 32.272665, -103.802841



GOLD NC 29 CTB
OXY USA INC

Figure 2. (Topographic Map)
Release Date: 8/25/2025
Lea County, New Mexico

06/09/2026

Coordinates: 32.272665, -103.802841

N



STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

Figure 3. (Delineation Map)
Release Date: 8/25/2025
Eddy County, New Mexico

10/10/2025

Coordinates: 32.272665, -103.802841

N



STANDARD SAFETY & SUPPLY	**GOLD NC 29 CTB** **OXY USA INC**	N
	Figure 4: Confirmation Sample Map **Eddy County, New Mexico**	2/25/2026
	Coordinates: 32.272665° N, -103.802841° W	Scale: 1:475



STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

Figure 4: Confirmation Sample Map (Northern Section)
Eddy County, New Mexico

6/5/2026

N

Coordinates: 32.272665° N, -103.802841° W

Scale: 1:275



STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

Figure 4: Confirmation Sample Map (Southern Section)
Eddy County, New Mexico

2/25/2026

N

Coordinates: 32.272665° N, -103.802841° W

Scale: 1:320

STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

N

Figure 5. (Deferral Map)
Eddy County, New Mexico

06/09/2026

Coordinates: 32.272665° N,-103.802841° W

ATTACHMENT C: SITE CHARACTERIZATION

OCD Well Locations

9/8/2025, 3:29:39 PM

1:4,514

Wells - Large Scale

- Gas, Active
- Gas, Cancelled
- Oil, Active
- Oil, Cancelled
- Oil, New
- Oil, Plugged

Karst Occurrence Potential

- Low

- PLSS Second Division
- PLSS First Division

0 0.05 0.1 0.19 mi

0 0.07 0.15 0.3 km

BLM, OCD, New Mexico Tech, OCD, Maxar, BLM

New Mexico Oil Conservation Division

NM OCD Oil and Gas Map. http://nm-emnrd.maps.arcgis.com/apps/webappviewer/index.html?id=4d017f2306164de29fd2fb9f8f35ca75: New Mexico Oil Conservation Division

OSE POD Locations Map



9/8/2025, 3:30:25 PM

GIS WATERS PODs

Pending

World Imagery

Low Resolution 15m Imagery

High Resolution 60cm Imagery

High Resolution 30cm Imagery

Citations

4.8m Resolution Metadata

1:18,791

0 0.2 0.4 0.8 mi

0 0.3 0.6 1.2 km

Sources: Esri, TomTom, Garmin, FAO, NOAA, USGS, (c) OpenStreetMap contributors, and the GIS User Community, Maxar

Help Using this Tool

Legend | Basemap | Query

Legend

All Layers On/Off

All Layer Transparency

NM Wetlands Mapping and Classification

NM Wetlands Mapping and Classification

Mapping Status

Riparian Habitat

Hydrogeomorphic Mapping (HGM) Linears

- Riverine

Hydrogeomorphic Mapping (HGM) Polygons

- Depressional
- Flats
- Lacustrine Fringe
- Riverine
- Slope

Landscape Position and Water Body (LLWW) Linears

- Lentic (LE)
- Lotic RIver (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landscape Position and Water Body (LLWW) Polygons

- Lentic (LE)
- Lake (LK)
- Lotic River (LR)
- Lotic Stream (LS)
- Pond (PD)
- River (RV)
- Stream (ST)
- Terrene (TE)

Landform (LLWW)

- Basin
- Flat
- Floodplain

1:4,514



U.S. Fish and Wildlife Service
National Wetlands Inventory

Gold NC 29 CTB

September 8, 2025

Wetlands

- Estuarine and Marine Deepwater
- Estuarine and Marine Wetland
- Freshwater Emergent Wetland
- Freshwater Forested/Shrub Wetland
- Freshwater Pond
- Lake
- Other
- Riverine

This map is for general reference only. The US Fish and Wildlife Service is not responsible for the accuracy or currentness of the base data shown on this map. All wetlands related data should be used in accordance with the layer metadata found on the Wetlands Mapper web site.

National Wetlands Inventory (NWI)
This page was produced by the NWI mapper

Received by OCD: 6/18/2026 1:38:54 PM

National Flood Hazard Layer FIRMette

FEMA

103°48'29"W 32°16'37"N

103°47'52"W 32°16'7"N

0 250 500 1,000 1,500 2,000 Feet

1:6,000

Basemap Imagery Source: USGS National Map 2023

Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS
- Without Base Flood Elevation (BFE) *Zone A, V, A99*
- With BFE or Depth *Zone AE, AO, AH, VE, AR*
- Regulatory Floodway

OTHER AREAS OF FLOOD HAZARD
- 0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile *Zone X*
- Future Conditions 1% Annual Chance Flood Hazard *Zone X*
- Area with Reduced Flood Risk due to Levee. See Notes. *Zone X*
- Area with Flood Risk due to Levee *Zone D*

OTHER AREAS
- NO SCREEN Area of Minimal Flood Hazard *Zone X*
- Effective LOMRs
- Area of Undetermined Flood Hazard *Zone D*

GENERAL STRUCTURES
- Channel, Culvert, or Storm Sewer
- Levee, Dike, or Floodwall

OTHER FEATURES
- 20.2 Cross Sections with 1% Annual Chance
- 17.5 Water Surface Elevation
- Coastal Transect
- Base Flood Elevation Line (BFE)
- Limit of Study
- Jurisdiction Boundary
- Coastal Transect Baseline
- Profile Baseline
- Hydrographic Feature

MAP PANELS
- Digital Data Available
- No Digital Data Available
- Unmapped

N

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards

The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 9/8/2025 at 9:29 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation date, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

Released to Imaging: 6/29/2026 2:01:49 PM

ATTACHMENT D: PHOTOGRAPHIC LOG

Photo Log



Area of Concern (nAPP2523751217)

Area of Concern (nAPP2530734932)

Photo Log

Aerial View of Excavation Activities

View of Excavation

Photo Log

View of Excavation

View of Excavation

Photo Log



View of Excavation

View of Excavation

Photo Log

View of Excavation



View of Excavation

Photo Log

View of Excavation

View of Excavation

Photo Log

View of Excavation



View of Excavation

Photo Log

View of Excavation

View of Excavation

Photo Log

View of Excavation

Deferral Sampling

Photo Log

Secondary Lined Containment

Secondary Lined Containment

Photo Log



Secondary Lined Containment

Secondary Lined Containment

Photo Log

Secondary Lined Containment

Secondary Lined Containment

ATTACHMENT E: LABORATORY ANALYTICAL METHOD WITH CHAIN-OF-CUSTODY

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 26, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 09/22/25 16:55.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 1 0-6" (H255924-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.95	97.7	2.00	1.96	
Toluene*	<0.050	0.050	09/24/2025	ND	1.91	95.5	2.00	2.18	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	1.85	92.7	2.00	2.60	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	5.46	91.0	6.00	2.25	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *88.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	09/23/2025	ND	416	104	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	196	98.1	200	0.163	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	203	101	200	1.34	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *82.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 2 0-6" (H255924-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.95	97.7	2.00	1.96	
Toluene*	<0.050	0.050	09/24/2025	ND	1.91	95.5	2.00	2.18	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	1.85	92.7	2.00	2.60	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	5.46	91.0	6.00	2.25	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *88.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**192**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	196	98.1	200	0.163	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	203	101	200	1.34	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *78.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 3 0-6" (H255924-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.95	97.7	2.00	1.96	
Toluene*	<0.050	0.050	09/24/2025	ND	1.91	95.5	2.00	2.18	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	1.85	92.7	2.00	2.60	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	5.46	91.0	6.00	2.25	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *87.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	196	98.1	200	0.163	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	203	101	200	1.34	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *81.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 4 0-6" (H255924-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	196	98.1	200	0.163	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	203	101	200	1.34	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *86.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 5 0-6" (H255924-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	196	98.1	200	0.163	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	203	101	200	1.34	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *87.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 6 0-6" (H255924-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 7 0-6" (H255924-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *83.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 8 0-6" (H255924-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *96.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: H - 9 0-6" (H255924-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *98.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 1 0-6" (H255924-10)

BTEX 8021B mg/kg Analyzed By: JH S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	**0.284**	0.050	09/24/2025	ND	2.01	100	2.00	1.13	GC-NC1
Total Xylenes*	**3.91**	0.150	09/24/2025	ND	6.14	102	6.00	0.981	GC-NC1
Total BTEX	**4.19**	0.300	09/24/2025	ND					GC-NC1

Surrogate: 4-Bromofluorobenzene (PID *145 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8480**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS S-06

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**477**	50.0	09/24/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**12300**	50.0	09/24/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	**1800**	50.0	09/24/2025	ND					

Surrogate: 1-Chlorooctane *233 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *272 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 1 1' (H255924-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 2 0-6" (H255924-12)

BTEX 8021B mg/kg Analyzed By: JH S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.100	0.100	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	**2.55**	0.100	09/24/2025	ND	2.01	100	2.00	0.00424	GC-NC1
Ethylbenzene*	**4.57**	0.100	09/24/2025	ND	2.01	100	2.00	1.13	GC-NC1
Total Xylenes*	**34.3**	0.300	09/24/2025	ND	6.14	102	6.00	0.981	GC-NC1
Total BTEX	**41.4**	0.600	09/24/2025	ND					GC-NC1

Surrogate: 4-Bromofluorobenzene (PID *168 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**8240**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**976**	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**5480**	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	**911**	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *163 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *311 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 2 1' (H255924-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/24/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/24/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/24/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 3 0-6" (H255924-14)

BTEX 8021B mg/kg Analyzed By: JH S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.200	0.200	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	**1.06**	0.200	09/24/2025	ND	2.01	100	2.00	0.00424	GC-NC1
Ethylbenzene*	**3.28**	0.200	09/24/2025	ND	2.01	100	2.00	1.13	GC-NC1
Total Xylenes*	**32.0**	0.600	09/24/2025	ND	6.14	102	6.00	0.981	GC-NC1
Total BTEX	**36.3**	1.20	09/24/2025	ND					GC-NC1

Surrogate: 4-Bromofluorobenzene (PID *157 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2080**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS S-04

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**927**	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**5940**	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	**1000**	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *339 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *298 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 3 1' (H255924-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**72.1**	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	**34.2**	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *99.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 4 0-6" (H255924-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	**0.053**	0.050	09/24/2025	ND	2.01	100	2.00	1.13	GC-NC1
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**14400**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	**17.2**	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**610**	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	**116**	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *124 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *141 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 4 1' (H255924-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4320**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**144**	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	**39.6**	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 4 2' (H255924-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 5 0-6" (H255924-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**13200**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	**10.1**	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 5 1' (H255924-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**176**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 6 0-6" (H255924-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**12600**	16.0	09/23/2025	ND	416	104	400	3.92	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	09/22/2025	Sampling Date:	09/16/2025
Reported:	09/26/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: V - 6 1' (H255924-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	09/24/2025	ND	1.94	96.8	2.00	1.39	
Toluene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	0.00424	
Ethylbenzene*	<0.050	0.050	09/24/2025	ND	2.01	100	2.00	1.13	
Total Xylenes*	<0.150	0.150	09/24/2025	ND	6.14	102	6.00	0.981	
Total BTEX	<0.300	0.300	09/24/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	09/23/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	09/23/2025	ND	227	113	200	0.655	
DRO >C10-C28*	<10.0	10.0	09/23/2025	ND	219	110	200	0.627	
EXT DRO >C28-C36	<10.0	10.0	09/23/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-06	The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

H255924

Project Name:	Gold NC 29 CTB (8/25/2025)	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 Day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.3c
Sample Custody Seals:	Yes No N/A	Temperature Reading:	0.7c
Total Containers:	22	Corrected Temperature:	1.0c

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
H-1	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-2	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-3	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-4	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-5	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-6	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-7	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-8	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
H-9	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
V-1	0-6"	9/16/2025		Soil	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josh James		9-22-25 1655	2		
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

H255924

Project Name:	Gold NC 29 CTB (8/25/2025)	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 Day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.3c	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	0.7c	
Total Containers:	22	Corrected Temperature:	1.0c	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-1	1	9/16/2025		Soil	Grab	1	x	x	x	
V-2	0-6"	9/16/2025		Soil	Grab	1	x	x	x	
V-2	1	9/16/2025		Soil	Grab	1	x	x	x	
V-3	0-6"	9/16/2025		Soil	Grab	1	x	x	x	
V-3	1	9/16/2025		Soil	Grab	1	x	x	x	
V-4	0-6"	9/16/2025		Soil	Grab	1	x	x	x	
V-4	1	9/16/2025		Soil	Grab	1	x	x	x	
V-4	2	9/16/2025		Soil	Grab	1	x	x	x	
V-5	0-6"	9/16/2025		Soil	Grab	1	x	x	x	
V-5	1	9/16/2025		Soil	Grab	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josh James	Munira Abdallah	9-22-25 1655	2		
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

H295924

Project Name:	Gold NC 29 CTB (8/25/2025)	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 Day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.3c
Sample Custody Seals:	Yes No N/A	Temperature Reading:	0.7c
Total Containers:	22	Corrected Temperature:	1.0c

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
V-6	0-6"	9/16/2025		Soil	Grab	1		x	x	x	
V-6	1	9/16/2025		Soil	Grab	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josh James	Tamara Oldaker	9-22-25 1655	2		
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

October 09, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 10/01/25 14:14.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
V-3 2'	H256137-01	Soil	30-Sep-25 00:00	01-Oct-25 14:14
V-3 3'	H256137-02	Soil	30-Sep-25 00:00	01-Oct-25 14:14

10/09/25 - Client added analysis to sample -02 (see COC). This is the revised report and will replace the one sent on 10/07/25.

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

V-3 2'

H256137-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**592**		16.0	mg/kg	4	5100211	KH	02-Oct-25	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	5100124	JH	02-Oct-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5100124	JH	02-Oct-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5100124	JH	02-Oct-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5100124	JH	02-Oct-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5100124	JH	02-Oct-25	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*114 %*	*70.4-141*		*5100124*	JH	*02-Oct-25*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	5100128	MS	01-Oct-25	8015B	
DRO >C10-C28*	**179**		10.0	mg/kg	1	5100128	MS	01-Oct-25	8015B	
EXT DRO >C28-C36	**36.2**		10.0	mg/kg	1	5100128	MS	01-Oct-25	8015B	
Surrogate: 1-Chlorooctane			*97.8 %*	*52.4-130*		*5100128*	MS	*01-Oct-25*	*8015B*	
Surrogate: 1-Chlorooctadecane			*108 %*	*39.9-141*		*5100128*	MS	*01-Oct-25*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

V-3 3'

H256137-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**32.0**		16.0	mg/kg	4	5100812	HM	08-Oct-25	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	5100803	JH	08-Oct-25	8021B	
Toluene*	<0.050		0.050	mg/kg	50	5100803	JH	08-Oct-25	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	5100803	JH	08-Oct-25	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	5100803	JH	08-Oct-25	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	5100803	JH	08-Oct-25	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*104 %*	*70.4-141*		*5100803*	JH	*08-Oct-25*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	5100827	MS	08-Oct-25	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	5100827	MS	08-Oct-25	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	5100827	MS	08-Oct-25	8015B	
Surrogate: 1-Chlorooctane			*85.9 %*	*52.4-130*		*5100827*	MS	*08-Oct-25*	*8015B*	
Surrogate: 1-Chlorooctadecane			*82.1 %*	*39.9-141*		*5100827*	MS	*08-Oct-25*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5100211 - 1:4 DI Water										
Blank (5100211-BLK1)				Prepared & Analyzed: 02-Oct-25						
Chloride	ND	16.0	mg/kg							
LCS (5100211-BS1)				Prepared & Analyzed: 02-Oct-25						
Chloride	432	16.0	mg/kg	400		108	80-120			
LCS Dup (5100211-BSD1)				Prepared & Analyzed: 02-Oct-25						
Chloride	416	16.0	mg/kg	400		104	80-120	3.77	20	
Batch 5100812 - 1:4 DI Water										
Blank (5100812-BLK1)				Prepared & Analyzed: 08-Oct-25						
Chloride	ND	16.0	mg/kg							
LCS (5100812-BS1)				Prepared & Analyzed: 08-Oct-25						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (5100812-BSD1)				Prepared & Analyzed: 08-Oct-25						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5100124 - Volatiles										
Blank (5100124-BLK1)				Prepared: 01-Oct-25 Analyzed: 02-Oct-25						
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	*0.0531*		mg/kg	*0.0500*		*106*	*70.4-141*			
LCS (5100124-BS1)				Prepared: 01-Oct-25 Analyzed: 02-Oct-25						
Benzene	1.66	0.050	mg/kg	2.00		82.8	71-111			
Toluene	1.84	0.050	mg/kg	2.00		92.2	75-116			
Ethylbenzene	2.00	0.050	mg/kg	2.00		99.9	74.2-119			
m,p-Xylene	3.78	0.100	mg/kg	4.00		94.4	72.5-123			
o-Xylene	1.92	0.050	mg/kg	2.00		96.0	70.5-124			
Total Xylenes	5.70	0.150	mg/kg	6.00		95.0	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	*0.0531*		mg/kg	*0.0500*		*106*	*70.4-141*			
LCS Dup (5100124-BSD1)				Prepared: 01-Oct-25 Analyzed: 02-Oct-25						
Benzene	1.50	0.050	mg/kg	2.00		74.9	71-111	10.0	17.6	
Toluene	1.74	0.050	mg/kg	2.00		87.0	75-116	5.72	14.8	
Ethylbenzene	1.92	0.050	mg/kg	2.00		95.8	74.2-119	4.24	14.2	
m,p-Xylene	3.61	0.100	mg/kg	4.00		90.2	72.5-123	4.58	13.6	
o-Xylene	1.86	0.050	mg/kg	2.00		92.8	70.5-124	3.45	13.7	
Total Xylenes	5.46	0.150	mg/kg	6.00		91.1	72.2-123	4.20	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	*0.0560*		mg/kg	*0.0500*		*112*	*70.4-141*			
Batch 5100803 - Volatiles										
Blank (5100803-BLK1)				Prepared & Analyzed: 08-Oct-25						
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5100803 - Volatiles										
Blank (5100803-BLK1)				Prepared & Analyzed: 08-Oct-25						
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	*0.0519*		mg/kg	*0.0500*		*104*	*70.4-141*			
LCS (5100803-BS1)				Prepared & Analyzed: 08-Oct-25						
Benzene	2.01	0.050	mg/kg	2.00		101	71-111			
Toluene	2.01	0.050	mg/kg	2.00		100	75-116			
Ethylbenzene	2.08	0.050	mg/kg	2.00		104	74.2-119			
m,p-Xylene	4.22	0.100	mg/kg	4.00		105	72.5-123			
o-Xylene	2.12	0.050	mg/kg	2.00		106	70.5-124			
Total Xylenes	6.34	0.150	mg/kg	6.00		106	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	*0.0514*		mg/kg	*0.0500*		*103*	*70.4-141*			
LCS Dup (5100803-BSD1)				Prepared & Analyzed: 08-Oct-25						
Benzene	2.02	0.050	mg/kg	2.00		101	71-111	0.235	17.6	
Toluene	2.05	0.050	mg/kg	2.00		102	75-116	1.80	14.8	
Ethylbenzene	2.15	0.050	mg/kg	2.00		107	74.2-119	2.88	14.2	
m,p-Xylene	4.35	0.100	mg/kg	4.00		109	72.5-123	3.03	13.6	
o-Xylene	2.19	0.050	mg/kg	2.00		110	70.5-124	3.07	13.7	
Total Xylenes	6.54	0.150	mg/kg	6.00		109	72.2-123	3.04	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	*0.0528*		mg/kg	*0.0500*		*106*	*70.4-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5100128 - General Prep - Organics										
Blank (5100128-BLK1)				Prepared & Analyzed: 01-Oct-25						
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	*40.4*		mg/kg	*50.0*		*80.9*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*39.0*		mg/kg	*50.0*		*77.9*	*39.9-141*			
LCS (5100128-BS1)				Prepared & Analyzed: 01-Oct-25						
GRO C6-C10	193	10.0	mg/kg	200		96.3	78.7-123			
DRO >C10-C28	194	10.0	mg/kg	200		96.9	74.8-123			
Total TPH C6-C28	386	10.0	mg/kg	400		96.6	78.6-121			
Surrogate: 1-Chlorooctane	*44.9*		mg/kg	*50.0*		*89.7*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*44.5*		mg/kg	*50.0*		*89.0*	*39.9-141*			
LCS Dup (5100128-BSD1)				Prepared & Analyzed: 01-Oct-25						
GRO C6-C10	195	10.0	mg/kg	200		97.5	78.7-123	1.26	11.3	
DRO >C10-C28	197	10.0	mg/kg	200		98.7	74.8-123	1.84	10.9	
Total TPH C6-C28	392	10.0	mg/kg	400		98.1	78.6-121	1.55	10.5	
Surrogate: 1-Chlorooctane	*45.7*		mg/kg	*50.0*		*91.5*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*45.5*		mg/kg	*50.0*		*91.0*	*39.9-141*			
Batch 5100827 - General Prep - Organics										
Blank (5100827-BLK1)				Prepared & Analyzed: 08-Oct-25						
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	*44.7*		mg/kg	*50.0*		*89.3*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*42.2*		mg/kg	*50.0*		*84.5*	*39.9-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NONE GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 09-Oct-25 15:04

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 5100827 - General Prep - Organics										
LCS (5100827-BS1)				Prepared & Analyzed: 08-Oct-25						
GRO C6-C10	219	10.0	mg/kg	200		110	78.7-123			
DRO >C10-C28	205	10.0	mg/kg	200		102	74.8-123			
Total TPH C6-C28	424	10.0	mg/kg	400		106	78.6-121			
Surrogate: 1-Chlorooctane	*51.0*		mg/kg	*50.0*		*102*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*46.7*		mg/kg	*50.0*		*93.4*	*39.9-141*			
LCS Dup (5100827-BSD1)				Prepared & Analyzed: 08-Oct-25						
GRO C6-C10	223	10.0	mg/kg	200		112	78.7-123	1.87	11.3	
DRO >C10-C28	208	10.0	mg/kg	200		104	74.8-123	1.49	10.9	
Total TPH C6-C28	431	10.0	mg/kg	400		108	78.6-121	1.69	10.5	
Surrogate: 1-Chlorooctane	*52.7*		mg/kg	*50.0*		*105*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*47.3*		mg/kg	*50.0*		*94.6*	*39.9-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

H256137

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Lea County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No (N/A)	Correction Factor:	+0.3c
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	3.0c
Total Containers:	2	Corrected Temperature:	3.3c

ANALYSIS REQUEST

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300										HOLD	Sample Comments
1	V-3	2'	9/30/2025		Soil	Grab	1	x	x	x											
2	V-3	3'	9/30/2025		Soil	Grab	1	x	x	x											X	

Hold Removed 10/7/25

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Tamara Latham Lyle	10-1-25 1414	2		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 12, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 12/08/25 14:44.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-1 (H257614-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *86.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-2 (H257614-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**640**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	225	113	200	7.17	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	216	108	200	4.85	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *89.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-3 (H257614-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1200**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *92.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-4 (H257614-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *95.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-5 (H257614-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2880**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *90.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-6 (H257614-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-7 (H257614-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *93.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-8 (H257614-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	**19.5**	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *95.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-9 (H257614-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1880**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *95.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-10 (H257614-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**656**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *92.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-11 (H257614-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-12 (H257614-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *95.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-13 (H257614-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**352**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *93.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-14 (H257614-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *93.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-15 (H257614-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *98.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-16 (H257614-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1640**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *91.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-17 (H257614-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2040**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *89.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-18 (H257614-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1730**	16.0	12/09/2025	ND	432	108	400	0.00	QM-07

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *84.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-19 (H257614-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *98.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-20 (H257614-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.98	98.8	2.00	6.68	
Toluene*	<0.050	0.050	12/09/2025	ND	1.98	98.9	2.00	5.48	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.90	95.1	2.00	5.43	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.82	97.0	6.00	4.95	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-21 (H257614-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	QR-03
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *95.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-22 (H257614-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	5.21	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	5.82	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *91.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-23 (H257614-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-24 (H257614-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-25 (H257614-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-26 (H257614-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *121 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**11.1**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**11.9**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *91.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-27 (H257614-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**99.1**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**25.7**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *99.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-28 (H257614-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**141**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**42.2**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *96.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-29 (H257614-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**144**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-30 (H257614-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-31 (H257614-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**97.5**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**27.3**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-32 (H257614-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *104 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**256**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**230**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**65.0**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *89.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-33 (H257614-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**240**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**58.2**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**19.5**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *96.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-34 (H257614-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-35 (H257614-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-36 (H257614-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *120 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**288**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**266**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**73.4**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-37 (H257614-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	12/09/2025	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	**30.2**	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	**12.6**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-38 (H257614-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-39 (H257614-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-40 (H257614-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	1.69	84.4	2.00	1.17	
Toluene*	<0.050	0.050	12/09/2025	ND	1.81	90.3	2.00	1.04	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.85	92.6	2.00	1.26	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	5.47	91.1	6.00	0.777	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-41 (H257614-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-42 (H257614-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**80.0**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	227	114	200	6.63	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	219	109	200	7.15	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-43 (H257614-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-44 (H257614-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *105 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *112 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-45 (H257614-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-46 (H257614-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**5280**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *86.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-47 (H257614-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**848**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *97.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-48 (H257614-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**416**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *99.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-49 (H257614-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-50 (H257614-50)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1730**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *82.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 131 of 308

H257614

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-1		12/5/2025		Soil	Com	1		x	x	x	
CS-2		12/5/2025		Soil	Com	1		x	x	x	
CS-3		12/5/2025		Soil	Com	1		x	x	x	
CS-4		12/5/2025		Soil	Com	1		x	x	x	
CS-5		12/5/2025		Soil	Com	1		x	x	x	
CS-6		12/5/2025		Soil	Com	1		x	x	x	
CS-7		12/5/2025		Soil	Com	1		x	x	x	
CS-8		12/5/2025		Soil	Com	1		x	x	x	
CS-9		12/5/2025		Soil	Com	1		x	x	x	
CS-10		12/5/2025		Soil	Com	1		x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James	Jake Walker	12/8/2025 10:00	Jake Walker	Apaus	12/8/25 1444
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

1425761414

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-11		12/5/2025		Soil	Com	1		x	x	x	
CS-12		12/5/2025		Soil	Com	1		x	x	x	
CS-13		12/5/2025		Soil	Com	1		x	x	x	
CS-14		12/5/2025		Soil	Com	1		x	x	x	
CS-15		12/5/2025		Soil	Com	1		x	x	x	
CS-16		12/5/2025		Soil	Com	1		x	x	x	
CS-17		12/5/2025		Soil	Com	1		x	x	x	
CS-18		12/5/2025		Soil	Com	1		x	x	x	
CS-19		12/5/2025		Soil	Com	1		x	x	x	
CS-20		12/5/2025		Soil	Com	1		x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James	Jake Walker	12/8/2025 10:00	Jake Walker	Apollo	12.8.25/1444
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 133 of 308

H25/1614

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 55 of 57

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Pres. Code	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2	
Total Containers:	99	Corrected Temperature:	-3.9	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-21		12/5/2025		Soil	Com	1	x	x	x	
CS-22		12/5/2025		Soil	Com	1	x	x	x	
CS-23		12/5/2025		Soil	Com	1	x	x	x	
CS-24		12/5/2025		Soil	Com	1	x	x	x	
CS-25		12/5/2025		Soil	Com	1	x	x	x	
CS-26		12/5/2025		Soil	Com	1	x	x	x	
CS-27		12/5/2025		Soil	Com	1	x	x	x	
CS-28		12/5/2025		Soil	Com	1	x	x	x	
CS-29		12/5/2025		Soil	Com	1	x	x	x	
CS-30		12/5/2025		Soil	Com	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Jake Walker	12/8/2025 10:00	Jake Walker	apaws	12-8-25/1444
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 134 of 308

H257614

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-31		12/5/2025		Soil	Com	1		x	x	x	
CS-32		12/5/2025		Soil	Com	1		x	x	x	
CS-33		12/5/2025		Soil	Com	1		x	x	x	
CS-34		12/5/2025		Soil	Com	1		x	x	x	
CS-35		12/5/2025		Soil	Com	1		x	x	x	
CS-36		12/5/2025		Soil	Com	1		x	x	x	
CS-37		12/5/2025		Soil	Com	1		x	x	x	
CS-38		12/5/2025		Soil	Com	1		x	x	x	
CS-39		12/5/2025		Soil	Com	1		x	x	x	
CS-40		12/5/2025		Soil	Com	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Jake Walker	12/8/2025 10:00	Jake Walker	CUPPLES	12.8.25 1444
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 135 of 308

H257614

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Josh James		
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-41		12/5/2025		Soil	Com	1		x	x	x	
CS-42		12/5/2025		Soil	Com	1		x	x	x	
CS-43		12/5/2025		Soil	Com	1		x	x	x	
CS-44		12/5/2025		Soil	Com	1		x	x	x	
CS-45		12/5/2025		Soil	Com	1		x	x	x	
CS-46		12/5/2025		Soil	Com	1		x	x	x	
CS-47		12/5/2025		Soil	Com	1		x	x	x	
CS-48		12/5/2025		Soil	Com	1		x	x	x	
CS-49		12/5/2025		Soil	Com	1		x	x	x	
CS-50		12/5/2025		Soil	Com	1		x	x	x	

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Jake Walker	12/8/2025 10:00	Jake Walker	apaw	12-8-25 1444
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 5:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

December 12, 2025

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 12/08/25 14:44.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-51 (H257615-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**560**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *109 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-52 (H257615-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**10800**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-53 (H257615-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3920**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	**109**	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	**26.5**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *82.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-54 (H257615-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *109 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**160**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *84.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-55 (H257615-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**9400**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *92.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *93.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-56 (H257615-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3920**	16.0	12/09/2025	ND	416	104	400	7.41	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	**11.0**	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *88.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-57 (H257615-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**400**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *98.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-58 (H257615-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**2480**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	**70.8**	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	**12.5**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *97.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *102 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-59 (H257615-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**272**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *90.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-60 (H257615-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	1.89	94.7	2.00	6.57	
Toluene*	<0.050	0.050	12/10/2025	ND	2.08	104	2.00	3.84	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	2.09	105	2.00	1.51	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.51	108	6.00	1.48	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *99.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-61 (H257615-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *86.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-62 (H257615-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	224	112	200	1.16	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	224	112	200	8.05	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *94.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-63 (H257615-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-64 (H257615-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-65 (H257615-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *92.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-66 (H257615-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *84.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-67 (H257615-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-68 (H257615-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**480**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-69 (H257615-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-70 (H257615-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**304**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *98.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-71 (H257615-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**4440**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-72 (H257615-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**96.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *94.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-73 (H257615-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**368**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-74 (H257615-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**320**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *98.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-75 (H257615-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-76 (H257615-26)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/09/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/09/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/09/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/09/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/09/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *102 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *95.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-77 (H257615-27)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/10/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-78 (H257615-28)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/10/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**1600**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	**35.7**	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-79 (H257615-29)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/10/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**512**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	**19.4**	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS-80 (H257615-30)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.03	102	2.00	0.875	
Toluene*	<0.050	0.050	12/10/2025	ND	2.03	101	2.00	0.0742	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.97	98.6	2.00	1.20	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.01	100	6.00	0.494	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**800**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	**18.0**	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *100 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-1 (H257615-31)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**224**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *114 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-2 (H257615-32)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: ms

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	219	109	200	2.12	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	244	122	200	5.07	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-3 (H257615-33)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *76.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-4 (H257615-34)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**848**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *78.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-5 (H257615-35)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *79.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-6 (H257615-36)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**416**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *86.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *70.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-7 (H257615-37)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *72.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *58.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-8 (H257615-38)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *75.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *60.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-9 (H257615-39)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *79.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-10 (H257615-40)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**288**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	**352**	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	**76.0**	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *65.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *63.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-11 (H257615-41)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.9 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *67.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-12 (H257615-42)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**3000**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *78.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-13 (H257615-43)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *76.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-14 (H257615-44)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**848**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *74.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-15 (H257615-45)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *80.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-16 (H257615-46)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	12/09/2025	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *77.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *62.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-17 (H257615-47)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *80.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-18 (H257615-48)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *80.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *64.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	12/08/2025	Sampling Date:	12/05/2025
Reported:	12/12/2025	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW-19 (H257615-49)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	12/10/2025	ND	2.06	103	2.00	3.72	
Toluene*	<0.050	0.050	12/10/2025	ND	2.07	103	2.00	3.28	
Ethylbenzene*	<0.050	0.050	12/10/2025	ND	1.99	99.7	2.00	3.30	
Total Xylenes*	<0.150	0.150	12/10/2025	ND	6.10	102	6.00	3.12	
Total BTEX	<0.300	0.300	12/10/2025	ND					

Surrogate: 4-Bromofluorobenzene (PID *94.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: KH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	12/09/2025	ND	416	104	400	3.77	

TPH 8015M mg/kg Analyzed By: MS

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	12/09/2025	ND	223	112	200	3.27	
DRO >C10-C28*	<10.0	10.0	12/09/2025	ND	213	106	200	4.66	
EXT DRO >C28-C36	<10.0	10.0	12/09/2025	ND					

Surrogate: 1-Chlorooctane *74.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *59.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

A257015

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-51		12/5/2025		Soil	Com	1		x	x	x	
CS-52		12/5/2025		Soil	Com	1		x	x	x	
CS-53		12/5/2025		Soil	Com	1		x	x	x	
CS-54		12/5/2025		Soil	Com	1		x	x	x	
CS-55		12/5/2025		Soil	Com	1		x	x	x	
CS-56		12/5/2025		Soil	Com	1		x	x	x	
CS-57		12/5/2025		Soil	Com	1		x	x	x	
CS-58		12/5/2025		Soil	Com	1		x	x	x	
CS-59		12/5/2025		Soil	Com	1		x	x	x	
CS-60		12/5/2025		Soil	Com	1		x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James	Jake Walker	12/8/2025 10:00
2	Jake Walker	[signature]	12·8·25 1444
3			
4			
5			
6			

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 7:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 188 of 308

H257615

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 53 of 56

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No
Samples Received Intact:	(Yes) No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No (N/A)	Correction Factor:	+0.3°
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2°
Total Containers:	99	Corrected Temperature:	-3.9°

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-61		12/5/2025		Soil	Com	1		x	x	x	
CS-62		12/5/2025		Soil	Com	1		x	x	x	
CS-63		12/5/2025		Soil	Com	1		x	x	x	
CS-64		12/5/2025		Soil	Com	1		x	x	x	
CS-65		12/5/2025		Soil	Com	1		x	x	x	
CS-66		12/5/2025		Soil	Com	1		x	x	x	
CS-67		12/5/2025		Soil	Com	1		x	x	x	
CS-68		12/5/2025		Soil	Com	1		x	x	x	
CS-69		12/5/2025		Soil	Com	1		x	x	x	
CS-70		12/5/2025		Soil	Com	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Josh James	Jake Walker	12/8/2025 10:00	Jake Walker		
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 189 of 308

H257015

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.3C	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-4.2	
Total Containers:	99	Corrected Temperature:	-3.9	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
CS-71		12/5/2025		Soil	Com	1		x	x	x	
CS-72		12/5/2025		Soil	Com	1		x	x	x	
CS-73		12/5/2025		Soil	Com	1		x	x	x	
CS-74		12/5/2025		Soil	Com	1		x	x	x	
CS-75		12/5/2025		Soil	Com	1		x	x	x	
CS-76		12/5/2025		Soil	Com	1		x	x	x	
CS-77		12/5/2025		Soil	Com	1		x	x	x	
CS-78		12/5/2025		Soil	Com	1		x	x	x	
CS-79		12/5/2025		Soil	Com	1		x	x	x	
CS-80		12/5/2025		Soil	Com	1		x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James	Jake Walker	12/8/2025 10:00	Jake Walker		
2						
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

H257615

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
SW-1		12/5/2025		Soil	Com	1		x	x	x	
SW-2		12/5/2025		Soil	Com	1		x	x	x	
SW-3		12/5/2025		Soil	Com	1		x	x	x	
SW-4		12/5/2025		Soil	Com	1		x	x	x	
SW-5		12/5/2025		Soil	Com	1		x	x	x	
SW-6		12/5/2025		Soil	Com	1		x	x	x	
SW-7		12/5/2025		Soil	Com	1		x	x	x	
SW-8		12/5/2025		Soil	Com	1		x	x	x	
SW-9		12/5/2025		Soil	Com	1		x	x	x	
SW-10		12/5/2025		Soil	Com	1		x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Josh James	Jake Walker	12/8/2025 10:00	Jake Walker		
2						12.8.25/1444
3				4		
5				6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

H257615

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Josh James	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	#1440
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.3
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-4.2
Total Containers:	99	Corrected Temperature:	-3.9

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
SW-11		12/5/2025		Soil	Com	1		x	x	x	
SW-12		12/5/2025		Soil	Com	1		x	x	x	
SW-13		12/5/2025		Soil	Com	1		x	x	x	
SW-14		12/5/2025		Soil	Com	1		x	x	x	
SW-15		12/5/2025		Soil	Com	1		x	x	x	
SW-16		12/5/2025		Soil	Com	1		x	x	x	
SW-17		12/5/2025		Soil	Com	1		x	x	x	
SW-18		12/5/2025		Soil	Com	1		x	x	x	
SW-19		12/5/2025		Soil	Com	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Josh James	Jake Walker	12/8/2025 10:00	Jake Walker		12-8-25/1644
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

January 30, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 01/27/26 13:31.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 46 3 (H260486-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *103 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 47 3 (H260486-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *118 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *105 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 50 3 (H260486-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *99.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 52 2 (H260486-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *115 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *100 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *97.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 53 2 (H260486-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 55 2 (H260486-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *114 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *104 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 56 2 (H260486-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *107 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *98.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *92.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 58 3 (H260486-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 71 3 (H260486-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *90.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 78 3 (H260486-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *101 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 80 3 (H260486-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 81 2 (H260486-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *108 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**64.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *101 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 12 0-1 (H260486-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *99.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *96.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 14 0-2 (H260486-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *103 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *99.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 25 1-2 (H260486-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *117 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 26 0-2 (H260486-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *111 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *107 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *105 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 27 0-2 (H260486-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *113 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *113 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 30 2-3 (H260486-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *106 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *108 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *106 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 31 2-3 (H260486-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *112 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 32 2-3 (H260486-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *113 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 33 2-3 (H260486-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	1.93	96.7	2.00	5.50	
Toluene*	<0.050	0.050	01/28/2026	ND	2.01	101	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.06	103	2.00	9.03	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.88	98.0	6.00	8.27	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *87.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *107 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 36 4 (H260486-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	1.93	96.7	2.00	5.50	
Toluene*	<0.050	0.050	01/28/2026	ND	2.01	101	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.06	103	2.00	9.03	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.88	98.0	6.00	8.27	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *91.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**48.0**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *109 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *108 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 10 2-4 (H260486-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	1.93	96.7	2.00	5.50	
Toluene*	<0.050	0.050	01/28/2026	ND	2.01	101	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.06	103	2.00	9.03	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.88	98.0	6.00	8.27	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *88.5 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *111 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 5 3 (H260486-24)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	1.93	96.7	2.00	5.50	
Toluene*	<0.050	0.050	01/28/2026	ND	2.01	101	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.06	103	2.00	9.03	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.88	98.0	6.00	8.27	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *82.6 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**128**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *110 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *111 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 21 2-3 (H260486-25)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	1.93	96.7	2.00	5.50	
Toluene*	<0.050	0.050	01/28/2026	ND	2.01	101	2.00	6.70	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.06	103	2.00	9.03	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	5.88	98.0	6.00	8.27	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *88.8 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**112**	16.0	01/27/2026	ND	432	108	400	3.77	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	204	102	200	0.551	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	201	100	200	0.827	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *112 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *116 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 219 of 308

H202480

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04092401C-1721

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	0.4°	
Total Containers:		Corrected Temperature:	0.5°	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1 CS-46	3	1/22/2026		Soil	Com	1	x	x	x	
2 CS-47	3	1/22/2026		Soil	Com	1	x	x	x	
3 CS-50	3	1/22/2026		Soil	Com	1	x	x	x	
4 CS-52	2	1/22/2026		Soil	Com	1	x	x	x	
5 CS-53	2	1/22/2026		Soil	Com	1	x	x	x	
6 CS-55	2	1/22/2026		Soil	Com	1	x	x	x	
7 CS-56	2	1/22/2026		Soil	Com	1	x	x	x	
8 CS-58	3	1/22/2026		Soil	Com	1	x	x	x	
9 CS-71	3	1/22/2026		Soil	Com	1	x	x	x	
10 CS-78	3	1/22/2026		Soil	Com	1	x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Rodriguez	1.27.26 1331	3		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

H200180

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:			
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	0.4°	
Total Containers:		Corrected Temperature:	0.5°	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	CS-80	3	1/22/2026		Soil	Com	1		x	x	x	
12	CS-81	2	1/22/2026		Soil	Com	1		x	x	x	
13	SW-12	0 - 1	1/22/2026		Soil	Com	1		x	x	x	
14	SW-14	0 - 2	1/22/2026		Soil	Com	1		x	x	x	
15	SW-25	1 - 2	1/22/2026		Soil	Com	1		x	x	x	
16	SW-26	0 - 2	1/22/2026		Soil	Com	1		x	x	x	
17	SW-27	0 - 2	1/22/2026		Soil	Com	1		x	x	x	
18	SW-30	2 - 3	1/22/2026		Soil	Com	1		x	x	x	
19	SW-31	2 - 3	1/22/2026		Soil	Com	1		x	x	x	
20	SW-32	2 - 3	1/22/2026		Soil	Com	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	SRodriguez	1-27-26 1331	3		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 221 of 308

H240480

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:			
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	0.4	
Total Containers:		Corrected Temperature:	0.5	

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	SW-33	2 - 3	1/22/2026		Soil	Com	1		x	x	x	
22	CS-36	4	1/22/2026		Soil	Com	1		x	x	x	
23	SW-10	2 - 4	1/22/2026		Soil	Com	1		x	x	x	
24	CS-5	3	1/22/2026		Soil	Com	1		x	x	x	
25	SW-21	2 - 3	1/22/2026		Soil	Com	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1	Rodriguez	12726 1531	3		
3			4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

February 13, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 02/09/26 12:25.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 2 3 (H260735-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	02/11/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 3 3 (H260735-02)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**16.0**	16.0	02/11/2026	ND	432	108	400	0.00	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *85.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.7 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 9 3 (H260735-03)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *86.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.6 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 10 3 (H260735-04)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *85.0 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 16 3 (H260735-05)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *82.9 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 17 3 (H260735-06)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *89.2 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *90.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 18 3 (H260735-07)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *84.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 27 3 (H260735-08)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *100 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *87.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *87.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 28 3 (H260735-09)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *101 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *83.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *86.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 31 3 (H260735-10)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *99.1 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *84.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *84.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 32 3 (H260735-11)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.99	99.7	2.00	3.59	
Toluene*	<0.050	0.050	02/10/2026	ND	2.18	109	2.00	4.50	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	2.49	125	2.00	9.99	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	7.48	125	6.00	10.9	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *103 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *80.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 24 2-3 (H260735-12)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *86.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *89.1 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *88.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 20 2-3 (H260735-13)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *93.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *84.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 23 2-3 (H260735-14)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *91.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	186	92.9	200	4.34	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	202	101	200	2.92	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *85.8 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *85.4 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 88 4 (H260735-15)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *102 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *81.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 29 1-3 (H260735-16)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *82.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.3 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: SW - 28 1-3 (H260735-17)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *95.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *83.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *79.9 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 82 1 (H260735-18)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.3 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *84.5 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *80.8 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 83 1 (H260735-19)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *86.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *83.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 84 1 (H260735-20)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *98.0 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *81.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *78.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 85 1 (H260735-21)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *92.4 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *85.4 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.2 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 86 1 (H260735-22)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *97.7 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	448	112	400	7.41	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *85.6 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.0 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	02/09/2026	Sampling Date:	02/06/2026
Reported:	02/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Alyssa Parras
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 87 1 (H260735-23)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	02/10/2026	ND	1.87	93.6	2.00	5.03	
Toluene*	<0.050	0.050	02/10/2026	ND	1.81	90.4	2.00	4.80	
Ethylbenzene*	<0.050	0.050	02/10/2026	ND	1.93	96.5	2.00	1.47	
Total Xylenes*	<0.150	0.150	02/10/2026	ND	5.52	92.0	6.00	1.87	
Total BTEX	<0.300	0.300	02/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *96.2 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: HM

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	<16.0	16.0	02/10/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	02/10/2026	ND	230	115	200	0.360	
DRO >C10-C28*	<10.0	10.0	02/10/2026	ND	219	109	200	0.208	
EXT DRO >C28-C36	<10.0	10.0	02/10/2026	ND					

Surrogate: 1-Chlorooctane *86.3 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *82.5 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
BS1	Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 247 of 308

H200735

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

04024012-171

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	Yes (No)	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-3.1	
Total Containers:		Corrected Temperature:	-3.0	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2S0_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
1	CS-2	3	2/6/2026		Soil	Com	1		x	x	x	
2	CS-3	3	2/6/2026		Soil	Com	1		x	x	x	
3	CS-9	3	2/6/2026		Soil	Com	1		x	x	x	
4	CS-10	3	2/6/2026		Soil	Com	1		x	x	x	
5	CS-16	3	2/6/2026		Soil	Com	1		x	x	x	
6	CS-17	3	2/6/2026		Soil	Com	1		x	x	x	
7	CS-18	3	2/6/2026		Soil	Com	1		x	x	x	
8	CS-27	3	2/6/2026		Soil	Com	1		x	x	x	
9	CS-28	3	2/6/2026		Soil	Com	1		x	x	x	
10	CS-31	3	2/6/2026		Soil	Com	1		x	x	x	

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		2/6/26 10:00	3		2-9-26
			4		1325
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 248 of 308

H260735

STANDARD SAFETY & SUPPLY

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	4502840929		

SAMPLE RECEIPT			
Temp Blank:	Yes No	Wet Ice:	Yes No
Samples Received Intact:	Yes No	Thermometer ID:	140
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-3.1
Total Containers:		Corrected Temperature:	-3.0

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
11	CS-32	3	2/6/2026		Soil	Com	1	x	x	x	
12	SW-24	2-3	2/6/2026		Soil	Com	1	x	x	x	
13	SW-20	2-3	2/6/2026		Soil	Com	1	x	x	x	
14	SW-23	2-3	2/6/2026		Soil	Com	1	x	x	x	
15	CS-88	4	2/6/2026		Soil	Com	1	x	x	x	
16	SW-29	1-3	2/6/2026		Soil	Com	1	x	x	x	
17	SW-28	1-3	2/6/2026		Soil	Com	1	x	x	x	
18	CS-82	1	2/6/2026		Soil	Com	1	x	x	x	
19	CS-83	1	2/6/2026		Soil	Com	1	x	x	x	
20	CS-84	1	2/6/2026		Soil	Com	1	x	x	x	

	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			2/6/26 10:00
2			
3			
4			
5			
6			

Relinquished by: (Signature)	Received by: (Signature)	Date/Time
	Cypress	2-9-26 1225

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

Page 249 of 308

H200735

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:			
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-3.1	
Total Containers:		Corrected Temperature:	-3.0	

Preservative Codes

None: NO; DI Water: H_2O; Cool: Cool; MeOH: Me; HCL: HC; HNO_3: HN; H_2SO_4: H_2; NaOH: Na; H_3PO_4: HP; $NaHSO_4$: NABIS; $Na_2S_2O_3$: $NaSO_3$; Zn Acetate+NaOH: Zn; NaOH+Ascorbic Acid: SAPC

	Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
21	CS-85	1	2/6/2026		Soil	Com	1		x	x	x	
22	CS-86	1	2/6/2026		Soil	Com	1		x	x	x	
23	CS-87	1	2/6/2026		Soil	Com	1		x	x	x	

Parameters

ANALYSIS REQUEST

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		2/9/26 10:00	3	Oparnos	2.9.26 1225
			4		
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 24, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 03/02/26 10:27.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
D-3 0-0.5	H261136-01	Soil	26-Feb-26 00:00	02-Mar-26 10:27
D-3 1	H261136-02	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-3 2	H261136-03	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-3 3	H261136-04	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-3 4	H261136-05	Soil	27-Feb-26 00:00	02-Mar-26 10:27

03/24/26 - Client changed all samples to grab and sample IDs to D-3 (see COC). This is the revised report and will replace the one sent on 03/06/26.

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

D-3 0-0.5

H261136-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**336**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										**S-04**
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	**0.711**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	QM-07
Ethylbenzene*	**0.817**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	QM-07
Total Xylenes*	**8.43**		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	QM-07
Total BTEX	**9.96**		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*211 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	**241**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**3840**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	QM-07
EXT DRO >C28-C36	**547**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*105 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*114 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

D-3 1

H261136-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**2160**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										**S-04**
Benzene*	**1.56**		0.500	mg/kg	500	6030205	JH	02-Mar-26	8021B	
Toluene*	**15.9**		0.500	mg/kg	500	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	**6.18**		0.500	mg/kg	500	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	**51.2**		1.50	mg/kg	500	6030205	JH	02-Mar-26	8021B	
Total BTEX	**74.9**		3.00	mg/kg	500	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*148 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	**965**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**3740**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	**461**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*123 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*117 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

D-3 2

H261136-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**912**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										**S-04**
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	**0.665**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	**0.564**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	**5.64**		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	**6.87**		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*186 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	**44.5**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**205**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	**18.3**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*83.9 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*85.8 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

D-3 3

H261136-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**624**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*121 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*77.9 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*77.9 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

D-3 4

H261136-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**624**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	**0.262**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	**0.169**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	**1.72**		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	**2.15**		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*140 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	**32.1**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**111**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*78.8 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*78.0 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030210 - 1:4 DI Water										
Blank (6030210-BLK1)				Prepared & Analyzed: 02-Mar-26						
Chloride	ND	16.0	mg/kg							
LCS (6030210-BS1)				Prepared & Analyzed: 02-Mar-26						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (6030210-BSD1)				Prepared & Analyzed: 02-Mar-26						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030205 - Volatiles										
Blank (6030205-BLK1)				Prepared & Analyzed: 02-Mar-26						
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	*0.102*		mg/kg	*0.100*		*102*	*70.4-141*			
LCS (6030205-BS1)				Prepared & Analyzed: 02-Mar-26						
Benzene	1.99	0.050	mg/kg	2.00		99.6	71-111			
Toluene	2.01	0.050	mg/kg	2.00		100	75-116			
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119			
m,p-Xylene	4.14	0.100	mg/kg	4.00		103	72.5-123			
o-Xylene	2.18	0.050	mg/kg	2.00		109	70.5-124			
Total Xylenes	6.32	0.150	mg/kg	6.00		105	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	*0.104*		mg/kg	*0.100*		*104*	*70.4-141*			
LCS Dup (6030205-BSD1)				Prepared & Analyzed: 02-Mar-26						
Benzene	2.03	0.050	mg/kg	2.00		101	71-111	1.70	17.6	
Toluene	2.05	0.050	mg/kg	2.00		103	75-116	2.07	14.8	
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119	0.0167	14.2	
m,p-Xylene	4.07	0.100	mg/kg	4.00		102	72.5-123	1.58	13.6	
o-Xylene	2.16	0.050	mg/kg	2.00		108	70.5-124	0.973	13.7	
Total Xylenes	6.23	0.150	mg/kg	6.00		104	72.2-123	1.37	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	*0.103*		mg/kg	*0.100*		*103*	*70.4-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:44

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030207 - General Prep - Organics										
Blank (6030207-BLK1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	*39.4*		mg/kg	*50.0*		*78.9*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*41.5*		mg/kg	*50.0*		*83.1*	*39.9-141*			
LCS (6030207-BS1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	187	10.0	mg/kg	200		93.5	78.7-123			
DRO >C10-C28	200	10.0	mg/kg	200		100	74.8-123			
Total TPH C6-C28	387	10.0	mg/kg	400		96.8	78.6-121			
Surrogate: 1-Chlorooctane	*41.5*		mg/kg	*50.0*		*83.0*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*42.5*		mg/kg	*50.0*		*85.1*	*39.9-141*			
LCS Dup (6030207-BSD1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	187	10.0	mg/kg	200		93.7	78.7-123	0.201	11.3	
DRO >C10-C28	197	10.0	mg/kg	200		98.3	74.8-123	1.96	10.9	
Total TPH C6-C28	384	10.0	mg/kg	400		96.0	78.6-121	0.910	10.5	
Surrogate: 1-Chlorooctane	*43.6*		mg/kg	*50.0*		*87.2*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*44.6*		mg/kg	*50.0*		*89.2*	*39.9-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 261 of 308

H241130

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

*Customer requested changes to COC - RP - 3/23/26
OU0240116

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Connor Whitman	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-1.9	
Total Containers:		Corrected Temperature:	-1.8	*

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab/Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300
1 D-13 *	0-0.5	2/26/2026		Soil	Comp	1		x	x	x
2 D-13	1	2/27/2026		Soil	Comp	1		x	x	x
3 D-13	2	2/27/2026		Soil	Comp	1		x	x	x
4 D-13	3	2/27/2026		Soil	Comp	1		x	x	x
5 D-13	4	2/27/2026		Soil	Comp	1		x	x	x

Parameters

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Connor Whitman	Jake Walker	3/2/2026 8:30	3		3.2.26
			4		1027
			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 24, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 03/02/26 10:27.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
D-1 0-0.5	H261137-01	Soil	26-Feb-26 00:00	02-Mar-26 10:27
D-1 1	H261137-02	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-1 2	H261137-03	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-1 3	H261137-04	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-1 4	H261137-05	Soil	27-Feb-26 00:00	02-Mar-26 10:27

03/24/26 - Client changed all samples to grab (see COC). This is the revised report and will replace the one sent on 03/06/26.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

D-1 0-0.5

H261137-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**112**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*126 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**85.9**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*79.7 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*84.9 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

D-1 1

H261137-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**784**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*126 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**23.0**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*81.3 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*81.1 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

D-1 2

H261137-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**176**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*109 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*81.4 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*82.1 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

D-1 3

H261137-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**1020**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*101 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*76.5 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*77.9 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

D-1 4

H261137-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**208**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*110 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*77.8 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*78.7 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030210 - 1:4 DI Water										
Blank (6030210-BLK1)				Prepared & Analyzed: 02-Mar-26						
Chloride	ND	16.0	mg/kg							
LCS (6030210-BS1)				Prepared & Analyzed: 02-Mar-26						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (6030210-BSD1)				Prepared & Analyzed: 02-Mar-26						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030205 - Volatiles										
Blank (6030205-BLK1)				Prepared & Analyzed: 02-Mar-26						
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	*0.102*		mg/kg	*0.100*		*102*	*70.4-141*			
LCS (6030205-BS1)				Prepared & Analyzed: 02-Mar-26						
Benzene	1.99	0.050	mg/kg	2.00		99.6	71-111			
Toluene	2.01	0.050	mg/kg	2.00		100	75-116			
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119			
m,p-Xylene	4.14	0.100	mg/kg	4.00		103	72.5-123			
o-Xylene	2.18	0.050	mg/kg	2.00		109	70.5-124			
Total Xylenes	6.32	0.150	mg/kg	6.00		105	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	*0.104*		mg/kg	*0.100*		*104*	*70.4-141*			
LCS Dup (6030205-BSD1)				Prepared & Analyzed: 02-Mar-26						
Benzene	2.03	0.050	mg/kg	2.00		101	71-111	1.70	17.6	
Toluene	2.05	0.050	mg/kg	2.00		103	75-116	2.07	14.8	
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119	0.0167	14.2	
m,p-Xylene	4.07	0.100	mg/kg	4.00		102	72.5-123	1.58	13.6	
o-Xylene	2.16	0.050	mg/kg	2.00		108	70.5-124	0.973	13.7	
Total Xylenes	6.23	0.150	mg/kg	6.00		104	72.2-123	1.37	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	*0.103*		mg/kg	*0.100*		*103*	*70.4-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:46

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030207 - General Prep - Organics										
Blank (6030207-BLK1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	*39.4*		mg/kg	*50.0*		*78.9*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*41.5*		mg/kg	*50.0*		*83.1*	*39.9-141*			
LCS (6030207-BS1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	187	10.0	mg/kg	200		93.5	78.7-123			
DRO >C10-C28	200	10.0	mg/kg	200		100	74.8-123			
Total TPH C6-C28	387	10.0	mg/kg	400		96.8	78.6-121			
Surrogate: 1-Chlorooctane	*41.5*		mg/kg	*50.0*		*83.0*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*42.5*		mg/kg	*50.0*		*85.1*	*39.9-141*			
LCS Dup (6030207-BSD1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	187	10.0	mg/kg	200		93.7	78.7-123	0.201	11.3	
DRO >C10-C28	197	10.0	mg/kg	200		98.3	74.8-123	1.96	10.9	
Total TPH C6-C28	384	10.0	mg/kg	400		96.0	78.6-121	0.910	10.5	
Surrogate: 1-Chlorooctane	*43.6*		mg/kg	*50.0*		*87.2*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*44.6*		mg/kg	*50.0*		*89.2*	*39.9-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

H901137

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

*Customer requested COC changes. 3/23/26

04024012K

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	(Yes) No	
Samples Received Intact:	(Yes) No	Thermometer ID:	140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	-1.9°	
Total Containers:		Corrected Temperature:	-1.8°	

Sample Identification		Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300
1	D-1	0-0.5	2/26/2026		Soil	Comp	1		x	x	x
2	D-1	1	2/27/2026		Soil	Comp	1		x	x	x
3	D-1	2	2/27/2026		Soil	Comp	1		x	x	x
4	D-1	3	2/27/2026		Soil	Comp	1		x	x	x
5	D-1	4	2/27/2026		Soil	Comp	1		x	x	x

Parameters

ANALYSIS REQUEST

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Connor Whitman	Jake Walker	3/2/2026 8:30	3		3-2-26
3			4		1027
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 24, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 03/02/26 10:27.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Total Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Cardinal Laboratories is accredited through the State of New Mexico Environment Department for:

Method SM 9223-B	Total Coliform and E. coli (Colilert MMO-MUG)
Method EPA 524.2	Regulated VOCs and Total Trihalomethanes (TTHM)
Method EPA 552.2	Total Haloacetic Acids (HAA-5)

Accreditation applies to public drinking water matrices for State of Colorado and New Mexico.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
D-2 0-0.5	H261138-01	Soil	26-Feb-26 00:00	02-Mar-26 10:27
D-2 1	H261138-02	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-2 2	H261138-03	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-2 3	H261138-04	Soil	27-Feb-26 00:00	02-Mar-26 10:27
D-2 4	H261138-05	Soil	27-Feb-26 00:00	02-Mar-26 10:27

03/24/26 - Client changed all samples to grab (see COC). This is the revised report and will replace the one sent on 03/06/26.

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

D-2 0-0.5

H261138-01 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**640**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										**S-04**
Benzene*	**0.335**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	GC-NC1
Toluene*	**3.95**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Ethylbenzene*	**4.85**		0.050	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total Xylenes*	**10.2**		0.150	mg/kg	50	6030205	JH	02-Mar-26	8021B	
Total BTEX	**19.4**		0.300	mg/kg	50	6030205	JH	02-Mar-26	8021B	GC-NC1
Surrogate: 4-Bromofluorobenzene (PID)			*379 %*	*70.4-141*		*6030205*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										**S-04**
GRO C6-C10*	**716**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**7000**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	**867**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*131 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*129 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

D-2 1

H261138-02 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**1780**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										**S-04**
Benzene*	**0.181**		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	GC-NC1
Toluene*	**0.847**		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Ethylbenzene*	**0.482**		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Total Xylenes*	**8.99**		0.150	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Total BTEX	**10.5**		0.300	mg/kg	50	6030213	JH	02-Mar-26	8021B	GC-NC1
Surrogate: 4-Bromofluorobenzene (PID)			*218 %*	*70.4-141*		*6030213*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	**265**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**1580**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	**220**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*94.4 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*113 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

D-2 2

H261138-03 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**144**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										**S-04**
Benzene*	**3.54**		0.500	mg/kg	500	6030213	JH	02-Mar-26	8021B	GC-NC1
Toluene*	**18.6**		0.500	mg/kg	500	6030213	JH	02-Mar-26	8021B	
Ethylbenzene*	**15.0**		0.500	mg/kg	500	6030213	JH	02-Mar-26	8021B	
Total Xylenes*	**112**		1.50	mg/kg	500	6030213	JH	02-Mar-26	8021B	
Total BTEX	**149**		3.00	mg/kg	500	6030213	JH	02-Mar-26	8021B	GC-NC1
Surrogate: 4-Bromofluorobenzene (PID)			*153 %*	*70.4-141*		*6030213*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										**S-04**
GRO C6-C10*	**2260**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**4170**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	**466**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*147 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*109 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

D-2 3

H261138-04 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**176**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*97.9 %*	*70.4-141*		*6030213*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	**23.7**		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*78.3 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*80.0 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

D-2 4

H261138-05 (Soil)

Analyte	Result	MDL	Reporting Limit	Units	Dilution	Batch	Analyst	Analyzed	Method	Notes
Cardinal Laboratories										
Inorganic Compounds										
Chloride	**384**		16.0	mg/kg	4	6030210	AC	02-Mar-26	4500-Cl-B	
Volatile Organic Compounds by EPA Method 8021										
Benzene*	<0.050		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Toluene*	<0.050		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Ethylbenzene*	<0.050		0.050	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Total Xylenes*	<0.150		0.150	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Total BTEX	<0.300		0.300	mg/kg	50	6030213	JH	02-Mar-26	8021B	
Surrogate: 4-Bromofluorobenzene (PID)			*97.7 %*	*70.4-141*		*6030213*	JH	*02-Mar-26*	*8021B*	
Petroleum Hydrocarbons by GC FID										
GRO C6-C10*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
DRO >C10-C28*	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
EXT DRO >C28-C36	<10.0		10.0	mg/kg	1	6030207	JF	02-Mar-26	8015B	
Surrogate: 1-Chlorooctane			*76.9 %*	*52.4-130*		*6030207*	JF	*02-Mar-26*	*8015B*	
Surrogate: 1-Chlorooctadecane			*77.1 %*	*39.9-141*		*6030207*	JF	*02-Mar-26*	*8015B*	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

Inorganic Compounds - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030210 - 1:4 DI Water										
Blank (6030210-BLK1)				Prepared & Analyzed: 02-Mar-26						
Chloride	ND	16.0	mg/kg							
LCS (6030210-BS1)				Prepared & Analyzed: 02-Mar-26						
Chloride	416	16.0	mg/kg	400		104	80-120			
LCS Dup (6030210-BSD1)				Prepared & Analyzed: 02-Mar-26						
Chloride	432	16.0	mg/kg	400		108	80-120	3.77	20	

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030205 - Volatiles										
Blank (6030205-BLK1)				Prepared & Analyzed: 02-Mar-26						
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	*0.102*		mg/kg	*0.100*		*102*	*70.4-141*			
LCS (6030205-BS1)				Prepared & Analyzed: 02-Mar-26						
Benzene	1.99	0.050	mg/kg	2.00		99.6	71-111			
Toluene	2.01	0.050	mg/kg	2.00		100	75-116			
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119			
m,p-Xylene	4.14	0.100	mg/kg	4.00		103	72.5-123			
o-Xylene	2.18	0.050	mg/kg	2.00		109	70.5-124			
Total Xylenes	6.32	0.150	mg/kg	6.00		105	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	*0.104*		mg/kg	*0.100*		*104*	*70.4-141*			
LCS Dup (6030205-BSD1)				Prepared & Analyzed: 02-Mar-26						
Benzene	2.03	0.050	mg/kg	2.00		101	71-111	1.70	17.6	
Toluene	2.05	0.050	mg/kg	2.00		103	75-116	2.07	14.8	
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119	0.0167	14.2	
m,p-Xylene	4.07	0.100	mg/kg	4.00		102	72.5-123	1.58	13.6	
o-Xylene	2.16	0.050	mg/kg	2.00		108	70.5-124	0.973	13.7	
Total Xylenes	6.23	0.150	mg/kg	6.00		104	72.2-123	1.37	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	*0.103*		mg/kg	*0.100*		*103*	*70.4-141*			
Batch 6030213 - Volatiles										
Blank (6030213-BLK1)				Prepared & Analyzed: 02-Mar-26						
Benzene	ND	0.050	mg/kg							
Toluene	ND	0.050	mg/kg							
Ethylbenzene	ND	0.050	mg/kg							
Total Xylenes	ND	0.150	mg/kg							

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

Volatile Organic Compounds by EPA Method 8021 - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030213 - Volatiles										
Blank (6030213-BLK1)				Prepared & Analyzed: 02-Mar-26						
Total BTEX	ND	0.300	mg/kg							
Surrogate: 4-Bromofluorobenzene (PID)	*ND*		mg/kg	*0.0500*		*97.5*	*70.4-141*			
LCS (6030213-BS1)				Prepared & Analyzed: 02-Mar-26						
Benzene	2.17	0.050	mg/kg	2.00		108	71-111			
Toluene	2.08	0.050	mg/kg	2.00		104	75-116			
Ethylbenzene	2.08	0.050	mg/kg	2.00		104	74.2-119			
m,p-Xylene	4.14	0.100	mg/kg	4.00		104	72.5-123			
o-Xylene	2.08	0.050	mg/kg	2.00		104	70.5-124			
Total Xylenes	6.22	0.150	mg/kg	6.00		104	72.2-123			
Surrogate: 4-Bromofluorobenzene (PID)	*0.0479*		mg/kg	*0.0500*		*95.7*	*70.4-141*			
LCS Dup (6030213-BSD1)				Prepared & Analyzed: 02-Mar-26						
Benzene	2.28	0.050	mg/kg	2.00		114	71-111	4.85	17.6	BS-3
Toluene	2.14	0.050	mg/kg	2.00		107	75-116	3.14	14.8	
Ethylbenzene	2.12	0.050	mg/kg	2.00		106	74.2-119	2.07	14.2	
m,p-Xylene	4.23	0.100	mg/kg	4.00		106	72.5-123	1.98	13.6	
o-Xylene	2.11	0.050	mg/kg	2.00		105	70.5-124	1.24	13.7	
Total Xylenes	6.33	0.150	mg/kg	6.00		106	72.2-123	1.73	13.3	
Surrogate: 4-Bromofluorobenzene (PID)	*0.0472*		mg/kg	*0.0500*		*94.4*	*70.4-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY PO BOX 14987 ODESSA TX, 79764	Project: GOLD NC 29 CTB (8/25/2025) Project Number: NOT GIVEN Project Manager: ETHAN SESSUMS Fax To: NA	Reported: 24-Mar-26 09:48

Petroleum Hydrocarbons by GC FID - Quality Control

Cardinal Laboratories

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch 6030207 - General Prep - Organics										
Blank (6030207-BLK1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	ND	10.0	mg/kg							
DRO >C10-C28	ND	10.0	mg/kg							
EXT DRO >C28-C36	ND	10.0	mg/kg							
Surrogate: 1-Chlorooctane	*39.4*		mg/kg	*50.0*		*78.9*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*41.5*		mg/kg	*50.0*		*83.1*	*39.9-141*			
LCS (6030207-BS1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	187	10.0	mg/kg	200		93.5	78.7-123			
DRO >C10-C28	200	10.0	mg/kg	200		100	74.8-123			
Total TPH C6-C28	387	10.0	mg/kg	400		96.8	78.6-121			
Surrogate: 1-Chlorooctane	*41.5*		mg/kg	*50.0*		*83.0*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*42.5*		mg/kg	*50.0*		*85.1*	*39.9-141*			
LCS Dup (6030207-BSD1)				Prepared & Analyzed: 02-Mar-26						
GRO C6-C10	187	10.0	mg/kg	200		93.7	78.7-123	0.201	11.3	
DRO >C10-C28	197	10.0	mg/kg	200		98.3	74.8-123	1.96	10.9	
Total TPH C6-C28	384	10.0	mg/kg	400		96.0	78.6-121	0.910	10.5	
Surrogate: 1-Chlorooctane	*43.6*		mg/kg	*50.0*		*87.2*	*52.4-130*			
Surrogate: 1-Chlorooctadecane	*44.6*		mg/kg	*50.0*		*89.2*	*39.9-141*			

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

S-04	The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.
GC-NC1	8260 confirmation analysis was performed; initial GC results were not supported by GC/MS analysis and are biased high with interfering compounds.
BS-3	Blank spike recovery outside of lab established statistical limits, but still within method limits. Data is not adversely affected.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence ar any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damage including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether su claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

Page 286 of 308

H-2RP1138

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

* Customer requested COC changes. 3/23/26

OLO24011K

Project Name:	Gold NC 29 CTB	Turn Around	☑ Routine ☐ Rush
Project Number:		Due Date:	5 day
Project Location:	Eddy County, New Mexico	TAT may vary based on lab start time.	
Sampler's Name:	Connor Whitman		
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes No	Wet Ice:	Yes No	
Samples Received Intact:	Yes No	Thermometer ID:	140	
Cooler Custody Seals:	Yes No N/A	Correction Factor:	+0.1	
Sample Custody Seals:	Yes No N/A	Temperature Reading:	-1.9	
Total Containers:		Corrected Temperature:	-1.8 *	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Comp	# of Cont	Pres. Code	BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300	Sample Comments
D-2	0-0.5	2/26/2026		Soil	Comp	1		x	x	x	1
D-2	1	2/27/2026		Soil	Comp	1		x	x	x	2
D-2	2	2/27/2026		Soil	Comp	1		x	x	x	3
D-2	3	2/27/2026		Soil	Comp	1		x	x	x	4
D-2	4	2/27/2026		Soil	Comp	1		x	x	x	5

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 Connor Whitman	Jake Walker	3/2/2026 8:30	3		3.2.26
3			4		1027
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

March 13, 2026

ETHAN SESSUMS

STANDARD SAFETY & SUPPLY

PO BOX 14987

ODESSA, TX 79764

RE: GOLD NC 29 CTB (8/25/2025)

Enclosed are the results of analyses for samples received by the laboratory on 03/09/26 14:08.

Cardinal Laboratories is accredited through Texas NELAP under certificate number TX-C25-00101. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Celey D. Keene

Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	03/09/2026	Sampling Date:	03/09/2026
Reported:	03/13/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NONE GIVEN	Sample Received By:	Tamara Oldaker
Project Location:	OXY - EDDY CO NM		

Sample ID: D - 3 5' (H261335-01)

BTEX 8021B mg/kg Analyzed By: JH

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	03/10/2026	ND	1.92	95.9	2.00	6.86	
Toluene*	<0.050	0.050	03/10/2026	ND	2.00	100	2.00	8.83	
Ethylbenzene*	<0.050	0.050	03/10/2026	ND	2.21	110	2.00	7.97	
Total Xylenes*	<0.150	0.150	03/10/2026	ND	6.32	105	6.00	10.6	
Total BTEX	<0.300	0.300	03/10/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *110 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg Analyzed By: AC

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	03/10/2026	ND	400	100	400	7.69	

TPH 8015M mg/kg Analyzed By: JF

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	03/11/2026	ND	217	108	200	0.539	
DRO >C10-C28*	<10.0	10.0	03/11/2026	ND	204	102	200	0.173	
EXT DRO >C28-C36	<10.0	10.0	03/11/2026	ND					

Surrogate: 1-Chlorooctane *78.7 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *81.1 %* *39.9-141*

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene

Celey D. Keene, Lab Director/Quality Manager

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Notes and Definitions

QR-03	The RPD value for the sample duplicate or MS/MSD was outside of QC acceptance limits due to matrix interference. QC batch accepted based on LCS and/or LCSD recovery and/or RPD values.
QM-07	The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS recovery.
ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C
	Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories *=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene, Lab Director/Quality Manager

H241335

Chain of Custody

Main Office: 2524 Trunk Street, Odessa Texas 79761
Contact: (432) 653-0393
https://standardtx.com/

Page 1 of 1

Project Manager:	Ethan Sessums	Bill to: (if different)	Daniel Sparks
Company Name:	Standard Safety & Supply	Company Name:	Oxy USA Inc
Address:	2425 Trunk St.	Address:	
City, State ZIP:	Odessa, Texas, 79761	City, State ZIP:	
Phone:	254-266-5456	Email:	Ethan.Sessums@standardtx.com

Work Order Comments

QU084012

Project Name:	Gold NC 29 CTB	Turn Around	
Project Number:		☑ Routine ☐ Rush	
Project Location:	Eddy County, New Mexico	Due Date:	5 day
Sampler's Name:	Dmitrii Nikanorov	TAT may vary based on lab start time.	
PO #:	4502840929		

SAMPLE RECEIPT				
Temp Blank:	Yes (No)	Wet Ice:	Yes (No)	
Samples Received Intact:	(Yes) No	Thermometer ID:	#140	
Cooler Custody Seals:	Yes (No) N/A	Correction Factor:	+0.1°c	
Sample Custody Seals:	Yes (No) N/A	Temperature Reading:	4.9	
Total Containers:		Corrected Temperature:	5.0	

Sample Identification	Depth	Date Sampled	Time Sampled	Matrix	Grab Com	# of Cont	Parameters: BTEX 8012B	TPH 8015M (GRO-DRO-MRO)	Chloride 4500 or EPA 300
1 D-3	5	3/9/2026		Soil	Grab	1	x	x	x

Preservative Codes

None: NO — DI Water: H_2O
Cool: Cool — MeOH: Me
HCL: HC — HNO_3: HN
H_2S0_4: H_2 — NaOH: Na
H_3PO_4: HP
$NaHSO_4$: NABIS
$Na_2S_2O_3$: $NaSO_3$
Zn Acetate+NaOH: Zn
NaOH+Ascorbic Acid: SAPC

Sample Comments

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1			2		
3		3.9.26 1408	4		
5			6		

Disclaimer: This document and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed

Received by OCD: 6/18/2026 1:38:54 PM

Released to Imaging: 6/29/2026 2:01:49 PM

From: Kenny Han
To: Wells, Shelly, EMNRD
Subject: RE: [EXTERNAL] RE: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB
Date: Monday, June 29, 2026 11:44:42 AM
Attachments: image001.png
image002.png
Table 2 Final Revision.pdf
Figure 4 Second Revision.pdf

Shelly,

Please see the attached revisions for the data table and figure.

From: Kenny Han
Sent: Monday, June 29, 2026 11:36 AM
To: 'Wells, Shelly, EMNRD' <Shelly.Wells@emnrd.nm.gov>
Subject: RE: [EXTERNAL] RE: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB

Shelly,

They were indeed 2ft. let me send you the revised figure and table for those. Sorry about the repeated inaccuracies.

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Monday, June 29, 2026 11:34 AM
To: Kenny Han <kenny.han@standardtx.com>
Subject: RE: [EXTERNAL] RE: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB

Hi Kenny,

I thought these areas were excavated to 2’ as that is what is listed by the lab data. So were they excavated to 3’?

CARDINAL Laboratories

PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

Analytical Results For:

STANDARD SAFETY & SUPPLY
ETHAN SESSUMS
PO BOX 14987
ODESSA TX, 79764
Fax To: NA

Received:	01/27/2026	Sampling Date:	01/22/2026
Reported:	01/30/2026	Sampling Type:	Soil
Project Name:	GOLD NC 29 CTB (8/25/2025)	Sampling Condition:	Cool & Intact
Project Number:	NOT GIVEN	Sample Received By:	Shalyn Rodriguez
Project Location:	OXY - EDDY CO NM		

Sample ID: CS - 53 2 (H260486-05)

BTEX 8021B mg/kg **Analyzed By: JH**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	01/28/2026	ND	2.02	101	2.00	1.17	
Toluene*	<0.050	0.050	01/28/2026	ND	2.08	104	2.00	2.93	
Ethylbenzene*	<0.050	0.050	01/28/2026	ND	2.20	110	2.00	0.136	
Total Xylenes*	<0.150	0.150	01/28/2026	ND	6.72	112	6.00	1.99	
Total BTEX	<0.300	0.300	01/28/2026	ND					

Surrogate: 4-Bromofluorobenzene (PID *116 %* *70.4-141*

Chloride, SM4500Cl-B mg/kg **Analyzed By: HM**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	**32.0**	16.0	01/27/2026	ND	432	108	400	3.64	

TPH 8015M mg/kg **Analyzed By: JF**

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10*	<10.0	10.0	01/27/2026	ND	212	106	200	0.165	
DRO >C10-C28*	<10.0	10.0	01/27/2026	ND	193	96.4	200	4.13	
EXT DRO >C28-C36	<10.0	10.0	01/27/2026	ND					

Surrogate: 1-Chlorooctane *106 %* *52.4-130*

Surrogate: 1-Chlorooctadecane *104 %* *39.9-141*

From: Kenny Han <kenny.han@standardtx.com>
Sent: Monday, June 29, 2026 11:23 AM
To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Subject: RE: [EXTERNAL] RE: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB

Shelly,

I am so sorry for missing that. It has been quite the Monday at the office. Here is the updated table 2 with the corrected depths for CS-52, CS-53, CS-55, and CS-56
Thanks,
Kenny Han
Environmental Project Manager
Standard Safety & Supply
Cell#: **512-496-4197**
Carlsbad, New Mexico, 88220

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Monday, June 29, 2026 11:18 AM
To: Kenny Han <kenny.han@standardtx.com>
Subject: RE: [EXTERNAL] RE: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB

Hi Kenny,

I see that two of the four areas I requested have been addressed. CS 52-53 and CS55-56 are still labeled as 3' excavations but in Table and on Lab data they say they were excavated to 2' depth. Can you confirm and update?

Kind regards,

Shelly

From: Kenny Han <kenny.han@standardtx.com>
Sent: Monday, June 29, 2026 10:50 AM
To: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Subject: [EXTERNAL] RE: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB

CAUTION: This email originated outside of our organization. Exercise caution prior to clicking on links or opening attachments.

Shelly,

Please see the revised lab data table and confirmation sampling figures. My apologies on the table and figure discrepancies in the deferral report.

Thanks,
Kenny Han
Environmental Project Manager
Standard Safety & Supply
Cell#: **512-496-4197**
Carlsbad, New Mexico, 88220

From: Wells, Shelly, EMNRD <Shelly.Wells@emnrd.nm.gov>
Sent: Friday, June 26, 2026 1:59 PM
To: Kenny Han <kenny.han@standardtx.com>
Subject: nAPP2530734932 and nAPP2523751217 GOLD NC 29 CTB

Hi Kenny,

I am reviewing the deferral requests for the above incidents and have noticed excavation depth discrepancies between Table 2 and the Figures provided. If you could, please update whichever one is incorrect to reflect the correct depths and email them to me when corrected that would be appreciated.

Referring to Figure 4, the 2 ft excavation north of tank battery says it was 1' when referring to all the bottom sample data.

South of the tank battery the locations of CS-52-53 and CS-55-56 are marked as being excavated to 3' however Table data shows excavations of 2' occurring here. In addition, the area marked as a 2' excavation which encompasses samples CS 59-CS 70 is marked as 2' but should be 1'.

Kind regards,

Shelly

Shelly Wells * Senior Environmental Scientist
Environmental Bureau
EMNRD-Oil Conservation Division
1220 S. St. Francis Drive
Santa Fe, NM 87505
(505)469-7520
Shelly.Wells@emnrd.nm.gov



STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

Figure 4. (Confirmation Sampling Map)
Release Date: 8/25/2025
Eddy County, New Mexico

06/29/2026

Coordinates: 32.272665, -103.802841

N



STANDARD SAFETY & SUPPLY

GOLD NC 29 CTB
OXY USA INC

Figure 4. (Confirmation Sampling Map)
Release Date: 8/25/2025
Eddy County, New Mexico

06/29/2026

Coordinates: 32.272665, -103.802841

N



GOLD NC 29 CTB
OXY USA INC

Figure 4. (Confirmation Sampling Map)
Release Date: 8/25/2025
Eddy County, New Mexico

06/29/2026

Coordinates: 32.272665, -103.802841

N

Released to Imaging: 6/29/2026 2:01:49 PM

Received by OCD: 6/18/2026 1:38:54 PM

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
SW-1	0-2	12/5/2025	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-2	0-2	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-3	0-2	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-4	0-2	12/5/2025	**848**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-5	0-3	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-6	0-3	12/5/2025	**416**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-7	0-3	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-8	0-3	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-9	0-2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-10	2-4	12/5/2025	**288**	**428**	<10.0	**352**	**352**	**76.0**	<0.050	<0.050	<0.050	<0.150	<0.300
	2-4	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-11	0-1	12/5/2025	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-12	0-1	12/5/2025	**3,000**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	0-2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-13	0-1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-14	0-1	12/5/2025	**848**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	0-2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-15	0-2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-16	0-2	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-17	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-18	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-19	0-1	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-20	2-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-21	2-3	1/22/2026	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-23	2-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-24	2-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-25	1-2	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-26	0-2	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-27	0-2	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-28	1-2	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-29	1-3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-30	2-3	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-31	2-3	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-32	1-2	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
SW-33	1-2	1/22/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-1	2	12/5/2025	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-2	2	12/5/2025	**640**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-3	2	12/5/2025	**1,200**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Released to Imaging: 6/29/2026 2:01:49 PM

Received by OCD: 6/18/2026 1:38:54 PM

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-4	2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-5	2	12/5/2025	**2,880**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-6	2	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-7	2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-8	2	12/5/2025	**224**	**19.5**	<10.0	**19.5**	**19.5**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-9	2	12/5/2025	**1,880**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-10	2	12/5/2025	**656**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-11	2	12/5/2025	**112**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-12	2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-13	2	12/5/2025	**352**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-14	2	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-15	2	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-16	2	12/5/2025	**1,640**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-17	2	12/5/2025	**2,040**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-18	2	12/5/2025	**1,730**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-19	2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-20	2	12/5/2025	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-21	2	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-22	2	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-23	2	12/5/2025	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-24	2	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-25	2	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-26	2	12/5/2025	**64.0**	**23.0**	<10.0	**11.1**	**11.1**	**11.9**	<0.050	<0.050	<0.050	<0.150	<0.300
CS-27	2	12/5/2025	**368**	**124.8**	<10.0	**99.1**	**99.1**	**25.7**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-28	2	12/5/2025	**256**	**183.2**	<10.0	**141.0**	**141.0**	**42.2**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-29	2	12/5/2025	**144**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-30	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-31	2	12/5/2025	**240**	**124.8**	<10.0	**97.5**	**97.5**	**27.3**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-32	2	12/5/2025	**256**	**295.0**	<10.0	**230.0**	**230.0**	**65.0**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-33	2	12/5/2025	**240**	**77.7**	<10.0	**58.2**	**58.2**	**19.5**	<0.050	<0.050	<0.050	<0.150	<0.300

Released to Imaging: 6/29/2026 2:01:49 PM

Received by OCD: 6/18/2026 1:38:54 PM

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-34	2	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-35	2	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-36	2	12/5/2025	**288**	**339.4**	<10.0	**266.0**	**266.0**	**73.4**	<0.050	<0.050	<0.050	<0.150	<0.300
	4	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-37	3	12/5/2025	**96.0**	**42.8**	<10.0	**30.2**	**30.2**	**12.6**	<0.050	<0.050	<0.050	<0.150	<0.300
CS-38	3	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-39	3	12/5/2025	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-40	3	12/5/2025	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-41	3	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-42	3	12/5/2025	**80.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-43	3	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-44	3	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-45	1	12/5/2025	**224**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-46	1	12/5/2025	**5,280**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-47	1	12/5/2025	**848**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-48	1	12/5/2025	**416**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-49	1	12/5/2025	**320**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-50	1	12/5/2025	**1,730**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-51	1	12/5/2025	**560**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-52	1	12/5/2025	**10,800**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-53	1	12/5/2025	**3,920**	**135.5**	<10.0	**109.0**	**109.0**	**26.5**	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**16.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-54	1	12/5/2025	**160**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-55	1	12/5/2025	**9,400**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-56	1	12/5/2025	**3,920**	**11.0**	<10.0	**11.0**	**11.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-57	2	12/5/2025	**400**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-58	2	12/5/2025	**2,480**	**83.3**	<10.0	**70.8**	**70.8**	**12.5**	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-59	2	12/5/2025	**272**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-60	2	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-61	2	12/5/2025	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-62	2	12/5/2025	**128**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-63	2	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-64	2	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-65	2	12/5/2025	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-66	2	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Released to Imaging: 6/29/2026 2:01:49 PM

Received by OCD: 6/18/2026 1:38:54 PM

Table 2: Confirmation Assessment Analytical Data Table
OXY USA INC.
Gold NC 29 CTB
Eddy County, New Mexico

STANDARD SAFETY & SUPPLY			Chloride	TPH Total (C6-C35)	GRO (C6-C12)	DRO (C12-C28)	GRO+DRO (C6-C28)	MRO (C28-C35)	Benzene	Toluene	Ethylbenzene	Xylenes	BTEX
Remediation (GW <50ft)			600 mg/Kg	100 mg/Kg	---**	---**	---**	---**	10 mg/Kg	---*	---*	---*	50 mg/Kg
Sample ID	Depth (ft)	Date											
CS-67	2	12/5/2025	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-68	2	12/5/2025	**480**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-69	2	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-70	2	12/5/2025	**304**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-71	2	12/5/2025	**4,440**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	3	1/22/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-72	2	12/5/2025	**96.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-73	2	12/5/2025	**368**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-74	2	12/5/2025	**320**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-75	1	12/5/2025	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-76	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-77	1	12/5/2025	**32.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-78	1	12/5/2025	**1,600**	**35.7**	<10.0	**35.7**	**35.7**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-79	1	12/5/2025	**512**	**19.4**	<10.0	**19.4**	**19.4**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-80	1	12/5/2025	**800**	**18.0**	<10.0	**18.0**	**18.0**	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
	2	1/22/2026	**48.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-81	2	1/22/2026	**64.0**	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-82	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-83	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-84	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-85	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-86	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-87	1	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300
CS-88	4	2/6/2026	<16.0	<10.0	<10.0	<10.0	<10.0	<10.0	<0.050	<0.050	<0.050	<0.150	<0.300

Notes

1. mg/kg - milligram per kilogram
2. TPH - Total Petroleum Hydrocarbons
3. (CS) - Confirmation Sample
4. (SW) - Sidewall Sample
5. * Indicates Value must be equal to or less than Total BTEX
6.** Indicates that total value must be equal to or less than total TPH
7.*** Indicates that total value must be equal to or less than GRO+DRO total
8.**** Indicates that Total value must be equal or less than total TPH
9. H = Horizontal Sample
10. V= Vertical Sample
11. Remediation Limits
12. Reclamation Limits (0-4ft below ground surface)

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS

Action 597165

QUESTIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Prerequisites	
Incident ID (n#)	**nAPP2523751217**
Incident Name	**NAPP2523751217 GOLD NC 29 CTB @ FAPP2126660185**
Incident Type	**Produced Water Release**
Incident Status	**Deferral Request Received**
Incident Facility	**[fAPP2126660185] GOLD BATTERY**

Location of Release Source	
Please answer all the questions in this group.	
Site Name	GOLD NC 29 CTB
Date Release Discovered	08/25/2025
Surface Owner	Federal

Incident Details	
Please answer all the questions in this group.	
Incident Type	Produced Water Release
Did this release result in a fire or is the result of a fire	No
Did this release result in any injuries	No
Has this release reached or does it have a reasonable probability of reaching a watercourse	No
Has this release endangered or does it have a reasonable probability of endangering public health	No
Has this release substantially damaged or will it substantially damage property or the environment	No
Is this release of a volume that is or may with reasonable probability be detrimental to fresh water	No

Nature and Volume of Release	
Material(s) released, please answer all that apply below. Any calculations or specific justifications for the volumes provided should be attached to the follow-up C-141 submission.	
Crude Oil Released (bbls) Details	Cause: Equipment Failure | Pump | Crude Oil | Released: 2 BBL | Recovered: 0 BBL | Lost: 2 BBL.
Produced Water Released (bbls) Details	Cause: Equipment Failure | Pump | Produced Water | Released: 367 BBL | Recovered: 365 BBL | Lost: 2 BBL.
Is the concentration of chloride in the produced water >10,000 mg/l	No
Condensate Released (bbls) Details	*Not answered.*
Natural Gas Vented (Mcf) Details	*Not answered.*
Natural Gas Flared (Mcf) Details	*Not answered.*
Other Released Details	*Not answered.*
Are there additional details for the questions above (i.e. any answer containing Other, Specify, Unknown, and/or Fire, or any negative lost amounts)	Lined containment

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Nature and Volume of Release (continued)	
Is this a gas only submission (i.e. only significant Mcf values reported)	**No, according to supplied volumes this does not appear to be a "gas only" report.**
Was this a major release as defined by Subsection A of 19.15.29.7 NMAC	**Yes**
Reasons why this would be considered a submission for a notification of a major release	**From paragraph A. "Major release" determine using:** **(1) an unauthorized release of a volume, excluding gases, of 25 barrels or more.**

With the implementation of the 19.15.27 NMAC (05/25/2021), venting and/or flaring of natural gas (i.e. gas only) are to be submitted on the C-129 form.

Initial Response	
The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury.	
The source of the release has been stopped	True
The impacted area has been secured to protect human health and the environment	True
Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices	True
All free liquids and recoverable materials have been removed and managed appropriately	True
If all the actions described above have not been undertaken, explain why	N/A

Per Paragraph (4) of Subsection B of 19.15.29.8 NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please prepare and attach a narrative of actions to date in the follow-up C-141 submission. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see Subparagraph (a) of Paragraph (5) of Subsection A of 19.15.29.11 NMAC), please prepare and attach all information needed for closure evaluation in the follow-up C-141 submission.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 06/18/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Site Characterization	
Please answer all the questions in this group (only required when seeking remediation plan approval and beyond). This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
What is the shallowest depth to groundwater beneath the area affected by the release in feet below ground surface (ft bgs)	Between 100 and 500 (ft.)
What method was used to determine the depth to ground water	Estimate or Other
Did this release impact groundwater or surface water	No
What is the minimum distance, between the closest lateral extents of the release and the following surface areas:	
A continuously flowing watercourse or any other significant watercourse	Between 1 and 5 (mi.)
Any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)	Between 1 and 5 (mi.)
An occupied permanent residence, school, hospital, institution, or church	Greater than 5 (mi.)
A spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes	Between 1 and 5 (mi.)
Any other fresh water well or spring	Between 1 and 5 (mi.)
Incorporated municipal boundaries or a defined municipal fresh water well field	Greater than 5 (mi.)
A wetland	Between 1 and 5 (mi.)
A subsurface mine	Greater than 5 (mi.)
An (non-karst) unstable area	Greater than 5 (mi.)
Categorize the risk of this well / site being in a karst geology	Low
A 100-year floodplain	Between 1 and 5 (mi.)
Did the release impact areas not on an exploration, development, production, or storage site	No

Remediation Plan		
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.		
Requesting a remediation plan approval with this submission		Yes
Attach a comprehensive report demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined, pursuant to 19.15.29.11 NMAC and 19.15.29.13 NMAC.		
Have the lateral and vertical extents of contamination been fully delineated		Yes
Was this release entirely contained within a lined containment area		No
Soil Contamination Sampling: (Provide the highest observable value for each, in milligrams per kilograms.)		
Chloride	(EPA 300.0 or SM4500 Cl B)	14400
TPH (GRO+DRO+MRO)	(EPA SW-846 Method 8015M)	14577
GRO+DRO	(EPA SW-846 Method 8015M)	12300
BTEX	(EPA SW-846 Method 8021B or 8260B)	41.4
Benzene	(EPA SW-846 Method 8021B or 8260B)	0
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.		
On what estimated date will the remediation commence		10/23/2025
On what date will (or did) the final sampling or liner inspection occur		02/06/2026
On what date will (or was) the remediation complete(d)		05/29/2026
What is the estimated surface area (in square feet) that will be reclaimed		0
What is the estimated volume (in cubic yards) that will be reclaimed		0
What is the estimated surface area (in square feet) that will be remediated		12225
What is the estimated volume (in cubic yards) that will be remediated		638
These estimated dates and measurements are recognized to be the best guess or calculation at the time of submission and may (be) change(d) over time as more remediation efforts are completed.		
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.		

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Remediation Plan (continued)	
Please answer all the questions that apply or are indicated. This information must be provided to the appropriate district office no later than 90 days after the release discovery date.	
This remediation will (or is expected to) utilize the following processes to remediate / reduce contaminants:	
(Select all answers below that apply.)	
(Ex Situ) Excavation and **off-site** disposal (i.e. dig and haul, hydrovac, etc.)	Yes
Which OCD approved facility will be used for **off-site** disposal	fEEM0112342028 LEA LAND LANDFILL
OR which OCD approved well (API) will be used for **off-site** disposal	*Not answered.*
OR is the **off-site** disposal site, to be used, out-of-state	*Not answered.*
OR is the **off-site** disposal site, to be used, an NMED facility	*Not answered.*
(Ex Situ) Excavation and **on-site** remediation (i.e. On-Site Land Farms)	*Not answered.*
(In Situ) Soil Vapor Extraction	*Not answered.*
(In Situ) Chemical processing (i.e. Soil Shredding, Potassium Permanganate, etc.)	*Not answered.*
(In Situ) Biological processing (i.e. Microbes / Fertilizer, etc.)	*Not answered.*
(In Situ) Physical processing (i.e. Soil Washing, Gypsum, Disking, etc.)	*Not answered.*
Ground Water Abatement pursuant to 19.15.30 NMAC	*Not answered.*
OTHER (Non-listed remedial process)	*Not answered.*
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 06/18/2026
The OCD recognizes that proposed remediation measures may have to be minimally adjusted in accordance with the physical realities encountered during remediation. If the responsible party has any need to significantly deviate from the remediation plan proposed, then it should consult with the division to determine if another remediation plan submission is required.	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Deferral Requests Only	
Only answer the questions in this group if seeking a deferral upon approval this submission. Each of the following items must be confirmed as part of any request for deferral of remediation.	
Requesting a deferral of the remediation closure due date with the approval of this submission	Yes
Have the lateral and vertical extents of contamination been fully delineated	**Yes**
Is the remaining contamination in areas immediately under or around production equipment where remediation could cause a major facility deconstruction	Yes
Please list or describe the production equipment and how (re)moving the equipment would cause major facility deconstruction	The affected area is directly under the central tank batteries at this site.
What is the remaining surface area (in square feet) that will still need to be remediated if a deferral is granted	3000
What is the remaining volume (in cubic yards) that will still need to be remediated if a deferral is granted	389
Per Paragraph (2) of Subsection C of 19.15.29.12 NMAC if contamination is located in areas immediately under or around production equipment such as production tanks, wellheads and pipelines where remediation could cause a major facility deconstruction, the remediation, restoration and reclamation may be deferred with division written approval until the equipment is removed during other operations, or when the well or facility is plugged or abandoned, whichever comes first.	
Enter the facility ID (f#) on which this deferral should be granted	fAPP2126660185 GOLD BATTERY
Enter the well API (30-) on which this deferral should be granted	*Not answered.*
Contamination does not cause an imminent risk to human health, the environment, or groundwater	True
Per Subsection B of 19.15.29.11 NMAC unless the site characterization report includes completed efforts at remediation, the report must include a proposed remediation plan in accordance with 19.15.29.12 NMAC, which includes the anticipated timelines for beginning and completing the remediation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
I hereby agree and sign off to the above statement	Name: Standard Company Email: CarlsbadOffice@standardtx.com Date: 06/18/2026

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

QUESTIONS (continued)

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

QUESTIONS

Sampling Event Information	
Last sampling notification (C-141N) recorded	**549836**
Sampling date pursuant to Subparagraph (a) of Paragraph (1) of Subsection D of 19.15.29.12 NMAC	**02/06/2026**
What was the (estimated) number of samples that were to be gathered	**30**
What was the sampling surface area in square feet	**3000**

Remediation Closure Request	
Only answer the questions in this group if seeking remediation closure for this release because all remediation steps have been completed.	
Requesting a remediation closure approval with this submission	No

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 597165
	Action Type: [C-141] Deferral Request C-141 (C-141-v-Deferral)

CONDITIONS

Created By	Condition	Condition Date
scwells	Deferral approved. Deferral of SW-4, D-1, D-2, and D-3 is approved until plugging and abandonment or a major facility deconstruction, whichever comes first. A complete and accurate remediation report and/or reclamation report will need to be submitted at that time.	6/29/2026