Submit 3 Copies To Appropriate District	State of New Mexico		rorm C-105
Office <u>District 1</u>	Energy, Minerals and Natural-Resources		Revised March 25, 1999
1625 N. French Dr., Hobbs, NM 87240 District II	1		WELL API NO. 30-007-20459
811 South First, Artesia, NM 87210	OIL CONSERVATION DIVISION 1220 South Sti Francis 2004		5. Indicate Type of Lease
<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410			STATE 🗆 FEE 🔤
<u>District IV</u> 1220 South St Francis, Santa Fe, NM	Santa Fe, NM 87	ONSERVATION	6. State Oil & Gas Lease No.
87505		SAISION	
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A		7. Lease Name or Unit Agreement Name:	
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		OR SUCH	VPR D
1. Type of Well:			
Oil Well Gas Well Other COALBED METHANE			
2. Name of Operator EL PASO ENERGY RATON, L.L.C.		8. Well No. 131	
3. Address of Operator		9. Pool name or Wildcat	
4. Well Location	190 RATON, NM 87740		
4. Well Location 1957			
Unit Letter N: 1282 feet from the South line and feet from the West line			
Section 14 Townsh	ip 30N Range 18E	NMPM	COLFAX County
	10. Elevation (Show whether Di	R, RKB, RT, GR, etc.	
7855' (GR)			
11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:			
NOTICE OF IN PERFORM REMEDIAL WORK □	PLUG AND ABANDON 🖂	REMEDIAL WORK	SEQUENT REPORT OF: C
TEN ONW REMEDIAL WORK EL	PEOO AND ADAMOUN L	I KEMEDIAL WORK	ALTERING CASING EL
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRIL	LING OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING	MULTIPLE	CASING TEST AND	
	COMPLETION	CEMENT JOB	
OTHER:		OTHER:	COMPLETION
12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompilation.			
proposed work). SEE ROLE 1103. For Multiple Completions: Attach welloofe diagram of proposed completion of recompitation.			
01/08/04 HES ran Cement Bond Log. Estimated Cement Top at surface. 03/08/04 HES perf d 1st stage: 1918'- 1920' 3 Holes			
HES frac'd 1st stage: Pumped fracture treatment with 30,300 lds of 16/30 Ottawa sand, Avg Pres 3163 psi, Avg Rate 14.9 bbl/min.			
HES perf'd 2 nd stage: 1811'-1813' 3 Holes HES frac'd 2 nd stage: Pumped fracture treatment with 50,190 lbs of 16/30 Ottawa sand, Avg Pres 2209 psi, Avg Rate 19.6 bbl/min.			
HES perf'd 3 th stage: 1697'-1699', 1699'-1701' 6 Holes HES frac'd 3 th stage: Pumped fracture treatment with 40,220 lbs of 16/30 Ottawa sand, Avg Pres 2103 psi, Avg Rate 18.2 bbl/min.			
HES perf'd 4th stage: 1670'-1672' 3 Holes			
HES frac'd 4th stage: Pumped fracture treatment with 9,880 lbs of 16/30 Ottawa sand, Avg Pres 2052 psi, Avg Rate 12.4 bbl/min. HES perf'd 5th stage: 1306'-1308', 1309'-1311' 6 Holes			
HES frac'd 5th stage: Pumped fracture treatment with 59,910 lbs of 16/30 Ottawa sand, Avg Pres 2454 psi, Avg Rate 20.7 bbl/min.			
03/11/04 Installed rods, tubing, and pump. Well is ready to be tested and put on production.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNATURE Shirly Mitchell TITLE Senior Specialist DATE 03/24/04			
Type or print name: Shirley A. Mitchell / Telephone No.: (505) 445-6785			
(This space for State use)			
APPPROVED BY 15 STRICT SUPERVISOR DATE 4/2/04			
Conditions of approval, if any:			
•			