A PPI 1			ERMIT T	ro dri	ull. RE-E!			EPEN.	PLUGBACI		ENDED REPORT			
APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, Dee								² OGRID Number 16696						
OXY USA Inc P.O. Box 50		idland, T)	x 79710-025	50					30- 059- 6	3API Number				
⁴ Prope	4Property Code 5Propert 27111 Bravo Dome Carbon i						Gas l	Jnit 2		⁶ Well No.				
	<u></u>				⁷ Surface I									
UL or lot no.	Section 25	Township	Range 33E	Lot. Idn	Feet from			1	Feet from the	East/West line	County Union			
14	10,			Bottom	Hole Locati					_ v.c. 5 ·	Official			
UL or lot no.	Section	Township	Range	Lot. Idn					Feet from the	East/West line	County			
Paravo Dom	9 Proposed Pool 1 Bravo Dome Carbon Dioxide Gas 640 96010						¹⁰ Proposed Pool 2							
RLANO DOM	e Carbon	Dioxide	Gas 040		96010									
11 Work 7	Type Code N		12 Well Type C	¹³ Cable	e/Rotary R		14 Lease Type Code 5-L4228		15 Ground Level Elevation					
¹⁶ Mu	ultiple No		17 Proposed Dep 2600		Tu	18 Formation Tubb			19 Contractor N/A		Pud Date			
			21	Propose	d Casing an	nd Cen	ent P	rogram						
Hole S	Size	Cas	sing Size		g weight/foot	Setting Depth			Sacks of Cemer	nt E	Estimated TOC			
12-1/	/4"	8	8-5/8"		24#		700 '		300sx		Surface			
7-7/	7-7/8"		5-1/2"		5.9#FG/15.5#		2600'		300sx		Surface			
				 										
									<u> </u>					
²² Describe the ploy						I	the data	on the pres	sent productive zo	ne and proposed	new productive zone.			
					SEE ATT	FACHED			_					
²³ I hereby certif best of my know			ven above is t	rue and cor	nplete to the			OIL CO	ONSERVATI	DN DIVISI	ON			
Signature:								Approved by: R White						
Printed name: D		Title:												
Title: S		Approval Date: 4/8/04 Expiration Date: 4/8/05												
Date: 4(6	104		Phone:	Conditions of Approval: NSL MUST BE APPROVED Attached PRIOR TO PRODUCTION										

432-685-5717

Attached PRIOR TO PRODUCTION

BDCDGU _

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-2600'

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600' 300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl2 + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% $CaCl_2 + .25\#/sx$ Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700′

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-2600'

Fresh water/Starch/Gel pH control as needed. Wt 9.0-9.2ppg, Vis 28-29sec District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505


Form C-102 Revised October 18, 1994 Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

Jesse M. Martin

Certificate Number 7911

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT												
API Number Pool Code						Pool Name						
				9601	0	BRAVO DOME CARBON DIOXIDE GAS (640)						
Property	Code				Pro	perty	Name		Well Number			
27111 BRA				AVO DOME CARBON DIOXIDE GAS					UNIT 2333 252			
OGRID			Ope	erator	Name		Elevation					
16696				OXY USA INC.					4972.1			
Surface Location												
UL or lot no.	Section	Township	Range	Lot Idn. Feet from		the	North/South line	Feet from the	East/West line		County	
N	25	23 N	33 E		504'		SOUTH	1454'	WEST		UNION	
Bottom Hole Location If Different From Surface												
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from	the	North/South line	Feet from the	East/West line		County	
<u> </u>												
Dedicated Acres Joint or Infill Consolidation Code Order No.												
640												
NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED												
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION												
25							OPERATOR CERTIFICATION					
					ļ		11 '	I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.				
	1							1 220 200	use and complete to the best of my knowledge and bester			
	ļ											
	ļ								_		_	
						L		_	1.6			
							Signature					
9 1									David Stewart			
			4 1					Printed Nam	Sr. Regulatory Analyst			
								Title				
i /						ĺ		II	4166	2		
i /						Ì		Date	Date			
SURVEYOR CERTIFICATION										IFICATION		
	i	Ţ						11			shown on this plat	
	ĺ	2845									al surveys made by	
	i	?				i		and correct to	my supervision the best of t	p, ana-tu: ng (belieft)	at the same is true	
	i	/				i		i i	Már Eh	24. 2	804	
·	i					i		Date of Surve		M MEXIC	2/2	
	- — —	-/-		<u> </u>				Signature an	4 [7011	1 1 1	
	i	/ NM-E 1	NAD27			i		1	المسا		() §)	
	i	Lat - 30	5* 11'21.09" 3* 22'39.06			i		gesse	1384	rate	in lines	
145	ا اا							U	REDP	2110000000	LANG	
145	¬ ——	Ī				1			Jesse	WESSIGHT	artin	



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM