										AMI	ENDED REPORT	
APPLIC	CATION				LL, RE-E	NTEF	t, DEJ	EPEN,	PLUGBAC	CK, OR ADI		
OVY UCA The		l(Operator Name and	d Address			_			² OGRID Numbe 16696	er	
OXY USA Inc P.O. Box 50		dland,	TX 79710-025	50					30- 021-	³ API Number	7	
. ⁴ Prope	erty Code				⁵ Property l	Name	Name			. 6We	ell No.	
<u></u>	111		Di	ANO DOM	ne Carbon Di Surface I	Dioxide Gas Unit 1933 31					<u> </u>	
UL or lot no.	Section	Townshi	nip Range	Lot, idn				outh Line	Feet from the	East/West line	County	
G-	_		. 1	100	וחונ	1	north		1793	east	Harding	
⁸ Proposed Bottom Hole Location If Different From Surface												
UL or lot no.	Section			Lot. Idn				South Line	Feet from the	East/West line	County	
		9 Propos	sed Pool 1			¹⁰ Proposed Pool 2						
Bravo Dome	e Carbon	Dioxid	e Gas 640		96010	<u></u>						
U work :	C-1.		12 w-11 Trans C		13 Cohlo			14.14	= 0.1.	1 15 C		
	Type Code N		12 Well Type Co C		<u> </u>	R			ase Type Code	<u> </u>	d Level Elevation 198. 4	
¹⁶ Mu	ultiple No		¹⁷ Proposed Dep 2600 '		·	ubb		<u> </u>	Contractor N/A	²⁰ S	Spud Date	
			21,	Proposed	d Casing an	ıd Cen	nent P	rogram			-	
Hole S	lize	<u> </u>	Casing Size	Casing	g weight/foot	ight/foot Setting Depth			Sacks of Cem	ent E	stimated TOC	
12-1/	/4"		8-5/8"	<u> </u>	24#		700'		300sx		Surface	
7-7/	8"		5-1/2"		5.9#FG/15.5#		2600'		300sx		Surface	
		4-			 '	 						
		 		 	!	—						
				<u></u>		<u> </u>						
Describe the proposed program. If this application is to DEEPEN or PLUG BACK, give the data on the present productive zone and proposed new productive zone. Describe the blowout prevention program, if any. Use additional sheets if necessary.												
SEE ATTACHED												
²³ I hereby certifibest of my know			n given above is tr	ue and com	aplete to the			OIL/CO	ONSERVAT	rion divisi	ION	
Signature:	leuge and .	· //		-	1	Approved by:						
Printed name: Di	avid Stev	wart	<u> </u>			Title:		TRICT	SUPER	VISOR		
	r. Regula		nalyst			 	val Date:	4.7		Expiration Date:	4/12/05	
Date:			Phone:					Approval:		Myn	<i>V</i>	
4/8/04			437	432-685-5717			Attached					

Attached

BDCDGU

PROPOSED TD:

2600' TVD

BOP PROGRAM:

0-700'

None

700-2600'

8" 2M annular hydril preventer.

CASING:

Surface:

8-5/8" OD 24# J55 8rd ST&C new casing set at 700'

12-1/4" hole

Centralizers from TD-Surf, every fourth joint

Production:

5-1/2" OD new casing from 0-2600' 300'-15.5# J55 8rd LTC 2300'-5.9# 10rd FG

7-7/8" hole - 5 centralizers

*This well will have fiberglass casing from surface to the productive interval (Tubb). Steel casing will be used across the Tubb. The fiberglass casing must penetrate the Cimarron at a minimum. The optimum point for setting the fiberglass casing is at the midpoint of the Cimarron formation.

CEMENT:

Surface - Circulate cement with 300sx Premium Plus with 2% CaCl₂ + .25#/sx Poly E Flake, (WT-14.8ppg, Yld-1.34cf/sx, FW-6.3g/sx)

Production - Cement with 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-11.1ppg, Yld-3.27cf/sx, FW-20.47g/sx) followed by 150sx Premium Plus with 3% CaCl₂ + .25#/sx Poly E Flake, (WT-13.2ppg, Yld-1.86cf/sx, FW-9.93g/sx)

MUD:

0-700'

Fresh water/native mud.

Wt 8.6-9.2ppg, Vis 32-36sec

700-26001

Fresh water/Starch/Gel pH control as needed. Wt 9.0-9.2ppg, Vis 28-29sec District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 South First, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410

District IV 2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department

State of New Mexico
Energy, Minerals & Natural Resources Department

State of New Mexico
Energy, Minerals & Natural Resources Department


OIL CONSERVATION DIVISION 2040 South Pacheco Santa Fe, NM 87505 Form C-102
Revised October 18, 1994
Instructions on back
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

Certificate Number 7941

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

		WE	LL_LO	CATION	AND A	\CR	EAGE DEDIC	CATION P	LAT			
Al	PI Numb		Pool Code			Pool Name						
				96010			BRAVO DOME CARBON DIOXIDE GAS (640)					
Property C	ode				Prop	pperty Name					Well Number	
27111	RAVO	AVO DOME CARBON DIOXIDE G					UNIT 1933 311					
ogrid n		Operator Name					Elevation					
16696					OXY	USA INC.				4798.4		
		-			Surfa	ice	Location					
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from t	he	North/South line	Feet from the	East/West I	line	County	
G	31	19 N	33 E]	1711'	Ì	NORTH	1793'	EAS	ST	HARDING	
			Botte	om Hol	e Locatio	n l	f Different Fro	om Surface				
UL or lot no.	Section	Township	Range	Lot Idn.	Feet from t	he	North/South line	Feet from the	East/West l	line	County	
}		 	ı						 		}	
Dedicated Acres	Joint o	or Infill C	onsolidation	Code C	order No.			<u> </u>	<u> </u>		<u> </u>	
640	1 1	<i>i</i> [l								
NO ALLOW	ABLE V	VILL BE A	SSIGNEI	TO TH	IS COMPL	ÈTI(ON UNTIL ALL	INTERESTS I	IAVE BEI	EN CO	NSOLIDATED	
		OR A	NON-ST	ANDARD	UNIT HAS	SBF	EEN APPROVED	BY THE DIV	ISION			
					NAD27 35* 50'10.77" 03* 28'08.86"		1793′	Signature	David	Stev	ontained herein is mowledge and belief. Wart Analyst	
								I hereby certi was plotted fi me or under and correct to	ify that the we com field not my supervision the best of n	Il location es of actua n, and than y belief.	P. S. Carlotte	



BRAVO DOME 2003 DRILLING PROJECT BOP DIAGRAM