Submit 3 Copies To Appropriate District Office	State of New Mexico		Form C-103	
Office Energy, Minerals and Natural Resources District I 1625 N. French Dr., Hobbs, NM 87240			May 27, 2004 WELL API NO.	
District II OIL CONSERVATION DIVISION			30-021-20343	
1301 W. Grand Ave., Artesia, NM 88210 District III 1220 South St. Francis Dr.			5. Indicate Type of I	
1000 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505 District IV			STATE	FEE X
1220 S. St. Francis Dr., Santa Fe, NM 87505	•		6. State Oil & Gas L	ease No.
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)			7. Lease Name or Unit Agreement Name: Bravo Dome Carbon Dioxide Gas Unit 2132	
1. Type of Weil:			8. Well Number	
Oil Well Gas Well Other CO2 Supply Well			221	
2. Name of Operator			9. OGRID Number 16696	
OXY USA Inc. 3. Address of Operator			10. Pool name or Wildcat	
P.O. Box 50250 Midland, TX 79710-0250			Bravo Dome Carbon Dioxide Gas 640	
4. Well Location				
Unit Letter G: 1650 feet from the north line and 1650 feet from the east line				
Section 22	Township 21N	Range 32E	NMPM	County Harding
25 (25 (25 (25 (25 (25 (25 (25 (25 (25 (11. Elevation (Show whether		c.)	
Pit or Below-grade Tank Application or Closure				
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water				
Pit Liner Thickness: mil	Below-Grade Tank: Volume_			
12. Check A NOTICE OF INTE PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING OTHER:	ppropriate Box to Indicate NTION TO: PLUG AND ABANDON CHANGE PLANS MULTIPLE COMPLETION	·	SEQUENT REPO	
		· · · · · · · · · · · · · · · · · · ·		
 Describe proposed or completed of starting any proposed work). or recompletion. 				
See Attachment				
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines, a general permitor an (attached) alternative OCD-approved plan				
SIGNATURE	TITI			ATE ululay
Type or print name David Stewart	Е-п	nail address:	david_stewart@oxy. Telepho	com one No. 432-685-5717
For State Use Only	1 Spin	DISTRICT	SUPERVISOR	ulalas
APPROVED BY Conditions of Approval, if any:	TIT	TE	PAI TVAISAN	TE /// 40 7

BD2132 -221

10/11/04

No Accidents Reported
MI & RU SU R 2.375 Tbg to 2330'
Swb Well Dry – Rec 55 BLW P & LD Tbg RD & MOSU
MI & RU WL R Gamma Ray/CCL
R 3.125 Perf Guns, Perforate with 4 DPJSPF @ .52" Hole
2060' to 2080', 2089' to 2109', 2114' to 2129', 2134' to 2149'
2158' to 2178' = 360 Holes - Flow to Clean Up

10/15/04

Flow Well to Sales / 1st day of Production

10/31/04

Frac Down 5.50" Casing with 386 BBL gel KCL containing 758 sx 12/20 Brady Sand foamed with 74 Tons of CO2.

Max TP - 1448 psi Avg TP - 1300 psi AIR - 40 BPM

ISIP - 1245 psi 5 Min SIP - 812 psi 10 Min SIP 544 psi 15 Min SIP - 469 psi Flow well on .5" Choke to clean up.