Submit 3 Copies To Appropriate District State of New		Form C-103
Office Energy, Minerals and Natural Resources District I		May 27, 2004 WELL API NO.
1625 N. French Dr., Hobbs, NM 87240 District II OIL CONSEDIVATION DIVISION		30-059-20451
1301 W. Grand Ave., Artesia, NM 88210 1220 South St. Francia Dr.		5. Indicate Type of Lease
District III 1220 South St. Francis Dr. 1200 Rio Brazos Rd., Aztec, NM 87410 Santa Fe, NM 87505		STATE FEE
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		6. State Oil & Gas Lease No.
CUNDRY NOTICES AND REPORTS ON WELLS		
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		7. Lease Name or Unit Agreement Name: Bravo Dome Carbon Dioxide Gas Unit 2334
PROPOSALS.) 1. Type of Well:		8. Well Number
Oil Well Gas Well Other CO2 Supply Well		311
2. Name of Operator		9. OGRID Number
OXY USA Inc.		16696
3. Address of Operator		10. Pool name or Wildcat
P.O. Box 50250 Midland, TX 79710-0250		Bravo Dome Carbon Dioxide Gas 640
4. Well Location		
Unit Letter K: 1650 feet from the south line and 1650 feet from the west line		
Section 31 Township 23N	Range 34E	NMPM County Union
11. Elevation (Show whet		
4859.3'		
Pit or Below-grade Tank Application or Closure		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water		
Pit Liner Thickness: mil Below-Grade Tank: Volumebbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING		
<u> </u>		
TEMPORARILY ABANDON L CHANGE PLANS	COMMENCE DRILLI	NG OPNS. PLUG AND ABANDONMENT
PULL OR ALTER CASING LJ MULTIPLE COMPLETION	CASING TEST AND CEMENT JOB	
OTHER:	OTHER: Completion	on 🗓
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.		
See Attachment		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed perclosed according to NMOCD guidelines, a general permit or an (attached) alternative OCD-approved plan		
6/. 6	-	cory Analyst DATE 11(4(04
Type or print name David Stewart		david_stewart@oxy.com Telephone No. 432-685-5717
For State Use Only		
APPROVED BY THE HORIZON	TITLE DISTRICT S	SUPERVISOBATE 11/12/04
Conditions of Approval, if any:		

BD2334-311

10/20/04

MI & RUSU R 2.375 Tbg to 2437' Swab Well Dry P & LD Tbg , Install Frac Valve RD & MOSU

10/21/04

No Accidents Report RU WL R Gamma Ray, CCL R 3.125 Gun Perforate x 4 DPJSPF @ .52" Hole 2038' to 2058' , 2092' to 2112' , 2116' to 2128' , 2140' to 2150' 2160' to 2170' , 2202' to 2222' , 2234' to 2242' , 2252' to 2260' 2266' to 2272' , 2282' to 2292' = 504 Holes Flow to Clean Up

10/22/04

Put Well on Production - 1st day of Production

10/30/04

No Accidents Reported
Frac Down 5.50" Casing with 413 BBL gel KCL containing
862 sx 12/20 Brady Sand foamed with 45 Tons of CO2.

Max TP - 1643 psi Avg TP - 1250 psi AIR - 45 BPM
ISIP - 767 psi 5 Min SIP - 548 psi 10 Min SIP 497 psi 15 Min SIP - 502 psi
Flow well on .5" Choke to clean up.