Submit 3 Copies To Appropriate District	State of New Mexico	Form C-103
Office District I	Energy, Minerals and Natural Resour	ces May 27, 2004
1625 N. French Dr., Hobbs, NM 88240		WELL API NO.
<u>District II</u> 1301 W. Grand Ave., Artesia, NM 88210	OIL CONSERVATION DIVISION	N 30-007-20555 7. Indicate Type of Lease
District III	1220 South St. Francis Dr.	STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505	7. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM		
SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICES AND REPORTS ON WELLS  SUNDRY NOTICES AND REPORTS ON WELLS  TO MESSAGE Name or Unit Agreement Name		
(DO NOT USE THIS FORM FOR PROPO	ICES AND REPORTS ON WELLS  FIGURE 1 OF THE PROPERTY OF THE PRO	ASION 7. Dease Name of Other Agreement Name
DIFFERENT RESERVOIR. USE "APPLI	CATION FOR PERMIT" (FORM C-101) FOR SUCH	VPR B
PROPOSALS.)  1 Type of Well: Oil Well	Gas Well  Other Coalbed Methane	8. Well Nûmber 68
2. Name of Operator		9. OGRID Number
EL PASC	ENERGY RATON, L.L.C.	
3. Address of Operator		10. Pool name or Wildcat
	X 190, RATON, NM 87740	
4. Well Location		
Unit Letter F:	2173 feet from the North line an	d 1435 feet from the West line
Section 11	Township 29N Range 18E	
O construction of the cons	11. Elevation (Show whether DR, RKB, RT,	GR, etc.)
The control of the co	7,980' (GL)	A than 1921 Passan Adventuring a said and
Pit or Below-grade Tank Application [ ]		20.
	raterDistance from nearest fresh water well	
Pit Liner Thickness: mil	Below-Grade Tank: Volume	bbls; Construction Material
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF IN	ITENTION TO:	CURCEOUENT REPORT OF
PERFORM REMEDIAL WORK		SUBSEQUENT REPORT OF: LL WORK
TEMPORARILY ABANDON		ICE DRILLING OPNS. P AND A
PULL OR ALTER CASING	1	CEMENT JOB
		_
OTHER:	OTHER:	
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion		
or recompletion.		
01/15/05 Spud @ 10:00 p.m Drill 11" surface hole to 340'. Run 7 jts. of 8 5/8", 24#, J55 ST&C casing to 328'.		
Halliburton mixed and pumped 100 sx Midcon II, 14 ppg, yield 1.66. Circulate 5 bbls of cement to surface.		
WOC 8 hrs. Test surface 8 5/8" csg to 500 psi for 30 minutes.		
01/17/05 Drill 7 7/8" hole from 340' - 2,605'. Reached TD 2,605' at 5:30 a.m.  MIRU Patterson and log well. Logger's TD at 2,607'.		
Ran 61 jts of 5 ½", 17#, J55 LT&C casing to 2,532'.		
MIRU Halliburton. Pumped water and gel spacer at 4 bpm, with 80 psi. Pumped 381 sks Midcon II		
at 13 ppg, 2.04 yield. Bumped plug with 1,270 psi. Circulated 25 bbls of cement to surface. Well shut in.		
		1.1 11.11.6
		nowledge and belief. I further certify that any pit or below- ermit [] or an (attached) alternative OCD-approved plan [].
Q A : 4	1 ,	0
SIGNATURE Shurlyst.	witchell TITLE Regula	etore (malent DATE 01/20/05
Type or print name Shirley A Mitchell E-mail address: shirley.mitchell@elpaso.com Telephone No. (505) 445-6785  For State Use Only		
For State Use Only		
APPROVED BY: TITLE DISTRICT SUPERVISOR DATE 1/24/05		
Conditions of Approval (if any):		
l	/	