<u>District I</u> State of New Mexico Form C-103 1625 N. French Dr., Hobbs, NM 88240 Permit 19125 Energy, Minerals and Natural Resources Phone:(505) 393-6161 Fax:(505) 393-0720 WELL API NUMBER Oil Conservation Division 1301 W. Grand Ave., Artesia, NM 88210 30-005-63767 Phone:(505) 748-1283 Fax:(505) 748-9720 1220 S. St Francis Dr. **Santa Fe, NM 87505** Indicate Type of Lease 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170 1220 S. St Francis Dr., Santa Fe, NIM 87505 State Oil & Gas Lease No. Phone:(505) 476-3470 Fax:(505) 476-3462 SUNDRY NOTICES AND REPORTS ON WELLS 7. Lease Name or Unit Agreement Name MORTAR STATE UNIT (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFRENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH 8. Well Number PROPOSALS.) 001 1. Type of Well:G 9. OGRID Number 2. Name of Operator YATES PETROLEUM CORPORATION 25575 3. Address of Operator 10. Pool name or Wildcat. 105 South Fourth St., Artesia, NM 88210 4. Well Location 1980 1980 W Unit Letter N feet from the line and feet from the line 08S 27E NMPM Chaves Section Township Range County Elevation (Show whether DR, KB, BT, GR, etc.) 3959 GR Pit or Below-grade Tank Application or Closure \_ Depth to Groundwater\_ Distance from nearest fresh water well\_ Distance from nearest surface water\_ Pit Type bbls; Construction Material Pit Liner Thickness: Below-Grade Tank: Volume\_ mil Check Appropriate Box to Indicate Nature of Notice, Report or Other Data SUBSEQUENT REPORT OF: NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK ALTER CASING TEMPORARILY ABANDON | CHANGE OF PLANS PLUG AND ABANDON | COMMENCE DRILLING OPNS. | PULL OR ALTER CASING ☐ MULTIPLE COMPL CASING/CEMENT JOB Other: X Other: Drilling/Cement 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. 11/17/05 Reached TD 6740' at 8:40 AM. Set 5-1/2" 15.5# J-55 casing at 6740'. Float collar at 6693'. Cemented with 725 sx Litecrete + 2% D153 + 0.2% D46 + 4#/sx D24 (yld 2.92). Tailed in with 625 sx PVL + 4#/sx D24 + 0.2% D65 + 0.3% D167 + 0.2% D46 + 0.05% D11 (yld 1.41). Cement circulated to surface. 9/30/2005 Spudded well. Casing and Cement Program Fluid Hole Csg Weight. Est Doth Pres Pres Open String Grade Sacks Yield Class Type Size Size Ib/ft TOC Set Doth Held Drop Hole Prod 7.87 5.5 15.5 6740 1350 I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has beenAvill be constructed or closed according to NMOCD guidelines 🦶, a general permit 🗀 or an (attached) alternative OCD-approved plan SIGNATURE Electronically Signed TITLE Regulatory Agent DATE 11/28/2005

E-mail address debbiec@ypcnm.com

TITLE Geologist

Telephone No. 505-748-4376

DATE 12/1/2005 9:46:57 AM

Type or print name Debbie Caffall

Bryan Arrant

For State Use Only: APPROVED BY: