

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address SOUTHWESTERN ENERGY PRODUCTION COMPANY 2350 N. SAM HOUSTON PKWY E HOUSTON , TX 77032		2. OGRID Number 148111
		3. API Number 30-015-35681
4. Property Code 36338	5. Property Name PICKETT DRAW 16 STATE	6. Well No. 02-H

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
G	16	25S	29E	G	2600	N	1530	E	EDDY

8. Pool Information

CORRAL CANYON, DELAWARE, WEST	13365
-------------------------------	-------

Additional Well Information

9. Work Type New Well	10. Well Type OIL	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 2995
14. Multiple N	15. Proposed Depth 7341	16. Formation Cherry Canyon	17. Contractor	18. Spud Date
Depth to Ground water 250		Distance from nearest fresh water well > 1000		Distance to nearest surface water > 1000
Pit: Liner: Synthetic <input checked="" type="checkbox"/> 12 _____ miles thick Clay <input type="checkbox"/> Pit Volume: 13000 _____ bbls Drilling Method: Closed Loop System <input type="checkbox"/> Fresh Water <input type="checkbox"/> Brine <input type="checkbox"/> Diesel/Oil-based <input type="checkbox"/> Gas/Air <input checked="" type="checkbox"/>				

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	9.625	36	750	400	0
Prod	8.75	5.5	17	7341	460	3000

Casing/Cement Program: Additional Comments

We plan to drill and 12-1/4" hole to 750' with fresh water, run 9-5/8" 36 ppf J-55 casing and set at 750' with 400 sxs of cement circulating to surface; Drill 8-3/4" hole to 7341' MD (see directional plan) with brine, set 5-1/2" production casing and cement with sufficient to cover 500 feet above all oil and gas bearing zones.

Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
Annular	5000	1000	
Double Ram	5000	1500	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCB guidelines <input checked="" type="checkbox"/> a general permit <input type="checkbox"/> or an (attached) alternative OCD-approved plan <input type="checkbox"/>.	OIL CONSERVATION DIVISION
Printed Name: Electronically filed by Martha Howard	Approved By: Bryan Arrant
Title: Staff Regulatory Analyst	Title: Geologist
Email Address: martha_howard@swm.com	Approved Date: 6/25/2007 Expiration Date: 6/25/2008
Date: 6/21/2007 Phone: 281-618-4887	Conditions of Approval Attached

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(505) 393-6161 Fax:(505) 393-0720

District II
 1301 W. Grand Ave., Artesia, NM 88210
 Phone:(505) 748-1283 Fax:(505) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102
 Permit 55257

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-35681	2. Pool Code 13365	3. Pool Name CORRAL CANYON;DELAWARE, WEST
4. Property Code 36338	5. Property Name PICKETT DRAW 16 STATE	6. Well No. 02-H
7. OGRID No. 148111	8. Operator Name SOUTHWESTERN ENERGY PRODUCTION COMPANY	9. Elevation 2995


10. Surface Location

UL - Lot G	Section 16	Township 25S	Range 29E	Lot Idn	Feet From 2600	N/S Line N	Feet From 1530	E/W Line E	County EDDY
---------------	---------------	-----------------	--------------	---------	-------------------	---------------	-------------------	---------------	----------------

11. Bottom Hole Location If Different From Surface

11. Bottom Hole Location If Different From Surface									
UL - Lot B	Section 16	Township 25S	Range 29E	Lot Idn B	Feet From 200	N/S Line N	Feet From 1530	E/W Line E	County EDDY
12. Dedicated Acres 80.00		13. Joint or Infill		14. Consolidation Code		15. Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Martha Howard
 Title: Staff Regulatory Analyst
 Date: 6/21/2007

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Gary Eidson
 Date of Survey: 1/2/2007
 Certificate Number: 12641

Permit Comments

Operator: SOUTHWESTERN ENERGY PRODUCTION COMPANY , 148111

Well: PICKETT DRAW 16 STATE #02-H

API: 30-015-35681

Created By	Comment	Comment Date
AGRIMSLEY	H2S Comment: We plan to drill this well in the Delaware and do not anticipate cutting any formation during the drilling of the well that contain H2S. Therefore, we do not believe an H2S Contingency Plan is necessary.	6/21/2007
AGRIMSLEY	Directional Plan and Form C-102 will be emailed to Mr. Arrant. Unable to upload to website.	6/21/2007
AGRIMSLEY	NSL submitted on 6/21/07.	6/21/2007

Permit Conditions of Approval

Operator: SOUTHWESTERN ENERGY PRODUCTION COMPANY , 148111

Well: PICKETT DRAW 16 STATE #02-H

API: 30-015-35681

OCD Reviewer	Condition
BArrant	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
BArrant	Will require administrative order for non-standard location
BArrant	As noted, fresh water mud to be used in drilling surface hole.