State of New Mexico

Form C-101 Permit 57242

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

111111111111111111111111111111111111111	THE DECEMBER OF THE PROPERTY O						
	. Operator Name and Address	2. OGRID Number					
M	14049						
	PO Box 227 Artesia , NM 88211	3. API Number					
	Altesia, MWI 00211	30-015-35705					
4. Property Code	5. Property Name	6. Well No.					
36608	ALMOSTGON STATE	001					

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	6	24S	27E	P	660	S	660	E	EDDY

8. Pool Information

CARLSBAD;MORROW, SOUTH (PRO GAS)

73960

Additional Well Information

9. Work Type New Well	38435	ll Type AS	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3219
14. Multiple N			16. Formation Morrow	17. Contractor	18. Spud Date 8/12/2007
Depth to Ground v 250	Depth to Ground water 250		Distance from nearest fresh water w > 1000	ell	Distance to nearest surface water > 1000
<u>Pit:</u> Liner: Synthetic X Closed Loop System	_	mils thick		Drilling Method: Fresh Water Brine	Diesel/Oil-based 🗆 Gas/Air 🔀

19. Proposed Casing and Cement Program

Туре	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.75	48	400	400	0
Int1	12.25	9.625	36	1900	400	0
Int2	8.75	7	23	9100	850	1700
Prod	6.125	4.5	11.6	12500	200	8900

Casing/Cement Program: Additional Comments

We propose to drill 17 1/2 inch hole to 400 ft with fresh water, run 48 lb H-40 13 3/8 inch csg and set at 400 ft with 400 sx cmt, circ to surface; drl 12 1/4 inch hole to 1900 ft with brine water, run 36 lb J-55 9 5/8 inch csg and set at 1900 ft with 400 sx cmt, circ to surface; drl 8 3/4 inch hole to 9100 ft with cut brine water, run 7 inch 23 lb N80-P110 csg and set at 9100 ft with 850 sx cmt, TOC 1700'; drl 6 1/8 inch hole to 12500 ft with cut brine water, run 4 1/2 inch 11.6 lb P110 csg and set at 12500 ft with 200 sx cmt, TOC 8900'.

Proposed Blowout Prevention Program

3	Туре	Working Pressure	Test Pressure	Manufacturer
	DoubleRam	5000	5000	Cameron

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to	OIL CONSERVATION DIVISION				
NMOCD guidelines, a general permit X, or an (attached) alternative OCD-approved plan	Approved By: Bryan Arrant				
Printed Name: Electronically filed by Diana Briggs	Title: Geologist				
Title: Production Analyst	Approved Date: 7/16/2007 Expiration Date: 7/16/2008				
Email Address: production@marbob.com					
Date: 7/13/2007 Phone: 505-748-3303	Conditions of Approval Attached				

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

District II

1301 W. Grand Ave., Artesia, NM 88210 Phone:(505) 748-1283 Fax:(505) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Azzec, NIM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Form C-102 Permit 57242

Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

	EDD DOCITION IED IN	CHEROL DEDICERTOR I	
1. API Number	2. Pool Code 3.		ol Name
30-015-35705	73960	CARLSBAD;MORRO	W, SOUTH (PRO GAS)
4. Property Code	5. Property Name		6. Well No.
36608	ALMOSTGON STATE		001
7. OGRID No.	8. Operator Name		9. Elevation
14049	MARBOB ENERGY CORP 3219		


10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	6	24S	27E	P	660	S	660	E	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Т	ownship	Range	Lot	Idn	Feet From	N/S L	ine	Feet From	E/W Line	County
)	ated Acres 3.69		13. Joint or Infill			14	. Consolidation (Code	15. Order No.			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diana Briggs Title: Production Analyst

Date: 7/13/2007

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 6/2/2007 Certificate Number: 3239

Permit Comments

Operator: MARBOB ENERGY CORP , 14049
Well: ALMOSTGON STATE #001

API: 30-015-35705

Created By	Comment	Comment Date
and the second s	We plan to complete this well in the Morrow which is sweet and we don't anticipate cutting any formations that contain H2S gas during the drilling of the above referenced well. Therefore, we do not believe that an H2S contingency plan is necessary.	7/13/2007

Permit Conditions of Approval

Operator: MARBOB ENERGY CORP , 14049
Well: ALMOSTGON STATE #001

API: 30-015-35705

OCD Reviewer	Condition
BArrant	Pit construction and closure must satisfy all requirements of your approved plan, O.C.D. Rule 19.15.2.50, and the Pit and Below-Grade Tank Guidelines
BArrant	As noted, operator to drill surface hole with fresh water mud.
BArrant	Operator to set surface casing above the Salado. Please refer to offset geology for more information.