

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(505) 393-6161 Fax:(505) 393-0720

District II

1301 W. Grand Ave., Artesia, NM 88210
Phone:(505) 748-1283 Fax:(505) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Permit 72988

Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVIOR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NUMBER 30-025-38643
		5. Indicate Type of Lease S
1. Type of Well: O		6. State Oil & Gas Lease No.
2. Name of Operator PLANTATION OPERATING LLC		7. Lease Name or Unit Agreement Name SILVER OAK
3. Address of Operator 4700 W. SAM HOUSTON PKWY N., , SUITE 140 HOUSTON , TX 77041		8. Well Number 002
4. Well Location Unit Letter <u>5</u> : <u>1980</u> feet from the <u>N</u> line and <u>660</u> feet from the <u>W</u> line Section <u>6</u> Township <u>19S</u> Range <u>35E</u> NMPM Lea County		9. OGRID Number 237788
11. Elevation (Show whether DR, KB, BT, GR, etc.) 3939 GR		10. Pool name or Wildcat See Area 13
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE OF PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
Other:

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTER CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDON ☐
CASING/CEMENT JOB ☐
Other: **Perforations/Tubing** ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.
4/1/2008 - 6/6/2008: TIH and tagged DVT. Drilled out DVT @ 8617' and test csg to 2000 psi - OK. RIH to PBTD 11,390'. Perf well from 10,403-10,412' with 40 holes w/CCL 4" csg gun set at 4 SPF. Acidize perfs w/2000 gals 15% NEFE acid dropping 80 ball sealers. Swabbed well. RIH w/CCL & 1-11/16" owen strip gun set at 2 SPF and perf from 10,424-10/430', total of 12 holes. Acidized both set of perfs w/15,000 gals 15% NEFE acid plus additives. Swabbed well. RIH w/CCL 4" csg gun set at 2 SPF and perf well from 10,396-10,412' w/ 2 SPF, 32 holes. Continued....
See Attached

Perforations

Pool: SCHARB;BONE SPRING , 55610 Location: E -6-19S-35E 1980 N 660 W

TOP	BOT	Open Hole	Shots/ft	Shot Size	Material	Stimulation	Amount
10403	10412	N	4	0.41		Acid	2000
10424	10430	N	2	0.41			
10403	10430	N	2			Acid	15000
10396	10412	N	2	0.41			
10396	10430	N	2			Frac	64000
10140	10216	N	2	0.41		Acid	10000
8427	8450	N	2	0.41		Acid	5000

Tubing

SCHARB;BONE SPRING , 55610

Tubing Size	Type	Depth Set	Packer Set
2.875	N-80	10537	

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Electronically Signed TITLE Engineering Tech DATE 6/17/2008

Type or print name Kimberly K Faldyn E-mail address kfaldyn@plantationpetro.com Telephone No. 281-598-7551

For State Use Only:

APPROVED BY: Paul Kautz TITLE Geologist DATE 6/18/2008 6:47:15 AM

Silver Oak #2 – Completion Work Description
Continued:

Frac Bone Spring perfs from 10,396-10,430' w/64,000 gals Medallion 3000 carrying 47,000# Versaprop 18/40 sand. Flow back well. RIH w/tbg, rods and pump and place on production.

POOH w/rods, pump and tbg. RIH w/CCL 5-1/2" composite plug and set at 10,346'. RIH w/4" csg gun set at 2 SPF and perf 10,196-10,216, 40 holes. Perf 10,190-96' w/ 12 holes and perf 10,159-10,160' w/2 holes. Perf 10,140-60' w/ 42 holes. Total of 96 holes. Acidized perfs w/10,000 gals 15% NEFE acid and 300 BS. Swabbed well. RIH w/CIBP and set at 10,080'. Test to 3000 psi – OK. RIH w/CCL 4" csg gun set at 2 SPF 39 gr charge and perf well from 8427-8450', 48 holes. Acidized w/5000 gals 15% NEFE acid and 96 BS. Swabbed well.

TIH and tag CIBP at 10,080' and drill out. TIH to CIBP at 10,346' and drill out. Clean out well to PBTD 10,718'. RIH w/ 333 jts 2-7/8" 6.5# N-80 tbg and set at 10,537'. TIH w/pump (2.5" x 1 1/2" x 24') and rods, then place well on production.

Tubing Comments

OGRID: [237788] PLANTATION OPERATING LLC
Permit Number: 72988
Permit Type: Tubing

Created By	Comment	Comment Date
kfaldyn	The C-104, C-105 (Front Page), logs and deviation survey will be sent by overnight mail.	6/17/2008