# State of New Mexico

#### Form C-101 Permit 128975

# Energy, Minerals and Natural Resources

# Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

| COG OP                    | Name and Address<br>ERATING LLC | OGRID Number     229137       |  |
|---------------------------|---------------------------------|-------------------------------|--|
|                           | W TEXAS<br>ND, TX 79701         | 3. API Number<br>30-015-39176 |  |
| 4. Property Code<br>37933 | 5. Property Name<br>MCCOY STATE | 6. Wett No.<br>020            |  |

## 7. Surface Location

| UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
| C        | 8       | 17S      | 29E   | C       | 970       | N        | 2415      | W        | EDDY   |

### 8. Pool Information

| EMPIRE: GLORIETA-YESO. | EAST | 96610 |
|------------------------|------|-------|
|                        |      |       |

## Additional Well Information

| 9. Work Type<br>New Well                     | 10. Well OIL                 | 30.23        | 11. Cable/Rotary                              | 12. Lesse Type<br>State                     | 13. Ground Level Elevation<br>3629       |
|--|------------------------------|--------------|---|---|--|
| 14. Multiple<br>N                            | 15. Propose<br>540           |              | 16. Formation Yeso Formation                  | 17. Contractor                              | 18. Spud Date<br>8/31/2011               |
| Depth to Ground                              | Depth to Ground water<br>110 |              | Distance from nearest fresh water well > 1000 |   | Distance to nearest surface water > 1000 |
| Pit: Liner: Synthetic D<br>Closed Loop Syste | _                            | nils thick C |   | Drilling Method:<br>Fresh Water   Brine   I | Diesel/Oil-based Gas/Air                 |

19. Proposed Casing and Cement Program

|      |           |             |                  |               | 8               |               |
|------|-----------|-------------|------------------|---------------|-----------------|---------------|
| Type | Hole Size | Casing Type | Casing Weight/ft | Setting Depth | Sacks of Cement | Estimated TOC |
| Surf | 17.5      | 13.375      | 48               | 350           | 400             | 0             |
| Int1 | 11        | 8.625       | 24               | 850           | 400             | 0             |
| Prod | 7.875     | 5.5         | 17               | 5400          | 900             | 0             |

# Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 350' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 850' w/br mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill a 7-7/8" hole to 5400' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

Proposed Blowout Prevention Program

|           | Troposcu Dionout Tr | CTCHEIGH LIUGIAM | 93-          |
|-----------|---------------------|------------------|--------------|
| Type      | Working Pressure    | Test Pressure    | Manufacturer |
| DoubleRam | 2000                | 2000             |              |

| of my knowledge and belief. | nation given above is true and complete to the best illing pit will be constructed according to | OIL CONSERVATION DIVISION   |                           |  |  |
|-----------------------------|---|-----------------------------|---------------------------|--|--|
|                             | eneral permit , or an (attached) alternative  | Approved By: Randy Dade     |                           |  |  |
| Printed Name: Electroni     | cally filed by Diane Kuykendall   | Title: District Supervisor  |                           |  |  |
| Title: Production Repor     | ting Mgr  | Approved Date: 7/5/2011     | Expiration Date: 7/5/2013 |  |  |
| Email Address: dkuyker      | ndall@conchoresources.com   |                             | 1000                      |  |  |
| Date: 7/5/2011              | Phone: 432-683-7443   | Conditions of Approval Atta | ached                     |  |  |

District I

1625 N. French Dr., Hobbs, NM 88240 Phone:(505) 393-6161 Fax:(505) 393-0720

District II

1301 W. Grand Ave., Artesia, NM 88210 Phone:(505) 748-1283 Fax:(505) 748-9720

District III

1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

# State of New Mexico

Form C-102 Permit 128975

# Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

WELL LOCATION AND ACREAGE DEDICATION PLAT

| 1. API Number    | 2. Pool Code     | EMPIRE; G | 3. Pool Name       |
|------------------|------------------|-----------|--------------------|
| 30-015-39176     | 96610            |           | LORIETA-YESO, EAST |
| 4. Property Code | 5. Property Name |           | 6. Well No.        |
| 37933            | MCCOY STATE      |           | 020                |
| 7. OGRID No.     | 8. Operato       |           | 9. Elevation       |
| 229137           | COG OPERA        |           | 3629               |

### 10. Surface Location

| _ |          |         |          |       |         |           |          |           |          |        |
|---|----------|---------|----------|-------|---------|-----------|----------|-----------|----------|--------|
|   | UL - Lot | Section | Township | Range | Lot Idn | Feet From | N/S Line | Feet From | E/W Line | County |
|   | C        | 8       | 17S      | 29E   |         | 970       | N        | 2415      | W        | EDDY   |

# 11. Bottom Hole Location If Different From Surface

| UL - Lot | Section     | Township | Range           | Lot Id | Feet From         | N/S Line | Feet From | E/W Line      | County |
|----------|-------------|----------|-----------------|--------|-------------------|----------|-----------|---------------|--------|
| 0.000    | cated Acres | 13. 1    | Joint or Infill |        | 14. Consolidation | Code     |           | 15. Order No. |        |

# NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

## OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 7/5/2011

### SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 6/20/2011 Certificate Number: 3239

# **Permit Comments**

Operator: COG OPERATING LLC , 229137 Well: MCCOY STATE #020

API: 30-015-39176

| Created<br>By | Comment   | Comment<br>Date |
|---------------|---|-----------------|
| kholly1       | H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required. | 3/17/2011       |
| Artesia       | Land P/S  | 7/5/2011        |

# Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: MCCOY STATE #020

API: 30-015-39176

| OCD<br>Reviewer | Condition  |
|-----------------|--|
| Artesia         | Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string |
| Artesia         | Will require administrative order for non-standard location  |