

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE

1. Operator Name and Address COG OPERATING LLC 550 W TEXAS MIDLAND , TX 79701		2. OGRID Number 229137
		3. API Number 30-015-39201
4. Property Code 37953	5. Property Name YALE STATE	6. Well No. 015

7. Surface Location

UL - Lot P	Section 2	Township 17S	Range 30E	Lot Idn P	Feet From 1045	N/S Line S	Feet From 925	E/W Line E	County EDDY
---------------	--------------	-----------------	--------------	--------------	-------------------	---------------	------------------	---------------	----------------

8. Pool Information

LOCO HILLS: GLORIETA-YESO	96718
---------------------------	-------

Additional Well Information

9. Work Type New Well	10. Well Type OIL	11. Cable/Rotary	12. Lease Type State	13. Ground Level Elevation 3754
14. Multiple N	15. Proposed Depth 6150	16. Formation Yeso Formation	17. Contractor	18. Spud Date 8/31/2011
Depth to Ground water 110		Distance from nearest fresh water well > 1000		Distance to nearest surface water > 1000
Pit: Liner: Synthetic <input checked="" type="checkbox"/> 12 _____mils thick Clay <input type="checkbox"/> Pit Volume: 5000 _____bbls Drilling Method: Closed Loop System <input type="checkbox"/> Fresh Water <input checked="" type="checkbox"/> Brine <input type="checkbox"/> Diesel/Oil-based <input type="checkbox"/> Gas/Air <input type="checkbox"/>				

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	450	450	0
Int1	11	8.625	24	1350	500	0
Prod	7.875	5.5	17	6150	900	0

Casing/Cement Program: Additional Comments

COG proposes to drill a 17-1/2" hole to 450' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 1350' w/fr mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill 7-7/8" hole to 6150' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run. COG will attempt to circulate cement.

Proposed Blowout Prevention Program

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines <input checked="" type="checkbox"/> a general permit <input type="checkbox"/> , or an (attached) alternative OCD-approved plan <input type="checkbox"/> .	OIL CONSERVATION DIVISION	
Printed Name: Electronically filed by Diane Kuykendall	Approved By: Randy Dade	
Title: Production Reporting Mgr	Title: District Supervisor	
Email Address: dkuykendall@conchoresources.com	Approved Date: 7/14/2011 Expiration Date: 7/14/2013	
Date: 7/13/2011 Phone: 432-683-7443	Conditions of Approval Attached	

District I
 1625 N. French Dr., Hobbs, NM 88240
 Phone:(505) 393-6161 Fax:(505) 393-0720

District II
 1301 W. Grand Ave., Artesia, NM 88210
 Phone:(505) 748-1283 Fax:(505) 748-9720

District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
 1220 S. St Francis Dr., Santa Fe, NM 87505
 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

Form C-102
 Permit 126142

WELL LOCATION AND ACREAGE DEDICATION PLAT

1. API Number 30-015-39201	2. Pool Code 96718	3. Pool Name LOCO HILLS; GLORIETA-YESO
4. Property Code 37953	5. Property Name YALE STATE	6. Well No. 015
7. OGRID No. 229137	8. Operator Name COG OPERATING LLC	9. Elevation 3754




10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
P	2	17S	30E		1045	S	925	E	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 40.00	13. Joint or Infill	14. Consolidation Code	15. Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

<table border="1"> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td></td></tr> <tr><td></td><td></td><td></td><td align="center"></td></tr> </table>																	<p align="center">OPERATOR CERTIFICATION</p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: Diane Kuykendall Title: Production Reporting Mgr Date: 7/13/2011</p>
																	
<p align="center">SURVEYOR CERTIFICATION</p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: Ronald Eidson Date of Survey: 6/28/2011 Certificate Number: 3239</p>																	

Permit Comments

Operator: COG OPERATING LLC , 229137

Well: YALE STATE #015

API: 30-015-39201

Created By	Comment	Comment Date
rodan	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	1/21/2011
Artesia	Land S/S	7/14/2011

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137

Well: YALE STATE #015

API: 30-015-39201

OCD Reviewer	Condition
Artesia	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string