

**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(505) 393-6161 Fax:(505) 393-0720

**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(505) 748-1283 Fax:(505) 748-9720

**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-101  
June 16, 2008  
Permit 124411

**APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE**

1. Operator Name and Address COG OPERATING LLC 550 W TEXAS MIDLAND, TX 79701		2. OGRID Number 229137
		3. API Number 30-025-40205
4. Property Code 37687	5. Property Name TAYLOR D	6. Well No. 030

**7. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
E	10	17S	32E	E	2425	N	330	W	LEA

**8. Pool Information**

MALJAMAR;YESO, WEST	44500
---------------------	-------

**Additional Well Information**

9. Work Type New Well	10. Well Type OIL	11. Cable/Rotary	12. Lease Type Private	13. Ground Level Elevation 4124
14. Multiple N	15. Proposed Depth 7000	16. Formation Yeso Formation	17. Contractor	18. Spud Date 8/31/2011
Depth to Ground water 110	Distance from nearest fresh water well > 1000		Distance to nearest surface water > 1000	

**19. Proposed Casing and Cement Program**

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17.5	13.375	48	1000	650	0
Int1	11	8.625	32	2150	600	0
Prod	7.875	5.5	17	7000	900	0

**Casing/Cement Program: Additional Comments**

COG proposes to drill a 17-1/2" hole to 800' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" hole to 2150' w/fr mud system, wt 10, vis 30. Set 8-5/8" casing & cement to surface. Drill 7-7/8" hole to 7000' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

**Proposed Blowout Prevention Program**

Type	Working Pressure	Test Pressure	Manufacturer
DoubleRam	2000	2000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to NMOCD guidelines <input checked="" type="checkbox"/> a general permit <input type="checkbox"/> , or an (attached) alternative OCD-approved plan <input type="checkbox"/> .	<b>OIL CONSERVATION DIVISION</b>	
	Approved By: Paul Kautz	
	Title: Geologist	
	Approved Date: 7/28/2011	Expiration Date: 7/28/2013
	Conditions of Approval Attached	

Printed Name: Electronically filed by Diane Kuykendall	
Title: Production Reporting Mgr	
Email Address: dkuykendall@conchoresources.com	
Date: 7/26/2011	Phone: 432-683-7443

**District I**  
 1625 N. French Dr., Hobbs, NM 88240  
 Phone:(505) 393-6161 Fax:(505) 393-0720

**District II**  
 811 S. First St., Artesia, NM 88210  
 Phone:(505) 748-1283 Fax:(505) 748-9720

**District III**  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 Phone:(505) 334-6178 Fax:(505) 334-6170

**District IV**  
 1220 S. St Francis Dr., Santa Fe, NM 87505  
 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

Form C-102  
 Permit 124411

**WELL LOCATION AND ACREAGE DEDICATION PLAT**

1. API Number 30-025-40205	2. Pool Code 44500	3. Pool Name MALJAMAR;YESO, WEST
4. Property Code 37687	5. Property Name TAYLOR D	6. Well No. 030
7. OGRID No. 229137	8. Operator Name COG OPERATING LLC	9. Elevation 4124

**10. Surface Location**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
E	10	17S	32E		2425	N	330	W	LEA

**11. Bottom Hole Location If Different From Surface**

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
12. Dedicated Acres 40.00	13. Joint or Infill	14. Consolidation Code	15. Order No.						

**NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION**

	<p align="center"><b>OPERATOR CERTIFICATION</b></p> <p><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i></p> <p>E-Signed By: Diane Kuykendall          Title: Production Reporting Mgr          Date: 7/26/2011</p>
	<p align="center"><b>SURVEYOR CERTIFICATION</b></p> <p><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i></p> <p>Surveyed By: Ronald Eidson          Date of Survey: 7/7/2011          Certificate Number: 3239</p>

## Permit Comments

Operator: COG OPERATING LLC , 229137

Well: TAYLOR D #030

API: 30-025-40205

Created By	Comment	Comment Date
rodan	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	12/14/2010
pkautz	Land P/P	7/27/2011
DMULL	OCD Hobbs office has received form C-144CLEZ. OCD Permit Number P1-03531.	7/28/2011

# Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137

Well: TAYLOR D #030

API: 30-025-40205

OCD Reviewer	Condition
pkautz	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string
pkautz	Will require administrative order for non-standard location