<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

<u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV
1220 S. St. Paresis Pa. Seats P. 201 825

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-101 August 1, 2011

Permit 127723

APPLICATION FOR PERMIT	TO DRILL, RE-ENTER, DEEPE	N, PLUGBACK, OR ADD A ZONE

COG OP	Name and Address ERATING LLC	OGRID Number 229137		
550 W TEXAS MIDLAND, TX 79701		3. API Number 30-015-39298		
4. Property Code	5. Property Name	6. Well No.		
302518	MAPLE STATE	004		

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	30	17S	28E	1	990	N	990	W	EDDY

8. Pool Information

RED LAKE; GLORIETA YESO, NORTHEAST

96836

Additional Well Information

	_	Traditional () cli Inform			
9. Work Type New Well	10. Well Type OIL	11. Cable Rotary	12. Lesse Type State	13. Ground Level Elevation 3544	
14. Multiple N	15. Proposed De 4850	th 16. Formation Yeso Formation			
Depth to Ground	Water	Distance from nearest fresh water > 1000	r well	Distance to nearest surface water > 1000	

19. Proposed Casing and Cement Program

					8	
Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	17	13.375	48	250	300	0
Int1	11	8.625	24	850	400	0
Prod	7.875	5.5	17	4850	900	0

Casing/Cement Program: Additional Comments

COG proposes to drill an 17" hole to 250' w/fr wtr mud system, wt 8.5, vis 28, set 13-3/8" casing & cement to surface. Drill an 11" or 12-1/4" hole to 850' w/brine mud system, wt 10, vis 30, set 8-5/8" casing & cement to surface. Drill 7-7/8" hole to 4850' w/cut brine mud system, wt 9.1, vis 29-32. Test Yeso formation. Run 5-1/2" casing & cement to surface. Note: On production string, a caliper will be run, COG will attempt to circulate cement.

Proposed Blowout Prevention Program

- 65	(Troposed Dionode I	C CHUICH I I Ogiani	X2
	Type	Working Pressure	Test Pressure	Manufacturer
1	DoubleRam	2000	2000	

I hereby certify that the information given above is true and complete to the best of my knowledge and belief. I further certify that the drilling pit will be constructed according to	OIL CONSERVATION DIVISION			
NMOCD guidelines X, a general permit \(\backslash \), or an (attached) alternative OCD-approved plan \(\backslash \).	Approved By: Randy Dade			
Printed Name: Electronically filed by Diane Kuykendall	Title: District Supervisor			
Title: Production Reporting Mgr	Approved Date: 8/11/2011	Expiration Date: 8/11/2013		
Email Address: dkuykendall@conchoresources.com		10.00		
Date: 8/9/2011 Phone: 432-683-7443	Conditions of Approval Attac	ched		

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

<u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico

Energy, Minerals and Natural Resources

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505 Form C-102 August 1, 2011

Permit 127723

WELL LOCATION AND ACREAGE DEDICATION PLAT

10 10 10 10 10 10 10 10 10 10 10 10 10 1	30:20:7000		A Section 1
1. API Number	2. Pool Code	The state of the s	3. Pool Name
30-015-39298	96836	RED LAKE; GL	ORIETA YESO, NORTHEAST
4. Property Code	5. Property Name		6. Well No.
302518	MAPL	MAPLE STATE	
7. OGRID No.	8. Operator Name		9. Elevation
229137	COG OPER	RATING LLC	3544

10. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
D	30	17S	28E	1	990	N	990	W	EDDY

11. Bottom Hole Location If Different From Surface

UL - Lot	Section	Township	Range	Lot Id	n Feet From	N/S Line	Feet From	E/W Line	County
September 1	cated Acres	13.	Joint or Infill		14. Consolidation	14. Consolidation Code		15. Order No.	

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

6		
8		
8		

OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location(s) or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

E-Signed By: Diane Kuykendall Title: Production Reporting Mgr

Date: 8/9/2011

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

Surveyed By: Ronald Eidson Date of Survey: 7/13/2011 Certificate Number: 3239

Permit Comments

Operator: COG OPERATING LLC , 229137 Well: MAPLE STATE #004

API: 30-015-39298

Created By	Comment	Comment Date
rodom	H2S concentrations of wells in this area from surface to TD are low enough that a contingency plan is not required.	2/22/2011
Artesia	Land P/S	8/11/2011

Permit Conditions of Approval

Operator: COG OPERATING LLC , 229137 Well: MAPLE STATE #004

API: 30-015-39298

OCD Reviewer	Condition
Artesia	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string