District I 1625 N. French Dr., Hobbs, NM 88240 Phone:(575) 393-6161 Fax:(575) 393-0720 District II

811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

District IV 1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

August 1, 2011

Permit 136908

Form C-101

Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

State of New Mexico

Energy, Minerals and Natural Resources

APPLICATION FOR PERMIT TO DRILL, RE-ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE	APPLICATION FOR	PERMIT TO DRILL	. RE-ENTER, DEEPEN	. PLUGBACK.	OR ADD A ZONE
--	-----------------	-----------------	--------------------	-------------	---------------

Operator Name and Address OXY USA INC PO Box 4294 Houston, TX 77210		2. OGRID Number 16696 3. API Number 30-015-39381	
38785 POOH 27 STATE		002	

7. Surface Location

UL - Lot	Section	Township	Range	Lot Idn	Feet From	N/S Line	Feet From	E/W Line	County
A	27	17S	28E	A	802	N	368	E	EDDY

8. Pool Information

ARTEGIA, CLORIETA VECO (O)	06920
ARTESIA; GLORIETA-YESO (O)	90830

Additional Well Information

9. Work Type	10. Well Type	11. Cable Rotary	12. Lesse Type	13. Ground Level Elevation
New Well	OIL		State	3588
14. Multiple	15. Proposed Depth	16. Formation	17. Contractor	18. Spud Date
N	5208	Tubb		11/15/2011
Depth to Ground	water	Distance from nearest fresh water	ar well	Distance to nearest surface water

19. Proposed Casing and Cement Program

Type	Hole Size	Casing Type	Casing Weight/ft	Setting Depth	Sacks of Cement	Estimated TOC
Surf	12.25	9.625	36	400	250	0
Prod	8.75	5.5	17	5208	2080	0

Casing/Cement Program: Additional Comments

Proposed Blowout Prevention Program

	Troposed Blowout Trevention Trogram					
	Type	Working Pressure	Test Pressure	Manufacturer		
Т	DoubleRam	3000	5000	H&P		

of my knowledge and belief.	nation given above is true and complete to the best rilling pit will be constructed according to	OIL CONSERVATION DIVISION		
NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		Approved By: Randy Dade		
Printed Name: Electron	ically filed by KAREN M SINARD	Title: District Supervisor		
Title:		Approved Date: 9/2/2011	Expiration Date: 9/2/2013	
Email Address: karen_s	inard@oxy.com			
Date: 9/2/2011 Phone: 713-366-5485		Conditions of Approval Atta	ached	

District I 1625 N. French Dr., Hobbs, NM 88240 District II

State of New Mexico
Energy, Minerals & Natural Resources Department

ent

Form C-102 Revised October 12, 2005

USERICE R
1301 W. Grand Avenue, Artesia, NM 88210
District III

OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Submit to Appropriate District Office State Lease-4 Copies Fee Lease-3 Copies

1000 Rio Brazos Rd., Aztec, MM 87410 District N 1220 S. St. Francis Dr., Sonto Fe, MM 87505

Santa Fe, NM 87505

AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number

Pool Code

Property Code

Property Code

Property Name

POOH 27 STATE

Operator Name

Operator Name

Operator Name

OXY USA INC.


Well Number

Revolution

3587.9'

Surface Location UL or lot no. Section Township Ronge Lat ion Feet from the North/South line | Feet from the East/West line County A 27 17 SOUTH 28 EAST, N.M.P.M. 802" **NORTH** 368' EAST **EDDY** Bottom Hole Location If Different From Surface UL or lot no. Section Township Lot Idn Feet from the North/South line Feet from the East/West line County 27 17 SOUTH 28 EAST, N.M.P.M. **NORTH** 990 384 EAST EDDY Dedicated Acres Joint or Infilt Consolidation Code Order No.

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



Permit Conditions of Approval

Operator: OXY USA INC , 16696 Well: POOH 27 STATE #002

API: 30-015-39381

OCD Reviewer	Condition
Artesia	Once the well is spud, to prevent ground water contamination through whole or partial conduits from the surface, the operator shall drill without interruption through the fresh water zone or zones and shall immediately set in cement the water protection string